# City of San Diego

CONTRACTOR'S NAME:	0
ADDRESS:	
TELEPHONE NO.:	FAX NO.:
CITY CONTACT: Edric Doringo, Ac	Idress: 600 B Street, Suite 700, M.S. 908A, San Diego, CA 92101
Email:edoringo@	sandiego gov. Phone No 619-533-4655

NB/DS/RIR

# CONTRACT DOCUMENTS



# **FOR**

# GRAND AVENUE SIDEWALK AND STORMDRAIN

VOLUME 1 OF 2

BID NO.:	L-12-5635-DBB-1
SAP NO. (WBS/IO/CC):	B-00929
CLIENT DEPARTMENT:	2112
COUNCIL DISTRICT:	8
PROJECT TYPE:	II/IJ

# THIS CONTRACT IS SUBJECT TO THE FOLLOWING:

- > THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- COMPETITION RESTRICTED TO: ELBE FIRMS ONLY.

The engineering Specifications and Special Provisions contained herein have been prepared by or under the direction of the following Professional Engineer or Licensed Architect:

Professional Engineer or Licensed Afchitect

Seal:



# 

The 2010 edition of the City of San Diego Standard Specifications for Public Works Construction ("The WHITEBOOK") now contains the following distinct Contract Documents:

- 1) Equal Opportunity Contracting Program Requirements This Contract Document sets forth the standard requirements for the City's equal opportunity contracting program. When additional requirements by the funding source e.g., federal or state agencies are physically included in the contract documents or by reference and there is a discrepancy, the funding source requirements shall govern unless specified otherwise in the Special Provisions.
- 2) City Supplement The City Supplement shall be used in conjunction with the Standard Specifications for Public Works Construction ("The GREENBOOK"), 2009 Edition. The specifications contained in City Supplement take precedence over the specifications contained in The GREENBOOK, 2009 Edition.

Certain parts of the City Supplement have been highlighted in yellow for the convenience of the users only and shall not affect the interpretation of the Contract.

To obtain The GREENBOOK contact the publisher at: <a href="http://www.bnibooks.com">http://www.bnibooks.com</a>

The WHITEBOOK is available only in electronic format under Engineering Documents and References at: http://www.sandiego.gov/engineering-cip/

# TABLE OF CONTENTS

DF	ESCRIPTION	PAGE NUMBER
1.	REQUIRED DOCUMENTS SCHEDULE	4-5
2.	SPECIAL NOTICE SLBE AND ELBE PROGRAM	6
3.	INVITATION TO BID(S)	7-9
4.	INSTRUCTION TO BIDDER(S)	10-18
5.	CONTRACT FORMS	
	Agreement/Contract	19-20
	Performance Bond and Labor and Materialmen's Bond	21-22
6.	CONTRACTOR CERTIFICATION	
	Drug-Free Workplace	23
	American with Disabilities Act (ADA) Compliance	24
	Contractor Standards - Pledge of Compliance	25
	Affidavit of Disposal	
7.	SUPPLEMENTARY SPECIAL PROVISIONS	
8.	APPENDICES:	
	APPENDIX A Mitigated Negative Declaration	55-67
	APPENDIX B Fire Hydrant Meter Program	
	APPENDIX C Materials Typically Accepted by Certificate of Compliance	e83-84
	APPENDIX D Sample City Invoice	
	APPENDIX E Location Map	

# REQUIRED DOCUMENT SCHEDULE

This table is intended to serve as a convenient tool for listing forms and documents required at different times. It is neither exhaustive nor must be considered a Contract Document by itself. Therefore, the users must review the entire Contract Documents and become familiar with the required documentation and the submittal schedule associated with each document.

Bidder's attention is directed to the City's Municipal Code §22.0807(e), (3)-(5) for important information regarding required documentation.

The specified EOC forms are all available for download from the EOC Program's web site at:

# http://www.sandiego.gov/eoc/forms/index.shtml

TODA A	NATATON I	DV.	XXIII A /D
ITEM	WHEN	BY	WHAT
1.	BID DUE DATE/TIME	ALL BIDDERS	Proposal (Bid)
2.	BID DUE DATE/TIME	ALL BIDDERS	Non-collusion Affidavit to be Executed By Bidder and Submitted with Bid under 23 USC 112 and PCC 7106
3.	BID DUE DATE/TIME	ALL BIDDERS	Contractors Certification of Pending Actions
4.	BID DUE DATE/TIME	ALL BIDDERS	Equal Benefits Ordinance Certification of Compliance
5.	BID DUE DATE/TIME	ALL BIDDERS	Form AA35 - List of Subcontractors
6.	BID DUE DATE/TIME	ALL BIDDERS	Form AA40 - Named Equipment/Material Supplier List
7.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Names of the principle individual owners of the Apparent Low Bidder - In the event the firm is employee owned or publicly held, then the fact should be stated and the names of the firm's principals and officers shall be provided.
8.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	If the Contractor is a Joint Venture, the following information must be submitted:  o Joint Venture Agreement o Joint Venture License
9.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contract Forms - Agreement
10.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contract Forms - Payment and Performance Bond
11.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Certificates of Insurance and Endorsements
12.	BY 5th OF EACH MONTH	CONTRACTOR	Form CC20 - Monthly Employment Report
13.	BY 5th OF EACH MONTH	CONTRACTOR	Form CC25 - Monthly Invoicing Report

# REQUIRED DOCUMENT SCHEDULE

		1	
ITEM	WHEN	BY	WHAT
14.	PRIOR TO ACCEPTANCE	CONTRACTOR	Form CC10 - Contract Change Order (CCO)
15.	PRIOR TO ACCEPTANCE	CONTRACTOR	Form CC15 - Final Summary Report
16.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractor Certification - Drug-Free Workplace
17.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractor Certification - American with Disabilities Act
18.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractors Standards - Pledge of Compliance
19.	PRIOR TO ACCEPTANCE	CONTRACTOR	Affidavit of Disposal

# SPECIAL NOTICE SMALL LOCAL BUSINESS ENTERPRISES (SLBE) AND EMERGING LOCAL BUSINESS ENTERPRISES (ELBE) PROGRAM

- **1. INTRODUCTION.** This contract is subject to the requirements of the SLBE Program as specified in the SLBE-ELBE section of the City's EOCP Requirements included in The WHITEBOOK.
  - **1.1.** The Bidders are required to review The WHITEBOOK and become familiar with the detailed specifications including the required documentation and the submittal schedule as related to SLBE-ELBE program.
- 2. AMENDMENTS TO THE CITY'S GENERAL EOCP REQUIREMENTS.
  - III. Equal Employment Opportunity Outreach Program (A). DELETE in its entirety and SUBSTITUTE with the following:
    - A. Competitive Bids. If a contract is competitively solicited, the Apparent Low Bidder shall submit a *Work Force Report (Form BB05)* or an Equal Employment Opportunity (EEO) Plan, within 10 Working Days after receipt by the Bidder of Contract forms to the City for approval as specified in the Notice of Intent to Award letter from the City.
- **3. SUBCONTRACTING PARTICIPATION PERCENTAGES.** The City has incorporated voluntary subcontractor participation percentage to enhance competition and maximize subcontracting opportunities as follows.
  - **3.1.** The following voluntary subcontractor participation percentage for DBE, DVBE, WBE, MBE, SLBE, and ELBE certified Subcontractors shall apply to this contract:

# Total voluntary subcontractor participation percentage for this project is 14.4%.

- **3.2.** For the purpose of achieving the voluntary subcontractor participation level (percentage), Additive, Deductive, and Allowance Bid Items will not be included in the calculation.
- **4. PRE-BID CONFERENCE.** A Pre-Bid Conference is scheduled for this contract as specified in the Invitation to Bids. The purpose of this meeting is to inform prospective Bidders of the submittal requirements and provisions relative to the Small Local Business Enterprise Program. Bidders are strongly encouraged to attend the Pre-Bid Conference to better understand the requirements of this contract.
- **RESOURCES.** The current list of certified SLBE-ELBE firms can be found on the Equal Opportunity Contracting Program Department website.

# CITY OF SAN DIEGO, CALIFORNIA

# **INVITATION TO BIDS**

1. **RECEIPT AND OPENING OF BIDS:** Bid(s) will be received at the Public Works Contracting Group at **1200 THIRD AVENUE**, **SUITE 200**, **SAN DIEGO**, **CA 92101 UNTIL 1:30 PM ON JUNE 12**, **2012** for performing work on the following project (Project):

#### GRAND AVENUE SIDEWALK AND STORMDRAIN

2. **DESCRIPTION OF WORK:** The Work involves furnishing all labor, materials, equipment, services, and other incidental works and appurtenances for the construction of the Project as described below:

The installation of 18" RCP pipe, curb inlet, curb ramps, curb gutters and sidewalks along Grand Avenue between Bond St. and Figueroa Blvd.

The Work shall be performed in accordance with:

- Bid No. L-12-5635-DBB-1 and Plans numbered 35465-1-D through 35465-3-D inclusive.
- **3. ENGINEER'S ESTIMATE:** The Engineer's estimate of the most probable price for this contract is \$131,600.
- 4. CONTRACT TIME: The Work shall be completed in 22 Working Days
- 5. CONTRACTOR'S LICENSE CLASSIFICATION: In accordance with the provisions of California Law, the Contractor shall possess valid appropriate license(s) at the time that the Bid is submitted. Failure to possess the specified license(s) shall render the Bid as **non-responsive** and shall act as a bar to award of the Contract to any Bidder not possessing required license(s) at the time of Bid.

The City has determined the following licensing classification(s) for this contract:

#### • CLASS A

**6. PRE-BID CONFERENCE:** There will be a Pre-Bid Conference to discuss the scope of the Project, bidding requirements, and Equal Opportunity Contracting Program requirements and reporting procedures in the Public Works Contracting Group, Conference Room at 1200 Third Avenue, Suite 200, San Diego, CA 92101 at 10:00 A.M., on MAY 23, 2012.

All potential bidders are encouraged to attend.

To request a copy of the agenda on an alternative format, or to request a sign language or oral interpreter for this meeting, call the Public Works Contracting Group at (619)236-6000 at least 5 Working Days prior to the Pre-Bid Conference to ensure availability.

# 7. CITY PROJECT MANAGER CONTACT INFORMATION:

See the cover of the Contract Documents.

**8. REFERENCE STANDARDS:** Except as otherwise noted or specified, the Work shall be completed in accordance with the following standards:

#### 1. STANDARD SPECIFICATIONS

Document No.	Filed	Description		
PITS0504091	05-04-09	Standard Specifications for Public Works Construction (The GREENBOOK), 2009 Edition		
PITS090110-1	09-01-10	City of San Diego Standard Specifications for Public Works Construction (The WHITEBOOK), 2010 Update *		
AEC1231064	12-31-06	California Department of Transportation, Manual of Uniform Traffic Control Devices (MUTCD 2006)		
769023	09-11-84	Standard Federal Equal Employment Opportunity Construction Contract Specifications and the Equal Opportunity Clause		

NOTE: The City of San Diego Supplement, 2010 Update now consolidates various City Public Works Construction Standard Specifications which in the past were included in the Supplementary Special Provisions. The Bidders' attention is directed to this edition of the City Supplement for a close review to ensure no important information is missed for the preparation of the Bids.

# 2. STANDARD DRAWINGS

Document No.	Filed	Description
AEC1230163	12-31-06	City of San Diego Standard Drawings*
N/A	Varies	City Standard Drawings - Updates Approved For Use (when specified)*
AEC0925061	09-25-06	Caltrans 2006 U.S. Customary Unit Standard Plans

NOTE: \*Available online under Engineering Documents and References at: http://www.sandiego.gov/engineering-cip.

**9. WAGE RATES**: Prevailing wages are not applicable to this project <u>unless specified otherwise</u> on the cover page of these specifications and when included in these specifications. See Funding Agency Provisions that follow this Invitation to Bid for more information.

**10. PRE-BID SITE VISIT:** The prospective Bidders are encouraged to visit the Work Site with the Engineer. The purpose of the Site visit is to acquaint Bidders with the Site conditions. To request a sign language or oral interpreter for this visit, call the Public Works Contracting Group at (619) 236-6000 at least 5 Working Days prior to the meeting to ensure availability. A Pre-Bid Site Visit is offered when the details are provided as follows:

Tony Heinrichs Director Public Works Department

# **INSTRUCTIONS TO BIDDERS**

1. **PREQUALIFICATION OF CONTRACTORS:** The contractor(s) who intend to submit Bid or Proposal in response to this invitation to bid, or RFP's for GRC or As-Needed Design-Build Task Orders valued over \$50,000, must be pre-qualified for the total amount proposed, inclusive of all alternate bid items or the specified Task Order limits prior to the date of Bid submittal.

Bids from contractors who have not been pre-qualified as applicable, and Bids that exceed the maximum dollar amount at which contractors are pre-qualified, will be deemed **non-responsive** and ineligible for award or a Task Order authorization. Complete information and prequalification questionnaires are available at:

http://www.sandiego.gov/engineering-cip/services/consultcontract/prequal.shtml

The completed questionnaire, financial statement, and bond letter or a copy of the contractor's SLBE-ELBE certification and bond letter, must be submitted no later than 2 weeks prior to the bid opening to the Public Works Department-Engineering & Capital Projects Prequalification Program, 1010 Second Avenue, Suite 1200, San Diego, CA 92101. For additional information or the answer to questions about the prequalification program, please contact David Stucky at 619-533-3474 or dstucky@sandiego.gov.

- **2. CONTRACTOR REGISTRATION:** Prospective bidder(s) as well as existing contractors and suppliers are required to register with the City's EOCP. Refer to 2-17, "CONTRACTOR REGISTRATION" for details.
- **3. CITY'S RESPONSES AND ADDENDA:** The City at its option, may respond to any or all questions submitted in writing, via letter, or FAX in the form of an addendum. No oral comment shall be of any force or effect with respect to this solicitation. The changes to the Contract Documents through addendum are made effective as though originally issued with the Bid. The Bidders shall acknowledge the receipt of Addenda on the form provided for this purpose in the Bid.
- **4. CITY'S RIGHTS RESERVED:** The City reserves the right to cancel the Invitation to Bids at any time, and further reserves the right to reject submitted Bids, without giving any reason for such action, at its sole discretion and without liability. Costs incurred by the Bidder(s) as a result of preparing Bids under the Invitation to Bid shall be the sole responsibility of each bidder. The Invitation to Bid creates or imposes no obligation upon the City to enter a contract.
- **5. CONTRACT PRICING FORMAT:** This solicitation is for a Lump Sum contract with Unit Price provisions as set forth in the Bid Proposal Form(s), Volume 2 unless specified otherwise such as as-needed contracts e.g., GRC in the Contract Documents.
- **6. SUBMITTAL OF "OR EQUAL" ITEMS:** See 4-1.6, "Trade Names or Equals."
- 7. AWARD PROCESS: The Award of this contract is contingent upon the Contractor's compliance with all conditions precedent to Award, including the submittal of acceptable insurance and surety bonds pursuant to San Diego Municipal Code § 22.3007. If the responsible Bid does not exceed the City's engineering estimate, the City will, in most cases, prepare contract documents for execution within 3 weeks of the date of the Bid opening and award the Contract within 5 Working Days of receipt of properly executed Contract, bond, and insurance documents.

This contract is deemed to be awarded, and effective, only upon the signing of the Contract by the Mayor or designee of the City.

- **8. SUBCONTRACT LIMITATIONS:** The Bidder's attention is directed to Standard Specifications for Public Works Construction, Section 2-3, "SUBCONTRACTS" in The WHITEBOOK (unless amended otherwise in the SSP) which requires the Contractor to perform not less than the amount therein stipulated with its own forces. Failure to comply with these requirements may render the Bid **non-responsive** and ineligible for award.
- **9. AVAILABILITY OF PLANS AND SPECIFICATIONS:** Contract Documents may be obtained by visiting the City's website: <a href="http://www.sandiego.gov/engineering-cip/services/consultcontract/advertising.shtml">http://www.sandiego.gov/engineering-cip/services/consultcontract/advertising.shtml</a>. Plans and Specifications for this contract are also available for review in the office of the City Clerk or Public Works Contracting Group.
- 10. QUESTIONS: Questions about the meaning or intent of the Contract Documents as related to the scope of Work and of technical nature shall be directed to the Project Manager prior to Bid opening. Interpretations or clarifications considered necessary by the Project Manager in response to such questions will be issued by Addenda, which will be uploaded to eBidboard (or mailed or delivered to all parties recorded by the City as having received the Contract Documents for Minor Construction contracts).

The Director (or designee), Public Works Department is the officer responsible for opening, examining, and declaring of competitive Bids submitted to the City for the acquisition, construction and completion of any public improvement except when otherwise set forth in these documents. Questions in these areas of responsibility (e.g., i.e. Pre-qualification, SCOPe information, bidding activities, bonds and insurance, etc. as related to this contract shall be addressed to the Contract Administration, Public Works Contracting Group, 1200 Third Avenue, Suite 200, San Diego, California, 92101, Telephone No. (619) 236-6000.

Questions received less than 14 days prior to the date for opening of Bids may not be answered. Only questions answered by formal written addenda will be binding. Oral and other interpretations or clarifications will be without legal effect. It is the Bidder's responsibility to become informed of any addenda that have been issued and to include all such information in its Bid.

- 11. ELIGIBLE BIDDERS: No person, firm, or corporation shall be allowed to make, file, or be interested in more than 1 Bid for the same work unless alternate Bids are called for. A person, firm or corporation who has submitted a sub-proposal to a Bidder, or who has quoted prices on materials to a Bidder, is not hereby disqualified from submitting a sub-proposal or quoting prices to other Bidders or from submitting a Bid in its own behalf.
- **12. SAN DIEGO BUSINESS TAX CERTIFICATE:** All Contractors, including Subcontractors, not already having a City of San Diego Business Tax Certificate for the work contemplated shall secure the appropriate certificate from the City Treasurer, Civic Center Plaza, first floor, before the Contract can be executed.
- **13. PROPOSAL FORMS:** Bid shall be made only upon the Bidding Documents i.e., Proposal form attached to and forming a part of the specifications. The signature of each person signing shall be in longhand.

The entire specifications for the bid package do not need to be submitted with the bid. Bidder shall complete and submit, only, all pages in the "Bidding Document" Section (see Volume 2) as their Bid per the schedule given under "Required Documents Schedule," (see Volume 1). Bidder is requested to retain for their reference other portions of the Contract Documents that are not required to be submitted with the Bid.

The City may require any Bidder to furnish a statement of experience, financial responsibility, technical ability, equipment, and references.

Bids and certain other specified forms and documents shall be enclosed in a sealed envelope and shall bear the title of the work and name of the Bidder and the appropriate State Contractors License designation which the Bidder holds.

Bids may be withdrawn by the Bidder prior to, but not after, the time fixed for opening of Bids.

# 14. BIDDERS' GUARANTEE OF GOOD FAITH (BID SECURITY):

With the exception of the contracts valued \$5,000 or less, GRC and Design-Build contracts, and contracts subject to the Small and Local Business Program of \$250,000 or less e.g., ELBE contracts, each Bidder shall accompany its Bid with either a cashier's check upon some responsible bank, or a check upon such bank properly certified or an approved corporate surety bond payable to the City of San Diego, for an amount of not less than 10% of the aggregate sum of the Bid, which check or bond, and the monies represented thereby shall be held by the City as a guarantee that the Bidder, if awarded the contract, will in good faith enter into such contract and furnish the required final bonds.

The Bidder agrees that in case of Bidder's refusal or failure to execute this contract and give required final bonds, the money represented by a cashier's or certified check shall remain the property of the City, and if the Bidder shall fail to execute this contract, the Surety agrees that it will pay to the City damages which the City may suffer by reason of such failure, not exceeding the sum of 10% of the amount of the Bid.

A Bid received without the specified bid security will be rejected as being **non-responsive**.

#### 15. AWARD OF CONTRACT OR REJECTION OF BIDS:

This contract may be awarded to the lowest responsible and reliable Bidder (for Design-Build contracts refer to the RFP for the selection and award information). Bidders shall complete the entire Bid schedule (e.g., schedule of prices). Incomplete price schedules will be rejected as being **non-responsive**.

The City reserves the right to reject any or all Bids, and to waive any informality or technicality in Bids received and any requirements of these specifications as to bidding procedure.

Bidders will not be released on account of their errors of judgment. Bidders may be released only upon receipt by the City from the Bidder within 3 Working Days, excluding Saturdays, Sundays, and state holidays, after the opening of Bids, of written notice which includes proof of honest, credible, clerical error of material nature, free from fraud or fraudulent intent, and of evidence that reasonable care was observed in the preparation of the Bid.

A non-selected Bidder may protest award of the Contract to the selected Bidder by submitting a written "Notice of Intent to Protest" including supporting documentation which shall be received by Public Works Contracting Group no later than 10 days after the City's announcement of the selected Bidder or no later than 10 days from the date that the City issues notice of designation of a Bidder as non-responsible in accordance with San Diego Municipal Code Chapter 2, § 22.3029, "Protests of Contract Award."

The City of San Diego will not discriminate with regard to race, religious creed, color, national origin, ancestry, physical handicap, marital status, sex or age, in the award of contracts.

Each Bid package properly executed as required by these specifications shall constitute a firm offer, which may be accepted by the City within the time specified in the Invitation to Bids.

The City reserves the right to evaluate all Bids and determine the lowest Bidder (or winner for Design-Build contracts) on the basis of any proposed alternates, additive items or options, at its discretion.

**16. BID RESULTS:** The Bid opening by the City shall constitute the public announcement of the Apparent Low Bidder (or Apparent Winner in case of Design-Build contracts). In the event that the Apparent Low Bidder (or Apparent Winner in case of Design-Build contracts) is subsequently deemed non-responsive or non-responsible, a public announcement will be posted in the City's web page, with the name of the newly designated Apparent Low Bidder (or Apparent Winner in case of Design-Build contracts).

To obtain Bid results, either attend Bid opening, review the results on the City's web site, or provide a self-addressed, stamped envelope, referencing Bid number, and Bid tabulation will be mailed to you upon verification of extensions. Due to time constraints, Bid results cannot be given out over the telephone.

17. THE CONTRACT: The Bidder to whom award is made shall execute a written contract with the City of San Diego and furnish good and approved bonds and insurance certificates specified by the City within 10 Working Days after receipt by Bidder of a form of contract for execution unless an extension of time is granted to the Bidder in writing.

If the Bidder takes longer than 10 Working Days to fulfill these requirements, then the additional time taken shall be added to the Bid guarantee. The Contract shall be made in the form adopted by the City, which includes the provision that no claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.

If the Bidder to whom the award is made fails to enter into the contract as herein provided, the award may be annulled and the Bidder's Guarantee of Good Faith will be subject to forfeiture. An award may be made to the next lowest responsible and reliable Bidder who shall fulfill every stipulation embraced herein as if it were the party to whom the first award was made.

For contracts that are not Design-Build, pursuant to the San Diego City Charter section 94, the City may only award a public works contract to the lowest responsible and reliable Bidder. The City will require the Apparent Low Bidder to (i) submit information to determine the Bidder's responsibility and reliability, (ii) execute the Contract in form provided by the City, and (iii) furnish good and approved bonds and insurance certificates specified by the City within 10

Working Days, unless otherwise approved by the City, in writing after the Bidder receives notification from the City, designating the Bidder as the Apparent Low Bidder and formally requesting the above mentioned items.

The award of the Contract is contingent upon the satisfactory completion of the above mentioned items and becomes effective upon the signing of the Contract by the Mayor or designee. If the Apparent Low Bidder does not execute the Contract or submit required documents and information, the City may award the Contract to the next lowest responsible and reliable Bidder who shall fulfill every condition precedent to award. A corporation designated as the Apparent Low Bidder shall furnish evidence of its corporate existence and evidence that the officer signing the Contract and bond for the corporation is duly authorized to do so.

**18. EXAMINATION OF PLANS, SPECIFICATIONS, AND SITE OF WORK:** The Bidder shall examine carefully the Project Site, the Plans and Specifications, the GRC Unit Price Books if applicable, other materials as described in the Special Provisions, Section 2-7, and the proposal forms (e.g., Bidding Documents) therefore. The submission of a Bid or GRC Task Order Proposal shall be conclusive evidence that the Bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and scope of Work, the quantities of materials to be furnished, and as to the requirements of the Bidding Documents Proposal, Plans, and Specifications.

#### 19. DRUG-FREE WORKPLACE:

#### a) General:

City projects are subject to City of San Diego Resolution No. R-277952 adopted on May 20, 1991. Bidders shall become aware of the provisions of Council Policy 100-17 which was established by Resolution No. R-277952. The policy applies equally to the Contractor and Subcontractors. The elements of the policy are outlined below.

#### b) Definitions:

"Drug-free workplace" means a site for the performance of work done in connection with a contract let by City of San Diego for the construction, maintenance, or repair of any facility or public work by an entity at which employees of the entity are prohibited from engaging in the unlawful manufacture, distribution, dispensation, possession, or use of a controlled substance in accordance with the requirements of this section.

"Employee" means the employee of a contractor directly engaged in the performance of work pursuant to a contract as described in Section 3, "City Contractor Requirements."

"Controlled substance" means a controlled substance in schedules I through V of Section 202 of the Controlled Substances Act (21 U.S.C. Sec. 812).

"Contractor" means the department, division, or other unit of a person or organization responsible to the contractor for the performance of a portion of the work under the contract.

# c) City Contractor Requirements:

Every person or organization awarded a contract or grant by the City of San Diego for the provision of services shall certify to the City that it will provide a drug-free workplace by doing all following:

- a. Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensation, possession, or use of a controlled substance is prohibited in the person's organization's workplace and specifying the actions that will be taken against employees for violations of the prohibition.
- b. Establishing a drug-free awareness program to inform employees about all of the following:
  - i. The dangers of drug abuse in the workplace.
  - ii. The person's or organization's policy of maintaining a drug-free workplace.
  - iii. Any available drug counseling, rehabilitation, and employee assistance programs.
  - iv. The penalties that may be imposed upon employees for drug abuse violations.
- c. Posting the statement required by subdivision (1) in a prominent place at contractor's main office. For projects large enough to necessitate a construction trailer at the job site, the required signage would also be posted at the Site.

The Contractor shall include in each subcontract agreement language which indicates the Subcontractor's agreement to abide by the provisions of subdivisions a) through c) above. The Contractors and Subcontractors shall be individually responsible for their own drug-free workplace programs.

Note: The requirements of a drug-free awareness program can be satisfied by periodic tailgate sessions covering the various aspects of drug-abuse education. Although an in-house employee assistance program is not required, contractors should be able to provide a listing of drug rehabilitation and counseling programs available in the community at large.

Questions about the City's Drug-free Workplace Policy shall be referred to the Contract Specialist, Public Works Contracting Group.

# 20. AMERICANS WITH DISABILITIES ACT:

a) General: City projects are subject to City of San Diego Resolution No. R-282153 adopted on June 14, 1993. The Bidders shall become aware of the provisions of Council Policy 100-04 which was established by Resolution No. R-282153. The policy applies equally to the Contractor and all Subcontractors. The elements of the policy are outlined below.

#### b) Definitions:

"Qualified individual with a disability" means an individual with a disability who satisfies the requisite skill, experience, education and other job-related requirements of the employment position such individual holds or desires, and who, with or without reasonable

accommodation, can perform the essential functions of such position.

"Employee" means the employee of the Contractor directly engaged in the performance of Work.

- c) The City Requirements: Every person or organization entering into a contractual agreement with or receiving a grant from the City of San Diego shall certify to the City of San Diego that it will comply with the ADA by adhering to all of the provisions of the ADA listed below.
  - i. The Contractor shall not discriminate against qualified persons with disabilities in any aspects of employment, including recruitment, hiring, promotions, conditions and privileges of employment, training, compensation, benefits, discipline, layoffs, and termination of employment.
  - ii. No qualified individual with a disability may be excluded on the basis of disability, from participation in, or be denied the benefits of services, programs, or activities by the Contractor or Subcontractors providing services for the City.
  - iii. The Contractor shall post a statement addressing the requirements of the ADA in a prominent place at the worksite. The Contractor shall include in each subcontract agreement, language which indicates the Subcontractor's agreement to abide by the provisions of subdivisions (a) through (c) inclusive of Section 3. The Contractor and Subcontractors shall be individually responsible for their own ADA employment programs. Questions about the City's ADA Policy should be referred to the Contract Administrator.
- **21. CONTRACTOR STANDARDS PLEDGE OF COMPLIANCE:** This contract is subject to City of San Diego Municipal Code §22.3224 as amended 11/24/08 by ordinance O-19808. Bidders shall become aware that the requirements apply to Contractors and Subcontractors for contracts greater than \$50,000 in value.

Upon award, amendment, renewal, or extension of this contract, the Contractors shall complete a Pledge of Compliance attesting under penalty of perjury that they complied with the requirements of this section.

The Contractors shall ensure that their Subcontractors whose subcontracts are greater than \$50,000 in value complete a Pledge of Compliance attesting under penalty of perjury that they complied with the requirements of this section. Subcontractors may access the Pledge of Compliance at:

http://www.sandiego.gov/purchasing/pdf/contractor standards questionnaire.pdf.

The Contractors shall include in each subcontract agreement, language which requires Subcontractors to abide by the provisions of City of San Diego Municipal Code §22.3224. A sample provision is as follows:

"Compliance with San Diego Municipal Code §22.3224: Subcontractor acknowledges that it is familiar with the requirements of San Diego Municipal Code §22.3224 ("Contractor Standards"), and agrees to comply with requirements of that section. The Subcontractor further agrees to complete the Pledge of Compliance, incorporated herein by reference."

**22. NOTICE OF LABOR COMPLIANCE PROGRAM APPROVAL:** The City of San Diego received initial approval as a Labor Compliance Program on August 11, 2003. The Labor Compliance Program Manual is available at:

http://www.sandiego.gov/eoc/laborcompliance/#manual.

The limited exemption from prevailing wages pursuant to Labor Code §1771.5(a) does not apply to contracts under jurisdiction of the Labor Compliance Program. Inquiries, questions, or assistance about the Labor Compliance Program should be directed to: Equal Opportunity Contracting Program, 1200 Third Ave., Suite 200 MS56P, San Diego, CA 92101, Tel. 619-236-6000.

23. PAYROLL RECORDS: The Contractor's attention is directed to the City of San Diego Labor Compliance Program, Section IV, pages 4-7, and the State of California Labor Code §§ 1771.5(b) and 1776 (Stats. 1978, Ch. 1249). These require, in part, that the Contractor and Subcontractors maintain and furnish to the City, at a designated time, a certified copy of each weekly payroll containing a statement of compliance signed under penalty of perjury.

The Contractor and Subcontractors shall submit weekly certified payrolls online via Prism® i.e., the City's web-based labor compliance program. Instructions on how to use the system will be provided to the Contractor after the award.

The Contractor shall be responsible for the compliance with these provisions by Subcontractors. The City shall withhold contract payments when payroll records are delinquent or inadequate, or when it is established after investigation that underpayment has occurred.

- **24. APPRENTICES ON PUBLIC WORKS:** The Contractor shall abide by the requirements of §§1777.5, 1777.6, and 1777.7 of the State of California Labor Code concerning the employment of apprentices by contractors and subcontractors performing public works contracts.
- **25. EQUAL BENEFITS:** This contract is subject to the City's Equal Benefits Ordinance (EBO), Chapter 2, Article 2, Division 43 of the San Diego Municipal Code (SDMC).

In accordance with the EBO, Bidders shall certify they will provide and maintain equal benefits as defined in SDMC §22.4302 for the duration of the Contract (SDMC §22.4304(f)). Failure to maintain equal benefits is a material breach of the Contract (SDMC §22.4304(e)). The Contractor shall notify employees of their equal benefits policy at the time of hire and during open enrollment periods and shall post a copy of the following statement in an area frequented by employees:

"During the performance of a contract with the City of San Diego, this employer will provide equal benefits to its employees with spouses and its employees with domestic partners."

The Contractor shall give the City access to documents and records sufficient for the City to verify the contractors are providing equal benefits and otherwise complying with EBO requirements.

Full text of the EBO and the Rules Implementing the Equal Benefits Ordinance are posted on the City's website at www.sandiego.gov/purchasing/ or can be requested from the Equal Benefits Program at (619) 533-3948.

**26. LIMITED COMPETITION:** When designated as restricted competition on the cover page, this contract may only be bid by the Contractors on the approved SLBE-ELBE Construction Contractors List. For information regarding the SLBE-ELBE Construction Program and registration visit the City's web site: <a href="http://www.sandiego.gov">http://www.sandiego.gov</a>.

#### 27. PRE-AWARD ACTIVITIES:

<u>Pre-award Submittals</u> - The Apparent Low Bidder (or winner in case of Design-Build contracts) shall provide the information required within the time specified in "Required Documents," of this bid package. Failure to provide the information within the time specified may result in the Bid being rejected as **non-responsive**.

If the Bid is rejected as non-responsive, the Apparent Low Bidder (or winner in case of Design-Build contracts) shall forfeit the Bid Security required under Invitation to Bids, of this bid package. The decision that the Apparent Low Bidder (or winner in case of Design-Build contracts) is non-responsive for failure to provide the information required within the time specified shall be at the sole discretion of the City.

# CONTRACT FORMS AGREEMENT

# **CONSTRUCTION CONTRACT**

IN CONSIDERATION of the payments to be made hereunder and the mutual undertakings of the parties hereto, City and Contractor agree as follows:

- 1. The following are incorporated into this contract as though fully set forth herein:
  - (a) The attached Faithful Performance and Payment Bonds.
  - (b) The attached Proposal included in the Bid documents by the Contractor.
  - (c) That certain documents entitled **Grand Avenue Sidewalk and Stormdrain**, on file in the office of the Public Works Department as Document No. \_\_\_\_\_\_, as well as all matters referenced therein.
- 2. Contractor shall perform and be bound by all the terms and conditions of this contract and in strict conformity therewith shall perform and complete in a good and workmanlike manner **Grand Avenue Sidewalk and Stormdrain**, Bid Number **L-12-5635-DBB-1**, San Diego, California.
- 3. For such performances, the City shall pay to Contractor the amounts set forth at the times and in the manner and with such additions or deductions as are provided for in this contract, and Contractor shall accept such payment in full satisfaction of all claims incident to such performances.
- 4. No claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.
- 5. This contract is effective as of the date that the Mayor or designee signs the agreement.

# CONTRACT FORMS (continued) AGREEMENT

IN WITNESS WHEREOF, this agreement is signed by the City of San Diego, acting by and through its Mayor or designee, pursuant to Municipal Code §22.3612 authorizing such execution.

THE CITY OF SAN DIEGO	APPROVED AS TO FORM AND LEGALITY
By	Jan I. Goldsmith, City Attorney
Print Name: ALBERT P. RECHANG Mayor or designee	Print Name: Katherine A. Malcoln Deputy City Attorney
Date: SEPT. 4, 2012	Date: 9512
CONTRACTOR  By On E. Cloud  Print Name: On E. Cloud	
Title: President	
Date: <u>July</u> 23, 2012	
City of San Diego License No.: 22060	09896
State Contractor's License No.: 690543	) 

# CONTRACT FORMS (continued) PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND

FAITHFUL PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND:

J. Cloud Incorporated	, a corporation, as principal, and Hudson Insul	ance Company	
, a corporation authorize	ed to do business in the State of California, a		
obligate themselves, their successors an	d assigns, jointly and severally, to The City	of San Diego	a
municipal corporation in the sum of Ninety	One Thousand Two Hundred Ten and 00/100 Dollars (\$91,210.00) for	the faithf	îu1
performance of the annexed contract, an	d in the sum of <u>*</u>	fo	or
the benefit of laborers and materialmen	designated below.		

#### **Conditions:**

If the Principal shall faithfully perform the annexed contract Grand Avenue Sidewalk and Stormdrain, L-12-5635-DBB-1, San Diego, California then the obligation herein with respect to a faithful performance shall be void; otherwise it shall remain in full force.

If the Principal shall promptly pay all persons, firms and corporations furnishing materials for or performing labor in the execution of this contract, and shall pay all amounts due under the California Unemployment Insurance Act then the obligation herein with respect to laborers and materialmen shall be void; otherwise it shall remain in full force.

The obligation herein with respect to laborers and materialmen shall inure to the benefit of all persons, firms and corporations entitled to file claims under the provisions of Chapter 3 of Division 5 of Title I of the Government Code of the State of California or under the provisions of Section 3082 et seq. of the Civil Code of the State of California.

Changes in the terms of the annexed contract or specifications accompanying same or referred to therein shall not affect the Surety's obligation on this bond, and the Surety hereby waives notice of same.

<sup>\*</sup> Ninety One Thousand Two Hundred Ten and 00/100 Dollars (\$91,210.00)

# CONTRACT FORMS (continued) PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND

The Surety shall pay reasonable attorney's fee bond.	es should suit be brought to enforce the provisions of this
Dated	July 23, 2 <u>012</u>
Approved as to Form and Legality	J. Cloud Incorporated  Principal  By on E. Gue - West
Jan I. Goldsmith, City Attorney	Printed Name of Person Signing for Principal
By 95 12 Deputy Cily Attorney	Hudson Insurance Company Surety By
Approved	Sarah Myers, Attorney-in-fact  701 B Street, 6th Floor  Local Address of Surety
Mayor or Designee	San Diego, CA 92101  Local Address (City, State) of Surety  (619) 238-1828
	Local Telephone No. of Surety  Premium \$2,280.00  Premium is for contract term and subject to adjustment based on final contract price.  Bond No. ASB114

# CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT

STATE OF CALIFORNIA	· ]		
County of San Diego			
On JUL 23 2012 before me, L	.ilia Robinson , Notary Public, lame of Notary exactly as it appears on the official seal		
personally appeared Sarah Myers	Name(s) of Signer(s)		
LILIA ROBINSON COMM. #1870129 NOTARY PUBLIC-CALIFORNIA OF SAN DIEGO COUNTY My Commission Expires NOVEMBER 29, 2013	who proved to me on the basis of satisfactory evidence to be the person(場) whose name(場) is/粉骨 subscribed to the within instrument and acknowledged to me that 份別的 executed the same in 協場/her/粉粉 authorized capacity(粉粉), and that by 份別的 instrument the person(場), or the entity upon behalf of which the person(場) acted, executed the instrument.  I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.  Witness my hand and official seal.		
Place Notary Seal Above	Signature Signature of Notary Public Lilia Robinson		
Though the information below is not required by law, it may prove valuable to persons relying on the document and could prevent fraudulent removal and reattachment of the form to another document.			
Description of Attached Document			
Title or Type of Document:	Number of Pages:		
Signer(s) Other Than Named Above:			
Capacity(ies) Claimed by Signer(s)			
Signer's Name:  Individual Corporate Officer — Title(s): Partner Limited General Attorney in Fact Trustee Guardian or Conservator Other: Signer is Representing: Surety Company	<ul><li>☐ Individual</li><li>☐ Corporate Officer — Title(s):</li><li>☐ Partner</li><li>☐ Limited</li><li>☐ General</li></ul>		



# **POWER OF ATTORNEY**

KNOW ALL MEN BY THESE PRESENTS: That HUDSON INSURANCE COMPANY, a corporation of the State of Delaware, with offices at 17 State Street, New York, New York, 10004, has made, constituted and appointed, and by these presents, does make, constitute and appoint

> Lawrence F. McMahon, James Baldassare, Jr. and Sarah Myers, each of the State of California

its true and lawful Attorney(s)-in-Fact, at New York, New York, each of them alone to have full power to act without the other or others, to make, execute and deliver on its behalf, as Surety, bonds and undertakings given for any and all purposes, also to execute and deliver on its behalf as aforesaid renewals, extensions, agreements, waivers, consents or stipulations relating to such bonds or undertakings provided, however, that no single bond or undertaking shall obligate said Company for any portion of the penal sum thereof in excess of the sum of Ten Million Dollars (\$10,000,000.00).

Such bonds and undertakings when duly executed by said Attorney(s)-in-Fact, shall be binding upon said Company as fully and to the same extent as if signed by the President of said Company under its corporate seal attested by its Secretary.

In Witness Whereof, HUDSON INSURANCE COMPANY has caused these presents to be of its Executive Vice President thereunto duly authorized, on this 19th day of July, 2010 at New York, New York.

(Corporate seal) Attest..... Peter H. Lovell Corporate Secretary

STATE OF NEW YORK COUNTY OF NEW YORK.

HUDSON INSURANCE COMPANY

Christopher T. Suarez **Executive Vice President** 

On the 19th day of July, 2010 before me personally came Christopher T. Suarez to me known, who being by me duly sworn did depose and say that he is an Executive Vice President of HUDSON INSURANCE COMPANY, the corporation described herein and which executed the above instrument, that he knows the seal of said Corporation, that the seal affixed to said instrument is such corporate seal, that it was so affixed by order of the Board of Directors of said Corporation, and that

of said Corporation, that the seal affixed to said ins he signed his name thereto by like order than the seal of MCKINNG (Notarial Seal)

(Notarial Seal)

O1MC8212495 STATE OF NEW YORK COUNTY OF NEW YORK

ALICIA T. McKINNEY Notary Public, State of New York No. 01MC6212495 Qualified in New York County Commission Expires October 13, 2013

**CERTIFICATION** 

The undersigned Peter H. Lovell hereby certifies:

That the original resolution, of which the following is a true and correct copy, was duly adopted by unanimous written consent of the Board of Directors of Hudson Insurance Company dated July 27th, 2007, and has not since been revoked, amended or modified:

"RESOLVED, that the President, the Executive Vice Presidents, the Senior Vice Presidents and the Vice Presidents shall have the authority and discretion, to appoint such agent or agents, or attorneys or attorneys-in-fact, for the purpose of carrying on this Company's surety business, and to empower such agent or agents, or attorney or attorneys-in-fact, to execute and deliver, under this Company's seal or otherwise, bonds obligations, and recognizances, whether made by this Company as surety thereon or otherwise, indemnity contracts, contracts and certificates, and any and all other contracts and undertakings made in the course of this Company's surety business, and renewals, extensions, agreements, waivers, consents or stipulations regarding undertakings so made; and

FURTHER RESOVLED, that the signature of any such Officer of the Company and the Company's seal may be affixed by facsimile to any power of attorney or certification given for the execution of any bond, undertaking, recognizance, contract of indemnity or other written obligation in the nature thereof or related thereto, such signature and seal when so used whether heretofore or hereafter, being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and binding upon the Company with the same force and effect as though

THAT the above and foregoing is a full, true and correct copy of Power of Attorney issued by said Company, and of the whole of the original and that the said Power of Attorney is still in full force and effect and has not been revoked, and furthermore that the Resolution of the Board of Directors, set forth in the said Power of Attorney is now in force.

Witness the hand of the undersigned and the seal of said Corporation this

h day of JUL 2 3, 2012 20

(Corporate seal)

Corporate Secretary

# **CONTRACTOR CERTIFICATION**

# DRUG-FREE WORKPLACE

DROG-FREE WORKI LACE
PROJECT TITLE: GRAND AVENUE SIDEWALK AND STORMDRAIN
hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-17 regarding Drug-Free Workplace as outlined in INSTRUCTION TO BIDDERS, "Drug-Free Workplace", of the project specifications, and that;
S. Cloud Inc.
(Name under which business is conducted)
nas in place a drug-free workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of subdivisions a) through c) of the policy as outlined.
Signed E Collect

Printed Name

# **CONTRACTOR CERTIFICATION**

# AMERICAN WITH DISABILITIES ACT (ADA) COMPLIANCE CERTIFICATION

AMERICAN WII	n DISABILITIES ACT (ADA) COMPLIANCE CERTIFICATION
PROJECT TITLE:	GRAND AVENUE SIDEWALK AND STORMDRAIN
regarding the American V	familiar with the requirements of San Diego City Council Policy No. 100-4 With Disabilities Act (ADA) outlined in the INSTRUCTION TO BIDDERS, ties Act", of the project specifications, and that;
	(Name under which business is conducted)
agreement for this project by the provisions of the p	rogram that complies with said policy. I further certify that each subcontract et contains language which indicates the subcontractor's agreement to abide solicy as outlined.  Signed Signed Contains Loud Contains language which indicates the subcontractor's agreement to abide solicy as outlined.  Signed Signed Contains Loud Contains language which indicates the subcontractor's agreement to abide solicy as outlined.

# **CONTRACTOR CERTIFICATION**

# CONTRACTOR STANDARDS - PLEDGE OF COMPLIANCE

PROJECT TITLE: GRAND AVENUE SIDEWALK AND STORMDRAIN
I declare under penalty of perjury that I am authorized to make this certification on behalf of, as Contractor, that I am familiar with the
requirements of City of San Diego Municipal Code § 22.3224 regarding Contractor Standards as outlined in INSTRUCTION TO BIDDERS ("Contractor Standards"), of the project specifications, and that Contractor has complied with those requirements.
I further certify that each of the Contractor's subcontractors whose subcontracts are greater than \$50,000 in value has completed a Pledge of Compliance attesting under penalty of perjury of having complied with City of San Diego Municipal Code § 22.3224.
Dated this 23 ed Day of July , 20/2
Signed for E. College
Printed Name on E Gloud
Title President

# AFFIDAVIT OF DISPOSAL

WHEREAS, on the	DAY OF	<u>,</u> 2,	the	undersigned	entered	into
and executed a contract	with the City of San Diego, a	municipal corporation	on, fo	r:		

	NUE SIDEWALK AND STORMDRAIN (Name of Project or Task)
SAP No. (WBS/CC/IO) <b>B-00929</b> ; an Contractor to affirm that "all brush, trans	contract and identified as Bid No. <u>L-12-5635-DBB-1</u> ; and <b>WHEREAS</b> , the specification of said contract requires the sh, debris, and surplus materials resulting from this project have and <b>WHEREAS</b> , said contract has been completed and all surplus
	of the final payment by the City of San Diego to said Contractor dersigned Contractor, does hereby affirm that all surplus materials lisposed of at the following location(s)
and that they have been disposed of acco	ording to all applicable laws and regulations.
Dated this DAY OF	, 2
	_Contractor
by	
ATTEST:	
State ofCounty of	- -
On this DAY OF County and State, duly commissioned an known to me to be the whose name is subscribed thereto, and ac	, 2, before the undersigned, a Notary Public in and for said and sworn, personally appeared Contractor named in the foregoing Release, and cknowledged to me that said Contractor executed the said Release.
Notary Public in and for said County and	1 State

# SUPPLEMENTARY SPECIAL PROVISIONS (SSP)

THESE SUPPLEMENTARY SPECIAL PROVISIONS CONFORM TO THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION (THE GREENBOOK) CURRENTLY ADOPTED BY THE CITY, INCLUDING ITS CURRENT SUPPLEMENT AMENDMENTS (CITY SUPPLEMENTS INCLUDED IN THE WHITEBOOK), EXCEPT FOR THE FOLLOWING:

#### STYLE OF SPECIFICATIONS

The City is gradually standardizing the style and language of the standard specifications for the public works construction. The new style and language follows the Federal guidelines for "Plain Language" to the extent possible.

The use of this new style does not change the meaning of a specification not yet using this style. Where used in the Contract Documents, statement or command type phrases (i.e., active voice and imperative mood) refer to and are directed at the Bidder or Contractor as applicable. The specifications are written to the Bidder before award and the Contractor after. Before award, interpret sentences written in the imperative mood as starting with "The Bidder must" and interpret "you" as "the Bidder" and "your" as "the Bidder's." After award, interpret sentences written in the imperative mood as starting with "The Contractor must" and interpret "you" as "the Contractor" and "your" as "the Contractor" s." Similarly, interpret "we" and "us" as "the City" and "our" as "the City's."

#### PART 1 – GENERAL PROVISIONS

# SECTION 1 – TERMS, DEFINITIONS, ABBREVIATIONS, UNITS OF MEASURE, AND SYMBOLS

#### 1-2 TERMS AND DEFINITIONS.

**Agency** – ADD the following:

Regulatory activities handled by the City of San Diego Developmental Services, Fire and Planning Departments, or any other City Department are not subject to the responsibilities of the City under this contract.

**Certificate of Compliance** – To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

Certificate of Compliance – A written document signed and submitted by a supplier or manufacturer that certifies that the material or assembled material supplied to the Work site complies with the requirements of the Contract Documents.

**Contract Documents** – To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

The Agreement, Addendum, Invitation to Bid, Instructions to Bidders, special notice page, funding agency provisions, Bid and documentation accompanying the Bid and any post-bid documentation submitted prior to the Notice of Award when attached as an exhibit to the Contract, Bonds, permits from jurisdictional regulatory agencies, Supplementary Special Provisions (SSP), City's EOCP Requirements, City Supplement, Plans, Standard Plans, Construction Documents, Reference

SSP (Rev. June 2011) **27** | Page

Specifications listed in the Invitation to Bid or the RFP for Design-Build contracts, Request for Qualifications (RFQ), Statement of Qualifications (SOQ), Request for Proposals (RFP), modifications issued after the execution of the Contract e.g., Change Orders, Construction Manager At Risk's Guaranteed Maximum Price including written qualifications, assumptions and conditions thereto and Pre-construction Services Agreement.

**ADD**: **Limited Notice To Proceed** – A written notice given from the City to the Contractor that authorizes the Contractor to start a limited amount of work that is not Construction Work, such as finalizing subcontract agreements, ordering materials, mobilization, furnishing a field office, and any other preliminary work done prior to performing Construction Work.

**Normal Working Hours.** To the City Supplement, ADD the following:

The Normal Working Hours shall be 8:30 AM to 3:30 PM.

**Notice of Completion (NOC)** – ADD the following:

See California Civil Code section 3093.

**Samples -** Physical examples which illustrate materials, equipment or workmanship and establish standards by which the Work will be evaluated.

# **SECTION 2 - SCOPE AND CONTROL OF WORK**

**2-1.2.2 Joint Venture Contractors.** To the City Supplement, last paragraph, DELETE in its entirety and SUBSTITUTE with the following:

The Joint Venture shall designate an on-site representative and an alternate in writing. The on-site representative and the alternate shall have the full authority to bind all Joint Venture partners.

The Joint Venture shall provide a copy of the Joint Venture agreement and the Joint Venture license to the City within 10 Working Days after receipt by the Bidder of Contract forms.

# **2-3.1.2 Subcontractor List.** ADD the following:

For Extra Work, the Contractor shall submit Form CC10, "CONTRACT CHANGE ORDER (CCO)" with each CCO proposal. Form CC10 is available for download from the EOCP site at: <a href="http://www.sandiego.gov/eoc/pdf/cc10.pdf">http://www.sandiego.gov/eoc/pdf/cc10.pdf</a>

# **2-3.2 Self Performance.** DELETE in its entirety and SUBSTITUTE with the following:

The Contractor shall perform, with its own organization, Contract work amounting to at least 50 percent of the base bid alone or base bid and any additive or deductive alternate(s) that together when added or deducted form the basis of determining the Apparent Low Bidder as specified. The self performance percentage requirement will be waived for contracts when a "B" License is required or allowed.

# **2-3.3 Status of Subcontractors.** ADD the following:

With every request for payment, the Contractor shall submit to the Engineer a breakdown showing monthly and cumulative amounts of the Work performed under Change Order by the Contractor and the Subcontractors. The reporting format shall be approved by the Engineer.

SSP (Rev. June 2011) 28 | Page

# **2-3.4 Subcontract Requirements.** To the City Supplement, ADD the following paragraph:

The Contractor shall ensure that all of its Subcontractors are licensed at the time of the execution of their subcontract agreements. In the event a Subcontractor is not properly licensed, the Contractor shall cease payment to Subcontractor for all work performed when the Subcontractor was improperly licensed. Any payment made by the Contractor to a Subcontractor for work performed when the Subcontractor was unlicensed shall be returned to the City.

Where the Contract Documents require that a particular product be installed or applied by an applicator approved by the manufacturer, it is the Contractor's responsibility to ensure the Subcontractor or Supplier employed for such work is approved by the manufacturer.

- **2-5.2 Precedence of Contract Documents.** To the Cit Supplement, DELETE in its entirety and SUBSTITUTE with the following:
- **2-5.2 Precedence of Contract Documents**Error! Bookmark not defined. If there is a conflict between any of the Contract Documents, the document highest in the order of precedence shall control. The order of precedence, from highest to lowest, shall be as follows:
  - 1) Permits (i.e., issued by jurisdictional regulatory agencies)
  - 2) Change Orders and Supplemental Agreements; whichever occurs last
  - 3) Contract and Agreement
  - 4) Addenda
  - 5) Bid (e.g., price Proposal for Design-Build contracts)
  - 6) Request for Proposal (RFP)
  - 7) Invitation to Bid
  - 8) Instruction to Bidders
  - 9) Request for Qualifications (RFQ)
  - 10) Special Provisions (i.e., City's EOCP Requirements, City Supplement, and Supplementary Special Provisions (SSP))
  - 11) Plans
  - 12) Construction Documents (for <u>Design-Build</u> contracts)
  - 13) Standard Drawings
  - 14) Reference Specifications (e.g., GREENBOOK)
  - 15) Technical Proposal (for Design-Build contracts)
  - 16) Statement of Qualifications (SOQ)

When additional requirements by the funding sources are physically or by reference incorporated in the Contract Documents, the funding source's requirements shall govern **unless specified otherwise**.

Figured dimensions shall take precedence over scaled dimensions. Detailed drawings shall take precedence over general drawings.

# **2-5.3.1 General.** DELETE in its entirety and SUBSTITUTE with the following:

When required by the Contract Documents or when requested by the Engineer, the Contractor shall provide the submittals as specified in 2-5.3.2, 2-5.3.3, and 2-5.3.4 to the Engineer. Materials shall neither be furnished nor fabricated, nor shall any work for which submittals are required be performed before the required submittals have been reviewed and accepted by the Engineer. The payment for the submittals shall be included in the various Bid items. Neither review nor acceptance of submittals by the Engineer shall relieve the Contractor from responsibility for errors, omissions, or

SSP (Rev. June 2011) **29** | Page

deviations from the Contract Documents, unless such deviations were specifically called to the attention of the Engineer in the letter of transmittal. The Contractor shall be responsible for the correctness of the submittals.

The Contractor shall allow a minimum of 20 working days for review of submittals unless otherwise specified in the Special Provisions. Each submittal shall be accompanied by a letter of transmittal.

#### **2-5.4.1 General.** ADD the following:

Source Identification e.g., RFI numbers and Change Order numbers as required to identify the source of the change to the Contract Documents shall be noted.

# **2-5.4.2 Asset** Specific Red-lines (d). ADD the following:

- Dimensional changes to the drawings.
- Revisions to details shown on drawings.
- Depths of foundations below first floor.
- Locations and depths of underground utilities.
- Revisions to routing of piping and conduits.
- Revisions to electrical circuitry.
- Actual equipment locations.
- Duct size and routing.
- Locations of concealed internal utilities.
- Changes made by Change Order.
- Details not on original Plans.

## **2-6 WORK TO BE DONE.** ADD the following:

In accordance with the provisions of California Law, the Contractor shall possess or require the Subcontractor(s) to posses valid appropriate license(s) for the Work being performed.

## **2-9.1 Permanent Survey Markers.** DELETE in its entirety and SUBSTITUTE with the following:

The Contractor shall notify the Engineer or the owner on a Private Contract, at least 7 days before starting the Work to allow for the preservation of survey markers, survey monuments, lot stakes (tagged), and benchmarks. The Engineer or the owner on a Private Contract, will, at its cost, file a Corner Record Form referencing survey monuments subject to disturbance in the Office of the County Surveyor prior to the start of construction and also prior to the completion of construction for the replacement of survey monuments. The Contractor shall not disturb or permanently cover survey markers, survey monuments, lot stakes (tagged), or benchmarks without the consent of the Engineer or the owner on a Private Contract. The Contractor shall bear the expense of uncovering and replacing any that may be disturbed without permission. Replacement shall be done only under the direction of the Engineer by a Registered Land Surveyor or a Registered Civil Engineer authorized to practice land surveying within the State of California. When a change is made in the finished elevation of the pavement of any roadway in which a permanent survey monument is located, the Contractor shall adjust the monument cover to the new grade within 7 days of finished paving unless otherwise specified in the Special Provisions.

SSP (Rev. June 2011) 30 | Page

# **2-10 AUTHORITY OF BOARD AND ENGINEER**. ADD the following:

Regulating agencies of the City, such as Developmental Services, Fire and Planning Departments, enforce Legal Requirements and standards. These enforcement activities are not subject to the responsibilities of the Engineer under this Agreement.

## **2-11 INSPECTION.** ADD the following:

The City may utilize field inspectors to assist the Engineer during construction in observing performance of the Contractor. The inspector is for the purpose of assisting the Engineer and shall not be confused with an inspector with a City regulatory agency or with a Special Inspector.

Code compliance testing (including all Geotechnical requirements) and inspections required by codes or ordinances, or by a plan approval authority, shall be the responsibility of and shall be paid by the Contractor, unless otherwise provided in the Contract Documents.

The Contractor's quality control testing and inspections shall be the sole responsibility of the Contractor and paid by the Contractor included in the Bid price.

**ADD: 2-17 CONTRACTOR REGISTRATION.** The Contractor, Subcontractors, and Suppliers shall register with the City's EOCP via Prism® i.e., the City's web-based contract compliance portal at: <a href="https://pro.prismcompliance.com/contractor/plugins/pages/contractormenu.aspx">https://pro.prismcompliance.com/contractor/plugins/pages/contractormenu.aspx</a>.

The Contractor shall ensure that proposed Subcontractors and Suppliers have completed the registration prior to Notice of Intent to Award. If the Contractor fails to have its Subcontractors and Suppliers registered after the NTP has been issued, the City will withhold a minimum of 10% in addition to the Retention from all invoices submitted until the Contractor and all listed Subcontractors and Suppliers are properly registered in PRISM.

## **SECTION 3 – CHANGES IN WORK**

**3-3.2.2 Basis for Establishing Costs** (a) **Labor**, City Supplement, first and second paragraphs, DELETE in entirety and SUBSTITUTE with the following:

The City reserves the right to request financial records of salaries for an employee, wages, bonuses and deductions to substantiate the actual cost of labor certified by a California licensed Certified Public Accountant. The Contractor shall use the City provided form i.e., "PUBLIC WORKS PAYROLL REPORTING FORM" which is available at http://www.sandiego.gov/eoc/pdf/payrollreport.pdf to list the labor rates of its personnel and Subcontractors who work on this Project. An initial submittal shall be made prior to NTP.

The payment for payroll records shall be included in the various Bid item unless a separate Bid item has been provided.

## **SECTION 4 - CONTROL OF MATERIALS**

## **4-1.3.1 General.** First paragraph, ADD the following:

Other standard items or materials typically accepted by Certificate of Compliance shall not require inspection at the source unless specified in the Special Provisions. For a list of these items or materials, the Contractor may refer to the Contract Documents.

SSP (Rev. June 2011) 31 | Page

# **4-1.3.5 Special Inspections.** To the City Supplement, ADD the following:

Special Inspection and testing by the Special Inspectors shall meet the minimum requirements of the prevailing Codes and by the City's Development Services Department (DSD) and reference in <a href="http://www.sandiego.gov/development-services/industry/special.shtml">http://www.sandiego.gov/development-services/industry/special.shtml</a>

**4-1.5 Certificates of Compliance.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

# **4-1.5 Certificates of Compliance.** DELETE in its entirety and SUBSTITUTE with the following:

Certificates of Compliance shall be furnished to the Engineer prior to the use of any material or assembled material for which these Specifications so require or if so required by the Engineer.

The Engineer may waive the materials testing requirements of the Specifications and accept a Certificate of Compliance. Manufacturing test data may be required by the Engineer to be included with the submittal.

Materials used on the basis of a Certificate of Compliance may be sampled and tested at any time. The submission of a Certificate of Compliance shall not relieve the Contractor of responsibility for incorporating material in the Work which conforms to the requirements of the Contract Documents, and any material not conforming to the requirements will be subject to rejection whether in place or not.

When professional certification of performance criteria of materials, systems or equipment is required by the Contract Documents, the City shall be entitled to rely upon the accuracy and completeness of such calculations and certifications.

**4-1.6 Trade Names or Equals.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

#### ADD the following:

Whenever materials or equipment are indicated in the Contract Documents by using the name of a proprietary item or the name of a particular Supplier, the naming of the item is intended to establish the type, function, and quality required. Unless stated otherwise, materials or equipment of other Suppliers may be accepted if sufficient information is submitted to the Engineer for review to determine whether the material or equipment proposed is equivalent or equal to that named.

- a) The Contractor shall submit its list of proposed substitutions for "an equal" ("or equal") item(s) **no later than 5 Working Days after the determination of the Apparent Low Bidder** and on a City form when provided by the City.
  - i. The City will respond to the Contractor's substitution proposal by at least 3 Working Days prior to the Bid due date. If the City fails to respond to the Contractor's substitution proposal within the specified time period, the substitution proposal will be deemed denied.
  - ii. The Contractor may bring forward a substitution proposal after Award that was denied based on the City's failure to respond by submitting a "Cost Reduction Proposal" in accordance with 3-1.3.
- b) The request for substitution shall include the following information:

- i. Whether or not acceptance of the substitute for use in the Work will require a change in any of the Contract Documents to adopt the design to the proposed substitute.
- ii. Whether or not incorporation or use of the substitute in connection with the Work is subject to payment of any license fee or royalty.
- iii. All variations of the proposed substitute from the items originally specified will be identified.
- iv. Available maintenance, repair, and replacement service requirements. The manufacturer shall have a local service agency within 50 miles of the site which maintains properly trained personnel and adequate spare parts and is able to respond and complete repairs within 24 hours.
- v. Certification that the proposed substitute will perform adequately the functions and achieve the results called for by the general design, and be similar and of equal substance to that indicated, and be suited to the same use as that specified.
- c) There is no guaranteed time frame for the City's review of the substitution requests.
- d) The burden of proof as to the type, function, and quality of any such substitute product, material or equipment shall be upon the Contractor. The Engineer may require at the Contractor's expense additional data about the proposed substitute.
- e) If the Engineer takes no exceptions to the proposed substitution, it shall not relieve the Contractor from responsibility for the efficiency, sufficiency, quality, and performance of the substitute material or equipment, in the same manner and degree as the material and equipment specified by name.
- f) The lack of action(s) on the Engineer's side within the Contractor's requested time shall not constitute acceptance of the substitution.
- g) Acceptance by the Engineer of a substitute item shall not relieve the Contractor of the responsibility for full compliance with the Contract Documents.
- h) For the substitution review process or to have materials listed on the AML, refer to the AML standard review process.
- i) The Bid submittal shall be based on the material and equipment specified by name in the Contract. If the proposal is rejected by the Engineer, the Contractor shall not be entitled to either an extension in Contract Time, increase in the Contract Price, or both.
- j) As applicable, no Shop Drawing or Working Drawing submittals shall be made for a substitute item nor shall any substitute item be ordered, installed, or utilized without the Engineer's prior written.
- k) The Contractor shall reimburse the City for the charges of the Engineer for evaluating each proposed substitute.
- 1) For Design-Build contracts, one copy of all designer reviewed submittals shall be provided to the Engineer.

## SECTION 6 - PROSECUTION, PROGRESS AND ACCEPTANCE OF WORK

#### 6-1.2 Commencement of Work.

To the GREENBOOK and the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

Unless specified otherwise, construction shall start within 5 Working Days after NTP and be diligently prosecuted to completion within the Contract Time. The Contractor shall not start any construction activity at the Site until the Pre-construction Meeting is held and the NTP has been issued by the Engineer.

Upon the Contractor's written request, the City may delay the NTP as follows:

SSP (Rev. June 2011) 33 | Page

- a) Up to 5 Working Days from the Pre-construction Meeting, or
- b) Up to 40 Working Days from the Limited NTP for the preparation, submittal, obtaining approval for and filing of the PRDs in accordance with 801, "STORM WATER POLLUTION CONTROL," or
- c) Up to 60 Working Days from the Limited NTP for the preparation, submittal, and approval of the TCP on "D-sheets" when specified in 7-10.2, "Traffic Control."

The Contractor shall notify SDG&E at least 10 Working Days prior to excavating within 10' of SDG&E Underground High Voltage Transmission Power Lines (i.e., 69 KV and higher).

For areas that do not require engineered TCP on D-sheets, the Contractor may at any time after the Pre-construction Meeting obtain a TCP Permit via Working Drawings or the City's over the counter process and start the Work. If the Contractor decides to commence the construction work before the completion of the D-sheet TCPs, the Contractor shall forfeit the 60 Working Days specified here. The D-sheet TCP shall be done concurrently and no additional time will be granted.

For paving Work, the Contractor shall coordinate the Work to facilitate the installation and protection of the new curb ramps and associated concrete work prior to commencing the asphalt overlay operations. The Work at a specific location shall not commence until all layouts and measurements are agreed upon by both the Contractor and the Engineer.

**ADD: 6-1.8 Pre-construction Meeting**. Within 20 Working Days from the Limited NTP the Engineer will schedule a mandatory pre-construction meeting (Pre-construction Meeting) with the Contractor. The agenda will include items such as NTP, design services and submittal and review process for Design-Build contracts, critical elements of the work schedule, submittal schedule, cost breakdown of major lump sum items, payment requests and processing, environmental and community concerns, coordination with the involved utility firms, the level of record project documents required and emergency telephone numbers for all representatives involved in the course of construction.

**ADD: 6-8.1 Completion.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

- **6-8.1 Completion.** The Contractor shall submit a written assertion that the Work has been completed. If, in the Engineer's judgment, the Work has been completed in accordance with the Contract Documents, the Engineer will set forth in writing the date the Work was completed. This will be the date when the Contractor is relieved from responsibility to protect and maintain the Work.
- **6-8.2 Acceptance.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:
- **6-8.2 Acceptance.** Acceptance will occur after all of the requirements contained in the Contract Documents have been fulfilled. If, in the Engineer's judgment, the Contractor has fully performed the Contract, the Engineer will accept the Contractor's performance of the Contract.

SSP (Rev. June 2011) 34 | Page

- **6-8.3 Warranty.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:
- **6-8.3 Warranty.** Unless specified otherwise, the Work shall be warranted by the Contractor against defective workmanship and materials for a period of 1 year.
  - a) The warranty period shall start on the date of completion of the Work as determined by the Engineer.
  - b) The Contractor shall provide an unconditional warranty on all installed fiber optic cable for a minimum period of 2 years.
  - c) The warranty period for the following items of the Work shall be 3 years:
    - 1. Work under Section 500 (requires Long Term Warranty Contract (LTWC))
    - 2. DWT Construction (requires manufacturer's warranty)
    - 3. LED signal modules (requires manufacturer's warranty)
    - 4. Private sewer pumps including the alarm panel and all other accessories. The Contractor shall provide the City and property owner a copy of the warranty. (requires manufacturer's warranty)
  - d) The Contractor shall involve the manufacturer in the installation and startup as needed to secure any extended warranty required.
  - e) The warranty period for specific items covered under manufacturers' or suppliers' warranties shall commence on the date they are placed into service at the direction of or as approved by the Engineer in writing.
  - f) All warranties, express or implied, from Subcontractors or Suppliers, of any tier, for the work performed and materials furnished shall be assigned, in writing, to the City, and such warranties shall be delivered to the Engineer prior to acceptance of the Contractor's performance of the Contract.
  - g) The Contractor shall replace or repair defective Work in a manner satisfactory to the Engineer, after notice to do so from the Engineer, and within the time specified in the notice. If the Contractor fails to make such replacement or repairs within the time specified in the notice, the City may perform the replacement or repairs at the Contractor's expense. If the Contractor fails to reimburse the City for the actual costs, the Contractor's Surety shall be liable for the cost thereof.
  - h) Nothing in this warranty is intended to limit any manufacturer's warranty which provides the City with greater warranty rights than set forth in this section or the Contract Documents.
  - i) These specifications are not intended to constitute a period of limitations or waiver of any other rights or remedies City may have regarding the Contractor's other obligations under the Contract Documents or federal or state law.
  - j) The Contractor shall respond and initiate corrective action within 24 hours of notice of nonconforming Work that poses an imminent threat to person or property.

SSP (Rev. June 2011) 35 | Page

**6-9 LIQUIDATED DAMAGES.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

MODIFY to increase the daily value from \$250 to \$1,000 for contracts with a value of over \$100,000.

#### SECTION 7 - RESPONSIBILITIES OF THE CONTRACTOR

# **7-3 LIABILITY INSURANCE.** DELETE in its entirety and SUBSTITUTE with the following:

The insurance provisions herein must not be construed to limit your indemnity obligations contained in this contract.

### ADD: 7-3.1 Policies and Procedures.

- a) You must procure the insurance described below, at your sole cost and expense, to provide coverage against claims for loss including injuries to persons or damage to property, which may arise out of or in connection with the performance of the Work by you, your agents, representatives, officers, employees or subcontractors.
- b) Insurance coverage for property damage resulting from your operations is on a replacement cost valuation. The market value will not be accepted.
- c) You must maintain this insurance for the duration of this contract and at all times thereafter when you are correcting, removing, or replacing Work in accordance with this contract. Your liabilities under this contract, e.g., your indemnity obligations, will is not deemed limited to the insurance coverage required by this contract.
- d) Payment for insurance is included in the various items of Work as bid by you, and except as specifically agreed to by the City in writing, you are not entitled to any additional payment. Do not begin any work under this contract until you have provided and the City has approved all required insurance.
- e) Policies of insurance must provide that the City is entitled to 30 days (10 days for cancellation due to non-payment of premium) prior written notice of cancellation or non-renewal of the policy. Maintenance of specified insurance coverage is a material element of this contract. Your failure to maintain or renew coverage or to provide evidence of renewal during the term of this contract may be treated by the City as a material breach of contract.

## **ADD: 7-3.2 Types of Insurance.**

# 7-3.2.1 Commercial General Liability Insurance.

- a) Commercial General Liability Insurance must be written on the current version of the ISO Occurrence form CG 00 01 07 98 or an equivalent form providing coverage at least as broad.
- b) The policy must cover liability arising from premises and operations, XCU (explosions, underground, and collapse), independent contractors, products/completed operations, personal injury and advertising injury, bodily injury, property damage, and liability assumed under an insured's contract (including the tort liability of another assumed in a business contract).

SSP (Rev. June 2011) 36 | Page

- c) There must be no endorsement or modification limiting the scope of coverage for either "insured vs. insured" claims or contractual liability. You must maintain the same or equivalent insurance for at least 10 years following completion of the Work.
- d) All costs of defense must be outside the policy limits. Policy coverage must be in liability limits of not less than the following:

General Annual Aggregate Limit	Limits of Liability
	•
Other than Products/Completed Operations	\$2,000,000
Products/Completed Operations Aggregate Limit	\$2,000,000
Personal Injury Limit	\$1,000,000
Each Occurrence	\$1,000,000

## 7-3.2.2 Commercial Automobile Liability Insurance.

- a) You must provide a policy or policies of Commercial Automobile Liability Insurance written on the current version of the ISO form CA 00 01 12 90 or later version or equivalent form providing coverage at least as broad in the amount of \$1,000,000 combined single limit per accident, covering bodily injury and property damage for owned, non-owned, and hired automobiles ("Any Auto").
- b) All costs of defense must be outside the limits of the policy.

## **ADD: 7-3.3 Rating Requirements.**

Except for the State Compensation Insurance Fund, all insurance required by this contract as described herein must be carried only by responsible insurance companies with a rating of, or equivalent to, at least "A-, VI" by A.M. Best Company, that are authorized by the California Insurance Commissioner to do business in the State, and that have been approved by the City.

## 7-3.3.1 Non-Admitted Carriers.

The City will accept insurance provided by non-admitted, "surplus lines" carriers only if the carrier is authorized to do business in the State and is included on the List of Eligible Surplus Lines Insurers (LESLI list).

All policies of insurance carried by non-admitted carriers must be subject to all of the requirements for policies of insurance provided by admitted carriers described herein.

# ADD: 7-3.4 Evidence of Insurance.

Furnish to the City documents e.g., certificates of insurance and endorsements evidencing the insurance required herein, and furnish renewal documentation prior to expiration of this insurance. Each required document must be signed by the insurer or a person authorized by the insurer to bind coverage on its behalf. We reserve the right to require complete, certified copies of all insurance policies required herein.

SSP (Rev. June 2011) 37 | Page

#### ADD: 7-3.5 Policy Endorsements.

## 7-3.5.1 Commercial General Liability Insurance

#### 7-3.5.1.1 Additional Insured.

- a) You must provide at your expense policy endorsement written on the current version of the ISO Occurrence form CG 20 10 11 85 or an equivalent form providing coverage at least as broad.
- b) To the fullest extent allowed by law e.g., California Insurance Code §11580.04, the policy must be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured.
  - 1. The additional insured coverage for projects for which the Engineer's Estimate is \$1,000,000 or more must include liability arising out of: (a) Ongoing operations performed by you or on your behalf, (b) Your products, (c) Your work, e.g., your completed operations performed by you or on your behalf, or (d) premises owned, leased, controlled, or used by you.
  - 2. The additional insured coverage for projects for which the Engineer's Estimate is less than \$1,000,000 must include liability arising out of: (a) Ongoing operations performed by you or on your behalf, (b) Your products, or (c) premises owned, leased, controlled, or used by you.

## 7-3.5.1.2 Primary and Non-Contributory Coverage.

The policy must be endorsed to provide that the coverage with respect to operations, including the completed operations, if appropriate, of the Named Insured is primary to any insurance or self-insurance of the City and its elected officials, officers, employees, agents and representatives. Further, it must provide that any insurance maintained by the City and its elected officials, officers, employees, agents and representatives must be in excess of the Contractor's insurance and must not contribute to it.

#### 7-3.5.1.3 Project General Aggregate Limit.

The policy or policies must be endorsed to provide a Designated Construction Project General Aggregate Limit that will apply only to the Work. Only claims payments which arise from the Work must reduce the Designated Construction Project General Aggregate Limit. The Designated Construction Project General Aggregate Limit must be in addition to the aggregate limit provided for the products-completed operations hazard.

# 7-3.5.2 Commercial Automobile Liability Insurance.

#### 7-3.5.2.1 Additional Insured.

Unless the policy or policies of Commercial Auto Liability Insurance are written on an ISO form CA 00 01 12 90 or a later version of this form or equivalent form providing coverage at least as broad, the policy must be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured, with respect to liability arising out of automobiles owned, leased, hired or borrowed by you or on your behalf. This endorsement is limited to the obligations permitted by California Insurance Code §11580.04.

SSP (Rev. June 2011) 38 | Page

#### ADD: 7-3.6 Deductibles and Self-Insured Retentions.

You are responsible for the payment of all deductibles and self-insured retentions. Disclose deductibles and self-insured retentions to the City at the time the evidence of insurance is provided.

#### ADD: 7-3.7 Reservation of Rights.

We reserve the right, from time to time, to review your insurance coverage, limits, deductibles and self-insured retentions to determine if they are acceptable to the City. We will reimburse you, without overhead, profit, or any other markup, for the cost of additional premium for any coverage requested by the Engineer but not required by this contract.

# ADD: 7-3.8 Notice of Changes to Insurance.

You must notify the City 30 days prior to any material change to the policies of insurance provided under this contract.

#### ADD: 7-3.9 Excess Insurance.

Policies providing excess coverage must follow the form of the primary policy or policies e.g., all endorsements.

**7-4 WORKERS' COMPENSATION INSURANCE.** DELETE in its entirety and SUBSTITUTE with the following:

## 7-4.1 Workers' Compensation Insurance and Employers Liability Insurance.

- a) In accordance with the provisions of §3700 of the California Labor Code, you must provide at its expense Workers' Compensation Insurance and Employers Liability Insurance to protect you against all claims under applicable state workers compensation laws. The City, its elected officials, and employees will not be responsible for any claims in law or equity occasioned by your failure to comply with the requirements of this section.
- b) Limits for this insurance must be not less than the following:

Workers' Compensation	Statutory Employers Liability
-	
Bodily Injury by Accident	\$1,000,000 each accident
Bodily Injury by Disease	\$1,000,000 each employee
Bodily Injury by Disease	\$1,000,000 policy limit

c) By signing and returning this contract you certify that you are aware of the provisions of §3700 of the Labor Code which require every employer to be insured against liability for worker's compensation or to undertake self-insurance in accordance with the provisions of that code and you will comply with such provisions before commencing the Work as required by § 1861 of the California Labor Code.

SSP (Rev. June 2011) 39 | Page

# 7-4.1.1 Waiver of Subrogation.

The policy or policies must be endorsed to provide that the insurer will waive all rights of subrogation against the City, and its respective elected officials, officers, employees, agents, and representatives for losses paid under the terms of the policy or policies and which arise from work performed by the Named Insured for the City.

**7-5 PERMITS, FEES, AND NOTICES.** To the City Supplement, DELETE item e) in its entirety.

# **7-5.2 Caltrans Encroachment Permit.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

- a) The City has applied for the Caltrans Encroachment Permit unless specified otherwise in the SSP.
- b) The Contractor shall pay for and secure the permit prior to construction regardless of which party has applied for it.
- c) The Contractor shall arrange and pay for inspection as required by Caltrans.
- d) The Contractor shall be solely responsible for permit processing delays that result from incomplete or inaccurate information provided by the Contractor to the City or the Caltrans.

# **7-8.6 Water Pollution Control.** ADD the following:

- a) The Project is subject to the Storm Water Pollution control requirements listed on the Plans or as specified in these specifications.
- b) For contracts subject to Construction General Permit (CGP), the Contractor's QSD shall verify the City's assessment prior to submittal through SMARTS.
- c) The Contractor's attention is directed to Section 801, "WATER POLLUTION CONTROL" of these specifications for more information.

# **7-9 PROTECTION AND RESTORATION OF EXISTING IMPROVEMENTS.** ADD the following:

In any emergency affecting the safety of persons or property, the Contractor shall act, at its discretion, to prevent threatened damage, injury or loss. Any change in Contract Price or Contract Time resulting from emergency work shall be determined as provided in SECTION 3, "CHANGES IN WORK."

**7-10.1 Traffic and Access.** To the City Supplement, DELETE the agency notification listing in its entirety and SUBSTITUTE with the following:

The Contractor shall notify Metropolitan Transit System (MTS), a minimum of 5 Working Days prior to excavation, construction, or traffic control affecting bus stops. The Contractor shall notify the remaining agencies a minimum of two 2 Working Days prior to construction activities affecting the agencies:

Fire Department Dispatch	(Street or alley closure)	(858) 573-1300
Police Department Traffic	(Street or alley closure)	(858) 495-7800
Street Division/Electrical	(Traffic signals)	(619) 527-7500

SSP (Rev. June 2011) 40 | Page

U.S. Navy (32nd Street Naval Station) (619) 556-1319 Underground Service Alert (Any excavation) (800) 422-4133 MTS (Street Closure and Bus Stops) (619) 238-0100 Ext 6451

# **7-10.6 Traffic Plate Bridging.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

Transverse or longitudinal cuts, voids, trenches, holes, and excavations in the right-of-way that cannot be properly completed within 1 Working Day shall be protected by adequately designed barricades and structural steel plates [plates] that will support legal vehicle loads in such a way as to preserve unobstructed traffic flow.

The Contractor shall secure approval, in advance, from authorities concerning the use of any bridging proposed on the Work.

Plates shall conform to the following:

- a) The trench shall be adequately shored to support the bridging and traffic loads.
- b) Plates shall be designed for HS 20-44 truck loading in accordance with Caltrans Bridge Design Specifications Manual.
- c) For the minimum thickness of plates refer to Table 7-10.6(A):

Table 7-10.6(A) - Trencl	h Width	/ Minimum F	'late Thickness
--------------------------	---------	-------------	-----------------

Trench Width	Minimum Plate Thickness
10" (0.25 m)	1/2" (13 mm)
1'-11" (0.58 m)	3/4" (19 mm)
2'-7" (0.80 m)	7/8" (22 mm)
3'-5" (1.04 m)	1" (25 mm)
5'-3" (1.6 m)	1 1/4" (32 mm)

For spans greater than 5'-3" (1.6 m), a structural design shall be prepared by a California Registered Civil Engineer and approved by the Engineer.

- d) Plates shall have a skid-resistant surface with a nominal Coefficient Of Friction (COF) of 0.35 as determined by California Test Method 342.
- e) Plates shall extend a minimum of 12" (300 mm) beyond the edges of the trench.
- f) Plates shall provide complete coverage to prevent any person, bicycle, motorcycle or motor vehicle from being endangered due to plate movement causing separations or gaps.
- g) Plates shall be secured against movement or displacement by using adjustable cleats, shims, welding, or other devices, and shall be installed in a manner that will minimize noise as traffic drives over them. Plates shall be installed using either Method (1) or (2):
  - i. Method 1 [For speeds greater than 45 mph (70 Km/hr)]: The pavement shall be cold planed to a depth equal to the thickness of the plate and to a width and length equal to the dimensions of the plate.
  - ii. Method 2 [For Speeds less than 45 mph (70 Km/hr)]: Approach plate(s) and ending plate (if longitudinal placement) shall be attached to the roadway by a minimum of 2 dowels pre-drilled into the corners of the plate and drilled 2" (50 mm) into the pavement. Subsequent plates are butted to each other. Fine graded asphalt concrete

SSP (Rev. June 2011) **41** | Page

shall be compacted to form ramps, maximum slope 8.5 % with a minimum 12" (305 mm) taper to cover all edges of the plates.

Alternative installation method may be submitted in accordance with 2-5.3, "Submittals" for the Engineer's approval.

- h) The Contractor shall be responsible for maintenance of the plates, shoring, and asphalt concrete ramps or any other approved device used to secure the plates. The Contractor shall immediately mobilize necessary personnel and equipment after being notified by the Engineer, the City's station 38, or a member of the public of a repair needed e.g., plate movement, noise, anchors, and asphalt ramps. Failure to respond to the emergency request within 2 hours will be grounds for the City to perform necessary repairs that will be invoiced at actual cost including overhead or \$500 per incident, whichever is greater. Failure by the Contractor to comply may result in automatic grounds suspension of permit, Contract, or both.
- i) When plates are removed, any damage to the pavement shall be repaired with fine graded asphalt concrete mix or slurry seal satisfactory to the Engineer.

Payment for traffic plate bridging shall be included in the various Bid items unless a Bid Item has been provided for steel plate bridging.

**7-15 INDEMNIFICATION AND HOLD HARMLESS AGREEMENT.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

**ADD: 7-15 INDEMNIFICATION AND HOLD HARMLESS AGREEMENT.** The Contractor shall defend, indemnify, protect, and hold harmless the City, its agents, officers, and employees, from and against all claims asserted, or liability established for damages or injuries to any person or property resulting from the Contractor's action or failure to take the necessary measures to prevent such damages and injuries.

The Contractor shall be responsible for payment of any fines resulting from citations issued to the City by either the federal, state, or local environmental and safety enforcement agencies due to the Contractor's failure to abide by applicable safety, health, and environmental standards.

**ADD:** 7-16.2.2 Weekly Updates Recipients. The following recipients shall receive a weekly correspondence with updates, traffic control issues and locations, lane closures, and any other pertinent information (with additional contact names given during award process).

Name, Senior Engineer, <u>APalaseyed@sandiego.gov</u> Name, Project Engineer, <u>EDoringo@sandiego.gov</u> Resident Engineer, TBA

## **SECTION 8 - FACILITIES FOR AGENCY PERSONNEL**

**8-2 FIELD OFFICE FACILITIES.** To the City Supplement, DELETE in its entirety.

SSP (Rev. June 2011) 42 | Page

# **PART 2 - CONSTRUCTION MATERIALS**

#### **SECTION 216 – DETECTABLE WARNING TILES**

**216-1.2 Materials.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

Materials for DWT specified herein shall be per the City's Approved Materials List (AML). The tiles shall have the manufacturer's logo stamped permanently on the product with identifying information such as model number and type.

- a) The Stainless Steel Cast in Place DWT shall be of 16 gauge Type 304L with an integral micro-texture non-slip surface stamped into the stainless steel plate on the top of the domes and in the field surface between the domes. It shall have an ultra violet stabilized coating.
- b) Vitrified Polymer Composite (VPC) Cast in Place DWT shall be an epoxy polymer composition with an ultra violet stabilized coating employing aluminum oxide particles in the truncated domes. VPC Product shall be provided with a 5-year manufacturer written warranty form materials and installation.
- c) For others materials and a complete listing of material physical property requirements refer to the City's AML.

## **PART 3 – CONSTRUCTION METHODS**

#### **SECTION 302 – ROADWAY SURFACING**

**302-1.9 Traffic Signal Loop Detectors.** To the City Supplement, DELETE the second paragraph and SUBSTITUTE with the following:

Traffic detector loops shall be reinstalled prior to resurfacing of the related street within 15 days from completion of all preparatory work including milling, cutting and grinding. The Contractor shall contact the City of San Diego's Street Division, Traffic Signal Maintenance at 619-527-8052 north of Interstate 8 or 619-527-8053 south of Interstate 8 to request loop layout.

**ADD: 302-5.2 Pavement Restoration Adjacent to Trench.** Pavement restoration adjacent to trench shall include the replacement of existing pavement adjacent to the proposed trench and outside the trench limits, that was previously broken or displaced.

Prior to the commencement of the Work, the Contractor shall meet with the Engineer and determine the limits of the pavement to be replaced. If the Contractor does not meet with the Engineer before removing the pavement, all replacement outside the limits of the proposed trench resurfacing shall be at the Contractor's expense.

Existing pavement shall be removed in accordance with Section 300-1.3.2. Prior to pavement restoration, existing subgrade shall be prepared in accordance with 301-1, "SUBGRADE PREPARATION." If any existing unsuitable subgrade as determined by the Engineer is encountered, it shall be replaced with imported backfill in accordance with 306-1.3.7, "Imported Backfill" prior to preparation.

SSP (Rev. June 2011) 43 | Page

- **302-5.2.1 Measurement and Payment.** Payment for pavement restoration adjacent to trench will be made on a square foot basis as shown in the Bid in accordance with 302-6.8, "Measurement and Payment" for concrete streets or 302-5.9 "Measurement and Payment." Unless Bid includes separate Bid item(s), the following shall be included in the payment for pavement restoration adjacent to trench:
  - a) saw-cutting existing edges,
  - b) removal and disposal of existing pavement,
  - c) subgrade preparation including imported backfill material,
  - d) form work,
  - e) placement, curing, and protection of new pavement, and
  - f) place full depth AC per CSDSD SDG-107-Type "A".
- **302-6.1 General.** To the City Supplement, Last paragraph, DELETE in its entirety and SUBSTITUTE with the following:

Prior to placing concrete, existing subgrade shall be prepared in accordance with 301-1, "SUBGRADE PREPARATION."

If any existing unsuitable subgrade, as determined by the Engineer, is encountered it shall be replaced in accordance with 300-2.2, "Unsuitable Material."

**302-6.8 Measurement and payment.** To the City Supplement, DELETE in its entirety.

**302-13.4 Application.** To the City Supplement, DELETE the second paragraph and SUBSTITUTE with the following:

Sealant shall be applied from the bottom of the crack up to the surface in a manner which does not result in sealant bridging or pockets of entrapped air. The sealant shall be applied to a slightly overfilled condition and then leveled with a squeegee. The width of sealant remaining on the surface shall not exceed 1.5" on either side of the crack. Any debris blown onto adjacent gutters, sidewalks, parkways, medians, intersections or other areas shall be removed prior to the end of the Working Day.

## SECTION 303- CONCRETE AND MASONRY CONSTRUCTION

**303-5.10.2 Payment**. To the City Supplement, 2<sup>nd</sup> paragraph, DELETE in its entirety and SUBSTITUTE the following: Additional concrete sidewalk and curb quantities *beyond the 15'-0*" will be paid for in accordance with the Contract unit price for additional curb and additional sidewalk.

#### SECTION 306 - UNDERGROUND CONDUIT CONSTRUCTION

**306-1.4.8 Televising Sewer Mains and Storm Drains.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

ADD: 306-1.4.8 Televising Sewer Mains, Sewer Laterals, and Storm Drains.

**306-1.4.8.1 General.** The Contractor in coordination with the Engineer shall televise new sewer mains and storm drains, rehabilitated existing sewer mains when performing parallel replacement to locate existing laterals, and existing sewer pipe segments and laterals after the cleaning process and prior to commencing rehab work. The Contractor shall provide the video records with compressed audio in digital file format on digital video discs (DVD's).

SSP (Rev. June 2011) 44 | Page

**306-1.4.8.2 Submittals.** The Contractor shall make several submittals during construction as follows:

- a) The Contractor shall provide an initial submittal at the start of televising work demonstrating the typical video and audio quality to be provided for acceptance by the Engineer. This submittal shall note any proposed changes to the specification listed below regarding video format, data processing, compression or other conditions for review and approval by the Engineer.
- b) When televising existing mains proposed to be replaced, the Contractor shall provide the televising DVD(s) and a red-lined set of Plans showing the location of the existing laterals to the Engineer before constructing the new sewer mains. Service lateral video inspection shall be submitted on a separate DVD.
- c) Post Cleaning Videos prior to rehabilitation of mains The Contractor shall televise the sewer pipe segments after the cleaning process has been completed and prior to commencing rehabilitation work. If point repairs are necessary, the Contractor shall identify the location of the proposed point repairs and submit the post cleaning video within 5 Working Days of completion of the segment cleaning and at least 5 Working Days prior to commencing the rehab work to obtain prior approval by the Engineer. The Engineer will review each video submittal within 10 Working Days of receiving submittal. Each video submittal shall be limited to 20 segments. The post cleaning video for the remainder of the mainline segments shall be submitted in accordance with 2-5.3, "Submittals."
- d) Post Cleaning Videos for rehabilitated laterals or lateral launch videos The Contractor shall televise the lateral segments after the cleaning process has been completed and prior to commencing any work on laterals. The post cleaning video for service lateral launch shall be submitted within 5 Working Days of segment cleaning. The Engineer will review each video submittal within 10 Working Days of receiving each submittal. Each DVD submittal shall be limited to 20 segments. The video inspection shall include inspection of service lateral a minimum of 30' in length from the mainline or up to the property line unless an obstruction is encountered.

If the property line clean-outs are not known to exist, service lateral video may be obtained with camera equipment designed to launch into the service lateral from the mainline or access from the private property with homeowner's permission. Each service lateral shall be identified by the Facility Sequence Number (FSN) of the mainline (when FSN are included in the Contract Documents) and the address of the property which it serves. Failure to comply with these specifications may result in one or more of the following:

- i. A delay of the review and approval of the submittal(s).
- ii. Delay in progress payments.
- iii. Require the Contractor to re-televise the pipelines at no cost to the City.
- e) Final Televising, Post-Rehabilitation Videos and Red-lines New sewer mains shall be inspected by CCTV and recorded on DVD not less than 22 working days after completion of permanent trench restoration and finished grading, but prior to final resurfacing. The Contractor shall review the DVD for any discrepancies or deficiencies in the installation of the pipe or liner. The Contractor shall notify the Engineer at least 30 Working Days in advance of the anticipated date that Acceptance will be requested. If the specified advance notice is not given, Acceptance and bond release may be delayed.
- f) Ten Working Days shall be allowed for the Engineer to review each individual video disc

of each and every reach documented on that particular videodisc. In the event that any deficiencies are discovered by the Engineer or City, either by the Contractor's televising or the City's re-televising, 5 Working Days shall be allowed for City to judge whether the deficiencies or sags are repairable, in place. If the judgment is made that the deficiencies are non-repairable in place, the affected portion(s) shall be reconstructed at no cost to the City. The Contractor shall not be entitled to Contract Time extension due to delays resulting from correcting deficiencies or sags as determined by televised inspections.

i. The City reserves the right to re-televise any new sewer main after the placement of permanent trench restoration and before final acceptance to determine the existence and extent of any foreign material or obstructions such as cement grout, wood, rocks, sand, concrete, or pipe fragments, and any structural deficiencies, or sags precipitated by the permanent trench restoration operations or other items of Work.

Post-rehabilitation videos shall be submitted within 30 days of completion of the Work. The final video recording shall clearly show the condition of the liner with ends sealed at the manholes, service lateral and connection seals. The submittal of this final video recording shall also include MS Access database and marked up Field Book pages or Plans as attachments. Failure to deliver the submittal(s) within the time identified or if a total of more than 20 segments are submitted in a single video may result in one or more of the following:

- 1. A delay of the review and approval of the submittal(s).
- 2. Delay in progress payments.
- 3. Require the Contractor to re-televise the sewer main segments.

**306-1.4.8.3 Video Operator Qualifications.** The video operator shall have at least 1 year of experience with a project of a similar nature within the last 3 years.

**306-1.4.8.4 Equipment for Televising.** Camera and lighting quality shall be suitable to provide a clear, continuously in-focus picture of the entire inside periphery of the sewer pipe or storm drain for all conditions encountered during the work. The equipment shall be capable of televising the entire length from manhole to manhole in one direction. When televising storm drains/sewer mains the camera shall be capable of scanning the joints for 360 degrees.

If necessary, the Contractor shall provide a self-propelled camera, capable of extended videotaping lengths and operation in remotely accessed areas without direct vehicular access. The system used to move the camera through the pipe shall not obstruct the camera's view. The remote-reading footage counter device which measures the distance traveled by the camera in the pipe shall be displayed on the television monitor and shall be accurate to plus or minus 1' (0.3 meters) in 1000' (300 meters) (+0.3m:300 meters). The Contractor shall calibrate the measuring device each day with a known distance to the satisfaction of the Engineer prior to starting the inspection and videotaping process.

# 306-1.4.8.5 Televising Procedures.

a) The Engineer shall be notified a minimum of 2 Working Days in advance of televising. The entire televising inspection process shall be done in the presence of the Engineer.

- b) The Contractor shall clean the sewer mains prior to televising as necessary to adequately perform the video recording operations.
- c) The camera shall be moved through the sewer at a uniform rate, stopping when necessary to ensure proper documentation of the condition of the sewer line but in no case shall the television camera be pulled at a speed greater than 30' (9 meter) per minute. The camera shall be moved by means of power cable winches or self propelled tractors at each manhole, and rotating the camera head at each lateral connection, defect, or both to allow for adequate evaluation. The importance of accurate distance measurements is emphasized. Measurement for location of defects shall be above ground by means of a measuring device. Footages shown on the DVD(s) shall coincide with horizontal lengths from stationing as shown on the plans. Footage measurements shall begin at the centerline of the upstream manhole or storm drain access point, unless permission is given by the Engineer to do otherwise. Both pre and post video inspections shall be submitted to the Engineer.
- d) Televising shall be done in one direction for the entire length between manholes. Each section shall be isolated from the remainder of the storm drain or sewer line with the upstream sewage flow bypassed as required. Sufficient water shall be supplied to the isolated section to cause drainage reaching the downstream manhole prior to televising. If existing flows are high, pre-construction video inspection can be done with partial flow. Depth of the flow shall not exceed:
  - i. 6" 10"(150 mm. 250 mm) pipes 20% of the pipe diameter.
  - ii. 12" 24" (0.3 meters 0.6 meters) pipes 25% of the pipe diameter.
  - iii. 27" (0.7 meters) and up pipe 30% of the pipe diameter.
- e) The Contractor shall televise the pipeline with maximum flow diverted from the pipeline. In the event that the existing flow is interfering with the video operation, a bypass shall be performed by the Contractor to lower the flow volume sufficiently to allow for a clear video picture.
- f) Obstructions may be encountered during the course of the internal inspection that prevents the travel of the camera. If an obstruction is not passable, the Contractor shall withdraw the equipment and begin internal inspection from the opposite end of the sewer reach. Should an additional obstruction be encountered after employment of the equipment from the opposite end of the sewer and no means are available for moving the television camera past the obstruction, the Contractor shall notify the Engineer, and the inspection shall be cancelled or postponed until the obstruction is removed. The Contractor shall remove the obstruction by excavation, repair or any other means approved by the Engineer, at no additional cost to the City.

After the obstruction has been removed, the Contractor shall continue with the CCTV inspection. A reverse setup, if necessary, shall be performed by the Contractor at no additional cost to the City. Should the camera get stuck in the sewer, the Contractor shall be responsible for all costs involved in extracting it. Costs related to difficulties encountered during internal television inspection are incidental to the Contract and claims, therefore, will not be considered.

g) Defects such as offset joints, cracks in the pipe, and inflow shall be pointed out, quantified verbally, and projected on CCTV video disc. The Contractor shall use the standard owner's video disc introduction, abbreviations, log sheet forms, and severity code with legend when recording the line segment information. The Contractor shall notify the Engineer of any additional damage found and obtain prior approval from the Engineer for additional point repairs.

- h) Original DVD shall be submitted to and shall become the property of the City. DVD's will be reviewed by the Engineer for focus, lighting, sound, clarity of view, and technical quality. Videos recorded while a camera has flipped over in the process of traveling and the viewing of laterals, obstructions or defects that are blocked by cables, skids or other equipment will not be accepted. Sharp focus, proper lighting, and clear distortion-free viewing during the camera operations shall be maintained. Failure to maintain these conditions will result in the rejection of the video disc by the Engineer. Video recordings, if unacceptable to the Engineer, shall be repeated at no additional cost to the City.
- i) The City reserves the right to re-televise any reach of the pipeline following the cleaning, pipe installation and rehabilitation activities, but before Acceptance, to determine the existence and extent of any foreign material or obstructions such as cement grout, wood, rocks, sand, concrete, or pieces of pipe, and any structural deficiencies, or sags preventing the completion of the Work.
- j) Final CCTV. The Contractor shall clean the line with high pressure water jetting equipment and a sewer ball prior to performing mandrel, air test or both, or as specified by the Engineer. For the final video inspection, the City will require a dry pipe. During the post-video inspection, the camera shall stop at each lateral connection, focus on the bottom of the opening and then make one slow clockwise observation around the perimeter of the lateral which clearly shows the quality of the connection. If the Contractor fails to properly show and document any of the lateral openings, the Contractor will be required to re-televise that section of pipeline at no additional cost to the City.
- k) The Contractor shall not be entitled to any additional contract time due to delays resulting from the need to correct any deficiencies, either repairable or non-repairable, in place, as determined by televised inspections.

**306-1.4.8.6 DVD and Final Report Requirements.** The Contractor shall provide all video with audio in digital file format on DVD's. Audio and written documentation shall accompany all DVD(s) submitted to the Engineer.

# a) DVD Requirements

- i. One file shall be provided for each manhole to manhole pipe segment or for each manhole to manhole inspection video.
- ii. The filename shall incorporate the unique facility identifier provided by the City and the date of the inspection. The facility identifier numbers will be manhole numbers, with adjacent manhole numbers identifying pipe sections. The facility identifier number(s) shall be compatible with the data input features of the reporting software i.e., number of available input digits, fields, or both.
- iii. DVD recordings shall be in color and in MPEG2 format. The minimum video bit rate shall be 4.7 Mega bits per second (Mbps) and minimum audio bit rate shall be 128 Kilo bits per second (Kbps). Out-of-focus video recording or low quality and blurred pictures due to steam or smudged camera lens, or portions thereof, shall be cause for rejection of the video recording.
- iv. The camera source image capture shall provide a high resolution image with a minimum of 640x480 pixels capture. The video shall be at 30 frames per second.

SSP (Rev. June 2011) 48 | Page

- v. The video will be captured and compressed so as to reduce file size as much as possible while still meeting the needs of the City. The compression shall be in accordance with MPEG2 format. The video files shall be highly compressed, resulting in an anticipated average file size of maximum 10 MB per minute of video.
- vi. The compression shall not significantly degrade the still frame quality of the video or audio signal from the original source video, as judged in a side by side viewing under normal viewing conditions.
- vii. During post-installation CCTV inspections, the Contractor shall utilize one of the following video camera systems: a rotating-lens camera (articulating head) or a pan and tilt camera.
- viii. The Contractor shall use a dual recording system and submit post video inspection discs to the inspector, subsequent to recording.
- ix. The Contractor shall ensure visibility and lighting with minimum glare and without any dark or shadowy regions appearing on the final video disc.
- x. The Contractor shall pan and tilt the camera and pause for at least 15 seconds at each lateral connection to adequately show and document that the saddle has been installed properly for new installations and that the lateral opening has been reestablished for rehabilitation and lining in accordance with 500.1.1.7.a, "Miscellaneous."
- xi. The television camera shall produce a continuously-monitored high-quality picture, capable of discerning all major and minor structural defects in the pipeline. The post-installation CCTV inspection will document all defects which may affect the integrity or the strength of the pipeline, such as cracks, roughness, fins, or folds. The Contractor shall repair or replace all defects, at no additional cost to the City, which in the opinion of the Engineer may affect the hydraulic condition of the pipe liner.
- xii. Each DVD submittal shall include the following:

## Visuals

- 1. Adequate view of the upstream and downstream manholes or storm drain access points. The direction of the survey upstream or downstream.
- 2. A pause at and zoom in on the lateral connections for at least 15 seconds for identification of the condition of the connection.
- 3. A pause at and zoom in on the indentified defects sufficient for identification of the type of problem.
- 4. Identified fault conditions or defects, see Appendix for Standardized City Condition and Defect Codes.
- 5. Each pipe section shall be identified by FSN, manhole numbers and the street name. If shown on the Plans, station numbers and sheet numbers shall also be identified.
- 6. A continuous read-out of the camera distance from the starting manhole to the end point at all times.
- 7. Pipe size.
- 8. Pipe or liner material, see Appendix for Material Description and Code.

SSP (Rev. June 2011) **49** | Page

#### Audio

- 1. Date of CCTV inspection.
- 2. Confirmation of each section to be CCTV inspected i.e., narrative of manholes, storm access points or station numbers, or FSN's and direction upstream or downstream.
- 3. Description of pipe size lined on post and final videos, material liner type for post and final videos and pipe joint length.
- 4. Description and location of each defect.
- 5. Description and location of each service connection.
- 6. Include brief but informative comments on data of significance, including, but not limited to, the locations of unusual conditions, type and size of connection, collapsed section, the presence of scale and corrosion, and other discernible features.

# Written Documentation

- 1. Date of CCTV inspection.
- 2. Printed labels on DVD number, location information, date of inspection, and other descriptive information.
- 3. Location, size, material, and length of pipe.
- 4. Direction of flow and measurement "From" manhole or storm drain access point or station number "To" manhole or storm drain access point or station number or FSN.
- 5. File numbers itemizing individual segments.
- 6. Sketch showing the street and cross streets where the CCTV inspection was made.
- 7. Description and location of each defect or deficiency and a list of all proposed repairs.
- 8. Description and location of each connection.
- 9. A menu which lists files for each pipe section to be inspected and the date of the inspection.

## b. Final CCTV inspection reports

- i. The Contractor shall provide reports of final inspection results of pipeline televising and conditional assessments utilizing a MS Access database reporting software.
- ii. This information shall be in tabular form, and include but not be limited to the following information: pipeline run from upstream to downstream manhole, location of defects in feet from upstream manhole, description of the defect, and other pertinent information. The reports shall also show all service lateral connection locations. The inspection reports shall incorporate and utilize a standardized City's rating system to be provided for comprehensive evaluation of pipeline, manhole condition, or both, i.e., a standardized listing of facility condition and defect codes. Pipe condition and fault information tied to pipe location shall also be recorded in the Report.
- iii. The file naming convention for video files consists of 32 characters, including the extension. The structure includes the following: "(field book page start)-(manhole ID start)-(field book page end)-(manhole ID

SSP (Rev. June 2011) 50 | Page

- end)-(hhddmmyy).wmv" where the field book pages and manholes IDs are 4 characters in length and hhddmmyy signifies the hour, day, month and year of the inspection, respectively. An example filename may be "F18S-0045-F18S-0046-14150604.wmv".
- iv. See Appendix for televising inspection pipe database structure, table formats and standardized city condition, defect codes and digital video filename. Final reports shall follow these requirements.

#### 306-1.4.8.7 Tolerances.

- a) For underground sewer or storm drain conduit installations, the maximum operational tolerance for sag shall be 1/2". When televised inspection is used to check for sag, a calibrated 1/4" diameter steel bar, mounted in front of the camera, shall be used to measure the depth of sag.
- b) For rehab work, tolerances shall be in accordance with 500-1.4.9, "DEFECT TOLERANCES".
- c) If the Engineer determines that the deficiencies or sags are non-repairable in place, the affected portion(s) shall be reconstructed in accordance with 6-8, "COMPLETION, ACCEPTANCE, AND WARRANTY."

**306-1.4.8.8 Payment.** The payment for cleaning and televising sewer mains or laterals and storm drains shall be included in the unit price Bid items for cleaning and televising sewer mains and storm drains, televising sewer mains for final acceptance, or lateral launch videos. If a Bid item has not been provided, the payment shall be included in the payment for the proposed pipe.

**306-1.6 Basis of Payment for Open Trench Installations.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

Second paragraph, DELETE in its entirety and SUBSTITUTE with the following:

The unit price bid for pipe and conduit in place shall be considered full compensation for all wyes, tees, bends, monolithic catch basin connections, and specials shown on the Plans; the removal or restoration of interfering portions of existing sewers, storm drains, and existing improvements as shown on Plans; the closing or removing of abandoned conduit and structures; the excavations of the trench; the control of ground and surface waters; the preparation of subgrade; placing, joining and testing pipe; backfilling the trench; permanent resurfacing; disposal of excess excavation; temporary resurfacing when not a Bid item; and all other work necessary to install the pipe or conduit, complete in place.

Third paragraph, after the word "backfill" ADD: "disposal of all excess excavation,"

#### ADD the following:

- a) The Unit Price bid for thrust and anchor blocks shall include the payment for the thrust blocks and anchor blocks for water main 16" and larger.
- b) Thrust blocks and anchor blocks for water mains 12" and smaller shall be included in the Bid item for water mains.
- c) Payment for subsurface investigations e.g.,potholing for thrust blocks and anchor blocks for water mains 16" and larger shall be included in the Bid item for water main.

SSP (Rev. June 2011) 51 | Page

- d) Payment for meter assembly shall be included in the various Bid items unless a pay item has been provided for Meter Assembly. The concrete pad, fence, gate, associated piping, and coordination with City Forces shall be included in the payment for the meter assembly.
- e) Payment for valves, fire hydrant assembly and marker, fire service assembly, fire service connection, and backflow preventer shall be included in the unit price Bid items for Valves, Fire Hydrant Assembly and Marker, Fire Service Assembly and backflow preventer, Fire Service Connection, and Backflow Preventer.
- f) Removal of existing Fire Hydrant and all appurtenant work shall be included in the Bid item for Fire Hydrant and Assembly and Marker.
- g) Payment for underdrains shall be included in the unit Bid item for "Underdrains."
- h) The quantity of filter fabric to be paid for will be measured in square yards of the area covered, not including additional fabric for overlap. The quantity of permeable material to be paid will be measured by tons.

# ADD: 306-13.2 Pipe Separations.

- a) Pipe installation shall be in compliance with the State's health standards for separation. Dimensions shall be measured from outside pipe wall to outside pipe wall.
  - 1. When a proposed water main is installed above an existing sewer main, no connection joints shall be within 8' outside the sewer main crossing on both sides.
  - 2. When a proposed water main is installed below an existing sewer main, no connection joints shall be within 10' of the sewer main crossing on both sides.
  - 3. When a proposed sewer main is installed above an existing water main, no connection joints shall be within 10' outside the water main crossing on both sides.
  - 4. When a proposed sewer main is installed below an existing water main, no connection joints shall be within 4' outside the water main crossing on both sides.
- b) The Contractor shall notify the Engineer immediately:
  - 1. When sewer and water pipes, whether existing or proposed, are found to be closer than 4' horizontally or 1' vertically.
  - 2. When 6" vertical separation between utilities other than sewer and water mains cannot be maintained.
  - 3. When a minimum 3' of cover over top of water main cannot be maintained.
  - 4. When a minimum 5' of cover on the top of water mains larger than 16" in diameter cannot be maintained.
  - 5. When a minimum 4' of cover over top of recycled water main cannot be maintained.
- c) If 1' vertical separation cannot be maintained between proposed and existing utilities, 6" 11" sand cushion per 200-1.5, "Sand" and 1" neoprene pad shall be installed as shown on Plans. The neoprene pad shall be 1" thick and wide enough to extend a minimum of 6" horizontally beyond the outside pipe wall. Neoprene pads shall have hardness between 50-70 durometers, as manufactured by Hoffmeyer Company, Industrial Rubber Supply, or approved equal. The neoprene pad shall be installed immediately below or on top of the existing utility. The sand cushion shall be placed between the neoprene pad and the proposed pipe.

**306-13.3 Utility Crossings.** To the City Supplement, DELETE in its entirety.

#### **ADD: PART 8 – ENVIRONMENTAL WORKS**

#### **SECTION 801 – WATER POLLUTION CONTROL**

**801-2.9 Post-Construction Requirements.** To the City Supplement second paragraph, ADD the following:

The decal-disc inlet markers shall be "das Duracast Curb Marker®" or approved equal.

#### **SECTION 807 – RESOURCE DISCOVERIES**

**ADD: 807-1.1 Environmental Document.** The City of San Diego Environmental Analysis Section (EAS) of the Development Services Department has prepared an MND for **Grand Avenue Sidewalk and Stormdrain**, DEP PTS# 202512 as referenced in the Contract Appendix. The Contractor shall comply with all requirements of the MND as set forth in Contract Appendix.

Unless a separate Bid item has been provided for compliance with the City's prepared environmental document e.g., MMRP, payment shall be included in the various Bid items.

**807-1.2 Archeological and Native American Monitoring Program.** To the City Supplement, DELETE in its entirety and SUBSTITUTE within the following:

Unless specified otherwise in the Contract Documents, the Contractor shall retain a qualified archaeologist approved by the City's Environmental Analysis Section (EAS). In addition to being approved by EAS, and within 5 working days of the bid opening, the Contractor must provide a list of 3 successful local projects the archaeologist completed in the last 5 years, and provide a current reference for each. The City shall verify the information provided and only qualified monitors shall be accepted. The archaeologist shall retain the appropriate Native American representative. Archeologist and the Native American representative shall attend the pre-construction meeting. The areas shown on the Plans subject to monitoring are approximate. The archaeologist shall confirm the sites and implement the required monitoring per Contract Appendices.

If a discovery is made, the Contractor's archaeological monitor shall make a determination as to whether excavation in the area must cease or can continue. The time the Contractor waits for this determination from their monitor cannot be claimed as delay time.

Unless included in the payment for the proposed item of Work e.g., utility main, the full compensation for archaeological and Native American monitoring program and report preparation, as prescribed in Contract Appendices, shall be included in the contract Bid item for archaeological and Native American monitoring program.

If any significant archaeological sites are known to exist in the project area, they will be shown in the Archaeological Data Recovery Program as part of Appendix A. In the event of a significant discovery, foreseen or unforeseen, and if no bid item for Archaeological and Native American Mitigation and Curation is included in the Contract, the Contractor shall be entitled to additional compensation in accordance with 3-3, "Extra Work", for implementation of a Mitigation Program as set forth in Contract Appendices.

SSP (Rev. June 2011) 53 | Page

**807-1.4 Archaeological and Native American Mitigation and Curation.** To the City Supplement, DELETE in its entirety and SUBSTITUTE within the following:

In the event of a significant Native American or archaeological discovery foreseen or unforeseen and after consultation with EAS staff, the Contractor shall implement a mitigation program as set forth in Contract Appendices. In accordance with the Mitigation and Monitoring Reporting Program, the mitigation program shall include but not be limited to, preparation and implementation of an Archaeological Data Recovery Program (ADRP), recovery, sorting, cleaning, cataloging/identifying/analyzing, curation (bagging, placement into archival boxes, delivery to an appropriate institution, and any fees required by the institution), and reporting, of artifact remains. The Archaeological Principal Investigator (PI) as defined in the MMRP shall make a recommendation if all or a portion, (i.e. representative sample) of the items discovered need to be curated.

Work for mitigation shall be paid from the Allowance Bid item for Archaeological and Native American Mitigation and Curation. The Contractor shall provide the Engineer with invoices for the Work performed, including the invoice from the archaeological monitor in the format shown in the attached Appendix, and be reimbursed from the amount allocated.

If there is an ADRP or known site that is indicated in the Contract Documents, the payment shall be included in the Allowance Bid item for Archeological and Native American Mitigation and Curation.

END OF SUPPLEMENTARY SPECIAL PROVISIONS (SSP)

SSP (Rev. June 2011) 54 | Page

# APPENDIX A

# MITIGATED NEGATIVE DECLARATION



# MITIGATED NEGATIVE DECLARATION

Project No. 202512 SCH# N/A

SUBJECT: Group F Sidewalk – Grand Avenue Segment: CITY COUNCIL APPROVAL to construct sidewalk improvements along the north side of Grand Avenue between Bond Street and Figueroa Boulevard and the installation of a new 100 foot storm drain. The side walk improvements include the installation of 5 foot wide approximately 416 feet long missing sidewalk section, three curb ramps for ADA access across Bond Street, removal of trees/shrubs and relocation of irrigation lines. The storm drain improvements would consist of the installation of a new 18-inch Reinforced Concrete Pipe (RCP) storm drain, a new curb inlet, and a headwall on the east side of the sidewalk. The new storm drain would replace an existing undersized drainage system. The project area is located on Grand Avenue between Bond Street and Figueroa Boulevard in the Pacific Beach Community Planning Area of the City and County of San Diego, California. Applicant: City of San Diego, Engineering and Capital Projects Department, Right-of-Way Design Division.

- I. PROJECT DESCRIPTION: See attached Initial Study.
- II. ENVIRONMENTAL SETTING: See attached Initial Study.

# III. DETERMINATION:

The City of San Diego conducted an Initial Study which determined that the proposed project could have a significant environmental effect in the following areas(s): HISTORICAL RESOURCES (ARCHAEOLOGY). The project proposal requires the implementation of specific mitigation identified in Section V of this Mitigated Negative Declaration (MND). The project as presented avoids or mitigates the potentially significant environmental effects identified, and the preparation of an Environmental Impact Report (EIR) would not be required.

#### IV. DOCUMENTATION:

The attached Initial Study documents the reasons to support the above Determination.

# V. MITIGATION, MONITORING AND REPORTING PROGRAM:

# A. GENERAL REQUIREMENTS – PART I Plan Check Phase (prior to permit issuance)

- 1. Prior to the issuance Bid Opening/Bid Award or beginning any construction related activity on-site, the Development Services Department (DSD) Director's Environmental Designee (ED) shall review and approve all Construction Documents (CD), (plans, specification, details, etc.) to ensure the MMRP requirements have been incorporated.
- 2. In addition, the ED shall verify that the MMRP Conditions/Notes that apply ONLY to the construction phases of this project are included VERBATIM, under the heading, "ENVIRONMENTAL/MITIGATION REQUIREMENTS."
- 3. These notes must be shown within the first three (3) sheets of the construction documents in the format specified for engineering construction document templates as shown on the City website:

http://www.sandiego.gov/development-services/industry/standtemp.shtml

4. The **TITLE INDEX SHEET** must also show on which pages the "Environmental/Mitigation Requirements" notes are provided.

# B. GENERAL REQUIREMENTS – PART II Post Plan Check (After permit issuance/Prior to start of construction)

1. PRE CONSTRUCTION MEETING IS REQUIRED TEN (10) WORKING DAYS PRIOR TO BEGINNING ANY WORK ON THIS PROJECT. The PERMIT HOLDER/OWNER is responsible to arrange and perform this meeting by contacting the CITY RESIDENT ENGINEER (RE) of the Field Engineering Division and City staff from MITIGATION MONITORING COORDINATION (MMC). Attendees must also include the Permit holder's Representative(s), Job Site Superintendent and the following consultants:

Archaeologist and Native American Monitor.

Note: Failure of all responsible Permit Holder's representatives and consultants to attend shall require an additional meeting with all parties present.

## CONTACT INFORMATION:

- a) The PRIMARY POINT OF CONTACT is the **RE** at the **Field Engineering Division 858-627-3200**
- b) For Clarification of ENVIRONMENTAL REQUIREMENTS, it is also required to call RE and MMC at 858-627-3360

2. MMRP COMPLIANCE: This Project, Project Tracking System (PTS) 202512, shall conform to the mitigation requirements contained in the associated Environmental Document and implemented to the satisfaction of the DSD's ED, MMC and the City Engineer (RE). The requirements may not be reduced or changed but may be annotated (i.e. to explain when and how compliance is being met and location of verifying proof, etc.). Additional clarifying information may also be added to other relevant plan sheets and/or specifications as appropriate (i.e., specific locations, times of monitoring, methodology, etc

#### Note:

Permit Holder's Representatives must alert RE and MMC if there are any discrepancies in the plans or notes, or any changes due to field conditions. All conflicts must be approved by RE and MMC BEFORE the work is performed.

- 3. OTHER AGENCY REQUIREMENTS: Evidence that any other agency requirements or permits have been obtained or are in process shall be submitted to the RE and MMC for review and acceptance prior to the beginning of work or within one week of the Permit Holder obtaining documentation of those permits or requirements. Evidence shall include copies of permits, letters of resolution or other documentation issued by the responsible agency.

  Not Applicable for this project.
- 4. MONITORING EXHIBITS: All consultants are required to submit, to RE and MMC, a monitoring exhibit on a 11x17 reduction of the appropriate construction plan, such as site plan, grading, landscape, etc., marked to clearly show the specific areas including the LIMIT OF WORK, scope of that discipline's work, and notes indicating when in the construction schedule that work will be performed. When necessary for clarification, a detailed methodology of how the work will be performed shall be included.
- 5. OTHER SUBMITTALS AND INSPECTIONS: The Permit Holder/Owner's representative shall submit all required documentation, verification letters, and requests for all associated inspections to the RE and MMC for approval per the following schedule:

# **Document Submittal/Inspection Checklist**

<u>Issue Area</u>	Document submittal	Associated Inspection/Approvals/Note
General	Consultant Qualification Letters	Prior to Pre-construction meeting
General	Consultant Const. Monitoring	Prior to or at the Pre-Construction meeting
Archaeology Final MMRP	Archaeological Reports	Archaeological observation Final MMRP Inspection

# <u>Historical Resources (Archaeology)</u>

# I. Prior to Permit Issuance or Bid Opening/Bid Award

# A. Entitlements Plan Check

1. Prior to permit issuance or Bid Opening/Bid Award, whichever is applicable, the Assistant Deputy Director (ADD) Environmental designee shall verify that the requirements for Archaeological Monitoring and Native American monitoring have been noted on the applicable construction documents through the plan check process.

# B. Letters of Qualification have been submitted to ADD

- 1. Prior to Bid Award, the applicant shall submit a letter of verification to Mitigation Monitoring Coordination (MMC) identifying the Principal Investigator (PI) for the project and the names of all persons involved in the archaeological monitoring program, as defined in the City of San Diego Historical Resources Guidelines (HRG). If applicable, individuals involved in the archaeological monitoring program must have completed the 40-hour HAZWOPER training with certification documentation.
- 2. MMC will provide a letter to the applicant confirming the qualifications of the PI and all persons involved in the archaeological monitoring of the project meet the qualifications established in the HRG.
- 3. Prior to the start of work, the applicant must obtain written approval from MMC for any personnel changes associated with the monitoring program.

## II. Prior to Start of Construction

#### A. Verification of Records Search

- 1. The PI shall provide verification to MMC that a site specific records search (1/4 mile radius) has been completed. Verification includes, but is not limited to a copy of a confirmation letter from South Coastal Information Center, or, if the search was in-house, a letter of verification from the PI stating that the search was completed.
- 2. The letter shall introduce any pertinent information concerning expectations and probabilities of discovery during trenching and/or grading activities.
- 3. The PI may submit a detailed letter to MMC requesting a reduction to the ¼ mile radius.

# B. PI Shall Attend Precon Meetings

- 1. Prior to beginning any work that requires monitoring; the Applicant shall arrange a Precon Meeting that shall include the PI, Native American consultant/monitor (where Native American resources may be impacted), Construction Manager (CM) and/or Grading Contractor, Resident Engineer (RE), Building Inspector (BI), if appropriate, and MMC. The qualified Archaeologist and Native American Monitor shall attend any grading/excavation related Precon Meetings to make comments and/or suggestions concerning the Archaeological Monitoring program with the Construction Manager and/or Grading Contractor.
  - a. If the PI is unable to attend the Precon Meeting, the Applicant shall schedule a focused Precon Meeting with MMC, the PI, RE, CM or BI, if appropriate, prior to the start of any work that requires monitoring.
- 2. Acknowledgement of Responsibility for Curation (CIP or Other Public Projects)

The applicant shall submit a letter to MMC acknowledging their responsibility for the cost of curation associated with all phases of the archaeological monitoring program.

- 3. Identify Areas to be Monitored
  - a. Prior to the start of any work that requires monitoring, the PI shall submit an Archaeological Monitoring Exhibit (AME) (with verification that the AME has been reviewed and approved by the Native American consultant/monitor when Native American resources may be impacted) based on the appropriate construction documents (reduced to 11x17) to MMC identifying the areas to be monitored including the delineation of grading/excavation limits.
  - b. The AME shall be based on the results of a site specific records search as well as information regarding the age of existing pipelines, laterals and associated appurtenances and/or any known soil conditions (native or formation).
  - c. MMC shall notify the PI that the AME has been approved.
- 4. When Monitoring Will Occur
  - a. Prior to the start of any work, the PI shall also submit a construction schedule to MMC through the RE indicating when and where monitoring will occur.
  - b. The PI may submit a detailed letter to MMC prior to the start of work or during construction requesting a modification to the monitoring program. This request shall be based on relevant information such as review of final construction documents which indicate conditions such as age of existing pipe to be replaced, depth of excavation and/or site graded to bedrock, etc., which may reduce or increase the potential for resources to be present.
- 5. Approval of AME and Construction Schedule
  After approval of the AME by MMC, the PI shall submit to MMC written
  authorization of the AME and Construction Schedule from the CM.

# III. During Construction

- A. Monitor Shall be Present During Grading/Excavation/Trenching
  - 1. The Archaeological Monitor shall be present full-time during all soil disturbing and grading/excavation/trenching activities which could result in impacts to archaeological resources as identified on the AME. The Construction Manager is responsible for notifying the RE, PI, and MMC of changes to any construction activities such as in the case of a potential safety concern within the area being monitored. In certain circumstances OSHA safety requirements may necessitate modification of the AME.
  - 2. The Native American consultant/monitor shall determine the extent of their presence during soil disturbing and grading/excavation/trenching activities based on the AME and provide that information to the PI and MMC. If prehistoric resources are encountered during the Native American consultant/monitor's absence, work shall stop and the Discovery Notification Process detailed in Section III.B-C and IV.A-D shall commence.
  - 3. The PI may submit a detailed letter to MMC during construction requesting a modification to the monitoring program when a field condition such as modern disturbance post-dating the previous grading/trenching activities, presence of fossil formations, or when native soils are encountered that may reduce or increase the potential for resources to be present.

4. The archaeological and Native American consultant/monitor shall document field activity via the Consultant Site Visit Record (CSVR). The CSVR's shall be faxed by the CM to the RE the first day of monitoring, the last day of monitoring, monthly (Notification of Monitoring Completion), and in the case of ANY discoveries. The RE shall forward copies to MMC.

# **B.** Discovery Notification Process

- 1. In the event of a discovery, the Archaeological Monitor shall direct the contractor to temporarily divert all soil disturbing activities, including but not limited to digging, trenching, excavating or grading activities in the area of discovery and in the area reasonably suspected to overlay adjacent resources and immediately notify the RE or BI, as appropriate.
- 2. The Monitor shall immediately notify the PI (unless Monitor is the PI) of the discovery.
- 3. The PI shall immediately notify MMC by phone of the discovery, and shall also submit written documentation to MMC within 24 hours by fax or email with photos of the resource in context, if possible.
- 4. No soil shall be exported off-site until a determination can be made regarding the significance of the resource specifically if Native American resources are encountered.

# C. Determination of Significance

- 1. The PI and Native American consultant/monitor, where Native American resources are discovered shall evaluate the significance of the resource. If Human Remains are involved, follow protocol in Section IV below.
  - a. The PI shall immediately notify MMC by phone to discuss significance determination and shall also submit a letter to MMC indicating whether additional mitigation is required.
  - b. If the resource is significant, the PI shall submit an Archaeological Data Recovery Program (ADRP) and obtain written approval of the program from MMC, CM and RE. ADRP and any mitigation must be approved by MMC, RE and/or CM before ground disturbing activities in the area of discovery will be allowed to resume. Note: If a unique archaeological site is also an historical resource as defined in CEQA Section 15064.5, then the limits on the amount(s) that a project applicant may be required to pay to cover mitigation costs as indicated in CEQA Section 21083.2 shall not apply.
    - (1). Note: For pipeline trenching and other linear projects in the public Right-of-Way, the PI shall implement the Discovery Process for Pipeline Trenching projects identified below under "D."
  - c. If the resource is not significant, the PI shall submit a letter to MMC indicating that artifacts will be collected, curated, and documented in the Final Monitoring Report. The letter shall also indicate that that no further work is required.
    - (1). Note: For Pipeline Trenching and other linear projects in the public Right-of-Way, if the deposit is limited in size, both in length and depth; the information value is limited and is not associated with any other resource; and there are no unique features/artifacts associated with the deposit, the discovery should be considered not significant.

- (2). Note, for Pipeline Trenching and other linear projects in the public Right-of-Way, if significance can not be determined, the Final Monitoring Report and Site Record (DPR Form 523A/B) shall identify the discovery as Potentially Significant.
- D. Discovery Process for Significant Resources Pipeline Trenching and other Linear Projects in the Public Right-of-Way
  - The following procedure constitutes adequate mitigation of a significant discovery encountered during pipeline trenching activities or for other linear project types within the Public Right-of-Way including but not limited to excavation for jacking pits, receiving pits, laterals, and manholes to reduce impacts to below a level of significance:
  - 1. Procedures for documentation, curation and reporting
    - a. One hundred percent of the artifacts within the trench alignment and width shall be documented in-situ, to include photographic records, plan view of the trench and profiles of side walls, recovered, photographed after cleaning and analyzed and curated. The remainder of the deposit within the limits of excavation (trench walls) shall be left intact.
    - b. The PI shall prepare a Draft Monitoring Report and submit to MMC via the RE as indicated in Section VI-A.
    - c. The PI shall be responsible for recording (on the appropriate State of California Department of Park and Recreation forms-DPR 523 A/B) the resource(s) encountered during the Archaeological Monitoring Program in accordance with the City's Historical Resources Guidelines. The DPR forms shall be submitted to the South Coastal Information Center for either a Primary Record or SDI Number and included in the Final Monitoring Report.
    - d. The Final Monitoring Report shall include a recommendation for monitoring of any future work in the vicinity of the resource.

# IV. Discovery of Human Remains

If human remains are discovered, work shall halt in that area and no soil shall be exported off-site until a determination can be made regarding the provenance of the human remains; and the following procedures as set forth in CEQA Section 15064.5(e), the California Public Resources Code (Sec. 5097.98) and State Health and Safety Code (Sec. 7050.5) shall be undertaken:

#### A. Notification

- 1. Archaeological Monitor shall notify the RE or BI as appropriate, MMC, and the PI, if the Monitor is not qualified as a PI. MMC will notify the appropriate Senior Planner in the Environmental Analysis Section (EAS) of the Development Services Department to assist with the discovery notification process.
- 2. The PI shall notify the Medical Examiner after consultation with the RE, either in person or via telephone.
- B. Isolate discovery site
  - 1. Work shall be directed away from the location of the discovery and any nearby area reasonably suspected to overlay adjacent human remains until a determination can be made by the Medical Examiner in consultation with the PI concerning the provenience of the remains.

- 2. The Medical Examiner, in consultation with the PI, will determine the need for a field examination to determine the provenience.
- 3. If a field examination is not warranted, the Medical Examiner will determine with input from the PI, if the remains are or are most likely to be of Native American origin.
- C. If Human Remains ARE determined to be Native American
  - 1. The Medical Examiner will notify the Native American Heritage Commission (NAHC) within 24 hours. By law, **ONLY** the Medical Examiner can make this call.
  - 2. NAHC will immediately identify the person or persons determined to be the Most Likely Descendent (MLD) and provide contact information.
  - 3. The MLD will contact the PI within 24 hours or sooner after the Medical Examiner has completed coordination, to begin the consultation process in accordance with CEQA Section 15064.5(e), the California Public Resources and Health & Safety Codes.
  - 4. The MLD will have 48 hours to make recommendations to the property owner or representative, for the treatment or disposition with proper dignity, of the human remains and associated grave goods.
  - 5. Disposition of Native American Human Remains will be determined between the MLD and the PI, and, if:
    - a. The NAHC is unable to identify the MLD, OR the MLD failed to make a recommendation within 48 hours after being notified by the Commission, OR;
    - b. The landowner or authorized representative rejects the recommendation of the MLD and mediation in accordance with PRC 5097.94 (k) by the NAHC fails to provide measures acceptable to the landowner, THEN
    - c. To protect these sites, the landowner shall do one or more of the following:
      - (1) Record the site with the NAHC;
      - (2) Record an open space or conservation easement; or
      - (3) Record a document with the County.
    - d. Upon the discovery of multiple Native American human remains during a ground disturbing land development activity, the landowner may agree that additional conferral with descendants is necessary to consider culturally appropriate treatment of multiple Native American human remains. Culturally appropriate treatment of such a discovery may be ascertained from review of the site utilizing cultural and archaeological standards. Where the parties are unable to agree on the appropriate treatment measures, the human remains and burial with Native American human remains shall be reinterred with appropriate dignity, pursuant to Section 5.c., above.
- D. If Human Remains are **NOT** Native American
  - 1. The PI shall contact the Medical Examiner and notify them of the historic era context of the burial.
  - 2. The Medical Examiner will determine the appropriate course of action with the PI and City staff (PRC 5097.98).
  - 3. If the remains are of historic origin, they shall be appropriately removed and conveyed to the San Diego Museum of Man for analysis. The decision for internment of the human remains shall be made in consultation with MMC, EAS,

the applicant/landowner, any known descendant group, and the San Diego Museum of Man.

# V. Night and/or Weekend Work

- A. If night and/or weekend work is included in the contract
  - 1. When night and/or weekend work is included in the contract package, the extent and timing shall be presented and discussed at the precon meeting.
  - 2. The following procedures shall be followed.
    - a. No Discoveries

In the event that no discoveries were encountered during night and/or weekend work, the PI shall record the information on the CSVR and submit to MMC via fax by 8AM of the next business day.

- b. Discoveries
  - All discoveries shall be processed and documented using the existing procedures detailed in Sections III During Construction, and IV Discovery of Human Remains. Discovery of human remains shall always be treated as a significant discovery.
- Potentially Significant Discoveries
   If the PI determines that a potentially significant discovery has been made, the procedures detailed under Section III During Construction and IV-Discovery of Human Remains shall be followed.
- d. The PI shall immediately contact the RE and MMC, or by 8AM of the next business day to report and discuss the findings as indicated in Section III-B, unless other specific arrangements have been made.
- B. If night and/or weekend work becomes necessary during the course of construction
  - 1. The Construction Manager shall notify the RE, or BI, as appropriate, a minimum of 24 hours before the work is to begin.
  - 2. The RE, or BI, as appropriate, shall notify MMC immediately.
- C. All other procedures described above shall apply, as appropriate.

# VI. Post Construction

- A. Submittal of Draft Monitoring Report
  - 1. The PI shall submit two copies of the Draft Monitoring Report (even if negative), prepared in accordance with the Historical Resources Guidelines (Appendix C/D) which describes the results, analysis, and conclusions of all phases of the Archaeological Monitoring Program (with appropriate graphics) to MMC via the RE for review and approval within 90 days following the completion of monitoring. It should be noted that if the PI is unable to submit the Draft Monitoring Report within the allotted 90-day timeframe as a result of delays with analysis, special study results or other complex issues, a schedule shall be submitted to MMC establishing agreed due dates and the provision for submittal of monthly status reports until this measure can be met.
    - a. For significant archaeological resources encountered during monitoring, the Archaeological Data Recovery Program or Pipeline Trenching Discovery Process shall be included in the Draft Monitoring Report.
    - b. Recording Sites with State of California Department of Parks and Recreation

The PI shall be responsible for recording (on the appropriate State of California Department of Park and Recreation forms-DPR 523 A/B) any significant or potentially significant resources encountered during the Archaeological Monitoring Program in accordance with the City's Historical Resources Guidelines, and submittal of such forms to the South Coastal Information Center with the Final Monitoring Report.

- 2. MMC shall return the Draft Monitoring Report to the PI via the RE for revision or, for preparation of the Final Report.
- 3. The PI shall submit revised Draft Monitoring Report to MMC via the RE for approval.
- 4. MMC shall provide written verification to the PI of the approved report.
- 5. MMC shall notify the RE or BI, as appropriate, of receipt of all Draft Monitoring Report submittals and approvals.

#### B. Handling of Artifacts

- 1. The PI shall be responsible for ensuring that all cultural remains collected are cleaned and catalogued
- 2. The PI shall be responsible for ensuring that all artifacts are analyzed to identify function and chronology as they relate to the history of the area; that faunal material is identified as to species; and that specialty studies are completed, as appropriate.
- C. Curation of artifacts: Accession Agreement and Acceptance Verification
  - 1. The PI shall be responsible for ensuring that all artifacts associated with the survey, testing and/or data recovery for this project are permanently curated with an appropriate institution. This shall be completed in consultation with MMC and the Native American representative, as applicable.
  - 2. When applicable to the situation, the PI shall include written verification from the Native American consultant/monitor indicating that Native American resources were treated in accordance with state law and/or applicable agreements. If the resources were reinterred, verification shall be provided to show what protective measures were taken to ensure no further disturbance occurs in accordance with Section IV Discovery of Human Remains, Subsection C.
  - 3. The PI shall submit the Accession Agreement and catalogue record(s) to the RE or BI, as appropriate for donor signature with a copy submitted to MMC.
  - 4. The RE or BI, as appropriate shall obtain signature on the Accession Agreement and shall return to PI with copy submitted to MMC.
  - 5. The PI shall include the Acceptance Verification from the curation institution in the Final Monitoring Report submitted to the RE or BI and MMC.

#### D. Final Monitoring Report(s)

- 1. The PI shall submit one copy of the approved Final Monitoring Report to the RE or BI as appropriate, and one copy to MMC (even if negative), within 90 days after notification from MMC of the approved report.
- 2. The RE shall, in no case, issue the Notice of Completion until receiving a copy of the approved Final Monitoring Report from MMC which includes the Acceptance Verification from the curation institution.

#### VI. PUBLIC REVIEW DISTRIBUTION:

Draft copies or notice of this Mitigated Negative Declaration were distributed to:

```
City of San Diego:
  Council District 2, Councilmember Faulconer
  Development Services Department
       Helene Deisher (MS 501)
       Myra Herrmann (MS 501)
  Engineering and Capital Projects Department
       David Li (MS 908a)
       Roman Anissi (MS 908a)
  Historical Resources Board (87)
  Librayr and Government Documents (MS 17)
  Pacific Beach/Taylor Branch Library (81x)
  City Attorney
Other
   San Diego City Schools (132)
   Pacific Beach Town Council (374)
   Pacific Beach Planning Group (375)
  Carmen Lucas (206)
  Clint Linton (215B)
  South Coastal Information Center @ San Diego State University (210)
   San Diego Archaeological Center (212)
  Save Our Heritage Organization (214)
  Ron Christman (215)
  Louie Guassac (215A)
  San Diego County Archaeological Society (218)
  Kumeyaay Cultural Repatriation Committee (225)
  Native American Distribution (225A-R Public Notice Only)
  San Diego Gas and Electric (SDGE) (114)
  Metropolitan Transit Development Board (115)
```

San Diego Transit Corporation (112)

#### VII. RESULTS OF PUBLIC REVIEW:

- () No comments were received during the public input period.
- () Comments were received but did not address the draft Mitigated Negative Declaration finding or the accuracy/completeness of the Initial Study. No response is necessary. The letters are attached.
- (X) Comments addressing the findings of the draft Mitigated Negative Declaration and/or accuracy or completeness of the Initial Study were received during the public input period. The letters and responses follow.

Copies of the draft Mitigated Negative Declaration, the Mitigation, Monitoring and Reporting Program and any Initial Study material are available in the office of the Entitlements Division for review, or for purchase at the cost of reproduction.

Myra Hermann, Senior Planner

Development Services Department

unear

Analyst: Szymanski

Attachments:

Figure 1 Location Map Initial Study Checklist June 2, 2011

Date of Draft Report

July 7, 2011

Date of Final Report

#### APPENDIX B

#### FIRE HYDRANT METER PROGRAM

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT  FIRE HYDRANT METER PROGRAM  (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 1OF 10	October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

#### 1. PURPOSE

1.1 To establish a Departmental policy and procedure for issuance, proper usage and charges for fire hydrant meters.

#### 2. **AUTHORITY**

- 2.1 All authorities and references shall be current versions and revisions.
- 2.2 San Diego Municipal Code (NC) Chapter VI, Article 7, Sections 67.14 and 67.15
- 2.3 Code of Federal Regulations, Safe Drinking Water Act of 1986
- 2.4 California Code of Regulations, Titles 17 and 22
- 2.5 California State Penal Code, Section 498B.0
- 2.6 State of California Water Code, Section 110, 500-6, and 520-23
- 2.7 Water Department Director

#### Reference

- 2.8 State of California Guidance Manual for Cross Connection Programs
- 2.9 American Water Works Association Manual M-14, Recommended Practice for Backflow Prevention
- 2.10 American Water Works Association Standards for Water Meters
- 2.11 U.S.C. Foundation for Cross Connection Control and Hydraulic Research Manual

#### 3. <u>DEFINITIONS</u>

3.1 **Fire Hydrant Meter:** A portable water meter which is connected to a fire hydrant for the purpose of temporary use. (These meters are sometimes referred to as Construction Meters.)

CITY OF SAN DIEGO CALIFORNIA	NUMBER	DEPARTMENT
DEPARTMENT INSTRUCTIONS	DI 55.27	Water Department
SUBJECT		EFFECTIVE DATE
	PAGE 2OF 10	
FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER		October 15, 2002
PROGRAM)		
	SUPERSEDES	DATED
s 9	<b>DI</b> 55.27	April 21, 2000

- 3.2 **Temporary Water Use:** Water provided to the customer for no longer than twelve (12) months.
- 3.3 **Backflow Preventor:** A Reduced Pressure Principal Assembly connected to the outlet side of a Fire Hydrant Meter.

#### 4. **POLICY**

- 4.1 The Water Department shall collect a deposit from every customer requiring a fire hydrant meter and appurtenances prior to providing the meter and appurtenances (see Section 7.1 regarding the Fees and Deposit Schedule). The deposit is refundable upon the termination of use and return of equipment and appurtenances in good working condition.
- 4.2 Fire hydrant meters will have a 2 ½" swivel connection between the meter and fire hydrant. The meter shall not be connected to the 4" port on the hydrant. All Fire Hydrant Meters issued shall have a Reduced Pressure Principle Assembly (RP) as part of the installation. Spanner wrenches are the only tool allowed to turn on water at the fire hydrant.
- 4.3 The use of private hydrant meters on City hydrants is prohibited, with exceptions as noted below. All private fire hydrant meters are to be phased out of the City of San Diego. All customers who wish to continue to use their own fire hydrant meters must adhere to the following conditions:
  - a. Meters shall meet all City specifications and American Water Works Association (AWWA) standards.
  - b. Customers currently using private fire hydrant meters in the City of San Diego water system will be allowed to continue using the meter under the following conditions:
    - 1. The customer must submit a current certificate of accuracy and calibration results for private meters and private backflows annually to the City of San Diego, Water Department, Meter Shop.

CITY OF SAN DIEGO CALIFORNIA	NUMBER	DEPARTMENT
DEPARTMENT INSTRUCTIONS	DI 55.27	Water Department
SUBJECT		EFFECTIVE DATE
	<b>PAGE 3OF</b> 10	1.349627
FIRE HYDRANT METER PROGRAM		October 15, 2002
(FORMERLY: CONSTRUCTION METER		
PROGRAM)		
	SUPERSEDES	DATED
	DI 55.27	April 21, 2000

- 2. The meter must be properly identifiable with a clearly labeled serial number on the body of the fire hydrant meter. The serial number shall be plainly stamped on the register lid and the main casing. Serial numbers shall be visible from the top of the meter casing and the numbers shall be stamped on the top of the inlet casing flange.
- 3. All meters shall be locked to the fire hydrant by the Water Department, Meter Section (see Section 4.7).
- 4. All meters shall be read by the Water Department, Meter Section (see Section 4.7).
- 5. All meters shall be relocated by the Water Department, Meter Section (see Section 4.7).
- 6. These meters shall be tested on the anniversary of the original test date and proof of testing will be submitted to the Water Department, Meter Shop, on a yearly basis. If not tested, the meter will not be allowed for use in the City of San Diego.
- 7. All private fire hydrant meters shall have backflow devices attached when installed.
- 8. The customer must maintain and repair their own private meters and private backflows.
- 9. The customer must provide current test and calibration results to the Water Department, Meter Shop after any repairs.
- 10. When private meters are damaged beyond repair, these private meters will be replaced by City owned fire hydrant meters.

CITY OF SAN DIEGO CALIFORNIA	NUMBER DI 55 27	DEPARTMENT Water Department
DEPARTMENT INSTRUCTIONS	DI 55.27	Water Department
SUBJECT		EFFECTIVE DATE
	<b>PAGE 4OF</b> 10	
FIRE HYDRANT METER PROGRAM		October 15, 2002
(FORMERLY: CONSTRUCTION METER		
PROGRAM)		
	SUPERSEDES	DATED
	<b>DI</b> 55.27	April 21, 2000

- 11. When a private meter malfunctions, the customer will be notified and the meter will be removed by the City and returned to the customer for repairs. Testing and calibration results shall be given to the City prior to any reinstallation.
- 12. The register shall be hermetically sealed straight reading and shall be readable from the inlet side. Registration shall be in hundred cubic feet.
- 13. The outlet shall have a 2 ½ "National Standards Tested (NST) fire hydrant male coupling.
- 14. Private fire hydrant meters shall not be transferable from one contracting company to another (i.e. if a company goes out of business or is bought out by another company).
- 4.4 All fire hydrant meters and appurtenances shall be installed, relocated and removed by the City of San Diego, Water Department. All City owned fire hydrant meters and appurtenances shall be maintained by the City of San Diego, Water Department, Meter Services.
- 4.5 If any fire hydrant meter is used in violation of this Department Instruction, the violation will be reported to the Code Compliance Section for investigation and appropriate action. Any customer using a fire hydrant meter in violation of the requirements set forth above is subject to fines or penalties pursuant to the Municipal Code, Section 67.15 and Section 67.37.

#### 4.6 Conditions and Processes for Issuance of a Fire Hydrant Meter

#### Process for Issuance

- a. Fire hydrant meters shall only be used for the following purposes:
  - 1. Temporary irrigation purposes not to exceed one year.

CITY OF SAN DIEGO CALIFORNIA	NUMBER	DEPARTMENT
DEPARTMENT INSTRUCTIONS	DI 55.27	Water Department
SUBJECT		EFFECTIVE DATE
	<b>PAGE 5OF</b> 10	
FIRE HYDRANT METER PROGRAM		October 15, 2002
(FORMERLY: CONSTRUCTION METER		
PROGRAM)		
	SUPERSEDES	DATED
	<b>DI</b> 55.27	April 21, 2000

- 2. Construction and maintenance related activities (see Tab 2).
- b. No customer inside or outside the boundaries of the City of San Diego Water Department shall resell any portion of the water delivered through a fire hydrant by the City of San Diego Water Department.
- c. The City of San Diego allows for the issuance of a temporary fire hydrant meter for a period not to exceed 12 months (365 days). An extension can only be granted in writing from the Water Department Director for up to 90 additional days. A written request for an extension by the consumer must be submitted at least 30 days prior to the 12 month period ending. No extension shall be granted to any customer with a delinquent account with the Water Department. No further extensions shall be granted.
- d. Any customer requesting the issuance of a fire hydrant meter shall file an application with the Meter Section. The customer must complete a "Fire Hydrant Meter Application" (Tab 1) which includes the name of the company, the party responsible for payment, Social Security number and/or California ID, requested location of the meter (a detailed map signifying an exact location), local contact person, local phone number, a contractor's license (or a business license), description of specific water use, duration of use at the site and full name and address of the person responsible for payment.
- e. At the time of the application the customer will pay their fees according to the schedule set forth in the Rate Book of Fees and Charges, located in the City Clerk's Office. All fees must be paid by check, money order or cashiers check, made payable to the City Treasurer. Cash will not be accepted.
- f. No fire hydrant meters shall be furnished or relocated for any customer with a delinquent account with the Water Department.
- g. After the fees have been paid and an account has been created, the

CITY OF SAN DIEGO CALIFORNIA	NUMBER	DEPARTMENT
DEPARTMENT INSTRUCTIONS	<b>DI</b> 55.27	Water Department
SUBJECT		EFFECTIVE DATE
	<b>PAGE 6OF</b> 10	
FIRE HYDRANT METER PROGRAM		October 15, 2002
(FORMERLY: CONSTRUCTION METER		
PROGRAM)		
	SUPERSEDES	DATED
	<b>DI</b> 55.27	April 21, 2000

meter shall be installed within 48 hours (by the second business day). For an additional fee, at overtime rates, meters can be installed within 24 hours (within one business day).

#### 4.7 Relocation of Existing Fire Hydrant Meters

- a. The customer shall call the Fire Hydrant Meter Hotline (herein referred to as "Hotline"), a minimum of 24 hours in advance, to request the relocation of a meter. A fee will be charged to the existing account, which must be current before a work order is generated for the meter's relocation.
- b. The customer will supply in writing the address where the meter is to be relocated (map page, cross street, etc). The customer must update the original Fire Hydrant Meter Application with any changes as it applies to the new location.
- c. Fire hydrant meters shall be read on a monthly basis. While fire hydrant meters and backflow devices are in service, commodity, base fee and damage charges, if applicable, will be billed to the customer on a monthly basis. If the account becomes delinquent, the meter will be removed.

#### 4.8 Disconnection of Fire Hydrant Meter

- a. After ten (10) months a "Notice of Discontinuation of Service" (Tab 3) will be issued to the site and the address of record to notify the customer of the date of discontinuance of service. An extension can only be granted in writing from the Water Department Director for up to 90 additional days (as stated in Section 4.6C) and a copy of the extension shall be forwarded to the Meter Shop Supervisor. If an extension has not been approved, the meter will be removed after twelve (12) months of use.
- b. Upon completion of the project the customer will notify the Meter Services office via the Hotline to request the removal of the fire hydrant meter and appurtenances. A work order will be generated

CITY OF SAN DIEGO CALIFORNIA	NUMBER	DEPARTMENT
DEPARTMENT INSTRUCTIONS	DI 55.27	Water Department
SUBJECT		EFFECTIVE DATE
	<b>PAGE 70F</b> 10	
FIRE HYDRANT METER PROGRAM		October 15, 2002
(FORMERLY: CONSTRUCTION METER		
PROGRAM)		
	SUPERSEDES	DATED
	DI 55.27	April 21, 2000

for removal of the meter.

- c. Meter Section staff will remove the meter and backflow prevention assembly and return it to the Meter Shop. Once returned to the Meter Shop the meter and backflow will be tested for accuracy and functionality.
- d. Meter Section Staff will contact and notify Customer Services of the final read and any charges resulting from damages to the meter and backflow or its appurtenance. These charges will be added on the customer's final bill and will be sent to the address of record. Any customer who has an outstanding balance will not receive additional meters.
- e. Outstanding balances due may be deducted from deposits and any balances refunded to the customer. Any outstanding balances will be turned over to the City Treasurer for collection. Outstanding balances may also be transferred to any other existing accounts.

#### 5. EXCEPTIONS

5.1 Any request for exceptions to this policy shall be presented, in writing, to the Customer Support Deputy Director, or his/her designee for consideration.

#### 6. **MOBILE METER**

- 6.1 Mobile meters will be allowed on a case by case basis. All mobile meters will be protected by an approved backflow assembly and the minimum requirement will be a Reduced Pressure Principal Assembly. The two types of Mobile Meters are vehicle mounted and floating meters. Each style of meters has separate guidelines that shall be followed for the customer to retain service and are described below:
  - a) Vehicle Mounted Meters: Customer applies for and receives a City owned Fire Hydrant Meter from the Meter Shop. The customer mounts the meter on the vehicle and brings it to the Meter Shop for

CITY OF SAN DIEGO CALIFORNIA	NUMBER	DEPARTMENT
DEPARTMENT INSTRUCTIONS	DI 55.27	Water Department
SUBJECT		EFFECTIVE DATE
	<b>PAGE 8OF</b> 10	
FIRE HYDRANT METER PROGRAM		October 15, 2002
(FORMERLY: CONSTRUCTION METER		127
PROGRAM)		
**	SUPERSEDES	DATED
	<b>DI</b> 55.27	April 21, 2000

inspection. After installation is approved by the Meter Shop the vehicle and meter shall be brought to the Meter Shop on a monthly basis for meter reading and on a quarterly basis for testing of the backflow assembly. Meters mounted at the owner's expense shall have the one year contract expiration waived and shall have meter or backflow changed if either fails.

- b) Floating Meters: Floating Meters are meters that are not mounted to a vehicle. (Note: All floating meters shall have an approved backflow assembly attached.) The customer shall submit an application and a letter explaining the need for a floating meter to the Meter Shop. The Fire Hydrant Meter Administrator, after a thorough review of the needs of the customer, (i.e. number of jobsites per day, City contract work, lack of mounting area on work vehicle, etc.), may issue a floating meter. At the time of issue, it will be necessary for the customer to complete and sign the "Floating Fire Hydrant Meter Agreement" which states the following:
  - 1) The meter will be brought to the Meter Shop at 2797 Caminito Chollas, San Diego on the third week of each month for the monthly read by Meter Shop personnel.
  - 2) Every other month the meter will be read and the backflow will be tested. This date will be determined by the start date of the agreement.

If any of the conditions stated above are not met the Meter Shop has the right to cancel the contract for floating meter use and close the account associated with the meter. The Meter Shop will also exercise the right to refuse the issuance of another floating meter to the company in question.

Any Fire Hydrant Meter using reclaimed water shall not be allowed use again with any potable water supply. The customer shall incur the cost of replacing the meter and backflow device in this instance.

CITY OF SAN DIEGO CALIFORNIA	NUMBER	DEPARTMENT
DEPARTMENT INSTRUCTIONS	<b>DI</b> 55.27	Water Department
SUBJECT		EFFECTIVE DATE
	<b>PAGE 9OF 10</b>	
FIRE HYDRANT METER PROGRAM		October 15, 2002
(FORMERLY: CONSTRUCTION METER		
PROGRAM)		
	SUPERSEDES	DATED
	DI 55.27	April 21, 2000

#### 7. FEE AND DEPOSIT SCHEDULES

7.1 Fees and Deposit Schedules: The fees and deposits, as listed in the Rate Book of Fees and Charges, on file with the Office of the City Clerk, are based on actual reimbursement of costs of services performed, equipment and materials. Theses deposits and fees will be amended, as needed, based on actual costs. Deposits, will be refunded at the end of the use of the fire hydrant meter, upon return of equipment in good working condition and all outstanding balances on account are paid. Deposits can also be used to cover outstanding balances.

All fees for equipment, installation, testing, relocation and other costs related to this program are subject to change without prior notification. The Mayor and Council will be notified of any future changes.

#### 8. <u>UNAUTHORIZED USE OF WATER FROM A HYDRANT</u>

- 8.1 Use of water from any fire hydrant without a properly issued and installed fire hydrant meter is theft of City property. Customers who use water for unauthorized purposes or without a City of San Diego issued meter will be prosecuted.
- 8.2 If any unauthorized connection, disconnection or relocation of a fire hydrant meter, or other connection device is made by anyone other than authorized Water Department personnel, the person making the connection will be prosecuted for a violation of San Diego Municipal Code, Section 67.15. In the case of a second offense, the customer's fire hydrant meter shall be confiscated and/or the deposit will be forfeited.
- 8.3 Unauthorized water use shall be billed to the responsible party. Water use charges shall be based on meter readings, or estimates when meter readings are not available.
- 8.4 In case of unauthorized water use, the customer shall be billed for all applicable charges as if proper authorization for the water use had been obtained, including but not limited to bi-monthly service charges, installation charges and removal charges.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT		EFFECTIVE DATE
FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 10OF 10	October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

8.5 If damage occurs to Water Department property (i.e. fire hydrant meter, backflow, various appurtenances), the cost of repairs or replacements will be charged to the customer of record (applicant).

#### Water Department Director

Tabs: 1. Fire Hydrant Meter Application

2. Construction & Maintenance Related Activities With No Return

To Sewer

3. Notice of Discontinuation of Service

#### **APPENDIX**

Administering Division: Cus

Customer Support Division

Subject Index:

Construction Meters

Fire Hydrant

Fire Hydrant Meter Program

Meters, Floating or Vehicle Mounted

Mobile Meter

Program, Fire Hydrant Meter

Distribution:

DI Manual Holders

City of San Diego Application	n For Fire	(EXHIBIT A)	For Office Use Only
Water Hydrant M	ator		District Control of the Control of t
Department METER SHO	erel	9	
DEPARTMENT METER SHO Cominito Chollos • San Diego, Colifornia 92 105-5097 . F.A leter Information	OP 619 527 7		Date: Requested Install Date:
		5125	
ire Hydrant Location: (Attach detailed i	map, Thomas Bro	s. map location or co	onstruction drawing.)
	9 3		
pecific Use of Water:			
ny return to Sewer or Storm Drain, if so	o, explain:		
			* * * * * * * * * * * * * * * * * * * *
stimated Duration of Meter Use:		*	Check Box if Reclaimed Water
Company Information			
Company Name:			
Mailing Address			
City:	State:	Zip Code:	Phone: ( )
Business License #:	0.2.0.	*Contractor Lice	
A copy of the Contractor's License and/or Bu	siness License is re		
Name and Title of Agent:		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Phone: ( )
		.va -e	
Site Contact Name and Title:			Phone: ( )
Pager#:			Cell: ( )
Responsible Party Name:		3	Title:
Social Security or Cal ID #:			Phone: ( )
Signatura	¥:		Date:
Signature: Guarantees payment of all charges resulting from the us	se of this meter. Insures t	that employees of this organiz	ation understand the proper use of Fire Hydrant Meter.
Fire Hydrant Meter I	Removal	Request	
Check Box to Request Remova	l of Above Meter	Request	ted Removal Date:
Provide current Meter location if differe			
Signature:		Title:	Date:
Phone: ( )		Pager: ( )	)
	For	Office Use Only	2
City Meter Private Me			
CIS Account #:		Deposit Amount: \$	
Meter Serial #:			Meter Make & Style:
Backflow #:		<b>科特的多种</b>	Meter Make & Style:
Name:		Signature:	Date:

\$1,108.45 - FOR 24 HR INSTALLATION \$1,052.26 - FOR 48 HR INSTALLATION

FHM App Created: 11/2/00-htp

#### "Exhibit B"

#### CONSTRUCTION AND MAINTENANCE RELATED ACTIVITIES WITH NO RETURN TO SEWER:

**Auto Detailing** Backfilling Combination Cleaners (Vactors) Compaction Concrete Cutters **Construction Trailers Cross Connection Testing Dust Control** Flushing Water Mains Hydro blasting Hydro Seeding Irrigation (for establishing irrigation only; not continuing irrigation) Mixing Concrete Mobile Car Washing Special Events Street Sweeping Water Tanks Water Trucks Window Washing

Note: If there is any return to sewer or storm drain, then sewer and/or storm drain fees will be charged.

#### "Exhibit C"

Date	
Name of Responsible Party Company Name and address Account Number:	
Subject: Discontinuation of Fire Hydrant Meter Service	
Dear Water Department Customer:	
The authorization for use of Fire Hydrant Meter #, locate ends in 60 days and will be removed on or after (Date authorization expanditional 90 days must be submitted in writing for consideration 30 day you require an extension, please refer to the Water Departments', Department information and procedure.	<u>vires)</u> . Extension requests for an sprior to the discontinuation date.
Mail your request for an extension to:	
City of San Diego, Water Department Attn: Meter Services 2797 Caminito Chollas San Diego, Ca. 92105-5097	
Should you have any questions regarding this matter, please call the Fire XXXX.	Hydrant "Hot Line" at: (xxx) xxx-
Sincerely,	
City of San Diego Water Department	

Water Fire Hy Department Reloca
Date:
Meter Information
Dillian Annual II

#### (EXHIBIT D) ydrant Meter ate/Removal Request

For Office Use Only				
NS Req:	FHM Fac #:			
Date	By			

naharment		- 4	Section 1	100	5.00
Date:	to (xxx) xx	: Complete pertine x-xxxx, mail, or har et/Meter Shop at: 2	nd-deliver to t 2707 Caminito	he City of Sar	n Diego, Water
Meter Information		·		JO, UM 32 100	·····
Billing Account #:		Requested Mo	ve Date:		
Current Fire Hydrant Meter Location:					
New Meter Location: (Attach a detailed	d map, Thomas Bros	map location or co	onstruction dra	awing.)	
			•		
Company Information					
Company Name:					
Mailing Address					
City:	State:	Zip Code:	Phone: (	)	
Name and Title of Requestor:			Phone: (	)	
Site Contact Name and Title	The second secon	Allow All Street	Phone: (	)	
Pager#:			Cell : (	)	1
Responsible Party Name authorizing re	location fee:	And an analysis of the control of th	ACCOUNT OF THE PERSON	•	
Signature:	Title:			Date:	
Fire Hydrant Meter F	Removal Re	Pallest			·
Check Box to Request Removal			d Removal Date:	•	
Provide current Meter location if differen					
Signature:		Title:		Da	ite:
Phone: ( )		Pager: ( )			
	For Offic	ce Use Only			·
CIS Account #:		ees Amount: \$			
Meter Serial #:		Size:	Make/Styl	6	1. 复为的
Backflow #:		Size:	Make/Styl	e 🐖	

Signature:

FHM Relocate\_Removal Form

FHM App Created: 11/2/00-htp

Date:

#### APPENDIX C



#### **Materials Typically Accepted by Certificate of Compliance**

- 1. Soil amendment
- 2. Fiber mulch
- 3. PVC or PE pipe up to 16 inch diameter
- 4. Stabilizing emulsion
- 5. Lime
- 6. Preformed elastomeric joint seal
- 7. Plain and fabric reinforced elastomeric bearing pads
- 8. Steel reinforced elastomeric bearing pads
- 9. Waterstops (Special Condition)
- 10. Epoxy coated bar reinforcement
- 11. Plain and reinforcing steel
- 12. Structural steel
- 13. Structural timber and lumber
- 14. Treated timber and lumber
- 15. Lumber and timber
- 16. Aluminum pipe and aluminum pipe arch
- 17. Corrugated steel pipe and corrugated steel pipe arch
- 18. Structural metal plate pipe arches and pipe arches
- 19. Perforated steel pipe
- 20. Aluminum underdrain pipe
- 21. Aluminum or steel entrance tapers, pipe downdrains, reducers, coupling bands and slip joints
- 22. Metal target plates
- 23. Paint (traffic striping)
- 24. Conductors
- 25. Painting of electrical equipment
- 26. Electrical components
- 27. Engineering fabric
- 28. Portland Cement
- 29. PCC admixtures
- 30. Minor concrete, asphalt
- 31. Asphalt (oil)
- 32. Liquid asphalt emulsion
- 33. Epoxy


#### APPENDIX D


#### SAMPLE CITY INVOICE

City of	San Diego, Field Engineering Div	., 9485 Aero	Drive,	SD CA 92123		Contract	or's Name:	:			
				Contractor's Address:							
	o. (WBS/IO/CC)										
	rchase Order No.					Contract	or's Phone	#•		Invoice No.	
	nt Engineer (RE):						or's Fax #:			Invoice Date:	
		DEE #							D.III. D		
RE Pho	one#:	RE Fax#:	Contro	a4 A4h-aia4	•	Contact I	Name: Estimate	This E	Billing Postimate		a Data
Item #	Item Description	Unit	Qty	ct Authorizat Price	Extension	%/QTY		% / QTY		Totals t	Amount
1	2 Parallel 4" PVC C900	LF	1,380			/0/Q11	Amount	70 / Q11	Amount	/6 / Q11	Amount
2	48" Primary Steel Casing	LF	500	\$1,000.00							
3	2 Parallel 12" Secondary Steel	LF	1,120	\$53.00	\$59,360.00						
			, -	, , , , ,	407,00000						
4	Construction and Rehab of PS 49	LS	1	\$150,000.00	\$150,000.00						
5	Demo	LS	1	\$14,000.00	\$14,000.00						
6	Install 6' High Chain Link Fence	LS	1	\$5,600.00	\$5,600.00						
7	General Site Restoration	LS	1	\$3,700.00	\$3,700.00						
8	10" Gravity Sewer	LF	10	\$292.00	\$2,920.00						
9	4" Blow Off Valves	EA	2	\$9,800.00	\$19,600.00						
10	Bonds	LS	1	\$16,000.00	\$16,000.00						
11	Field Orders	AL	1	80,000	\$80,000.00						
11.1	Field Order 1	LS	5,500	\$1.00	\$5,500.00						
11.2	Field Order 2	LS	7,500	\$1.00	\$7,500.00						
11.3	Field Order 3	LS	10,000	\$1.00	\$10,000.00						
11.4	Field Order 4	LS	6,500	\$1.00							
12	Certified Payroll	LS	1	\$1,400.00	\$1,400.00						
	CHANGE ORDERS										
Change	Order 1	4,890									
Items 1		,			\$11,250.00						
Item 5-	Deduct Bid Item 3	LF	120	-\$53.00	(\$6,360.00)						
	e Order 2	160,480									
Items 1	-3				\$95,000.00						
	Deduct Bid Item 1	LF	380	-\$340.00							
	Encrease bid Item 9	LF	8	\$9,800.00	\$78,400.00						
	e Order 3 (Close Out)	-121,500									
	Deduct Bid Item 3		53	-500.00	(\$26,500.00)						
	Deduct Bid Item 4	LS	-1	45,000.00							
Items 3	<u>-y</u>		1	-50,500.00	(\$50,500.00)		-	Total			
	SUMMARY							This	\$ -	Total Billed	\$0.00
A. Orig	ginal Contract Amount						Ret	tention and	d/or Escro	w Payment Sche	dule
B. App	roved Change Order 1 Thru 3						Total Rete	ntion Requ	ired as of	this billing	
C. Tota	ll Authorized Amount (A+B)						Previous F	Retention V	Vithheld in	PO or in Escrow	
D. Tota	al Billed to Date					Add'l Amt to Withhold in PO/Transfer in Escrow:					
E. Less	Total Retention (5% of D)					Amt to Release to Contractor from PO/Escrow:					
	Total Previous Payments						1				
	ment Due Less Retention					Contract	or Signatu	re and Dat	te:		
	naining Authorized Amount										

#### APPENDIX E

#### LOCATION MAP





LOCATION MAP N.T.S.

## City of San Diego

CONTRACTOR'S	NAME: J. CLOUG INC.
ADDRESS:	
TELEPHONE NO.	FAX NO.:
CITY CONTACT:	Edric Doringo, Address: 600 B Street, Suite 700, M.S. 908A, San Diego, CA 92101
	Email:edoringo:@sandiego.gov, Phone No.619-533-4655

NB/DS/RIR

# CONTRACT DOCUMENTS



### **FOR**

#### GRAND AVENUE SIDEWALK AND STORMDRAIN

#### **VOLUME 2 OF 2**

BID NO.:	L-12-5635-DBB-1
SAP NO. (WBS/IO/CC):	B-00929
CLIENT DEPARTMENT:	2112
COUNCIL DISTRICT:	8
PROJECT TYPE:	II/IJ

#### THIS CONTRACT IS SUBJECT TO THE FOLLOWING:

- > THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- > COMPETITION RESTRICTED TO: ELBE FIRMS ONLY.

THIS BIDDING DOCUMENT TO BE SUBMITTED IN ITS ENTIRETY REFER TO INVITATION TO BIDS FOR TIME, DATE, AND LOCATION

#### TABLE OF CONTENTS

#### **Volume 2 - Bidding Documents**

The following forms must be completed in their entirety and submitted with the Bid. Include the form(s) even if the information does not apply. Where the information does not apply write in N/A. Failure to include any of the forms may cause the Bid to be deemed **non-responsive**. If you are uncertain or have any questions about any required information, contact the City no later than 14 days prior to Bid due date.

<u>DESCRIPTION</u> PA		PAGE NUMBER
1.	Bid/Proposal	3-5
2.	Non-Collusion Affidavit to be executed by Bidder and Submitted with	Bid under 23 USC 112
	and PCC 7106	6
3.	Contractors Certification of Pending Actions	
4.	Equal Benefits Ordinance Certification of Compliance	8
5.	Proposal (Bid)	9-11
	Form AA35 - List of Subcontractors	
7.	Form AA40 - Named Equipment/Material Supplier List	

#### **PROPOSAL**

#### **Bidder's General Information**

To the City of San Diego:

Pursuant to "Invitation to Bids", specifications, and requirements on file with the City Clerk, and subject to all provisions of the Charter and Ordinances of the City of San Diego and applicable laws and regulations of the United States and the State of California, the undersigned hereby proposes to furnish to the City of San Diego, complete at the prices stated herein, the items or services hereinafter mentioned. The undersigned further warrants that this bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, or ganization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding, that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and, further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

The undersigned bidder(s) further warrants that bidder(s) has thoroughly examined and understands the entire Contract Documents (plans and specifications) and the Bidding Documents therefore, and that by submitting said Bidding Documents as its bid proposal, bidder(s) acknowledges and is bound by the entire Contract Documents, including any addenda issued thereto, as such Contract Documents incorporated by reference in the Bidding Documents.

#### IF A SOLE OWNER OR SOLE CONTRACTOR SIGNS HERE:

(1) Name under which business is conducted		
(2) Signature (Given and surname) of proprietor _		
(3) Place of Business (Street & Number)		
(4) City and State		Zip Code
(5) Telephone No.	Facsimile No	
IF A PARTNERSHIP, SIGN HERE:		
(1) Name under which business is conducted		
(2) Name of each member of partnership [indicate character of each partner, general or special (limited):		

#### BIDDING DOCUMENTS

(3) Signature (Note: Signature must be made by a general partner)			
Full Name and Character of partner			
(4) Place of Business (Street & Number) Zip Code			
(6) Telephone No Facsimile No			
IF A CORPORATION, SIGN HERE:  (1) Name under which business is conducted			
(2) Signature with official title of officer authorized to sign for the corporation:			
Jon E. Joud			
Signature) LON E. Cloud			
Printed Name)			
(Title of Officer)			
(3) Incorporated under the laws of the State of (4) Place of Business (Street & Number) 2094 William Banks (5) City and State CLCAIOA Ca. Zip Code 920/9 (6) Telephone No. 619-593-9020 Facsimile No. 619-593-6463			
THE FOLLOWING SECTIONS MUST BE FILLED IN BY ALL PROPOSERS:			
In accordance with the "INVITATION TO BIDS", the bidder holds a California State Contractor's license for the following classification(s) to perform the work described in these specifications:			
LICENSE CLASSIFICATION H			
LICENSE NO. 690543 EXPIRES JUNE 30, 2013			
This license classification must also be shown on the front of the bid envelope. Failure to show license classification on the bid envelope may cause return of the bid unopened.			
TAX IDENTIFICATION NUMBER (TIN): 33-6722885			
E-Mail Address: 100 @ Cloud Inc. Com			

#### CONTRACTORS CERTIFICATION OF PENDING ACTIONS

As part of its bid or proposal (Non-Price Proposal in the case of Design-Build contracts), the Bidder shall provide to the City a list of all instances within the past ten years where a complaint was filed or pending against the Bidder in a legal or administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers, and a description of the status or resolution of that complaint, including any remedial action taken.

CHECK ONE	BOX ONLY.
<u>u</u>	The undersigned certifies that within the past 10 years the Bidder has NOT been the subject of a complaint or pending action in a legal administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers.
	The undersigned certifies that within the past ten years the Bidder has been the subject of a complaint or pending action in a legal administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers. A description of the status or resolution of that complaint, including any remedial action taken and the applicable dates is as follows:
Contrac	etor Name , L. Cloud Inc.
Certific	Name  Name  (a-12-2012)
	Signature

USE ADDITIONAL FORMS AS NECESSARY

## **EQUAL BENEFITS ORDINANCE CERTIFICATION OF COMPLIANCE**



For additional information, contact: CITY OF SAN DIEGO

#### EQUAL BENEFITS PROGRAM

202 C Street, MS 9A, San Diego, CA 92101 Phone (619) 533-3948 Fax (619) 533-3220

TO COMPANY IN SORMATION						
Company Name: ( ) ( ) ( ) ( ) ( )	Contact Name; On E. Cloud					
Company Address: 2094 Willow blen DK.	Contact Phone: 6/9-593-9020					
ELCHJON Ca: 92019	Contact Email on @ 1 Cloud inc. Con					
/ CONTRACT INFORMATIO	XI. The second s					
Contract Title: Grand AVDNUL SideWALK & Storm drain Start Date:						
Contract Number (if no number, state location): $2 - 12 - 5625$	-/) RR-/ End Date:					
SUMMARY OF EQUAL BENEFITS ORDINANCE REQUIREMENTS						
The Equal Benefits Ordinance [EBO] requires the City to enter into contracts only with contractors who certify they will provide and maintain equal benefits as defined in SDMC §22.4302 for the duration of the contract. To comply:						
■ Contractor shall offer equal benefits to employees with spouses and employees w						
<ul> <li>Benefits include health, dental, vision insurance; pension/401(k) plans; bereavement, family, parental leave; discounts, child care; travel/relocation expenses; employee assistance programs; credit union membership; or any other benefit.</li> </ul>						
Any benefit not offer an employee with a spouse, is not required to be offered to	· · · · · · · · · · · · · · · · · · ·					
Contractor shall post notice of firm's equal benefits policy in the workplace and no periods.						
Contractor shall allow City access to records, when requested, to confirm complia	· ·					
Contractor shall submit EBO Certification of Compliance, signed under penalty of						
NOTE: This summary is provided for convenience. Full text of the EBO and Rules Implementing						
CONTRACTOR EQUAL BENEFITS ORDINAN						
Please indicate your firm's compliance status with the EBO. The City may request supp	porting documentation.					
l affirm compliance with the EBO because my firm (contractor mu	ist <u>select one</u> reason):					
Provides equal benefits to spouses and domestic partners.						
☐ Provides no benefits to spouses or domestic partners.						
☐ Has no employees.						
☐ Has collective bargaining agreement(s) in place prior to Ja	anuary 1, 2011, that has not been renewed or expired.					
I request the City's approval to pay affected employees a cash equivalent for benefits available to spouses but not dome effort to extend all available benefits to domestic partners.	ntract award. I agree to notify employees of the availability					
It is unlawful for any contractor to knowingly submit any false information to the City regarding equal benefits or cash equivalent associated with the execution, award, amendment, or administration of any contract. [San Diego Municipal Code §22.4307(a)]						
Under penalty of perjury under laws of the State of California, I certify the above information is true and correct. I further certify that my firm understands the requirements of the Equal Benefits Ordinance and will provide and maintain equal benefits for the duration of the contract or pay a cash equivalent if authorized by the City.						
Lon E. Cloud-President for	E. ( Duc 6-12-20)					
Name/Title of Signatory	Signature Date					
FOR OFFICIAL CITY USE O	NEY					
Receipt Date: EBO Analyst:   Approved	Not Approved - Reason:					

rev 02/15/2011

#### PROPOSAL (BID)

The Bidder agrees to the construction of Grand Avenue Sidewalk and Stormdrain for the city of San Diego, in accordance with these contract documents for the prices listed below. The Bidder guarantees the Contract Price for a period of 120 days (90 days for federally funded contracts and contracts valued at \$500,000 or less) from the date of Bid opening to Award of the Contract. The duration of the Contract Price guarantees shall be extended by the number of days required for the City to obtain all items necessary to fulfill all conditions precedent e.g., bond and insurance.

Item	Quantity	Unit	Reference Payment	NAICS	Description	Unit Price	Extension
	BASE BID						
1	1	LS	2-4.1	237310	Bonds		\$2200.
2	1	LS	300-1.4	237310	Clearing and Grubbing		\$5400.00
3	8	EA	300-1.4	561730	Relocate Exist Tree (Small)	\$ 450	\$3600.00
4	3	EA	308-8	561730	Relocate Exist Tree (Large)	\$1200	\$ 3600.00
5	1	EA	301-137	237310	Adjust Cleanout to Grade	\$ 500	\$ 800.00
6	1	LS	308-8	561730	Relocate Irrigation System		\$ 1600.
7	4	EA	310-5.6.10	237310	Relocate Sign Post and Restrip Accordingly	\$ 600.30	\$2400.00
8	20	CY	300-4.9	237310	Unclassified Excavation	\$110.00	\$ 2200.00
9	1990	SF	303-5.9	237310	PCC Sidewalk	\$ 4.50	\$ 4955.00
10	140	LF	303.5.9	237310	Type G Curb and Gutter	\$ 28.00	\$3920,00
11	2	EA	303-5.10.2	237310	Type C1 Curb Ramp w/ TD	\$ 1900.00	\$ 3800.00
12	2	EA	303-5.10.2	237310	Type C1 Curb Ramp w/ TD (Mod.)	\$1900,00	\$ 3800.00
13	240	ŞF	303-5.9	237310	Driveway per G14A	\$ / ,00	\$1440
14	1	LS	807-1.2	541330	Archaeological Monitoring		\$ 12.600.00
15	1	EA	303-1.11	237110	Rip Rap per D-40	\$ 60000	
16	1	EA	303-1.11	237110	Curb Inlet, Mod. Type B	\$4200,00	\$429000
17 .	75	LF	306-1.6	237110	18" RCP	\$ 97,00	\$ 72 75.00
18	1 .	EA	303-1.11	237110	Headwall, Wing Type	\$1200.00	\$1200.00
19	160	LF	303-1.11	237110	Brow Ditch (Per D-75)	\$ 7,00	\$ 2>28,00
20	1	LS	7-10.2.7	237310	Traffic Control		\$3700,00
21	1	LS	9-3.4.1	237310	Mobilization		\$3700.00
22	1	LS	801-9.4	541330	Water Pollution Control Program Development		\$2500.00

Proposal (BID) (Rev. June 2011) Grand Avenue Sidewalk and Stormdrain

Item	Quantity	Unit	Reference Payment	NAICS	Description	Unit Price	Extension
23	1	LS	801-9.4	237990	Water Pollution Control Program Implementation		\$2000.00
24	1	AL	9-3.5	237310	Field Orders		\$10,000.00
					ESTIMATED TOTAL BASE BID:		\$91,210.

TOTAL BID PRICE FOR BID (Items 1 through 24 inclusive) amount written in words:
The Bid shall contain an acknowledgment of receipt of all addenda, the numbers of which shall be filled in on the Bid form. The following addenda have been received and are acknowledged in this bid:
If an addendum or addenda has been issued by the City and not noted as being received by the Bidder, this proposal shall be rejected as being non-responsive.  The names of all persons interested in the foregoing proposal as principals are as follows:
Don Claud Prestpent
IMPORTANT NOTICE: If Bidder or other interested person is a corporation, state secretary, treasurer, and manager thereof; if a co-partnership, state
true name of firm, also names of all individual co-partners composing firm; if Bidder or other interested person is an individual, state first and last names in full.  Bidder:
Title: Presédent Jon E. Cloud
Business Address: Dog Willow Glan Doive
Place of Business: El CA On (A. 720/)
Place of Residence:
Signature:

Proposal (BID) (Rev. June 2011) Grand Avenue Sidewalk and Stormdrain

10 | Page

#### LIST OF SUBCONTRACTORS

In accordance with the requirements provided in the "Subletting and Subcontracting Fair Practices Act", Division 2, Part 1, Chapter 4 of the Public Contract Code, the Bidder shall list below the name and address of each Subcontractor who will perform work, labor, render services or specially fabricates and installs a portion [type] of the work or improvement, in an amount in excess of 0.5% of the Contractor's total Bid. The Bidder shall also list below the portion of the work which will be done by each subcontractor under this Contract. The Contractor shall list only one Subcontractor for each portion of the Work. The DOLLAR VALUE of the total Bid to be performed shall be stated for all subcontractors listed. Failure to comply with this requirement shall result in the Bid being rejected as non-responsive and ineligible for award. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3 Subcontracts, which stipulates the percent of the Work to be performed with the Bidders' own forces. The Bidder shall list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors that Bidders are seeking recognition towards achieving any mandatory, voluntary, or both subcontracting participation percentages.

NAME, ADDRESS AND TELEPHONE NUMBER | CONSTRUCTOR | TYPE OF WORK | DOLLAR VALUE | MBE, WBE, DBE, | WHERE | CHECK IF

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	OF SUBCONTRACTOR	OR DESIGNER		OF SUBCONTRACT	DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSBO	CERTIFIED®	JOINT VENTURE PARTNERSHIP
Name:	NA						
Address:		Į	}				
City:	State:Phone:			)	,		
Zip:	Phone:						
Name:				1	1		
	State: Phone:		1	1			
Zip:	Priorie:						
Name:							
			1				
City:	State:Phone:		1	į			
Zip:	Prione:	<u>                                     </u>	<u></u>				
①	As appropriate, Bidder shall identify Sub-	contractor as one of th	e following and sl	hall include a valid proof	of certification (except	for OBE, SLBE a	md ELBE):
	Certified Minority Business Enterprise	1	MBE	Certified Woman Business 1	Interprise	•	WBE
	Certified Disadvantaged Business Enterpris			Certified Disabled Veteran			DVBE
	Other Business Enterprise			Certified Emerging Local B			ELBE
	Certified Small Local Business Enterprise Women-Owned Small Business			Small Disadvantaged Busine HUBZone Business	ess	7777	SDB
	Service-Disabled Veteran Owned Small Bu		SDVOSB	110DZORe Duamess		HU	BZone
Ø ,	As appropriate, Bidder shall indicate if St	abcontractor is certifie	d by:				
	City of San Diego		-	State of California Departm	ent of Transportation	CALT	RANS
	California Public Utilities Commission	1		San Diego Regional Minori			MSDC
	State of California's Department of General		CADoGS	City of Los Angeles			LA
	State of California	(	CA	U.S. Small Business Admin	istration.		SBA

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification (except for OBE, SLBE and ELBE).

LIST OF SUBCONTRACTORS Form Title:

Form Number: AA35

Grand Avenue Sidewalk and Stormdrain

(Rev. June 2011)

12 | Page

#### NAMED EQUIPMENT/MATERIAL SUPPLIER LIST

The Bidder seeking the recognition of equipment, materials, or supplies obtained from Suppliers towards achieving any mandatory, voluntary, or both subcontracting participation percentages shall list the Supplier(s) on the Named Equipment/Material Supplier List. The Named Equipment/Material Supplier List, at a minimum, shall have the name, locations (City) and the DOLLAR VALUE of the Suppliers. The Bidder will be credited up to 60% of the amount to be paid to the Suppliers for such materials and supplies unless vendor manufactures or substantially alters materials and supplies in which case 100% will be credited. The Bidder is to indicate (Yes/No) whether listed firm is a supplier or manufacturer. In calculating the subcontractor participation percentages, vendors/suppliers will receive 60% credit of the listed DOLLAR VALUE, whereas manufacturers will receive 100% credit. If no indication provided, listed firm will be credited at 60% of the listed dollar value for purposes of calculating the Subcontractor Participation Percentage, Suppliers will receive 60% credit of the listed DOLLAR VALUE, whereas manufacturers will receive 100% credit. If no indication provided, listed firm will be credited at 60% of the listed DOLLAR VALUE for purposes of calculating the subcontractor participation percentages.

DOLLAR VALUE

OF MATERIAL OR SUPPLIES

SUPPLIER

(Yes/No)

MANUFACTURER

(Yes/No)

MATERIALS OR

SUPPLIES

				(1) (A) (A) (A) (A) (A) (A) (A)	BD T CODD	
Name: Address: City: State: Zip: Phone:						
Name: Address: City: State: Zip: Phone:						
Name:		·				
O As appropriate, Bidder shall identify Ven Certified Minority Business Enterprise Certified Disadvantaged Business Enterpris Other Business Enterprise Certified Small Local Business Enterprise Woman-Owned Small Business Service-Disabled Veteran Owned Small Bu	M Se Di Si W	BE Certi BE Certi BE Certi LBE Smal	fied Woman Busin fied Disabled Vete	ness Enterprise eran Business Enterprise cal Business Enterprise	WE	BE BE BE OB
② As appropriate, Bidder shall indicate if V	endor/Supplier is certifi	ied by:				
City of San Diego California Public Utilities Commission				artment of Transportation		

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification (except for OBE, SLBE and

City of Los Angeles

U.S. Small Business Administration

CADoGS

NAMED EQUIPMENT/MATERIAL SUPPLIER LIST Form Title:

State of California's Department of General Services

Form Number: AA40

Grand Avenue Sidewalk and Stormdrain

NAME, ADDRESS AND TELEPHONE NUMBER

OF VENDOR/SUPPLIER

(Rev. June 2011)

T.A

SBA

MBE, WBE, DBE, DVBE,

OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR

SDYOSBO

WHERE

CERTIFIED@

13 | Page

#### NOTES:

- A. The City shall determine the low Bid based on the Base Bid alone.
- B. Prices and notations shall be in ink or typewritten. All corrections (which have been initiated by the Bidder using erasures, strike out, line out, or "white-out") shall be typed or written in with ink adjacent thereto, and shall be initiated in ink by the person signing the bid proposal.
- C. Failure to initial all corrections made in the bidding documents shall cause the Bid to be rejected as non-responsive and ineligible for further consideration.
- D. Blank spaces must be filled in, using figures. Bidder's failure to submit a price for any Bid item that requires the Bidder to submit a price shall render the Bid non-responsive and shall be cause for its rejection.
- E. Unit prices shall be entered for all unit price items. Unit prices shall not exceed two (2) decimal places. If the Unit prices entered exceed two (2) decimal places, the City will only use the first two digits after the decimal points without rounding up or down.
- F. All extensions of the unit prices bid will be subject to verification by the City. In the case of inconsistency or conflict between the product of the Ouantity x Unit Price and the Extension, the product shall govern.
- G. In the case of inconsistency or conflict, between the sums of the Extensions with the estimated total Bid, the sum of the Extensions shall govern.
- H. Bids shall not contain any recapitulation of the Work. Conditional Bids will be rejected as being **non-responsive**. Alternative proposals will not be considered unless called for.

### THIS PROPOSAL MUST BE NOTARIZED BELOW:

I certify, under penalty of perjury, that the representations made herein regarding my State Contractor's license number, classification and expiration date and correct.

Signature / C

DAY OF June ,2012

Notary Public in and for the County of \_

\_, State of \_\_\_

(NOTARIAL SEAL)

DE ANDRIA J. CLOUD
Commission No. 1838389
NOTARY PUBLIC - CALIFORNIA
SAN DIEGO COUNTY
My Comm. Expires March 22, 2013

# NON-COLLUSION AFFIDAVIT TO BE EXECUTED BY BIDDER AND SUBMITTED WITH BID UNDER 23 USC 112 AND PCC 7106

State of California )
) ss. County of
being first duly sworn, deposes and
says that he or she is Polician to of the party making the foregoing
bid that the bid is not made in the interest of, or on behalf of, any undisclosed person, partnership,
company, association, organization, or corporation; that the bid is genuine and not collusive or sham;
that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or
sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder
or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not
in any manner, directly or indirectly, sought by agreement, communication, or conference with
anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost
element of the bid price, or of that of any other bidder, or to secure any advantage against the public
body awarding the contract of anyone interested in the proposed contract; that all statements
contained in the bid are true; and further, that the bidder has not, directly or indirectly, submitted his
or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data
relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company
association, organization, bid depository, or to any member or agent thereof to effectuate a collusive
Signed: Con E. Joue Title: President - Schultne
Subscribed and sworn to before me this

(SEAL)

### THE AMERICAN INSTITUTE OF ARCHITECTS

AIA Document A310

Bia Bond	
KNOW ALL MEN BY THESE PRESENTS, that we J. Cloud Incorporated 2094 Willow Glen Drive, El Cajon, CA 92019-3903	
as Principal, hereinafter called the Principal, and Hudson Insurance Company 101 N. Wacker Drive, Suite 1950, Chicago, IL 92019	
a corporation duly organized under the laws of the State of DE as Surety, hereinafter called the Surety, are held and firmly bound unto City of San Diego 1200 Third Ave., Ste 200, San Diego, CA 92101 as Obligee, hereinafter called the Obligee, in the sum of Ten Percent of Amount Bid	
Dollars (\$ 10% ), for the payment of which sum well and truly to be made, the said Principal and the said Surety bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.	
WHEREAS, the Principal has submitted a bid for Grand Avenue Sidewalk and Stormdrain, Bid No.: L-12-5635-DBB-1	
NOW, THEREFORE, if the Obligee shall accept the bid of the Principal and the Principal shall enter into a Contract with the Obligee in accordance with the terms of such bid, and give such bond or bonds as may be specified in the bidding or Contract Documents with good and sufficient surety for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof, or in the event of the failure of the Principal to enter such Contract and give such bond or bonds, if the Principal shall pay to the Obligee the difference not to exceed the penalty hereof between the amount specified in said bid and such larger amount for which the Obligee may in good faith contract with another party to perform the Work covered by said bid, then this obligation shall be null and void, otherwise to remain in full force and effect.	
Signed and sealed this 12th day of June , 2012	
J. Cloud Incorporated  (Principal)  (Witness)  By:  (Title)  Hudson Insurance Company  (Surety)  (Seal)  By:  (Sarah) Myers  (Title)  Sarah) Myers  (Title)  Sarah) Myers  (Title)  Sarah) Myers  (Title)	1

### CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT

STATE OF CALIFORNIA	า
County of San Diego	}
On Date before me, C.	Aquino, Notary Public  Here Insert Name and Title of the Officer ,
personally appearedSarah Myers	Name(s) of Signer(s)
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
C. AQUINO Commission # 1874363 Notary Public - California San Diego County My Comm. Expires Dec 24, 2013	who proved to me on the basis of satisfactory evidence to be the person(\$) whose name(\$) is/dib subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their/authorized capacity(jes), and that by his/her/their signature(\$) on the instrument the person(\$), or the entity upon behalf of which the person(\$) acted, executed the instrument.  I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.
	Witness my hand and official seal.
	Signature Signature of Notiny Public
Place Notary Seal Above	Signature of Notary Public
OI	PTIONAL
·	w, it may prove valuable to persons relying on the document and reattachment of this form to another document.
Description of Attached Document	
Title or Type of Document:	
Document Date:	Number of Pages:
Signer(s) Other Than Named Above:	
Capacity(ies) Claimed by Signer(s)	
Signer's Name:	Olamanda Marra a
☐ Individual	Signer's Name:
☐ Corporate Officer — Title(s):	Corporate Officer — Title(s):
☐ Partner — ☐ Limited ☐ General	☐ Partner — ☐ Limited ☐ General
Trustee OF SIGNER	☐ Trustee OF SIGNER
☐ Guardian or Conservator	Guardian or Conservator Top of thumb here
Other:	Other:
Signer is Representing: Surety Company	Signer Is Representing:



#### BID BOND POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS: That HUDSON INSURANCE COMPANY, a corporation of the State of Delaware, with offices at 17 State Street, New York, New York, 10004, has made, constituted and appointed, and by these presents, does make, constitute and appoint

### Lawrence F. McMahon, James Baldassare, Jr., and Sarah Myers of the State of California

its true and lawful Attorney(s)-in-Fact, at New York City in the State of New York, each of them alone to have full power to act without the other or others, to make, execute and deliver on its behalf, as Surety, bid bonds for any and all purposes.

Such bid bonds, when duly executed by said Attorney(s)-in-Fact, shall be binding upon said Company as fully and to the same extent as if signed by the President of said Company under its corporate seal attested by its Secretary.

In Witness Whereof, HUDSON INSURANCE Countries on this 28th day of October 2011	OMPANY has caused these presents to be of its Executive Vice President thereunto
Comprais seal	HUDSON INSURANCE COMPANY
Attest  Dina Daskalakis. Assistant Corporate Secretary	By Christopher T. Suarez, Executive Vice President
STATE OF NEW YORK COUNTY OF NEW YORK SS.	
astroment, that he knows the seal of said Company, that the seal at	refore me personally came Christopher T. Suarez to me known, who being by me duly sworn did DN INSURANCE COMPANY the Company described herein and which executed the above flixed to said instrument is the componate seal of said Company, that it was so affixed by order of
he Board of Directors of state Managery, and that he signed his name ANN M MURO Notarial Seal	ANN NI. MURPHY Notary Public, State of New York
01MU6067553 ***	No. 01Mt/6067553 Qualified in Nassau County Commission Expires December 10: 2013
TATE OF NEW YORKSPIRES 12.	CERTIFICATION

The undersigned Dina Daskalakis hereby certifies:

THAT the original resolution, of which the following is a true and correct copy, was duly adopted by unanimous written consent of the Board of Directors of Hudson Insurance Company dated July 27th, 2007, and has not since been revoked, amended or modified:

"RESOLVED, that the President, the Executive Vice Presidents, the Senior Vice Presidents and the Vice Presidents shall have the authority and discretion, to appoint such agent or agents, or attorney or attorneys-in-fact, for the purpose of carrying on this Company's surety business, and to empower such agent or agents, or attorney or attorneys-in-fact, to execute and deliver, under this Company's seal or otherwise, bonds obligations, and recognizances, whether made by this Company as surety thereon or otherwise, indemnity contracts, contracts and certificates, and any and all other contracts and undertaking made in the course of this Company's surety business, and renewals, extensions, agreements, waivers, consents or stipulations regarding undertakings so made; and

FURTHER RESOVLED, that the signature of any such Officer of the Company and the Company's seal may be affixed by facsimile to any power of attorney or certification given for the execution of any bond, undertaking, recognizance, contract of indemnity or other written obligation in the nature thereof or related thereto, such signature and seal when so used whether heretofore or hereafter, being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and hinding upon the Company with the same force and effect as though manually affixed."

THAT the above and foregoing is a full, true and correct copy of Power of Attorney issued by said Company, and of the whole of the original and that the said Power of Attorney is still in full force and effect and has not been revoked, and furthermore that the Resolution of the Board of Directors, set forth in the said Power of Attorney is now in force.

nd of the undersigned and the seal of said Company this 12th day of June , 2012

y Ding/Daskalak

Corporate Secretary

Form Bid 8 2010 (v1)

(Corpor

### SPECIAL NOTES

THE FOLLOWING NOTES ARE PROVIDED TO GIVE DIRECTIONS TO THE CONTRACTOR BY THE ENGINEER OF WORK:

- 1. THE CONTRACTOR SHALL ENFORCE ALL SAFETY MEASURES. THE CONTRACTOR SHALL DESIGN, CONSTRUCT, AND MAINTAIN ALL SAFETY DEVICES, INCLUDING SHORING AND SHALL BE SOLELY RESPONSIBLE FOR CONFORMING TO ALL LOCAL, STATE, AND FEDERAL SAFETY AND HEALTH STANDARDS, LAWS, AND REGULATIONS.
- 2. CONTRACTOR SHALL ASSUME SOLE AND COMPLETE RESPONSIBILY FOR JOB SITE CONDITIONS DURING THE COURSE OF CONSTRUCTION, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY. THIS REQUIREMENT SHALL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS.
- 3. LOCATION AND ELEVATION OF IMPROVEMENTS TO BE MET BY "WORK TO BE DONE SHALL BE CONFIRMED BY FIELD MEASUREMENTS PRIOR TO CONSTRUCTION OF NEW WORK.
- 4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY MONUMENTATION AND/OR BENCHMARKS WHICH WILL BE DISTURBED OR DESTROYED BY CONSTRUCTION. SUCH POINTS SHALL BE REFERENCED AND REPLACED WITH APPROPRIATE MONUMENTATION BY A LICENSED LAND SURVEYOR OR A REGISTERED CIVIL ENGINEER AUTHORIZED TO PRACTICE LAND SURVEYING. A CORNER RECORD OR RECORD OF SURVEY, AS APPROPRIATE, SHALL BE FILED BY THE LICENSED LAND SURVEYOR OR REGISTERED CIVIL ENGINEER AS REQUIRED BY THE LAND SURVEYOR'S ACT.
- 5. IF THERE IS ANY QUESTION REGARDING THESE PLANS OR FIELD STAKES, THE CONTRACTOR SHALL REQUEST AN INTERPRETATION BEFORE DOING ANY WORK BY CALLING THE CITY RESIDENT ENGINEER.
- 6. LOCATIONS OF ALL EXISTING IMPROVEMENTS AND UTILITIES ARE APPROXIMATE. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATIONS AND VERIFY ALL CONDITIONS ON THE JOB SITE.

# WATER POLLUTION CONTROL NOTES


THE CONTRACTOR SHALL, PER SECTION 801-2.1 OF THE "GREENBOOK" (2009 CITY OF SAN DIEGO SUPPLEMENT), PREPARE WATER POLLUTION CONTROL PLANS (WPCP), AND PROTECT ALL NEW AND EXISTING STORM DRAIN INLET STRUCTURES FROM SEDIMENTATION RUNOFF, ROCK WASHING RUNOFF, OR ANY OTHER PROJECT SITE RUNOFF BY PLACING GRAVEL BAGS, FILTER FABRIC, OR OTHER SATISFACTORY METHOD APPROVED BY THE RESIDENT ENGINEER.

### SIGNING AND STRIPING NOTES

- 1. ALL SIGNING AND STRIPING IS SUBJECT TO THE APPROVAL OF THE CITY ENGINEER PRIOR TO INSTALLATION AND/OR REMOVAL.
- 2. CONTRACTOR SHALL REMOVE ALL CONFLICTING STRIPING, PAVEMENT MARKINGS, AND LEGENDS BY SANDBLASTING AND/OR GRINDING, ANY DEBRIS SHALL BE PROMPTLY REMOVED BY THE CONTRACTOR. IF PAVEMENT IS IN POOR CONDITION, CONTRACTOR TO SLURRY SEAL PAVEMENT.
- 3. ALL LIMIT LINES/STOP LINES, CROSSWALK LINES, PAVEMENT MARKINGS, AND ARROWS (EXCEPT WITHIN BIKE LANES) SHALL BE THERMOPLASTIC.
- 4. SIGN POSTS SHALL BE INSTALLED WITH SQUARE PERFORATED STEEL TUBING WITH BREAKAWAY BASE PER CITY OF SAN DIEGO STANDARD DRAWINGS, DRAWING NUMBER M-45.
- 5. ALL SIGNS SHOWN ON THE STRIPING AND SIGNING PLANS SHALL BE NEW SIGNS PROVIDED AND INSTALLED BY THE CONTRACTOR. EXCEPT FOR EXISTING SIGNS SPECIFICALLY INDICATED TO BE RELOCATED OR TO REMAIN.
- 6. SIGNS INDICATED FOR RELOCATION SHALL BE SALVAGED AND STORED UNTIL READY FOR REINSTALLATION.
- 7. CONTRACTOR SHALL NOTIFY CITY TRAFFIC ENGINEER AT (858) 495-4741 A MINIMUM OF FIVE (5) WORKING DAYS PRIOR TO AND UPON COMPLETION OF STRIPING AND SIGNING,

# CITY OF SAN DIEGO

# GRAND AVE SIDEWALKS



VICINITY MAP

## EXISTING IMPROVEMENTS

TREE/SHRUB	
SIGN	
FIRE HYDRANT	
CABLE TV LINE	
SEWER MAIN/MANHOLE	
WATER MAIN/GATE VALVE/METER	
TELEPHONE LINE	
ELECTRICAL LINE	

### SURVEY NOTES

BASIS OF BEARINGS/COORDINATES: THE BASIS OF BEARINGS FOR THIS PROJECT WAS DERIVED FROM A PREVIOUS STATIC GPS SURVEY USING PT.65 TO PT.69 AS SHOWN ON UG 743 RAMETTA/J. DODDS. 222-1695. W.O. 177521. 1/10/02 I.E. N 88° 55'26"w, 898.83 NAD 83 FEET, ZONE 6 (EPOCH 91.35)

### BENCH:

ELEV. 13.16 MSL, BASED ON NGVD 29 FEET AS SHOWN IN THE

NEBP BOND ST AND GRAND AVE CITY OF SAN DIEGO BENCH BOOK



LOCATION MAP

# SHEET INDEX

SHEET # **DESCRIPTION** TITLE SHEET IMPROVEMENT PLAN STORM DRAIN PLAN

REFERENCE DRAWINGS

DRAWING NOS. 3241-D, 10653-D, 14249, AND 17247-21-D.

### WORK TO BE DONE

THE IMPROVEMENTS CONSIST OF THE FOLLOWING WORK TO BE DONE ACCORDING TO THESE PLANS AND THE SPECIFICATIONS AND STANDARD DRAWINGS OF THE CITY OF SAN DIEGO.

### STANDARD SPECIFICATIONS


- 1. STANDARD SPECIFICATION FOR PUBLIC WORKS CONSTRUCTION, 2009 EDITION (GREENBOOK), CITY DOCUMENT NO. PITS0504091, FILED 05/04/2009.
- 2. CITY OF SAN DIEGO SUPPLEMENTS (TO BE USED IN CONJUNCTION WITH GREENBOOK), CITY DOCUMENT NO. PITSØ5Ø4Ø92, FILED 05/04/2009.
- 3. STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION, MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD 2006) INCLUDING THE CALIFORNIA SUPPLEMENT AND THE CITY OF SAN DIEGO SIGN BOOK, 2006 EDITION, CITY DOCUMENT NO. AEC1231064, FILED 12/31/2006.
- 4. STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION, THE 2006 U.S. CUSTOMARY SPECIFICATIONS. CITY DOCUMENT NO. AEC0925062. FILED 09/25/2006.

## STANDARD DRAWINGS

- 1. CITY OF SAN DIEGO STANDARD DRAWINGS, INCLUDING ALL REGIONAL STANDARD DRAWINGS, DOCUMENT NO. AEC1231063, FILED 12/31/2006.
- 2. STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION, THE 2006 U.S. CUSTOMARY UNIT STANDARD PLANS, CITY DOCUMENT NO. AECØ925Ø61, FILED Ø9/25/20Ø6.

### **IMPROVEMENT** STANDARD DRAWING SYMBOL CURB RAMP SDG-134, SDG-130 SIDEWALK G-7 G-14A DRIVEWAY CURB & GUTTER, TYPE G G-2 WING TYPE HEADWALL SDRSD D-34 TYPE I RIP RAP ENERGY DISSIPATOR SDRSD D-40 PROPOSED CURB INLET SDRSD D-2 PROPOSED 18" RCP

### SPECIFICATION NO. 5635



# IPLANS FOR THE CONSTRUCTION OF:

TITLE SHEET GRAND AVE SIDEWALKS

CONTRACTOR MUST NOTIFY THE BELOW LISTED AGENCY AT LEAST TWO (2) WORKING DAYS PRIOR TO COMMENCEMENT OF


**EXCAVATION:** 


UNDERGROUND SERVICE ALERT (USA) 1-800-422-4133

WBS B-00929 ENGINEERING DEPARTMENT SHEET 1 OF 3 SHEETS 4/30/12 A, Palasukl ABI PALASEYED SECTION HEAD DESCRIPTION BY APPROVED DATE FILMED EDRIC DORINGO PROJECT MANAGER AHMAD ERIKAT PROJECT ENGINEER 232-1701 AS-BUILT LAMBERT COORDINATES CONTRACTOR \_ \_ DATE STARTED . 35465-I-D \_ DATE COMPLETED.

# CONSTRUCTION NOTES

- REMOVE EXISTING SIDEWALK, AC CURB, PAVEMENT, CURB RAMPS, TREES, AND GROUNDCOVER AS NECESSARY FOR THE INSTALLATION OF NEW IMPROVEMENTS.
- INSTALL NEW TYPE 'C1' CURB RAMP WITH 3'X4' STEEL TRUNCATED DOMES PER SDRSD SDG-134.
- INSTALL NEW CURB RAMP WITH 3'X4' STEEL TRUNCATED DOMES PER SDRSD SDG-130.
- 4 NEW 20' DRIVEWAY PER G-14A.
- 5 INSTALL TYPE "G" CURB AND GUTTER PER G-2.
- 6 RECONSTRUCT WING OF DRIVEWAY PER SDRSD G-14C.
- REMOVE AND SALVAGE EXISTING SIGN(S). REINSTALL ON NEW POST PER SDRSD M-45. MAINTAIN 4'CLEARANCE ON SIDEWALK.
- REMOVE EXISTING CATCH BASIN AND ABANDON 4" DRAIN PIPE.
- INSTALL NEW TYPE B CURB INLET AND 18" RCP PIPE. SEE SHEET 3 FOR DETAILS.
- RELOCATE IRRIGATION LINES BEHIND THE NEW SIDEWALK.(TYP.)





# PLAN VIEW SCALE: 1" = 20'

CURB DATA						
NO.	BRG.OR DELTA	RADIUS	LENGTH	DESCRIPTION		
1	N76°53′11"E		31.77′	TYPE G C&G, CURB RAMP		
2	179°36′39"	3.67′	11.52′	TYPE G CURB & GUTTER		
3	N76°53′11"E		11.00′	TYPE G CURB & GUTTER		
4	N14°4Ø′4"W	<u></u>	8.14′	TYPE G C&G, CURB RAMP		
5	87°45′32"	15.00′	22.98′	TYPE G C&G, CURB RAMP		
6	N77°34′24"E	<del></del>	8.54′	TYPE G CURB & GUTTER		
$\bigcirc$	N3°36′4"W	-	24.95′	TYPE G CURB & GUTTER		
8	87°45′39"	10.00′	15.32′	TYPE G CURB & GUTTER		
9	N88°38′16″E		5.39′	TYPE G CURB & GUTTER		

# SPECIFICATION NO. 5635

PROFESSIONAL PALAS ELEGONAL PALAS ELEGONAL No. C-54473  EXP. 12/31/13  CIVIL OF CALIFORNIA	PL


ANS FOR THE CONSTRUCTION OF:

IMPROVEMENT PLAN
GRAND AVE
SIDEWALKS

CONTRACTOR MUST NOTIFY THE BELOW LISTED AGENCY AT LEAST TWO (2) WORKING DAYS PRIOR TO COMMENCEMENT OF EXCAVATION:

UNDERGROUND SERVICE ALERT

С	TY OF SAN DIEGO, CALIFORNIA  ENGINEERING DEPARTMENT SHEET 2 OF 3 SHEETS					WBS B-00929
A	Palaseya DR CITY ENGINEER		4/30/12 DATE			ABI PALASEYED
DESC	RIPTION	BY	APPROVED	DATE	FILMED	EDRIC DORINGO PROJECT MANAGER
ORIGINAL		A.E				
	Mission electrons					AHMAD ERIKAT
	management of the control of the con					PROJECT ENGINEER
	And a second sec					232-17Ø1
AS-BUILT	red-integrals applications of the control of the co					LAMBERT COORDINATES
CONTRACTOR DATE STARTED INSPECTOR DATE COMPLETED						35465-2-D



232-17Ø1
LAMBERT COORDINATES

35465-3-D

AS-BUIL1

CONTRACTOR .

INSPEC OR

\_\_\_ DATE STARTED \_ \_\_ DATE COMPLETED.

UNDERGROUND SERVICE ALERT

(USA) 1-800-422-4133