

WORK TO BE DONE

The improvement consists of the following work to be done according to these plans and specifications here attached:



- The repaving of the portion of the street shown hatched thus
- The paving of the portion of the street shown stippled thus
- The construction of curb as shown by heavy solid line thus
- The construction of sidewalk as shown by dotted area thus
- The construction of concrete sewer laterals as shown thus
- The construction of 3/4" copper water services as shown thus
- The construction of C.I. Water mains as shown thus
- The construction of water main appurtenances as shown on plans
- The construction of C.I. Gate Valves, C.I. Valve Boxes and Covers as shown thus
- The construction of fire hydrants and appurtenances complete as shown on plans thus
- The construction of curb inlets as shown thus
- The construction of culverts as shown thus

NOTES

- Construct Sidewalk and Curb according to Standard Specifications 119-A
- Use one course sidewalk and unplaned curb
- Water Mains are to be constructed of a depth in accordance with Standard Specifications 117-B
- Where water mains are constructed across intersecting streets, the flow line shall be at a uniform grade
- Gate valves shall be the same size as the water mains in which they are installed
- Water pipe is Class B C.I. pipe
- Fire Hydrants shall be located contiguous to the inside edge of the curb
- All reinforcing is steel
- Plug open ends of all gate valves and water mains with C.I. Plugs
- C.I. - Cast Iron
- Expansion joints shall be constructed according to Standard Specifications 112-B
- M.S. - Medium Steel
- All inside ends of sidewalk returns to be 45 feet unless otherwise shown on plans
- Tolerance is estimated to and will be paid for to subgrade.

EXISTING WORK

- Existing Manholes shown thus
- Existing sewer shown thus
- Existing water mains shown thus
- Existing gate valves shown thus



CITY DATUM
ADD 6.119 FEET
TO CONVERT TO
MEAN SEA LEVEL

32511	CITY OF SAN DIEGO OPERATING DEPARTMENT	32511
PLANS FOR THE IMPROVEMENT OF HAWTHORN STREET between the South line of Horton's Addition and the City Line; HORTON AVENUE between the City Line and Horton's Addition; and HAWTHORN STREET between the City Line of Horton's Addition and the City Line of Horton's Addition.		
DATE 5/2/28	SCALE 1" = 50'	DRAWING NUMBER 3251-L
DESIGNED BY [Signature]	CHECKED BY [Signature]	FIELD NOTES

MICROFILMED
APR -- 1963

SEE PLAT NO 1289