

WORK TO BE DONE

The improvement consists of the following work to be done according to these plans and specifications hereto attached:


- The grading of the portion of the streets shown hatched thus
- The paving of the portion of the streets shown shaded thus
- The construction of curb as shown by heavy solid line thus
- The construction of sidewalk as shown by dotted area thus
- The construction of concrete sewer laterals as shown thus
- The construction of cast iron water main as shown thus
- The construction of water main appurtenances as shown
- The construction of 3/4" copper water services as shown thus
- The construction of cast iron gate valves, 6" cast iron valve boxes and covers as shown thus
- The construction of fire hydrants and appurtenances complete as shown thus
- The construction of curb inlets as shown thus
- The construction of culverts as shown thus
- The construction of wire link guard fence as shown thus
- The regrading of the portion of the streets shown cross-hatched thus
- The construction of concrete sewer man as shown thus

NOTES

- Construct sidewalk and curb according to Standard Specifications 117-A.
- Water mains are to be constructed of cast iron in accordance with Standard Specifications 117-B.
- Where water mains are constructed across intersecting streets, the sewer line shall be of a uniform grade.
- Gate valves shall be the same size as the water main in which they are installed.
- Water pipe is Class B, cast iron pipe.
- Fire hydrants shall be located equidistant to the inside edge of curb.
- All reinforcing is steel.
- Plug open ends of all water mains with cast iron plugs.
- Plug open ends of all gate valves with cast iron plugs.
- Use one course sidewalk and unplaned curb.
- Expansion joints shall be constructed in accordance with Standard Specifications 117-D.
- Inside radius of all sidewalk returns is 45 feet unless otherwise shown.
- M.S. - Medium Steel.
- C.I. - Cast Iron.
- Work to be done is estimated and will be paid for to subgrade.
- Plug open ends of sewer with concrete plug.

EXISTING WORK

- Existing gate valves shown thus
- Existing manholes shown thus
- Existing water mains shown thus
- Existing sewers shown thus
- Existing wall shown thus
- Existing manhole shown on profile thus



SHEET 1	CITY OF SAN DIEGO OPERATING DEPARTMENT	3 SHEETS
PLANS FOR THE IMPROVEMENT OF DEONICE AVENUE between the East line of 11th Street and a line distant 140 feet East of the East line of 11th St produced N.W. 11th St WALNUT AVENUE between the East line of 11th St and the West line of Goldfinch St produced N.W. 11th St WALNUT AVENUE between the West line of 11th St and the East line of 11th St produced N.W. 11th St		
APPROVED	<i>[Signature]</i>	DATE 6/1/28
MADE BY	<i>[Signature]</i>	SCALE 1"=50'
TRACED BY	<i>[Signature]</i>	MICROFILMED
FIELD BOOK		3267-L

SEE PLAN NO. 1293