

PLAN – TILE
NOT TO SCALE



DETAIL 1
NOT TO SCALE

NOTES

1. THE DETECTABLE /TACTILE WARNING TILES SHALL COMPLY WITH THE CITY OF SAN DIEGO SUPPLEMENT AMENDMENTS SECTIONS 216 AND 303.
2. THE DETECTABLE /TACTILE WARNING TILE SHALL CONSIST OF AN INLINE PATTERN OF RAISED TRUNCATED DOMES.
3. DOME SIZE: THE TRUNCATED DOMES SHALL HAVE A BASE DIAMETER OF NOMINAL 0.9 INCH AT THE BASE TAPERING TO 0.45 INCH AT THE TOP. A HEIGHT OF NOMINAL 0.2 INCH AND A CENTER TO CENTER SPACING OF NOMINAL 2.35 INCHES.
4. COLOR: THE DETECTABLE /TACTILE WARNING TILE SHALL BE YELLOW CONFORMING TO FEDERAL STANDARDS 595B TABLE IV, COLOR NO. 33538.



STAINLESS STEEL
SECTION A–A
NOT TO SCALE



COMPOSITE
SECTION A–A
NOT TO SCALE

REVISION	BY	APPROVED	DATE
ORIGINAL	FC	A. OSKOUI	12/03
UPDATE	FC	A. OSKOUI	12/06
UPDATE	FC	A. OSKOUI	02/07
UPDATE	FC	A. OSKOUI	12/08
UPDATE	BB	A. OSKOUI	10/09

CITY OF SAN DIEGO – STANDARD DRAWING

DETECTABLE /TACTILE WARNING
TILE (TRUNCATED DOMES)

CITY OF SAN DIEGO
STANDARDS COMMITTEE

COORDINATOR R.C.E. 65271 DATE

DRAWING NUMBER SDG–130