

Mr. Lyle Stone, Secretary
American Asphalt South, Inc.
14436 Santa Ana Avenue
Fontana, CA 92337
P: (909) 427-8276 F: (909) 427-8279

City of San Diego

CONTRACTOR'S NAME: _____
ADDRESS: _____
TELEPHONE NO.: _____ FAX NO.: _____
CITY CONTACT: Damian Singleton, Contract Specialist, Email: DSingleton@sandiego.gov
Phone No. (619) 533-3482, Fax No. (619) 533-3633
K.LaSelle / RTaleghani / ls

CONTRACT DOCUMENTS

FOR

ORIGINAL



SLURRY SEAL GROUP 1501

VOLUME 1 OF 2

BID NO.: _____ K-15-1301-DBB-3
SAP NO. (WBS/IO/CC): _____ 21003502
CLIENT DEPARTMENT: _____ 2116
COUNCIL DISTRICT: _____ CITYWIDE
PROJECT TYPE: _____ ID

THIS CONTRACT IS SUBJECT TO THE FOLLOWING:

- THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- PREVAILING WAGE RATES: STATE FEDERAL
- APPRENTICESHIP.
- THIS IS A PROP 42 REPLACEMENT FUND CONTRACT THROUGH THE STATE OF CALIFORNIA.

BID DUE DATE:

**2:00 PM
APRIL 7, 2015
CITY OF SAN DIEGO
PUBLIC WORKS CONTRACTS
1010 SECOND AVENUE, 14th FLOOR, MS 614C
SAN DIEGO, CA 92101**

ENGINEER OF WORK

The engineering Specifications and Special Provisions contained herein have been prepared by or under the direction of the following Registered Engineer:

Walter C. Geffrom III 2/19/2015 Seal
For City Engineer Date

ORIGINAL



TABLE OF CONTENTS

DESCRIPTION	PAGE NUMBER
1. NOTICE INVITING BIDS.....	4
2. CONTRACT FORMS AGREEMENT:	
1. Contract Forms.....	18
3. CONTRACT FORMS ATTACHMENTS:	
2. Performance Bond and Labor and Materialmen’s Bond.....	21
3. Drug-Free Workplace.....	23
4. American with Disabilities Act (ADA) Compliance Certification	24
5. Contractor Standards - Pledge of Compliance Certificate	25
6. Affidavit of Disposal Certificate	26
4. ATTACHMENTS:	
A. SCOPE OF WORK	28
B. INTENTIONALLY LEFT BLANK.....	30
C. EQUAL OPPORTUNITY CONTRACTING PROGRAM	31
D. INTENTIONALLY LEFT BLANK.....	35
E. SUPPLEMENTARY SPECIAL PROVISIONS	36
SUPPLEMENTARY SPECIAL PROVISIONS APPENDICES:	
1. Appendix A - Fire Hydrant Meter Program.....	54
2. Appendix B - Materials Typically Accepted by Certificate of Compliance.....	68
3. Appendix C - Sample City Invoice.....	70
4. Appendix D - Location Map	72
5. Appendix E - Caltrans Specification SSP.....	74
6. Appendix F - List of Proposed Work.....	80
F. INTENTIONALLY LEFT BLANK.....	174

CITY OF SAN DIEGO, CALIFORNIA

NOTICE INVITING BIDS

1. **RECEIPT AND OPENING OF BIDS:** Bids will be received at the Public Works Contracts at the location, time, and date shown on the cover of these specifications for performing work on **Slurry Seal Group 1501** (Project).
2. **SUMMARY OF WORK:** The Work involves furnishing all labor, materials, equipment, services, and other incidental works and appurtenances for the construction of the Project as described in ATTACHMENT A.
3. **BIDS ARE PUBLIC RECORDS:** Upon receipt by the City, Bids shall become public records subject to public disclosure. It is the responsibility of the respondent to clearly identify any confidential, proprietary, trade secret or otherwise legally privileged information contained within the Bid. General references to sections of the California Public Records Act (PRA) will not suffice. If the Contractor does not provide applicable case law that clearly establishes that the requested information is exempt from the disclosure requirements of the PRA, the City shall be free to release the information when required in accordance with the PRA, pursuant to any other applicable law, or by order of any court or government agency, and the Contractor will hold the City harmless for release of this information.
4. **SUBCONTRACTING PARTICIPATION PERCENTAGES:**
 - 4.1. The City has incorporated **mandatory** SLBE-ELBE subcontractor participation percentages to enhance competition and maximize subcontracting opportunities. For the purpose of achieving the mandatory subcontractor participation percentages, a recommended breakdown of the SLBE and ELBE subcontractor participation percentages based upon certified SLBE and ELBE firms has also been provided to achieve the mandatory subcontractor participation percentages:

1.	SLBE participation	5.3%
2.	ELBE participation	9.8%
3.	Total mandatory participation	15.1%
 - 4.2. The Bidders are strongly encouraged to attend the Pre-Bid Meeting to better understand the Good Faith Effort requirements of this contract. See the City's document titled "SLBE Program, Instructions For Bidders Completing The Good Faith Effort Submittal" available at: <http://www.sandiego.gov/eoc/>
 - 4.3. The Bid will be declared **non-responsive** if the Bidder fails the following mandatory conditions:
 - 4.3.1. Bidder's inclusion of SLBE-ELBE certified subcontractors at the overall mandatory participation percentage identified in this document; OR.
 - 4.3.2. Bidder's submission of Good Faith Effort documentation, saved in searchable Portable Document Format (PDF) and stored on Compact Disc

(CD) or Digital Video Disc (DVD), demonstrating the Bidder made a good faith effort to outreach to and include SLBE-ELBE Subcontractors required in this document within **3 Working Days** of the Bid opening if the overall mandatory participation percentage is not met.

4.4. For additional Equal Opportunity Contracting Program requirements, see Attachment C.

5. PRE-BID MEETING:

5.1. There will be a Pre-Bid Meeting to discuss the scope of the Project, bidding requirements, pre-qualification process, and Equal Opportunity Contracting Program requirements and reporting procedures in the Public Works Contracts, Conference Room at 1010 Second Avenue, 14th Floor, San Diego, CA 92101 at **2:00 P.M.**, on **MARCH 11, 2015**.

5.2. All potential bidders are encouraged to attend.

5.3. To request a copy of the agenda on an alternative format, or to request a sign language or oral interpreter for this meeting, call the Public Works Contracts at (619) 533-3450 at least 5 Working Days prior to the Pre-Bid Meeting to ensure availability.

6. CONTRACTOR REGISTRATION AND ELECTRONIC REPORTING SYSTEM:

6.1. **Prior** to the Award of the Contract or each Task Order, you and your Subcontractors and Suppliers must register with the City's web-based vendor registration and bid management system, BidsOnline™ hosted by PlanetBids System. For additional information go to:

<http://www.sandiego.gov/purchasing/bids-contracts/vendorreg.shtml>.

6.2. The City may not award the contract until registration of all subcontractors and suppliers is complete. In the event this requirement is not met within the time frame specified in the Notice of Intent to Award letter, the City reserves the right to rescind the Notice of Award / Intent to Award and to make the award to the next responsive and responsible bidder / proposer.

7. **JOINT VENTURE CONTRACTORS:** Provide a copy of the Joint Venture agreement and the Joint Venture license to the City within 10 Working Days after receiving the Contract forms. See 2-1.1.2, "Joint Venture Contractors" in The WHITEBOOK for details.

8. **PREVAILING WAGE RATES:** Pursuant to San Diego Municipal Code section 22.3019, construction, alteration, demolition, repair and maintenance work performed under this Contract is subject to State prevailing wage laws. For construction work performed under this Contract cumulatively exceeding \$25,000 and for alteration, demolition, repair and maintenance work performed under this Contract cumulatively exceeding \$15,000, the Contractor and its subcontractors shall comply with State prevailing wage laws including, but not limited to, the requirements listed below.

8.1. **Compliance with Prevailing Wage Requirements.** Pursuant to sections 1720 through 1861 of the California Labor Code, the Contractor and its subcontractors

shall ensure that all workers who perform work under this Contract are paid not less than the prevailing rate of per diem wages as determined by the Director of the California Department of Industrial Relations (DIR). This includes work performed during the design and preconstruction phases of construction including, but not limited to, inspection and land surveying work.

8.1.1. Copies of such prevailing rate of per diem wages are on file at the City and are available for inspection to any interested party on request. Copies of the prevailing rate of per diem wages also may be found at <http://www.dir.ca.gov/OPRL/DPreWageDetermination.htm>. Contractor and its subcontractors shall post a copy of the prevailing rate of per diem wages determination at each job site and shall make them available to any interested party upon request.

8.1.2. The wage rates determined by the DIR refer to expiration dates. If the published wage rate does not refer to a predetermined wage rate to be paid after the expiration date, then the published rate of wage shall be in effect for the life of this Contract. If the published wage rate refers to a predetermined wage rate to become effective upon expiration of the published wage rate and the predetermined wage rate is on file with the DIR, such predetermined wage rate shall become effective on the date following the expiration date and shall apply to this Contract in the same manner as if it had been published in said publication. If the predetermined wage rate refers to one or more additional expiration dates with additional predetermined wage rates, which expiration dates occur during the life of this Contract, each successive predetermined wage rate shall apply to this Contract on the date following the expiration date of the previous wage rate. If the last of such predetermined wage rates expires during the life of this Contract, such wage rate shall apply to the balance of the Contract.

8.2. Penalties for Violations. Contractor and its subcontractors shall comply with California Labor Code section 1775 in the event a worker is paid less than the prevailing wage rate for the work or craft in which the worker is employed.

8.3. Payroll Records. Contractor and its subcontractors shall comply with California Labor Code section 1776, which generally requires keeping accurate payroll records, verifying and certifying payroll records, and making them available for inspection. Contractor shall require its subcontractors to also comply with section 1776. Contractor and its subcontractors shall submit weekly certified payroll records online via the City's web-based Labor Compliance Program. Contractor is responsible for ensuring its subcontractors submit certified payroll records to the City.

8.3.1. For contracts entered into on or after April 1, 2015, Contractor and their subcontractors shall furnish records specified in Labor Code section 1776 directly to the Labor Commissioner in the manner required by Labor Code section 1771.4.

- 8.4. Apprentices.** Contractor and its subcontractors shall comply with California Labor Code sections 1777.5, 1777.6 and 1777.7 concerning the employment and wages of apprentices. Contractor is held responsible for the compliance of their subcontractors with sections 1777.5, 1777.6 and 1777.7.
- 8.5. Working Hours.** Contractor and their subcontractors shall comply with California Labor Code sections 1810 through 1815, including but not limited to: (i) restrict working hours on public works contracts to eight hours a day and forty hours a week, unless all hours worked in excess of 8 hours per day are compensated at not less than 1½ times the basic rate of pay; and (ii) specify penalties to be imposed on design professionals and subcontractors of \$25 per worker per day for each day the worker works more than 8 hours per day and 40 hours per week in violation of California Labor Code sections 1810 through 1815.
- 8.6. Required Provisions for Subcontracts.** Contractor shall include at a minimum a copy of the following provisions in any contract they enter into with a subcontractor: California Labor Code sections 1771, 1771.1, 1775, 1776, 1777.5, 1810, 1813, 1815, 1860 and 1861.
- 8.7. Labor Code Section 1861 Certification.** Contractor in accordance with California Labor Code section 3700 is required to secure the payment of compensation of its employees and by signing this Contract, Contractor certifies that “I am aware of the provisions of Section 3700 of the California Labor Code which require every employer to be insured against liability for workers’ compensation or to undertake self-insurance in accordance with the provisions of that code, and I will comply with such provisions before commencing the performance of the work of this Contract.”
- 8.8. Labor Compliance Program.** The City has its own Labor Compliance Program authorized in August 2011 by the DIR. The City will withhold contract payments when payroll records are delinquent or deemed inadequate by the City or other governmental entity, or it has been established after an investigation by the City or other governmental entity that underpayment(s) have occurred. For questions or assistance, please contact the City of San Diego’s Equal Opportunity Contracting Department at 619-236-6000.
- 8.9. Contractor and Subcontractor Registration Requirements.** This project is subject to compliance monitoring and enforcement by the DIR. As of March 1, 2015, no contractor or subcontractor may be listed on a bid or proposal for a public works project unless registered with the DIR pursuant to Labor Code section 1725.5. As of April 1, 2015, a contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, or enter into any contract for public work, unless currently registered and qualified to perform public work pursuant to Labor Code section 1725.5. By submitting a bid or proposal to the City, Contractor is certifying that he or she has verified that all subcontractors used on this public work project are registered with the DIR in compliance with Labor Code sections 1771.1 and 1725.5, and Contractor shall provide proof of registration to the City upon request.
- 8.9.1.** A Contractor’s inadvertent error in listing a subcontractor who is not registered pursuant to Labor Code section 1725.5 in response to a solicitation shall not be grounds for filing a bid protest or grounds for considering the bid non-responsive provided that any of the following apply: (1) the

subcontractor is registered prior to bid opening; (2) within twenty-four hours after the bid opening, the subcontractor is registered and has paid the penalty registration fee specified in Labor Code section 1725.5; or (3) the subcontractor is replaced by another registered subcontractor pursuant to Public Contract Code section 4107.

9. INSURANCE REQUIREMENTS:

- 9.1. All certificates of insurance and endorsements required by the contract are to be provided upon issuance of the City’s Notice of Intent to Award letter.
- 9.2. Refer to sections 7-3, “LIABILITY INSURANCE”, and 7-4, “WORKERS’ COMPENSATION INSURANCE” of the Supplementary Special Provisions (SSP) for the insurance requirements which must be met.

10. PREQUALIFICATION OF CONTRACTORS:

- 10.1. Contractors submitting Bid must be pre-qualified for the total amount proposed, inclusive of all alternate items prior to the date of submittal. Bids from contractors who have not been pre-qualified as applicable and Bids that exceed the maximum dollar amount at which contractors are pre-qualified will be deemed **non-responsive** and ineligible for award. Complete information and prequalification questionnaires are available at:

<http://www.sandiego.gov/cip/bidopps/prequalification.shtml>

- 10.2. The completed questionnaire, financial statement, and bond letter or a copy of the contractor’s SLBE-ELBE certification and bond letter, must be submitted no later than 2 weeks prior to the bid opening to the Public Works Contracts, Prequalification Program, 1010 Second Avenue, 14th Floor, San Diego, CA 92101. For additional information or the answer to questions about the prequalification program, contact David Stucky at 619-533-3474 or dstucky@sandiego.gov.

- 11. **REFERENCE STANDARDS:** Except as otherwise noted or specified, the Work shall be completed in accordance with the following standards:

Title	Edition	Document Number
Standard Specifications for Public Works Construction (“The GREENBOOK”)	2012	PITS070112-01
City of San Diego Standard Specifications for Public Works Construction (“The WHITEBOOK”)*	2012	PITS070112-02
City of San Diego Standard Drawings*	2012	PITS070112-03
Caltrans Standard Specifications	2010	PITS070112-04
Caltrans Standard Plans	2010	PITS070112-05
California MUTCD	2012	PITS070112-06
City Standard Drawings - Updates Approved For Use (when specified)*	Varies	Varies

Title	Edition	Document Number
Standard Federal Equal Employment Opportunity Construction Contract Specifications and the Equal Opportunity Clause Dated 09-11-84	1984	769023
NOTE: *Available online under Engineering Documents and References at: http://www.sandiego.gov/publicworks/edocref/index.shtml		

12. **CITY'S RESPONSES AND ADDENDA:** The City at its option, may respond to any or all questions submitted in writing, via letter, or FAX in the form of an addendum. No oral comment shall be of any force or effect with respect to this solicitation. The changes to the Contract Documents through addendum are made effective as though originally issued with the Bid. The Bidders shall acknowledge the receipt of Addenda on the form provided for this purpose in the Bid.
13. **CITY'S RIGHTS RESERVED:** The City reserves the right to cancel the Notice Inviting Bids at any time, and further reserves the right to reject submitted Bids, without giving any reason for such action, at its sole discretion and without liability. Costs incurred by the Bidder(s) as a result of preparing Bids under the Notice Inviting Bids shall be the sole responsibility of each bidder. The Notice Inviting Bids creates or imposes no obligation upon the City to enter a contract.
14. **CONTRACT PRICING FORMAT:** This solicitation is for a Lump Sum contract with Unit Price provisions as set forth in the Bid Proposal Form(s), Volume 2.
15. **SUBMITTAL OF "OR EQUAL" ITEMS:** See Section 4-1.6, "Trade Names or Equals" in The WHITEBOOK and as amended in the SSP.
16. **AWARD PROCESS:**
 - 16.1. The Award of this contract is contingent upon the Contractor's compliance with all conditions precedent to Award.
 - 16.2. Upon acceptance of a Bid, the City will prepare contract documents for execution within approximately 21 days of the date of the Bid opening and award the Contract approximately within 7 days of receipt of properly executed Contract, bonds, and insurance documents.
 - 16.3. This contract will be deemed executed, and effective, only upon the signing of the Contract by the Mayor or designee of the City.
17. **SUBCONTRACT LIMITATIONS:** The Bidder's attention is directed to Standard Specifications for Public Works Construction, Section 2-3, "SUBCONTRACTS" in The GREENBOOK and as amended in the SSP which requires the Contractor to self-perform not less than the specified amount. Failure to comply with this requirement shall render the bid **non-responsive** and ineligible for award.

18. **AVAILABILITY OF PLANS AND SPECIFICATIONS:** Contract Documents may be obtained by visiting the City's website: <http://www.sandiego.gov/cip/>. Plans and Specifications for this contract are also available for review in the office of the City Clerk or Public Works Contracts.
19. **SUBMISSION OF QUESTIONS:**
- 19.1. The Director (or designee), of the Public Works Department is the officer responsible for opening, examining, and evaluating the competitive Bids submitted to the City for the acquisition, construction and completion of any public improvement except when otherwise set forth in these documents. All questions related to this solicitation shall be submitted to:
- Public Works Contracts
1010 Second Avenue, 14th Floor
San Diego, California, 92101
Attention: [Contract Specialist listed on the front cover hereof]
- OR:
- Email address of the Contract Specialist listed on the front cover hereof.
- 19.2. Questions received less than 14 days prior to the date for opening of Bids may not be considered.
- 19.3. Clarifications deemed by the City to be material shall be issued by Addenda and uploaded to the City's online bidding service.
- 19.4. Only questions answered by formal written addenda will be binding. Oral and other interpretations or clarifications will be without legal effect. It is the Bidder's responsibility to become informed of any Addenda that have been issued and to include all such information in its Bid.
20. **ELIGIBLE BIDDERS:** No person, firm, or corporation shall be allowed to make, file, or be interested in more than one (1) Bid for the same work unless alternate Bids are called for. A person, firm or corporation who has submitted a sub-proposal to a Bidder, or who has quoted prices on materials to a Bidder, is not hereby disqualified from submitting a sub-proposal or quoting prices to other Bidders or from submitting a Bid in its own behalf. Any Bidder who submits more than one bid will result in the rejection of all bids submitted.
21. **SAN DIEGO BUSINESS TAX CERTIFICATE:** The Contractor and Subcontractors, not already having a City of San Diego Business Tax Certificate for the work contemplated shall secure the appropriate certificate from the City Treasurer, Civic Center Plaza, first floor and submit to the Contract Specialist upon request or as specified in the Contract Documents. Tax Identification numbers for both the Bidder and the listed Subcontractors must be submitted on the City provided forms with the Notice Inviting Bids and Contract forms.
22. **PROPOSAL FORMS:** Bid shall be made only upon the Bidding Documents i.e., Proposal form attached to and forming a part of the specifications. The signature of each person signing shall be in longhand.

- 22.1. Bidder shall complete and submit all pages in the "Bidding Document" Section (see Volume 2) as their Bid per the schedule given under "Required Documents Schedule," (see Volume 1). Bidder is requested to retain for their reference other portions of the Contract Documents that are not required to be submitted with the Bid. The entire specifications for the bid package do not need to be submitted with the bid.
- 22.2. The City may require any Bidder to furnish a statement of experience, financial responsibility, technical ability, equipment, and references.
- 22.3. Bids and certain other forms and documents as specified in the Volume 2 of 2 of the Contract Documents shall be enclosed in a sealed envelope and shall bear the title of the work and name of the Bidder and the appropriate State Contractors License designation which the Bidder holds.
- 22.4. Bids may be withdrawn by the Bidder prior to, but not after, the time fixed for opening of Bids.

23. BIDDER'S GUARANTEE OF GOOD FAITH (BID SECURITY):

- 23.1. Bidders shall submit Bid Security at bid time. Bid Security shall be in one of the following forms: a cashier's check, or a properly certified check upon some responsible bank; or an approved corporate surety bond payable to the City of San Diego for an amount of not less than 10% of the total bid amount.
- 23.2. This check or bond, and the monies represented thereby, will be held by the City as a guarantee that the Bidder, if awarded the contract, will in good faith enter into the contract and furnish the required final performance and payment bonds.
- 23.3. The Bidder agrees that in the event of the Bidder's failure to execute this contract and provide the required final bonds, the money represented by the cashier's or certified check will remain the property of the City; and the Surety agrees that it will pay to the City the damages, not exceeding the sum of 10% of the amount of the Bid, that the City may suffer as a result of such failure.
- 23.4. A Bid received without the specified bid security may be rejected as **non-responsive**.

24. AWARD OF CONTRACT OR REJECTION OF BIDS:

- 24.1. This contract may be awarded to the lowest responsible and reliable Bidder.
- 24.2. Bidders shall complete the entire Bid schedule (also referred to as "schedule of prices" or Proposal form). Incomplete price schedules will be rejected as being non-responsive.
- 24.3. The City reserves the right to reject any or all Bids, and to waive any informality or technicality in Bids received and any requirements of these specifications as to bidding procedure.
- 24.4. Bidders will not be released on account of their errors of judgment. Bidders may be released only upon receipt by the City from the Bidder within 3 Working Days, excluding Saturdays, Sundays, and state holidays, after the opening of Bids, of

written notice which includes proof of honest, credible, clerical error of material nature, free from fraud or fraudulent intent, and of evidence that reasonable care was observed in the preparation of the Bid.

- 24.5. A non-selected Bidder may protest award of the Contract to the selected Bidder by submitting a written "Notice of Intent to Protest" including supporting documentation which shall be received by Public Works Contracts no later than 10 days after the City's announcement of the selected Bidder or no later than 10 days from the date that the City issues notice of designation of a Bidder as non-responsible in accordance with San Diego Municipal Code Chapter 2, § 22.3029, "Protests of Contract Award."
- 24.6. The City of San Diego will not discriminate with regard to race, religious creed, color, national origin, ancestry, physical handicap, marital status, sex or age, in the award of contracts.
- 24.7. Each Bid package properly executed as required by these specifications shall constitute a firm offer, which may be accepted by the City within the time specified in the Proposal.
- 24.8. The City reserves the right to evaluate all Bids and determine the lowest Bidder on the basis of any proposed alternates, additive items or options, at its discretion that will be disclosed in the Volume 2 of 2.

25. BID RESULTS:

- 25.1. The Bid opening by the City shall constitute the public announcement of the Apparent Low Bidder. In the event that the Apparent Low Bidder is subsequently deemed non-responsive or non-responsible, a public announcement will be posted in the City's web page <http://www.sandiego.gov/cip/index.shtml>, with the name of the newly designated Apparent Low Bidder.
- 25.2. To obtain Bid results, either attend Bid opening, review the results on the City's web site, or provide a self-addressed, stamped envelope, referencing Bid number, and Bid tabulation will be mailed to you upon verification of extensions. Bid results cannot be given over the telephone.

26. THE CONTRACT:

- 26.1. The Bidder to whom award is made shall execute a written contract with the City of San Diego and furnish good and approved bonds and insurance certificates specified by the City within 14 days after receipt by Bidder of a form of contract for execution unless an extension of time is granted to the Bidder in writing.
- 26.2. If the Bidder takes longer than 14 days to fulfill these requirements, then the additional time taken shall be added to the Bid guarantee. The Contract shall be made in the form adopted by the City, which includes the provision that no claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.

- 26.3. If the Bidder to whom the award is made fails to enter into the contract as herein provided, the award may be annulled and the Bidder's Guarantee of Good Faith will be subject to forfeiture. An award may be made to the next lowest responsible and reliable Bidder who shall fulfill every stipulation embraced herein as if it were the party to whom the first award was made.
- 26.4. Pursuant to the San Diego City Charter section 94, the City may only award a public works contract to the lowest responsible and reliable Bidder. The City will require the Apparent Low Bidder to (i) submit information to determine the Bidder's responsibility and reliability, (ii) execute the Contract in form provided by the City, and (iii) furnish good and approved bonds and insurance certificates specified by the City within 14 Days, unless otherwise approved by the City, in writing after the Bidder receives notification from the City, designating the Bidder as the Apparent Low Bidder and formally requesting the above mentioned items.
- 26.5. The award of the Contract is contingent upon the satisfactory completion of the above mentioned items and becomes effective upon the signing of the Contract by the Mayor or designee. If the Apparent Low Bidder does not execute the Contract or submit required documents and information, the City may award the Contract to the next lowest responsible and reliable Bidder who shall fulfill every condition precedent to award. A corporation designated as the Apparent Low Bidder shall furnish evidence of its corporate existence and evidence that the officer signing the Contract and bond for the corporation is duly authorized to do so.
27. **EXAMINATION OF PLANS, SPECIFICATIONS, AND SITE OF WORK:** The Bidder shall examine carefully the Project Site, the Plans and Specifications, other materials as described in the Special Provisions, Section 2-7, and the proposal forms (e.g., Bidding Documents). The submission of a Bid shall be conclusive evidence that the Bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and scope of Work, the quantities of materials to be furnished, and as to the requirements of the Bidding Documents Proposal, Plans, and Specifications.
28. **CITY STANDARD PROVISIONS:** This contract is subject to the following standard provisions. See The WHITEBOOK for details.
- 28.1. The City of San Diego Resolution No. R-277952 adopted on May 20, 1991 for a Drug-Free Workplace.
- 28.2. The City of San Diego Resolution No. R-282153 adopted on June 14, 1993 related to the Americans with Disabilities Act.
- 28.3. The City of San Diego Municipal Code §22.3004 for Pledge of Compliance.
- 28.4. The City of San Diego's Labor Compliance Program and the State of California Labor Code §§1771.5(b) and 1776.
- 28.5. Sections 1777.5, 1777.6, and 1777.7 of the State of California Labor Code concerning the employment of apprentices by contractors and subcontractors performing public works contracts.
- 28.6. The City's Equal Benefits Ordinance (EBO), Chapter 2, Article 2, Division 43 of The San Diego Municipal Code (SDMC).

28.7. The City's Information Security Policy (ISP) as defined in the City's Administrative Regulation 90.63.

29. **PRE-AWARD ACTIVITIES:**

29.1. The selected contractor by the City to execute a contract for this Work shall provide the information required within the time specified in "Required Documents," of this bid package. Failure to provide the information within the time specified may result in the Bid being rejected as **non-responsive**.

29.2. If the Bid is rejected as non-responsive, the selected contractor by the City to execute a contract for this Work shall forfeit the required Bid. The decision that the selected contractor by the City to execute a contract for this Work is non-responsive for failure to provide the information required within the time specified shall be at the sole discretion of the City.

30. **OPTION TO RENEW:**

30.1. The City of San Diego expects to have additional miles of streets Slurry Coated by contract with additional funding this fiscal year or next fiscal year. The City of San Diego reserves the right to exercise one option to renew this contract at the City's sole discretion under the terms and conditions herein stated, with the work to be performed commencing no later than 180days after completion of the original contract work. The option to renew must be exercised by the City within 365 days after the date of the bid opening for this project. By submitting this bid, the bidder agrees that it shall not decline the City's option to renew.

30.2. The option to renew shall be made at the bid pricing structure of the Bidder's original bid. In the event that the California Statewide Paving Asphalt Price Index (Index) has changed plus or minus (\pm) 10% between the date of Bid opening ("Bid Opening Date") and the date the option to renew is exercised by the City ("Option Exercise Date"), the City may, at the Bidder's request, and at the City's sole discretion, grant a change to the pricing structure commensurate with the percentage change in the Index.

30.3. If deemed necessary by the City, the option to renew will be exercised in writing by the City within 1 year of the date of the Bid opening for this project. The following conditions apply to the option to renew:

1. The total price of the option to renew shall not exceed the original contract amount. The option to renew will be for one or more of the listed Bid items as determined by the City, for quantities to be specified by the City that will be within twenty five percent (\pm 25%) of the quantities listed in the Bid.
2. The increase in lump sum Bid amounts e.g., bond, mobilization, storm water protection, and traffic control shall be in proportion to the amount of the added quantities. Allowance Bid items have been provided for this purpose where needed.
3. The Contract Time to perform the additional Work will be the same as for the original Work, adjusted proportionately to the amount of the added Work compared to the amount of the original Work.

4. The Retention for both original and added Work will be administered in accordance with 9-3.2, "Partial and Final Payment."
5. A separate NTP will be issued for the added Work.
6. A separate NOC may be filed for the added Work if the time between completion of the original Work and the commencement of the added Work exceeds 60 days.

30.4. The option to renew may be declined by the Bidder only if the California Statewide Paving Asphalt Price Index has increased by more than 10% from the date of Bid opening to the date the option to renew is exercised by the City.

31. REQUIRED DOCUMENT SCHEDULE:

31.1. The Bidder's attention is directed to the City's Municipal Code §22.0807(e), (3)-(5) for important information regarding grounds for debarment for failure to submit required documentation.

31.2. The specified Equal Opportunity Contracting Program (EOCP) forms are available for download from the City's web site at:

<http://www.sandiego.gov/eoc/forms/index.shtml>

ITEM	WHEN DUE	FROM	DOCUMENT TO BE SUBMITTED
1.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Bid
2.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Bid Bond
3.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Non-collusion Affidavit to be Executed By Bidder and Submitted with Bid under 23 USC 112 and PCC 7106
4.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Contractors Certification of Pending Actions
5.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Equal Benefits Ordinance Certification of Compliance
6.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Form AA35 - List of Subcontractors
7.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Form AA40 - Named Equipment/Material Supplier List
8.	WITHIN 3 WORKING DAYS OF BID OPENING	ALL BIDDERS	SLBE Good Faith Efforts Documentation

ITEM	WHEN DUE	FROM	DOCUMENT TO BE SUBMITTED
9.	WITHIN 3 WORKING DAYS OF BID OPENING WITH GOOD FAITH EFFORT DOCUMENTATION	ALL BIDDERS	Form AA60 – List of Work Made Available
10.	WITHIN 3 WORKING DAYS OF BID OPENING WITH GOOD FAITH EFFORT DOCUMENTATION	ALL BIDDERS	Proof of Valid DBE-MBE-WBE-DVBE Certification Status e.g., Certs.
11.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Names of the principal individual owners of the Apparent Low Bidder
12.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	If the Contractor is a Joint Venture: <ul style="list-style-type: none"> • Joint Venture Agreement • Joint Venture License
13.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Form BB05 - Work Force Report
14.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contract Forms - Agreement
15.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contract Forms - Payment and Performance Bond
16.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Certificates of Insurance and Endorsements
17.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractor Certification - Drug-Free Workplace
18.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractor Certification - American with Disabilities Act
19.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractors Standards - Pledge of Compliance

CONTRACT FORMS
AGREEMENT

CONTRACT FORMS

CONSTRUCTION CONTRACT

This contract is made and entered into between THE CITY OF SAN DIEGO, a municipal corporation, herein called "City", and AMERICAN ASPHALT SOUTH, INC., herein called "Contractor" for construction of **Slurry Seal Group 1501**; Bid No. **K-15-1301-DBB-3**; in the amount TWO MILLION NINE HUNDRED NINETY-TWO THOUSAND NINE HUNDRED NINE DOLLARS AND 53/100 (\$2,992,909.53), which is comprised of the Base Bid alone.

IN CONSIDERATION of the payments to be made hereunder and the mutual undertakings of the parties hereto, City and Contractor agree as follows:

1. The following are incorporated into this contract as though fully set forth herein:
 - (a) The attached Faithful Performance and Payment Bonds.
 - (b) The attached Proposal included in the Bid documents by the Contractor.
 - (c) Reference Standards listed in the Notice Inviting Bids and the Supplementary Special Provisions (SSP).
 - (d) That certain documents entitled **Slurry Seal Group 1501** on file in the office of the Public Works Department as Document No. **21003502** as well as all matters referenced therein.
2. The Contractor shall perform and be bound by all the terms and conditions of this contract and in strict conformity therewith shall perform and complete in a good and workmanlike manner **Slurry Seal Group 1501**, Bid Number **K-15-1301-DBB-3**, San Diego, California.
3. For such performances, the City shall pay to Contractor the amounts set forth at the times and in the manner and with such additions or deductions as are provided for in this contract, and the Contractor shall accept such payment in full satisfaction of all claims incident to such performances.
4. No claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.
5. This contract is effective as of the date that the Mayor or designee signs the agreement.

CONTRACT FORMS (continued)

IN WITNESS WHEREOF, this Agreement is signed by the City of San Diego, acting by and through its Mayor or designee, pursuant to Municipal Code §22.3102 authorizing such execution.

THE CITY OF SAN DIEGO

APPROVED AS TO FORM

By *Steph Lerner*

Jan I. Goldsmith, City Attorney
By *Ryan P. Gerrity*

Print Name: _____
Principal Contract Specialist (Acting)

Print Name: RYAN P. GERRITY
Deputy City Attorney

Date: 6-9-15

Date: 6/11/15

CONTRACTOR

By *Lyle Stone*

Print Name: Lyle Stone

Title: Secretary

Date: April 28th, 2015

City of San Diego License No.: BRO02006142

State Contractor's License No.: 784969A

**CONTRACT FORMS
ATTACHMENTS**

CONTRACT FORMS ATTACHMENTS
PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND

FAITHFUL PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND:

AMERICAN ASPHALT SOUTH, INC., a corporation, as principal, and The Guarantee Company of North America USA, a corporation authorized to do business in the State of California, as Surety, hereby obligate themselves, their successors and assigns, jointly and severally, to The City of San Diego a municipal corporation in the sum of TWO MILLION NINE HUNDRED NINETY-TWO THOUSAND NINE HUNDRED NINE DOLLARS AND 53/100 (\$2,992,909.53) for the faithful performance of the annexed contract, and in the sum of TWO MILLION NINE HUNDRED NINETY-TWO THOUSAND NINE HUNDRED NINE DOLLARS AND 53/100 (\$2,992,909.53) for the benefit of laborers and materialmen designated below.

Conditions:

If the Principal shall faithfully perform the annexed contract **Slurry Seal Group 1501; Bid Number K-15-1301-DBB-3, San Diego, California** then the obligation herein with respect to a faithful performance shall be void; otherwise it shall remain in full force.

If the Principal shall promptly pay all persons, firms and corporations furnishing materials for or performing labor in the execution of this contract, and shall pay all amounts due under the California Unemployment Insurance Act then the obligation herein with respect to laborers and materialmen shall be void; otherwise it shall remain in full force.

The obligation herein with respect to laborers and materialmen shall inure to the benefit of all persons, firms and corporations entitled to file claims under the provisions of Chapter 3 of Division 5 of Title I of the Government Code of the State of California or under the provisions of Section 3082 et seq. of the Civil Code of the State of California.

Changes in the terms of the annexed contract or specifications accompanying same or referred to therein shall not affect the Surety's obligation on this bond, and the Surety hereby waives notice of same.

CONTRACT FORMS ATTACHMENTS (continued)
PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND

The Surety shall pay reasonable attorney's fees should suit be brought to enforce the provisions of this bond.

Dated April 27th, 2015

Approved as to Form


American Asphalt South, Inc.
Principal

By 
Lyle Stone, Secretary
Printed Name of Person Signing for Principal


Jan I. Goldsmith, City Attorney

By 
Deputy City Attorney

The Guarantee Company of North America USA
Surety

By 
Bobbie Beeny, Attorney-in-fact

Approved:

By 
Principal Contract Specialist (Acting)

1800 Sutter St., #880
Local Address of Surety

Concord, CA 94520
Local Address (City, State) of Surety

925-566-6040
Local Telephone No. of Surety

Premium \$ 15,842

Bond No. 12116476

ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California
County of Butte)

On April 27, 2015 before me, Elizabeth Collodi, Notary Public
(insert name and title of the officer)


personally appeared Bobbie Beeny
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/~~are~~
subscribed to the within instrument and acknowledged to me that ~~he~~/she/~~they~~ executed the same in
~~his~~/her/~~their~~ authorized capacity(ies), and that by ~~his~~/her/~~their~~ signature(s) on the instrument the
person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature

Elizabeth Collodi





The Guarantee Company of North America USA
Southfield, Michigan

POWER OF ATTORNEY

KNOW ALL BY THESE PRESENTS: That **THE GUARANTEE COMPANY OF NORTH AMERICA USA**, a corporation organized and existing under the laws of the State of Michigan, having its principal office in Southfield, Michigan, does hereby constitute and appoint

Barbara Midstokke, Renee Ramsey, Richard W. Pratt, John Hopkins, Elizabeth Collodi, Bobbie Beeny, Nancy Luttenbacher
Phillip O. Watkins, Keith T. Schuler, Melissa D. Diaz, Shawna Johnson, Patricia M. Simas
Interwest Insurance Services, Inc.

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these presents, shall be as binding upon **THE GUARANTEE COMPANY OF NORTH AMERICA USA** as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

The Power of Attorney is executed and may be certified so, and may be revoked, pursuant to and by authority of Article IX, Section 9.03 of the By-Laws adopted by the Board of Directors of **THE GUARANTEE COMPANY OF NORTH AMERICA USA** at a meeting held on the 31st day of December, 2003. The President, or any Vice President, acting with any Secretary or Assistant Secretary, shall have power and authority:

1. To appoint Attorney(s)-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof; and
2. To revoke, at any time, any such Attorney-in-fact and revoke the authority given, except as provided below
3. In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.
4. In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner – Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of the Company adopted at a meeting duly called and held on the 6th day of December 2011, of which the following is a true excerpt:

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.



IN WITNESS WHEREOF, **THE GUARANTEE COMPANY OF NORTH AMERICA USA** has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 23rd day of February, 2012.

THE GUARANTEE COMPANY OF NORTH AMERICA USA

STATE OF MICHIGAN
County of Oakland

Stephen C. Ruschak, President & Chief Operating Officer

Randall Musselman, Secretary

On this 23rd day of February, 2012 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each is the herein described and authorized officer of The Guarantee Company of North America USA; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of



Cynthia A. Takai
Notary Public, State of Michigan
County of Oakland
My Commission Expires February 27, 2018
Acting in Oakland County

IN WITNESS WHEREOF, I have hereunto set my hand at The Guarantee Company of North America USA offices the day and year above written.

I, Randall Musselman, Secretary of **THE GUARANTEE COMPANY OF NORTH AMERICA USA**, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by **THE GUARANTEE COMPANY OF NORTH AMERICA USA**, which is still in full force and effect.



IN WITNESS WHEREOF, I have thereunto set my hand and attached the seal of said Company this 27 day of April, 2015

Randall Musselman, Secretary

CONTRACTOR CERTIFICATION

DRUG-FREE WORKPLACE

PROJECT TITLE: Slurry Seal Group 1501

I hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-17 regarding Drug-Free Workplace as outlined in the WHITEBOOK, Section 7-13.3, "Drug-Free Workplace", of the project specifications, and that;

American Asphalt South, Inc.

(Name under which business is conducted)

has in place a drug-free workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of subdivisions a) through c) of the policy as outlined.

Signed

Lyle Stone

Printed Name

Lyle Stone

Title

Secretary

CONTRACTOR CERTIFICATION

AMERICAN WITH DISABILITIES ACT (ADA) COMPLIANCE CERTIFICATION

PROJECT TITLE: Slurry Seal Group 1501

I hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-4 regarding the American With Disabilities Act (ADA) outlined in the WHITEBOOK, Section 7-13.2, "American With Disabilities Act", of the project specifications, and that;

American Asphalt South, Inc.

(Name under which business is conducted)

has in place workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of the policy as outlined.

Signed 

Printed Name Lyle Stone

Title Secretary

Handwritten text, possibly a signature or name, oriented horizontally.

Handwritten text, possibly a signature or name, oriented vertically.

CONTRACTOR CERTIFICATION

CONTRACTOR STANDARDS – PLEDGE OF COMPLIANCE

PROJECT TITLE: Slurry Seal Group 1501

I declare under penalty of perjury that I am authorized to make this certification on behalf of American Asphalt South, Inc., as Contractor, that I am familiar with the requirements of City of San Diego Municipal Code § 22.3224 regarding Contractor Standards as outlined in the WHITEBOOK, Section 7-13.4, ("Contractor Standards"), of the project specifications, and that Contractor has complied with those requirements.

I further certify that each of the Contractor's subcontractors whose subcontracts are greater than \$50,000 in value has completed a Pledge of Compliance attesting under penalty of perjury of having complied with City of San Diego Municipal Code § 22.3224.

Dated this 28th Day of April, 2015.

Signed Lyle Stone

Printed Name Lyle Stone

Title Secretary

AFFIDAVIT OF DISPOSAL

WHEREAS, on the _____ DAY OF _____, 2_____ the undersigned entered into and executed a contract with the City of San Diego, a municipal corporation, for:

Slurry Seal Group 1501

(Name of Project)

as particularly described in said contract and identified as Bid No. **K-15-1301-DBB-3**; SAP No. (WBS/IO/CC) **21003502** and WHEREAS, the specification of said contract requires the Contractor to affirm that "all brush, trash, debris, and surplus materials resulting from this project have been disposed of in a legal manner"; and WHEREAS, said contract has been completed and all surplus materials disposed of:

NOW, THEREFORE, in consideration of the final payment by the City of San Diego to said Contractor under the terms of said contract, the undersigned Contractor, does hereby affirm that all surplus materials as described in said contract have been disposed of at the following location(s)

and that they have been disposed of according to all applicable laws and regulations.

Dated this _____ DAY OF _____, _____.

by _____ Contractor

ATTEST:

State of _____
County of _____

On this _____ DAY OF _____, 2_____, before the undersigned, a Notary Public in and for said County and State, duly commissioned and sworn, personally appeared _____ known to me to be the _____ Contractor named in the foregoing Release, and whose name is subscribed thereto, and acknowledged to me that said Contractor executed the said Release.

Notary Public in and for said County and State

ATTACHMENTS

ATTACHMENT A

SCOPE OF WORK

SCOPE OF WORK

1. **SCOPE OF WORK:** Slurry Seal Group 1501 involves furnishing all labor, materials, equipment, services and construction, including but not limited to weed abatement, tree trimming, crack sealing, milling or saw cutting asphalt and concrete, pavement base repair, asphalt paving, pothole patching, sweeping, application of slurry seal, replacing traffic striping/markings/markers/devices, replacing vehicle detector loops, possible weekend work, traffic control drawings & permits, and storm drain inlet protection on various asphalt streets throughout the City.
 - 1.1. The Work shall be performed in accordance with:
 - 1.1.1. The Notice Inviting Bids inclusive.
2. **CONSTRUCTION COST:** The City's estimated construction cost for this contract is **\$3,750,000.**
3. **LOCATION OF WORK:** The location of the Work is as follows: See Appendix D.
4. **CONTRACT TIME:** The Contract Time for completion of the Work shall be **130 Working Days.**
5. **CONTRACTOR'S LICENSE CLASSIFICATION:** In accordance with the provisions of California Law, the Contractor shall possess valid appropriate license(s) at the time that the Bid is submitted. Failure to possess the specified license(s) shall render the Bid as **non-responsive** and shall act as a bar to award of the Contract to any Bidder not possessing required license(s) at the time of Bid.
 - 5.1. The City has determined the following licensing classifications for this contract:

Option	Classifications
1	CLASS A
2	CLASS C12
3	CLASS C32

- 5.2. The Bidder shall satisfy the licensing requirement by meeting **at least** one of the listed options.

ATTACHMENT B
INTENTIONALLY LEFT BLANK

ATTACHMENT C
EQUAL OPPORTUNITY CONTRACTING PROGRAM

EQUAL OPPORTUNITY CONTRACTING PROGRAM

1. To The WHITEBOO7K, Chapter 10, Sections D and E, DELETE each in its entirety, and SUBSTITUTE with the following:

D. CITY'S EQUAL OPPORTUNITY COMMITMENT.

1. Nondiscrimination in Contracting Ordinance.

1. The Contractor, Subcontractors and Suppliers shall comply with requirements of the City's Nondiscrimination in Contracting Ordinance, San Diego Municipal Code §§22.3501 through 22.3517.

The Contractor shall not discriminate on the basis of race, gender, religion, national origin, ethnicity, sexual orientation, age, or disability in the solicitation, selection, hiring, or treatment of subcontractors, vendors, or suppliers. The Contractor shall provide equal opportunity for subcontractors to participate in subcontracting opportunities. The Contractor understands and agrees that violation of this clause shall be considered a material breach of the contract and may result in contract termination, debarment, or other sanctions.

The Contractor shall include the foregoing clause in all contracts between the Contractor and Subcontractors and Suppliers.

2. Disclosure of Discrimination Complaints. As part of its Bid or Proposal, the Bidder shall provide to the City a list of all instances within the past 10 years where a complaint was filed or pending against Bidder in a legal or administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors, or suppliers, and a description of the status or resolution of that complaint, including any remedial action taken.
3. Upon the City's request, the Contractor agrees to provide to the City, within 60 days, a truthful and complete list of the names of all Subcontractors and Suppliers that the Contractor has used in the past 5 years on any of its contracts that were undertaken within San Diego County, including the total dollar amount paid by the Contractor for each subcontract or supply contract.
4. The Contractor further agrees to fully cooperate in any investigation conducted by the City pursuant to the City's Nondiscrimination in Contracting Ordinance, Municipal Code §§22.3501 through 22.3517. The Contractor understands and agrees that violation of this clause shall be considered a material breach of the Contract and may result in remedies being ordered against the Contractor up to and including contract termination, debarment and other sanctions for violation of the provisions of the Nondiscrimination in Contracting Ordinance. The Contractor further understands and agrees that the procedures,

remedies and sanctions provided for in the Nondiscrimination in Contracting Ordinance apply only to violations of the Ordinance.

E. EQUAL EMPLOYMENT OPPORTUNITY OUTREACH PROGRAM.

1. The Contractor, Subcontractors and Suppliers shall comply with the City's Equal Employment Opportunity Outreach Program, San Diego Municipal Code §§22.2701 through 22.2707.

The Contractor shall not discriminate against any employee or applicant for employment on any basis prohibited by law. Contractor shall provide equal opportunity in all employment practices. Prime Contractor shall ensure their subcontractors comply with this program. Nothing in this section shall be interpreted to hold a prime contractor liable for any discriminatory practice of its subcontractors.

The Contractor shall include the foregoing clause in all contracts between the Contractor and Subcontractors and Suppliers.

2. If the Contract is competitively solicited, the selected Bidder shall submit a Work Force Report (Form BB05), within 10 Working Days after receipt by the Bidder of Contract forms to the City for approval as specified in the Notice of Intent to Award letter from the City.

3. If a Work Force Report is submitted, and the City determines there are under-representations when compared to County Labor Force Availability data, the selected Bidder shall submit an Equal Employment Opportunity Plan.

4. If the selected Bidder submits an Equal Employment Opportunity Plan, it shall include the following assurances:

1. The Contractor shall maintain a working environment free of discrimination, harassment, intimidation and coercion at all sites and in all facilities at which the Contractor's employees are assigned to work.

2. The Contractor reviews its EEO Policy, at least annually, with all on-site supervisors involved in employment decisions.

3. The Contractor disseminates and reviews its EEO Policy with all employees at least once a year, posts the policy statement and EEO posters on all company bulletin boards and job sites, and documents every dissemination, review and posting with a written record to identify the time, place, employees present, subject matter, and disposition of meetings.

4. The Contractor reviews, at least annually, all supervisors' adherence to and performance under the EEO Policy and maintains written documentation of these reviews.

5. The Contractor discusses its EEO Policy Statement with subcontractors with whom it anticipates doing business, includes the

EEO Policy Statement in its subcontracts, and provides such documentation to the City upon request.

6. The Contractor documents and maintains a record of all bid solicitations and outreach efforts to and from subcontractors, contractor associations and other business associations.
7. The Contractor disseminates its EEO Policy externally through various media, including the media of people of color and women, in advertisements to recruit, maintains files documenting these efforts, and provides copies of these advertisements to the City upon request.
8. The Contractor disseminates its EEO Policy to union and community organizations.
9. The Contractor provides immediate written notification to the City when any union referral process has impeded the Contractor's efforts to maintain its EEO Policy.
10. The Contractor maintains a current list of recruitment sources, including those outreaching to people of color and women, and provides written notification of employment opportunities to these recruitment sources with a record of the organizations' responses.
11. The Contractor maintains a current file of names, addresses and phone numbers of each walk-in applicant, including people of color and women, and referrals from unions, recruitment sources, or community organizations with a description of the employment action taken.
12. The Contractor encourages all present employees, including people of color and women employees, to recruit others.
13. The Contractor maintains all employment selection process information with records of all tests and other selection criteria.
14. The Contractor develops and maintains documentation for on-the-job training opportunities, participates in training programs, or both for all of its employees, including people of color and women, and establishes apprenticeship, trainee, and upgrade programs relevant to the Contractor's employment needs.
15. The Contractor conducts, at least annually, an inventory and evaluation of all employees for promotional opportunities and encourages all employees to seek and prepare appropriately for such opportunities.
16. The Contractor ensures the company's working environment and activities are non-segregated except for providing separate or single-user toilets and necessary changing facilities to assure privacy between the sexes.

ATTACHMENT D
INTENTIONALLY LEFT BLANK

ATTACHMENT E
SUPPLEMENTARY SPECIAL PROVISIONS

SUPPLEMENTARY SPECIAL PROVISIONS

The following Supplementary Special Provisions (SSP) modifies the following documents:

- 1) Standard Specifications for Public Works Construction (The GREENBOOK) currently in effect.
 - 2) The City of San Diego Standard Specifications for Public Works Construction (The WHITEBOOK).
-

SECTION 1 – TERMS, DEFINITIONS, ABBREVIATIONS, UNITS OF MEASURE, AND SYMBOLS

1-2 TERMS AND DEFINITIONS.

Normal Working Hours. To the City Supplement, ADD the following:(s)

The Engineer shall identify and approve exceptions due to traffic related issues. Possible weekend work without additional cost to the City.

SECTION 2 - SCOPE AND CONTROL OF WORK

2-3.2 Self Performance. DELETE in its entirety and SUBSTITUTE with the following:

1. You must perform, with your own organization, Contract work amounting to at least 50% of the base bid alone or base bid and any additive or deductive alternate(s) that together when added or deducted form the basis of award.
2. The self performance percentage requirement will be waived for contracts when a “B” License is required or allowed.

2-5.3.1 General. To the City Supplement, 5th paragraph, DELETE in its entirety and SUBSTITUTE with the following:

5. Allow a minimum of 5 days for review of submittals. Each submittal must be accompanied by a letter of transmittal.

2-5.3.1 General. To the City Supplement, ADD the following

7. For products for which an AML is available, products listed in the AML shall be used. A submittal review will be conducted for products not identified on an AML on a case-by-case basis when:
 - a) The product type or category is not in the AML.

- b) The AML does not list at least two available manufacturers of the product.
- c) The material or manufacturer listed in the AML is no longer available. Documentation to substantiate the product is no longer available or in production is required as part of the submittal.

In the case of conducting a submittal review when required by the Plans or Special Provisions, or when requested by the Engineer, all submittals shall be accompanied by the City's submittal form.

The Product Submittal Form is available for download at:

<http://www.sandiego.gov/publicworks/edocref/index.shtml>

SECTION 3 – CHANGES IN WORK

3-2.1 **General.** ADD the following:

Specific sites for slurry seal may be substituted due to utility or construction conflict, or urgent community needs. The location list provided by the City in the Contract Documents will be adjusted by the City as needed to match the Bid quantities at no additional cost to the City.

The Bid quantities are for estimating purposes only and will vary due to continued deterioration of the streets, such as streets quantified as having no tons of AC required, may in fact need AC repair (see 302-3).

3-2.2.1 **General.** To the City Supplement, ADD the following:

Unit Bid prices for Crack Seal, Removal of Humps, Traffic Detector Loop, Traffic Conduit Stub, Raise Appurtenance to Grade, and Inlet Markers shall not be subject to adjustment regardless of quantity used or if none are used.

SECTION 4 - CONTROL OF MATERIALS

4-1.3.6 **Preapproved Materials.** To the City Supplement, ADD the following:

- 3. You shall submit in writing a list of all products to be incorporated in the Work that are on the AML.

ADD:

4-1.3.7 **Testing under the direction of the Engineer.** When a bid item for Testing under the direction of the Engineer is provided, the Contractor must employ and pay for the services of a qualified third party independent laboratory to perform the required testing. The Contractor will be reimbursed for the cost of testing under this bid item.

4-1.6 Trade Names or Equals. ADD the following:

You must submit your list of proposed substitutions for “an equal” (“or equal”) item(s) **no later than 5 Working Days after the determination of the Apparent Low Bidder** and on the City’s Product Submittal Form available at.

<http://www.sandiego.gov/publicworks/edocref/index.shtml>

SECTION 7 - RESPONSIBILITIES OF THE CONTRACTOR

7-3 LIABILITY INSURANCE. DELETE in its entirety and SUBSTITUTE with the following:

The insurance provisions herein must not be construed to limit your indemnity obligations contained in the Contract.

7-3.1 Policies and Procedures.

1. You must procure the insurance described below, at its sole cost and expense, to provide coverage against claims for loss including injuries to persons or damage to property, which may arise out of or in connection with the performance of the Work by you, your agents, representatives, officers, employees or Subcontractors.
2. Insurance coverage for property damage resulting from your operations is on a replacement cost valuation. The market value will not be accepted.
3. You must maintain this insurance for the duration of this contract and at all times thereafter when you are correcting, removing, or replacing Work in accordance with this contract. Your liabilities under the Contract, e.g., your indemnity obligations, is not deemed limited to the insurance coverage required by this contract.
4. Payment for insurance is included in the various items of Work as bid by you, and except as specifically agreed to by the City in writing, you are not entitled to any additional payment. Do not begin any work under this contract until you have provided and the City has approved all required insurance.
5. Policies of insurance must provide that the City is entitled to 30 days (10 days for cancellation due to non-payment of premium) prior written notice of cancellation or non-renewal of the policy. Maintenance of specified insurance coverage is a material element of the Contract. Your failure to maintain or renew coverage or to provide evidence of renewal during the term of the Contract may be treated by the City as a material breach of the Contract.

7-3.2 Types of Insurance.

7-3.2.1 Commercial General Liability Insurance.

1. Commercial General Liability Insurance must be written on the current version of the ISO Occurrence form CG 00 01 07 98 or an equivalent form providing coverage at least as broad.
2. The policy must cover liability arising from premises and operations, XCU (explosions, underground, and collapse), independent contractors, products/completed operations, personal injury and advertising injury, bodily injury, property damage, and liability assumed under an insured's contract (including the tort liability of another assumed in a business contract).
3. There must be no endorsement or modification limiting the scope of coverage for either "insured vs. insured" claims or contractual liability. You must maintain the same or equivalent insurance for at least 10 years following completion of the Work.
4. All costs of defense must be outside the policy limits. Policy coverage must be in liability limits of not less than the following:

<u>General Annual Aggregate Limit</u>	<u>Limits of Liability</u>
Other than Products/Completed Operations	\$2,000,000
Products/Completed Operations Aggregate Limit	\$2,000,000
Personal Injury Limit	\$1,000,000
Each Occurrence	\$1,000,000

7-3.2.2 Commercial Automobile Liability Insurance.

1. You must provide a policy or policies of Commercial Automobile Liability Insurance written on the current version of the ISO form CA 00 01 12 90 or later version or equivalent form providing coverage at least as broad in the amount of \$1,000,000 combined single limit per accident, covering bodily injury and property damage for owned, non-owned, and hired automobiles ("Any Auto").
2. All costs of defense must be outside the limits of the policy.

7-3.3 Rating Requirements. Except for the State Compensation Insurance Fund, all insurance required by this contract as described herein must be carried only by responsible insurance companies with a rating of, or equivalent to, at least "A-, VI" by A.M. Best Company, that are authorized by the California Insurance Commissioner to do business in the State, and that have been approved by the City.

7-3.3.1 Non-Admitted Carriers. The City will accept insurance provided by non-admitted, "surplus lines" carriers only if the carrier is authorized to do business in the State and is included on the List of Approved Surplus Lines Insurers (LASLI list).

All policies of insurance carried by non-admitted carriers must be subject to all of the requirements for policies of insurance provided by admitted carriers described herein.

7-3.4 Evidence of Insurance. Furnish to the City documents e.g., certificates of insurance and endorsements evidencing the insurance required herein, and furnish renewal documentation prior to expiration of this insurance. Each required document must be signed by the insurer or a person authorized by the insurer to bind coverage on its behalf. We reserve the right to require complete, certified copies of all insurance policies required herein.

7-3.5 Policy Endorsements.

7-3.5.1 Commercial General Liability Insurance

7-3.5.1.1 Additional Insured.

- a) You must provide at your expense policy endorsement written on the current version of the ISO Occurrence form CG 20 10 11 85 or an equivalent form providing coverage at least as broad.
- b) To the fullest extent allowed by law e.g., California Insurance Code §11580.04, the policy must be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured.
- c) The additional insured coverage for projects for which the Engineer's Estimate is \$1,000,000 or more must include liability arising out of: (a) Ongoing operations performed by you or on your behalf, (b) your products, (c) your work, e.g., your completed operations performed by you or on your behalf, or (d) premises owned, leased, controlled, or used by you.
- d) The additional insured coverage for projects for which the Engineer's Estimate is less than \$1,000,000 must include liability arising out of: (a) Ongoing operations performed by you or on your behalf, (b) your products, or (c) premises owned, leased, controlled, or used by you.

7-3.5.1.2 Primary and Non-Contributory Coverage. The policy must be endorsed to provide that the coverage with respect to operations, including the completed operations, if appropriate, of the Named Insured is primary to any insurance or self-insurance of the City and its elected officials, officers, employees, agents and representatives. Further, it must provide that any insurance maintained by the City and its elected officials, officers, employees, agents and representatives must be in excess of your insurance and must not contribute to it.

7-3.5.1.3 Project General Aggregate Limit.

The policy or policies must be endorsed to provide a Designated Construction Project General Aggregate Limit that will apply only to the Work. Only claims payments which arise from the Work must reduce the Designated Construction Project General Aggregate Limit. The Designated Construction Project General Aggregate Limit must be in addition to the aggregate limit provided for the products-completed operations hazard.

7-3.5.2 Commercial Automobile Liability Insurance.

7-3.5.2.1 Additional Insured. Unless the policy or policies of Commercial Auto Liability Insurance are written on an ISO form CA 00 01 12 90 or a later version of this form or equivalent form providing coverage at least as broad, the policy must be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured, with respect to liability arising out of automobiles owned, leased, hired or borrowed by you or on your behalf. This endorsement is limited to the obligations permitted by California Insurance Code §11580.04.

7-3.6 Deductibles and Self-Insured Retentions. You must pay for all deductibles and self-insured retentions. You must disclose deductibles and self-insured retentions to the City at the time the evidence of insurance is provided.

7-3.7 Reservation of Rights. The City reserves the right, from time to time, to review your insurance coverage, limits, deductibles and self-insured retentions to determine if they are acceptable to the City. The City will reimburse you, without overhead, profit, or any other markup, for the cost of additional premium for any coverage requested by the Engineer but not required by this contract.

7-3.8 Notice of Changes to Insurance. You must notify the City 30 days prior to any material change to the policies of insurance provided under this contract.

7-3.9 Excess Insurance. Policies providing excess coverage must follow the form of the primary policy or policies e.g., all endorsements.

7-4 WORKERS' COMPENSATION INSURANCE. DELETE in its entirety and SUBSTITUTE with the following:

7-4.1 Workers' Compensation Insurance and Employers Liability Insurance.

1. In accordance with the provisions of §3700 of the California Labor Code, you must provide at your expense Workers' Compensation Insurance and Employers Liability Insurance to protect you against all claims under applicable state workers compensation laws. The City, its elected officials, and employees will not be responsible for any claims in law or equity occasioned by your failure to comply with the requirements of this section.
2. Limits for this insurance must be not less than the following:

<u>Workers' Compensation</u>	<u>Statutory Employers Liability</u>
Bodily Injury by Accident	\$1,000,000 each accident
Bodily Injury by Disease	\$1,000,000 each employee
Bodily Injury by Disease	\$1,000,000 policy limit

3. By signing and returning the Contract you certify that you are aware of the provisions of §3700 of the Labor Code which require every employer to be insured against liability for worker's compensation or to undertake self-insurance in accordance with the provisions of that code and you must comply with such

provisions before commencing the Work as required by §1861 of the California Labor Code.

7-4.1.1 Waiver of Subrogation.

The policy or policies must be endorsed to provide that the insurer will waive all rights of subrogation against the City, and its respective elected officials, officers, employees, agents, and representatives for losses paid under the terms of the policy or policies and which arise from work performed by the Named Insured for the City.

7-8.6 Water Pollution Control. ADD the following:

1. Based on a preliminary assessment by the City, the Contract is subject to WPCP.

7-9.1 Video Recording of Existing Conditions. To the City Supplement, ADD the following:

In slurry seal or asphalt overlay contracts, the purpose of the video recording of the pre-existing Site conditions is to document the minimum traffic striping, markings, markers, and traffic control devices (delineators or “safe-hits”) for which the Contractor shall be responsible to replace.

7-10.2.5 Traffic Control Signs and Notices for Resurfacing and Slurry Sealing. To the first paragraph of the City Supplement ADD the following:

For slurry seal contracts, the “NO PARKING – TOW-AWAY ZONE” shall include “NO DRIVING” on streets that are closed to all traffic during construction. For each street segment, in addition to resurfacing and slurry sealing, the Contractor shall post “NO PARKING” signs for any required preparatory work such as, but not limited to, asphalt pavement repair (mill & pave), crack seal, and tree trimming.

7-10.5.3 Steel Plate Covers. Table 7-10.5.3(A), REVISE the plate thickness for 5’-3” trench width to read 1 ¾”.

7-10.6 Temporary Project Signs. To the City Supplement, DELETE in its entirety.

7-15 INDEMNIFICATION AND HOLD HARMLESS AGREEMENT. To the City Supplement, fourth paragraph, last sentence, DELETE in its entirety and SUBSTITUTE with the following:

Your duty to indemnify and hold harmless does not include any claims or liability arising from the established active or sole negligence, or willful misconduct of the City, its officers, or employees.

7-16 **COMMUNITY LIASON.** To the City Supplement, DELETE in its entirety and SUBBTITUTE with the following:

ADD:

7-16 **COMMUNITY OUTREACH.**

7-16.1 **General.**

1. To ensure consistency with the City's community outreach plan for the project, the City will work with the Contractor to inform the public (which includes, but is not limited to, property owners, renters, homeowners, business owners, recreational users, and other community members and stakeholders) of construction impacts. Efforts by the Contractor to mitigate construction impacts by communicating with the public require close coordination and cooperation with the City.
2. The Contractor will perform the community outreach activities required throughout the Contract Time.
3. The Contractor shall closely coordinate the Work with the businesses, institutions, residents and property owners impacted by the Project. Example duties of the Contractor include notification to the businesses, institutions and residents of the commencement of construction activities not less than 5 days in advance, coordination of access for vehicular and pedestrian traffic to businesses, institutions and residences impacted by the Project, reporting of Contractor activities at all Project progress meetings scheduled by the Engineer, attendance to the Project Pre-construction Meeting, attendance at 2 community meetings, response to community questions and complaints related to Contractor activities, and written documentation including logging in all inquiries and complaints received into the City's Public Contact Log located on the City's SDSHare site:

<http://sdshare/forums/ecp/PITS/picr/Lists/Public%20Contact%20Log/AllItems.aspx>.

4. The Contractor shall execute the Information Security Policy Acknowledgement Form - For Non-City Employees within 15 days of the award of the Contract if:
 - a) The contact information for the Contractor is made available on any outreach materials or;
 - b) The Contractor will be the primary point of contact to resolve project related inquiries and complaints.
5. Electronic Communication.

All inquiries and complaints will be logged in to the City's SDSHare site within 24 hours of receipt of inquiries and complaints.

Any updates or a resolution of inquiries, and complaints shall be documented in the City's SDSHare site within 24 hours.

Copies of email communications shall be saved on to the City's SDSHare site as individually as an Outlook Message Format (*.msg).

All graphics, photos, and other electronic files associated with the inquiries and or complaints shall be saved into the individual record.

6. **When specified**, present your Exclusive Community Liaison to the Engineer, in writing, within 15 days of the award of the Contract.

7-16.2 Submittals.

1. The Contractor shall submit to the Resident Engineer, for review and approval, all drafts of letters, notices, postcards, door hangers, signs, mailing lists, proposed addresses for hand-delivery, and any other notices and letters that are to be mailed and or distributed to the public.
 - a. Prior to distributing or mailing, the Contractor shall submit final drafts of letters, notices, postcards, door hangers, signs, and any other notices and letters to the Resident Engineer for final review and approval.
 - b. After distributing or mailing, the Contractor shall submit verification of delivery and any copies of returned notices to the Resident Engineer.
2. The Contractor will use the City's SDSHare site to identify and summarize communications (via phone, in person, and email) with the public the within 24 hours of receipt, even if the Contractor's response to the individual is still incomplete. The Contractor will upload to the City's SDSHare site copies of all written, electronic, and verbal communications and conversations with the public.

7-16.3 Public Notice by Contractor.

1. Furnish and distribute public notices in the form of door hangers using the City's format to all occupants and/or property owners along streets where Work is to be performed at least 5 days before starting the Work as directed by the Resident Engineer.
2. For all Work on private property, contact each owner and occupant individually a minimum of 15 days prior to the Work. If the Work has been delayed, re-notify owners and occupants of the new Work schedule, as directed by the Resident Engineer.

7-16.4**Quality Assurance.**

1. During the course of community outreach, the Contractor shall ensure the character of all persons that conduct community outreach (distributing door hangers, attending community meetings, interacting with the public, etc.), on behalf of the Contractor:
 - a. Have the ability to speak and comprehend English and/or Spanish, as appropriate for the community or public they are informing,
 - b. Possess and display easily verifiable and readable personal identification that identifies the person as an employee of the Contractor,
 - c. Have the interpersonal skills to effectively, professionally, and tactfully represent the project, Contractor, and City to the public.

7-16.5**Communications with the Public.**

1. The Contractor shall provide updates on construction impacts to the Resident Engineer. The Contractor shall notify the Resident Engineer in advance about time-sensitive construction impacts and may be required to distribute construction impact notices to the public on short notice.
2. The Contractor shall incorporate community outreach activities related to construction impacts in the baseline schedule and update the Resident Engineer with each week's submittal of the Three-Week Look Ahead Schedule.
3. At the request of the Resident Engineer, the Contractor shall attend and participate in project briefings at community meetings.
4. The Contractor shall coordinate with the Resident Engineer on all responses and actions taken to address public inquiries and complaints within 24-hours that they are received.

7-16.6**Communications with Media.**

1. The City may allow members of the media access to its construction site(s) on a case-by-case basis only.
2. Occasionally, members of the media may show up at construction sites, uninvited. Members of the media (including, but not limited to newspaper, magazine, radio, television, bloggers, and videographers) do not have the legal right to be in the construction site without the City's permission.
3. In the event media representatives arrive near or on the construction site(s), the Contractor shall keep them off the site(s), in a courteous and professional manner, until a Public Information Officer is available to meet them at an approved location.

4. The Contractor shall report all members of the media visits to the Resident Engineer as quickly as possible, so that the City's Public Information Officer can meet with the members of the media at the construction site(s).
5. If the City allows members of the media to access a construction site, the Contractor shall allow the City to escort the media representatives while they are on the construction site and shall ensure their safety.
6. The Contractor shall require media representatives to sign in and out of the Site Visitor Log and to use Personal Protective Equipment.
7. The Contractor has a right to speak to members of the media about its company and its role on the project. All other questions shall be referred to the City.

7-16.7 Exclusive Community Liaison Services.

If directed to conduct Exclusive Community Liaison Services, the Contractor shall retain an Exclusive Community Liaison for the Project whose sole responsibilities will be as follows:

1. Develop a contact list of community, tenants, property owners, and agencies with a stake in the project.
2. Notify businesses, institutions, property owners, and residents of the commencement of construction activities and utility service interruptions not less than 5 days in advance.
3. Coordinate access for vehicular and pedestrian traffic to businesses, institutions and residences impacted by the Project.
4. Prepare and present of materials in coordination with the Resident Engineer (the City's standards and guidelines for the communication materials are available for review by Bidders by sending a request to the Contract Specialist).
5. Respond to community questions and complaints related to Contractor activities.
6. Write, edit, update, or produce brochures, pamphlets and news releases.
7. Provide standard telephone inquiries and e-mail responses:
 - a) Respond to telephone calls and e-mails from the public.
 - b) Record calls and e-mails on the City's SDSshare site.
8. Report Exclusive Community Liaison activities at all progress meetings scheduled by the Resident Engineer.
9. Attendance at pre-construction, community and stakeholders meetings.

7-16.7.1 Exclusive Community Liaison Work Plan. The Work plan for the Exclusive Community Liaison shall address the items of Work specified in these specifications. Present your Exclusive Community Liaison and submit your exclusive community outreach plan (in writing) **as specified** within 15 days of the Award of the Contract.

7-16.8 Payment. The Payment for the community outreach and public notices is included in the various Bid items. The payment for exclusive community liaison is in the bid item for "Exclusive Community Liaison Services" when provided as a separate Bid item." If no Bid item has been provided the payment is included in the various Bid items.

7-20 ELECTRONIC COMMUNICATION. ADD the following:

Virtual Project Manager will be used on this contract.

SECTION 8 - FACILITIES FOR AGENCY PERSONNEL

8-2 FIELD OFFICE FACILITIES. To the City Supplement, DELETE in its entirety.

SECTION 9 - MEASUREMENT AND PAYMENT

9-3.2.5 Withholding of Payment. To the City Supplement, item i), DELETE in its entirety and SUBSTITUTE with the following:

- i) Your failure to comply with 7-2.3, "PAYROLL RECORDS" and 2-16, "CONTRACTOR REGISTRATION AND ELECTRONIC REPORTING SYSTEM."

**ADD:
9-3.7**

Compensation Adjustments for Price Index Fluctuations. This Contract is subject to the provisions of The WHITEBOOK for Compensation Adjustments for Price Index Fluctuations for the paving asphalt.

SECTION 203 – BITUMINOUS MATERIALS

203-15 RUBBER POLYMER MODIFIED SLURRY (RPMS). To the City Supplement, CORRECT section numbering as follows:

OLD SECTION NUMBER	TITLE	NEW SECTION NUMBER
203-15	RUBBER POLYMER MODIFIED SLURRY (RPMS)	203-16
203-15.1	General	203-16.1
203-15.2	Materials	203-16.2
203-15.3	Composition and Grading	203-16.3

OLD SECTION NUMBER	TITLE	NEW SECTION NUMBER
203-15.4	Mix Design	203-16.4

ADD the following:

RPMS shall be used on this contract.

SECTION 214 – TRAFFIC STRIPING, CURB AND PAVEMENT MARKINGS, AND PAVEMENT MARKERS

214-1 GENERAL. ADD the following:

Materials for traffic striping, pavement markers, pavement markings, and devices for this contract shall be in accordance with the Standard Specifications, State of California, Business, Transportation and Housing Agency, Department of Transportation, 2010 edition and the current MUTCD. Pertinent SUPPLEMENTARY SPECIAL PROVISIONS can be found in the Contract Appendix.

SECTION 301 – TREATED SOIL, SUBGRADE PREPARATION, AND PLACEMENT OF BASE MATERIALS

301-1.7 Payment. To the City Supplement, DELETE the first paragraph and SUBSTITUTE the following:

Payment for raising appurtenance to grade, including manhole, valve and monument cover, or monument, shall be made at the Contract unit price for each appurtenance raised.

301-3.3.6 Measurement and Payment of Cement-Treated Base (CTB). To the Green Book and City Supplement,, DELETE in its entirety and SUBSTITUTE the following:

Payment for Cement-Treated Base, regardless of quantity placed, will be considered as included in the Bid item of work for which the CTB is used.

SECTION 302 – ROADWAY SURFACING

302-1.1 General. ADD the following:

The outside edges of the milled pavement may have a radius transition on the sides parallel to the cutting drum.

The presence of pavement fabric, concrete, rubberized material or steel reinforcement within the depth to be cold milled have not been noted.

- 302-1.6 Cold Milling of Composite Pavements.** ADD the following:
The areas and depths of composite pavement to be cold milled, sawn or cut have not been identified.
- 302-1.9 Traffic Signal Loop Detectors.** To the City Supplement paragraph 4, ADD the following:
“Q” loops may be required at bicycle lanes.
- 302-1.12 Payment.** To the City Supplements, ADD the following:
4. No additional payment shall be made for milling, grinding, or saw cutting PCC or other material.
- 302-3 PREPARATORY REPAIR WORK.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:
- 302-3 PREPARATORY REPAIR WORK.**
1. Prior to roadway resurfacing or the application of slurry, the Contractor shall complete all necessary preparation and repair work to the road segment including, but not limited to tree trimming, weed spray, weed abatement, crack sealing, asphalt repair, hump removal, miscellaneous asphalt patching, raising appurtenances to grade, removal of raised pavement markers, removal of pavement markings, etc. and as specified in the Special Provisions.
 2. The Contractor shall repair areas of distressed asphalt concrete pavement by milling, grinding, saw cutting to remove damaged areas of pavement to a minimum depth of 2” to expose firm and unyielding pavement. The Contractor shall prepare subgrade as needed and install a minimum of 2” of compacted asphalt concrete pavement over compacted native material as directed by the Engineer. The minimum repair area shall be 2’ by 4’. Most areas of damaged asphalt have been marked out in the field as “MP” or “DO” (mill & pave or digout). Edges of milled areas shall be cut cleanly. Material removed, regardless of removal method, shall be disposed of at a legal site. Base repairs shall not exceed 20% RAP in content.
 3. If, in order to achieve the minimum specified depth, the base material is exposed, then the material shall be compacted to 95% relative compaction to a depth 10” below the finished grade (dig out). Compaction tests shall be made to ensure compliance with the specifications. The Engineer will determine when and where the test will occur. The City will pay for the soils testing required by the Engineer, which meets the required compaction. The Contractor shall reimburse the City for the cost of retesting failing compaction tests. If additional base material is required, then the Contractor shall use Class 2 Aggregate Base in accordance with 200-2.2, “Crushed Aggregate Base” And the base material shall be prepared conforming to 301-1, “Subgrade Preparation.”
 4. Recycled base material shall conform to Crushed Miscellaneous Base Material in accordance with 200-2.4, “Crushed Miscellaneous Aggregate Base.”

5. Prior to replacing asphalt, the area shall be cleaned by removing all loose and damaged material, moisture, dirt, and other foreign matter and shall be tack coated in accordance with 302-5.4 "Tack Coat."
6. The Contractor shall install new asphalt within the repair area or for patches in accordance with 302-5, "ASPHALT CONCRETE PAVEMENT." Asphalt concrete shall be C2-PG 64-10 in compliance with 400-4, "ASPHALT CONCRETE."
7. No preparatory asphalt work shall be done when the atmospheric temperature is below 50 °F or during unsuitable weather.
8. Following the asphalt placement, the Contractor shall roll the entire area of new asphalt in both directions at least twice. The finished patch shall be level and smooth in compliance with 302-5.6.2 "Density and Smoothness." After placement and compaction of the asphalt patch, the Contractor shall seal all finished edges with a 4" wide continuous band of SS-1H.

302-3.1 Asphalt Patching.

1. Asphalt patching shall consist of patching potholes, gutter-line erosion, and other low spots in the pavement that are deeper than ½" per 302-5.6.2, "Density and Smoothness." These areas are generally smaller and more isolated than those areas in need of mill and pave.
2. The areas requiring patching have not been identified in the Contract Documents, nor marked on the street. The Contractor and/or Engineer shall identify any new areas that may require patching prior to slurry work to ensure the smoothness and quality of the finished product.

302-3.2 Measurement and Payment.

1. The areas and quantities shown on the road segments and in appendices are given only for the Contractor's aid in planning the Work and preparing Bids. The Engineer will designate the limits to be removed and these designated areas shall be considered to take precedent over the area shown in an Appendix to the Contract Documents. The quantities shown in the appendices are based on a street assessment survey and may vary.
2. At the end of each day, the Contractor shall submit to the Engineer an itemized list of the asphalt pavement repair work completed. The list shall include the location of the work and the exact square footage of the repair, and the tons of asphalt concrete placed.
3. Asphalt pavement repair, including both mill & paves and base repair dig outs, shall be paid at the Contract unit price per ton for Asphalt Pavement Repair.
4. Milling, grinding and saw cutting shall be included in the Bid item for Asphalt Pavement Repair and no additional payment shall be made for milling, grinding, or saw cutting PCC or other material.

5. Payment for miscellaneous asphalt patching, tack coat, and base material shall be included in the Contract unit price for Asphalt Pavement Repair and no additional payment shall be made therefore regardless of number and location of patches or reasonable quantity of base material.

302-4.12.4 Measurement and Payment. To the City Supplement second paragraph, ADD the following:

The Unit Bid price for RPMS shall include additional sweepings post slurry seal application regardless of number and no additional payment shall be made for sweeping.

302-5.1.1 Damaged AC Pavement Replacement. To the City Supplement, DELETE in its entirety.

302-5.1.2 Measurement and Payment. To the City Supplement, DELETE in its entirety.

302-14.5 Payment. To the City Supplement, DELETE in its entirety and SUBSTITUTE the following:

Crack seal installed will be paid at the Contract unit price per linear foot for Crack Seal.

SECTION 314 – TRAFFIC STRIPING, CURB AND PAVEMENT MARKINGS, AND PAVEMENT MARKERS

314-1 GENERAL. ADD the following:

Methods for traffic striping, pavement markers, pavement markings, and devices for this contract shall be in accordance with the Standard Specifications, State of California, Business, Transportation and Housing Agency, Department of Transportation, 2010 edition and the current MUTCD. Pertinent SUPPLEMENTARY SPECIAL PROVISIONS can be found in the Contract Appendix.

SECTION 701 – WATER POLLUTION CONTROL

701-11 POST-CONSTRUCTION REQUIREMENTS. To the City Supplement, second paragraph, ADD the following:

Comply with the following post-construction requirements:

Install inlet markers.

END OF SUPPLEMENTARY SPECIAL PROVISIONS (SSP)

SUPPLEMENTARY SPECIAL PROVISIONS

APPENDICES

APPENDIX A
FIRE HYDRANT METER PROGRAM

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 1 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

1. **PURPOSE**

- 1.1 To establish a Departmental policy and procedure for issuance, proper usage and charges for fire hydrant meters.

2. **AUTHORITY**

- 2.1 All authorities and references shall be current versions and revisions.
- 2.2 San Diego Municipal Code (NC) Chapter VI, Article 7, Sections 67.14 and 67.15
- 2.3 Code of Federal Regulations, Safe Drinking Water Act of 1986
- 2.4 California Code of Regulations, Titles 17 and 22
- 2.5 California State Penal Code, Section 498B.0
- 2.6 State of California Water Code, Section 110, 500-6, and 520-23
- 2.7 Water Department Director

Reference

- 2.8 State of California Guidance Manual for Cross Connection Programs
- 2.9 American Water Works Association Manual M-14, Recommended Practice for Backflow Prevention
- 2.10 American Water Works Association Standards for Water Meters
- 2.11 U.S.C. Foundation for Cross Connection Control and Hydraulic Research Manual

3. **DEFINITIONS**

- 3.1 **Fire Hydrant Meter:** A portable water meter which is connected to a fire hydrant for the purpose of temporary use. (These meters are sometimes referred to as Construction Meters.)

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 2 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

3.2 **Temporary Water Use:** Water provided to the customer for no longer than twelve (12) months.

3.3 **Backflow Preventor:** A Reduced Pressure Principal Assembly connected to the outlet side of a Fire Hydrant Meter.

4. **POLICY**

4.1 The Water Department shall collect a deposit from every customer requiring a fire hydrant meter and appurtenances prior to providing the meter and appurtenances (see Section 7.1 regarding the Fees and Deposit Schedule). The deposit is refundable upon the termination of use and return of equipment and appurtenances in good working condition.

4.2 Fire hydrant meters will have a 2 ½" swivel connection between the meter and fire hydrant. The meter shall not be connected to the 4" port on the hydrant. All Fire Hydrant Meters issued shall have a Reduced Pressure Principle Assembly (RP) as part of the installation. Spanner wrenches are the only tool allowed to turn on water at the fire hydrant.

4.3 The use of private hydrant meters on City hydrants is prohibited, with exceptions as noted below. All private fire hydrant meters are to be phased out of the City of San Diego. All customers who wish to continue to use their own fire hydrant meters must adhere to the following conditions:

a. Meters shall meet all City specifications and American Water Works Association (AWWA) standards.

b. Customers currently using private fire hydrant meters in the City of San Diego water system will be allowed to continue using the meter under the following conditions:

1. The customer must submit a current certificate of accuracy and calibration results for private meters and private backflows annually to the City of San Diego, Water Department, Meter Shop.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 3 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

2. The meter must be properly identifiable with a clearly labeled serial number on the body of the fire hydrant meter. The serial number shall be plainly stamped on the register lid and the main casing. Serial numbers shall be visible from the top of the meter casing and the numbers shall be stamped on the top of the inlet casing flange.
3. All meters shall be locked to the fire hydrant by the Water Department, Meter Section (see Section 4.7).
4. All meters shall be read by the Water Department, Meter Section (see Section 4.7).
5. All meters shall be relocated by the Water Department, Meter Section (see Section 4.7).
6. These meters shall be tested on the anniversary of the original test date and proof of testing will be submitted to the Water Department, Meter Shop, on a yearly basis. If not tested, the meter will not be allowed for use in the City of San Diego.
7. All private fire hydrant meters shall have backflow devices attached when installed.
8. The customer must maintain and repair their own private meters and private backflows.
9. The customer must provide current test and calibration results to the Water Department, Meter Shop after any repairs.
10. When private meters are damaged beyond repair, these private meters will be replaced by City owned fire hydrant meters.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 4 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

11. When a private meter malfunctions, the customer will be notified and the meter will be removed by the City and returned to the customer for repairs. Testing and calibration results shall be given to the City prior to any re-installation.
 12. The register shall be hermetically sealed straight reading and shall be readable from the inlet side. Registration shall be in hundred cubic feet.
 13. The outlet shall have a 2 ½ "National Standards Tested (NST) fire hydrant male coupling.
 14. Private fire hydrant meters shall not be transferable from one contracting company to another (i.e. if a company goes out of business or is bought out by another company).
- 4.4 All fire hydrant meters and appurtenances shall be installed, relocated and removed by the City of San Diego, Water Department. All City owned fire hydrant meters and appurtenances shall be maintained by the City of San Diego, Water Department, Meter Services.
- 4.5 If any fire hydrant meter is used in violation of this Department Instruction, the violation will be reported to the Code Compliance Section for investigation and appropriate action. Any customer using a fire hydrant meter in violation of the requirements set forth above is subject to fines or penalties pursuant to the Municipal Code, Section 67.15 and Section 67.37.
- 4.6 **Conditions and Processes for Issuance of a Fire Hydrant Meter**
- Process for Issuance
- a. Fire hydrant meters shall only be used for the following purposes:
 1. Temporary irrigation purposes not to exceed one year.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 5 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

2. Construction and maintenance related activities (see Tab 2).
 - b. No customer inside or outside the boundaries of the City of San Diego Water Department shall resell any portion of the water delivered through a fire hydrant by the City of San Diego Water Department.
 - c. The City of San Diego allows for the issuance of a temporary fire hydrant meter for a period not to exceed 12 months (365 days). An extension can only be granted in writing from the Water Department Director for up to 90 additional days. A written request for an extension by the consumer must be submitted at least 30 days prior to the 12 month period ending. No extension shall be granted to any customer with a delinquent account with the Water Department. No further extensions shall be granted.
 - d. Any customer requesting the issuance of a fire hydrant meter shall file an application with the Meter Section. The customer must complete a "Fire Hydrant Meter Application" (Tab 1) which includes the name of the company, the party responsible for payment, Social Security number and/or California ID, requested location of the meter (a detailed map signifying an exact location), local contact person, local phone number, a contractor's license (or a business license), description of specific water use, duration of use at the site and full name and address of the person responsible for payment.
 - e. At the time of the application the customer will pay their fees according to the schedule set forth in the Rate Book of Fees and Charges, located in the City Clerk's Office. All fees must be paid by check, money order or cashiers check, made payable to the City Treasurer. Cash will not be accepted.
 - f. No fire hydrant meters shall be furnished or relocated for any customer with a delinquent account with the Water Department.
 - g. After the fees have been paid and an account has been created, the

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 6 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

meter shall be installed within 48 hours (by the second business day). For an additional fee, at overtime rates, meters can be installed within 24 hours (within one business day).

4.7 Relocation of Existing Fire Hydrant Meters

- a. The customer shall call the Fire Hydrant Meter Hotline (herein referred to as "Hotline"), a minimum of 24 hours in advance, to request the relocation of a meter. A fee will be charged to the existing account, which must be current before a work order is generated for the meter's relocation.
- b. The customer will supply in writing the address where the meter is to be relocated (map page, cross street, etc). The customer must update the original Fire Hydrant Meter Application with any changes as it applies to the new location.
- c. Fire hydrant meters shall be read on a monthly basis. While fire hydrant meters and backflow devices are in service, commodity, base fee and damage charges, if applicable, will be billed to the customer on a monthly basis. If the account becomes delinquent, the meter will be removed.

4.8 Disconnection of Fire Hydrant Meter

- a. After ten (10) months a "Notice of Discontinuation of Service" (Tab 3) will be issued to the site and the address of record to notify the customer of the date of discontinuance of service. An extension can only be granted in writing from the Water Department Director for up to 90 additional days (as stated in Section 4.6C) and a copy of the extension shall be forwarded to the Meter Shop Supervisor. If an extension has not been approved, the meter will be removed after twelve (12) months of use.
- b. Upon completion of the project the customer will notify the Meter Services office via the Hotline to request the removal of the fire hydrant meter and appurtenances. A work order will be generated

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 7 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

for removal of the meter.

- c. Meter Section staff will remove the meter and backflow prevention assembly and return it to the Meter Shop. Once returned to the Meter Shop the meter and backflow will be tested for accuracy and functionality.
- d. Meter Section Staff will contact and notify Customer Services of the final read and any charges resulting from damages to the meter and backflow or its appurtenance. These charges will be added on the customer's final bill and will be sent to the address of record. Any customer who has an outstanding balance will not receive additional meters.
- e. Outstanding balances due may be deducted from deposits and any balances refunded to the customer. Any outstanding balances will be turned over to the City Treasurer for collection. Outstanding balances may also be transferred to any other existing accounts.

5. **EXCEPTIONS**

- 5.1 Any request for exceptions to this policy shall be presented, in writing, to the Customer Support Deputy Director, or his/her designee for consideration.

6. **MOBILE METER**

- 6.1 Mobile meters will be allowed on a case by case basis. All mobile meters will be protected by an approved backflow assembly and the minimum requirement will be a Reduced Pressure Principal Assembly. The two types of Mobile Meters are vehicle mounted and floating meters. Each style of meters has separate guidelines that shall be followed for the customer to retain service and are described below:
 - a) **Vehicle Mounted Meters:** Customer applies for and receives a City owned Fire Hydrant Meter from the Meter Shop. The customer mounts the meter on the vehicle and brings it to the Meter Shop for

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 8 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

inspection. After installation is approved by the Meter Shop the vehicle and meter shall be brought to the Meter Shop on a monthly basis for meter reading and on a quarterly basis for testing of the backflow assembly. Meters mounted at the owner's expense shall have the one year contract expiration waived and shall have meter or backflow changed if either fails.

b) **Floating Meters:** Floating Meters are meters that are not mounted to a vehicle. **(Note: All floating meters shall have an approved backflow assembly attached.)** The customer shall submit an application and a letter explaining the need for a floating meter to the Meter Shop. The Fire Hydrant Meter Administrator, after a thorough review of the needs of the customer, (i.e. number of jobsites per day, City contract work, lack of mounting area on work vehicle, etc.), may issue a floating meter. At the time of issue, it will be necessary for the customer to complete and sign the "Floating Fire Hydrant Meter Agreement" which states the following:

- 1) The meter will be brought to the Meter Shop at 2797 Caminito Chollas, San Diego on the third week of each month for the monthly read by Meter Shop personnel.
- 2) Every other month the meter will be read and the backflow will be tested. This date will be determined by the start date of the agreement.

If any of the conditions stated above are not met the Meter Shop has the right to cancel the contract for floating meter use and close the account associated with the meter. The Meter Shop will also exercise the right to refuse the issuance of another floating meter to the company in question.

Any Fire Hydrant Meter using reclaimed water shall not be allowed use again with any potable water supply. The customer shall incur the cost of replacing the meter and backflow device in this instance.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 9 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

7. **FEE AND DEPOSIT SCHEDULES**

- 7.1 **Fees and Deposit Schedules:** The fees and deposits, as listed in the Rate Book of Fees and Charges, on file with the Office of the City Clerk, are based on actual reimbursement of costs of services performed, equipment and materials. These deposits and fees will be amended, as needed, based on actual costs. Deposits, will be refunded at the end of the use of the fire hydrant meter, upon return of equipment in good working condition and all outstanding balances on account are paid. Deposits can also be used to cover outstanding balances.

All fees for equipment, installation, testing, relocation and other costs related to this program are subject to change without prior notification. The Mayor and Council will be notified of any future changes.

8. **UNAUTHORIZED USE OF WATER FROM A HYDRANT**

- 8.1 Use of water from any fire hydrant without a properly issued and installed fire hydrant meter is theft of City property. Customers who use water for unauthorized purposes or without a City of San Diego issued meter will be prosecuted.
- 8.2 If any unauthorized connection, disconnection or relocation of a fire hydrant meter, or other connection device is made by anyone other than authorized Water Department personnel, the person making the connection will be prosecuted for a violation of San Diego Municipal Code, Section 67.15. In the case of a second offense, the customer's fire hydrant meter shall be confiscated and/or the deposit will be forfeited.
- 8.3 Unauthorized water use shall be billed to the responsible party. Water use charges shall be based on meter readings, or estimates when meter readings are not available.
- 8.4 In case of unauthorized water use, the customer shall be billed for all applicable charges as if proper authorization for the water use had been obtained, including but not limited to bi-monthly service charges, installation charges and removal charges.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 10 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

- 8.5 If damage occurs to Water Department property (i.e. fire hydrant meter, backflow, various appurtenances), the cost of repairs or replacements will be charged to the customer of record (applicant).

Water Department Director

- Tabs: 1. Fire Hydrant Meter Application
2. Construction & Maintenance Related Activities With No Return To Sewer
3. Notice of Discontinuation of Service

APPENDIX

Administering Division: Customer Support Division

Subject Index: Construction Meters
Fire Hydrant
Fire Hydrant Meter Program
Meters, Floating or Vehicle Mounted
Mobile Meter
Program, Fire Hydrant Meter

Distribution: DI Manual Holders



Application for Fire Hydrant Meter (EXHIBIT A)

(For Office Use Only)

NS REQ	FACH
DATE	BY

METER SHOP (619) 527-7449

Meter Information

Application Date	Requested Install Date:
------------------	-------------------------

Fire Hydrant Location: (Attach Detailed Map//Thomas Bros. Map Location or Construction drawing.) <u>Zip:</u>	T.B.	G.B. (CITY USE)
Specific Use of Water:		
Any Return to Sewer or Storm Drain, if so, explain:		
Estimated Duration of Meter Use: <input type="text"/>	<input type="checkbox"/>	Check Box if Reclaimed Water

Company Information

Company Name:			
Mailing Address:			
City:	State:	Zip:	Phone: ()
*Business license#		*Contractor license#	
A Copy of the Contractor's license OR Business License is required at the time of meter issuance.			
Name and Title of Billing Agent: <small>(PERSON IN ACCOUNTS PAYABLE)</small>			Phone: ()
Site Contact Name and Title:			Phone: ()
Responsible Party Name:			Title:
Cal ID#			Phone: ()
Signature:		Date:	
Guarantees Payment of all Charges Resulting from the use of this Meter. Insures that employees of this Organization understand the proper use of Fire Hydrant Meter			

Fire Hydrant Meter Removal Request	Requested Removal Date:
Provide Current Meter Location if Different from Above:	
Signature:	Title: Date:
Phone: ()	Pager: ()

<input type="checkbox"/> City Meter	<input type="checkbox"/> Private Meter
Contract Acct #:	Deposit Amount: \$ 936.00 Fees Amount: \$ 62.00
Meter Serial #	Meter Size: 05 Meter Make and Style: 6-7
Backflow #	Backflow Size: Backflow Make and Style:
Name:	Signature: Date:

WATER USES WITHOUT ANTICIPATED CHARGES FOR RETURN TO SEWER

Auto Detailing
Backfilling
Combination Cleaners (Vactors)
Compaction
Concrete Cutters
Construction Trailers
Cross Connection Testing
Dust Control
Flushing Water Mains
Hydro Blasting
Hydro Seeing
Irrigation (for establishing irrigation only; not continuing irrigation)
Mixing Concrete
Mobile Car Washing
Special Events
Street Sweeping
Water Tanks
Water Trucks
Window Washing

Note:

1. If there is any return to sewer or storm drain, then sewer and/or storm drain fees will be charges.

Date

Name of Responsible Party
Company Name and Address
Account Number: _____

Subject: Discontinuation of Fire Hydrant Meter Service

Dear Water Department Customer:

The authorization for use of Fire Hydrant Meter # _____, located at *(Meter Location Address)* ends in 60 days and will be removed on or after *(Date Authorization Expires)*. Extension requests for an additional 90 days must be submitted in writing for consideration 30 days prior to the discontinuation date. If you require an extension, please contact the Water Department, or mail your request for an extension to:

City of San Diego
Water Department
Attention: Meter Services
2797 Caminito Chollas
San Diego, CA 92105-5097

Should you have any questions regarding this matter, please call the Fire Hydrant Hotline at (619) _____ - _____.

Sincerely,

Water Department

APPENDIX B

MATERIALS TYPICALLY ACCEPTED BY CERTIFICATE OF COMPLIANCE

Materials Typically Accepted by Certificate of Compliance


1. Soil amendment
2. Fiber mulch
3. PVC or PE pipe up to 16 inch diameter
4. Stabilizing emulsion
5. Lime
6. Preformed elastomeric joint seal
7. Plain and fabric reinforced elastomeric bearing pads
8. Steel reinforced elastomeric bearing pads
9. Waterstops (Special Condition)
10. Epoxy coated bar reinforcement
11. Plain and reinforcing steel
12. Structural steel
13. Structural timber and lumber
14. Treated timber and lumber
15. Lumber and timber
16. Aluminum pipe and aluminum pipe arch
17. Corrugated steel pipe and corrugated steel pipe arch
18. Structural metal plate pipe arches and pipe arches
19. Perforated steel pipe
20. Aluminum underdrain pipe
21. Aluminum or steel entrance tapers, pipe downdrains, reducers, coupling bands and slip joints
22. Metal target plates
23. Paint (traffic striping)
24. Conductors
25. Painting of electrical equipment
26. Electrical components
27. Engineering fabric
28. Portland Cement
29. PCC admixtures
30. Minor concrete, asphalt
31. Asphalt (oil)
32. Liquid asphalt emulsion
33. Epoxy

APPENDIX C
SAMPLE CITY INVOICE

City of San Diego, Field Engineering Div., 9485 Aero Drive, SD CA 92123						Contractor's Name:					
Project Name:						Contractor's Address:					
SAP No. (WBS/IO/CC):											
City Purchase Order No.:						Contractor's Phone #:			Invoice No.		
Resident Engineer (RE):						Contractor's Fax #:			Invoice Date:		
RE Phone#:			RE Fax#:			Contact Name:			Billing Period:		
Item #	Item Description	Contract Authorization				Previous Estimate		This Estimate		Totals to Date	
		Unit	Qty	Price	Extension	%/QTY	Amount	%/QTY	Amount	%/QTY	Amount
1	2 Parallel 4" PVC C900	LF	1,380	\$34.00	\$46,920.00						
2	48" Primary Steel Casing	LF	500	\$1,000.00	\$500,000.00						
3	2 Parallel 12" Secondary Steel	LF	1,120	\$53.00	\$59,360.00						
4	Construction and Rehab of PS 49	LS	1	\$150,000.00	\$150,000.00						
5	Demo	LS	1	\$14,000.00	\$14,000.00						
6	Install 6' High Chain Link Fence	LS	1	\$5,600.00	\$5,600.00						
7	General Site Restoration	LS	1	\$3,700.00	\$3,700.00						
8	10" Gravity Sewer	LF	10	\$292.00	\$2,920.00						
9	4" Blow Off Valves	EA	2	\$9,800.00	\$19,600.00						
10	Bonds	LS	1	\$16,000.00	\$16,000.00						
11	Field Orders	AL	1	80,000	\$80,000.00						
11.1	Field Order 1	LS	5,500	\$1.00	\$5,500.00						
11.2	Field Order 2	LS	7,500	\$1.00	\$7,500.00						
11.3	Field Order 3	LS	10,000	\$1.00	\$10,000.00						
11.4	Field Order 4	LS	6,500	\$1.00	\$6,500.00						
12	Certified Payroll	LS	1	\$1,400.00	\$1,400.00						
CHANGE ORDERS											
Change Order 1			4,890								
Items 1-4					\$11,250.00						
Item 5-Deduct Bid Item 3		LF	120	-\$53.00	(\$6,360.00)						
Change Order 2			160,480								
Items 1-3					\$95,000.00						
Item 4 Deduct Bid Item 1		LF	380	-\$340.00	(\$12,920.00)						
Item 5-Increase bid Item 9		LF	8	\$9,800.00	\$78,400.00						
Change Order 3 (Close Out)			-121,500								
Item 1 Deduct Bid Item 3			53	-500.00	(\$26,500.00)						
Item 2 Deduct Bid Item 4		LS	-1	45,000.00	(\$45,000.00)						
Items 3-9			1	-50,500.00	(\$50,500.00)						
SUMMARY							Total This	\$ -	Total Billed		\$0.00
A. Original Contract Amount						Retention and/or Escrow Payment Schedule					
B. Approved Change Order 1 Thru 3						Total Retention Required as of this billing					
C. Total Authorized Amount (A+B)						Previous Retention Withheld in PO or in Escrow					
D. Total Billed to Date						Add'l Amt to Withhold in PO/Transfer in Escrow:					
E. Less Total Retention (5% of D)						Amt to Release to Contractor from PO/Escrow:					
F. Less Total Previous Payments											
G. Payment Due Less Retention						Contractor Signature and Date:					
H. Remaining Authorized Amount											

APPENDIX D
LOCATION MAP

CITY OF SAN DIEGO- STREET DIVISION
 LOCATIONS FOR SLURRY SEAL GROUP 1501



APPENDIX E
CALTRANS SPECIFICATION SSP

APPENDIX E

SUPPLEMENTARY SPECIAL PROVISIONS TO THE DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS 2010 EDITION

12-8 TEMPORARY PAVEMENT DELINEATION.

ADD:

12-8.02 MATERIAL.

Temporary pavement markers shall be Bunzl Extrusion Model T.O.M., or an approved equal. Reflective temporary pavement markers shall be two-way amber or one-way white to match existing delineation of the traffic stripe and pavement marking. Non-reflective temporary pavement markers shall be one-way white. Payment for all work, materials, labor, costs, and time associated with placing temporary markers shall be included in the unit Bid item for slurry seal (EAS, REAS, RPMS, etc.).

12-8.03 CONSTRUCTION.

Upon completion of the application of the slurry, the Contractor shall establish the alignment and installation of temporary pavement markers. The placement of the temporary markers shall be an accurate representation of the striping and markings that existed prior to the application of slurry seal.

The temporary pavement markers shall be in place prior to allowing vehicles to resume the use of the travel way.

Temporary pavement markers shall be used for traffic stripes (traffic lines), edge lanes as defined herein, on the striped edge of the lanes at gore areas that separate traffic at exit and entrance ramps, and on pavement markings.

Traffic stripes (traffic lines) are defined as longitudinal centerlines and lane lines which separate traffic lanes in the same or opposing direction of travel. Reflective temporary pavement markers shall be used on traffic stripes. Non-reflective temporary pavement markers shall be used on longitudinal edge lines that mark the edge of the traveled way.

Pavement markings are defined as transverse markings which include, but are not limited to, word and symbol markings, limit lines (stop lines), crosswalk lines, shoulder markings, parking stall markings, railroad crossing markings, speed bump and lump markings, and bike lane symbols.

The markers shall be installed in accordance with the manufacturer's installation procedure instructions.

Temporary pavement markers shall be maintained in place and clearly visible from both directions of traffic, until final traffic striping and pavement marking has been completed on each road segment. Upon completion of striping and marking of each road segment, any remaining temporary markers, located outside of a painted area or pavement marking, shall be removed by the Contractor without damage to the slurry seal.

Nothing in these specifications shall be construed as reducing the minimum standards specified in Part 6, TEMPORARY TRAFFIC CONTROL of the California MUTCD 2012 Edition, or as relieving the Contractor of responsibility as provided in Section 7-1.04, PUBLIC SAFETY of the CalTrans Standard Specifications 2010 Edition.

12-8.04 PAYMENT.

All work, materials, labor, costs, and time associated with installation and removal of temporary pavement markers shall be included in the Contract unit price for slurry seal (EAS, REAS, RPMS, etc.), if no specific bid item is provided in the bid schedule.

82 MARKERS AND DELINEATORS

82-1.04 PAYMENT. ADD the following:

Payment for delineators and other traffic control facilities not included in other bid items shall be included in the Contract lump sum price for Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices and no additional payment shall be made regardless of number installed.

84 TRAFFIC STRIPES AND PAVEMENT MARKINGS

84-1.02 MATERIALS. ADD the following:

For this contract, the glass beads shall conform to State Specification No. 8010-21C-22 (Type II).

84-1.03A General. ADD the following:

Prior to eradication of existing striping and pavement markings, the contractor shall be responsible for developing and recording control points to re-establish the existing traffic striping and pavement markings. The Contractor shall prepare and submit, for the Engineer's approval, a video recording of all existing improvements, including striping and pavement markings, with sufficient detail to re-establish the existing traffic striping and pavement markings in accordance with City Supplement Section 7-9.1.

84-1.03C Tolerances and Appearance. ADD the following:

Striping of lane lines and centerlines shall conform to the California MUTCD for the lowest speed of the right-of-way regardless of the speed for the road segment being striped.

84-1.03D Surface Preparation. ADD the following:

Existing thermoplastic markings located within the limits of the area to receive slurry seal shall be removed a maximum of 10 calendar days prior to the application of slurry by wet sandblasting or other approved methods. Dry sandblasting may be used in selected areas only with the permission of the Engineer and with approval of the air pollution control authority having jurisdiction over the area in which the work will be performed. Temporary pavement markers shall be installed at all limit lines, crosswalks, and lane lines to ensure safe traffic operations.

84-1.03E Application of Stripes and Markings. ADD the following:

All crosswalk lines, limit lines, and pavement legends (except within a bike lane) shall be thermoplastic in accordance with these Specifications. At no time shall thermoplastic pavement markings be located within designated bike lanes.

The Contractor shall install all required thermoplastic pavement markings, including limit lines, within fifteen (15) calendar days after the day on which the slurry seal is applied on a road segment. Pavement markings shall be applied after a minimum of one coat of traffic striping has been applied to ensure proper placement.

84-2.02 MATERIALS. ADD the following:

All Pavement markings shall be installed with yellow or white preformed thermoplastic, extruded thermoplastic, or spray thermoplastic. Extrude thermoplastic shall be PTH02ALKYD or equivalent and subject to approval by the Engineer. Products used must be on the State of California, Department of Transportation (Caltrans) Prequalified and Tested Signing and Delineation Materials list. The stencils or preformed pavement markings shall conform to drawings A24 A-F of the Standard Plans of the State of California Department of Transportation, 2010 Edition. Stencils shall be approved by the Engineer prior to use on the contract. Thermoplastic products must be installed in accordance with manufacturer's specifications.

84-2.04 PAYMENT. ADD the following:

All work, materials, labor, costs, and time associated with removing and applying thermoplastic pavement markings shall be included in the lump sum bid item for Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices and no additional payment shall be made regardless of number and locations installed.

84-3.02A General. ADD the following:

For this contract, paint for traffic stripes shall be State of California Department of Transportation Specification PTWB-01 for Paint, Waterborne Traffic Line, White, Yellow, and Black. Samples of paint will be collected randomly in the field for testing by the Engineer. If the paint is found to contain lead or any lead compound, the Contractor shall, at its own expense, neatly and thoroughly remove any and all lead or lead compound bearing markings (both stripes and/or pavement markings) from the road surface. Any waste material generated as a result of the aforesaid removal operation shall be considered as Hazardous Material and shall be disposed of, at the Contractor's expense, in conformance to all applicable State and Federal laws. Certification of said disposal shall be provided to the Engineer.

In the event air pollution control requirements change, the Contractor shall use a lead-free paint product that conforms to the most current State Specifications that satisfy the requirements.

84-3.03 CONSTRUCTION. ADD the following:

The first coat of paint for traffic striping shall be applied no sooner than eight (8) calendar days after the day on which slurry seal is placed on each road segment. The second coat of paint for traffic striping may be applied the same day as the first coat, if the first coat of paint is dry. If the first coat of paint is not dry, the second coat of paint shall be applied no later than fifteen (15) calendar days after the day on which the slurry seal is placed.

In the event traffic striping or pavement marking is not applied within the time restraints specified in this contract, the City may suspend or cease resurfacing operations until such time all required traffic striping and pavement marking has been properly applied, to the satisfaction of the Engineer. For each road segment, all traffic striping shall be completed prior to the installation of raised pavement markers.

The Contractor shall be responsible for maintaining safe traffic operation through the work area.

84-3.04 Payment. ADD the following:

All work, materials, labor, costs, and time associated with replacing traffic striping shall be included in the lump sum bid item for Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices.

85 PAVEMENT MARKERS

85-1.02A General. ADD the following:

Temporary pavement markers shall be Bunzl Extrusion Model T.O.M., or an approved equal. Reflective temporary pavement markers shall be two-way amber or one-way white to match existing delineation of the traffic stripe and pavement marking. Non-reflective temporary pavement markers shall be one-way white.

85-1.02C Retroreflective Pavement Markers. ADD the following:

Pavement marker height shall be 0.70" maximum. "Low profile" type markers will not be accepted. In addition to clear, yellow, and red, two-way blue markers will also be used at each fire hydrant.

85-1.03A General. ADD the following:

Existing raised pavement markers located within the limits of the area to receive slurry seal shall be removed a maximum of 10 calendar days prior to the application of slurry.

Pressure sensitive adhesive pad types shall not be used.

The control lines for placing markers shall be the existing traffic stripes, a theoretical extension thereof, or as directed by the Engineer. With the exception of Two-Way Blue Retroreflective Markers located adjacent to all fire hydrants within the project limits, the Contractor will not be required to place pavement markers on roads that are not striped.

Upon completion of the application of slurry seal, the Contractor shall install new Pavement Markers in accordance with California Department of Transportation Standard Plans A20 A-D and this Contract. The Contractor shall install Two-Way Blue Retroreflective markers at each fire hydrant, within the project limits, in accordance with the San Diego Regional Standard Drawing number sdw-104 and as directed by the Engineer. These standards may require the installation of additional markers that were not pre-existing.

Markers shall not be placed in the following locations, unless otherwise directed by the Engineer:

1. On raised medians.
2. Adjacent to raised medians, which are not supplemented by left-edge striping.
3. Adjacent to right-edge striping.

Placement of all required pavement markers shall be completed within twenty (20) working days after application of slurry seal on each road segment. In the event pavement markers are not applied within the time restraints specified in this contract, the City may suspend or cease sealing operations until such time all required pavement markers have been placed to the satisfaction of the Resident Engineer.

85-1.04 PAYMENT. ADD the following:

All work, materials, labor, costs, and time associated with removal and replacement of pavement markers shall be included in the lump sum bid item for Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices and no additional payment shall be made regardless of number installed.

APPENDIX F
LIST OF PROPOSED WORK

APPENDIX F

PROPOSED WORK FOR: S1501

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1208-E7	SCRANTON RD	OBERLIN DR	MIRA MESA BL	6	Collector	405 ft	60 ft	24300 ft ²	
	Hump Removal	5 ft	AC Repair Area	415 ft ²	Crack Seal	2430 ft			
	Inlet Marker	1 ea	AC Repair	14 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1208-E7	SCRANTON RD	CARROLL CANYON RD	OBERLIN DR	6	Collector	608 ft	60 ft	36480 ft ²	
	Hump Removal	65 ft	AC Repair Area	160 ft ²	Crack Seal	3648 ft			
	Inlet Marker	2 ea	AC Repair	3 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1208-E7	CARROLL CANYON RD	SCRANTON RD	YOUNGSTOWN WY	6	Major	1837 ft	64 ft	117568 ft ²	
	Hump Removal	0 ft	AC Repair Area	610 ft ²	Crack Seal	11757 ft			
	Inlet Marker	2 ea	AC Repair	19 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter	(Work Order Number is equal to "S1501")
Sort	[..\Thomas Bros Map Page] Ascending

02/03/2015
1 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1208-E7	OBERLIN DR	SCRANTON RD	YOUNGSTOWN WY	6	Local	1775 ft	42 ft	74550 ft ²	
	Hump Removal 4 ft	AC Repair Area	2,050 ft ²	Crack Seal	7455 ft				
	Inlet Marker 3 ea	AC Repair	81 ton						
	Inlet Protection 3 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III.							
1208-F6	PACIFIC HEIGHTS BL	CORNERSTONE CT	MIRA MESA BL	6	Collector	1200 ft	65 ft	78000 ft ²	
	Hump Removal 0 ft	AC Repair Area	8,330 ft ²	Crack Seal	7800 ft				
	Inlet Marker 1 ea	AC Repair	180 ton						
	Inlet Protection 1 ea								
	Traffic Loops @ 12 ea								
	Comments	TYPE I/TYPE III.							
1208-F6	OBERLIN DR	YOUNGSTOWN WY	LUSK BL	6	Local	1846 ft	42 ft	77532 ft ²	
	Hump Removal 10 ft	AC Repair Area	1,560 ft ²	Crack Seal	7753 ft				
	Inlet Marker 4 ea	AC Repair	44 ton						
	Inlet Protection 4 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III. LIMITS: YOUNGSTOWN WY TO MIRA MESA BL.							
1208-F6	CORNERSTONE CT	BEGIN	PACIFIC HEIGHTS BL	6	Local	1101 ft	40 ft	44040 ft ²	
	Hump Removal 0 ft	AC Repair Area	600 ft ²	Crack Seal	4404 ft				
	Inlet Marker 0 ea	AC Repair	21 ton						
	Inlet Protection 1 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III. WESTERLY.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1208-F6	CORNERSTONE CT	PACIFIC HEIGHTS BL	END	6	Local	533 ft	40 ft	21320 ft ²	
	Hump Removal 0 ft	AC Repair Area	1,450 ft ²	Crack Seal	2132 ft				
	Inlet Marker 1 ea	AC Repair	28 ton						
	Inlet Protection 1 ea								
	Traffic Loops @ 5 ea								
	Comments TYPE I/TYPE III. EASTERN CUL-DE-SAC.								
1208-F7	CARROLL CANYON RD	YOUNGSTOWN WY	NANCY RIDGE DR	6	Major	846 ft	64 ft	54144 ft ²	
	Hump Removal 0 ft	AC Repair Area	790 ft ²	Crack Seal	5414 ft				
	Inlet Marker 0 ea	AC Repair	20 ton						
	Inlet Protection 2 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1208-F7	YOUNGSTOWN WY	CARROLL CANYON RD	OBERLIN DR	6	Local	476 ft	42 ft	19992 ft ²	
	Hump Removal 0 ft	AC Repair Area	776 ft ²	Crack Seal	1999 ft				
	Inlet Marker 1 ea	AC Repair	16 ton						
	Inlet Protection 2 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1208-F7	CARROLL CANYON RD	NANCY RIDGE DR	PACIFIC HEIGHTS BL	6	Major	1003 ft	64 ft	64192 ft ²	
	Hump Removal 16 ft	AC Repair Area	650 ft ²	Crack Seal	6419 ft				
	Inlet Marker 1 ea	AC Repair	12 ton						
	Inlet Protection 3 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1208-G7	CARROLL RD	CARROLL CANYON RD	BROWN DEER RD	6	Collector	2954 ft	50 ft	147700 ft ²	
	Hump Removal 0 ft	AC Repair Area	7,210 ft ²	Crack Seal	14770 ft				
	Inlet Marker 3 ea	AC Repair	104 ton						
	Inlet Protection 5 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. LIMITS: PACIFIC HEIGHTS BL TO BROWN DEER RD.								
1208-G7	NANCY RIDGE DR	CARROLL CANYON RD	CARROLL RD	6	Collector	7415 ft	42 ft	311430 ft ²	
	Hump Removal 22 ft	AC Repair Area	2,065 ft ²	Crack Seal	31143 ft				
	Inlet Marker 4 ea	AC Repair	50 ton						
	Inlet Protection 17 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1208-H7	CARROLL RD	BROWN DEER RD	CARROLL PARK DR	6	Collector	2009 ft	48 ft	96432 ft ²	
	Hump Removal 0 ft	AC Repair Area	2,300 ft ²	Crack Seal	9643 ft				
	Inlet Marker 0 ea	AC Repair	33 ton						
	Inlet Protection 7 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1208-H7	CARROLL RD	CARROLL PARK DR	NANCY RIDGE DR	6	Collector	531 ft	48 ft	25488 ft ²	
	Hump Removal 0 ft	AC Repair Area	65 ft ²	Crack Seal	2549 ft				
	Inlet Marker 1 ea	AC Repair	1 ton						
	Inlet Protection 1 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
4 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1208-J7	CAM SANTA FE	TRADE ST	END	6	Major	2208 ft	75 ft	165600 ft ²	
	Hump Removal 0 ft	AC Repair Area	2,430 ft ²	Crack Seal	16560 ft				
	Inlet Marker 10 ea	AC Repair	54 ton						
	Inlet Protection 13 ea								
	Traffic Loops @ 12 ea								
	Comments TYPE I/TYPE III. LIMIT: TRADE ST to CARROLL CANYON RD to SUMMERS RIDGE RD. SLURRY ASPHALT MEDIAN.								
1208-J7	CARROLL RD	WARE CT	CAM SANTA FE	6	Collector	309 ft	48 ft	14832 ft ²	
	Hump Removal 0 ft	AC Repair Area	40 ft ²	Crack Seal	1483 ft				
	Inlet Marker 1 ea	AC Repair	1 ton						
	Inlet Protection 1 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1208-J7	CAM SANTA FE	CARROLL RD	TRADE ST	6	Major	1157 ft	64 ft	74048 ft ²	
	Hump Removal 0 ft	AC Repair Area	2,520 ft ²	Crack Seal	7405 ft				
	Inlet Marker 2 ea	AC Repair	82 ton						
	Inlet Protection 5 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. SLURRY ASPHALT MEDIANS.								
1208-J7	CRESTMAR PT	CARROLL RD	END	6	Local	257 ft	40 ft	10280 ft ²	
	Hump Removal 0 ft	AC Repair Area	6,300 ft ²	Crack Seal	1028 ft				
	Inlet Marker 1 ea	AC Repair	124 ton						
	Inlet Protection 1 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
5 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1208-J7	WARE CT	CARROLL RD	END	6	Local	454 ft	44 ft	19976 ft ²	
	Hump Removal	6 ft	AC Repair Area	340 ft ²	Crack Seal	1998 ft			
	Inlet Marker	1 ea	AC Repair	7 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1228-H1	CARROLL RD	NANCY RIDGE DR	LIQUID CT	6	Collector	427 ft	48 ft	20496 ft ²	
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	2050 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1228-H1	REHCO RD	BEGIN	CARROLL RD	6	Local	545 ft	42 ft	22890 ft ²	
	Hump Removal	0 ft	AC Repair Area	740 ft ²	Crack Seal	2289 ft			
	Inlet Marker	0 ea	AC Repair	14 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	5 ea							
	Comments	TYPE I/TYPE III							
1228-H1	CARROLL RD	LIQUID CT	REHCO RD	6	Collector	362 ft	48 ft	17376 ft ²	
	Hump Removal	0 ft	AC Repair Area	16 ft ²	Crack Seal	1738 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
6 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1228-J1	CARROLL RD	CRESTMAR PT	WARE CT	6	Collector	372 ft	48 ft	17856 ft ²	
	Hump Removal	0 ft	AC Repair Area	260 ft ²	Crack Seal	1786 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1228-J1	CARROLL RD	REHCO RD	CRESTMAR PT	6	Collector	539 ft	48 ft	25872 ft ²	
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	2587 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1229-H7	ANTIGUA BL	SANTO RD	CALLE MARISELDA	7	Major	1225 ft	78 ft	95550 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	208 ft ²	Crack Seal	9555 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	3 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-H7	AVNDA PLAYA VERACRUZ	CTE PLAYA PALMERA	CAM PLAYA MALAGA	7	Local	207 ft	38 ft	7866 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	787 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-H7	CAM PLAYA PORTOFINO	ANTIGUA BL	CTE PLAYA MAJORCA	7	Local	555 ft	34 ft	18870 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1887 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-H7	AVNDA PLAYA VERACRUZ	ANTIGUA BL	CTE PLAYA PALMERA	7	Local	176 ft	38 ft	6688 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	669 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I. SPEED BUMP AT 10762.							
1229-H7	CALLE MARISELDA	ANTIGUA BL	END	7	Local	934 ft	38 ft	35492 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	489 ft ²	Crack Seal	3549 ft			
	Inlet Marker	0 ea	AC Repair	23 ton					
	Inlet Protection	3 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-H7	ANTIGUA BL	CALLE MARISELDA	AVNDA PLAYA VERACRUZ	7	Major	557 ft	78 ft	43446 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	68 ft ²	Crack Seal	4345 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-H7	ANTIGUA BL	AVNDA PLAYA VERACRUZ	CAM PLAYA PORTOFINO	7	Major	280 ft	78 ft	21840 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	60 ft ²	Crack Seal	2184 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1229-H7	CTE PLAYA PALMERA BEGIN		AVNDA PLAYA VERACRUZ	7	Local	213 ft	32 ft	6816 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	275 ft ²	Crack Seal	682 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1229-J6	CTE PLAYA CARTAGENA	PORTOBELO DR	END	7	Local	181 ft	32 ft	5792 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	579 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1229-J6	CTE PLAYA PACIFICA	PORTOBELO DR	END	7	Local	286 ft	32 ft	9152 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	128 ft ²	Crack Seal	915 ft			
	Inlet Marker	0 ea	AC Repair	6 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	CAM PLAYA DE ORO	CAM PLAYA NORTE	CTE PLAYA CORONA	7	Local	292 ft	34 ft	9928 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	420 ft ²	Crack Seal	993 ft			
	Inlet Marker	0 ea	AC Repair	8 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. ADJACENT TO PARK.							
1229-J7	CTE PLAYA MERIDA	BEGIN	CAM PLAYA AZUL	7	Local	146 ft	32 ft	4672 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	27 ft ²	Crack Seal	467 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CTE PLAYA AZTECA	CAM PLAYA DE ORO	END	7	Local	400 ft	35 ft	14000 ft ²	
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1400 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CAM PLAYA MALAGA	AVNDA PLAYA VERACRUZ	END	7	Local	347 ft	36 ft	12492 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1249 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

02/03/2015
10 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	ANTIGUA BL	CAM PLAYA DE ORO	VIA VALARTA	7	Major	700 ft	74 ft	51800 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	5180 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1229-J7	CTE PLAYA ENCINO	AVNDA PLAYA VERACRUZ	END	7	Local	402 ft	32 ft	12864 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1286 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1229-J7	VILLARRICA WY	ANTIGUA BL	CAM PLAYA CARMEL	7	Local	330 ft	38 ft	12540 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	116 ft ²	Crack Seal	1254 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1229-J7	CAM PLAYA ACAPULCO	CTE PLAYA MAZATLAN	ANTIGUA BL	7	Local	164 ft	34 ft	5576 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	558 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	CTE PLAYA SOLANA	BEGIN	CAM PLAYA MALAGA	7	Local	307 ft	32 ft	9824 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	578 ft ²	Crack Seal	982 ft			
	Inlet Marker	0 ea	AC Repair	12 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CAM PLAYA PORTOFINO	CTE PLAYA MAJORCA	CTE PLAYA BARCELONA	7	Local	416 ft	34 ft	14144 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	145 ft ²	Crack Seal	1414 ft			
	Inlet Marker	0 ea	AC Repair	11 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CTE PLAYA MAZATLAN	CAM PLAYA ACAPULCO	END	7	Local	145 ft	32 ft	4640 ft ²	Friday
	Hump Removal		AC Repair Area	8 ft ²	Crack Seal	464 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CAM PLAYA MALAGA	AVNDA PLAYA VERACRUZ	CTE PLAYA TOLUCA	7	Local	241 ft	34 ft	8194 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	8 ft ²	Crack Seal	819 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
12 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	ANTIGUA BL	CAM PLAYA PORTOFINO	CAM PLAYA ACAPULCO	7	Major	759 ft	78 ft	59202 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	90 ft ²	Crack Seal	5920 ft			
	Inlet Marker	1 ea	AC Repair	2 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CTE PLAYA TOLUCA	BEGIN	CAM PLAYA MALAGA	7	Local	175 ft	32 ft	5600 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	156 ft ²	Crack Seal	560 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	ANTIGUA BL	VILLARRICA WY	CAM PLAYA DE ORO	7	Major	1400 ft	74 ft	103600 ft ²	Friday
	Hump Removal	5 ft	AC Repair Area	878 ft ²	Crack Seal	10360 ft			
	Inlet Marker	0 ea	AC Repair	28 ton					
	Inlet Protection	3 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CAM PLAYA CARMEL	CAM PLAYA AZUL	END	7	Local	399 ft	36 ft	14364 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1436 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
13 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	CAM PLAYA DE ORO	CTE PLAYA CORONA	CTE PLAYA MADERA	7	Local	274 ft	34 ft	9316 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	932 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. ADJACENT TO PARK.								
1229-J7	CTE PLAYA MADERA	CAM PLAYA DE ORO	END	7	Local	339 ft	31 ft	10509 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	340 ft ²	Crack Seal	1051 ft			
	Inlet Marker	0 ea	AC Repair	7 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1229-J7	AVNDA PLAYA VERACRUZ	CAM PLAYA MALAGA	CTE PLAYA ENCINO	7	Local	1434 ft	38 ft	54492 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	5449 ft			
	Inlet Marker	2 ea	AC Repair	0 ton					
	Inlet Protection	4 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. SPEED BUMPS AT 10805, 10830, 10878, 10920, 10956, & 10990.								
1229-J7	CAM PLAYA MALAGA	CTE PLAYA TOLUCA	CTE PLAYA SOLANA	7	Local	295 ft	34 ft	10030 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	48 ft ²	Crack Seal	1003 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
14 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	CAM PLAYA DE ORO	CTE PLAYA JACINTO	CAM PLAYA NORTE	7	Local	202 ft	34 ft	6868 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	687 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. ADJACENT TO ELEMENTARY SCHOOL.								
1229-J7	CAM PLAYA AZUL	CAM PLAYA CARMEL	CTE PLAYA MERIDA	7	Local	272 ft	34 ft	9248 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	324 ft ²	Crack Seal	925 ft			
	Inlet Marker	0 ea	AC Repair	6 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1229-J7	CAM PLAYA MALAGA	CTE PLAYA SOLANA	CAM PLAYA ACAPULCO	7	Local	298 ft	34 ft	10132 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	280 ft ²	Crack Seal	1013 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1229-J7	CAM PLAYA MALAGA	CTE PLAYA DE CASTILA	AVNDA PLAYA VERACRUZ	7	Local	304 ft	34 ft	10336 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1034 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
15 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	CAM PLAYA DE ORO	CTE PLAYA AZTECA	ANTIGUA BL	7	Local	252 ft	34 ft	8568 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	857 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CTE PLAYA CORONA	CAM PLAYA DE ORO	END	7	Local	471 ft	35 ft	16485 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	620 ft ²	Crack Seal	1648 ft			
	Inlet Marker	0 ea	AC Repair	12 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1229-J7	CTE PLAYA JACINTO	CAM PLAYA DE ORO	END	7	Local	386 ft	31 ft	11966 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	100 ft ²	Crack Seal	1197 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1229-J7	CTE PLAYA BARCELONA	VILLARRICA WY	CAM PLAYA PORTOFINO	7	Local	400 ft	34 ft	13600 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	60 ft ²	Crack Seal	1360 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
16 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	CTE PLAYA MERIDA	CAM PLAYA AZUL	END	7	Local	285 ft	32 ft	9120 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	43 ft ²	Crack Seal	912 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. EASTERLY.								
1229-J7	VILLARRICA WY	CTE PLAYA BARCELONA	PORTOBELO DR	7	Local	660 ft	38 ft	25080 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,900 ft ²	Crack Seal	2508 ft			
	Inlet Marker	0 ea	AC Repair	36 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1229-J7	CAM PLAYA NORTE	CAM PLAYA DE ORO	VIA VALARTA	7	Local	820 ft	34 ft	27880 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	385 ft ²	Crack Seal	2788 ft			
	Inlet Marker	0 ea	AC Repair	7 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. SPEED BUMPS AT 5318, 5354, 5384.								
1229-J7	CTE PLAYA MAJORCA BEGIN		CAM PLAYA PORTOFINO	7	Local	188 ft	32 ft	6016 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	186 ft ²	Crack Seal	602 ft			
	Inlet Marker	1 ea	AC Repair	4 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
17 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	CTE PLAYA DE CASTILA	BEGIN	CAM PLAYA MALAGA	7	Local	149 ft	32 ft	4768 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	477 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	ANTIGUA BL	CAM PLAYA ACAPULCO	VILLARRICA WY	7	Major	340 ft	78 ft	26520 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	300 ft ²	Crack Seal	2652 ft			
	Inlet Marker	0 ea	AC Repair	6 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CTE PLAYA TAMPICO	CAM PLAYA MALAGA	END	7	Local	212 ft	32 ft	6784 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	27 ft ²	Crack Seal	678 ft			
	Inlet Marker	1 ea	AC Repair	1 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CAM PLAYA MALAGA	CAM PLAYA ACAPULCO	CTE PLAYA TAMPICO	7	Local	298 ft	34 ft	10132 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	72 ft ²	Crack Seal	1013 ft			
	Inlet Marker	1 ea	AC Repair	1 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	CAM PLAYA CARMEL	VILLARRICA WY	CAM PLAYA AZUL	7	Local	337 ft	34 ft	11458 ft ²	
	Hump Removal	0 ft	AC Repair Area	68 ft ²	Crack Seal	1146 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CAM PLAYA DE ORO	CTE PLAYA MADERA	CTE PLAYA AZTECA	7	Local	240 ft	34 ft	8160 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	816 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CAM PLAYA MALAGA	CAM PLAYA DE ORO	CTE PLAYA DE CASTILA	7	Local	258 ft	34 ft	8772 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	877 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CAM PLAYA DE ORO	CAM PLAYA MALAGA	CTE PLAYA JACINTO	7	Local	270 ft	34 ft	9180 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	400 ft ²	Crack Seal	918 ft			
	Inlet Marker	0 ea	AC Repair	8 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter	{Work Order Number is equal to "S1501"}
Sort	[..\Thomas Bros Map Page] Ascending

02/03/2015
19 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1229-J7	CAM PLAYA MALAGA	CTE PLAYA TAMPICO	CAM PLAYA DE ORO	7	Local	680 ft	34 ft	23120 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	124 ft ²	Crack Seal	2312 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	CAM PLAYA ACAPULCO	CAM PLAYA MALAGA	CTE PLAYA MAZATLAN	7	Local	409 ft	34 ft	13906 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	100 ft ²	Crack Seal	1391 ft			
	Inlet Marker	1 ea	AC Repair	2 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1229-J7	VILLARRICA WY	CAM PLAYA CARMEL	CTE PLAYA BARCELONA	7	Local	466 ft	38 ft	17708 ft ²	Friday
	Hump Removal	15 ft	AC Repair Area	79 ft ²	Crack Seal	1771 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1229-J7	CTE PLAYA BARCELONA	CAM PLAYA PORTOFINO	END	7	Local	190 ft	36 ft	6840 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	684 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
20 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1230-A6	PORTOBELO DR	CAM PLAYA BAJA	CAM PLAYA CANCUN	7	Collector	583 ft	38 ft	22154 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	128 ft ²	Crack Seal	2215 ft			
	Inlet Marker	1 ea	AC Repair	2 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1230-A7	VIA VALARTA	CAM PLAYA NORTE	AVNDA PLAYA CANCUN	7	Collector	207 ft	62 ft	12834 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1283 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1230-A7	VIA VALARTA	AVNDA PLAYA CANCUN	ANTIGUA BL	7	Collector	820 ft	62 ft	50840 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	5084 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1230-A7	VIA VALARTA	ANTIGUA BL	CAM PLAYA CANCUN	7	Collector	921 ft	62 ft	57102 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	5710 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1230-A7	VIA VALARTA	VIA PLAYA DE CORTES	CAM PLAYA NORTE	7	Collector	497 ft	62 ft	30814 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	3081 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1249-H2	LA CUENTA DR	BAROQUE LN	TIERRASANTA BL	7	Local	387 ft	38 ft	14706 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1471 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1249-H2	LA CUENTA DR	MANACOR CT	BAROQUE LN	7	Local	400 ft	38 ft	15200 ft ²	Friday
	Hump Removal		AC Repair Area	966 ft ²	Crack Seal	1520 ft			
	Inlet Marker	0 ea	AC Repair	39 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I. ADJACENT TO MIDDLE SCHOOL.							
1249-H2	DUCOS PL	BAROQUE LN	TIERRASANTA BL	7	Local	464 ft	34 ft	15776 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	2,530 ft ²	Crack Seal	1578 ft			
	Inlet Marker	0 ea	AC Repair	49 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
22 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1249-H3	LA CUENTA DR	BEGIN	BAROQUE LN	7	Local	956 ft	38 ft	36328 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	736 ft ²	Crack Seal	3633 ft			
	Inlet Marker	0 ea	AC Repair	34 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1249-J1	AVNDA PLAYA VERACRUZ	CTE PLAYA ENCINO	CAM PLAYA MALAGA	7	Local	837 ft	38 ft	31806 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	88 ft ²	Crack Seal	3181 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. SPEED BUMPS AT 11018, 11044, & 11084.								
1249-J2	TAMBOR RD	SIGLO CT	CARTULINA RD	7	Local	286 ft	34 ft	9724 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	820 ft ²	Crack Seal	972 ft			
	Inlet Marker	1 ea	AC Repair	25 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1249-J2	PALLON WY	PALLON CT	RISA CR	7	Local	282 ft	34 ft	9588 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	60 ft ²	Crack Seal	959 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

02/03/2015
23 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1249-J2	PALLON CT	PALLON WY	END	7	Local	329 ft	30 ft	9870 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	730 ft ²	Crack Seal	987 ft			
	Inlet Marker	0 ea	AC Repair	18 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1249-J2	TAMBOR RD	CARTULINA RD	PALLON WY	7	Local	204 ft	34 ft	6936 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	475 ft ²	Crack Seal	694 ft			
	Inlet Marker	0 ea	AC Repair	17 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. LIMITS: CARTULINA RD to TAMBOR CT.							
1249-J2	SIGLO CT	BEGIN	TAMBOR RD	7	Local	175 ft	30 ft	5250 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,000 ft ²	Crack Seal	525 ft			
	Inlet Marker	0 ea	AC Repair	19 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1249-J2	TAMBOR RD	SOMBRA CT	PALLON WY	7	Local	309 ft	34 ft	10506 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,115 ft ²	Crack Seal	1051 ft			
	Inlet Marker	0 ea	AC Repair	21 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
24 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1249-J2	SOMBRA CT	TAMBOR RD	END	7	Local	145 ft	30 ft	4350 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	862 ft ²	Crack Seal	435 ft			
	Inlet Marker	0 ea	AC Repair	17 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1249-J2	RISA CR	BEGIN	PALLON WY	7	Local	114 ft	30 ft	3420 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	96 ft ²	Crack Seal	342 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1249-J2	PALLON WY	RISA CR	RISA CT	7	Local	257 ft	34 ft	8738 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	72 ft ²	Crack Seal	874 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1249-J2	PALLON WY	TAMBOR RD	PALLON CT	7	Local	210 ft	34 ft	7140 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	300 ft ²	Crack Seal	714 ft			
	Inlet Marker	1 ea	AC Repair	6 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
25 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1249-J2	TAMBOR RD	TIERRASANTA BL	SOMBRA CT	7	Local	302 ft	34 ft	10268 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	2,850 ft ²	Crack Seal	1027 ft			
	Inlet Marker	0 ea	AC Repair	55 ton					
	Inlet Protection	2 ea							
	Traffic Loops	@ 0 ea							
	Comments	TYPE I/TYPE III.							
1249-J2	RETRATO CT	BEGIN	PALLON WY	7	Local	233 ft	30 ft	6990 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	920 ft ²	Crack Seal	699 ft			
	Inlet Marker	0 ea	AC Repair	18 ton					
	Inlet Protection	0 ea							
	Traffic Loops	@ 0 ea							
	Comments	TYPE I.							
1249-J2	TAMBOR RD	PALLON WY	SIGLO CT	7	Local	441 ft	34 ft	14994 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,065 ft ²	Crack Seal	1499 ft			
	Inlet Marker	0 ea	AC Repair	20 ton					
	Inlet Protection	0 ea							
	Traffic Loops	@ 0 ea							
	Comments	TYPE I/TYPE III.							
1249-J3	RISA CT	BEGIN	PALLON WY	7	Local	371 ft	30 ft	11130 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	300 ft ²	Crack Seal	1113 ft			
	Inlet Marker	1 ea	AC Repair	6 ton					
	Inlet Protection	1 ea							
	Traffic Loops	@ 0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
26 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1249-J3	CATAMARCA DR	TAMBOR RD	TAMBOR RD	7	Local	1594 ft	34 ft	54196 ft²	Friday
	Hump Removal	0 ft	AC Repair Area	1,600 ft²	Crack Seal	5420 ft			
	Inlet Marker	0 ea	AC Repair	31 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1249-J3	CATAMARCA DR	VIACHA DR	TAMBOR RD	7	Local	1570 ft	34 ft	53380 ft²	Friday
	Hump Removal	0 ft	AC Repair Area	360 ft²	Crack Seal	5338 ft			
	Inlet Marker	0 ea	AC Repair	7 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1250-A1	CLAIREMONT MESA BL	SEDA DR	RUEDA DR	7	Collector	770 ft	60 ft	46200 ft²	Friday
	Hump Removal	0 ft	AC Repair Area	42 ft²	Crack Seal	4620 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I. *****DO NOT SLURRY 150' OF NORTH SIDE FROM SEDA DR TO 150' EAST OF SEDA DR AS MARKED.*****							
1250-A1	VIA VALARTA	VIA DOMINIQUE	COLLEGIO DR	7	Collector	872 ft	62 ft	54064 ft²	Friday
	Hump Removal	0 ft	AC Repair Area	550 ft²	Crack Seal	5406 ft			
	Inlet Marker	0 ea	AC Repair	11 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

02/03/2015
27 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1250-A1	PROMESA DR	PROMESA CR	SEDA DR	7	Local	1338 ft	34 ft	45492 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	4,544 ft ²	Crack Seal	4549 ft			
	Inlet Marker	0 ea	AC Repair	65 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1250-A1	PROMESA DR	PROMESA CT	PROMESA CR	7	Local	305 ft	34 ft	10370 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,900 ft ²	Crack Seal	1037 ft			
	Inlet Marker	1 ea	AC Repair	27 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1250-A1	PROMESA CR	BEGIN	PROMESA DR	7	Local	102 ft	32 ft	3264 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	2,132 ft ²	Crack Seal	326 ft			
	Inlet Marker	0 ea	AC Repair	63 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. PRUNE TREE ROOTS AT DIG OUTS.							
1250-A1	VIA VALARTA	CLAIREMONT MESA BL	VIA DOMINIQUE	7	Collector	436 ft	62 ft	27032 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	112 ft ²	Crack Seal	2703 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1250-A1	VIA VALARTA	COLLEGIO DR	VIA PLAYA DE CORTES	7	Collector	902 ft	62 ft	55924 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,640 ft ²	Crack Seal	5592 ft			
	Inlet Marker	2 ea	AC Repair	47 ton					
	Inlet Protection	3 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1250-A1	PROMESA DR	SEDA DR	END	7	Local	285 ft	35 ft	9975 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	499 ft ²	Crack Seal	998 ft			
	Inlet Marker	0 ea	AC Repair	8 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1250-A2	PALLON WY	RETRATO CT	TAMBOR CT	7	Local	756 ft	34 ft	25704 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	568 ft ²	Crack Seal	2570 ft			
	Inlet Marker	0 ea	AC Repair	15 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1250-A2	TAMBOR CT	PALLON WY	END	7	Local	628 ft	34 ft	21352 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,206 ft ²	Crack Seal	2135 ft			
	Inlet Marker	0 ea	AC Repair	28 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

02/03/2015
29 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1250-A3	CASCADA WY	MADERA ROSA WY	PAVO REAL DR	7	Local	1637 ft	26 ft	42562 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	4256 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1250-A3	PALLON WY	RISA CT	RETRATO CT	7	Local	405 ft	34 ft	13770 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	210 ft ²	Crack Seal	1377 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1250-A3	COLINA DORADA DR	PENDIENTE CT	PAVO REAL DR	7	Collector	1930 ft	38 ft	73340 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	7334 ft			
	Inlet Marker	3 ea	AC Repair	0 ton					
	Inlet Protection	3 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1250-A3	COLINA DORADA DR	TIERRASANTA BL	PENDIENTE CT	7	Collector	330 ft	38 ft	12540 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1254 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1250-B1	CLAIREMONT MESA BL	RUEDA DR	END	7	Collector	750 ft	48 ft	36000 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	460 ft ²	Crack Seal	3600 ft			
	Inlet Marker	0 ea	AC Repair	17 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1250-B2	COLINA DORADA DR	INVIERNO DR	MADRUGADA CT	7	Collector	267 ft	38 ft	10146 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1015 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1250-B2	COLINA DORADA DR	CALLE DE VIDA	END	7	Local	35 ft	38 ft	1330 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	133 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1250-B2	COLINA DORADA DR	MADRUGADA CT	CALLE DE VIDA	7	Collector	926 ft	38 ft	35188 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	3519 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1250-B3	COLINA DORADA DR	JOYAS CT	PETIRROJO CT	7	Collector	265 ft	38 ft	10070 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1007 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1250-B3	COLINA DORADA DR	PETIRROJO CT	PAPAGALLO CT	7	Collector	310 ft	38 ft	11780 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1178 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1250-B3	COLINA DORADA DR	PAPAGALLO CT	CACAO CT	7	Collector	246 ft	38 ft	9348 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	935 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1250-B3	COLINA DORADA DR	PAVO REAL DR	JOYAS CT	7	Collector	938 ft	38 ft	35644 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	3564 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1250-B3	COLINA DORADA DR	CACAO CT	INVIERNO DR	7	Collector	223 ft	38 ft	8474 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	847 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1269-G6	39TH ST	MYRTLE AV	END	9	Local	125 ft	34 ft	4250 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	798 ft ²	Crack Seal	425 ft			
	Inlet Marker	0 ea	AC Repair	11 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1269-G6	CENTRAL AV	REDWOOD ST	THORN ST	9	Local	650 ft	38 ft	24700 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	2,391 ft ²	Crack Seal	2470 ft			
	Inlet Marker	2 ea	AC Repair	34 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1269-G6	MYRTLE AV	40TH ST	CENTRAL AV	9	Collector	319 ft	50 ft	15950 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	232 ft ²	Crack Seal	1595 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-G6	MYRTLE AV	CENTRAL AV	41ST ST	9	Collector	331 ft	50 ft	16550 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	717 ft ²	Crack Seal	1655 ft			
	Inlet Marker	0 ea	AC Repair	10 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-G6	THORN ST	38TH ST	39TH ST	9	Local	364 ft	38 ft	13832 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	264 ft ²	Crack Seal	1383 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-G6	MYRTLE AV	39TH ST	40TH ST	9	Collector	347 ft	50 ft	17600 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	114 ft ²	Crack Seal	1760 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-G6	THORN ST	40TH ST	CENTRAL AV	9	Local	380 ft	49 ft	18620 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,248 ft ²	Crack Seal	1862 ft			
	Inlet Marker	0 ea	AC Repair	19 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. DO NOT SLURRY SOUTH SIDE @ ALLEY AS MARKED.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
34 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-G6	THORN ST	39TH ST	40TH ST	9	Local	360 ft	50 ft	18000 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	684 ft ²	Crack Seal	1800 ft			
	Inlet Marker	1 ea	AC Repair	10 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. DO NOT SLURRY AT ALLEY CROSSING AS MARKED (SEWER GROUP JOB).							
1269-G6	THORN ST	CENTRAL AV	41ST ST	9	Local	384 ft	50 ft	19200 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	500 ft ²	Crack Seal	1920 ft			
	Inlet Marker	0 ea	AC Repair	7 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-G7	40TH ST	BEGIN	QUINCE ST	9	Local	170 ft	40 ft	6800 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,740 ft ²	Crack Seal	680 ft			
	Inlet Marker	1 ea	AC Repair	25 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-G7	MANZANITA DR	VIOLET ST	TUBEROSE ST	9	Local	467 ft	34 ft	15878 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,050 ft ²	Crack Seal	1588 ft			
	Inlet Marker	0 ea	AC Repair	15 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
35 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-G7	CENTRAL AV	BEGIN	REDWOOD ST	9	Local	570 ft	38 ft	21660 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	2,114 ft ²	Crack Seal	2166 ft			
	Inlet Marker	1 ea	AC Repair	30 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-G7	QUINCE ST	39TH ST	40TH ST	9	Local	330 ft	38 ft	12540 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,755 ft ²	Crack Seal	1254 ft			
	Inlet Marker	0 ea	AC Repair	25 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H6	DWIGHT ST	41ST ST	MARLBOROUGH AV	9	Local	325 ft	50 ft	16250 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,788 ft ²	Crack Seal	1625 ft			
	Inlet Marker	0 ea	AC Repair	26 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H6	MARLBOROUGH AV	DWIGHT ST	LANDIS ST	9	Local	663 ft	50 ft	33150 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	4,363 ft ²	Crack Seal	3315 ft			
	Inlet Marker	0 ea	AC Repair	63 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
36 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-H6	MYRTLE AV	41ST ST	MARLBOROUGH AV	9	Collector	314 ft	50 ft	15700 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	834 ft ²	Crack Seal	1570 ft			
	Inlet Marker	0 ea	AC Repair	12 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1269-H6	THORN ST	41ST ST	MARLBOROUGH AV	9	Local	374 ft	50 ft	18700 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	445 ft ²	Crack Seal	1870 ft			
	Inlet Marker	0 ea	AC Repair	6 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. RESTORE FLOW IN SWALE AT MARLBOROUGH AV.								
1269-H6	MANZANITA PL	MANZANITA DR	END	9	Local	70 ft	40 ft	2800 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	280 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1269-H6	41ST ST	REDWOOD ST	THORN ST	9	Local	625 ft	50 ft	31250 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	3,112 ft ²	Crack Seal	3125 ft			
	Inlet Marker	0 ea	AC Repair	45 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter	{Work Order Number is equal to "S1501"}
Sort	[..\Thomas Bros Map Page] Ascending

02/03/2015
37 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-H6	MANZANITA DR	HEATHER ST	GLENFIELD ST	9	Local	355 ft	36 ft	12780 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	665 ft ²	Crack Seal	1278 ft			
	Inlet Marker	0 ea	AC Repair	10 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H6	MYRTLE AV	MARLBOROUGH AV	42ND ST	9	Collector	317 ft	50 ft	15850 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	80 ft ²	Crack Seal	1585 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H6	43RD ST	DWIGHT ST	LANDIS ST	9	Local	657 ft	50 ft	32850 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,152 ft ²	Crack Seal	3285 ft			
	Inlet Marker	0 ea	AC Repair	17 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. ONE-WAY TRAFFIC SOUTHBOUND. PARKING: PARALLEL WEST SIDE; DIAGONAL EAST SIDE.							
1269-H6	MARLBOROUGH AV	MYRTLE AV	DWIGHT ST	9	Local	682 ft	50 ft	34100 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	612 ft ²	Crack Seal	3410 ft			
	Inlet Marker	0 ea	AC Repair	9 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. PARKING: PARALLEL WEST SIDE; DIAGONAL EAST SIDE.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-H6	43RD ST	LEXINGTON AV	MYRTLE AV	9	Local	630 ft	50 ft	31500 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	2,048 ft ²	Crack Seal	3150 ft			
	Inlet Marker	5 ea	AC Repair	29 ton					
	Inlet Protection	6 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. LIMIT: MYRTLE AV to THORN ST. ONE-WAY TRAFFIC SOUTHBOUND. QUANTITIES INCLUDE SS-001041.								
1269-H6	MYRTLE AV	VAN DYKE AV	43RD ST	9	Collector	350 ft	50 ft	17500 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	392 ft ²	Crack Seal	1750 ft			
	Inlet Marker	0 ea	AC Repair	6 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1269-H6	MARLBOROUGH AV	BEGIN	THORN ST	9	Local	645 ft	50 ft	32250 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	484 ft ²	Crack Seal	3225 ft			
	Inlet Marker	1 ea	AC Repair	9 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. PARKING: PARALLEL WEST SIDE; DIAGONAL EAST SIDE.								
1269-H6	43RD ST	THORN ST	LEXINGTON AV	9	Residential	0 ft	0 ft	0 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	0 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. ONE-WAY TRAFFIC SOUTHBOUND. QUANTITIES INCLUDED IN: 43RD ST--MYRTLE to THORN, SS-001040.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-H6	MYRTLE AV	42ND ST	VAN DYKE AV	9	Collector	345 ft	50 ft	17250 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	380 ft ²	Crack Seal	1725 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H6	MANZANITA DR	GLENFIELD ST	MANZANITA PL	9	Local	211 ft	34 ft	7174 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	717 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H6	42ND ST	MYRTLE AV	DWIGHT ST	9	Local	630 ft	50 ft	31500 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	790 ft ²	Crack Seal	3150 ft			
	Inlet Marker	0 ea	AC Repair	20 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H6	43RD ST	MYRTLE AV	DWIGHT ST	9	Local	677 ft	50 ft	33850 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	2,352 ft ²	Crack Seal	3385 ft			
	Inlet Marker	0 ea	AC Repair	34 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. ONE-WAY TRAFFIC SOUTHBOUND. PARKING: PARALLEL WEST SIDE; DIAGONAL EAST SIDE.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
40 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-H6	THORN ST	42ND ST	VAN DYKE AV	9	Local	398 ft	50 ft	19900 ft ²	Friday
	Hump Removal	20 ft	AC Repair Area	630 ft ²	Crack Seal	1990 ft			
	Inlet Marker	2 ea	AC Repair	10 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H6	MARLBOROUGH AV	THORN ST	MYRTLE AV	9	Local	679 ft	50 ft	33950 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,337 ft ²	Crack Seal	3395 ft			
	Inlet Marker	0 ea	AC Repair	19 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H6	THORN ST	MARLBOROUGH AV	42ND ST	9	Local	379 ft	50 ft	18950 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	750 ft ²	Crack Seal	1895 ft			
	Inlet Marker	1 ea	AC Repair	11 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H7	MANZANITA DR	TUBEROSE ST	ARBOR VITAE ST	9	Local	498 ft	34 ft	16932 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	310 ft ²	Crack Seal	1693 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-H7	MANZANITA DR	DAHLIA ST	COLUMBINE ST	9	Local	370 ft	34 ft	12580 ft ²	Friday
	Hump Removal	12 ft	AC Repair Area	120 ft ²	Crack Seal	1258 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1269-H7	POPLAR ST	VIOLET ST	TUBEROSE ST	9	Collector	391 ft	54 ft	21114 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,526 ft ²	Crack Seal	2111 ft			
	Inlet Marker	0 ea	AC Repair	22 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. EXTEND SLURRY LIMIT 45' SOUTH OF VIOLET.								
1269-H7	TUBEROSE ST	POPLAR ST	MANZANITA DR	9	Local	385 ft	34 ft	13090 ft ²	Friday
	Hump Removal	6 ft	AC Repair Area	2,406 ft ²	Crack Seal	1309 ft			
	Inlet Marker	0 ea	AC Repair	35 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1269-H7	POPLAR ST	SNOWDROP ST	JAMIES WY	9	Collector	325 ft	54 ft	17550 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	924 ft ²	Crack Seal	1755 ft			
	Inlet Marker	0 ea	AC Repair	13 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
42 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-H7	POPLAR ST	TUBEROSE ST	TUBEROSE ST	9	Collector	230 ft	54 ft	12420 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	144 ft ²	Crack Seal	1242 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1269-H7	ARBOR VITAE ST	MANZANITA DR	SNOWDROP ST	9	Local	0 ft	0 ft	0 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	0 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. QUANTITIES INCLUDED ON MANZANITA DR SS-017408.								
1269-H7	REDWOOD ST	41ST ST	END	9	Local	200 ft	28 ft	5600 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	2,144 ft ²	Crack Seal	560 ft			
	Inlet Marker	0 ea	AC Repair	31 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III SLURRY TYPE III TO EDGE. RESTORE FLOW IN SWALE @ 41ST ST AS MARKED.								
1269-H7	POPLAR ST	SNOWDROP ST	SNOWDROP ST	9	Collector	182 ft	54 ft	9828 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	935 ft ²	Crack Seal	983 ft			
	Inlet Marker	0 ea	AC Repair	13 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-H7	SNOWDROP ST	ARBOR VITAE ST	MANZANITA DR	9	Local	0 ft	0 ft	0 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	0 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. QUANTITIES INCLUDED ON MANZANITA DR SS-017399.							
1269-H7	ARBOR VITAE ST	SNOWDROP ST	MANZANITA DR	9	Local	383 ft	34 ft	13022 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	811 ft ²	Crack Seal	1302 ft			
	Inlet Marker	0 ea	AC Repair	14 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H7	MANZANITA DR	ARBOR VITAE ST	JAMIES WY	9	Local	176 ft	36 ft	6336 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	890 ft ²	Crack Seal	634 ft			
	Inlet Marker	0 ea	AC Repair	13 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H7	MANZANITA DR	ARBOR VITAE ST	SNOWDROP ST	9	Local	0 ft	0 ft	0 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	0 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. QUANTITIES INCLUDED ON MANZANITA DR SS-017408.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-H7	MANZANITA DR	COLUMBINE ST	HEATHER ST	9	Local	326 ft	36 ft	11736 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	260 ft ²	Crack Seal	1174 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H7	POPLAR ST	TUBEROSE ST	SNOWDROP ST	9	Collector	151 ft	54 ft	8154 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	96 ft ²	Crack Seal	815 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H7	MANZANITA DR	JAMIES WY	DAHLIA ST	9	Local	416 ft	36 ft	14976 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	2,350 ft ²	Crack Seal	1498 ft			
	Inlet Marker	0 ea	AC Repair	34 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1269-H7	MANZANITA DR	SNOWDROP ST	ARBOR VITAE ST	9	Local	626 ft	34 ft	21284 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,460 ft ²	Crack Seal	2128 ft			
	Inlet Marker	0 ea	AC Repair	25 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
45 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-F2	ASH ST	BEGIN	BRIDGEVIEW DR	9	Local	130 ft	22 ft	2860 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	85 ft ²	Crack Seal	286 ft			
	Inlet Marker	1 ea	AC Repair	1 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-F3	ISLAND AV	BEGIN	36TH ST	9	Local	470 ft	38 ft	17860 ft ²	Wednesday
	Hump Removal	15 ft	AC Repair Area	837 ft ²	Crack Seal	1786 ft			
	Inlet Marker	1 ea	AC Repair	12 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-F4	K ST	PARDEE ST	36TH ST	9	Local	290 ft	28 ft	8120 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	579 ft ²	Crack Seal	812 ft			
	Inlet Marker	0 ea	AC Repair	8 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-F4	35TH ST	K ST	J ST	9	Local	361 ft	25 ft	9025 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	197 ft ²	Crack Seal	902 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-F4	35TH ST	J ST	END	9	Local	269 ft	22 ft	5918 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	190 ft ²	Crack Seal	592 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-F4	K ST	35TH ST	PARDEE ST	9	Local	242 ft	28 ft	6776 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	764 ft ²	Crack Seal	678 ft			
	Inlet Marker	0 ea	AC Repair	11 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-F4	35TH ST	L ST	K ST	9	Residential	209 ft	18 ft	3762 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	241 ft ²	Crack Seal	376 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-F4	35TH ST	TOMPKINS ST	L ST	9	Residential	360 ft	18 ft	6480 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	35 ft ²	Crack Seal	648 ft			
	Inlet Marker	2 ea	AC Repair	1 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-F4	J ST	35TH ST	36TH ST	9	Local	604 ft	38 ft	22952 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	943 ft ²	Crack Seal	2295 ft			
	Inlet Marker	0 ea	AC Repair	14 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-G1	39TH ST	GATEWAY DR	WESTGATE PL	9	Local	250 ft	36 ft	9000 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	760 ft ²	Crack Seal	900 ft			
	Inlet Marker	0 ea	AC Repair	11 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-G1	MIDVALE DR	GATEWAY DR	RALENE ST	9	Collector	738 ft	34 ft	25092 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	786 ft ²	Crack Seal	2509 ft			
	Inlet Marker	0 ea	AC Repair	11 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-G1	TULIP LN	JUNIPER ST	CRENSHAW ST	9	Local	245 ft	34 ft	8330 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	240 ft ²	Crack Seal	833 ft			
	Inlet Marker	1 ea	AC Repair	3 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. LIMITS: RALENE ST to CRENSHAW ST.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

02/03/2015
48 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-G1	RALENE ST	MIDVALE DR	JUNIPER ST	9	Collector	576 ft	35 ft	20160 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	2,630 ft ²	Crack Seal	2016 ft			
	Inlet Marker	0 ea	AC Repair	38 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-G1	39TH ST	WESTGATE PL	MIDVALE DR	9	Residential	685 ft	34 ft	23290 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	285 ft ²	Crack Seal	2329 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-G1	MIDVALE DR	RALENE ST	39TH ST	9	Residential	408 ft	35 ft	14280 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,311 ft ²	Crack Seal	1428 ft			
	Inlet Marker	0 ea	AC Repair	19 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-G1	39TH ST	MIDVALE DR	JUNIPER ST	9	Residential	170 ft	36 ft	6120 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	240 ft ²	Crack Seal	612 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter	(Work Order Number is equal to "S1501")
Sort	[..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-G2	38TH ST	BEECH ST	CEDAR ST	9	Residential	295 ft	34 ft	10030 ft ²	Friday
	Hump Removal	15 ft	AC Repair Area	1,982 ft ²	Crack Seal	1003 ft			
	Inlet Marker	1 ea	AC Repair	29 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-G2	ASH ST	CACTUSRIDGE ST	38TH ST	9	Residential	1120 ft	38 ft	42560 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	10,860 ft ²	Crack Seal	4256 ft			
	Inlet Marker	1 ea	AC Repair	156 ton					
	Inlet Protection	3 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. SLURRY AC BERM SOUTHSIDE.							
1289-G2	CACTUSRIDGE ST	WHITE SAGE LN	CEDAR ST	9	Residential	215 ft	38 ft	8170 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	192 ft ²	Crack Seal	817 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. LIMITS; WHITE SAGE LN to PARROT ST.							
1289-G2	CACTUSRIDGE ST	ASH ST	CACTUSVIEW DR	9	Local	251 ft	38 ft	9538 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,803 ft ²	Crack Seal	954 ft			
	Inlet Marker	0 ea	AC Repair	26 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
50 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-G2	ASH ST	BRIDGEVIEW DR	CACTUSRIDGE ST	9	Local	267 ft	38 ft	10146 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1015 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-G2	BRIDGEVIEW DR	WHITE SAGE LN	END	9	Residential	224 ft	28 ft	6272 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	760 ft ²	Crack Seal	627 ft			
	Inlet Marker	0 ea	AC Repair	12 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-G2	CACTUSRIDGE ST	CACTUSVIEW DR	CACTUSRIDGE CT	9	Local	280 ft	38 ft	10640 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	250 ft ²	Crack Seal	1064 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-G2	BRIDGEVIEW DR	ASH ST	WHITE SAGE LN	9	Local	1185 ft	30 ft	35550 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,517 ft ²	Crack Seal	3555 ft			
	Inlet Marker	0 ea	AC Repair	22 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-G2	CEDAR ST	CACTUSRIDGE ST	38TH ST	9	Local	112 ft	30 ft	3360 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	747 ft ²	Crack Seal	336 ft			
	Inlet Marker	0 ea	AC Repair	11 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-G2	CACTUSRIDGE ST	CACTUSRIDGE CT	WHITE SAGE LN	9	Local	353 ft	38 ft	13414 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	579 ft ²	Crack Seal	1341 ft			
	Inlet Marker	0 ea	AC Repair	8 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-G3	GATEWAY CENTER DR	MARKET ST	GATEWAY CENTER AV	9	Collector	515 ft	66 ft	33990 ft ²	
	Hump Removal	0 ft	AC Repair Area	2,004 ft ²	Crack Seal	3399 ft			
	Inlet Marker	1 ea	AC Repair	29 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-G3	GATEWAY CENTER WY	MARKET ST	GATEWAY CENTER AV	9	Local	565 ft	48 ft	27120 ft ²	
	Hump Removal	0 ft	AC Repair Area	159 ft ²	Crack Seal	2712 ft			
	Inlet Marker	1 ea	AC Repair	2 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-G3	GATEWAY CENTER WY	GATEWAY CENTER AV	GATEWAY CENTER DR	9	Local	1237 ft	38 ft	47006 ft ²	
	Hump Removal	0 ft	AC Repair Area	398 ft ²	Crack Seal	4701 ft			
	Inlet Marker	3 ea	AC Repair	9 ton					
	Inlet Protection	3 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-G3	GATEWAY CENTER AV	GATEWAY CENTER DR	GATEWAY CENTER WY	9	Local	460 ft	41 ft	18860 ft ²	
	Hump Removal	0 ft	AC Repair Area	72 ft ²	Crack Seal	1886 ft			
	Inlet Marker	2 ea	AC Repair	1 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-G3	GATEWAY CENTER DR	GATEWAY CENTER AV	GATEWAY CENTER WY	9	Local	515 ft	51 ft	26265 ft ²	
	Hump Removal	0 ft	AC Repair Area	868 ft ²	Crack Seal	2626 ft			
	Inlet Marker	0 ea	AC Repair	12 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-G3	GATEWAY CENTER WY	GATEWAY CENTER DR	END	9	Local	480 ft	40 ft	19200 ft ²	
	Hump Removal	0 ft	AC Repair Area	644 ft ²	Crack Seal	1920 ft			
	Inlet Marker	2 ea	AC Repair	9 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-G4	K ST	36TH ST	36TH ST	9	Local	90 ft	28 ft	2520 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	252 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1289-H1	TULIP LN	CRENSHAW ST	TULIP ST	9	Local	251 ft	34 ft	8534 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	853 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-H1	SPRINGER RD	TRAILING DR	PANAY CT	9	Residential	368 ft	32 ft	11776 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	980 ft ²	Crack Seal	1178 ft			
	Inlet Marker	0 ea	AC Repair	14 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-H1	PANAY CT	SPRINGER RD	END	9	Local	255 ft	32 ft	8160 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	660 ft ²	Crack Seal	816 ft			
	Inlet Marker	0 ea	AC Repair	10 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
54 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-H1	PANAY CT	SPRINGER RD	END	9	Local	230 ft	32 ft	7360 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	75 ft ²	Crack Seal	736 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-H2	SPILLMAN DR	HOME AV	42ND ST	9	Local	175 ft	34 ft	5950 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	1,744 ft ²	Crack Seal	595 ft			
	Inlet Marker	0 ea	AC Repair	25 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1289-H2	STANTON RD	42ND ST	END	9	Local	235 ft	36 ft	8460 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	341 ft ²	Crack Seal	846 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. LIMITS: SPILLMAN DR to END.								
1289-H2	SPILLMAN DR	42ND ST	END	9	Local	50 ft	34 ft	1700 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	90 ft ²	Crack Seal	170 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-H2	42ND ST	BEGIN	SPILLMAN DR	9	Local	115 ft	34 ft	3910 ft ²	Friday
	Hump Removal	0 ft	AC Repair Area	186 ft ²	Crack Seal	391 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-H6	KEELER AV	S 43RD ST	S 44TH ST	9	Local	650 ft	30 ft	19500 ft ²	Wednesday
	Hump Removal	1 ft	AC Repair Area	289 ft ²	Crack Seal	1950 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-H6	MAYBERRY ST	BEGIN	S 44TH ST	9	Local	160 ft	32 ft	5120 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	216 ft ²	Crack Seal	512 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-H6	NEWTON AV	S 43RD ST	S 44TH ST	9	Local	720 ft	30 ft	21600 ft ²	Wednesday
	Hump Removal	6 ft	AC Repair Area	2,140 ft ²	Crack Seal	2160 ft			
	Inlet Marker	0 ea	AC Repair	31 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. MILL & PAVE NORTH INTO 44TH STREET.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
56 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-H6	KEELER CT	KEELER AV	END	9	Local	320 ft	30 ft	9600 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	960 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1289-H6	KEELER AV	BEGIN	KEELER CT	9	Local	140 ft	34 ft	4760 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	339 ft ²	Crack Seal	476 ft			
	Inlet Marker	2 ea	AC Repair	5 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1289-J6	S 44TH ST	KEELER AV	BOSTON AV	9	Local	232 ft	30 ft	6960 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	800 ft ²	Crack Seal	696 ft			
	Inlet Marker	0 ea	AC Repair	12 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. RESTORE FLOW IN SWALE @ BOSTON AS MARKED.							
1289-J6	S 44TH ST	NEWTON AV	KEELER AV	9	Local	235 ft	30 ft	7050 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	256 ft ²	Crack Seal	705 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-J6	KEELER AV	S 44TH ST	S 45TH ST	9	Local	615 ft	30 ft	18450 ft ²	Wednesday
	Hump Removal	20 ft	AC Repair Area	720 ft ²	Crack Seal	1845 ft			
	Inlet Marker	0 ea	AC Repair	10 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-J6	NEWTON AV	S 44TH ST	S 45TH ST	9	Local	615 ft	30 ft	18450 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	234 ft ²	Crack Seal	1845 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1289-J6	MAYBERRY ST	S 44TH ST	S 45TH ST	9	Local	607 ft	30 ft	18210 ft ²	Wednesday
	Hump Removal	0 ft	AC Repair Area	112 ft ²	Crack Seal	1821 ft			
	Inlet Marker	1 ea	AC Repair	2 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-B7	RED PINE DR	BEGIN	SHADY ELM PL	8	Local	323 ft	30 ft	9690 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	969 ft			
	Inlet Marker	2 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
58 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-B7	ELM AV	BEGIN	HARRIS AV	8	Local	85 ft	18 ft	1530 ft ²	
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	153 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-B7	DRUCELLA ST	HARRIS AV	24TH (SB) ST	8	Local	228 ft	20 ft	4560 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	210 ft ²	Crack Seal	456 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. SLURRY AC BERM.								
1330-B7	24TH (SB) ST	PALM (SB) AV	DRUCELLA ST	8	Local	200 ft	24 ft	4800 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	75 ft ²	Crack Seal	480 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. NO CURB/GUTTER.								
1330-B7	RED PINE DR	SHADY ELM PL	RED PINE CT	8	Local	251 ft	30 ft	7530 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	170 ft ²	Crack Seal	753 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter	(Work Order Number is equal to "S1501")
Sort	[..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-B7	CUNARD ST	ELM AV	CHADWELL AV	8	Local	254 ft	34 ft	8636 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	275 ft ²	Crack Seal	864 ft			
	Inlet Marker	0 ea	AC Repair	13 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-B7	MY WY	PALM (SB) AV	END	8	Local	517 ft	23 ft	11891 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1189 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. SLURRY AC BERM & AC DWY APPROACHES IN R-O-W.								
1330-B7	RED PINE CT	BEGIN	RED PINE DR	8	Local	122 ft	32 ft	3904 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	390 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-B7	ELM AV	MANNING WY	SHADY ELM PL	8	Local	242 ft	38 ft	9196 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	920 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [...{Thomas Bros Map Page} Ascending]

02/03/2015
60 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-B7	24TH (SB) ST	DRUCELLA ST	SIRRAH ST	8	Local	639 ft	24 ft	15336 ft ²	Thursday
	Hump Removal	8 ft	AC Repair Area	165 ft ²	Crack Seal	1534 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. NO CURB/GUTTER.								
1330-B7	ELM AV	SHADY ELM PL	CUNARD ST	8	Local	384 ft	38 ft	14592 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	150 ft ²	Crack Seal	1459 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. ADJACENT TO ELEMENTARY SCHOOL.								
1330-B7	CUNARD ST	CHADWELL AV	CAULFIELD DR	8	Local	257 ft	34 ft	8738 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	370 ft ²	Crack Seal	874 ft			
	Inlet Marker	0 ea	AC Repair	7 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-B7	ELM AV	HARRIS AV	MANNING WY	8	Local	184 ft	38 ft	6992 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	250 ft ²	Crack Seal	699 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-B7	SHADY ELM PL	ELM AV	RED PINE DR	8	Local	307 ft	32 ft	9824 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	982 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1330-B7	SIRRAH ST	HARRIS AV	24TH (SB) ST	8	Local	130 ft	20 ft	2600 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	80 ft ²	Crack Seal	260 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I. NO CURB/GUTTER.							
1330-C7	ELM AV	CUNARD ST	DESTY ST	8	Local	663 ft	38 ft	25194 ft ²	Thursday
	Hump Removal	4 ft	AC Repair Area	480 ft ²	Crack Seal	2519 ft			
	Inlet Marker	0 ea	AC Repair	11 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I. ADJACENT TO ELEMENTARY SCHOOL & PARK.							
1330-C7	DESTY CT	DESTY ST	END	8	Local	412 ft	30 ft	12360 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1236 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page.] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-C7	DESTY ST	DESTY CT	ELM AV	8	Local	230 ft	34 ft	7820 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	300 ft ²	Crack Seal	782 ft			
	Inlet Marker	0 ea	AC Repair	6 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-C7	DONAX AV	27TH (SB) ST	DAHLIA CT	8	Local	91 ft	34 ft	3094 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	500 ft ²	Crack Seal	309 ft			
	Inlet Marker	0 ea	AC Repair	10 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-C7	ELM AV	DESTY ST	27TH (SB) ST	8	Local	518 ft	38 ft	19684 ft ²	Thursday
	Hump Removal	35 ft	AC Repair Area	32 ft ²	Crack Seal	1968 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-C7	CAULFIELD DR	MADDEN AV	BEYER BL	8	Local	174 ft	38 ft	6612 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,000 ft ²	Crack Seal	661 ft			
	Inlet Marker	0 ea	AC Repair	19 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-C7	CAULFIELD DR	CUNARD ST	BURWOOD PL	8	Local	915 ft	34 ft	31110 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,975 ft ²	Crack Seal	3111 ft			
	Inlet Marker	2 ea	AC Repair	50 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-C7	27TH (SB) ST	DONAX AV	ELM AV	8	Local	398 ft	34 ft	13532 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1353 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1330-C7	MADDEN AV	BARBOUR DR	MADDEN CT	8	Local	232 ft	38 ft	8816 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	565 ft ²	Crack Seal	882 ft			
	Inlet Marker	0 ea	AC Repair	18 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-C7	BARBOUR DR	BEGIN	GARLAND DR	8	Local	549 ft	30 ft	16470 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	466 ft ²	Crack Seal	1647 ft			
	Inlet Marker	1 ea	AC Repair	11 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-C7	CAULFIELD DR	27TH (SB) ST	DEARBORN DR	8	Local	498 ft	34 ft	16932 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	370 ft ²	Crack Seal	1693 ft			
	Inlet Marker	0 ea	AC Repair	7 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-C7	DAHLIA CT	DAHLIA AV	DONAX AV	8	Local	190 ft	34 ft	6460 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	40 ft ²	Crack Seal	646 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-C7	GARLAND DR	BARBOUR DR	CAULFIELD DR	8	Local	550 ft	38 ft	20900 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,860 ft ²	Crack Seal	2090 ft			
	Inlet Marker	0 ea	AC Repair	72 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-C7	DAHLIA AV	DAHLIA CT	MADDEN AV	8	Local	1030 ft	34 ft	35020 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	735 ft ²	Crack Seal	3502 ft			
	Inlet Marker	0 ea	AC Repair	19 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-C7	BARBOUR DR	GARLAND DR	MADDEN AV	8	Local	524 ft	34 ft	17816 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	100 ft ²	Crack Seal	1782 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-C7	CAULFIELD DR	GARLAND DR	DRACMA DR	8	Local	284 ft	38 ft	10792 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	456 ft ²	Crack Seal	1079 ft			
	Inlet Marker	0 ea	AC Repair	9 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-C7	HOLDERNESS LN	DESTY ST	END	8	Local	352 ft	30 ft	10560 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	210 ft ²	Crack Seal	1056 ft			
	Inlet Marker	0 ea	AC Repair	8 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-C7	MADDEN AV	MADDEN CT	CAULFIELD DR	8	Local	257 ft	38 ft	9766 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	708 ft ²	Crack Seal	977 ft			
	Inlet Marker	2 ea	AC Repair	17 ton					
	Inlet Protection	2 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III. ****CHECK CAL-AM WATER LEAK REPAIR COMPLETE*****							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
66 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-C7	DONAX AV	DAHLIA CT	MADDEN AV	8	Local	1022 ft	34 ft	34748 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	405 ft ²	Crack Seal	3475 ft			
	Inlet Marker	0 ea	AC Repair	9 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-C7	CAULFIELD DR	DRACMA DR	MADDEN AV	8	Local	297 ft	38 ft	11286 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,110 ft ²	Crack Seal	1129 ft			
	Inlet Marker	0 ea	AC Repair	26 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-C7	DESTY ST	HOLDERNESS LN	DESTY CT	8	Local	427 ft	36 ft	15372 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	256 ft ²	Crack Seal	1537 ft			
	Inlet Marker	0 ea	AC Repair	6 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-C7	MADDEN CT	BEGIN	MADDEN AV	8	Local	305 ft	30 ft	9150 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	180 ft ²	Crack Seal	915 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-C7	MADDEN AV	BEYER BL	DAHLIA AV	8	Local	283 ft	40 ft	11320 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	295 ft ²	Crack Seal	1132 ft			
	Inlet Marker	0 ea	AC Repair	6 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1330-C7	MADDEN AV	DONAX AV	BARBOUR DR	8	Local	256 ft	38 ft	9728 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	375 ft ²	Crack Seal	973 ft			
	Inlet Marker	0 ea	AC Repair	7 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-C7	CAULFIELD DR	BURWOOD PL	27TH (SB) ST	8	Local	245 ft	34 ft	8330 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	300 ft ²	Crack Seal	833 ft			
	Inlet Marker	0 ea	AC Repair	6 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-C7	DESTY ST	MC BURNEY CT	HOLDERNESS LN	8	Local	242 ft	34 ft	8228 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	500 ft ²	Crack Seal	823 ft			
	Inlet Marker	0 ea	AC Repair	10 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-C7	CAULFIELD DR	DEARBORN DR	GARLAND DR	8	Local	249 ft	34 ft	8466 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	570 ft ²	Crack Seal	847 ft			
	Inlet Marker	0 ea	AC Repair	17 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-C7	MADDEN AV	DAHLIA AV	DONAX AV	8	Local	252 ft	38 ft	9576 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	210 ft ²	Crack Seal	958 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-D7	VIA PAPEETE	ORCHID WY	REEF DR	8	Local	424 ft	34 ft	14416 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,560 ft ²	Crack Seal	1442 ft			
	Inlet Marker	0 ea	AC Repair	34 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-D7	MAGELLAN ST	HAWAII AV	REEF DR	8	Local	807 ft	34 ft	27438 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	160 ft ²	Crack Seal	2744 ft			
	Inlet Marker	0 ea	AC Repair	7 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

02/03/2015
69 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-D7	HAWAII AV	VIA PAPEETE	REEF DR	8	Local	1174 ft	34 ft	39916 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,300 ft ²	Crack Seal	3992 ft			
	Inlet Marker	0 ea	AC Repair	25 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-D7	HAWAII AV	PALM (SB) AV	MAGELLAN ST	8	Local	144 ft	34 ft	4896 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	2,300 ft ²	Crack Seal	490 ft			
	Inlet Marker	0 ea	AC Repair	44 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	5 ea							
	Comments	TYPE I/TYPE III.							
1330-D7	PITCAIRN ST	HAWAII AV	REEF DR	8	Local	749 ft	34 ft	25466 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,220 ft ²	Crack Seal	2547 ft			
	Inlet Marker	0 ea	AC Repair	23 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-D7	VIA PAPEETE	HAWAII AV	ORCHID WY	8	Local	282 ft	34 ft	9588 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	959 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-D7	HAWAII AV	MAGELLAN ST	PITCAIRN ST	8	Local	223 ft	34 ft	7582 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	620 ft ²	Crack Seal	758 ft			
	Inlet Marker	0 ea	AC Repair	12 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E6	LINDBERGH ST	DOOLITTLE AV	LE MAY AV	8	Local	243 ft	34 ft	8262 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	610 ft ²	Crack Seal	826 ft			
	Inlet Marker	0 ea	AC Repair	12 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E6	GATTY ST	MATHER AV	NORSTAD AV	8	Local	545 ft	34 ft	18530 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	460 ft ²	Crack Seal	1853 ft			
	Inlet Marker	0 ea	AC Repair	9 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E6	NORSTAD AV	GATTY ST	CHANUTE ST	8	Collector	224 ft	34 ft	7616 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	180 ft ²	Crack Seal	762 ft			
	Inlet Marker	1 ea	AC Repair	3 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter {Work Order Number is equal to "S1501"}
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E6	MAITLAND AV	LINDBERGH ST	CHANUTE ST	8	Local	612 ft	34 ft	20808 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	250 ft ²	Crack Seal	2081 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E6	LINDBERGH ST	MAITLAND AV	MATHER AV	8	Local	256 ft	34 ft	8704 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	275 ft ²	Crack Seal	870 ft			
	Inlet Marker	0 ea	AC Repair	7 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E6	COCHRAN AV	LINDBERGH ST	FOSS ST	8	Local	281 ft	36 ft	10116 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1012 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-E6	COCHRAN AV	FOSS ST	CHANUTE ST	8	Local	365 ft	36 ft	13140 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	1314 ft			
	Inlet Marker	1 ea	AC Repair	0 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
72 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E6	COCHRAN AV	BEGIN	LINDBERGH ST	8	Local	90 ft	28 ft	2520 ft ²	
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	252 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1330-E6	LINDBERGH ST	MATHER AV	LINDBERGH WY	8	Local	1152 ft	34 ft	39168 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,472 ft ²	Crack Seal	3917 ft			
	Inlet Marker	0 ea	AC Repair	33 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1330-E6	GATTY ST	NORSTAD AV	LINDBERGH WY	8	Local	664 ft	34 ft	22576 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	200 ft ²	Crack Seal	2258 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1330-E6	LINDBERGH ST	COCHRAN AV	DOOLITTLE AV	8	Local	221 ft	34 ft	7514 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	460 ft ²	Crack Seal	751 ft			
	Inlet Marker	0 ea	AC Repair	9 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E6	LINDBERGH ST	LE MAY AV	MAITLAND AV	8	Local	288 ft	34 ft	9792 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	450 ft ²	Crack Seal	979 ft			
	Inlet Marker	0 ea	AC Repair	9 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E6	MATHER AV	LINDBERGH ST	GATTY ST	8	Local	255 ft	36 ft	9180 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	540 ft ²	Crack Seal	918 ft			
	Inlet Marker	2 ea	AC Repair	21 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E6	DOOLITTLE AV	LINDBERGH ST	CHANUTE ST	8	Local	333 ft	28 ft	9324 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	830 ft ²	Crack Seal	932 ft			
	Inlet Marker	0 ea	AC Repair	21 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E6	LE MAY AV	LINDBERGH ST	CHANUTE ST	8	Local	630 ft	34 ft	21420 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	345 ft ²	Crack Seal	2142 ft			
	Inlet Marker	0 ea	AC Repair	10 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
74 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E7	BYRD ST	COCHRAN AV	NORSTAD AV	8	Local	1460 ft	34 ft	49640 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,310 ft ²	Crack Seal	4964 ft			
	Inlet Marker	0 ea	AC Repair	25 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E7	NORSTAD ST	ALASKA ST	SCHIRRA ST	8	Collector	253 ft	38 ft	9614 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	915 ft ²	Crack Seal	961 ft			
	Inlet Marker	0 ea	AC Repair	18 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E7	CHANUTE ST	MAITLAND AV	NORSTAD AV	8	Local	736 ft	34 ft	25024 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	2,700 ft ²	Crack Seal	2502 ft			
	Inlet Marker	0 ea	AC Repair	52 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E7	COCHRAN AV	BYRD ST	PALM (SB) (FTG) AV	8	Local	237 ft	38 ft	9006 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	901 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E7	CHURRITUCK DR	PLUMBAGO LN	AREY DR	8	Local	330 ft	38 ft	12540 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	1,340 ft ²	Crack Seal	1254 ft				
	Inlet Marker 0 ea	AC Repair	40 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III.							
1330-E7	PLUMBAGO LN	CHURRITUCK DR	SAUGERTIES AV	8	Local	253 ft	34 ft	8602 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	50 ft ²	Crack Seal	860 ft				
	Inlet Marker 0 ea	AC Repair	1 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I.							
1330-E7	ALONQUIN WY	CHURRITUCK DR	SAUGERTIES AV	8	Local	251 ft	34 ft	8534 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	75 ft ²	Crack Seal	853 ft				
	Inlet Marker 1 ea	AC Repair	1 ton						
	Inlet Protection 1 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I.							
1330-E7	SCHIRRA ST	SAUGERTIES AV	RUTHUPHAM AV	8	Local	266 ft	34 ft	9044 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	120 ft ²	Crack Seal	904 ft				
	Inlet Marker 0 ea	AC Repair	2 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

02/03/2015
76 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E7	NORSTAD AV	CHANUTE ST	BYRD ST	8	Collector	245 ft	34 ft	8330 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	530 ft ²	Crack Seal	833 ft			
	Inlet Marker	1 ea	AC Repair	10 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E7	CHANUTE ST	DOOLITTLE AV	LE MAY AV	8	Local	253 ft	36 ft	9108 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	911 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E7	PLUMBAGO LN	SAUGERTIES AV	NORSTAD ST	8	Local	936 ft	34 ft	31824 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	30 ft ²	Crack Seal	3182 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-E7	CHURRITUCK DR	ROBB ROY PL	PLUMBAGO LN	8	Local	683 ft	38 ft	25954 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	2,175 ft ²	Crack Seal	2595 ft			
	Inlet Marker	2 ea	AC Repair	46 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E7	CHURRITUCK DR	ALONQUIN WY	GROGAN CR	8	Local	240 ft	38 ft	9120 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,524 ft ²	Crack Seal	912 ft			
	Inlet Marker	0 ea	AC Repair	31 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-E7	NORSTAD ST	SCHIRRA ST	PLUMBAGO LN	8	Collector	288 ft	38 ft	10944 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	50 ft ²	Crack Seal	1094 ft			
	Inlet Marker	1 ea	AC Repair	1 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-E7	CHURRITUCK DR	PALM (SB) AV	ALONQUIN WY	8	Local	151 ft	38 ft	5738 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,060 ft ²	Crack Seal	574 ft			
	Inlet Marker	1 ea	AC Repair	24 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-E7	NARWHAL ST	GRISSOM ST	SCHIRRA ST	8	Local	1155 ft	34 ft	39270 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	710 ft ²	Crack Seal	3927 ft			
	Inlet Marker	0 ea	AC Repair	14 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E7	CALEB CT	BEGIN	VIA TONGA	8	Local	291 ft	30 ft	8730 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,316 ft ²	Crack Seal	873 ft			
	Inlet Marker	1 ea	AC Repair	26 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E7	SAUGERTIES AV	SCHIRRA ST	PLUMBAGO LN	8	Local	260 ft	34 ft	8840 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	80 ft ²	Crack Seal	884 ft			
	Inlet Marker	1 ea	AC Repair	2 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-E7	NORSTAD ST	GOODBODY ST	ALASKA ST	8	Collector	249 ft	38 ft	9462 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	946 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E7	NORSTAD ST	PLUMBAGO LN	AREY DR	8	Collector	345 ft	38 ft	13110 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	40 ft ²	Crack Seal	1311 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

02/03/2015
79 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E7	SAUGERTIES AV	ALONQUIN WY	SCHIRRA ST	8	Local	983 ft	34 ft	33422 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	300 ft ²	Crack Seal	3342 ft				
	Inlet Marker 1 ea	AC Repair	6 ton						
	Inlet Protection 1 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I.							
1330-E7	SCHIRRA ST	GRISSOM ST	NARWHAL ST	8	Local	255 ft	34 ft	8670 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	220 ft ²	Crack Seal	867 ft				
	Inlet Marker 0 ea	AC Repair	4 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III.							
1330-E7	NORSTAD ST	NORSTAD AV	GOODBODY ST	8	Collector	516 ft	38 ft	19608 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	1,850 ft ²	Crack Seal	1961 ft				
	Inlet Marker 0 ea	AC Repair	36 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III. LIMITS: PALM AV TO GOODBODY ST.							
1330-E7	RUTHUPHAM AV	ALONQUIN WY	SCHIRRA ST	8	Local	1008 ft	34 ft	34272 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	0 ft ²	Crack Seal	3427 ft				
	Inlet Marker 0 ea	AC Repair	0 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E7	CHURRITUCK DR	GROGAN CR	ROBB ROY PL	8	Local	354 ft	38 ft	13452 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	2,570 ft ²	Crack Seal	1345 ft			
	Inlet Marker	0 ea	AC Repair	62 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-E7	SCHIRRA ST	NARWHAL ST	NORSTAD ST	8	Local	230 ft	34 ft	7820 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,500 ft ²	Crack Seal	782 ft			
	Inlet Marker	0 ea	AC Repair	29 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-E7	SCHIRRA ST	RUTHUPHAM AV	GRISSOM ST	8	Local	296 ft	34 ft	10064 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	700 ft ²	Crack Seal	1006 ft			
	Inlet Marker	1 ea	AC Repair	13 ton					
	Inlet Protection	1 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-E7	VIA TONGA	PICADOR BL	CALEB CT	8	Local	213 ft	30 ft	6390 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	650 ft ²	Crack Seal	639 ft			
	Inlet Marker	0 ea	AC Repair	12 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	4 ea							
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E7	NORSTAD ST	SCHIRRA ST	SCHIRRA ST	8	Collector	149 ft	38 ft	5662 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	140 ft ²	Crack Seal	566 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E7	GRISSOM ST	PALM (SB) AV	NARWHAL ST	8	Local	130 ft	34 ft	4420 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	100 ft ²	Crack Seal	442 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E7	CHANUTE ST	COCHRAN AV	DOOLITTLE AV	8	Local	214 ft	34 ft	7276 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	170 ft ²	Crack Seal	728 ft			
	Inlet Marker	0 ea	AC Repair	3 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1330-E7	COCHRAN AV	CHANUTE ST	BYRD ST	8	Local	249 ft	34 ft	8466 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	847 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E7	CALEB CT	VIA TONGA	END	8	Local	168 ft	30 ft	5040 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	166 ft ²	Crack Seal	504 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-E7	ALONQUIN WY	SAUGERTIES AV	RUTHUPHAM AV	8	Local	220 ft	34 ft	7480 ft ²	Thursday
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	748 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1330-E7	BYRD WY	CHANUTE ST	BYRD ST	8	Local	185 ft	34 ft	6290 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	629 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1330-E7	CHANUTE ST	NORSTAD AV	BYRD WY	8	Local	231 ft	34 ft	7854 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	785 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [...\Thomas Bros Map Page] Ascending

02/03/2015
83 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-E7	GRISSOM ST	NARWHAL ST	SCHIRRA ST	8	Local	990 ft	34 ft	33660 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,035 ft ²	Crack Seal	3366 ft			
	Inlet Marker	0 ea	AC Repair	43 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-F6	GATTY ST	LINDBERGH WY	GATTY CT	8	Local	241 ft	34 ft	8194 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	30 ft ²	Crack Seal	819 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1330-F6	GATTY CT	BEGIN	GATTY ST	8	Local	151 ft	30 ft	4530 ft ²	Thursday
	Hump Removal		AC Repair Area	45 ft ²	Crack Seal	453 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-F6	LINDBERGH WY	LINDBERGH ST	GATTY ST	8	Local	230 ft	36 ft	8280 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	36 ft ²	Crack Seal	828 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-F6	GATTY ST	GATTY CT	PICCARD AV	8	Local	170 ft	34 ft	5780 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	578 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-F6	PICCARD AV	GATTY ST	CHANUTE ST	8	Local	251 ft	34 ft	8534 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	853 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-F6	PICCARD AV	BEGIN	GATTY ST	8	Local	121 ft	34 ft	4114 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	411 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-F7	COLEMAN AV	BEGIN	BLACKWOOD DR	8	Local	693 ft	35 ft	24255 ft ²	Thursday
	Hump Removal	20 ft	AC Repair Area	100 ft ²	Crack Seal	2426 ft			
	Inlet Marker	1 ea	AC Repair	2 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-F7	SCHIRRA ST	NORSTAD ST	GIVENS ST	8	Local	523 ft	34 ft	17782 ft ²	Thursday
	Hump Removal 18 ft	AC Repair Area	620 ft ²	Crack Seal	1778 ft				
	Inlet Marker 0 ea	AC Repair	12 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III.							
1330-F7	COLEMAN AV	BLACKWOOD DR	PICCARD AV	8	Local	197 ft	34 ft	6698 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	2,050 ft ²	Crack Seal	670 ft				
	Inlet Marker 0 ea	AC Repair	39 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III.							
1330-F7	GOODBODY ST	NORSTAD ST	GIVENS ST	8	Local	532 ft	34 ft	18088 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	460 ft ²	Crack Seal	1809 ft				
	Inlet Marker 0 ea	AC Repair	9 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III.							
1330-F7	GIVENS ST	GOODBODY ST	ALASKA ST	8	Local	270 ft	34 ft	9180 ft ²	Thursday
	Hump Removal 0 ft	AC Repair Area	100 ft ²	Crack Seal	918 ft				
	Inlet Marker 0 ea	AC Repair	2 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments	TYPE I/TYPE III.							

Filter (Work Order Number is equal to "S1501")
Sort [.\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-F7	PICCARD AV	CHANUTE ST	BYRD ST	8	Local	245 ft	34 ft	8330 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	28 ft ²	Crack Seal	833 ft			
	Inlet Marker	0 ea	AC Repair	1 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-F7	PICCARD AV	PALM (SB) (FTG) AV	PALM (SB) AV	8	Local	0 ft	0 ft	0 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	0 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. SLURRY QUANTITY INCLUDED IN PALM AV FRONTAGE.								
1330-F7	CHANUTE ST	BYRD WY	PICCARD AV	8	Local	825 ft	34 ft	28050 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	260 ft ²	Crack Seal	2805 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1330-F7	BYRD ST	BYRD WY	PICCARD AV	8	Local	853 ft	34 ft	29002 ft ²	Thursday
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	2900 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection								
	Traffic Loops @ 0 ea								
	Comments TYPE I.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-F7	PALM (SB) (FTG) AV	PICCARD AV	TWining AV	8	Local	1558 ft	28 ft	43624 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	251 ft ²	Crack Seal	4362 ft			
	Inlet Marker	0 ea	AC Repair	18 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I. FRONTAGE ROAD.							
1330-F7	PALM (SB) (FTG) AV	NORSTAD AV	PICCARD AV	8	Local	1073 ft	28 ft	30044 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	3004 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I. FRONTAGE ROAD..							
1330-F7	GIVENS ST	ALASKA ST	SCHIRRA ST	8	Local	276 ft	34 ft	9384 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	100 ft ²	Crack Seal	938 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1330-F7	PICCARD AV	BYRD ST	PALM (SB) (FTG) AV	8	Local	225 ft	34 ft	7650 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	270 ft ²	Crack Seal	765 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							

Filter (Work Order Number is equal to "S1501")
Sort [.\Thomas Bros Map Page] Ascending

02/03/2015
88 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-F7	BYRD ST	PICCARD AV	RICKENBACKER AV	8	Local	1055 ft	34 ft	35870 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	900 ft ²	Crack Seal	3587 ft			
	Inlet Marker	0 ea	AC Repair	23 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III. ADJACENT TO ELEMENTARY SCHOOL.								
1330-F7	ALASKA ST	NORSTAD ST	GIVENS ST	8	Local	553 ft	28 ft	15484 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	720 ft ²	Crack Seal	1548 ft			
	Inlet Marker	0 ea	AC Repair	14 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1350-B1	RED PINE DR	RED PINE CT	END	8	Local	236 ft	32 ft	7552 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	755 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1350-C1	GARLAND DR	CAULFIELD DR	FLAX DR	8	Local	588 ft	38 ft	22344 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	695 ft ²	Crack Seal	2234 ft			
	Inlet Marker	0 ea	AC Repair	29 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-C1	DRACMA DR	CAULFIELD DR	FLAX DR	8	Local	654 ft	34 ft	22236 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	570 ft ²	Crack Seal	2224 ft			
	Inlet Marker	0 ea	AC Repair	16 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1350-C1	DEARBORN DR	CAULFIELD DR	FLAX DR	8	Local	589 ft	38 ft	22382 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	2238 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1350-C1	FLAX DR	DRACMA DR	MADDEN AV	8	Local	247 ft	34 ft	8398 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	120 ft ²	Crack Seal	840 ft			
	Inlet Marker	0 ea	AC Repair	6 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1350-C1	MADDEN AV	CAULFIELD DR	FLAX DR	8	Local	720 ft	38 ft	27360 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	445 ft ²	Crack Seal	2736 ft			
	Inlet Marker	0 ea	AC Repair	14 ton					
	Inlet Protection	1 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								

Filter (Work Order Number is equal to "S1501")
Sort [.\Thomas Bros Map Page] Ascending

02/03/2015
90 of 93

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-C1	DEARBORN DR	FLAX DR	CORONADO (SB) AV	8	Local	242 ft	38 ft	9196 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	260 ft ²	Crack Seal	920 ft			
	Inlet Marker	0 ea	AC Repair	5 ton					
	Inlet Protection	2 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I/TYPE III.								
1350-C1	LAURISTON DR	SEWELL AV	ELROSE DR	8	Local	598 ft	38 ft	22724 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	1,425 ft ²	Crack Seal	2272 ft			
	Inlet Marker	0 ea	AC Repair	27 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1350-C1	FLAX DR	DEARBORN DR	GARLAND DR	8	Local	262 ft	34 ft	8908 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	90 ft ²	Crack Seal	891 ft			
	Inlet Marker	0 ea	AC Repair	2 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1350-C1	LAURISTON DR	ELROSE DR	END	8	Local	110 ft	30 ft	3300 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	200 ft ²	Crack Seal	330 ft			
	Inlet Marker	0 ea	AC Repair	4 ton					
	Inlet Protection	0 ea							
	Traffic Loops @ 0 ea								
	Comments TYPE I. SLURRY TO CHAINLINK.								

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-C1	MADDEN AV	FLAX DR	CORONADO (SB) AV	8	Local	258 ft	36 ft	9288 ft ²	Thursday
	Hump Removal	18 ft	AC Repair Area	1,890 ft ²	Crack Seal	929 ft			
	Inlet Marker	0 ea	AC Repair	48 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I/TYPE III.							
1350-C1	FLAX DR	GARLAND DR	DRACMA DR	8	Local	265 ft	34 ft	9010 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	0 ft ²	Crack Seal	901 ft			
	Inlet Marker	0 ea	AC Repair	0 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I.							
1350-D1	30TH (SB) ST	CORONADO (SB) AV	FERN AV	8	Local	722 ft	40 ft	28880 ft ²	Thursday
	Hump Removal	0 ft	AC Repair Area	785 ft ²	Crack Seal	2888 ft			
	Inlet Marker	0 ea	AC Repair	15 ton					
	Inlet Protection	0 ea							
	Traffic Loops @	0 ea							
	Comments	TYPE I. NO CURB/GUTTER---MAINTAIN FLOW IN GUTTERLINE SWALE, EAST SIDE ADJACENT TO 11125.							

Filter (Work Order Number is equal to "S1501")
Sort [.\Thomas Bros Map Page] Ascending

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
-------------	-------------	------	----	------------------	------------------	--------	-------	------	-----------

Total Number of Locations: 366

Estimated Project Totals:

Total Area (ft²):	7,139,285 ft ²	Total Survey Miles:	33.3
Tons of AC:	4,663 ton		
Lineal Feet of HUMPS:	346		
DRAIN INLET PROTECTION:	245 ea		
DRAIN INLET MARKERS:	122 ea		
Lineal Feet of CRACK SEAL:	713,925 ft		
SIGNAL LOOPS:	43 ea		

Filter (Work Order Number is equal to "S1501")
Sort [..\Thomas Bros Map Page] Ascending

ATTACHMENT F
INTENTIONALLY LEFT BLANK

City of San Diego

CITY CONTACT: Damian Singleton, Contract Specialist, Email: DSingleton@sandiego.gov
Phone No. (619) 533-3482, Fax No. (619) 533-3633

ADDENDUM "A"

FOR

SLURRY SEAL GROUP 1501



BID NO.: K-15-1301-DBB-3
SAP NO. (WBS/IO/CC): 21003502
CLIENT DEPARTMENT: 2116
COUNCIL DISTRICT: CITYWIDE
PROJECT TYPE: ID

BID DUE DATE:

2:00 PM
APRIL 7, 2015
CITY OF SAN DIEGO
PUBLIC WORKS CONTRACTS
1010 SECOND AVENUE, 14th FLOOR, MS 614C
SAN DIEGO, CA 92101

A. CHANGES TO CONTRACT DOCUMENTS

The following changes to the Contract Documents are hereby made effective as though originally issued with the bid package. Bidders are reminded that all previous requirements to this solicitation remain in full force and effect.

B. VOLUME 1

1. To ATTACHMENT E, Supplementary Special Provisions Appendices, **ADD** pages 3 through 6 of this Addendum.




James Nagelvoort, Director
Public Works Department

Dated: *March 16, 2015*
San Diego, California

JNBD/lis

APPENDIX G
CONTINENTAL CROSSWALK MARKINGS

TYPICAL CONTINENTAL CROSSWALK MARKINGS



LEGEND

- CONSTRUCTION LINE
- CURB & GUTTER
- █ CROSSWALK BAR (24" WIDE)

GENERAL NOTES:

1. ALL MARKED CROSSWALKS SHALL HAVE CONTINENTAL MARKINGS UNLESS APPROVED OTHERWISE.
2. MARKED CROSSWALK LOCATIONS CONSISTING OF BRICK PAVERS OR OTHER DECORATIVE PAVING SHALL BE PROVIDED WITH A LIMIT LINE ONLY.
3. SIGNALIZED INTERSECTIONS SHALL BE PROVIDED WITH A MARKED CROSSWALK ACROSS EACH LEG WHERE PEDESTRIANS ARE PERMITTED TO CROSS.
4. CONTINENTAL CROSSWALK MARKINGS SHALL BE ALIGNED PARALLEL TO THE DIRECTION OF VEHICULAR TRAVEL.
5. LIMIT LINES SHALL BE INSTALLED A MINIMUM OF 4 FEET IN ADVANCE OF MARKED CROSSWALKS FOR THE APPROACH LANES AT ALL CONTROLLED CROSSINGS.
6. MARKED CROSSWALKS SHOULD BE A MINIMUM OF 10 FEET IN WIDTH. PLACEMENT OF CONTINENTAL CROSSWALKS SHALL COMPLY WITH ACCESSIBILITY REGULATIONS PER THE MOST RECENT VERSION OF AMERICANS WITH DISABILITIES ACT (ADA) STANDARDS.
7. THE CROSSWALK BETWEEN A DUAL RAMP CORNER AND A SINGLE RAMP CORNER SHALL BE AT LEAST 10 FEET WIDE AND SATISFY THE MINIMUM OF 2 FEET BEYOND THE FLARE REQUIREMENT FOR THE SINGLE RAMP.
8. CONTINENTAL CROSSWALK BARS SHALL BE UNIFORM WITHIN THE SAME CROSSING. NO PARTIAL BARS SHALL BE INSTALLED.
9. A CROSSWALK BAR SHALL BE CENTERED IN THE CENTER OF THE CROSSING.
10. CROSSWALK MARKINGS SHALL BE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CA-MUTCD) RETROREFLECTIVITY COMPLIANT AND SKID RESISTANT.

SHEET 1 OF 3

REVISION	BY	APPROVED	DATE
ORIGINAL	JF	J. NAGELVOORT	02/15

CITY OF SAN DIEGO -- STANDARD DRAWING


CONTINENTAL CROSSWALK MARKINGS LAYOUT AND NOTES

RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE


C. P. Amador 2/5/2015
COORDINATOR DATE

DRAWING NUMBER **SDM-116**


CASE 1 - SINGLE RAMP ORTHOGONAL




CASE 2 - SINGLE RAMP SKEWED



CASE 3 - DUAL RAMP ORTHOGONAL



CASE 4 - DUAL RAMP SKEWED



LEGEND

- CONSTRUCTION LINE
- CURB & GUTTER
- █ CROSSWALK BAR (24" WIDE)

SHEET 2 OF 3

REVISION	BY	APPROVED	DATE
ORIGINAL	JF	J. NAGELVOORT	02/15

CITY OF SAN DIEGO - STANDARD DRAWING


CONTINENTAL CROSSWALK MARKINGS LAYOUT AND NOTES

RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE


CR Bungea 2/5/2015
COORDINATOR K.C.E. 65523 DATE

DRAWING NUMBER **SDM-116**

CASE 5 - DUAL AND SINGLE RAMP ORTHOGONAL



CASE 6 - DUAL AND SINGLE RAMP SKEWED



LEGEND

- CONSTRUCTION LINE
- CURB & GUTTER
- ▨ CROSSWALK BAR (24" WIDE)

SHEET 3 OF 3

REVISION	BY	APPROVED	DATE
ORIGINAL	JF	J. NAGELVOORT	02/15

CITY OF SAN DIEGO - STANDARD DRAWING

**CONTINENTAL CROSSWALK
MARKINGS LAYOUT AND NOTES**

RECOMMENDED BY THE CITY OF SAN DIEGO
STANDARDS COMMITTEE

C. Dominga
COORDINATOR 2/15/2015
DATE

DRAWING
NUMBER **SDM-116**

City of San Diego

CITY CONTACT: Damian Singleton, Contract Specialist, Email: DSingleton@sandiego.gov
Phone No. (619) 533-3482, Fax No. (619) 533-3633

ADDENDUM "B"

FOR

SLURRY SEAL GROUP 1501



BID NO.: K-15-1301-DBB-3
SAP NO. (WBS/IO/CC): 21003502
CLIENT DEPARTMENT: 2116
COUNCIL DISTRICT: CITYWIDE
PROJECT TYPE: ID

BID DUE DATE:

2:00 PM
APRIL 7, 2015
CITY OF SAN DIEGO
PUBLIC WORKS CONTRACTS
1010 SECOND AVENUE, 14th FLOOR, MS 614C
SAN DIEGO, CA 92101

A. CHANGES TO CONTRACT DOCUMENTS

The following changes to the Contract Documents are hereby made effective as though originally issued with the bid package. Bidders are reminded that all previous requirements to this solicitation remain in full force and effect.

B. BIDDER'S QUESTIONS

Q1. Regarding the SLBE-ELBE mandatory participation of 15.1% are the percentages listed in the Contract Documents Volume 1 of 2 the actual percentages required to meet the 15.1%? Can the SLBE percentage be higher and the ELBE percentage be less but collectively still accumulating 15.1%?

A1. The total SLBE-EBLE mandatory participation for this project is 15.1%. The SLBE and ELBE percentages listed on page 4 of Volume 1 are recommended breakdowns based on firm availability, however, the total mandatory participation may be met with any combination of SLBE or ELBE firm(s).

Q2. Is the proof of certification for the SLBE and ELBE due at time of bid?

A2. Proof of SLBE-ELBE certification is not required to be submitted at time of bid.

James Nagelvoort, Director
Public Works Department

Dated: *March 26, 2015*
San Diego, California

JN/BD/Lad

TABLE OF CONTENTS

DESCRIPTION

PAGE NUMBER

Volume 2 - Bidding Documents

The following forms must be completed in their entirety and submitted with the Bid. Include the form(s) even if the information does not apply. Where the information does not apply write in N/A. Failure to include any of the forms may cause the Bid to be deemed **non-responsive**. If you are uncertain or have any questions about any required information, contact the City no later than 14 days prior to Bid due date.

1. Bid/Proposal.....	3
2. Bid Bond.....	6
3. Non-Collusion Affidavit to be executed by Bidder and Submitted with Bid under 23 USC 112 and PCC 7106.....	7
4. Contractors Certification of Pending Actions.....	8
5. Equal Benefits Ordinance Certification of Compliance.....	9
6. Proposal (Bid).....	10
7. Form AA35 - List of Subcontractors.....	13
8. Form AA40 - Named Equipment/Material Supplier List.....	14

BIDDING DOCUMENTS

PROPOSAL

Bidder's General Information

To the City of San Diego:

Pursuant to "Notice Inviting Bids", specifications, and requirements on file with the City Clerk, and subject to all provisions of the Charter and Ordinances of the City of San Diego and applicable laws and regulations of the United States and the State of California, the undersigned hereby proposes to furnish to the City of San Diego, complete at the prices stated herein, the items or services hereinafter mentioned. The undersigned further warrants that this bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and, further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

The undersigned bidder(s) further warrants that bidder(s) has thoroughly examined and understands the entire Contract Documents (plans and specifications) and the Bidding Documents therefore, and that by submitting said Bidding Documents as its bid proposal, bidder(s) acknowledges and is bound by the entire Contract Documents, including any addenda issued thereto, as such Contract Documents incorporated by reference in the Bidding Documents.

IF A SOLE OWNER OR SOLE CONTRACTOR SIGN HERE:

- (1) Name under which business is conducted _____
- (2) Signature (Given and surname) of proprietor _____
- (3) Place of Business (Street & Number) _____
- (4) City and State _____ Zip Code _____
- (5) Telephone No. _____ Facsimile No. _____
- (6) Email Address _____

IF A PARTNERSHIP, SIGN HERE:

- (1) Name under which business is conducted _____

BIDDING DOCUMENTS

(2) Name of each member of partnership, indicate character of each partner, general or special (limited):

(3) Signature (Note: Signature must be made by a general partner)

Full Name and Character of partner

(4) Place of Business (Street & Number) _____

(5) City and State _____ Zip Code _____


(6) Telephone No. _____ Facsimile No. _____

(7) Email Address _____

IF A CORPORATION, SIGN HERE:

(1) Name under which business is conducted American Asphalt South, Inc

(2) Signature, with official title of officer authorized to sign for the corporation:


(Signature)

Lyle Stone
(Printed Name)

Secretary
(Title of Officer)

(Impress Corporate Seal Here)

(3) Incorporated under the laws of the State of California

(4) Place of Business (Street & Number) 14436 Santa Ana Avenue

(5) City and State Fontana, CA Zip Code 92337

(6) Telephone No. (909) 427-8276 Facsimile No. (909) 427-8279

(7) Email Address lyles@americanasphaltsouth.com

BIDDING DOCUMENTS

THE FOLLOWING SECTIONS MUST BE FILLED IN BY ALL PROPOSERS:

In accordance with the "NOTICE INVITING BIDS", the bidder holds a California State Contractor's license for the following classification(s) to perform the work described in these specifications:

LICENSE CLASSIFICATION A

LICENSE NO. 784969 EXPIRES 09/30/2016

This license classification must also be shown on the front of the bid envelope. Failure to show license classification on the bid envelope may cause return of the bid unopened.

TAX IDENTIFICATION NUMBER (TIN): [REDACTED]

Email Address: lyles@americanasphalt.com

THIS PROPOSAL MUST BE NOTARIZED BELOW:

I certify, under penalty of perjury, that the representations made herein regarding my State Contractor's license number, classification and expiration date are true and correct.

Signature [Signature] Title Secretary

SUBSCRIBED AND SWORN TO BEFORE ME, THIS 1st DAY OF April, 2015

Notary Public in and for the County of San Bernardino, State of California

[Signature]

(NOTARIAL SEAL)



BIDDING DOCUMENTS

BID BOND

KNOW ALL MEN BY THESE PRESENTS,

That American Asphalt South, Inc. as Principal, and The Guarantee Company of North America USA as Surety, are held and firmly bound unto The City of San Diego hereinafter called "OWNER," in the sum of 10% OF THE TOTAL BID AMOUNT for the payment of which sum, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these presents.

WHEREAS, said Principal has submitted a Bid to said OWNER to perform the WORK required under the bidding schedule(s) of the OWNER's Contract Documents entitled

Slurry Seal Group 1501, Bid No. K-15-1301-DBB-3

NOW THEREFORE, if said Principal is awarded a contract by said OWNER and, within the time and in the manner required in the "Notice Inviting Bids" enters into a written Agreement on the form of agreement bound with said Contract Documents, furnishes the required certificates of insurance, and furnishes the required Performance Bond and Payment Bond, then this obligation shall be null and void, otherwise it shall remain in full force and effect. In the event suit is brought upon this bond by said OWNER and OWNER prevails, said Surety shall pay all costs incurred by said OWNER in such suit, including a reasonable attorney's fee to be fixed by the court.

SIGNED AND SEALED, this 17 day of March, 2015

American Asphalt South, Inc. (SEAL)
(Principal)

The Guarantee Company of
North America USA (SEAL)
(Surety)

By: *Lyle Stone*
Lyle Stone (Signature) Secretary

By: *Elizabeth Collodi*
(Signature)
Elizabeth Collodi, Attorney-in-Fact

(SEAL AND NOTARIAL ACKNOWLEDGEMENT OF SURETY)

RECEIVED MAR 20 2015

ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California
County of Butte)


On March 17, 2015 before me, Derek Gould, Notary Public
(insert name and title of the officer)

personally appeared Elizabeth Collodi,
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/~~are~~
subscribed to the within instrument and acknowledged to me that ~~he~~/she/~~they~~ executed the same in
~~his~~/her/~~their~~ authorized capacity(~~ies~~), and that by ~~his~~/her/~~their~~ signature(s) on the instrument the
person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.


I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature



(Seal)





The Guarantee Company of North America USA
Southfield, Michigan

POWER OF ATTORNEY

KNOW ALL BY THESE PRESENTS: That THE GUARANTEE COMPANY OF NORTH AMERICA USA, a corporation organized and existing under the laws of the State of Michigan, having its principal office in Southfield, Michigan, does hereby constitute and appoint

Barbara Midstokke, Renee Ramsey, Richard W. Pratt, John Hopkins, Elizabeth Colodi, Susan Lee, Barbara Beeny, Nancy Luttenbacher, Phillip O. Watkins, Keith T. Schuler, Melissa D. Diaz, Shawna Johnson, Patricia M. Simas
Interwest Insurance Services, Inc.

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these presents, shall be as binding upon THE GUARANTEE COMPANY OF NORTH AMERICA USA as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

The Power of Attorney is executed and may be certified so, and may be revoked, pursuant to and by authority of Article IX, Section 9.03 of the By-Laws adopted by the Board of Directors of THE GUARANTEE COMPANY OF NORTH AMERICA USA at a meeting held on the 31st day of December, 2003. The President, or any Vice President, acting with any Secretary or Assistant Secretary, shall have power and authority:

- 1. To appoint Attorney(s)-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof; and
2. To revoke, at any time, any such Attorney-in-fact and revoke the authority given, except as provided below
3. In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.
4. In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner - Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of the Company adopted at a meeting duly called and held on the 6th day of December 2011, of which the following is a true excerpt:

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.



IN WITNESS WHEREOF, THE GUARANTEE COMPANY OF NORTH AMERICA USA has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 23rd day of February, 2012.

THE GUARANTEE COMPANY OF NORTH AMERICA USA

[Signature of Stephen C. Ruschak]

[Signature of Randall Musselman]

STATE OF MICHIGAN
County of Oakland

Stephen C. Ruschak, Sr. Vice President, COO

Randall Musselman, Secretary

On this 23rd day of February, 2012 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each is the herein described and authorized officer of The Guarantee Company of North America USA; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of



Cynthia A. Takai
Notary Public, State of Michigan
County of Oakland
My Commission Expires February 27, 2018
Acting in Oakland County

IN WITNESS WHEREOF, I have hereunto set my hand at The Guarantee Company of North America USA offices the day and year above written.

[Signature of Cynthia A. Takai]

I, Randall Musselman, Secretary of THE GUARANTEE COMPANY OF NORTH AMERICA USA, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by THE GUARANTEE COMPANY OF NORTH AMERICA USA, which is still in full force and effect.



IN WITNESS WHEREOF, I have thereunto set my hand and attached the seal of said Company this 17 day of March, 2015

[Signature of Randall Musselman]

Randall Musselman, Secretary

BIDDING DOCUMENTS

**NON-COLLUSION AFFIDAVIT TO BE EXECUTED BY BIDDER AND
SUBMITTED WITH BID UNDER 23 UNITED STATES CODE 112 AND
PUBLIC CONTRACT CODE 7106**

State of California)
)
) ss.
County of San Bernardino)

Lyle Stone, being first duly sworn, deposes and says that he or she is Secretary of the party making the foregoing bid that the bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

Signed: *Lyle Stone*

Title: Secretary

Subscribed and sworn to before me this 1st day of April, 2015

Jeri Marie Grant
Notary Public

(SEAL)



BIDDING DOCUMENTS

CONTRACTORS CERTIFICATION OF PENDING ACTIONS

As part of its bid or proposal (Non-Price Proposal in the case of Design-Build contracts), the Bidder shall provide to the City a list of all instances within the past 10 years where a complaint was filed or pending against the Bidder in a legal or administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers, and a description of the status or resolution of that complaint, including any remedial action taken.

CHECK ONE BOX ONLY.

- The undersigned certifies that within the past 10 years the Bidder has NOT been the subject of a complaint or pending action in a legal administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers.
- The undersigned certifies that within the past 10 years the Bidder has been the subject of a complaint or pending action in a legal administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers. A description of the status or resolution of that complaint, including any remedial action taken and the applicable dates is as follows:

DATE OF CLAIM	LOCATION	DESCRIPTION OF CLAIM	LITIGATION (Y/N)	STATUS	RESOLUTION/REMEDIAL ACTION TAKEN

Contractor Name: American Asphalt South, Inc.

Certified By Lyle Stone Name Title Secretary


 Signature Date April 1st, 2015

USE ADDITIONAL FORMS AS NECESSARY

BIDDING DOCUMENTS

PROPOSAL (BID)

The Bidder agrees to the construction of **Slurry Seal Group 1501**, for the City of San Diego, in accordance with these contract documents for the prices listed below. The Bidder guarantees the Contract Price for a period of 120 days (90 days for federally funded contracts and contracts valued at \$500,000 or less) from the date of Bid opening to Award of the Contract. The duration of the Contract Price guarantee shall be extended by the number of days required for the City to obtain all items necessary to fulfill all conditions precedent e.g., bond and insurance.

Item	Quantity	Unit	NAICS	Payment Reference	Description	Unit Price	Extension
BASE BID							
1	2,207,258	SF	237310	302-4.12.4	Type I RPMS (Slurry Seal)	\$ 0.11	\$ 242,798.38
2	4,932,027	SF	237310	302-4.12.4	Type I over Type III RPMS (Slurry Seal)	\$ 0.30	\$ 1,479,608.10
3	4,663	TON	237310	302-3.2	Asphalt Pavement Repair	\$ 128.00	\$ 596,864.00
4	80	EA	237310	301-1.7	Raise Appurtenance to Grade (Water, Sewer, Monument Covers)	\$ 330.00	\$ 26,400.00
5	713,925	LF	237310	302-14.5	Crack Seal	\$ 0.30	\$ 214,177.50
6	346	LF	237310	302-1.12	Removal of Humps & Pavement Irregularities	\$ 8.80	\$ 3,044.80
7	1	LS	237310	Appendix E 82-1.04, 84-2.04, 84-3.04, 85-1.04	Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices		\$ 165,000.00
8	43	EA	237310	302-1.12	Traffic Detector Loop Replacement	\$ 275.00	\$ 11,825.00
9	1	EA	238210	302-1.12	Replace Traffic Conduit Stub	\$ 495.00	\$ 495.00
10	1	LS	541310	701-13.9.5	Water Pollution Control Program Development - WPCP & WTAP		\$ 1,500.00
11	1	LS	237990	701-13.9.5	Water Pollution Control Program Implementation		\$ 15,000.00

BIDDING DOCUMENTS

Item	Quantity	Unit	NAICS	Payment Reference	Description	Unit Price	Extension	
12	122	EA	237990	701-13.9.5	Post-Construction Requirements - Inlet Markers	\$ 20.00	\$ 2,440.00	
13	1	LS	237310	7-10.2.6	Traffic Control, including Plans & Permits	 	\$ 148,615.00	
14	1	LS	524126	2-4.1	Bonds (Payment and Performance)	 	\$ 25,000.00	
15	1	AL		9-3.5	Field Orders - Type II	 	\$60,141.75	
ESTIMATED TOTAL BASE BID								\$ 2,992,909.53

TOTAL BID PRICE FOR BID (Items 1 through 15 inclusive) amount written in words:

Two Million, Nine Hundred Ninety-Two Thousand Nine Hundred Nine dollars and Fifty-Three cents

24%
DS

The Bid shall contain an acknowledgment of receipt of all addenda, the numbers of which shall be filled in on the Bid form. If an addendum or addenda has been issued by the City and not noted as being received by the Bidder, this proposal shall be rejected as being **non-responsive**. The following addenda have been received and are acknowledged in this bid: A, B

The names of all persons interested in the foregoing proposal as principals are as follows:

Allan Henderson - President, Treasurer
Jeff Petty - Vice President
Lyle Stone - Secretary

BIDDING DOCUMENTS

IMPORTANT NOTICE: If Bidder or other interested person is a corporation, state secretary, treasurer, and manager thereof; if a co-partnership, state true name of firm, also names of all individual co-partners composing firm; if Bidder or other interested person is an individual, state first and last names in full.

Bidder: American Asphalt South, Inc.
Title: Lyle Stone, Secretary
Business Address: 14436 Santa Ana Avenue, Fontana, CA 92337
Place of Business: Fontana, CA
Place of Residence: _____
Signature: Lyle Stone

NOTES:

- A. The City shall determine the low Bid based on the Base Bid alone.
- B. Prices and notations shall be in ink or typewritten. All corrections (which have been initiated by the Bidder using erasures, strike out, line out, or "white-out") shall be typed or written in with ink adjacent thereto, and shall be initialed in ink by the person signing the bid proposal.
- C. Failure to initial all corrections made in the bidding documents may cause the Bid to be rejected as **non-responsive** and ineligible for further consideration.
- D. Blank spaces must be filled in, using figures. Bidder's failure to submit a price for any Bid item that requires the Bidder to submit a price shall render the Bid **non-responsive** and shall be cause for its rejection.
- E. Unit prices shall be entered for all unit price items. Unit prices shall not exceed two (2) decimal places. If the Unit prices entered exceed two (2) decimal places, the City will only use the first two digits after the decimal points without rounding up or down.
- F. All extensions of the unit prices bid will be subject to verification by the City. In the case of inconsistency or conflict between the product of the Quantity x Unit Price and the Extension, the product shall govern.
- G. In the case of inconsistency or conflict, between the sums of the Extensions with the estimated total Bid, the sum of the Extensions shall govern.
- H. Bids shall not contain any recapitulation of the Work. Conditional Bids will be rejected as being **non-responsive**. Alternative proposals will not be considered unless called for.
- I. Subcontractors' License Number must be filled in. Failure to provide the information specified may deem the bidder **non-responsive**.

BIDDING DOCUMENTS

LIST OF SUBCONTRACTORS

In accordance with the requirements provided in the "Subletting and Subcontracting Fair Practices Act", Division 2, Part 1, Chapter 4 of the Public Contract Code, the Bidder shall list below the name and address of each Subcontractor who will perform work, labor, render services or specially fabricates and installs a portion [type] of the work or improvement, in an amount in excess of 0.5% of the Contractor's total Bid. The Bidder shall also list below the portion of the work which will be done by each subcontractor under this Contract. The Contractor shall list only one Subcontractor for each portion of the Work. The DOLLAR VALUE of the total Bid to be performed shall be stated for all subcontractors listed. Failure to comply with this requirement shall result in the Bid being rejected as **non-responsive** and ineligible for award. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3 Subcontracts, which stipulates the percent of the Work to be performed with the Bidders' own forces. The Bidder shall list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors that Bidders are seeking recognition towards achieving any mandatory, voluntary, or both subcontracting participation percentages.

Subcontractors' License Number must be filled in. Failure to provide the information specified may deem the bidder **non-responsive**.

NAME, ADDRESS AND TELEPHONE NUMBER OF SUBCONTRACTOR	CONSTRUCTOR OR DESIGNER	SUBCONTRACTOR LICENSE NUMBER	TYPE OF WORK	DOLLAR VALUE OF SUBCONTRACT (MUST BE FILLED OUT)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB	WHERE CERTIFIED	CHECK IF JOINT VENTURE PARTNERSHIP
Name: <u>ATP General Engineering</u> Address: <u>157 Mace Street</u> City: <u>Chula Vista</u> State: <u>CA</u> Zip: <u>91911</u> Phone: <u>619 271 3445</u> Email: <u>Frank@paveitgreen.com</u>	Constructor	502506	AC Pavement Replacement, Remove Humps and irregularities, Raise appurtenance to grade	\$ 563,013.00	OBE		
Name: <u>CTE Incorporated</u> Address: <u>9991 Possum Creek Lane</u> City: <u>El Cajon</u> State: <u>CA</u> Zip: <u>92021</u> Phone: <u>619 561 3633</u> Email: <u>CHanson@CTE-CA.com</u>	Constructor	786098	Replace Vehicle detectors and loop conduit stubs	\$ 11,200.00	ELBE	CITY	

① As appropriate, Bidder shall identify Subcontractor as one of the following and shall include a valid proof of certification (except for OBE, SLBE and ELBE):

Certified Minority Business Enterprise	MBE	Certified Woman Business Enterprise	WBE
Certified Disadvantaged Business Enterprise	DBE	Certified Disabled Veteran Business Enterprise	DVBE
Other Business Enterprise	OBE	Certified Emerging Local Business Enterprise	ELBE
Certified Small Local Business Enterprise	SLBE	Small Disadvantaged Business	SDB
Woman-Owned Small Business	WoSB	HUBZone Business	HUBZone
Service-Disabled Veteran Owned Small Business	SDVOSB		

② As appropriate, Bidder shall indicate if Subcontractor is certified by:

City of San Diego	CITY	State of California Department of Transportation	CALTRANS
California Public Utilities Commission	CPUC	San Diego Regional Minority Supplier Diversity Council	SRMSDC
State of California's Department of General Services	CADoGS	City of Los Angeles	LA
State of California	CA	U.S. Small Business Administration	SBA

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

BIDDING DOCUMENTS

LIST OF SUBCONTRACTORS

In accordance with the requirements provided in the "Subletting and Subcontracting Fair Practices Act", Division 2, Part 1, Chapter 4 of the Public Contract Code, the Bidder shall list below the name and address of each Subcontractor who will perform work, labor, render services or specially fabricates and installs a portion [type] of the work or improvement, in an amount in excess of 0.5% of the Contractor's total Bid. The Bidder shall also list below the portion of the work which will be done by each subcontractor under this Contract. The Contractor shall list only one Subcontractor for each portion of the Work. The DOLLAR VALUE of the total Bid to be performed shall be stated for all subcontractors listed. Failure to comply with this requirement shall result in the Bid being rejected as **non-responsive** and ineligible for award. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3 Subcontracts, which stipulates the percent of the Work to be performed with the Bidders' own forces. The Bidder shall list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors that Bidders are seeking recognition towards achieving any mandatory, voluntary, or both subcontracting participation percentages.

Subcontractors' License Number must be filled in. Failure to provide the information specified may deem the bidder **non-responsive**.

NAME, ADDRESS AND TELEPHONE NUMBER OF SUBCONTRACTOR	CONSTRUCTOR OR DESIGNER	SUBCONTRACTOR LICENSE NUMBER	TYPE OF WORK	DOLLAR VALUE OF SUBCONTRACT (MUST BE FILLED OUT)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSE ^①	WHERE CERTIFIED ^②	CHECK IF JOINT VENTURE PARTNERSHIP
Name: <u>LSI Road Marking</u> Address: <u>P.O. Box 2426</u> City: <u>El Cajon</u> State: <u>CA</u> Zip: <u>92021</u> Phone: <u>619 443 7755</u> Email: <u>Estimating@LSIRoadMarking.com</u>	Constructor	775 886	Remove and Replace Striping and pavement markings, inlet Markers	\$ 158,973.00	SLBE, ELBE	City	
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____							

① As appropriate, Bidder shall identify Subcontractor as one of the following and shall include a valid proof of certification (except for OBE, SLBE and ELBE):

Certified Minority Business Enterprise	MBE	Certified Woman Business Enterprise	WBE
Certified Disadvantaged Business Enterprise	DBE	Certified Disabled Veteran Business Enterprise	DVBE
Other Business Enterprise	OBE	Certified Emerging Local Business Enterprise	ELBE
Certified Small Local Business Enterprise	SLBE	Small Disadvantaged Business	SDB
Woman-Owned Small Business	WoSB	HUBZone Business	HUBZone
Service-Disabled Veteran Owned Small Business	SDVOSB		

② As appropriate, Bidder shall indicate if Subcontractor is certified by:

City of San Diego	CITY	State of California Department of Transportation	CALTRANS
California Public Utilities Commission	CPUC	San Diego Regional Minority Supplier Diversity Council	SRMSDC
State of California's Department of General Services	CADoGS	City of Los Angeles	LA
State of California	CA	U.S. Small Business Administration	SBA

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

BIDDING DOCUMENTS

LIST OF SUBCONTRACTORS

In accordance with the requirements provided in the "Subletting and Subcontracting Fair Practices Act", Division 2, Part 1, Chapter 4 of the Public Contract Code, the Bidder shall list below the name and address of each Subcontractor who will perform work, labor, render services or specially fabricates and installs a portion [type] of the work or improvement, in an amount in excess of 0.5% of the Contractor's total Bid. The Bidder shall also list below the portion of the work which will be done by each subcontractor under this Contract. The Contractor shall list only one Subcontractor for each portion of the Work. The **DOLLAR VALUE** of the total Bid to be performed shall be stated for all subcontractors listed. Failure to comply with this requirement shall result in the Bid being rejected as **non-responsive** and ineligible for award. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3 Subcontracts, which stipulates the percent of the Work to be performed with the Bidders' own forces. The Bidder shall list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors that Bidders are seeking recognition towards achieving any mandatory, voluntary, or both subcontracting participation percentages.

Subcontractors' License Number must be filled in. Failure to provide the information specified may deem the bidder non-responsive.

NAME, ADDRESS AND TELEPHONE NUMBER OF SUBCONTRACTOR	CONSTRUCTOR OR DESIGNER	SUBCONTRACTOR LICENSE NUMBER	TYPE OF WORK	DOLLAR VALUE OF SUBCONTRACT (MUST BE FILLED OUT)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB [ⓐ]	WHERE CERTIFIED [ⓐ]	CHECK IF JOINT VENTURE PARTNERSHIP
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____							
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____							

ⓐ As appropriate, Bidder shall identify Subcontractor as one of the following and shall include a valid proof of certification (except for OBE, SLBE and ELBE):

Certified Minority Business Enterprise	MBE	Certified Woman Business Enterprise	WBE
Certified Disadvantaged Business Enterprise	DBE	Certified Disabled Veteran Business Enterprise	DVBE
Other Business Enterprise	OBE	Certified Emerging Local Business Enterprise	ELBE
Certified Small Local Business Enterprise	SLBE	Small Disadvantaged Business	SDB
Woman-Owned Small Business	WoSB	HUBZone Business	HUBZone
Service-Disabled Veteran Owned Small Business	SDVOSB		

ⓑ As appropriate, Bidder shall indicate if Subcontractor is certified by:

City of San Diego	CITY	State of California Department of Transportation	CALTRANS
California Public Utilities Commission	CPUC	San Diego Regional Minority Supplier Diversity Council	SRMSDC
State of California's Department of General Services	CADoGS	City of Los Angeles	LA
State of California	CA	U.S. Small Business Administration	SBA

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

BIDDING DOCUMENTS

NAMED EQUIPMENT/MATERIAL SUPPLIER LIST

The Bidder seeking the recognition of equipment, materials, or supplies obtained from Suppliers towards achieving any mandatory, voluntary, or both subcontracting participation percentages shall list the Supplier(s) on the Named Equipment/Material Supplier List. The Named Equipment/Material Supplier List, at a minimum, shall have the name, locations (City) and the DOLLAR VALUE of the Suppliers. The Bidder will be credited up to 60% of the amount to be paid to the Suppliers for such materials and supplies unless vendor manufactures or substantially alters materials and supplies in which case 100% will be credited. The Bidder is to indicate (Yes/No) whether listed firm is a supplier or manufacturer. In calculating the subcontractor participation percentages, vendors/suppliers will receive 60% credit of the listed DOLLAR VALUE, whereas manufacturers will receive 100% credit. If no indication provided, listed firm will be credited at 60% of the listed dollar value for purposes of calculating the Subcontractor Participation Percentage, Suppliers will receive 60% credit of the listed DOLLAR VALUE, whereas manufacturers will receive 100% credit. If no indication provided, listed firm will be credited at 60% of the listed DOLLAR VALUE for purposes of calculating the subcontractor participation percentages.

NAME, ADDRESS AND TELEPHONE NUMBER OF VENDOR/SUPPLIER	MATERIALS OR SUPPLIES	DOLLAR VALUE OF MATERIAL OR SUPPLIES (MUST BE FILLED OUT)	SUPPLIER (Yes/No)	MANUFACTURER (Yes/No)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB	WHERE CERTIFIED
Name: <u>Native Soils</u> Address: <u>800 Midway Dr</u> City: <u>Alpine</u> State: <u>CA</u> Zip: <u>91901</u> Phone: <u>619 495 4155</u> Email: <u>KE.Nativesoils@gmail.com</u>	Slurry Seal Emulsion	\$500,000.00	Yes	No	ELBE	City
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____						

① As appropriate, Bidder shall identify Vendor/Supplier as one of the following and shall include a valid proof of certification (except for OBE,SLBE and ELBE):

- | | | | |
|---|--------|--|---------|
| Certified Minority Business Enterprise | MBE | Certified Woman Business Enterprise | WBE |
| Certified Disadvantaged Business Enterprise | DBE | Certified Disabled Veteran Business Enterprise | DVBE |
| Other Business Enterprise | OBE | Certified Emerging Local Business Enterprise | ELBE |
| Certified Small Local Business Enterprise | SLBE | Small Disadvantaged Business | SDB |
| Woman-Owned Small Business | WoSB | HUBZone Business | HUBZone |
| Service-Disabled Veteran Owned Small Business | SDVOSB | | |

② As appropriate, Bidder shall indicate if Vendor/Supplier is certified by:

- | | | | |
|--|--------|--|----------|
| City of San Diego | CITY | State of California Department of Transportation | CALTRANS |
| California Public Utilities Commission | CPUC | San Diego Regional Minority Supplier Diversity Council | SRMSDC |
| State of California's Department of General Services | CADoGS | City of Los Angeles | LA |
| State of California | CA | U.S. Small Business Administration | SBA |

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.