



LENGTH, L (MAX.)	(A)
5'-0"	#5 @ 12" O.C. EACH WAY
8'-0"	#6 @ 9" O.C. EACH WAY

LEGEND ON PLANS



NOTES:

- DESIGN OF STORMWATER INFRASTRUCTURE SHALL CONFORM TO THE STORMWATER STANDARDS MANUAL AND DRAINAGE DESIGN MANUAL, AND SHALL BE SUBJECT TO REVIEW. USE OF THIS DETAIL DOES NOT PRECLUDE SUCH REQUIREMENTS.
- REFER TO PLANS FOR HORIZONTAL AND VERTICAL CONTROL INFORMATION.
- PLACEMENT OF BIOFILTRATION CROSSINGS SHALL AVOID CONSTRUCTED CHECK DAM.
- CONCRETE SHALL BE 560-C-3250.
- THE ELEVATION OF THE GUTTER FLOWLINE SHALL NOT BE HIGHER THAN THE PEDESTRIAN CROSSING BOTTOM ELEVATION.
- THE CONCRETE SURFACE SHALL HAVE A BROOM FINISH.

REVISION	BY	APPROVED	DATE	CITY OF SAN DIEGO - STANDARD DRAWING	RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE
ORIGINAL	LT	R. AMEN	12/23		<i>Alaine James</i> 12/15/2023 COORDINATOR R.C.E. 81047 DATE
				BIOFILTRATION PEDESTRIAN CROSSING	DRAWING NUMBER SDSW-113