





1 | LOT 1 - WEST ELEVATION

SCALE = 1/8" = 1'-0"



2 | LOT 1 - SOUTH ELEVATION

SCALE = 1/8" = 1'-0"

- ### ELEVATION NOTES
- BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
 - EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE, WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
 - TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
 - LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTRUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
 - APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.

W.F
ARCHITECTS

WILL & FOTSCH ARCHITECTS

1298 PROSPECT STREET, SUITE 2S, LA JOLLA, CA 92037 - (o) 858-224-2486

JOB #:

CIELO MAR - LOT 1 DIAZ

8303 LA JOLLA SHORES DR, SAN DIEGO, CA 32037



DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL


A401

LOT 1 - EXTERIOR ELEVATIONS

04/28/2025


Copyright Will & Fotsch Architects 2025
AUTODESK DWG 28/04/2025 13:01:16 AutoCAD 2023/2025 Cielo Mar Owner: Cielo Mar LLC LA JOLLA SHORES - LOT 1 - CDP #1





5 | LOT 1 - EAST ELEVATION CASITA

SCALE = 1/8" = 1'-0"



6 | LOT 1 - WEST ELEVATION CASITA

SCALE = 1/8" = 1'-0"

ELEVATION NOTES

- BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
- EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE, WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
- TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
- LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
- APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.

W.F
ARCHITECTS

WILL & FOTSCH ARCHITECTS

1298 PROSPECT STREET, SUITE 2S, LA JOLLA, CA 92037 - (o) 858-224-2486

JOB #:

CIELO MAR - LOT 1 DIAZ

8303 LA JOLLA SHORES DR, SAN DIEGO, CA 32037

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL

A403

LOT 1 - EXTERIOR
ELEVATIONS

04/28/2025

JOB #:

CIELO MAR - LOT 2 -
SINNET

8303 LA JOLLA SHORES DR, SAN DIEGO, CA 32037



DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL

A404
LOT 2 - EXTERIOR
ELEVATIONS

04/28/2025



ELEVATION NOTES

- BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
- EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
- TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
- LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
- APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.



ELEVATION NOTES

- BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
- EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
- TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
- LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
- APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.







1298 PROSPECT STREET SUITE 2S | A | Q | A CA 92037 - (o) 858-224-2486

8303 | A IOLIA SHORES DR SAN DIEGO CA 92137

DATE AND TIME: 21/10/2025 11:52:59 Autodesk Docs (2220) C:\Program Files\Autodesk\Autodesk Docs\Autodesk Docs.exe


10/22/2025

1. BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR SHIPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
2. EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
3. TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
4. LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTRUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
5. APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OR OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.




ELEVATION NOTES

- BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
- EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
- TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
- LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
- APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.



3 LOT 3 - EAST ELEVATION

SCALE = 1/8" = 1'-0"



4 LOT 3 - NORTH ELEVATION

SCALE = 1/8" = 1'-0"

ELEVATION NOTES

1.


BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
2.

EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
3.

TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
4.


LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
5.

APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.



1 LOT 4 - EAST ELEVATION

SCALE = 1/8" = 1'-0"



2 LOT 4 - NORTH ELEVATION

SCALE = 1/8" = 1'-0"

W.F
ARCHITECTS

WILL & FOTSCH ARCHITECTS

1298 PROSPECT STREET, SUITE 2S, LA JOLLA, CA 92037 - (o) 858-224-2486

JOB #:

CIELO MAR - LOT 4 - A-2

TRUST

8303 LA JOLLA SHORES DR, SAN DIEGO, CA 32037

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL

A409

LOT 4 - EXTERIOR ELEVATIONS


04/28/2025

ELEVATION NOTES

- BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
- EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
- TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
- LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
- APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.


3 LOT 4 - WEST ELEVATION
SCALE = 1/8" = 1'-0"

4 LOT 4 - SOUTH ELEVATION
SCALE = 1/8" = 1'-0"



5 LOT 4 - EAST ELEVATION OFFICE

SCALE = 1/8" = 1'-0"



6 LOT 4 - WEST ELEVATION OFFICE

SCALE = 1/8" = 1'-0"

ELEVATION NOTES

- BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
- EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
- TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
- LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
- APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.

W.F
ARCHITECTS

WILL & FOTSCH ARCHITECTS

1298 PROSPECT STREET, SUITE 2S, LA JOLLA, CA 92037 - (o) 858-224-2486

JOB #:

CIELO MAR - LOT 4 - A-2
TRUST
8303 LA JOLLA SHORES DR, SAN DIEGO, CA 32037

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL

A410
LOT 4 - EXTERIOR
ELEVATIONS

04/28/2025

- ELEVATION NOTES
- BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
 - EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
 - TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
 - LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
 - APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.


JOB #:

CIELO MAR - LOT 4 - A-2

TRUST


8303 LA JOLLA SHORES DR, SAN DIEGO, CA 32037

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL




7 LOT 4 - EAST ELEVATION GARAGE

SCALE = 1/8" = 1'-0"



8 LOT 4 - WEST ELEVATION GARAGE

SCALE = 1/8" = 1'-0"



ELEVATION NOTES

1. BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER AND OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
2. EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
3. TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
4. LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTRUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
5. APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.

W.F.
ARCHITECTS

WILL & FOTSCH ARCHITECTS

1298 PROSPECT STREET, SUITE 2S, LA JOLLA, CA 92037 - (o) 858-224-2486

JOB #:

CIELO MAR - LOT 5 - RACE

8303 LA JOLLA SHORES DR. SAN DIEGO, CA 32037


DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3ND CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL

A412

OT 5 - EXTERIOR
ELEVATIONS


04/28/2025

- ELEVATION NOTES
- BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
 - EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
 - TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
 - LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
 - APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.



3 LOT 5 - WEST ELEVATION

SCALE = 1/8" = 1'-0"



4 LOT 5 - NORTH ELEVATION

SCALE = 1/8" = 1'-0"

W.F
ARCHITECTS

WILL & FOTSCH ARCHITECTS

1298 PROSPECT STREET, SUITE 2S, LA JOLLA, CA 92037 - (o) 858-224-2486

JOB #:

CIELO MAR - LOT 6 - LLC

8303 LA JOLLA SHORES DR, SAN DIEGO, CA 32037

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL

A415

LOT 6 - EXTERIOR
ELEVATION

04/28/2025

ELEVATION NOTES

1.

BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.

2.

EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.

3.

TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.

4.

LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTRUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.

5.

APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.

1


LOT 6 - EAST ELEVATION

SCALE = 1/8" = 1'-0"


2

LOT 6 - NORTH ELEVATION

SCALE = 1/8" = 1'-0"



3 LOT 6 - WEST ELEVATION
SCALE = 1/8" = 1'-0"



4 LOT 6 - SOUTH ELEVATION
SCALE = 1/8" = 1'-0"

ELEVATION NOTES

- BUILDING MATERIALS AND COLOR ARE THE MOST CRITICAL UNIFYING ELEMENTS. FOR THIS REASON, ROOF MATERIALS WITHIN THE LA JOLLA SHORES PLANNED DISTRICT SHALL BE LIMITED TO WOOD SHAKES, WOOD SHINGLES, CLAY TILE, SLATE OR COPPER OF GOOD QUALITY WHERE THE PITCH IS 4 IN 12 OR GREATER OR OTHER MATERIALS WHICH WOULD CONTRIBUTE TO THE CHARACTER OF THE SURROUNDING NEIGHBORHOOD. ROOFS WITH A PITCH OF LESS THAN 4 IN 12 MAY ALSO BE COVERED WITH CRUSHED STONE OF MUTED DARK TONE.
- EXTERIOR WALL MATERIALS SHALL BE LIMITED TO WOOD SIDING, WOOD SHINGLES, ADOBE AND CONCRETE BLOCKS, BRICK, STUCCO, CONCRETE OR NATURAL STONE. WHITE AND NATURAL EARTH COLORS SHOULD PREDOMINATE. PRIMARY COLORS MAY BE USED FOR ACCENT.
- TO PRESERVE THE SEASIDE CHARACTER OF THE COMMUNITY, EACH BUILDING SHALL BE SITED AND DESIGNED SO AS TO PROTECT PUBLIC VIEW FROM PUBLIC RIGHTS-OF-WAY AND PUBLIC PLACES AND PROVIDE FOR SEE-THROUGHS TO THE OCEAN.
- LIGHTING WHICH HIGHLIGHTS ARCHITECTURAL FEATURES OF A STRUCTURE SHALL BE PERMITTED. SUCH LIGHTING SHALL BE UNOBTRUSIVE AND SHIELDED SO AS NOT TO FALL EXCESSIVELY ON ADJACENT PROPERTIES.
- APPURTENANCES ON THE ROOF SHALL BE ENCLOSED OF OTHERWISE DESIGNED OR SHIELDED TO BE ATTRACTIVE.

W.F
ARCHITECTS

WILL & FOTSCH ARCHITECTS

1298 PROSPECT STREET, SUITE 2S, LA JOLLA, CA 92037 - (o) 858-224-2486

JOB #:

CIELO MAR - LOT 6 - LLC


8303 LA JOLLA SHORES DR, SAN DIEGO, CA 32037

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL

A416
LOT 6 - EXTERIOR
ELEVATION


04/28/2025

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL




3 | LOT 1 - SECTION 1

SCALE = 1/8" = 1'-0"




2 | LOT 1 - SECTION 2


SCALE = 1/8" = 1'-0"



3 | LOT 1 - SECTION 3
SCALE = 1/8" = 1'-0"




4 | LOT 1 - SECTION 4
SCALE = 1/8" = 1'-0"




5 | LOT 1 - SECTION 5

SCALE = 1/8" = 1'-0"




6 | LOT 1 - SECTION 6

SCALE = 1/8" = 1'-0"




1 | LOT 2 - SECTION 1

SCALE = 1/8" = 1'-0"




2 | LOT 2 - SECTION 2



SCALE = 1/8" = 1'-0"




3 | LOT 2 - SECTION 3
SCALE = 1/8" = 1'-0"




4 | LOT 2 - SECTION 4
SCALE = 1/8" = 1'-0"






7 | LOT 2 - SECTION 7
SCALE = 1/8" = 1'-0"



8 | LOT 2 - SECTION 8
SCALE = 1/8" = 1'-0"


1 LOT 3 - SECTION 1


SCALE = 1/8" = 1'-0"



2 LOT 3 - SECTION 2


SCALE = 1/8" = 1'-0"






3 LOT 3 - SECTION 3

SCALE = 1/8" = 1'-0"




4 LOT 3 - SECTION 4

SCALE = 1/8" = 1'-0"



5 LOT 3 - SECTION 5

SCALE = 1/8" = 1'-0"




6 LOT 3 - SECTION 6

SCALE = 1/8" = 1'-0"


JOB #:

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL



1 | LOT 3 - SECTION 7


SCALE = 1/8" = 1'-0"



2 | LOT 3 - SECTION 8


SCALE = 1/8" = 1'-0"

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL




1 | LOT 4 - SECTION 1

SCALE = 1/8" = 1'-0"




2 | LOT 4 - SECTION 2

SCALE = 1/8" = 1'-0"





1 | LOT 5 - SECTION 1
SCALE = 1/8" = 1'-0"




2 | LOT 5 - SECTION 2
SCALE = 1/8" = 1'-0"

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL



DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL



3 | LOT 6 - SECTION 3

SCALE = 1/8" = 1'-0"


JOB #:

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL


A516

OVERALL SITE
SECTIONS

04/28/2025




1 | OVERALL - SECTION 1
SCALE = 1" = 20'-0"



2 | OVERALL - SECTION 2
SCALE = 1" = 20'-0"


JOB #:

DATE:	ISSUE:
02/24/2023	CDP SUBMITTAL
10/03/2023	2ND CDP SUBMITTAL
03/18/2024	3RD CDP SUBMITTAL
08/16/2024	4TH CDP SUBMITTAL
12/13/2024	5TH CDP SUBMITTAL
04/28/2025	6TH CDP SUBMITTAL
09/04/2025	7TH CDP SUBMITTAL




3 OVERALL - SECTION 3

SCALE = 1" = 20'-0"



4 OVERALL - SECTION 4

SCALE = 1" = 20'-0"




5 OVERALL - SECTION 5


SCALE = 1" = 20'-0"



1 | MAIN GATE
SCALE = 1/4" = 1'-0"



2 | GATE ELEVATION
SCALE = 1/4" = 1'-0"



3 | GATE SECTION
SCALE = 1/4" = 1'-0"

FIRE NOTES

ROAD GATES IS AMENDED TO READ AS FOLLOWS:
GATES SECURING THE FIRE APPARATUS ACCESS ROADS SHALL COMPLY WITH ALL OF THE FOLLOWING CRITERIA:

- (A) THE MINIMUM GATE WIDTH SHALL BE 13 FEET (3964 MM)
- (B) GATES SHALL BE OF THE HORIZONTAL SWING, HORIZONTAL SLIDE, VERTICAL LIFT OR VERTICAL PIVOT TYPE.
- (C) CONSTRUCTION OF GATES SHALL BE OF MATERIALS THAT ALLOW MANUAL OPERATION BY ONE PERSON.
- (D) GATE COMPONENTS SHALL BE MAINTAINED IN AN OPERATIVE CONDITION AT ALL TIMES AND REPLACED OR REPAIRED WHEN DEFECTIVE.
- (E) ELECTRIC GATES SHALL BE EQUIPPED WITH A MEANS OF OPENING THE GATE BY FIRE DEPARTMENT PERSONNEL FOR EMERGENCY ACCESS. EMERGENCY OPENING DEVICES SHALL BE APPROVED BY THE FIRE CODE OFFICIAL.
- (F) METHODS OF LOCKING SHALL BE SUBMITTED FOR APPROVAL BY THE FIRE CODE OFFICIAL.
- (G) ELECTRIC GATE OPERATORS, WHERE PROVIDED, SHALL BE LISTED IN ACCORDANCE WITH UL 325.
- (H) GATES INTENDED FOR AUTOMATIC OPERATION SHALL BE DESIGNED, CONSTRUCTED AND INSTALLED TO COMPLY WITH THE REQUIREMENTS OF ASTM F2200.

NOTE: ACCESS FOR TRASH TO BE ARRANGED WITH HOA ONCE ESTABLISHED