



Limited Phase II Subsurface Investigation Report

The Collection at Cactus
APN: 646-100-77-00, San Diego, California 92514



PREPARED FOR:

JPI COMPANIES
12250 EL CAMINO REAL, SUITE 380
SAN DIEGO, CA 92130

HILLMANN PROJECT NUMBER C3-9535-1

AUGUST 16, 2023


HILLMANN CONSULTING, LLC

DAN LOUKS
PROFESSIONAL GEOLOGIST 4883

Environmental Health & Safety | Due Diligence & Remediation Man:

Making a better future for all the communities we touch.

www.HillmannConsulting.com





August 16, 2023

Mr. Connor Kloeppel
JPI Companies
12250 El Camino Real, Suite 380
San Diego, CA 92130

RE: Limited Phase II Subsurface Investigation Report
The Collection at Cactus
APN: 646-100-77-00
San Diego, California 92514
Hillmann Project Number: C3-9535-1

Dear Mr. Conner Kloeppel:

Hillmann Consulting, LLC, is pleased to provide this Limited Phase II Subsurface Investigation Report prepared for the above-referenced property.

This report is for the exclusive use of the entities named on the front cover, its affiliates, designates and assignees, rating agencies, prospective bond holders and bond holders, and no other party shall have any right to rely on any service provided by Hillmann Consulting, LLC, without prior written consent.

We appreciate the opportunity to provide environmental due diligence services. If you have any questions concerning this report, or if we can assist you in any other matter, please contact our office at 714-634-9500.

Regards,
Hillmann Consulting, LLC

Kofi Bonner
Project Manager



TABLE OF CONTENTS

1.0	INTRODUCTION / BACKGROUND	1
2.0	GEOLOGY/HYDROGEOLOGY	2
3.0	SITE INVESTIGATION	2
3.1	Laboratory Results.....	3
4.0	CONCLUSIONS AND RECOMMENDATIONS	4
5.0	LIMITATIONS	5

LIST OF TABLES

- TABLE 1 - Summary of Pesticide Soil Sampling Results
- TABLE 2 – Summary of STLC and TCLP Analysis Results
- TABLE 3 – Summary of Pesticide Soil Sampling Results

LIST OF FIGURES

- FIGURE 1 - Site Plan

LIST OF APPENDICES

- APPENDIX A - Laboratory Reports

1.0 INTRODUCTION / BACKGROUND

Hillmann Consulting, LLC (Hillmann) conducted a Limited Phase II Subsurface Investigation at the site, located at an undeveloped parcel of land addressed as 7020 Airway Road in San Diego, California 92154. The Subject Property consists of one (1) parcel located north of Airway Road. The Subject Property occupies approximately 38 acres of former agricultural land in San Diego, California.

A previous Phase I conducted by Hillmann on May 1, 2023, found that the Subject Property was historically utilized as agricultural land from at least 1949 to 1996. Additionally, Hillmann reviewed a previous Phase I environmental site assessment conducted by C. Young Associates and dated July 2022, which indicated that limited soil sampling was conducted due to the historical agricultural usage of the Subject Property. A total of fifty (50) discrete soil samples were composited into thirteen (13) composite samples and analyzed for organochlorine pesticides (OCPs) using EPA Method 8081A. Additionally, thirteen (13) of the fifty (50) discrete samples were analyzed for arsenic per EPA Method 6010. Laboratory analysis indicated arsenic levels consistent with naturally occurring background concentrations ranging between 2.0 milligrams per kilogram (mg/kg) to 5.14 mg/kg, OCPs 4,4'-DDD, DDE and DDT were detected, but concentrations were below the residential human health risk-based screening levels. However, toxaphene was detected in twelve (12) out of the thirteen (13) composite samples ranging from 726 µg/kg to 2,470 µg/kg. The toxaphene screening levels are above the residential human health risk-based screening level of 490 micrograms per kilogram (µg/kg).

Based on the historical use and the prior studies performed on the Subject Property, Hillmann recommended a Limited Phase II Investigation in order to further characterize the subsurface conditions at the property.

During a Phase II subsurface investigation conducted by Hillmann on May 2, 2023, Hillmann collected sixty (60) individual samples, which were then analyzed for Organochlorine Pesticides (OCPs). Results of the OCP analysis indicated concentrations of 4,4'-DDD, 4,4'-DDT, and 4,4'-DDE were detected above laboratory detection limits, but below the EPA Regional Screening Levels (RSLs) for residential properties. However, toxaphene was detected above the residential RSL of 0.49 mg/kg in fifty-five (55) out of the sixty (60) samples analyzed. Detected concentrations ranged from 1.3 mg/kg to 8.1 mg/kg.

Subsequently, Hillmann requested additional analysis for all samples that had concentrations of toxaphene above the residential RSL of 0.49 mg/kg. The Soluble

Threshold Limit Concentration (STLC) analysis found that one sample, S-16 @0.5-1.0 reported a concentration of 0.76 mg/L, which is above the STLC limit of 0.5 mg/L of toxaphene, suggesting that this soil is considered California hazardous if disposal of the soil was necessary.

In order to further characterize the soil in the subsurface of the Subject Property, Hillmann performed an additional subsurface investigation on July 20, 2023 in five (5) of the areas with the highest concentrations of toxaphene, as found in the previous investigation. Hillmann advanced five (5) borings underneath former sample locations S2, S14, S15, S16, and S17. Hillmann aimed to collect fifteen (15) individual samples; however, refusal was hit at S17 at 3.5 feet, and a total of fourteen (14) samples were collected. The fourteen (14) samples were analyzed for organochlorine pesticides (OCPs) using EPA Method 8081A. Laboratory analysis indicated the OCP, 4,4-DDE was detected, but concentrations were below the residential human health risk-based screening levels.

2.0 GEOLOGY/HYDROGEOLOGY

According to the US Department of Agriculture Natural Resource Conservation Service Soil Map, this soil type is described as gravelly clay loam with very slow infiltration rates. Groundwater was not encountered during soil sampling.

3.0 SITE INVESTIGATION

On May 2, 2023, Hillmann collected sixty (60) shallow soil samples from multiple soil borings on the Subject Property. The samples were collected using a hand auger tool or soil sampling spatula and were completed from 0 to 2 feet below grade. The sample locations were targeted using a systematic random rectangular pattern across the target portion of the Subject Property. The soil samples were submitted for laboratory analysis to provide a representative and random assessment of the soil conditions across the target area of the Subject Property.

The rationale for this sampling pattern is based on the assumption that any pesticide applications would have been evenly distributed over time and area. This is a reasonable assumption and is recommended in regulatory guidance provided by DTSC (*Interim Guidance for Sampling Agricultural Properties, August 2008*). The sampling locations are shown on **Figure 1**.

Soil samples were preserved for analysis in laboratory glass containers, sealed with plastic end caps, and stored on ice. A total of sixty (60) soil samples were submitted

for laboratory analysis of OCPs by EPA Method 8081A. A&R Laboratories of Ontario, California analyzed the samples on a 5-day turnaround basis.

In order to further characterize the soil in the subsurface of the Subject Property, Hillmann performed an additional subsurface investigation on July 20, 2023. Hillmann collected fifteen (15) soil samples from five (5) of the areas with the highest concentrations of toxaphene, as found in the previous investigation. The samples were collected using a hand auger tool or a soil sampling spatula and were collected from 3 to 5 feet below grade in the sample locations S2, S14, S15, S16, and S17 from the previous investigation on May 2, 2023. During collection, Hillmann hit refusal from S-17 @ 3.5' and as a result, only fourteen (14) samples were collected. The sampling locations are shown in **Figure 1**.

Soil samples collected were preserved for analysis in laboratory glass containers, and sealed with plastic end caps, and stored on ice. A total of fourteen (14) soil samples were submitted for laboratory analysis of OCPs by EPA Method 8081A. A&R Laboratories of Ontario, California analyzed the samples on a 5-day turnaround basis.

3.1 Laboratory Results

Results of the May 2, 2023 OCP analysis indicated the samples had low levels of pesticides including the following: 4,4'-DDD, 4,4'-DDT, and 4,4'-DDE. The detected concentrations were compared to the EPA Regional Screening Levels (RSLs), which were developed by the EPA and modified for use by the California DTSC. RSLs developed by EPA are based on human health toxicity factors for residential and commercial settings. None of the 4,4'-DDD, 4,4'-DDT, and 4,4'-DDE concentrations exceeded their respective conservative screening levels for residential or commercial applications. However, the OCP analysis found that toxaphene was present and above residential RSLs in fifty-five (55) of the sixty (60) samples tested. The concentrations of toxaphene ranged from 1.3 mg/kg to 8.1 mg/kg, above the residential RSL of 0.49 mg/kg. These results are summarized in **Table 1**.

On June 1, 2023, Hillmann requested additional analysis for all samples that had concentrations of toxaphene greater than the Federal and State Total Threshold Limit Concentration of 5 mg/kg (TTLC). The following samples were analyzed: S-2 @ 0.5-1.0, S-2 @ 1.5-2.0, S-14 @ 0.5-1.0, S-16 @ 0.5-1.0, S-17 @ 0-0.5. The Soluble Threshold Limit Concentration (STLC) analysis found that one sample, S-16 @ 0.5-1.0 reported a concentration of 0.76 mg/L, which is above the STLC limit of 0.5 mg/L of toxaphene, suggesting that this soil is considered California hazardous if disposal of the soil was necessary. These results are summarized in **Table 2**. Furthermore, on June 5, 2023, Hillman requested additional analysis for sample S-16 @ 0.5-1.0 to find out if the

sample has the potential to leach into the subsurface. The Toxic Characteristic Leaching Procedure (TCLP) analysis was performed on the sample, and the result indicated that sample S-16 @ 0.5-1.0 was below the TCLP threshold limit and not considered RCRA hazardous material.

Additionally, on July 20, 2023, Hillmann performed another subsurface investigation to further characterize the soil in areas where previous investigations indicated high levels of toxaphene. The OCP analysis indicated the samples had low levels of the pesticide 4,4'-DDE. The detected concentrations were compared to the EPA Regional Screening Levels (RSLs), which were developed by the EPA and modified for use by the California DTSC. RSLs developed by EPA are based on human health toxicity factors for residential and commercial settings. None of the 4,4'-DDE concentrations exceeded their respective conservative screening levels for residential or commercial applications.

The full laboratory analysis report is included in **Appendix A**.

4.0 CONCLUSIONS AND RECOMMENDATIONS

The subject site is a 30-acre former orchard that is currently undeveloped land. Hillmann conducted a previous Phase I investigation on the Subject Property and found that the Subject Property was historically utilized as agricultural land from at least 1949 to 1996. As part of the Phase I investigation, Hillmann reviewed a prior Phase I report conducted by C. Young Associates, dated July 2022, which indicated that limited soil sampling was conducted due to the historical agricultural usage of the Subject Property. The report found that the Subject Property had residual contamination of pesticides above the residential RSLs. This was considered to be a recognized environmental condition (REC) that justified an additional limited subsurface investigation in connection with the Subject Property.

The subsurface investigation included conducting shallow soil sampling across the former agricultural property. Hillmann collected sixty (60) individual samples throughout the Subject Property and analyzed them discretely for OCPs. Results of the OCP analysis indicated toxaphene was present above residential levels (RSLs) in fifty-five (55) of the sixty (60) samples tested. The concentrations of toxaphene ranged from 1.3 mg/kg to 8.1 mg/kg, which is above the residential RSL of 0.49 mg/kg. None of the 4,4'-DDD, 4,4'-DDT, and 4,4'-DDE concentrations exceeded their respective conservative screening levels for residential or commercial applications.

On June 1, 2023, Hillmann requested additional analysis for all samples that had concentrations of toxaphene greater than the Federal and State Total Threshold Limit Concentration of 5 mg/kg (TTLC). The following samples were analyzed: S-2 @ 0.5-1.0, S-2 @ 1.5-2.0, S-14 @ 0.5-1.0, S- 16 @ 0.5-1.0, S-17 @ 0-0.5. The Soluble Threshold Limit Concentration (STLC) analysis found that one sample, S-16 @ 0.5-1.0 reported a concentration of 0.76 mg/L, which is above the STLC limit of 0.5 mg/L of toxaphene. Furthermore, on June 5, 2023, Hillman requested additional analysis for sample S-16 @ 0.5-1.0 to find out if the sample has the potential to leach into the subsurface. The Toxic Characteristic Leaching Procedure (TCLP) analysis was performed on the sample, and the result indicated that sample S-16 @ 0.5-1.0 *did not have a significant leaching potential. Thus, the soil in the area around S-16 would be considered California hazardous and not RCRA hazardous if a disposal method of mitigation was chosen.*

Additionally, on July 20, 2023, Hillmann performed an additional subsurface investigation to further characterize the soil in areas where previous investigations indicated high levels of toxaphene. Hillmann collected fifteen (15) samples from depths of 3', 4', and 5' from the following areas: S2, S14, S15, S16, and S17. The OCP analysis indicated the samples had low levels of the pesticide 4,4'-DDE. The detected concentrations were compared to the EPA Regional Screening Levels (RSLs), which were developed by the EPA and modified for use by the California DTSC. RSLs developed by EPA are based on human health toxicity factors for residential and commercial settings. None of the 4,4'- DDE concentrations exceeded their respective conservative screening levels for residential or commercial applications.

Based on these sampling activities and results, Hillmann made a reasonable attempt to define the distribution of elevated OCP levels throughout the Site. Hillmann recommends that additional soil sampling is unnecessary.

5.0 LIMITATIONS

This Subsurface Investigation was performed in accordance with generally and currently accepted engineering practices and principles. Although the data in this report is indicative of subsurface conditions in areas investigated, no further conclusions regarding the absence or presence of subsurface contamination in other areas of the site should be construed or inferred other than those expressly stated in this report. The conclusions made are based on information obtained from field observations, independent laboratory analytical results, and current and relevant Federal, State, regional, and local agencies.

TABLE 1
Summary of Pesticide Soil Sampling Results (mg/Kg) on

Sample ID	Date	Aldrin	Toxaphene	4,4 DDD	4,4 DDE	4,4 DDT	Dieldrin	Other OCP
S-1 @0-0.5'	5/2/23	<0.0050	<0.0050	0.011	0.053	0.027	<0.0050	<0.0050
S-1@0.5-1.0'	5/2/23	<0.0050	<0.0050	<0.0050	0.010	0.010	<0.0050	<0.0050
S-1@1.5-2.0'	5/2/23	<0.0050	<0.0050	<0.0050	0.0086	0.0074	<0.0050	<0.0050
S-2@0-0.5'	5/2/23	<0.0050	3.5	<0.0050	0.24	<0.0050	<0.0050	<0.0050
S-2@0.5-1.0'	5/2/23	<0.0050	6.4	<0.0050	0.27	<0.0050	<0.0050	<0.0050
S-2@1.5-2.0'	5/2/23	<0.0050	8.1	<0.0050	0.30	<0.0050	<0.0050	<0.0050
S-3@0-0.5'	5/2/23	<0.0050	2.3	<0.0050	0.12	<0.0050	<0.0050	<0.0050
S-3@0.5-1.0'	5/2/23	<0.0050	4.2	<0.0050	0.27	<0.0050	<0.0050	<0.0050
S-3@1.5-2.0'	5/2/23	<0.0050	2.6	<0.0050	0.16	<0.0050	<0.0050	<0.0050
S-4@0-0.5'	5/2/23	<0.0050	2.3	<0.0050	0.15	<0.0050	<0.0050	<0.0050
S-4@0.5-1.0'	5/2/23	<0.0050	1.6	<0.0050	0.081	<0.0050	<0.0050	<0.0050
S-4@1.5-2.0'	5/2/23	<0.0050	1.3	<0.0050	0.046	<0.0050	<0.0050	<0.0050
S-5@0-0.5'	5/2/23	<0.0050	2.4	<0.0050	0.19	<0.0050	<0.0050	<0.0050
S-5@0.5-1.0'	5/2/23	<0.0050	2.3	<0.0050	0.16	<0.0050	<0.0050	<0.0050
S-5@1.5-2.0'	5/2/23	<0.0050	2.0	<0.0050	0.091	<0.0050	<0.0050	<0.0050
S-6@0-0.5'	5/2/23	<0.0050	1.5	<0.0050	0.034	<0.0050	<0.0050	<0.0050
S-6@0.5-1.0'	5/2/23	<0.0050	<0.0050	<0.0050	0.0052	<0.0050	<0.0050	<0.0050
S-6@1.5-2.0'	5/2/23	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S-7@0-0.5'	5/2/23	<0.0050	4.0	<0.0050	0.42	<0.0050	<0.0050	<0.0050
S-7@0.5-1.0'	5/2/23	<0.0050	2.4	<0.0050	0.15	<0.0050	<0.0050	<0.0050
S-7@1.5-2.0'	5/2/23	<0.0050	2.3	<0.0050	0.15	<0.0050	<0.0050	<0.0050
S-8@0-0.5'	5/2/23	<0.0050	4.8	<0.0050	0.33	<0.0050	<0.0050	<0.0050
S-8@0.5-1.0'	5/2/23	<0.0050	2.5	<0.0050	0.12	<0.0050	<0.0050	<0.0050
S-8@1.5-2.0'	5/2/23	<0.0050	1.4	<0.0050	0.032	<0.0050	<0.0050	<0.0050
Residential RSL		0.11	0.49	2.3	1.9	1.9	0.034	Var.
Commercial RSL		0.36	2.1	9.6	9.3	8.5	0.14	Var.
DTSC Background		--	--	--	--	--	--	--

Notes: OCP - Organo-Chlorine Pesticides. ND - Not Detected NM – Not Measured. EPA Regional Screening Levels (RSLs) are human health risk-based screening levels used by EPA and DTSC in residential and commercial settings. Please refer to lab report for complete results.

TABLE 1 (Continued)
Summary of Pesticide Soil Sampling Results (mg/Kg)

Sample ID	Date	Aldrin	Toxaphene	4,4 DDD	4,4 DDE	4,4 DDT	Dieldrin	Other OCP
S-9@0-0.5'	5/2/23	<0.0050	4.4	<0.0050	0.20	<0.0050	<0.0050	<0.0050
S-9@0.5-1.0'	5/2/23	<0.0050	3.6	<0.0050	0.15	<0.0050	<0.0050	<0.0050
S-9@1.5-2.0'	5/2/23	<0.0050	2.1	<0.0050	0.054	<0.0050	<0.0050	<0.0050
S-10@0-0.5'	5/2/23	<0.0050	1.6	<0.0050	0.31	<0.0050	<0.0050	<0.0050
S-10@0.5-1.0'	5/2/23	<0.0050	4.0	<0.0050	0.33	<0.0050	<0.0050	<0.0050
S-10@1.5-2.0'	5/2/23	<0.0050	2.0	<0.0050	0.32	<0.0050	<0.0050	<0.0050
S-11@0-0.5'	5/2/23	<0.0050	3.9	<0.0050	0.16	<0.0050	<0.0050	<0.0050
S-11@0.5-1.0'	5/2/23	<0.0050	1.7	<0.0050	0.053	<0.0050	<0.0050	<0.0050
S-11@1.5-2.0'	5/2/23	<0.0050	1.4	<0.0050	0.050	<0.0050	<0.0050	<0.0050
S-12@0-0.5'	5/2/23	<0.0050	2.6	<0.0050	0.17	<0.0050	<0.0050	<0.0050
S-12@0.5-1.0'	5/2/23	<0.0050	2.0	<0.0050	0.082	<0.0050	<0.0050	<0.0050
S-12@1.5-2.0'	5/2/23	<0.0050	2.3	<0.0050	0.14	<0.0050	<0.0050	<0.0050
S-13@0-0.5'	5/2/23	<0.0050	1.5	<0.0050	0.37	<0.0050	<0.0050	<0.0050
S-13@0.5-1.0'	5/2/23	<0.0050	3.4	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S-13@1.5-2.0'	5/2/23	<0.0050	3.6	<0.0050	0.31	<0.0050	<0.0050	<0.0050
S-14@0-0.5'	5/2/23	<0.0050	3.3	<0.0050	0.17	<0.0050	<0.0050	<0.0050
S-14@0.5-1.0'	5/2/23	<0.0050	5.3	<0.0050	0.24	<0.0050	<0.0050	<0.0050
S-14@1.5-2.0'	5/2/23	<0.0050	3.9	<0.0050	0.23	<0.0050	<0.0050	<0.0050
S-15@0-0.5'	5/2/23	<0.0050	3.0	<0.0050	0.26	<0.0050	<0.0050	<0.0050
S-15@0.5-1.0'	5/2/23	<0.0050	2.9	<0.0050	0.22	<0.0050	<0.0050	<0.0050
S-15@1.5-2.0'	5/2/23	<0.0050	4.4	<0.0050	0.32	<0.0050	<0.0050	<0.0050
S-16@0-0.5'	5/2/23	<0.0050	4.7	<0.0050	0.60	<0.0050	<0.0050	<0.0050
S-16@0.5-1.0'	5/2/23	<0.0050	6.6	<0.0050	0.32	<0.0050	<0.0050	<0.0050
S-16@1.5-2.0'	5/2/23	<0.0050	3.0	<0.0050	0.17	<0.0050	<0.0050	<0.0050
Residential RSL		0.11	0.49	2.3	1.9	1.9	0.034	Var.
Commercial RSL		0.36	2.1	9.6	9.3	8.5	0.14	Var.
DTSC Background		--	--	--	--	--	--	--

Notes: OCP - Organo-Chlorine Pesticides. ND - Not Detected NM – Not Measured. EPA Regional Screening Levels (RSLs) are human health risk-based screening levels used by EPA and DTSC in residential and commercial settings. Please refer to lab report for complete results.

TABLE 1 (Continued)
Summary of Pesticide Soil Sampling Results (mg/Kg)

Sample ID	Date	Aldrin	Toxaphene	4,4 DDD	4,4 DDE	4,4 DDT	Dieldrin	Other OCP
S-17@0-0.5'	5/2/23	<0.0050	5.0	<0.0050	0.42	<0.0050	<0.0050	<0.0050
S-17@0.5-1.0'	5/2/23	<0.0050	3.3	<0.0050	0.45	<0.0050	<0.0050	<0.0050
S-17@1.5-2.0'	5/2/23	<0.0050	2.7	<0.0050	0.17	<0.0050	<0.0050	<0.0050
S-18@0-0.5'	5/2/23	<0.0050	1.5	<0.0050	0.38	<0.0050	<0.0050	<0.0050
S-18@0.5-1.0'	5/2/23	<0.0050	2.7	<0.0050	0.27	<0.0050	<0.0050	<0.0050
S-18@1.5-2.0'	5/2/23	<0.0050	2.7	<0.0050	0.25	<0.0050	<0.0050	<0.0050
S-19@0-0.5'	5/2/23	<0.0050	3.0	<0.0050	0.32	<0.0050	<0.0050	<0.0050
S-19@0.5-1.0'	5/2/23	<0.0050	2.4	<0.0050	0.18	<0.0050	<0.0050	<0.0050
S-19@1.5-2.0'	5/2/23	<0.0050	2.0	<0.0050	0.12	<0.0050	<0.0050	<0.0050
S-20@0-0.5'	5/2/23	<0.0050	2.9	<0.0050	0.63	<0.0050	<0.0050	<0.0050
S-20@0.5-1.0'	5/2/23	<0.0050	2.8	<0.0050	0.57	<0.0050	<0.0050	<0.0050
S-20@1.5-2.0'	5/2/23	<0.0050	4.1	<0.0050	0.83	<0.0050	<0.0050	<0.0050
Residential RSL		0.11	0.49	2.3	1.9	1.9	0.034	Var.
Commercial RSL		0.36	2.1	9.6	9.3	8.5	0.14	Var.
DTSC Background		--	--	--	--	--	--	--

Notes: OCP - Organo-Chlorine Pesticides. ND - Not Detected NM – Not Measured. EPA Regional Screening Levels (RSLs) are human health risk-based screening levels used by EPA and DTSC in residential and commercial settings. Please refer to lab report for complete results.

TABLE 2
Summary of STLC and TCLP Analysis Results (mg/L)

Sample ID	Toxaphene	Toxaphene (STLC)	Toxaphene (TCLP)
S-2 @ 0.5-1.0	6.4	0.36	NM
S-14 @ 0.5-1.0	5.3	0.33	NM
S-17@ 0-0.5	5.0	0.29	NM
S-2 @ 1.5-2.0	8.1	0.46	NM
S-16 @ 0.5-1.0	6.6	0.76	<0.20
Residential RSL	0.49	--	--
Commercial RSL	2.1	--	--
STLC	--	0.5	--
TCLP	--	--	0.5

Notes: OCP - Organo-Chlorine Pesticides. ND - Not Detected NM – Not Measured. EPA Regional Screening Levels (RSLs) are human health risk-based screening levels used by EPA and DTSC in residential and commercial settings. Please refer to lab report for complete results.

TABLE 3
Summary of Pesticide Soil Sampling Results (mg/Kg)

Sample ID	Date	Aldrin	Toxaphene	4,4 DDD	4,4 DDE	4,4 DDT	Dieldrin	Other OCP
S2-2@3'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S2-2@4'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S2-2@5'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S14-2@3'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S14-2@4'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S14-2@5'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S15-2@3'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S15-2@4'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S15-2@5'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S16-2@3'	7/20/23	<0.0050	<0.050	<0.0050	0.011	<0.0050	<0.0050	<0.0050
S16-2@4'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S16-2@5'	7/20/23	<0.0050	<0.050	<0.0050	0.0099	<0.0050	<0.0050	<0.0050
S17-2@3'	7/20/23	<0.0050	<0.050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
S17-2@3.5'	7/20/23	<0.0050	<0.050	<0.0050	0.028	<0.0050	<0.0050	<0.0050
Residential RSL		0.11	0.49	2.3	1.9	1.9	0.034	Var.
Commercial RSL		0.36	2.1	9.6	9.3	8.5	0.14	Var.
DTSC Background		--	--	--	--	--	--	--

Notes: OCP - Organo-Chlorine Pesticides. ND - Not Detected NM – Not Measured. EPA Regional Screening Levels (RSLs) are human health risk-based screening levels used by EPA and DTSC in residential and commercial settings. Please refer to lab report for complete results.

FIGURES



HILLMANN CONSULTING

1745 Orangewood Avenue, Suite 201
Orange, California 92868

Tel. 714-634-9500

Hillmann Project No: C3-9535-1

PROJECT TITLE:

The Collection at Cactus
San Diego, California 92514

Client:

JPI Companies

12250 EL CAMINO REAL, SUITE 380
SAN DIEGO, CA 92130

NOTES

Legend
O = Sample Location

CONTRACTOR MUST VERIFY ALL QUANTITIES BEFORE BIDDING

TITLE:
Subsurface Boring Location map

DATE ISSUED: DRAWING SCALE: NTS

Drawing Number:
A-1

Sheet: of



APPENDIX A

Laboratory Reports



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CASE NARRATIVE

Authorized Signature Name / Title (print)

Ken Zheng, President

Signature / Date

Ken Zheng

Ken Zheng, President
05/12/2023 14:13:05

Laboratory Job No. (Certificate of Analysis No.)

2305-00025

Project Name / No.

THE COLLECTION AT CACTUS C3-9535-1

Dates Sampled (from/to)

05/02/23 To 05/02/23

Dates Received (from/to)

05/02/23 To 05/02/23

Dates Reported (from/to)

05/12/23 To 5/12/2023

Chains of Custody Received

Yes

Comments:

Subcontracting

Organic Analyses

No analyses sub-contracted

Sample Condition(s)

All samples intact



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

Laboratory Job# 2305-00025

Positive Results (Organic Compounds)

Sample	Analyte	Result	Qual	Units	RL	Sample	Analyte	Result	Qual	Units	RL
S-1@0-0.5'	4,4'-DDD	0.011		mg/Kg	0.0050	S-1@0-0.5'	4,4'-DDE	0.053		mg/Kg	0.0050
S-1@0-0.5'	4,4'-DDT	0.027		mg/Kg	0.0050	S-1@0.5--1.0'	4,4'-DDE	0.010		mg/Kg	0.0050
S-1@0.5--1.0'	4,4'-DDT	0.010		mg/Kg	0.0050	S-1@1.5-2.0'	4,4'-DDE	0.0086		mg/Kg	0.0050
S-1@1.5-2.0'	4,4'-DDT	0.0074		mg/Kg	0.0050	S-2@0-0.5'	4,4'-DDE	0.24		mg/Kg	0.0050
S-2@0-0.5'	Toxaphene	3.5		mg/Kg	0.050	S-2@0.5-1.0'	4,4'-DDE	0.27		mg/Kg	0.0050
S-2@0.5-1.0'	Toxaphene	6.4		mg/Kg	0.050	S-2@1.5-2.0'	4,4'-DDE	0.30		mg/Kg	0.0050
S-2@1.5-2.0'	Toxaphene	8.1		mg/Kg	0.050	S-3@0-0.5'	4,4'-DDE	0.12		mg/Kg	0.0050
S-3@0-0.5'	Toxaphene	2.3		mg/Kg	0.050	S-3@0.5-1.0'	4,4'-DDE	0.27		mg/Kg	0.0050
S-3@0.5-1.0'	Toxaphene	4.2		mg/Kg	0.050	S-3@1.5-2.0'	4,4'-DDE	0.16		mg/Kg	0.0050
S-3@1.5-2.0'	Toxaphene	2.6		mg/Kg	0.050	S-4@0-0.5'	4,4'-DDE	0.15		mg/Kg	0.0050
S-4@0-0.5'	Toxaphene	2.3		mg/Kg	0.050	S-4@0.5-1.0'	4,4'-DDE	0.081		mg/Kg	0.0050
S-4@0.5-1.0'	Toxaphene	1.6		mg/Kg	0.050	S-4@1.5-2.0'	4,4'-DDE	0.046		mg/Kg	0.0050
S-4@1.5-2.0'	Toxaphene	1.3		mg/Kg	0.050	S-5@0.0-0.5'	4,4'-DDE	0.19		mg/Kg	0.0050
S-5@0.0-0.5'	Toxaphene	2.4		mg/Kg	0.050	S-5@0.5-1.0'	4,4'-DDE	0.16		mg/Kg	0.0050
S-5@0.5-1.0'	Toxaphene	2.3		mg/Kg	0.050	S-5@1.5-2'	4,4'-DDE	0.091		mg/Kg	0.0050
S-5@1.5-2'	Toxaphene	2.0		mg/Kg	0.050	S-6@0-0.5'	4,4'-DDE	0.034		mg/Kg	0.0050
S-6@0-0.5'	Toxaphene	1.5		mg/Kg	0.050	S-6@0.5-1.0'	4,4'-DDE	0.0052		mg/Kg	0.0050
S-7@0-0.5'	4,4'-DDE	0.42		mg/Kg	0.0050	S-7@0-0.5'	Toxaphene	4.0		mg/Kg	0.050
S-7@0.5-1.0'	4,4'-DDE	0.15		mg/Kg	0.0050	S-7@0.5-1.0'	Toxaphene	2.4		mg/Kg	0.050
S-7@1.5-2.0'	4,4'-DDE	0.15		mg/Kg	0.0050	S-7@1.5-2.0'	Toxaphene	2.3		mg/Kg	0.050
S-8@0-0.5'	4,4'-DDE	0.33		mg/Kg	0.0050	S-8@0-0.5'	Toxaphene	4.8		mg/Kg	0.050
S-8@0.5-1.0'	4,4'-DDE	0.12		mg/Kg	0.0050	S-8@0.5-1.0'	Toxaphene	2.5		mg/Kg	0.050
S-8@1.5-2.0'	4,4'-DDE	0.032		mg/Kg	0.0050	S-8@1.5-2.0'	Toxaphene	1.4		mg/Kg	0.050
S-9@0-0.5'	4,4'-DDE	0.20		mg/Kg	0.0050	S-9@0-0.5'	Toxaphene	4.4		mg/Kg	0.050
S-9@0.5-1.0'	4,4'-DDE	0.15		mg/Kg	0.0050	S-9@0.5-1.0'	Toxaphene	3.6		mg/Kg	0.050
S-9@1.5-2.0'	4,4'-DDE	0.054		mg/Kg	0.0050	S-9@1.5-2.0'	Toxaphene	2.1		mg/Kg	0.050
S-10@0-0.5'	4,4'-DDE	0.31		mg/Kg	0.0050	S-10@0-0.5'	Toxaphene	1.6		mg/Kg	0.050
S-10@0.5-1.0'	4,4'-DDE	0.33		mg/Kg	0.0050	S-10@0.5-1.0'	Toxaphene	4.0		mg/Kg	0.050
S-10@1.5-2.0'	4,4'-DDE	0.32		mg/Kg	0.0050	S-10@1.5-2.0'	Toxaphene	2.0		mg/Kg	0.050
S-11@0-0.5'	4,4'-DDE	0.16		mg/Kg	0.0050	S-11@0-0.5'	Toxaphene	3.9		mg/Kg	0.050
S-11@0.5-1.0'	4,4'-DDE	0.053		mg/Kg	0.0050	S-11@0.5-1.0'	Toxaphene	1.7		mg/Kg	0.050
S-11@1.5-2.0'	4,4'-DDE	0.050		mg/Kg	0.0050	S-11@1.5-2.0'	Toxaphene	1.4		mg/Kg	0.050
S-12@0-0.5'	4,4'-DDE	0.17		mg/Kg	0.0050	S-12@0-0.5'	Toxaphene	2.6		mg/Kg	0.050
S-12@0.5-1.0'	4,4'-DDE	0.082		mg/Kg	0.0050	S-12@0.5-1.0'	Toxaphene	2.0		mg/Kg	0.050
S-12@1.5-2.0'	4,4'-DDE	0.14		mg/Kg	0.0050	S-12@1.5-2.0'	Toxaphene	2.3		mg/Kg	0.050
S-13@0-0.5'	4,4'-DDE	0.37		mg/Kg	0.0050	S-13@0-0.5'	Toxaphene	1.5		mg/Kg	0.050
						S-13@0.5-1.0'	4,4'-DDE	0.32		mg/Kg	0.0050

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

Laboratory Job# 2305-00025

Sample	Analyte	Result	Qual	Units	RL	Sample	Analyte	Result	Qual	Units	RL
S-13@0.5-1.0'	Toxaphene	3.4		mg/Kg	0.050	S-13@1.5-2.0'	4,4'-DDE	0.31		mg/Kg	0.0050
S-13@1.5-2.0'	Toxaphene	3.6		mg/Kg	0.050	S-14@0-0.5'	4,4'-DDE	0.17		mg/Kg	0.0050
S-14@0-0.5'	Toxaphene	3.3		mg/Kg	0.050	S-14@0.5-1.0'	4,4'-DDE	0.24		mg/Kg	0.0050
S-14@0.5-1.0'	Toxaphene	5.3		mg/Kg	0.050	S-14@1.5-2.0'	4,4'-DDE	0.23		mg/Kg	0.0050
S-14@1.5-2.0'	Toxaphene	3.9		mg/Kg	0.050	S-15@0-0.5'	4,4'-DDE	0.26		mg/Kg	0.0050
S-15@0-0.5'	Toxaphene	3.0		mg/Kg	0.050	S-15@0.5-1.0'	4,4'-DDE	0.22		mg/Kg	0.0050
S-15@0.5-1.0'	Toxaphene	2.9		mg/Kg	0.050	S-15@1.5-2.0'	4,4'-DDE	0.32		mg/Kg	0.0050
S-15@1.5-2.0'	Toxaphene	4.4		mg/Kg	0.050	S-16@0-0.5'	4,4'-DDE	0.60		mg/Kg	0.0050
S-16@0-0.5'	Toxaphene	4.7		mg/Kg	0.050	S-16@0.5-1.0'	4,4'-DDE	0.32		mg/Kg	0.0050
S-16@0.5-1.0'	Toxaphene	6.6		mg/Kg	0.050	S-16@1.5-2.0'	4,4'-DDE	0.17		mg/Kg	0.0050
S-16@1.5-2.0'	Toxaphene	3.0		mg/Kg	0.050	S-17@0-0.5'	4,4'-DDE	0.42		mg/Kg	0.0050
S-17@0-0.5'	Toxaphene	5.0		mg/Kg	0.050	S-17@0.5-1.0'	4,4'-DDE	0.45		mg/Kg	0.0050
S-17@0.5-1.0'	Toxaphene	3.3		mg/Kg	0.050	S-17@1.5-2.0'	4,4'-DDE	0.17		mg/Kg	0.0050
S-17@1.5-2.0'	Toxaphene	2.7		mg/Kg	0.050	S-18@0-0.5'	4,4'-DDE	0.38		mg/Kg	0.0050
S-18@0-0.5'	Toxaphene	1.5		mg/Kg	0.050	S-18@0.5-1.0'	4,4'-DDE	0.27		mg/Kg	0.0050
S-18@0.5-1.0'	Toxaphene	2.7		mg/Kg	0.050	S-18@1.5-2.0'	4,4'-DDE	0.25		mg/Kg	0.0050
S-18@1.5-2.0'	Toxaphene	2.7		mg/Kg	0.050	S-19@0.5-0.5'	4,4'-DDE	0.32		mg/Kg	0.0050
S-19@0.5-0.5'	Toxaphene	3.0		mg/Kg	0.050	S-19@0.5-1.0'	4,4'-DDE	0.18		mg/Kg	0.0050
S-19@0.5-1.0'	Toxaphene	2.4		mg/Kg	0.050	S-19@1.5-2.0'	4,4'-DDE	0.12		mg/Kg	0.0050
S-19@1.5-2.0'	Toxaphene	2.0		mg/Kg	0.050	S-20@0-0.5'	4,4'-DDE	0.63		mg/Kg	0.0050
S-20@0-0.5'	Toxaphene	2.9		mg/Kg	0.050	S-20@0.5-1.0'	4,4'-DDE	0.57		mg/Kg	0.0050
S-20@0.5-1.0'	Toxaphene	2.8		mg/Kg	0.050	S-20@1.5-2.0'	4,4'-DDE	0.83		mg/Kg	0.0050
S-20@1.5-2.0'	Toxaphene	4.1		mg/Kg	0.050						



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
 Date Received 05/02/23
 Invoice No. 98124
 Cust # H080
 Permit Number
 Customer P.O. C3-9535-1

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 001 S-1@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:19	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	0.011		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.053		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	0.027		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	140		%REC	EPA 8081A/8082		50-150	05/04/23	JEN

Sample: 002 **S-1@0.5--1.0'**

Sample Matrix: **Soil**

Date & Time Sampled: 05/02/23 @ 10:21

[Pesticides]

Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 002 S-1@0.5--1.0'							Date & Time Sampled: 05/02/23 @ 10:21	
Sample Matrix: Soil								
.....continued								
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.010		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	0.010		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	93		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	140		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 003 S-1@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 10:23	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
 Date Received 05/02/23
 Invoice No. 98124
 Cust # H080
 Permit Number
 Customer P.O. C3-9535-1

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 003 S-1@1.5-2.0' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 10:23	
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.0086		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	0.0074		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	150		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 004 S-2@0-0.5' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 10:30	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 004 S-2@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:30	
Sample Matrix: Soil								
.....continued								
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.24		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	3.5		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	140		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 005 S-2@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 10:32	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 005 S-2@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 10:32	
Sample Matrix: Soil								
.....continued								
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.27		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	6.4		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	119		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	150		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 006 S-2@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 10:34	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.30		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
 Date Received 05/02/23
 Invoice No. 98124
 Cust # H080
 Permit Number
 Customer P.O. C3-9535-1

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 006 S-2@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 10:34	
Sample Matrix: Soil								
.....continued								
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	8.1		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	117		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	144		%REC	EPA 8081A/8082		50-150	05/04/23	JEN

Sample: 007 S-3@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:39	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.12		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 007 S-3@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:39	
Sample Matrix: Soil								
.....continued								
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	2.3		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	113		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	138		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 008 S-3@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 10:41	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.27		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 008 S-3@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 10:41	
Sample Matrix: Soil								
.....continued								
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	4.2		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	119		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	148		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 009 S-3@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 10:43	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.16		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 009 S-3@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 10:43	
Sample Matrix: Soil								
.....continued								
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	2.6		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	113		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	142		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 010 S-4@0-0.5'							Date & Time Sampled: 05/02/23 @ 11:49	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.15		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 010 S-4@0-0.5'							Date & Time Sampled: 05/02/23 @ 11:49	
Sample Matrix: Soil								
.....continued								
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	2.3		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	116		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	143		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 011 S-4@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 11:51	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.081		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
 Date Received 05/02/23
 Invoice No. 98124
 Cust # H080
 Permit Number
 Customer P.O. C3-9535-1

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 011 S-4@0.5-1.0'					Date & Time Sampled:		05/02/23 @	11:51
Sample Matrix: Soil								
.....continued								
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	1.6		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	124		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	149		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 012 S-4@1.5-2.0'					Date & Time Sampled:		05/02/23 @	11:53
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.046		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	1.3		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 012 S-4@1.5-2.0' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 11:53	
[Surrogates]								
Tetrachloro-m-xylene	121		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	150		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 013 S-5@0.0-0.5' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 12:02	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.19		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	2.4		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene			%REC	EPA 8081A/8082		50-150	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 013 S-5@0.0-0.5' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 12:02	
Decachlorobiphenyl			%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 014 S-5@0.5-1.0' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 12:04	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.16		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	2.3		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	112		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	136		%REC	EPA 8081A/8082		50-150	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 015 S-5@1.5-2'							Date & Time Sampled: 05/02/23 @ 12:06	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.091		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	2.0		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene			%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl			%REC	EPA 8081A/8082		50-150	05/04/23	JEN

Sample: 016 **S-6@0-0.5'**

Sample Matrix: **Soil**

Date & Time Sampled: 05/02/23 @ 11:08

[Pesticides]

Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 016 S-6@0-0.5'							Date & Time Sampled: 05/02/23 @ 11:08	
Sample Matrix: Soil								
.....continued								
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.034		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	1.5		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	116		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	144		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 017 S-6@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 11:10	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 017 S-6@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 11:10	
Sample Matrix: Soil								
.....continued								
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.0052		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	117		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	142		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 018 S-6@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 11:10	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 018 S-6@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 11:10	
Sample Matrix: Soil								
.....continued								
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	117		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	141		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 019 S-7@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:57	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 019 S-7@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:57	
Sample Matrix: Soil								
.....continued								
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.42		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	4.0		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	109		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	132		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 020 S-7@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 10:59	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
4,4'-DDE	0.15		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 020 S-7@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 10:59	
Sample Matrix: Soil								
.....continued								
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/04/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/04/23	JEN
Toxaphene	2.4		mg/Kg	EPA 8081A	1.0	0.050	05/04/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	116		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Decachlorobiphenyl	138		%REC	EPA 8081A/8082		50-150	05/04/23	JEN
Sample: 021 S-7@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 11:02	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.15		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 021 S-7@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 11:02	
Sample Matrix: Soil								
.....continued								
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	2.3		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	90		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	100		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 022 S-8@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:45	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.33		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 022 S-8@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:45	
Sample Matrix: Soil								
.....continued								
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	4.8		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	92		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	100		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 023 S-8@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 10:51	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.12		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 023 S-8@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 10:51	
Sample Matrix: Soil								
.....continued								
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	2.5		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	89		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	98		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 024 S-8@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 10:53	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.032		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 024 S-8@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 10:53	
Sample Matrix: Soil								
.....continued								
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	1.4		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	100		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 025 S-9@0-0.5'							Date & Time Sampled: 05/02/23 @ 12:19	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.20		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 025 S-9@0-0.5' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 12:19	
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	4.4		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	95		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 026 S-9@0.5-1.0' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 12:21	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.15		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	3.6		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 026 S-9@0.5-1.0' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 12:21	
[Surrogates]								
Tetrachloro-m-xylene	96		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 027 S-9@1.5-2.0' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 12:23	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.054		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	2.1		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	92		%REC	EPA 8081A/8082		50-150	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
 Date Received 05/02/23
 Invoice No. 98124
 Cust # H080
 Permit Number
 Customer P.O. C3-9535-1

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 027 S-9@1.5-2.0' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 12:23	
Decachlorobiphenyl	100		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 028 S-10@0-0.5' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 12:34	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.31		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	1.6		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	100		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 029 S-10@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 12:36	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.33		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	4.0		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	100		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	05/06/23	JEN

Sample: 030 **S-10@1.5-2.0'**Sample Matrix: **Soil**

Date & Time Sampled: 05/02/23 @ 12:38

[Pesticides]

Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 030 S-10@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 12:38	
Sample Matrix: Soil								
.....continued								
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.32		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	2.0		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	100		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 031 S-11@0-0.5'							Date & Time Sampled: 05/02/23 @ 12:43	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 031 S-11@0-0.5'							Date & Time Sampled: 05/02/23 @ 12:43	
Sample Matrix: Soil								
.....continued								
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.16		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	3.9		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	84		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	96		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 032 S-11@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 12:46	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 032 S-11@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 12:46	
Sample Matrix: Soil								
.....continued								
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.053		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	1.7		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 033 S-11@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 12:47	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 033 S-11@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 12:47	
Sample Matrix: Soil								
.....continued								
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	1.4		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	130		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 034 S-12@0-0.5'							Date & Time Sampled: 05/02/23 @ 11:10	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.17		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 034 S-12@0-0.5'							Date & Time Sampled: 05/02/23 @ 11:10	
Sample Matrix: Soil								
.....continued								
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	2.6		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	61		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	74		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 035 S-12@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 11:13	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.082		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 035 S-12@0.5-1.0' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 11:13	
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	2.0		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	140		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 036 S-12@1.5-2.0' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 11:16	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.14		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 036 S-12@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 11:16	
Sample Matrix: Soil								
.....continued								
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	2.3		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	100		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 037 S-13@0-0.5'							Date & Time Sampled: 05/02/23 @ 12:37	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.37		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 037 S-13@0-0.5'							Date & Time Sampled: 05/02/23 @ 12:37	
Sample Matrix: Soil								
.....continued								
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	1.5		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 038 S-13@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 12:40	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.32		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 038 S-13@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 12:40	
Sample Matrix: Soil								
.....continued								
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	3.4		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	100		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 039 S-13@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 12:43	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.31		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 039 S-13@1.5-2.0' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 12:43	
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	3.6		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	98		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 040 S-14@0-0.5' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 12:48	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDE	0.17		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/06/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/06/23	JEN
Toxaphene	3.3		mg/Kg	EPA 8081A	1.0	0.050	05/06/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 040 S-14@0-0.5'							Date & Time Sampled: 05/02/23 @ 12:48	
Sample Matrix: Soil								
.....continued								
[Surrogates]								
Tetrachloro-m-xylene	98		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	05/06/23	JEN
Sample: 041 S-14@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 12:51	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.24		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	5.3		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	51		%REC	EPA 8081A/8082		50-150	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 041 S-14@0.5-1.0' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 12:51	
Decachlorobiphenyl	79		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 042 S-14@1.5-2.0' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 12:53	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.23		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	3.9		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	60		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	64		%REC	EPA 8081A/8082		50-150	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 043 S-15@0-0.5'							Date & Time Sampled: 05/02/23 @ 12:15	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.26		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	3.0		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	61		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	67		%REC	EPA 8081A/8082		50-150	05/07/23	JEN

Sample: 044 **S-15@0.5-1.0'**

Sample Matrix: **Soil**

Date & Time Sampled: 05/02/23 @ 12:18

[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 044 S-15@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 12:18	
Sample Matrix: Soil								
.....continued								
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.22		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	2.9		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	64		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	72		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 045 S-15@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 12:21	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 045 S-15@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 12:21	
Sample Matrix: Soil								
.....continued								
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.32		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	4.4		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	57		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	63		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 046 S-16@0-0.5'							Date & Time Sampled: 05/02/23 @ 12:04	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 046 S-16@0-0.5'							Date & Time Sampled: 05/02/23 @ 12:04	
Sample Matrix: Soil								
.....continued								
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.60		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	4.7		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	59		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	66		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 047 S-16@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 12:07	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 047 S-16@0.5-1.0' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 12:07	
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.32		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	6.6		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	56		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	64		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 048 S-16@1.5-2.0' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 12:05	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.17		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 048 S-16@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 12:05	
Sample Matrix: Soil								
.....continued								
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	3.0		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	57		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	63		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 049 S-17@0-0.5'							Date & Time Sampled: 05/02/23 @ 11:52	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.42		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 049 S-17@0-0.5'							Date & Time Sampled: 05/02/23 @ 11:52	
Sample Matrix: Soil								
.....continued								
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	5.0		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	63		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	72		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 050 S-17@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 11:57	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.45		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 050 S-17@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 11:57	
Sample Matrix: Soil								
.....continued								
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	3.3		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	67		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	76		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 051 S-17@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 11:53	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.17		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 051 S-17@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 11:53	
Sample Matrix: Soil								
.....continued								
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	2.7		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	58		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	69		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 052 S-18@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:50	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.38		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 052 S-18@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:50	
Sample Matrix: Soil								
.....continued								
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	1.5		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	60		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	72		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 053 S-18@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 11:00	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.27		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 053 S-18@0.5-1.0' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 11:00	
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	2.7		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	64		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	76		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 054 S-18@1.5-2.0' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 11:04	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.25		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	2.7		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 054 S-18@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 11:04	
Sample Matrix: Soil								
.....continued								
[Surrogates]								
Tetrachloro-m-xylene	56		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	65		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 055 S-19@0.5-0.5'							Date & Time Sampled: 05/02/23 @ 10:35	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.32		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	3.0		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	58		%REC	EPA 8081A/8082		50-150	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
 Date Received 05/02/23
 Invoice No. 98124
 Cust # H080
 Permit Number
 Customer P.O. C3-9535-1

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 055 S-19@0.5-0.5' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 10:35	
Decachlorobiphenyl	67		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 056 S-19@0.5-1.0' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 10:38	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.18		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	2.4		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	61		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	71		%REC	EPA 8081A/8082		50-150	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 057 S-19@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 10:41	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.12		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	2.0		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	66		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	78		%REC	EPA 8081A/8082		50-150	05/07/23	JEN

Sample: 058 **S-20@0-0.5'**

Sample Matrix: **Soil**

Date & Time Sampled: 05/02/23 @ 10:22

[Pesticides]

Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 058 S-20@0-0.5'							Date & Time Sampled: 05/02/23 @ 10:22	
Sample Matrix: Soil								
.....continued								
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.63		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	2.9		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	61		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	77		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 059 S-20@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 10:26	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 059 S-20@0.5-1.0' Sample Matrix: Soilcontinued							Date & Time Sampled: 05/02/23 @ 10:26	
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.57		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	2.8		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	71		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	91		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Sample: 060 S-20@1.5-2.0' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 10:28	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		05/04/23	JEN
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00025

Date Reported 05/12/23
Date Received 05/02/23
Invoice No. 98124
Cust # H080
Permit Number
Customer P.O. C3-9535-1

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 060 S-20@1.5-2.0'							Date & Time Sampled: 05/02/23 @ 10:28	
Sample Matrix: Soil								
.....continued								
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDE	0.83		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	05/07/23	JEN
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	05/07/23	JEN
Toxaphene	4.1		mg/Kg	EPA 8081A	1.0	0.050	05/07/23	JEN
[Surrogates]								
Tetrachloro-m-xylene	65		%REC	EPA 8081A/8082		50-150	05/07/23	JEN
Decachlorobiphenyl	81		%REC	EPA 8081A/8082		50-150	05/07/23	JEN

Respectfully Submitted:

Ken Zheng

Ken Zheng - Lab Director



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALIFIERS

B = Detected in the associated Method Blank at a concentration above the routine RL.
B1 = BOD dilution water is over specifications . The reported result may be biased high.
D = Surrogate recoveries are not calculated due to sample dilution.
E = Estimated value; Value exceeds calibration level of instrument.
H = Analyte was prepared and/or analyzed outside of the analytical method holding time
I = Matrix Interference.
J = Analyte concentration detected between RL and MDL.
Q = One or more quality control criteria did not meet specifications. See Comments for further explanation.
S = Customer provided specification limit exceeded.

ABBREVIATIONS

DF = Dilution Factor
RL = Reporting Limit, Adjusted by DF
MDL = Method Detection Limit, Adjusted by DF
Qual = Qualifier
Tech = Technician



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

2305-00025

Date Reported 05/12/2023
 Date Received 05/02/2023
 Date Sampled 05/02/2023
 Invoice No. 98124
 Customer # H080
 Customer P.O. C3-9535-1

Project: THE COLLECTION AT CACTUS

Method # EPA 8081A

QC Reference # 109433 Date Analyzed: 5/4/2023 Technician: JEN

Samples 001 002 003 004 005 006 007 008 009 010 011 012 013 014 015 016 017 018 019 020

Results

	LCS %REC
4,4'-DDT	96
Aldrin	100
Dieldrin	100
Endrin	100
gamma-BHC	110

Control Ranges

LCS %REC
30 - 130
50 - 140
70 - 130
70 - 150
50 - 150

QC Reference # 109462 Date Analyzed: 5/6/2023 Technician: JEN

Samples 021 022 023 024 025 026 027 028 029 030 031 032 033 034 035 036 037 038 039 040

Results

	LCS %REC	LCS %DUP	LCS %RPD
4,4'-DDT	85	110	25
Aldrin	99	75	24
Dieldrin	98	82	16
Endrin	95	110	15
gamma-BHC	100	87	13
Heptachlor	99	80	19

Control Ranges

LCS %REC	LCS %RPD
30 - 130	0 - 30
50 - 140	0 - 30
70 - 130	0 - 30
70 - 150	0 - 30
50 - 150	0 - 30
50 - 150	0 - 30

QC Reference # 109467 Date Analyzed: 5/7/2023 Technician: JEN

Samples 041 042 043 044 045 046 047 048 049 050 051 052 053 054 055 056 057 058 059 060

Results

	LCS %REC	LCS %DUP	LCS %RPD
4,4'-DDT	95	120	25
Aldrin	75	81	6
Dieldrin	79	97	18
Endrin	93	100	7
gamma-BHC	81	96	15
Heptachlor	99	80	19

Control Ranges

LCS %REC	LCS %RPD
30 - 130	0 - 30
50 - 140	0 - 30
70 - 130	0 - 30
70 - 150	0 - 30
50 - 150	0 - 30
50 - 150	0 - 30

Method # EPA 8081A/8082

QC Reference # 109433 Date Analyzed: 5/4/2023 Technician: JEN

Samples 001 002 003 004 005 006 007 008 009 010 011 012 013 014 015 016 017 018 019 020

No QC recoveries reported.

QC Reference # 109462 Date Analyzed: 5/6/2023 Technician: JEN

Samples 021 022 023 024 025 026 027 028 029 030 031 032 033 034 035 036 037 038 039 040

Results

	BLKSRR% EC
Decachlorobiphenyl	120
Tetrachloro-m-xylene	110

Control Ranges

BLKSRR%REC
50 - 150
50 - 150

QC Reference # 109467 Date Analyzed: 5/7/2023 Technician: JEN



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

HILLMANN CONSULTING
 KOFI BONNER

2305-00025

Date Reported 05/12/2023
 Date Received 05/02/2023
 Date Sampled 05/02/2023

Project: THE COLLECTION AT CACTUS

Method # EPA 8081A/8082

QC Reference # 109467 Date Analyzed: 5/7/2023 Technician: JEN

Samples 041 042 043 044 045 046 047 048 049 050 051 052 053 054 055 056 057 058 059 060

Results

BLKSRR%R
 EC

Decachlorobiphenyl 150
 Tetrachloro-m-xylene 120

Control Ranges

BLKSRR%REC

50 - 150
 50 - 150

No method blank results were above reporting limit

Respectfully Submitted:

Ken Zheng

Ken Zheng - President

AR LABORATORIES, Inc.

1650 S. Grove Ave Suite C
 Ontario, CA 91761
 Voice: 951.779.0310 • 800.798.9336
 Fax: 951.779.0344

Chain of Custody Record

AR Lab Job # 2305-25

www.arlaboratories.com

info@arlaboratories.com

Page 5 of 6

Project No: C3-9535-1		Project Name: The Collection at Cactus		Please Circle Analyses Requested												Turn-Around Time									
Project Manager: Kofi Bonner kbonner@hillmannconsulting.com		Phone: 714-634-9500		Fax:		8015M: Diesel, Fuel Screen, Carbon Chain	8015M: Gas only	8021B: BTEX/MIBE Only	418.1 (TRPH), 413.2, 1664	GC or GCMS Volatiles by 5035*	GCMS: 8260B, 8021B, 624, 524.2	GCMS: MIBE Conf. Only, BTEX/Oxygenates Only	GCMS: 8270C, 625	8080: Pesticides, PCBs, Pest/PCB	Metals: Title 22 (CAM), RCRA, PP	pH, TDS, TSS, Conductivity	Flashpoint, Hex Cr	<input type="checkbox"/> 24 Hr. RUSH* <input type="checkbox"/> 48 Hr. RUSH* <input checked="" type="checkbox"/> Normal TAT *Requires PRIOR approval, additional charges apply Requested due date: _____							
Client Name: (Report and Billing) Hillmann Consulting LLC		Address: (Report and Billing) 1745 W. Orangewood Avenue, Suite 201 Orange, CA 92868		Centrum ID (Lab use only)	Sample ID (As it should appear on report)	Date sampled	Time sampled	Sample matrix	Site location	Containers: # and type	8015M: Diesel, Fuel Screen, Carbon Chain	8015M: Gas only	8021B: BTEX/MIBE Only	418.1 (TRPH), 413.2, 1664	GC or GCMS Volatiles by 5035*	GCMS: 8260B, 8021B, 624, 524.2	GCMS: MIBE Conf. Only, BTEX/Oxygenates Only	GCMS: 8270C, 625	8080: Pesticides, PCBs, Pest/PCB	Metals: Title 22 (CAM), RCRA, PP	pH, TDS, TSS, Conductivity	Flashpoint, Hex Cr	Remarks/Special Instructions		
41	S-14 @ 0.5-1.0'	05/02/23	12:51	Soil	S-14																				
42	S-14 @ 1.5-2.0'	05/02/23	12:53	Soil	S-14																				
43	S-15 @ 0-0.5'	05/02/23	12:15	Soil	S-15																				
44	S-15 @ 0.5-1.0'	05/02/23	12:18	Soil	↓ S-16																				
45	S-15 @ 1.5-2.0'	05/02/23	12:21	Soil																					
46	S-16 @ 0-0.5'	05/02/23	12:24	Soil	↓ S-17																				
47	S-16 @ 0.5-1.0'	05/02/23	12:27	Soil																					
48	S-16 @ 1.5-2.0'	05/02/23	12:28	Soil																					
49	S-17 @ 0-0.5'	05/02/23	11:52	Soil	S-17																				
50	S-17 @ 0.5-1.0'	05/02/23	11:57	Soil																					
1) Relinquished by: (Sampler's Signature) <i>Kofi Bonner</i>		Date: 5/2/23	Time: 4:17	3) Relinquished by:		Date:	Time:	To be completed by Laboratory personnel:												Sample Disposal					
2) Received by:		Date:	Time:	4) Received by:		Date:	Time:	Samples chilled? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> From Field												<input type="checkbox"/> Client will pick up					
The delivery of samples and the signature on this chain of custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.		5) Relinquished by:		6) Received for Laboratory by:		Custody seals? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No												<input type="checkbox"/> Return to client							
		Date:		Date:		All sample containers intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No												<input checked="" type="checkbox"/> Lab disposal							
Laboratory Notes:		Date: 5/2/23		Time: 4:17 PM		<input type="checkbox"/> Courier <input type="checkbox"/> UPS/Fed Ex <input checked="" type="checkbox"/> Hand carried												Sample Locator No.							

Chain of Custody Record

AR Lab Job # 2305-25

AR LABORATORIES, Inc.

1650 S. Grove Ave Suite C
 Ontario, CA 91761
 Voice: 951.779.0310 • 800.798.9336
 Fax: 951.779.0344

www.arlaboratories.com

info@arlaboratories.com

Page 6 of 6

Project No: C3-9535-1							Project Name: The Collection at Cactus							Please Circle Analyses Requested												Turn-Around Time	
Project Manager: Kofi Bonner kbonner@hillmannconsulting.com							Phone: 714-634-9500							Fax:							<input type="checkbox"/> 24 Hr. RUSH* <input type="checkbox"/> 48 Hr. RUSH* <input checked="" type="checkbox"/> Normal TAT						
Client Name: Hillmann Consulting LLC							Address: 1745 W. Orangewood Avenue, Suite 201 Orange, CA 92868							*Requires PRIOR approval, additional charges apply Requested due date: _____													
Centrum ID <small>(Lab use only)</small>	Sample ID <small>(As it should appear on report)</small>	Date <small>sampled</small>	Time <small>sampled</small>	Sample <small>matrix</small>	Site location	Containers: <small># and type</small>	8015M: Diesel, Fuel Screen, Carbon Chain	8015M: Gas only	8021B: BTEX/MBE Only	418.1 (TRPH), 413.2, 1664	GC or GCMS Volatiles by 5035*	GCMS: 8260B, 8021B, 624, 524.2	GCMS: MIBE Conf. Only, BTEX/Oxygenates Only	GCMS: 8270C, 625	8080: Pesticides, PCBs, Pest/PCB	Metals: Title 22 (CAM), RCRA, PP	pH, TDS, TSS, Conductivity	Flashpoint, Hex Cr	Remarks/Special Instructions								
51	S-17 @ 1.5-2.0'	05/02/23	11:58	Soil	S-17	Glass Jar									<input checked="" type="checkbox"/>												
52	S-18 @ 0-2.5'	05/02/23	10:50	Soil	S-18	Glass Jar									<input checked="" type="checkbox"/>												
53	S-18 @ 0.5-1.0'	05/02/23	11:00	Soil	↓	Glass Jar									<input checked="" type="checkbox"/>												
54	S-18 @ 1.5-2.0'	05/02/23	11:04	Soil		Glass Jar										<input checked="" type="checkbox"/>											
55	S-19 @ 0-0.5'	05/02/23	10:35	Soil		S-19	Glass Jar									<input checked="" type="checkbox"/>											
56	S-19 @ 0.5-1.0'	05/02/23	10:39	Soil		↓	Glass Jar									<input checked="" type="checkbox"/>											
57	S-19 @ 1.5-2.0'	05/02/23	10:41	Soil	Glass Jar											<input checked="" type="checkbox"/>											
58	S-20 @ 0-0.5'	05/02/23	10:22	Soil	S-20		Glass Jar									<input checked="" type="checkbox"/>											
59	S-20 @ 0.5-1.0'	05/02/23	10:26	Soil	↓		Glass Jar									<input checked="" type="checkbox"/>											
60	S-20 @ 1.5-2.0'	05/02/23	10:28	Soil		Glass Jar										<input checked="" type="checkbox"/>											
1) Relinquished by: (Sampler's Signature) <i>Kofi Bonner</i>			Date: 5/2/23	Time: 4:17	3) Relinquished by:			Date:	Time:	To be completed by Laboratory personnel: Samples chilled? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> From Field Custody seals? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No All sample containers intact? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Courier <input type="checkbox"/> UPS/Fed Ex <input checked="" type="checkbox"/> Hand carried										Sample Disposal <input type="checkbox"/> Client will pick up <input type="checkbox"/> Return to client <input checked="" type="checkbox"/> Lab disposal							
2) Received by:			Date:	Time:	4) Received by:			Date:	Time:																		
The delivery of samples and the signature on this chain of custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.			5) Relinquished by:			Date:	Time:																				
Laboratory Notes:			6) Received for Laboratory by: <i>[Signature]</i>			Date: 5/2/23	Time: 4:17pm											Sample Locator No.									



Sample Acceptance Checklist

CLIENT: HILLMANN CONSULT. WORK ORDER NUMBER: 2305-25

Temperature: (Criteria: 0.0°C-6.0°C)

Sample Temp. (w/CF) °C(w/CF) 10.1°C ID# 22-0030

- Sample(s) outside temperature criteria: PM contacted by : _____
- Sample(s) outside temperature criteria, but received on ice/chilled on same day of sampling.
- Sample(s) received at ambient temperature; placed on ice for transport by courier.
 Ambient Temperature Air Filter

CUSTODY SEAL:

Cooler Present and Intact Present and Not Intact Not Present
 Sample(s) Present and Intact Present and Not Intact Not Present

Sample Condition:

	Yes	No	N/A
Was a COC received	✓		
Were sample IDs present?	✓		
Were sampling dates & times present?	✓		
Was a relinquished signature present?	✓		
Were the tests required clearly indicated?	✓		
Were all samples sealed in plastic bags?		✓	
Did all bottle labels agree with COC? (ID, dates and times)	✓		
Were correct containers used for the tests required?	✓		
Was a sufficient amount of samples sent for tests indicated?	✓		
Was there headspace in VOA vials?			✓
Were the containers labeled with correct preservatives?			✓

Explanations/Comments:

Notification:

For discrepancies, how was the Project Manager notified? Verbal
 Verbal: PM Initials: _____ Data/Time: _____
 Email: Send to: _____ Data/Time: _____
 Project Manager's response: _____

Completed By: [Signature]

Date: 6.2.23



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CASE NARRATIVE

Authorized Signature Name / Title (print)

Ken Zheng, President

Signature / Date

Ken Zheng, President
07/27/2023 12:07:55

Laboratory Job No. (Certificate of Analysis No.)

2307-00157

Project Name / No.

THE COLLECTION AT CACTUS, SAN DIEGO C3-9535-2

Dates Sampled (from/to)

07/20/23 To 07/20/23

Dates Received (from/to)

07/21/23 To 07/21/23

Dates Reported (from/to)

07/27/23 To 7/27/2023

Chains of Custody Received

Yes

Comments:

Subcontracting

Organic Analyses

No analyses sub-contracted

Sample Condition(s)

All samples intact

Positive Results (Organic Compounds)

Sample	Analyte	Result	Qual	Units	RL	Sample	Analyte	Result	Qual	Units	RL
S17-2@3.5'	4,4'-DDE	0.028		mg/Kg	0.0050	S16@3'	4,4'-DDE	0.011		mg/Kg	0.0050
S16@5'	4,4'-DDE	0.0099		mg/Kg	0.0050						



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Date Reported 07/27/23
Date Received 07/21/23
Invoice No. 98822
Cust # H080
Permit Number
Customer P.O. C3-9535-2

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 001 S2-2@3'							Date & Time Sampled: 07/20/23 @ 11:51	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 002 S2-2@4'							Date & Time Sampled: 07/20/23 @ 11:56	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

Date Reported 07/27/23
 Date Received 07/21/23
 Invoice No. 98822
 Cust # H080
 Permit Number
 Customer P.O. C3-9535-2

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 002 S2-2@4' Sample Matrix: Soilcontinued							Date & Time Sampled: 07/20/23 @ 11:56	
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 003 S2-2@5' Sample Matrix: Soil							Date & Time Sampled: 07/20/23 @ 12:04	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

Date Reported 07/27/23
 Date Received 07/21/23
 Invoice No. 98822
 Cust # H080
 Permit Number
 Customer P.O. C3-9535-2

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 003 S2-2@5' Sample Matrix: Soilcontinued							Date & Time Sampled: 07/20/23 @ 12:04	
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 004 S14-2@3' Sample Matrix: Soil							Date & Time Sampled: 07/20/23 @ 11:06	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Date Reported 07/27/23
Date Received 07/21/23
Invoice No. 98822
Cust # H080
Permit Number
Customer P.O. C3-9535-2

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 004 S14-2@3'							Date & Time Sampled: 07/20/23 @ 11:06	
Sample Matrix: Soil								
.....continued								
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	150		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 005 S14-2@4'							Date & Time Sampled: 07/20/23 @ 11:15	
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

Date Reported 07/27/23
 Date Received 07/21/23
 Invoice No. 98822
 Cust # H080
 Permit Number
 Customer P.O. C3-9535-2

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 005 S14-2@4'					Date & Time Sampled:		07/20/23 @	11:15
Sample Matrix: Soil								
.....continued								
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	100		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 006 S14-2@5'					Date & Time Sampled:		07/20/23 @	11:20
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Date Reported 07/27/23
Date Received 07/21/23
Invoice No. 98822
Cust # H080
Permit Number
Customer P.O. C3-9535-2

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 006 S14-2@5'					Date & Time Sampled:		07/20/23 @	11:20
Sample Matrix: Soil								
.....continued								
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	100		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 007 S17-2@3'					Date & Time Sampled:		07/20/23 @	12:34
Sample Matrix: Soil								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

Date Reported 07/27/23
 Date Received 07/21/23
 Invoice No. 98822
 Cust # H080
 Permit Number
 Customer P.O. C3-9535-2

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 007 S17-2@3' Sample Matrix: Soilcontinued							Date & Time Sampled: 07/20/23 @ 12:34	
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	100		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 008 S17-2@3.5' Sample Matrix: Soil							Date & Time Sampled: 07/20/23 @ 12:44	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	0.028		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Date Reported 07/27/23
Date Received 07/21/23
Invoice No. 98822
Cust # H080
Permit Number
Customer P.O. C3-9535-2

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 008 S17-2@3.5' Sample Matrix: Soilcontinued							Date & Time Sampled: 07/20/23 @ 12:44	
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	99		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 009 S15@3' Sample Matrix: Soil							Date & Time Sampled: 07/20/23 @ 14:18	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

Date Reported 07/27/23
Date Received 07/21/23
Invoice No. 98822
Cust # H080
Permit Number
Customer P.O. C3-9535-2

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 009 S15@3' Sample Matrix: Soilcontinued							Date & Time Sampled: 07/20/23 @ 14:18	
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 010 S15@4' Sample Matrix: Soil							Date & Time Sampled: 07/20/23 @ 14:22	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

Date Reported 07/27/23
Date Received 07/21/23
Invoice No. 98822
Cust # H080
Permit Number
Customer P.O. C3-9535-2

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 010 S15@4' Sample Matrix: Soilcontinued							Date & Time Sampled: 07/20/23 @ 14:22	
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 011 S15@5' Sample Matrix: Soil [Pesticides]							Date & Time Sampled: 07/20/23 @ 14:27	
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

Date Reported 07/27/23
Date Received 07/21/23
Invoice No. 98822
Cust # H080
Permit Number
Customer P.O. C3-9535-2

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 011 S15@5' Sample Matrix: Soilcontinued							Date & Time Sampled: 07/20/23 @ 14:27	
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	140		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 012 S16@3' Sample Matrix: Soil							Date & Time Sampled: 07/20/23 @ 13:38	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	0.011		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

Date Reported 07/27/23
Date Received 07/21/23
Invoice No. 98822
Cust # H080
Permit Number
Customer P.O. C3-9535-2

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 012 S16@3' Sample Matrix: Soilcontinued							Date & Time Sampled: 07/20/23 @ 13:38	
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 013 S16@4' Sample Matrix: Soil							Date & Time Sampled: 07/20/23 @ 13:39	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2307-00157

Date Reported 07/27/23
Date Received 07/21/23
Invoice No. 98822
Cust # H080
Permit Number
Customer P.O. C3-9535-2

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 013 S16@4' Sample Matrix: Soilcontinued							Date & Time Sampled: 07/20/23 @ 13:39	
Decachlorobiphenyl	130		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Sample: 014 S16@5' Sample Matrix: Soil							Date & Time Sampled: 07/20/23 @ 13:42	
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		07/25/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDE	0.0099		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	07/25/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	07/25/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	07/25/23	IG
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	07/25/23	IG
Decachlorobiphenyl	130		%REC	EPA 8081A/8082		50-150	07/25/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

Respectfully Submitted:

Ken Zheng

Ken Zheng - Lab Director

QUALIFIERS

B = Detected in the associated Method Blank at a concentration above the routine RL.
 B1 = BOD dilution water is over specifications . The reported result may be biased high.
 D = Surrogate recoveries are not calculated due to sample dilution.
 E = Estimated value; Value exceeds calibration level of instrument.
 H = Analyte was prepared and/or analyzed outside of the analytical method holding time
 I = Matrix Interference.
 J = Analyte concentration detected between RL and MDL.
 Q = One or more quality control criteria did not meet specifications. See Comments for further explanation.
 S = Customer provided specification limit exceeded.

ABBREVIATIONS

DF = Dilution Factor
 RL = Reporting Limit, Adjusted by DF
 MDL = Method Detection Limit, Adjusted by DF
 Qual = Qualifier
 Tech = Technician



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

2307-00157

Date Reported 07/27/2023
 Date Received 07/21/2023
 Date Sampled 07/20/2023
 Invoice No. 98822
 Customer # H080
 Customer P.O. C3-9535-2

Project: THE COLLECTION AT CACTUS, SAN DIEGO

Method #		EPA 8081A													
QC Reference #	110834	Date Analyzed:	7/25/2023	Technician:	IG										
Samples	001	002	003	004	005	006	007	008	009	010	011	012	013	014	
Results	LCS %REC	SPIKE %REC	SPIKE %DUP	SPIKE %RPD											
4,4'-DDT	110	110	120	10											
Aldrin	97	100	100	0											
Dieldrin	100	120	110	10											
Endrin	110	120	110	10											
gamma-BHC	100	99	100	1											
Heptachlor	100	110	110	0											

Control Ranges	
LCS %REC	SPIKE %RPD
30 - 130	0 - 30
50 - 140	0 - 30
70 - 130	0 - 30
70 - 150	0 - 30
50 - 150	0 - 30
50 - 150	0 - 30

Method #		EPA 8081A/8082													
QC Reference #	110834	Date Analyzed:	7/25/2023	Technician:	IG										
Samples	001	002	003	004	005	006	007	008	009	010	011	012	013	014	
Results	BLKSRR%R EC														
Decachlorobiphenyl	99														
Tetrachloro-m-xylene	92														

Control Ranges	
BLKSRR%REC	
50 - 150	
50 - 150	

No method blank results were above reporting limit

Respectfully Submitted:

Ken Zheng

Ken Zheng - President

AR LABORATORIES, Inc.

1650 S. Grove Ave Suite C
 Ontario, CA 91761
 Voice: 951.779.0310 • 800.798.9336
 Fax: 951.779.0344

Chain of Custody Record

AR Lab Job # 2307-157

www.arlaboratories.com

info@arlaboratories.com

Page 2 of 2

Project No:		Project Name:					Please Circle Analyses Requested												Turn-Around Time		
C3-9535-2		The Collection at Cactus, San Diego					8015M: Diesel, Fuel Screen, Carbon Chain 8015M: Gas only 8021B: BTEX/MBE Only 418.1 (TRPH), 413.2, 1664 GC or GCMS Volatiles by 5035* GCMS: 8260B, 8021B, 624, 524.2 GCMS: MIBE Conf. Only, BTEX/Oxygenates Only GCMS: 8270C, 625 8080: Pesticides, PCBs, Pest/PCB Metals: Title 22 (CAM), RCRA, PP pH, TDS, TSS, Conductivity Flashpoint, Hex Cr												<input type="checkbox"/> 24 Hr. RUSH* <input type="checkbox"/> 48 Hr. RUSH* <input checked="" type="checkbox"/> Normal TAT		
Project Manager:		Phone:		Fax:														*Requires PRIOR approval, additional charges apply			
Kofi Bonner		714-634-9500																Requested due date: _____			
Client Name:		Address:																	Remarks/Special Instructions		
(Report and Billing)		(Report and Billing)																			
Hillmann Consulting LLC		1745 W. Orangewood Avenue, Suite 201 Orange, CA 92868																			
Centrum ID (Lab use only)	Sample ID (As it should appear on report)	Date sampled	Time sampled	Sample matrix	Site location	Containers: # and type															
9	S15 @ 3'	07/20/23	2:18	Soil	S15	Glass															
10	S15 @ 4'	07/20/23	2:22	Soil	S15	Glass															
11	S15 @ 5'	07/20/23	2:27	Soil	S15	Glass															
12	S16 @ 3'	07/20/23	1:38	Soil	S16	Glass															
13	S16 @ 4'	07/20/23	1:39	Soil	S16	Glass															
14	S16 @ 5'	07/20/23	1:42	Soil	S16	Glass															
1) Relinquished by: (Sampler's Signature)		Date:	Time:	3) Relinquished by:		Date:	Time:	To be completed by Laboratory personnel: Samples chilled? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> From Field Custody seals? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No All sample containers intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Courier <input type="checkbox"/> UPS/Fed Ex <input type="checkbox"/> Hand carried												Sample Disposal <input type="checkbox"/> Client will pick up <input type="checkbox"/> Return to client <input checked="" type="checkbox"/> Lab disposal	
2) Received by:		Date:	Time:	4) Received by:		Date:	Time:														
The delivery of samples and the signature on this chain of custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.		5) Relinquished by:		Date:	Time:													Sample Locator No.			
		6) Received for Laboratory by:		Date:	Time:																



Sample Acceptance Checklist

CLIENT: Hillmann Consult.

WORK ORDER NUMBER: 2307-157

Temperature: (Criteria: 0.0°C-6.0°C)

Sample Temp. (w/CF) °C(w/CF) 5.10⁰⁰ ID#: 22-0030

- Sample(s) outside temperature criteria: PM contacted by :
- Sample(s) outside temperature criteria, but received on ice/chilled on same day of sampling.
- Sample(s) received at ambient temperature; placed on ice for transport by courier.
 Ambient Temperature Air Filter

CUSTODY SEAL:

Cooler Present and Intact Present and Not Intact Not Present
 Sample(s) Present and Intact Present and Not Intact Not Present

Sample Condition:

	Yes	No	N/A
Was a COC received	✓		
Were sample IDs present?	✓		
Were sampling dates & times present?	✓		
Was a relinquished signature present?	✓		
Were the tests required clearly indicated?	✓		
Were all samples sealed in plastic bags?		✓	
Did all bottle labels agree with COC? (ID, dates and times)	✓		
Were correct containers used for the tests required?	✓		
Was a sufficient amount of samples sent for tests indicated?	✓		
Was there headspace in VOA vials?			✓
Were the containers labeled with correct preservatives?			✓

Explanations/Comments:

Notification:

For discrepancies, how was the Project Manager notified? Verbal
 Verbal: PM Initials: _____ Data/Time: _____
 Email: Send to: _____ Data/Time: _____
 Project Manager's response:

Completed By: Qel

Date: 7-21-23



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CASE NARRATIVE

Authorized Signature Name / Title (print)

Ken Zheng, President

Signature / Date

Ken Zheng, President
06/01/2023 11:53:15

Laboratory Job No. (Certificate of Analysis No.)

2305-00215

Project Name / No.

ADDT'L - THE COLLECTION AT CACTUS C3-9535-1

Dates Sampled (from/to)

05/02/23 To 05/02/23

Dates Received (from/to)

05/02/23 To 05/02/23

Dates Reported (from/to)

06/01/23 To 6/1/2023

Chains of Custody Received

Yes

Comments:

Subcontracting

Organic Analyses

No analyses sub-contracted

Inorganic Analyses

No analyses sub-contracted

Other Analyses

No analyses sub-contracted

Sample Condition(s)

All samples intact

Positive Results (Organic Compounds)

Sample	Analyte	Result	Qual	Units	RL		Result	Qual	Units	RL
S-2@0.5-1.0'	Toxaphene	0.36		mg/L	0.20	S-2@1.5-2.0'	Toxaphene	0.46	mg/L	0.20
S-14@0.5-1.0'	Toxaphene	0.33		mg/L	0.20	S-16@0.5-1.0'	Toxaphene	0.76	mg/L	0.20
S-17@0-0.5'	Toxaphene	0.29		mg/L	0.20					



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00215

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Date Reported 06/01/23
Date Received 05/02/23
Invoice No. 98285
Cust # H080
Permit Number
Customer P.O. C3-9535-1

Project: ADDT'L - THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 001 S-2@0.5-1.0'					Date & Time Sampled:		05/02/23 @	10:33
Sample Matrix: Soil								
[Metals]								
STLC	Complete	H		CCR Ch 11, Art 5, Appx 1	1.0		05/24/23	TLB
[Pesticides]								
Sep Funnel LLE	Complete			EPA 3510C	1.0		05/26/23	IG
Toxaphene	0.36		mg/L	EPA 8081A	1.0	0.20	05/30/23	IG
[Surrogates]								
Tetrachloro-m-xylene	94		%REC	EPA 8081A/8082		50-150	05/30/23	IG
Decachlorobiphenyl	61		%REC	EPA 8081A/8082		50-150	05/30/23	IG
Sample: 002 S-2@1.5-2.0'					Date & Time Sampled:		05/02/23 @	10:34
Sample Matrix: Soil								
[Metals]								
STLC	Complete	H		CCR Ch 11, Art 5, Appx 1	1.0		05/24/23	TLB
[Pesticides]								
Sep Funnel LLE	Complete			EPA 3510C	1.0		05/26/23	IG
Toxaphene	0.46		mg/L	EPA 8081A	1.0	0.20	05/30/23	IG
[Surrogates]								
Tetrachloro-m-xylene	90		%REC	EPA 8081A/8082		50-150	05/30/23	IG
Decachlorobiphenyl	66		%REC	EPA 8081A/8082		50-150	05/30/23	IG
Sample: 003 S-14@0.5-1.0'					Date & Time Sampled:		05/02/23 @	12:51
Sample Matrix: Soil								
[Metals]								
STLC	Complete	H		CCR Ch 11, Art 5, Appx 1	1.0		05/24/23	TLB
[Pesticides]								
Sep Funnel LLE	Complete			EPA 3510C	1.0		05/26/23	IG
Toxaphene	0.33		mg/L	EPA 8081A	1.0	0.20	05/30/23	IG
[Surrogates]								
Tetrachloro-m-xylene	85		%REC	EPA 8081A/8082		50-150	05/30/23	IG
Decachlorobiphenyl	63		%REC	EPA 8081A/8082		50-150	05/30/23	IG
Sample: 004 S-16@0.5-1.0'					Date & Time Sampled:		05/02/23 @	12:07
Sample Matrix: Soil								

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2305-00215

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Date Reported 06/01/23
Date Received 05/02/23
Invoice No. 98285
Cust # H080
Permit Number
Customer P.O. C3-9535-1

Project: ADDT'L - THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 004 S-16@0.5-1.0' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 12:07	
[Metals]								
STLC	Complete	H		CCR Ch 11, Art 5, Appx 1	1.0		05/24/23	TLB
[Pesticides]								
Sep Funnel LLE	Complete			EPA 3510C	1.0		05/26/23	IG
Toxaphene	0.76		mg/L	EPA 8081A	1.0	0.20	05/30/23	IG
[Surrogates]								
Tetrachloro-m-xylene	77		%REC	EPA 8081A/8082		50-150	05/30/23	IG
Decachlorobiphenyl	62		%REC	EPA 8081A/8082		50-150	05/30/23	IG
Sample: 005 S-17@0-0.5' Sample Matrix: Soil							Date & Time Sampled: 05/02/23 @ 11:52	
[Metals]								
STLC	Complete	H		CCR Ch 11, Art 5, Appx 1	1.0		05/24/23	TLB
[Pesticides]								
Sep Funnel LLE	Complete			EPA 3510C	1.0		05/26/23	IG
Toxaphene	0.29		mg/L	EPA 8081A	1.0	0.20	05/30/23	IG
[Surrogates]								
Tetrachloro-m-xylene	116		%REC	EPA 8081A/8082		50-150	05/30/23	IG
Decachlorobiphenyl	65		%REC	EPA 8081A/8082		50-150	05/30/23	IG

Respectfully Submitted:

Ken Zheng

Ken Zheng - Lab Director

QUALIFIERS

B = Detected in the associated Method Blank at a concentration above the routine RL.
B1 = BOD dilution water is over specifications . The reported result may be biased high.
D = Surrogate recoveries are not calculated due to sample dilution.
E = Estimated value; Value exceeds calibration level of instrument.
H = Analyte was prepared and/or analyzed outside of the analytical method holding time
I = Matrix Interference.
J = Analyte concentration detected between RL and MDL.
Q = One or more quality control criteria did not meet specifications. See Comments for further explanation.
S = Customer provided specification limit exceeded.

ABBREVIATIONS

DF = Dilution Factor
RL = Reporting Limit, Adjusted by DF
MDL = Method Detection Limit, Adjusted by DF
Qual = Qualifier
Tech = Technician



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
 ONTARIO, CA 91761
 909-781-6335
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

HILLMANN CONSULTING
 KOFI BONNER
 1745 W. ORANGEWOOD AVE.
 SUITE 201
 ORANGE, CA 92868

2305-00215

Date Reported 06/01/2023
 Date Received 05/02/2023
 Date Sampled 05/02/2023
 Invoice No. 98285
 Customer # H080
 Customer P.O. C3-9535-1

Project: ADDT'L - THE COLLECTION AT CACTUS

Method # EPA 8081A/8082

QC Reference # 109813 Date Analyzed: 5/30/2023 Technician: IG

Samples 001 002 003 004 005

No QC recoveries reported.

Method blank results

No method blank results were above reporting limit

Ref	Test Name	Result	Qualif	Units	Ref	Test Name	Result	Qualif	Units

Respectfully Submitted:

Ken Zheng

Ken Zheng - President



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CASE NARRATIVE

Authorized Signature Name / Title (print)

Ken Zheng, President

Signature / Date

Ken Zheng

Ken Zheng, President
06/12/2023 13:18:28

Laboratory Job No. (Certificate of Analysis No.)

2306-00024

Project Name / No.

ADDT'L - THE COLLECTION AT CACTUS

Dates Sampled (from/to)

05/02/23 To 05/02/23

Dates Received (from/to)

05/02/23 To 05/02/23

Dates Reported (from/to)

06/12/23 To 6/12/2023

Chains of Custody Received

Yes

Comments:

Subcontracting

Organic Analyses

No analyses sub-contracted

Inorganic Analyses

No analyses sub-contracted

Other Analyses

No analyses sub-contracted

Sample Condition(s)

All samples intact

Positive Results (Organic Compounds)

None



A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2306-00024

HILLMANN CONSULTING
KOFI BONNER
1745 W. ORANGEWOOD AVE.
SUITE 201
ORANGE, CA 92868

Date Reported 06/12/23
Date Received 05/02/23
Invoice No. 98396
Cust # H080
Permit Number
Customer P.O.

Project: ADDT'L - THE COLLECTION AT CACTUS

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 001 S-16@0.5-1.0'							Date & Time Sampled: 05/02/23 @ 12:07	
Sample Matrix: Soil								
[Metals]								
TCLP	Complete	H		EPA 1311	1.0		06/07/23	JEN
[Pesticides]								
Sep Funnel LLE	Complete	H		EPA 3510C	1.0		06/07/23	JEN
Toxaphene	<0.20		mg/L	EPA 8081A	1.0	0.20	06/08/23	IG
[Surrogates]								
Tetrachloro-m-xylene	109		%REC	EPA 8081A/8082		50-150	06/08/23	IG
Decachlorobiphenyl	79		%REC	EPA 8081A/8082		50-150	06/08/23	IG

Respectfully Submitted:

Ken Zheng

Ken Zheng - Lab Director

QUALIFIERS

B = Detected in the associated Method Blank at a concentration above the routine RL.
B1 = BOD dilution water is over specifications . The reported result may be biased high.
D = Surrogate recoveries are not calculated due to sample dilution.
E = Estimated value; Value exceeds calibration level of instrument.
H = Analyte was prepared and/or analyzed outside of the analytical method holding time
I = Matrix Interference.
J = Analyte concentration detected between RL and MDL.
Q = One or more quality control criteria did not meet specifications. See Comments for further explanation.
S = Customer provided specification limit exceeded.

ABBREVIATIONS

DF = Dilution Factor
RL = Reporting Limit, Adjusted by DF
MDL = Method Detection Limit, Adjusted by DF
Qual = Qualifier
Tech = Technician

2306.24

AR Lab Job # ~~2305-215~~

AR LABORATORIES, Inc.

Chain of Custody Record

1650 S. Grove Ave Suite C
Ontario, CA 91761
Voice: 951.779.0310 • 800.798.9336
Fax: 951.779.0344

www.arlaboratories.com info@arlaboratories.com

Page 1 of 1

Project No:		Project Name:		Please Circle Analyses Requested										Turn-Around Time						
C3-9535-1		The Collection at Cactus												<input type="checkbox"/> 24 Hr. RUSH* <input type="checkbox"/> 48 Hr. RUSH* <input checked="" type="checkbox"/> Normal TAT						
Project Manager:		Phone:		Fax:												*Requires PRIOR approval, additional charges apply				
Kofi Bonner kbonner@hillmannconsulting.com		714-634-9500														Requested due date: _____				
Client Name:		Address:												Remarks/Special Instructions						
(Report and Billing) Hillmann Consulting LLC		(Report and Billing) 1745 W. Orangewood Avenue, Suite 201 Orange, CA 92868																		
Centrum ID	Sample ID	Date	Time	Sample	Site location	Containers:	8015M: Diesel, Fuel Screen, Carbon Chain	8015M: Gas only	8021B: BTEX/MIBE Only	418.1 (TRPH), 413.2, 1664	GC or GCMS Volatiles by 5035*	GCMS: 8260B, 8021B, 624, 524.2	GCMS: MIBE Conf. Only, BTEX/Oxygenates Only	GCMS: 8270C, 625	8080: Pesticides, PCBs, Pest/PCB	Metals: Title 22 (CAM), RCRA, PP	pH, TDS, TSS, Conductivity	Flashpoint, Hex Cr	TCLP Toxaphene	
(Lab use only)	(As it should appear on report)	sampled	sampled	matrix		# and type														
44	S-14 @ 0.5-1.0'	05/02/23	12:51	Soil	S-14	Glass Jar									X	X				
42	S-14 @ 1.5-2.0'	05/02/23	12:53	Soil	S-14	Glass Jar									X					
43	S-15 @ 0-0.5'	05/02/23	12:15	Soil	S-15	Glass Jar									X					
44	S-15 @ 0.5-1.0'	05/02/23	12:18	Soil	↓	Glass Jar									X					
45	S-15 @ 1.5-2.0'	05/02/23	12:21	Soil	↓	Glass Jar									X					
46	S-16 @ 0-0.5'	05/02/23	12:24	Soil	S-16	Glass Jar									X					
① 47	S-16 @ 0.5-1.0'	05/02/23	12:27	Soil	↓	Glass Jar									X	X			X	
48	S-16 @ 1.5-2.0'	05/02/23	12:26	Soil	↓	Glass Jar									X					
49	S-17 @ 0-0.5'	05/02/23	11:52	Soil	S-17	Glass Jar									X	X				
50	S-17 @ 0.5-1.0'	05/02/23	11:57	Soil	S-17	Glass Jar									X					
1) Relinquished by: (Sampler's Signature)		Date:	Time:	3) Relinquished by:		Date:	Time:	To be completed by Laboratory personnel:										Sample Disposal		
Kofi Bonner		5/2/23	4:17					Samples chilled? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> From Field Custody seals? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No All sample containers intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Courier <input type="checkbox"/> UPS/Fed Ex <input checked="" type="checkbox"/> Hand carried										<input type="checkbox"/> Client will pick up <input type="checkbox"/> Return to client <input checked="" type="checkbox"/> Lab disposal		
2) Received by:		Date:	Time:	4) Received by:		Date:	Time:													
The delivery of samples and the signature on this chain of custody form constitutes authorization to perform the analyses specified above under the Terms and Conditions set forth on the back hereof.		5) Relinquished by:		6) Received for Laboratory by:		Date:	Time:											Sample Locator No.		
				C. J. [Signature]		5/2/23	4:17 PM													
Laboratory Notes:																				
Add'l Testing Requested per Client 6/5/23 prev W.O. # 2305-215																				

Cash [Signature]