



THE CITY OF SAN DIEGO

MITIGATED NEGATIVE DECLARATION

Project No. PRJ-1113364
SCH No. 2026050926

SUBJECT: **8460 El Paseo Grande:** The project proposes a Coastal Development Permit (CDP) and Site Development Permit (SDP) for the demolition of a 3,009 square-foot (sf) two-story single dwelling unit and 527 sf detached garage and the construction of a new two-story 5,755 sf single dwelling unit over basement with attached garage, and associated site work (hardscape and landscaping), located at 8460 El Paseo Grande. The 0.26-acre site is designated Very Low Density Residential (0-5 du/ac) within the La Jolla Community Plan Area. The site is within the LJSPD-SF (La Jolla Shores Planned District - Single Family) Base Zone, and Coastal (Appealable) Overlay Zone. (LEGAL DESCRIPTION: Lot 4 of Ocean Terrace, Map No. 2615 Excepting Therefrom That Portion Hereto or Now Lying Below the Mean High Tide Line of the Pacific Ocean.) APPLICANT: Vince Kattoula.

I. PROJECT DESCRIPTION:

See attached Initial Study.

II. ENVIRONMENTAL SETTING:

See attached Initial Study.

III. DETERMINATION:

The City of San Diego conducted an Initial Study which determined that the proposed project could have a significant environmental effect in the following areas(s): **Cultural Resources (Archaeology) and Tribal Cultural Resources**. Subsequent revisions in the project proposal create the specific mitigation identified in Section V of this Mitigated Negative Declaration. The project as revised now avoids or mitigates the potentially significant environmental effects previously identified, and the preparation of an Environmental Impact Report will not be required.

IV. DOCUMENTATION:

The attached Initial Study documents the reasons to support the above Determination.

V. MITIGATION, MONITORING AND REPORTING PROGRAM:

A. **GENERAL REQUIREMENTS – PART I Plan Check Phase (prior to permit issuance)**

1. Prior to the issuance of any construction permits, such as demolition, grading or building, or beginning any construction-related activity on-site, the Development Services Department (DSD) Director's Environmental Designee (ED) shall review and approve construction documents (CD) (plans, specification, details, etc.) to ensure the applicable MMRP requirements are incorporated into the design and/or construction documents.
2. In addition, the ED shall verify that the MMRP Conditions/Notes that apply ONLY to the construction phases of this project are included VERBATIM under the heading, **"ENVIRONMENTAL/MITIGATION REQUIREMENTS."**
3. These notes must be shown within the first three (3) sheets of the construction documents in the format specified for engineering construction document templates as shown on the City of San Diego (City) website:
<https://www.sandiego.gov/development-services/forms-publications/design-guidelines-templates>
4. The **TITLE INDEX SHEET** must also show on which pages the "Environmental/Mitigation Requirements" notes are provided.
5. **SURETY AND COST RECOVERY:** The DSD Director or City Manager may require appropriate surety instruments or bonds from private Permit Holders to ensure the long-term performance or implementation of required mitigation measures or programs. The City is authorized to recover its cost to offset the salary, overhead, and expenses for City personnel and programs to monitor qualifying projects.

B. **GENERAL REQUIREMENTS – PART II Post Plan Check (After permit issuance/Prior to start of construction)**

1. **PRE-CONSTRUCTION MEETING IS REQUIRED TEN (10) WORKING DAYS PRIOR TO BEGINNING ANY WORK ON THIS PROJECT.** The PERMIT HOLDER/OWNER is responsible to arrange and perform this meeting by contacting the CITY RESIDENT ENGINEER (RE) of the Field Engineering Division and City staff from MITIGATION MONITORING COORDINATION (MMC). Attendees must also include the Permit holder's Representative(s), Job Site Superintendent, and the following consultants:

Qualified Archaeologist
Qualified Native American Monitor

Note: If all responsible Permit Holders' representatives and consultants fail to attend, an additional meeting with all parties present will be required.

CONTACT INFORMATION:

- a) **The PRIMARY POINT OF CONTACT is the RE at the Field Engineering Division and can be reached at (858) 627-3200**
- b) **For Clarification of ENVIRONMENTAL REQUIREMENTS, contact call RE and MMC at (858) 627-3360**

2. **MMRP COMPLIANCE:** This Project, PRJ-1113364 and /or Environmental Document 1113364 shall conform to the mitigation requirements contained in the associated Environmental Document and implemented to the satisfaction of the DSD's Environmental Designee (MMC) and the City Engineer (RE). The requirements may not be reduced or changed but may be annotated (i.e., to explain when and how compliance is being met and the location of verifying proof, etc.). Additional clarifying information may also be added to other relevant plan sheets and/or specifications as appropriate (i.e., specific locations, monitoring times, methodology, etc.)

Note: The Permit Holder's Representatives must alert RE and MMC if there are any discrepancies in the plans, notes, or changes due to field conditions. All conflicts must be approved by RE and MMC BEFORE the work is performed.

3. **OTHER AGENCY REQUIREMENTS:** Evidence of compliance with all other agency requirements or permits shall be submitted to the RE and MMC for review and acceptance prior to the beginning of work or within one week of the Permit Holder obtaining documentation of those permits or requirements. Evidence shall include copies of permits, letters of resolution, or other documentation issued by the responsible agency.

None Applicable

4. **MONITORING EXHIBITS:** All consultants are required to submit to RE and MMC, a monitoring exhibit on an 11x17 reduction of the appropriate construction plan, such as site plan, grading, landscape, etc., marked to clearly show the specific areas including the **LIMIT OF WORK**, scope of that discipline's work, and notes indicating when in the construction schedule that work will be performed. When necessary for clarification, a detailed methodology of how the work will be performed shall be included.

Note: Surety and Cost Recovery: When deemed necessary by the DSD Director or City Manager, additional surety instruments or bonds from the private Permit Holder may be required to ensure the long-term performance or implementation of required mitigation measures or programs. The City is authorized to recover its cost to offset the salary, overhead, and expenses for City personnel and programs to monitor qualifying projects.

5. **OTHER SUBMITTALS AND INSPECTIONS:** The Permit Holder/Owner's representative shall submit all required documentation, verification letters, and requests for all associated inspections to the RE and MMC for approval per the following schedule:

Document Submittal/Inspection Checklist		
Issue Area	Document Submittal	Associated Inspection/Approvals/Notes
General	Consultant Qualification Letters	Prior to the Preconstruction Meeting
General	Consultant Construction Monitoring Exhibits	Prior to or at the Preconstruction Meeting
Archaeology	Monitoring Reports	Archaeology/Historic Site Observation
Tribal Cultural Resources	Monitoring Reports	Archaeology/Historic Site Observation
Bond Release	Request for Bond Release Letter	Final MMRP Inspections Prior to Bond Release Letter

C. SPECIFIC MMRP ISSUE AREA CONDITIONS/REQUIREMENTS

HISTORICAL RESOURCES (ARCHAEOLOGY)

I. Prior to Permit Issuance

A. Entitlements Plan Check

1. Prior to issuance of any construction permits, including but not limited to, the first Grading Permit, Demolition Plans/Permits and Building Plans/Permits or a Notice to Proceed for Subdivisions, but prior to the first preconstruction meeting, whichever is applicable, the Assistant Deputy Director (ADD) Environmental designee shall verify that the requirements for Archaeological Monitoring and Native American monitoring have been noted on the applicable construction documents through the plan check process.

B. Letters of Qualification have been submitted to ADD

1. The applicant shall submit a letter of verification to Mitigation Monitoring Coordination (MMC) identifying the Principal Investigator (PI) for the project and the names of all persons involved in the archaeological monitoring program, as defined in the City of San Diego Historical Resources Guidelines (HRG). If applicable,

individuals involved in the archaeological monitoring program must have completed the 40-hour HAZWOPER training with certification documentation.

2. MMC will provide a letter to the applicant confirming the qualifications of the PI and all persons involved in the archaeological monitoring of the project meet the qualifications established in the HRG.
3. Prior to the start of work, the applicant must obtain written approval from MMC for any personnel changes associated with the monitoring program.

II. Prior to Start of Construction

A. Verification of Records Search

1. The PI shall provide verification to MMC that a site-specific records search (1/4 mile radius) has been completed. Verification includes, but is not limited to a copy of a confirmation letter from South Coastal Information Center, or, if the search was in-house, a letter of verification from the PI stating that the search was completed.
2. The letter shall introduce any pertinent information concerning expectations and probabilities of discovery during trenching and/or grading activities.
3. The PI may submit a detailed letter to MMC requesting a reduction to the ¼ mile radius.

B. PI Shall Attend Precon Meetings

1. Prior to beginning any work that requires monitoring; the Applicant shall arrange a Precon Meeting that shall include the PI, Native American consultant/monitor (where Native American resources may be impacted), Construction Manager (CM) and/or Grading Contractor, Resident Engineer (RE), Building Inspector (BI), if appropriate, and MMC. The qualified Archaeologist and Native American Monitor shall attend any grading/excavation related Precon Meetings to make comments and/or suggestions concerning the Archaeological Monitoring program with the Construction Manager and/or Grading Contractor.
 - a. If the PI is unable to attend the Precon Meeting, the Applicant shall schedule a focused Precon Meeting with MMC, the PI, RE, CM or BI, if appropriate, prior to the start of any work that requires monitoring.
2. Identify Areas to be Monitored
 - a. Prior to the start of any work that requires monitoring, the PI shall submit an Archaeological Monitoring Exhibit (AME) (with verification that the AME has been reviewed and approved by the Native American consultant/monitor when Native American resources may be impacted) based on the appropriate construction

documents (reduced to 11x17) to MMC identifying the areas to be monitored including the delineation of grading/excavation limits.

- b. The AME shall be based on the results of a site-specific records search as well as information regarding existing known soil conditions (native or formation).

3. When Monitoring Will Occur

- a. Prior to the start of any work, the PI shall also submit a construction schedule to MMC through the RE indicating when and where monitoring will occur.
- b. The PI may submit a detailed letter to MMC prior to the start of work or during construction requesting a modification to the monitoring program. This request shall be based on relevant information such as review of final construction documents which indicate site conditions such as depth of excavation and/or site graded to bedrock, etc., which may reduce or increase the potential for resources to be present.

III. During Construction

A. Monitor(s) Shall be Present During Grading/Excavation/Trenching

1. The Archaeological Monitor shall be present full-time during all soil disturbing and grading/excavation/trenching activities which could result in impacts to archaeological resources as identified on the AME. The Construction Manager is responsible for notifying the RE, PI, and MMC of changes to any construction activities such as in the case of a potential safety concern within the area being monitored. In certain circumstances OSHA safety requirements may necessitate modification of the AME.
2. The Native American consultant/monitor shall determine the extent of their presence during soil disturbing and grading/excavation/trenching activities based on the AME and provide that information to the PI and MMC. If prehistoric resources are encountered during the Native American consultant/monitor's absence, work shall stop and the Discovery Notification Process detailed in Section III.B-C and IV.A-D shall commence.
3. The PI may submit a detailed letter to MMC during construction requesting a modification to the monitoring program when a field condition such as modern disturbance post-dating the previous grading/trenching activities, presence of fossil formations, or when native soils are encountered that may reduce or increase the potential for resources to be present.
4. The archaeological and Native American consultant/monitor shall document field activity via the Consultant Site Visit Record (CSV). The CSV's shall be faxed or emailed by the CM to the RE the first day of monitoring, the last day of monitoring,

monthly (Notification of Monitoring Completion), and in the case of ANY discoveries. The RE shall forward copies to MMC.

B. Discovery Notification Process

1. In the event of a discovery, the Archaeological Monitor shall direct the contractor to temporarily divert all soil disturbing activities, including but not limited to digging, trenching, excavating or grading activities in the area of discovery and in the area reasonably suspected to overlay adjacent resources and immediately notify the RE or BI, as appropriate.
2. The Monitor shall immediately notify the PI (unless Monitor is the PI) of the discovery.
3. The PI shall immediately notify MMC by phone of the discovery, and shall also submit written documentation to MMC within 24 hours by fax or email with photos of the resource in context, if possible.
4. No soil shall be exported off-site until a determination can be made regarding the significance of the resource specifically if Native American resources are encountered.

C. Determination of Significance

1. The PI and Native American consultant/monitor, where Native American resources are discovered shall evaluate the significance of the resource. If Human Remains are involved, follow protocol in Section IV below.
 - a. The PI shall immediately notify MMC by phone to discuss significance determination and shall also submit a letter to MMC indicating whether additional mitigation is required.
 - b. If the resource is significant, the PI shall submit an Archaeological Data Recovery Program (ADRP) which has been reviewed by the Native American consultant/monitor, and obtain written approval from MMC. Impacts to significant resources must be mitigated before ground disturbing activities in the area of discovery will be allowed to resume. Note: If a unique archaeological site is also an historical resource as defined in Guidelines Section, then the limits on the amount(s) that a project applicant may be required to pay to cover mitigation costs as indicated in CEQA Section 21083.2 shall not apply.
 - c. If the resource is not significant, the PI shall submit a letter to MMC indicating that artifacts will be collected, curated, and documented in the Final Monitoring Report. The letter shall also indicate that that no further work is required.

IV. Discovery of Human Remains

If human remains are discovered, work shall halt in that area and no soil shall be exported off-site until a determination can be made regarding the provenance of the human remains; and the following procedures as set forth in CEQA Section 15064.5(e), the California Public Resources Code (Sec. 5097.98) and State Health and Safety Code (Sec. 7050.5) shall be undertaken:

A. Notification

1. Archaeological Monitor shall notify the RE or BI as appropriate, MMC, and the PI, if the Monitor is not qualified as a PI. MMC will notify the appropriate Senior Planner in the Environmental Analysis Section (EAS) of the Development Services Department to assist with the discovery notification process.
2. The PI shall notify the Medical Examiner after consultation with the RE, either in person or via telephone.

B. Isolate discovery site

1. Work shall be directed away from the location of the discovery and any nearby area reasonably suspected to overlay adjacent human remains until a determination can be made by the Medical Examiner in consultation with the PI concerning the provenance of the remains.
2. The Medical Examiner, in consultation with the PI, will determine the need for a field examination to determine the provenance.
3. If a field examination is not warranted, the Medical Examiner will determine with input from the PI, if the remains are or are most likely to be of Native American origin.

C. If Human Remains ARE determined to be Native American

1. The Medical Examiner will notify the Native American Heritage Commission (NAHC) within 24 hours. By law, ONLY the Medical Examiner can make this call.
2. NAHC will immediately identify the person or persons determined to be the Most Likely Descendent (MLD) and provide contact information.
3. The MLD will contact the PI within 24 hours or sooner after the Medical Examiner has completed coordination, to begin the consultation process in accordance with CEQA Guidelines Section 15064.5(e), the California Public Resources and Health & Safety Codes.

4. The MLD will have 48 hours to make recommendations to the property owner or representative, for the treatment or disposition with proper dignity, of the human remains and associated grave goods.
5. Disposition of Native American Human Remains will be determined between the MLD and the PI, and, if:
 - a. The NAHC is unable to identify the MLD, OR the MLD failed to make a recommendation within 48 hours after being granted access to the site, OR;
 - b. The landowner or authorized representative rejects the recommendation of the MLD and mediation in accordance with PRC 5097.94 (k) by the NAHC fails to provide measures acceptable to the landowner, the landowner shall reinter the human remains and items associated with Native American human remains with appropriate dignity on the property in a location not subject to further and future subsurface disturbance, THEN
 - c. To protect these sites, the landowner shall do one or more of the following:
 - (1) Record the site with the NAHC;
 - (2) Record an open space or conservation easement; or
 - (3) Record a document with the County. The document shall be titled "Notice of Reinterment of Native American Remains" and shall include a legal description of the property, the name of the property owner, and the owner's acknowledged signature, in addition to any other information required by PRC 5097.98. The document shall be indexed as a notice under the name of the owner.

V. Night and/or Weekend Work

- A. If night and/or weekend work is included in the contract
 1. When night and/or weekend work is included in the contract package, the extent and timing shall be presented and discussed at the precon meeting.
 2. The following procedures shall be followed.
 - a. No Discoveries

In the event that no discoveries were encountered during night and/or weekend work, the PI shall record the information on the CSV and submit to MMC via fax by 8AM of the next business day.

b. Discoveries

All discoveries shall be processed and documented using the existing procedures detailed in Sections III - During Construction, and IV - Discovery of Human Remains. Discovery of human remains shall always be treated as a significant discovery.

c. Potentially Significant Discoveries

If the PI determines that a potentially significant discovery has been made, the procedures detailed under Section III - During Construction and IV-Discovery of Human Remains shall be followed.

d. The PI shall immediately contact MMC, or by 8AM of the next business day to report and discuss the findings as indicated in Section III-B, unless other specific arrangements have been made.

B. If night and/or weekend work becomes necessary during the course of construction

1. The Construction Manager shall notify the RE, or BI, as appropriate, a minimum of 24 hours before the work is to begin.

2. The RE, or BI, as appropriate, shall notify MMC immediately.

C. All other procedures described above shall apply, as appropriate.

VI. Post Construction

A. Preparation and Submittal of Draft Monitoring Report

1. The PI shall submit two copies of the Draft Monitoring Report (even if negative), prepared in accordance with the Historical Resources Guidelines (Appendix C/D) which describes the results, analysis, and conclusions of all phases of the Archaeological Monitoring Program (with appropriate graphics) to MMC for review and approval within 90 days following the completion of monitoring. It should be noted that if the PI is unable to submit the Draft Monitoring Report within the allotted 90-day timeframe resulting from delays with analysis, special study results or other complex issues, a schedule shall be submitted to MMC establishing agreed due dates and the provision for submittal of monthly status reports until this measure can be met.

a. For significant archaeological resources encountered during monitoring, the Archaeological Data Recovery Program shall be included in the Draft Monitoring Report.

b. Recording Sites with State of California Department of Parks and Recreation

The PI shall be responsible for recording (on the appropriate State of California Department of Park and Recreation forms-DPR 523 A/B) any significant or potentially significant resources encountered during the Archaeological Monitoring Program in accordance with the City's Historical Resources Guidelines, and submittal of such forms to the South Coastal Information Center with the Final Monitoring Report.

2. MMC shall return the Draft Monitoring Report to the PI for revision or, for preparation of the Final Report.
3. The PI shall submit revised Draft Monitoring Report to MMC for approval.
4. MMC shall provide written verification to the PI of the approved report.
5. MMC shall notify the RE or BI, as appropriate, of receipt of all Draft Monitoring Report submittals and approvals.

B. Handling of Artifacts

1. The PI shall be responsible for ensuring that all cultural remains collected are cleaned and catalogued
2. The PI shall be responsible for ensuring that all artifacts are analyzed to identify function and chronology as they relate to the history of the area; that faunal material is identified as to species; and that specialty studies are completed, as appropriate.
3. The cost for curation is the responsibility of the property owner.

C. Curation of artifacts: Accession Agreement and Acceptance Verification

1. The PI shall be responsible for ensuring that all artifacts associated with the survey, testing and/or data recovery for this project are permanently curated with an appropriate institution. This shall be completed in consultation with MMC and the Native American representative, as applicable.
2. The PI shall include the Acceptance Verification from the curation institution in the Final Monitoring Report submitted to the RE or BI and MMC.
3. When applicable to the situation, the PI shall include written verification from the Native American consultant/monitor indicating that Native American resources were treated in accordance with state law and/or applicable agreements. If the resources were reinterred, verification shall be provided to show what protective measures were taken to ensure no further disturbance occurs in accordance with Section IV – Discovery of Human Remains, Subsection 5.

D. Final Monitoring Report(s)

1. The PI shall submit one copy of the approved Final Monitoring Report to the RE or BI as appropriate, and one copy to MMC (even if negative), within 90 days after notification from MMC that the draft report has been approved.
2. The RE shall, in no case, issue the Notice of Completion and/or release of the Performance Bond for grading until receiving a copy of the approved Final Monitoring Report from MMC which includes the Acceptance Verification from the curation institution.

TRIBAL CULTURAL RESOURCES

Refer to the mitigation measures outlined under Historical Resources (Archaeology).

VI. PUBLIC REVIEW DISTRIBUTION:

Draft copies or notice of this Mitigated Negative Declaration were distributed to:

STATE

State Clearinghouse (46A)

CITY OF SAN DIEGO

Mayor's Office

Council member Joe LaCava, Council District 1

Development Services:

Development Project Manager

Engineering Review

Planning Review

Landscaping Review

Geology Review

City Attorney's Office (93C)

Central Library (81A)

La Jolla Library (81L)

OTHER ORGANIZATIONS AND INTERESTED PARTIES

Historical Resources Board (87)

South Coastal Information Center (210)

San Diego Archaeological Center (212)

Save Our Heritage Organization (214)

Ron Christman (215)

Clint Linton (215B)

Frank Brown - Inter-Tribal Cultural Resources Council (216)

Campo Band of Mission Indians (217)

San Diego County Archaeological Society, Inc. (218)

Kumeyaay Cultural Heritage Preservation (223)
Kumeyaay Cultural Repatriation Committee (225)
Native American Distribution (225 A-S)
La Jolla Village News (271)
La Jolla Shores Association (272)
La Jolla Town Council (273)
La Jolla Historical Society (274)
Jolla Community Planning (275)
La Jolla Shores PDO Advisory Board (279)
Patricia K. Miller (283)
Richard Drury
Molly Greene
Chase Preciado
John Stump


VII. RESULTS OF PUBLIC REVIEW:

☐ No comments were received during the public input period.

☒ Comments were received but did not address the accuracy or completeness of the draft environmental document. No response is necessary and the letters are incorporated herein.

☐ Comments addressing the accuracy or completeness of the draft environmental document were received during the public input period. The letters and responses are incorporated herein.

Copies of the Mitigated Negative Declaration and associated project-specific technical appendices, if any, may be accessed on the City's CEQA webpage at <https://www.sandiego.gov/ceqa/final>.



Jeff Szymanski
Senior Planner
Development Services Department

May 27, 2026
Date of Draft Report

July 8, 2026
Date of Final Report

Analyst: Marlene Watanabe

Attachments:

Initial Study Checklist

Figure 1: Project Location

Figure 2: Site Plan

Appendices (bound separately):

Appendix A, Geotechnical Investigation Report

Appendix B, Preliminary Drainage Study

COMMENT LETTER

CITY RESPONSE



Department of Toxic Substances Control

Yana Garcia
Secretary for
Environmental Protection

Katherine M. Butler, MPH, Director
8800 Cal Center Drive
Sacramento, California 95826-3200
dtsc.ca.gov

Gavin Newsom
Governor

SENT VIA ELECTRONIC MAIL

May 27, 2026

Marlene Watanabe
Associate Planner
City of San Diego
7650 Mission Valley Road MS DSD 1A
San Diego, CA 92108
MWatanabe@sandiego.gov

RE: MITIGATED NEGATIVE DECLARATION FOR 8460 EL PASEO GRANDE DATED
MAY 22, 2026, STATE CLEARINGHOUSE NUMBER [20260503926](#)

Dear Marlene Watanabe,

A-1

The Department of Toxic Substances Control (DTSC) reviewed the Mitigated Negative Declaration (MND) for the 8460 El Paseo Grande project (Project). The Project proposes a Coastal Development Permit and Site Development Permit for the demolition of a 3,009 square-foot (sf) two-story single dwelling unit and 527 sf detached garage and the construction of a new two-story 5,755 sf single dwelling unit over basement with attached garage, and associated site work (hardscape and landscaping), located at 8460 El Paseo Grande. The 0.26-acre site is designated Very Low Density Residential (0-5 du/ac) within the La Jolla Community Plan Area. DTSC recommends and requests consideration of the following comments:

A-2

1. If buildings or other structures are to be demolished on any Project sites included in the proposed Project, surveys should be conducted for the presence of lead-based paints or products, mercury, asbestos containing materials, and polychlorinated biphenyl caulk. Removal, demolition, and disposal of any of the above-mentioned chemicals should be conducted in

A-1. These are introductory comments from the Department of Toxic Substances Control (DTSC) which reference various project details. The comment does not address the adequacy of the Initial Study/Mitigated Negative Declaration, and no response is required.

A-2. This comment recommends that prior to the demolition of buildings or structures during project implementation, surveys be conducted for the presence of hazardous materials. The comment additionally outlines DTSC guidance for the removal of hazardous materials. The project would demolish an approximately 3,009 square-foot (sf) residence and 527 sf detached garage at the site, which has the potential to contain lead-based paint and/or asbestos containing materials. Prior to demolition of these structures, an asbestos and lead survey would be conducted on the project site by a licensed asbestos/lead contractor. Should the survey identify hazardous building materials, the project applicant would be required to complete the necessary remediation identified in the survey prior to the commencement of demolition activities in accordance with applicable laws, including Occupational Safety and Health Administration guidelines, to ensure that no hazards to the demolition crew, nearby building occupants, or others are created by exposure to hazardous building materials. This is a standard regulatory requirement of the City and no mitigation is required. No change to the Initial Study/Mitigated Negative Declaration is required.

COMMENT LETTER

CITY RESPONSE

Marlene Watanabe
May 27, 2026
Page 2

compliance with California environmental regulations and policies. In addition, sampling near current and/or former buildings should be conducted in accordance with [DTSC's Preliminary Endangerment Assessment Guidance Manual](#).

A-3

2. DTSC recommends all imported soil/fill material be tested to ensure all COCs meet screening levels as outlined in [DTSC's PEA Guidance Manual](#). Furthermore, DTSC advises referencing the [DTSC Information Advisory Clean Imported Fill Material Fact Sheet](#) if importing soil/fill is necessary. To minimize the possibility of introducing contaminated soil/fill material, there should be documentation of the origins of the soil/fill material and, if applicable, sampling be conducted to ensure that the imported soil/fill material is suitable for the intended land use. The sampling should include analysis based on the source of the soil/fill and knowledge of prior land use.

A-4

DTSC would like to thank you for the opportunity to comment on the MND for the 8460 El Paseo Grande project. Thank you for your assistance in protecting California's people and environment from the harmful effects of toxic substances. If you have any questions or would like clarification on DTSC's comments, please respond to this letter or via our [CEQA Review email](#) for additional guidance.

Sincerely,

Dave Kereazis

Dave Kereazis
Associate Environmental Planner
HWMP - Permitting Division – CEQA Unit
Department of Toxic Substances Control
Dave.Kereazis@dtsc.ca.gov

A-3. Comment noted. This comment recommends that the project adhere to the DTSC's screening level guidance for contaminants of concern and DTSC information on imported fill material during project implementation. As discussed under number 8. Description of project, of the Initial Study Checklist, grading is estimated to require 10 cubic yards (cyds) and 10 cyds of fill, export of 676 cyds. There will be no import of soil. Grading activities would be required to comply with applicable regulations and engineering standards regarding imported soil and fill material, including the requirements listed by the DTSC in this comment. The comment does not address the adequacy of the Initial Study/Mitigated Negative Declaration, and no further response is required.

A-4. These are concluding comments and do not address the adequacy of the Initial Study/Mitigated Negative Declaration. No further response is required.

COMMENT LETTER

CITY RESPONSE

Marlene Watanabe
May 27, 2026
Page 3

cc: (via email)

Governor's Office of Land Use and Climate Innovation
State Clearinghouse
state.clearinghouse@lci.ca.gov

Tamara Purvis
Associate Environmental Planner
HWMP-Permitting Division – CEQA Unit
Department of Toxic Substances Control
Tamara.Purvis@dtsc.ca.gov

Scott Wiley
Analyst II
HWMP - Permitting Division – CEQA Unit
Department of Toxic Substances Control
Scott.Wiley@dtsc.ca.gov

COMMENT LETTER

CITY RESPONSE



San Diego County Archaeological Society, Inc.

Environmental Review Committee

June 16, 2026

To: Ms. Marlene Watanabe
Development Services Department
City of San Diego
7650 Mission Valley Road, MS-DSD-1A
San Diego, California 92108

Subject: Draft Mitigated Negative Declaration
8460 El Paseo Grande
Project No. PRJ-1113364

Dear Ms. Watanabe:

I have reviewed the subject DMND on behalf of this committee of the San Diego County Archaeological Society.

B-1 Based on the information contained in the DMND, we concur with the archaeological and Native American monitoring program as proposed.

Thank you for the opportunity to review and comment on this project's environmental documents.

Sincerely,


James W. Royle, Jr., Chairperson
Environmental Review Committee

cc: SDCAS President
File

P.O. Box 81106 San Diego, CA 92138-1106 (658) 538-0935

B-1. Comment noted. This comment indicates concurrence with the analysis and mitigation related to cultural resources that were included in the Draft Initial Study/Mitigated Negative Declaration. The comment does not address the adequacy of the Initial Study/Mitigated Negative Declaration. No further response is required.

INITIAL STUDY CHECKLIST

1. Project title/Project number: 8460 El Paseo Grande / PRJ-1113364
2. Lead agency name and address: City of San Diego, 1222 First Avenue, MS-501, San Diego, California 92101
3. Contact person and phone number: Marlene Watanabe / (619) 446-5129
4. Project location: 8460 El Paseo Grande, San Diego, CA 92037
5. Project Applicant/Sponsor's name and address: Vince Kattoula, PO Box 2735 Spring Valley, CA 91979
6. General/Community Plan designation: Residential / Very Low Density Residential (0-5 du/ac)
7. Zoning: LJSPD-SF
8. Description of project (Describe the whole action involved, including but not limited to, later phases of the project, and any secondary, support, or off-site features necessary for its implementation.):

The project proposes a Coastal Development Permit (CDP) and Site Development Permit (SDP) for the demolition of a 3,009 square-foot (sf) two-story single dwelling unit and 527 sf detached garage and the construction of a new two-story 5,755 sf single dwelling unit over basement with attached garage, and associated site work (hardscape and landscaping), located at 8460 El Paseo Grande.

The CDP is required pursuant to San Diego Municipal Code Section (SDMC) 126.0707, where the project proposes development in the Coastal Overlay Zone and does not meet the exemptions from a Coastal Development Permit within the Coastal Overlay Zone per SDMC 126.0704. In addition, pursuant to SDMC Section 1510.0201, the project requires an SDP for projects located within the La Jolla Shores Planned District. The project also requires an SDP for proposed development on property where Environmentally Sensitive Lands (ESL) are present on the premises pursuant to SDMC 143.0110 where the project does not meet the exemptions for development in ESL per section 143.0110(c).

The residence is located within the coastal height limit overlay zone and would not exceed 30 feet in height. According to Sheet A-3.01-3.03 of the Conceptual Site Development Plans, the residence would have 2 stories with exterior finishes including wood siding, stone, metal fascia, and aluminum doors and windows. The project includes 4-foot visual corridors on each side of the proposed residence.

The project's landscaping plan has been reviewed by staff and would comply with all applicable City of San Diego Landscape ordinances and standards. Drainage would be directed into appropriate storm drain systems designed to carry surface runoff, which has been reviewed and accepted by City Engineering staff. Project grading would require 10 cubic yards (cyds) of cut to a depth of 10 ft and 10 cyds of fill to a depth of 0 feet, export of 676 cyds.

9. Surrounding land uses and setting:

The 0.26-acre site is located at 8460 El Paseo Grande. The site is located on El Paseo Grande between Camino Del Oro and Paseo Del Ocaso. The site is surrounded by single-family residences on the north, east, and south and La Jolla Shores Beach on the west. The site contains ESL in the form of Coastal Beaches. The site is designated Very Low Density Residential (0-5 du/ac) within the La Jolla Community Plan Area. The site is within the LJSPD-SF (La Jolla Shores Planned District – Single Family) Base Zone, and Coastal (Appealable) Overlay Zone.

10. Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement):

None required.

11. Have California Native American tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code section 21080.3.1? If so, has consultation begun?

In accordance with the requirements of Public Resources Code 21080.3.1, the City of San Diego provided formal notifications to the Lipay Nation of Santa Ysabel, the Jamul Indian Village, and the San Pasqual Band of Mission Indians which are traditionally and culturally affiliated with the project area; requesting consultation on March 20, 2025. No responses were received. Please see Section XVIII of the Initial Study for more detail.

Note: Conducting consultation early in the CEQA process allows tribal governments, lead agencies, and project proponents to discuss the level of environmental review, identify and address potential adverse impacts to tribal cultural resources, and reduce the potential for delay and conflict in the environmental review process. (See Public Resources Code section 21083.3.2.) Information may also be available from the California Native American Heritage Commission's Sacred Lands File per Public Resources Code section 5097.96 and the California Historical Resources Information System administered by the California Office of Historic Preservation. Please also note that Public Resources Code section 21082.3(c) contains provisions specific to confidentiality.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

☐	Aesthetics	☐	Greenhouse Gas Emissions	☐	Public Services
☐	Agriculture and Forestry Resources	☐	Hazards & Hazardous Materials	☐	Recreation
☐	Air Quality	☐	Hydrology/Water Quality	☐	Transportation
☐	Biological Resources	☐	Land Use/Planning	☒	Tribal Cultural Resources
☒	Cultural Resources	☐	Mineral Resources	☐	Utilities/Service System
☐	Energy	☐	Noise	☐	Wildfire
☐	Geology/Soils	☐	Population/Housing	☐	Mandatory Findings Significance

DETERMINATION: (To be completed by Lead Agency)

On the basis of this initial evaluation:

- ☐ The proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- ☒ Although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- ☐ The proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- ☐ The proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect (a) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and (b) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but must analyze only the effects that remain to be addressed.
- ☐ Although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or (MITIGATED) NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or (MITIGATED) NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

EVALUATION OF ENVIRONMENTAL IMPACTS:

- 1) A brief explanation is required for all answers except “No Impact” answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A “No Impact” answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g., the project falls outside a fault rupture zone). A “No Impact” answer should be explained where it is based on project specific factors as well as general standards (e.g., the project will not expose sensitive receptors to pollutants, based on a project-specific screening analysis.)
- 2) All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
- 3) Once the lead agency has determined that a particular physical impact may occur, then the checklist answers must indicate whether the impact is potentially significant, less than significant with mitigation, or less than significant. “Potentially Significant Impact” is appropriate if there is substantial evidence that an effect may be significant. If there are one or more “Potentially Significant Impact” entries when the determination is made, an EIR is required.
- 4) “Negative Declaration: Less Than Significant With Mitigation Incorporated” applies where the incorporation of mitigation measures has reduced an effect from “Potentially Significant Impact” to a “Less Than Significant Impact.” The lead agency must describe the mitigation measures, and briefly explain how they reduce the effect to a less than significant level (mitigation measures from “Earlier Analyses”, as described in (5) below, may be cross-referenced).
- 5) Earlier analyses may be used where, pursuant to the tiering, program EIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR or (mitigated) negative declaration. *Section 15063(c)(3)(D)*. In this case, a brief discussion should identify the following:
 - a. Earlier Analysis Used. Identify and state where they are available for review.
 - b. Impacts Adequately Addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
 - c. Mitigation Measures. For effects that are “Less Than Significant With Mitigation Measures Incorporated”, describe the mitigation measures that were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.
- 6) Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated.
- 7) Supporting Information Sources: A source list should be attached, and other sources used or individuals contacted should be cited in the discussion.
- 8) This is only a suggested form, and lead agencies are free to use different formats; however, lead agencies should normally address the questions from this checklist that are relevant to a project’s environmental effects in whatever format is selected.
- 9) The explanation of each issue should identify:
 - a. The significance criteria or threshold, if any, used to evaluate each question; and
 - b. The mitigation measure identified, if any, to reduce the impact to less than significant.

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
I. AESTHETICS – Except as provided in Public Resources Code Section 21099, would the project:				
a) Have a substantial adverse effect on a scenic vista?	☐	☐	☒	☐

Per the City of San Diego CEQA Significance Determination Thresholds (City's Thresholds), projects that would block public views from designated open space areas, roads, or parks or significant visual landmarks and scenic vistas may result in a significant impact.

The project proposes demolition of the existing residence and construction of a new single-family residence and is designed to comply with all setback and height requirements pursuant to the La Jolla Planned District Ordinance, community plan, and regulations in the Land Development Code. The project site is located in a residential land use area with similar residential structures. The project is not located within a designated view corridor in the La Jolla Community Plan. However, the project site is located next to La Jolla Shores Beach and is on the first public roadway from the ocean. The Pacific Ocean is a scenic vista that is visible from the public right of way on El Paseo Grande. The project is required to include a visual corridor of not less than the side yard setbacks or more than 10 feet in width, and running the full depth of the premises preserved as a deed restriction as a condition of Coastal Development Permit approval. The project includes 4-foot-wide view corridors on both sides of the proposed residence consistent with the side yard setback and meets these requirements to protect views to the ocean. Additionally, the project would observe the 30-foot height limit. Therefore, the subject site and proposed development would not impact any existing public views of the ocean. The project would not have a substantial adverse effect on any scenic vistas. Impacts would be less than significant.

b) Substantially damage scenic resources, including but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	☐	☐	☐	☒
---	--------------------------	--------------------------	--------------------------	-------------------------------------

Refer to response I (a) above. The project is situated within a residential neighborhood with similar development. The site is not adjacent to a historic building and is not adjacent to a significant landmark. The project is not located within or adjacent to a state scenic highway and would be required to meet all design requirements pursuant to the La Jolla Community Plan. No impact would occur.

c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?	☐	☐	☒	☐
---	--------------------------	--------------------------	-------------------------------------	--------------------------

According to the City's Thresholds, projects that severely contrast with the surrounding neighborhood character may result in a significant impact. To meet this threshold one or more of

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

the following conditions must apply: the project would have to exceed the allowable height or bulk regulations and the height or bulk of the existing patterns of development in the vicinity of the project by a substantial margin; have an architectural style or use building materials in stark contrast to adjacent development where the adjacent development follows a single or common architectural theme (e.g. Gaslamp Quarter, Old Town); result in the physical loss, isolation or degradation of a community identification symbol or landmark (e.g., a stand of trees, coastal bluff, historical landmark) which identified in the General Plan, applicable community plan or local coastal program; be located in a highly visible area (e.g., on a canyon edge, hilltop or adjacent to an interstate highway) and would strongly contrast with the surrounding development or natural topography through excessive height, bulk signage or architectural projections; and/or the project would have a cumulative effect by opening up a new area for development or changing the overall character of the area. None of the above apply to the project.

The project was reviewed by City Staff for consistency with design recommendations and policies as outlined in the La Jolla Community Plan and was determined to comply. The project complies with the La Jolla Shores design criteria and it was determined that this project would be consistent with the neighboring residences in bulk and scale and would be compatible with the neighborhood's diverse architectural styles. Additionally, the project site is located within the La Jolla Shores Planned District and per San Diego Municipal Code Section 1510.0304(b)(4), the project was reviewed by DSD-Planning to ensure the building and structure setbacks are in general conformity with those in the vicinity. The neighborhood does not have a common or unifying architectural theme. This project would not adversely affect any ocean or scenic public view and the project would not result in a strong contrast with surrounding development or natural topography through excessive height, bulk, signage or architectural projections. Therefore, impacts would be less than significant.

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area? | ☐ | ☐ | ☒ | ☐ |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

The project would comply with the outdoor lighting standards contained in SDMC Section 142.0740 (Outdoor Lighting Regulations) that requires all outdoor lighting be installed, shielded, and adjusted so that the light is directed in a manner that minimizes negative impacts from light pollution, including trespass, glare, and to control light from falling onto surrounding properties. Therefore, lighting installed with the project would not adversely affect day or nighttime views in the area, resulting in a less than significant lighting impact.

- II. AGRICULTURAL AND FOREST RESOURCES: In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Department of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. – Would the project::

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Converts Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring | ☐ | ☐ | ☐ | ☒ |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Program of the California Resources Agency, to non-agricultural use?				

The project is consistent with the La Jolla Community Plan land use designation of Very Low Density Residential (0-5 du/ac), is developed with a single-family residence, and is located within a developed residential neighborhood. As such, the project site does not contain, and is not adjacent to, any lands identified as Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as show on maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resource Agency. Therefore, the project would not result in the conversion of such lands to non-agricultural use. No impacts would occur, and no mitigation measures are required.

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| b) Conflict with existing zoning for agricultural use, or a Williamson Act Contract? | ☐ | ☐ | ☐ | ☒ |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|

Refer to response II (a), above. There are no Williamson Act Contract lands on or within the vicinity of the project. The project is consistent with the existing land use and the underlying zone. The project would not conflict with any properties zoned for agricultural use or be affected by a Williamson Act Contract. No impacts would result.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 1220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

The project would not conflict with existing zoning for, or cause rezoning of, forest land, timberland, or timberland zoned Timberland Production. No designated forest land or timberland occur onsite as the project is consistent with the community plan, and the underlying zone. No impacts would result.

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| d) Result in the loss of forest land or conversion of forest land to non-forest use? | ☐ | ☐ | ☐ | ☒ |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|

Refer to response II (c) above. Additionally, the project would not contribute to the conversion of any forested land to non-forest use, as the site and surrounding properties are developed, and land uses are generally built out. No impacts would result.

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| e) Involve other changes in the existing environment, which, due to their location or nature, could result in conversion of Farmland to non-agricultural use or conversion of forest land to non-forest use? | ☐ | ☐ | ☐ | ☒ |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

Refer to response II (a) and II (c), above. The project and surrounding areas do not contain any farmland or forest land. No changes to any such lands would result from project implementation. No impact would result.

III. AIR QUALITY – Where available, the significance criteria established by the applicable air quality management district or air pollution control district may be relied on to make the following determinations – Would the project:

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Conflict with or obstruct implementation of the applicable air quality plan? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

According to the City's Thresholds, a project may have a significant air quality impact if it could conflict with or obstruct implementation of the applicable air quality plan. The San Diego Air Pollution Control District (SDAPCD) and San Diego Association of Governments (SANDAG) are responsible for developing and implementing the clean air plan for attainment and maintenance of the ambient air quality standards in the San Diego Air Basin (SDAB). The County Regional Air Quality Strategy (RAQS) was initially adopted in 1991 and is updated on a triennial basis (most recently in 2022). The RAQS outlines the SDAPCD's plans and control measures designed to attain the state air quality standards for ozone (O3). The RAQS relies on information from the California Air Resources Board (CARB) and SANDAG, including mobile and area source emissions, as well as information regarding projected growth in San Diego County and the cities in the county, to project future emissions and then determine the strategies necessary for the reduction of emissions through regulatory controls. CARB mobile source emission projections and SANDAG growth projections are based on population, vehicle trends, and land use plans developed by San Diego County and the cities in the county as part of the development of their general plans.

The RAQS relies on SANDAG growth projections based on population, vehicle trends, and land use plans developed by the cities and by the county as part of the development of their general plans. As such, projects that propose development that is consistent with the growth anticipated by local plans would be consistent with the RAQS. However, if a project proposes development that is greater than that anticipated in the local plan and SANDAG's growth projections, the project might be in conflict with the RAQS and may contribute to a potentially significant cumulative impact on air quality.

The project would be consistent with the General Plan, community plan, and the underlying zoning for single-family residential development. Therefore, the project would be consistent at a sub-regional level with the underlying growth forecasts in the RAQS and would not obstruct implementation of the RAQS or applicable air quality plan. As such, no impacts would result.

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard? | ☐ | ☐ | ☒ | ☐ |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

The City's Thresholds state that a significant impact may occur if a project violates any air quality standard or contribute substantially to an existing or projected air quality violation.

Short-Term (Construction) Emissions.

Construction-related activities are temporary, short-term sources of air emissions. Sources of construction-related air emissions include fugitive dust from grading activities.

Variables that factor into the total construction emissions potentially generated include the level of activity, length of construction period, number of pieces and types of equipment in use, site characteristics, weather conditions, number of construction personnel, and the amount of materials to be transported on or offsite.

Fugitive dust emissions are generally associated with land-clearing and grading operations. Construction operations would include standard measures as required by the City of San Diego to limit potential air quality impacts. Construction activities will be required to comply with the City's Best Management Practices (BMPs) which are enforceable under San Diego Municipal Code (SDMC) Section 142.0710. Therefore, impacts associated with fugitive dust are considered less than significant and would not violate an air quality standard or contribute substantially to an existing or projected air quality violation.

Long-Term (Operational) Emissions.

Long-term air emission impacts are those associated with stationary sources and mobile sources related to any change caused by a project. Operation of a single-family residence would produce minimal stationary sources emissions. The project is compatible with the surrounding development, would replace an existing single-family residence, and is permitted by the community plan and zone designation. As identified in the City's Significance Determination Thresholds, projects that would typically result in significant air quality impacts would include projects that would produce 9,500 Average Daily Trips (ADT). The scope and size of the project as described in the project description, does not exceed the City's Significance Determination Thresholds for Air Quality. Based on the residential land use, project emissions over the long-term are not anticipated to violate any air quality standard or contribute substantially to an existing or projected air quality violation, nor would the project result in a cumulatively considerable net increase of any criteria pollutant for which the region is in non-attainment.

- c) Expose sensitive receptors to substantial pollutant concentrations?

☐
☐
☒
☐

As described above, construction operations could temporarily increase the emissions of dust and other pollutants. However, construction emissions would be temporary and short-term in duration; implementation of Best Management Practices (BMPs) would reduce potential impacts related to construction activities to a less than significant level. Operation of a single-family residence would produce minimal stationary sources emissions. Therefore, the project would not result in the

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

exposure of sensitive receptors to substantial pollutant concentrations. Impacts would be less than significant.

d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	☐	☐	☒	☐
---	--------------------------	--------------------------	-------------------------------------	--------------------------

Short-term (Construction)

Odors would be generated from vehicles and/or equipment exhaust emissions during construction of the project. Odors produced during construction would be attributable to concentrations of unburned hydrocarbons from tailpipes of construction equipment and architectural coatings. Such odors are temporary and generally occur at magnitudes that would not affect a substantial number of people. Therefore, impacts would be less than significant.

Long-term (Operational)

Typical long-term operational characteristics of the project are not associated with the creation of such odors nor anticipated to generate odors affecting a substantial number of people. Residential uses, in the long-term operation, are not typically associated with the creation of such odors nor are they anticipated to generate odors affecting a substantial number or people. Therefore, project operations would result in less than significant impacts.

IV. BIOLOGICAL RESOURCES – Would the project:

a) Have substantial adverse effects, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	☐	☐	☐	☒
---	--------------------------	--------------------------	--------------------------	-------------------------------------

The project site is located in a developed residential neighborhood and is currently developed with a single-family residence. On-site landscaping is ornamental in nature, and the project site does not contain any sensitive biological resources nor does it contain any candidate, sensitive or special status species. No impacts would occur, and no mitigation measures are required.

b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, and regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	☐	☐	☐	☒
--	--------------------------	--------------------------	--------------------------	-------------------------------------

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

The project site is within an urbanized developed residential setting, no such habitats exist on or near the project site. Refer to Response IV (a), above. The project site does not contain any riparian habitat or other identified community, as the site currently supports non-native landscaping. No impacts would occur, and no mitigation measures are required.

- c) Have a substantial adverse effect on federally protected wetlands (including but not limited to marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?

☐
☐
☐
☒

The project site does not contain federally protected wetlands as defined by Section 404 of the Clean Water Act. Wetlands or waters as regulated by the United States Army Corps of Engineers (USACE), the Regional Water Quality Control Board (RWQCB) or the California Department of Fish and Wildlife (CDFW) do not occur on-site and therefore will not be impacted by the project. The project site is located within a developed residential neighborhood and is currently developed with structures, hardscape, and landscaping. No impacts would occur, and no mitigation measures are required.

- d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

☐
☐
☐
☒

Wildlife movement corridors are defined as areas that connect suitable wildlife habitat areas in a region otherwise fragmented by rugged terrain, changes in vegetation, or human disturbance. Natural features such as canyon drainages, ridgelines, or areas with vegetation cover provide corridors for wildlife travel. The project site is surrounded by existing residential development and a public beach and is not located adjacent to an established wildlife corridor and would not impede the movement of any wildlife or the use of any wildlife nursery sites. Therefore, no impact would occur, and no mitigation measures are required.

- e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?

☐
☐
☐
☒

Refer to response IV (a), above. The project site is designated Very Low Density Residential (0-5 du/ac) pursuant to the La Jolla Community Plan and zoned LJSPD-SF. The project is located on a developed residential site and there are no local policies or ordinances protecting biological resources that apply to the project site. Therefore, no impacts would occur.

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	☐	☐	☐	☒

Please refer to IV (e) above. The project is located in a developed urban area and is not within or directly adjacent to the City's Multi-Habitat Planning Area (MHPA) and no other adopted conservation plans affect the subject site. The project does not conflict with any other local, regional, or state habitat conservation plan. No impacts would result.

V. CULTURAL RESOURCES – Would the project:

a) Cause a substantial adverse change in the significance of an historical resource as defined in §15064.5?	☐	☒	☐	☐
---	--------------------------	-------------------------------------	--------------------------	--------------------------

The purpose and intent of the Historical Resources Regulations of the Land Development Code (Chapter 14, Division 3, and Article 2) is to protect, preserve and, where damaged, restore the historical resources of San Diego. The regulations apply to all proposed development within the City of San Diego when historical resources are present on the premises. Before approving discretionary projects, CEQA requires the Lead Agency to identify and examine the significant adverse environmental effects which may result from that project. A project that may cause a substantial adverse change in the significance of a historical resource may have a significant effect on the environment (sections 15064.5(b) and 21084.1). A substantial adverse change is defined as demolition, destruction, relocation, or alteration activities, which would impair historical significance (sections 15064.5(b)(1)). Any historical resource listed in, or eligible to be listed in the California Register of Historical Resources, including archaeological resources, is considered to be historically or culturally significant.

Archaeological Resources

Many areas of San Diego County, including mesas and the coast, are known for intense and diverse prehistoric occupation and important archaeological and historical resources. The region has been inhabited by various cultural groups spanning 10,000 years or more. The project site is within an archaeological sensitive area.

As such, an archaeological site visit was conducted by qualified City staff on January 30, 2025 for the property. A record search of the California Historical Resources Information System (CHRIS) digital database was reviewed to determine the presence or absence of potential resources within the project site and a one-mile radius. No archaeological sites were identified as part of the CHRIS search; however, the project is located within the Spindrift Archaeological Study Area. The study area is defined by significant prehistoric archaeological resources that sometimes contain human burials in intact and disturbed contexts.

The project site was surveyed by qualified Archaeological Staff, expending approximately .25 of an hour. Due to the built out nature of the property there was only approximately a 5 percent ground surface visibility. The entire project site was evaluated for surface evidence of historic and

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

prehistoric resources. No significant artifacts were observed during this field investigation. The project is proposing to demolish the house and construct a larger single-family residence, which would require substantial grading. Due to the overall sensitivity of the area, and the lack of visibility, it was determined that there is a potential for the project to impact buried archaeological/historical resources. As such, archaeological and Native American monitoring is required and

a Mitigation Monitoring and Reporting Program, as detailed within Section V of the Mitigated Negative Declaration, would be implemented to reduce impacts related to Historical Resources (Archaeology) to below a level of significance.

Built Environment

The City reviews projects requiring the demolition of structures 45 years or older for historic significance. Historic property (built environment) surveys are required for properties which are 45 years of age or older and which have integrity of setting, location, design, materials, workmanship, feeling and association. The existing residence was built around 1958. In accordance with CEQA and San Diego Municipal Code Section 143.0212 the proposed project site underwent historic review by Plan Historic staff in July 2024.

Based on this review Plan-Historic staff determined that the property does not meet local designation criteria as an individually significant resource under any adopted HRB Criteria. This determination is good for five years from the determination unless new information is provided that speaks to the building's eligibility for designation. Therefore, no historical research report was required and the project as proposed has no potential to impact any unique or non-unique historical resources. No impacts to the historical built environment would occur.

- | | | | | |
|---|--------------------------|-------------------------------------|--------------------------|--------------------------|
| b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5? | ☐ | ☒ | ☐ | ☐ |
|---|--------------------------|-------------------------------------|--------------------------|--------------------------|

Refer to response V(a) above. Impacts to archaeological resources would be less than significant with the implementation of archaeological monitoring as mitigation.

- | | | | | |
|---|--------------------------|-------------------------------------|--------------------------|--------------------------|
| c) Disturb any human remains, including those interred outside of dedicated cemeteries? | ☐ | ☒ | ☐ | ☐ |
|---|--------------------------|-------------------------------------|--------------------------|--------------------------|

Refer to response V(b) above. Section V of the Mitigation Monitoring and Reporting Program contains provisions for the discovery of human remains. If human remains are discovered, work shall halt in that area and no soil shall be exported off-site until a determination can be made regarding the provenance of the human remains; and the following procedures as set forth in CEQA Section 15064.5(e), the California Public Resources Code (Sec. 5097.98) and State Health and Safety Code (Sec. 7050.5) shall be undertaken. Based upon the required mitigation measure impacts would be less than significant.

VI. ENERGY – Would the project:

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	☐	☐	☒	☐

The project would be required to meet mandatory energy standards of the current California energy code. Construction of the proposed project would require operation of heavy equipment but would be temporary and short-term in duration. Additionally, long-term energy usage from the buildings would be reduced through design measures that incorporate energy conservation features in heating, ventilation and air conditioning systems, lighting and window treatments, and insulation and weather stripping. Development of the project would not result in a significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources. Impacts would be less than significant.

b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	☐	☐	☐	☒
---	--------------------------	--------------------------	--------------------------	-------------------------------------

The project is consistent with the General Plan and the La Jolla Community Plan's land use designation. The project is required to comply with the City's Climate Action Plan (CAP) and associated CAP Consistency Regulations that were adopted and became effective for all areas within the Coastal Overlay Zone on June 8, 2023. Therefore, the project would not obstruct a state or local plan for renewable energy or energy efficiency. No impacts would result.

VII. GEOLOGY AND SOILS – Would the project:

a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	☐	☐	☒	☐

A Report of Preliminary Geotechnical Investigation and Coastal Bluff Edge Evaluation (Christian Wheeler Engineering, September, 2024), and Addendums (Christian Wheeler Engineering, October 2024 and April 2025) were prepared for the project. As described in the report, the site is not located in an Alquist-Priolo Earthquake Fault Zone. Most of the eastern portion of the site is in Geologic Hazard Category 52, which is described as low risk, gently sloping to steep terrain with favorable geologic structure. The western portion of the site is within Geologic Hazard Category 48, which is described as generally stable, broad beach areas and coastal harbors. The northwestern corner of the site is also within a fault buffer zone, Geologic Hazard Category 12, which is described as areas

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

around faults that are considered to be potentially active, in active, presumed inactive, or of unknown activity. The geotechnical investigation found that this fault zone is not active and does not underlie the site.

Therefore, the probability of fault rupture is considered low. Additionally, the project would be required to comply with seismic requirements of the California Building Code, utilize proper engineering design and utilization of standard construction practices, to be verified at the building permit stage, in order to ensure that potential impacts based on regional geologic hazards would remain less than significant.

ii) Strong seismic ground shaking? ☐ ☐ ☒ ☐

The site could be affected by seismic activity or strong ground shaking as a result of earthquakes on major active faults in the region including the Rose Canyon Fault Zone located approximately 0.6 miles southwest of the project site. Other active fault zones in the region that could possibly affect the site include the Coronado Bank, San Diego Trough and San Clemente Fault Zones to the southwest, the Newport-Inglewood and Palos Verdes Fault Zones to the northwest, and the Elsinore, Earthquake Valley, San Jacinto, and San Andreas Fault Zones to the northeast. However, the project would utilize proper engineering design and utilization of standard construction practices, to be verified at the building permit stage, in order to ensure that potential impacts from regional geologic hazards would remain less than significant and mitigation is not required.

iii) Seismic-related ground failure, including liquefaction? ☐ ☐ ☒ ☐

Liquefaction occurs when loose, unconsolidated, water-laden soils are subject to shaking, causing the soils to lose cohesion. According to the Geotechnical Investigation, the earth materials underlying the developable portions of the site are not considered subject to liquefaction due to such factors as soil density, cohesion and grain-size distribution. Additionally, the project would utilize proper engineering design and utilization of standard construction practices, to be verified at the building permit stage, in order to ensure that potential impacts from seismic-related ground failure would remain less than significant and mitigation is not required.

iv) Landslides? ☐ ☐ ☒ ☐

According to the Geotechnical Investigation, regional maps indicate the site is situated within Relative Landslide Susceptibility Area 2. Area 2 is considered to be "marginally susceptible" to slope failures, where the topography is mostly gentle to moderate slopes and factor of safety values for most slopes are over 1.5. Based on the geotechnical investigation, the site was found to be underlain at relatively shallow depths by soft to stiff slope wash over stiff to very stiff/medium dense old paralic deposits. The site is not underlain by a landslide deposit and the risk of landsliding or global slope failures at the site is negligible. Additionally, the project would utilize proper engineering design and utilization of standard construction practices, to be verified at the building permit stage, in order to ensure that potential impacts from geologic hazards would remain less than significant. No mitigation measures are required.

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
b) Result in substantial soil erosion or the loss of topsoil?	☐	☐	☒	☐

Construction activities would temporarily expose soils to increased erosion potential. The project would be required to comply with the City's Storm Water Standards which requires the implementation of appropriate Best Management Practices (BMPs). Grading activities within the site would be required to comply with the City of San Diego Grading Ordinance as well as the Storm Water Standards, which would ensure soil erosion and topsoil loss is minimized to less than significant levels. Furthermore, permanent storm water BMPs would also be required post-construction consistent with the City's regulations, along with landscape regulations. Therefore, the project would not result in substantial soil erosion or loss of topsoil. Impacts would be less than significant.

c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?	☐	☐	☒	☐
--	--------------------------	--------------------------	-------------------------------------	--------------------------

As discussed in Section VII (a) and VII (b), the project site is not likely to be subject to landslides, and the potential for liquefaction and subsidence is low. According to the Geotechnical Report, the geologic structure is generally neutral to favorable and the proposed development is low risk. The main geotechnical consideration affecting the proposed construction is potentially compressible fill soils and slope wash materials underlying the portion of the site to be re-developed, expansive soils, and temporary cut slopes. The Geotechnical Investigation contains recommendations for removing and replacing unsuitable material. As such, following the recommendations of the Geotechnical Investigation would ensure the site is suitable for the proposed development. Additionally, the project would utilize proper engineering design and utilization of standard construction practices, to be verified at the building permit stage, in order to ensure that potential impacts from geologic hazards would remain less than significant. No mitigation measures are required.

d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	☐	☐	☒	☐
---	--------------------------	--------------------------	-------------------------------------	--------------------------

According to the Geotechnical Investigation, the prevailing foundation soils were found to have a medium expansive potential. The Geotechnical Investigation provides project-specific recommendations, which will ensure proper site preparation and construction activities for onsite soils. Additionally, the project would be required to comply with seismic requirements of the California Building Code that would reduce impacts to people or structures due to local seismic events to an acceptable level of risk. Implementation of proper engineering design and utilization of standard construction practices, to be verified at the building permit stage, would ensure that the potential for impacts from expansive soils would remain less than significant.

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?	☐	☐	☐	☒

The project site is located within an area that is already developed with existing infrastructure (i.e., water and sewer lines) and does not propose a septic system. No impacts would occur.

f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	☐	☐	☒	☐
---	--------------------------	--------------------------	-------------------------------------	--------------------------

According to the Geotechnical Report submitted for the project, the site is underlain with Artificial Fill Soils (Qaf) on the entire developed portion of the site to a depth of 5 feet. Quaternary-age Slopewash (Qsw) was encountered underlying the fill soil ranging in thickness from 3 ½ to 12 ½ feet, and extended to a maximum depth of 6 ½ to 14 feet below existing grades. Old Paralac Deposits (Qop) were encountered underlying the slopewash to a maximum depth of 20 feet below existing grade. Marine Beach Deposits (Qmb) were also encountered west of the retaining wall along the west side of the site. The marine beach deposits extended in thickness up to 4 feet where it was encountered, but likely extend to significantly deeper depths across the beach vicinity. Fill soil has no sensitivity, Slopewash and Marine Beach Deposits have low sensitivity, and Old Paralac Deposits have high sensitivity for the discovery of paleontological resources.

Paleontological monitoring during grading activities may be required under San Diego Municipal Code section 142.0151 if it is determined that the project's earth movement quantity exceeds the Paleontological threshold (if greater than 1,000 cubic yards and ten feet deep for formation with a high sensitivity rating). Monitoring may also be required for shallow grading (less than ten feet) when a site has been previously graded and/or unweathered formations are present at the surface. The project would require 10 cubic yards (cyds) of cut to a depth of 10 ft and 10 cyds of fill to a depth of 0 feet, export of 676 cyds. Therefore, the proposed project would not necessitate paleontological monitoring per the municipal code and impacts would be less than significant. No mitigation is required.

VIII. GREENHOUSE GAS EMISSIONS – Would the project:

a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	☐	☐	☒	☐
---	--------------------------	--------------------------	-------------------------------------	--------------------------

The 2022 Climate Action Plan (CAP) and associated CAP Consistency Regulations were adopted and became effective for all areas within the Coastal Overlay Zone on June 8, 2023. The project is consistent with the General Plan and the La Jolla Community Plan's land use and zoning designations. Compliance with the CAP Consistency Regulations would reduce Greenhouse Gas Emissions impacts associated with the project to below a level of significance.

b) Conflict with an applicable plan, policy, or regulation adopted for the purpose	☐	☐	☒	☐
--	--------------------------	--------------------------	-------------------------------------	--------------------------

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
of reducing the emissions of greenhouse gases?				

The project would not conflict with an applicable plan, policy, or regulation adopted for the purposes of reducing the emissions of greenhouse gases. The project is consistent with the existing General Plan and Community Plan land use and zoning designations. The project will be required to comply with the CAP Consistency Regulations and impacts are considered less than significant.

IX. HAZARDS AND HAZARDOUS MATERIALS – Would the project:

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| a) Create a significant hazard to the public or the environment through routine transport, use, or disposal of hazardous materials? | ☐ | ☐ | ☒ | ☐ |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

The City's Thresholds states that significant impacts may occur if a project proposes the handling, storage, and treatment of hazardous materials.

Construction activities for the project would involve using potentially hazardous materials, including vehicle fuels, oils, transmission fluids, paint, adhesives, surface coatings, and other finishing materials, cleaning solvents, and pesticides for landscaping purposes. However, the use of these hazardous materials would be temporary, and all potentially hazardous materials would be stored, used, and disposed of per manufacturers' specifications, applicable federal, state, and local health and safety regulations. As such, impacts associated with the transport, use, or disposal of hazardous materials would be less than significant.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

The City's Thresholds state that project sites on or near known contamination sources and/ or that meet one or more of the following criteria may result in a significant impact:

- A project is located within 1,000 feet of a known contamination site;
- A project is located within 2,000 feet of a known "border zone property" (also known as a "Superfund" site) or a hazardous waste property subject to corrective action pursuant to the Health and Safety Code;
- The project has a closed Department of Environmental Health (DEH) site file;
- A project is located in Centre City San Diego, Barrio Logan, or other areas known or suspected to contain contamination sites;
- A project is located on or near an active or former landfill;

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

- A project is located on properties historically developed with industrial or commercial uses which involved dewatering (the removal of groundwater during excavation), in conjunction with major excavation in an area with high groundwater;
- A project is located in a designated airport influence area and where the Federal Aviation Administration (FAA) has reached a determination of "hazard" through FAA Form 7460-1, "Notice of Proposed Construction or Alteration", inconsistent with an Airport's Land Use Compatibility Plan (ACLUP), within the boundaries of an Airport Land Use Plan (ALP), or two nautical miles of a public or public use airport; or
- A project is located on a site presently or previously used for agricultural purposes.

The project site does not meet any of the criteria outlined in the City's Thresholds stated above. The project site was not listed in any of the databases for hazardous materials including being listed in the State Water Resources Control Board GeoTracker system, which includes leaking underground fuel tank sites inclusive of spills, leaks, investigations, and cleanups Program or the Department of Toxic Substances Control EnviroStor Data Management System, which includes Cortese sites. No impact would occur.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

The City's Thresholds states that significant impacts may occur if a project proposes the handling, storage and treatment of hazardous materials. The proposed project location is not within one-quarter mile of an existing or proposed school. Therefore, project would not emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school. No impact would result.

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code section 65962.5 and, as a result, would it create a significant hazard to the public or the environment? | ☐ | ☐ | ☐ | ☒ |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|

See IX(b) above for applicable City Threshold related to listed hazardous materials sites. A hazardous waste site records search was completed on July 15, 2024 using Geo Tracker and EnviroStor, online websites which disclose hazardous clean-up sites pursuant to Government Code section 65962.5: <http://geotracker.waterboards.ca.gov/>; <https://www.envirostor.dtsc.ca.gov/public/>
The records search identified that no hazardous materials sites pursuant to Government Code section 65962.5 exist onsite or in the surrounding area. No Impacts would result.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two mile of a | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?				

The City's Thresholds state that a project may result in a significant impact if it is in a designated airport influence area and where the FAA has reached a determination of "hazard" through FAA Form 7460-1, "Notice of Proposed Construction or Alteration", inconsistent with an Airport's Land Use Compatibility Plan (ACLUP), within the boundaries of an Airport Land Use Plan (ALP), or two nautical miles of a public or public use airport.

The proposed project is not located within an airport land use plan, or within two miles of a public airport or public use airport. No impacts would result.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

The project proposes the replacement of an existing single-family residence with a new single-family residence in an established neighborhood. It would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan. No impacts would result.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

The project is located within a developed residential neighborhood on a site with an existing single-family residence. The project would not expose people or structures to a significant loss, injury, or death involving wildland fires because the project is not adjacent to any wildlands. Further discussion can be found in Section XX below. No impact would occur.

X. HYDROLOGY AND WATER QUALITY - Would the project:

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality? | ☐ | ☐ | ☒ | ☐ |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

A Preliminary Drainage Study Hydrology (BWE, 2025) was reviewed and accepted by City Engineering staff. The project was reviewed for applicable water quality standards and water discharge requirements. Based on staff review, the project would not have a significant impact on downstream properties and the drainage system. The onsite drainage system would slightly change to accommodate for the redevelopment and prevent the proposed improvements from discharging directly west to La Jolla Shores Beach. Additionally, the peak flow rate for the entire site would decrease in the proposed condition. The project would be conditioned to comply with the City's Storm Water Regulations during and after construction, and appropriate BMPs would be utilized.

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

Implementation of project specific BMPs would preclude violations of any existing water quality standards or discharge requirements. Impacts would be less than significant.

- | | | | | |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|
| b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin? | ☐ | ☐ | ☒ | ☐ |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|

The project does not require the construction of wells or the use of groundwater. The project would be conditioned to include pervious design features and appropriate drainage. Therefore, the project would not introduce a significant amount of new impervious surfaces that could interfere with groundwater recharge. The project as designed was reviewed by qualified City staff and would not substantially deplete groundwater supplies or interfere substantially with groundwater recharge. The project is located in a residential neighborhood where all infrastructure exists. The project would connect to the existing public water system. Impacts would be less than significant.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or through the addition of impervious surfaces, in a manner which would: | | | | |
| i) result in substantial erosion or siltation on- or off-site; | ☐ | ☐ | ☐ | ☒ |

Proper landscaping would prevent substantial erosion onsite. No stream or river is located on or adjacent to the site. All runoff would be routed to the storm drain system and would therefore, not substantially alter existing drainage patterns. No impact would result due to implementation of the project.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| ii) substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site; | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

Please see X.c., no flooding would occur. As described in the Drainage Report, the peak flow rate for the entire site will decrease in proposed conditions. No impact would result due to implementation of the project.

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| iii) create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or | ☐ | ☐ | ☐ | ☒ |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|

Based on City of San Diego review, the proposed residence would be adequately served by existing municipal storm water drainage facilities, therefore no impacts would occur. Potential release of sediment or other pollutants into surface water drainages downstream from the site will be precluded by implementation of Best Management Practices (BMPs) required by City of San Diego

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

regulations, in compliance with San Diego Regional Water Quality Control Board requirements to implement the federal Clean Water Act. Therefore, no significant surface water quality impacts are expected to result from the proposed activity. Proper irrigation and landscaping would ensure that runoff would be controlled and unpolluted. No impact would result due to implementation of the project.

iv) impede or redirect flood flows?	☐	☐	☒	☐
-------------------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------

The on-site drainage patterns will be altered slightly to accommodate for the redevelopment and prevent the proposed improvements from discharging directly west to La Jolla Shores Beach. The project would not impede or redirect flood flows. The project would be required to comply with all City storm water standards during and after construction ensuring that project runoff is directed to appropriate drainage systems. Impacts would be less than significant.

d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?	☐	☐	☒	☐
---	--------------------------	--------------------------	-------------------------------------	--------------------------

According to the Geotechnical Investigation, the site is located within a "Tsunami Hazard Area". Historically, tsunamis occurring along the San Diego coastline have fallen within the normal swell and tidal range. The Geotechnical Investigation provides recommendations that consideration be given to develop the site at the highest permissible elevations. The owner should also educate themselves about tsunami preparedness and tsunami evacuation routes. The San Diego coastline is generally considered to be favorable in regard to minimizing tsunami risk.

Additionally, the County of San Diego and the City of San Diego have developed a tsunami alert and evacuation plan. As recommended by the California Geological Survey, if a person is in a tsunami hazard area after feeling an earthquake that lasts a long time, an official evacuation notification is received, and they should evacuate by foot immediately to an area outside of the tsunami hazard area. The City has posted signs throughout the community showing routes of evacuation in the event of a tsunami warning, evacuation center locations, and the limits of tsunami hazard areas. The mapped limit of the tsunami inundation zone at the project site is just east of the adjacent portion of El Paseo Grande. As such, with compliance with the recommendations of the Geotechnical Report and the existing tsunami evacuation plan, the risk release of pollutants due to project inundation from a tsunami is less than significant

The central and eastern portions of the site (the area of the site to be developed) are within Zone X, designated as "*Area of Minimal Flood Hazard*". Areas of minimal flood hazards are located outside of the boundaries of both the 100-year and 500-year flood zones. As such, the risk of flooding is less than significant. No mitigation is required.

e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	☐	☐	☒	☐
---	--------------------------	--------------------------	-------------------------------------	--------------------------

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

The project would be required to comply with all City storm water standards during and after construction. Appropriate best management practices would be implemented to ensure that water quality is not degraded; therefore, ensuring that project runoff is directed to appropriate drainage systems. Any runoff from the site is not anticipated to exceed the capacity of existing storm water systems or provide substantial additional sources of polluted runoff. Additionally, the project does not require the construction of wells or the use of groundwater. Therefore, the project would not conflict with or obstruct implementation of a sustainable groundwater management plan. Impacts would be less than significant.

XI. LAND USE AND PLANNING – Would the project:

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Physically divide an established community? | ☐ | ☐ | ☐ | ☒ |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|

The project would demolish an existing single-family residence and construct a new single-family residence. The project is consistent with the General Plan and the La Jolla Community Plan's land use designation Very Low Density Residential (0-5 du/ac) and is within a developed lot with access to a public roadway. The project site is located within a developed residential neighborhood and surrounded by similar residential development. The project would not substantially change the nature of the surrounding area and would not introduce any barriers or project features that could physically divide the community. No impacts would result.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| b) Cause a significant environmental impact due to a conflict with any applicable land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

The project is consistent with the General Plan and the La Jolla Community Plan's land use designation which allows up to 0-5 dwelling units per acre. The project is located on a 0.26-acre lot and proposes one unit and is therefore consistent. The project also complies with the LJSPD-SF zoning requirements. Since there are no conflicts with the applicable land use plan, policy, or regulations, there would be no impact.

XII. MINERAL RESOURCES – Would the project:

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state? | ☐ | ☐ | ☐ | ☒ |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|

There are no known mineral resources located on the project site. The urbanized and developed nature of the project site and vicinity would preclude the extraction of any such resources. No impact would result.

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
b) Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	☐	☐	☐	☒

See XII (a), above. The project site has not been delineated on a local general, specific, or other land use plan as a locally important mineral resource recovery site, and no such resources would be affected with project implementation. Therefore, no impacts were identified.

XIII. NOISE – Would the project result in:

a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	☐	☐	☒	☐
---	--------------------------	--------------------------	-------------------------------------	--------------------------

Short-term (Construction)

Short-term noise impacts would be associated with onsite grading, and construction activities of the project. Construction-related short-term noise levels would be higher than existing ambient noise levels in the project area but would no longer occur once construction is completed. Sensitive receptors (e.g. residential uses) occur in the immediate area and may be temporarily affected by construction noise; however, construction activities would be required to comply with the construction hours specified in the City's Municipal Code (Section 59.5.0404, Construction Noise) which are intended to reduce potential adverse effects resulting from construction noise. With compliance to the City's noise ordinance, project construction noise levels would be reduced to less than significant.

Long-term (Operation)

For the long-term, typical noise levels associated with residential uses are anticipated, and the project would not result in an increase in the existing ambient noise level. The project would not result in noise levels in excess of standards established in the City of San Diego General Plan or Noise Ordinance. No significant long-term impacts would occur. Therefore impacts would be less than significant.

b) Generation of, excessive groundborne vibration or groundborne noise levels?	☐	☐	☒	☐
--	--------------------------	--------------------------	-------------------------------------	--------------------------

Potential effects from construction noise would be reduced through compliance with the City restrictions. Pile driving activities that would potentially result in ground borne vibration or ground borne noise would not be required with construction of the project. Impacts would be less than significant.

c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not	☐	☐	☐	☒
--	--------------------------	--------------------------	--------------------------	-------------------------------------

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?				

The project is not located within the vicinity of an airstrip, airport, or an airport land use plan. Potential short-term effects from construction noise would be reduced through compliance with City restrictions. No significant long-term impacts would occur, and no mitigation measures are required. No impact would occur.

XIV. POPULATION AND HOUSING – Would the project:

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

The project would demolish an existing single-family residence and construct a new single-family residence in its place. The project is consistent with the underlying zone and is consistent with the La Jolla Community Plan. The project site is currently developed with connections to receive water and sewer service from the City, and no extension of infrastructure to new areas is required. As such, the project would not substantially increase housing or population growth in the area. No roadway improvements are proposed as part of the project. No impacts would result.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

The project would replace an existing single-family residence with a new single-family residence, located in a neighborhood of similar residential development; therefore, no such displacements would occur. No impacts would result.

XV. PUBLIC SERVICES

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| a) Would the project result in substantial adverse physical impacts associated with the provisions of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service rations, response times or other performance objectives for any of the public services: | | | | |
| i) Fire protection; | ☐ | ☐ | ☒ | ☐ |

The project is consistent with the land use designation pursuant to the La Jolla Community Plan. The project site is located in an urbanized and developed area where fire protection services are already provided. The project proposes to demolish an existing single-family residence and build a new single-family residence. Therefore, the project would not adversely affect existing levels of fire protection services to the area and would not require the construction of new or expansion of existing governmental facilities. Impacts would be less than significant.

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
ii) Police protection;	☐	☐	☒	☐

Refer to response XV (a)(i) above. The project would not adversely affect existing levels of police protection services or create a new significant demand and would not require the construction of new or expansion of existing governmental facilities. Impacts would be less than significant.

iii) Schools;	☐	☐	☒	☐
---------------	--------------------------	--------------------------	-------------------------------------	--------------------------

Refer to response XV (a)(i) above. The project would not significantly increase the demand on public schools over that which currently exists and is not anticipated to result in a significant increase in demand for public educational services. Impacts would be less than significant.

iv) Parks;	☐	☐	☒	☐
------------	--------------------------	--------------------------	-------------------------------------	--------------------------

Refer to response XV (a)(i) above. The project site is located in an urbanized and developed area where City-operated parks are available. The project would not significantly increase the demand on existing neighborhood or regional parks or other recreational facilities over that which presently exists. Impacts would be less than significant.

v) Other public facilities?	☐	☐	☒	☐
-----------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------

Refer to response XV (a)(i) above. The project site is located in an urbanized and developed area where City services are already available. The project would not adversely affect existing levels of public services and not require the construction or expansion of an existing governmental facility. Impacts would be less than significant.

XVI. RECREATION

a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	☐	☐	☒	☐
--	--------------------------	--------------------------	-------------------------------------	--------------------------

The project is consistent with the underlying zoning and land use designation pursuant to the General Plan and the La Jolla Community Plan. The project proposes to demolish an existing single-family residence and construct a new single-family residence. The project would not adversely affect the availability of and/or need for new or expanded recreational resources. The project would not adversely affect existing levels of public services and would not require the construction or expansion of an existing park facility. The project would not significantly increase the use of existing neighborhood or regional parks or other recreational facilities. Therefore, the project is not anticipated to result in the use of available parks or facilities such that substantial deterioration occurs, or that would require the construction or expansion of recreational facilities to satisfy demand. As such, impacts would remain less than significant.

b) Does the project include recreational facilities or require the construction or expansion of recreational facilities,	☐	☐	☒	☐
--	--------------------------	--------------------------	-------------------------------------	--------------------------

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
which might have an adverse physical effect on the environment?				

Refer to XVI (a) above. The project does not propose recreation facilities nor require the construction or expansion of any such facilities. As such, impacts would remain less than significant.

XVII. TRANSPORTATION-

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| a) Would the project or plan/policy conflict with an adopted program, plan, ordinance or policy addressing the transportation system, including transit, roadways, bicycle and pedestrian facilities? | ☐ | ☐ | ☒ | ☐ |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

The project proposes demolition of an existing single-family residence and construction of a new single-family residence in its place, in a neighborhood with similar development. The project would not change existing circulation patterns on area roadways. A temporary minor increase in traffic may occur during construction. However, this would not result in impacts to transit, bicycle, or pedestrian facilities. The project would not conflict with any applicable plan, ordinance, or policy establishing measures of effectiveness for the performance of the circulation system. The project is not expected to cause a significant short-term or long-term increase in traffic volumes, and therefore, would not adversely affect existing levels of service along roadways. Impacts are considered less than significant, and no mitigation measures are required.

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| b) Would the project or plan/policy result in VMT exceeding thresholds identified in the City of San Diego Transportation Study Manual? | ☐ | ☐ | ☒ | ☐ |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

The proposed single-family residence would replace an existing single-family residence. A "Small Project" is defined as a project generating less than 300 daily unadjusted driveway trips using the City of San Diego trip generation rates/procedures. Based upon the screening criteria, the project qualifies as a "Small Project" and is screened out from further VMT analysis. Therefore, the project is presumed to have a less than significant impact on Vehicle Miles Traveled (VMT). Impacts would be less than significant.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| c) Would the project or plan/policy substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

The project complies with the La Jolla Community Plan and is consistent with the land use and underlying zoning in a residential neighborhood. The proposed project does not include any design features that would substantially increase hazards. The project would have vehicular access from the existing driveway off La Jolla Shores Drive and the curb cut on Vallecitos would be replaced by

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

City Standard curb. This would ensure safe ingress/egress from the property. No impacts would result.

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| d) Result in inadequate emergency access? | ☐ | ☐ | ☒ | ☐ |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Adequate emergency access would be provided during both short-term construction (with construction operating protocols) and long-term operations of the project. Emergency access to the site would be provided from the existing driveway on La Jolla Shores Drive. As such, the project would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan. Impacts would be less than significant.

XVIII. TRIBAL CULTURAL RESOURCES – Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or | ☐ | ☐ | ☐ | ☒ |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|

The project site is not listed nor is it eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1 (k). In addition, please see section V (b) above. Impacts would not result.

- | | | | | |
|---|--------------------------|-------------------------------------|--------------------------|--------------------------|
| b) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe. | ☐ | ☒ | ☐ | ☐ |
|---|--------------------------|-------------------------------------|--------------------------|--------------------------|

Tribal Cultural Resources include sites, features, places, cultural landscapes, and sacred places or objects that have cultural value or significance to a Native American Tribe. Tribal Cultural Resources include “non-unique archaeological resources” that, instead of being important for “scientific” value as a resource, can also be significant because of the sacred and/or cultural tribal value of the resource. Tribal representatives are considered experts appropriate for providing substantial evidence regarding the locations, types, and significance of tribal cultural resources within their traditionally and cultural affiliated geographic area (PRC § 21080.3.1(a)).

In accordance with the requirements of Public Resources Code 21080.3.1, the City of San Diego provided formal notifications to the Lipay Nation of Santa Ysabel, the Jamul Indian Village, and the San Pasqual Band of Mission Indians which are traditionally and culturally affiliated with the project

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

area; requesting consultation on March 20, 2025. No responses were received during the 30-day consultation period.

Although no Tribal Cultural Resources were identified within the project site, there is a potential for the construction of the project to impact buried and unknown Tribal Cultural Resources due to its location within an archaeologically sensitive area. Therefore, Archaeological and Native American monitoring are included in the MMRP. Mitigation in the form of Archaeological and Native American monitoring would reduce all impacts to Tribal Cultural Resources to below a level of significance. See Section V of the MND and the Mitigation, Monitoring and Reporting Program (MMRP) for further details.

XIX. UTILITIES AND SERVICE SYSTEMS – Would the project:

- | | | | | |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|
| a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which would cause significant environmental effects? | ☐ | ☐ | ☒ | ☐ |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|

The project is not anticipated to generate a significant amount of wastewater or stormwater. As discussed in VI (a), the project would not result in a significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources. Wastewater facilities used by the project would be operated in accordance with the applicable wastewater treatment requirements of the Regional Water Quality Control Board (RWQCB). Existing sewer infrastructure exists within roadways surrounding the project site and adequate services are available to serve the project. Thus, impacts would be less than significant.

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years? | ☐ | ☐ | ☐ | ☒ |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

The 2020 City Urban Water Management Plan (UWMP) serves as the water resources planning document for the City's residents, businesses, interest groups, and public officials. The UWMP assesses the current and future water supply and needs for the City. The 2020 UWMP emphasizes a cross-functional, systems approach that is intended to better guide and integrate any subsequent water resources studies, facilities master planning, and various regulatory reporting and assessment activities at the City, regional and state levels beyond a basic profiling of the City's water system. (City of San Diego 2020). The project does not meet Senate Bill 610 requirements for the project to prepare a water supply assessment. Implementation of the project would not result in new or expanded water entitlements from the water service provider, as the project is consistent with existing demand projections contained in the UWMP (which are based on the allowed land uses for the project site). Therefore, the project would not require new or expanded entitlements. No impacts would result.

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's demand in addition to the provider's existing commitments?	☐	☐	☐	☒

The project would not exceed the capacity of the existing storm water system and require the construction of new or expanded treatment facilities which would cause significant environmental effects. The project was reviewed by qualified City staff who determined that the existing facilities are adequately sized to accommodate the proposed development. No impacts would result.

d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	☐	☐	☒	☐
---	--------------------------	--------------------------	-------------------------------------	--------------------------

Construction debris and waste would be generated from the construction of the project. All construction waste from the project site would be transported to an appropriate facility, which would have sufficient permitted capacity to accept that generated by the project. Long-term operation of the residential use is anticipated to generate typical amounts of solid waste associated with residential uses. Furthermore, the project would be required to comply with the City's Municipal Code requirement for diversion of both construction waste during the short-term, construction phase and solid waste during the long-term, operational phase. Impacts are considered to be less than significant.

e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	☐	☐	☒	☐
--	--------------------------	--------------------------	-------------------------------------	--------------------------

The project would comply with all Federal, State, and local statutes and regulations related to solid waste. The project would not result in the generation of large amounts of solid waste, nor generate or require the transport of hazardous waste materials, other than minimal amounts generated during the construction phase. All demolition activities would comply with any City of San Diego requirements for diversion of both construction waste during the demolition phase and solid waste during the long-term, operational phase. Impacts would be less than significant.

XX. WILDFIRE – If located in or near state responsibility area or lands classified as very high fire hazard severity zones, would the project:

a) Substantially impair an adopted emergency response plan or emergency evacuation plan?	☐	☐	☒	☐
--	--------------------------	--------------------------	-------------------------------------	--------------------------

The City of San Diego participates in the San Diego County Multi-Jurisdictional Hazard Mitigation Plan. The project complies with the General Plan and is consistent with the La Jolla Community Plan land use and the Land Development Code zoning designation. The project is located in an urbanized area of San Diego and demolition of the existing single-family residence and construction of a new single-family residence would not disrupt any emergency evacuation routes as identified in the

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

Hazard Mitigation Plan. Therefore, the project would have a less-than-significant impact on an emergency response and evacuation plan during construction and operation.

- | | | | | |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|
| b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of wildfire? | ☐ | ☐ | ☒ | ☐ |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|

The project is located in an urbanized neighborhood of similar residential development and is not located in a Very High Fire Severity Zone. Due to the location of the project, the project would not have the potential to expose occupants to pollutant concentrations from a wildfire or the uncontrolled spread of wildfire. Therefore, impacts would remain below a level of significance.

- | | | | | |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|
| c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment? | ☐ | ☐ | ☒ | ☐ |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|

The project is located in a residential neighborhood with similar development. The site is currently serviced by existing infrastructure which would service the site after construction is completed. No new construction of roads, fuel breaks, emergency water sources, power lines, or other utilities would be constructed that would exacerbate fire risk, therefore impacts would be less than significant.

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes? | ☐ | ☐ | ☒ | ☐ |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Refer to response XX (b) above. The project site is relatively flat and is not located within a seismic hazard zone for potential slope instability or within a landslide hazard zone. Additionally, the project would comply with the City's appropriate Best Management Practices (BMP) for drainage and would not expose people or structures to significant risks as a result of run-off, post-fire slope instability, or drainage changes. Therefore, a less than significant impact would result.

Issue	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
-------	--------------------------------	--	------------------------------	-----------

XXI. MANDATORY FINDINGS OF SIGNIFICANCE –

- a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?

☐
☒
☐
☐

This analysis has determined that there is the potential of significant impacts related to Cultural Resources (Archaeology) and Tribal Cultural Resources. As such, mitigation measures included in this document would reduce these potential impacts to a less than significant level as outlined within the Mitigated Negative Declaration.

- b) Does the project have impacts that are individually limited but cumulatively considerable ("cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?

☐
☒
☐
☐

As documented in this Initial Study, the project may have the potential to degrade the quality of the environment, notably with respect to Cultural Resources (Archaeology) and Tribal Cultural Resources, which may have cumulatively considerable impacts. As such, mitigation measures have been incorporated to reduce impacts to less than significant. Other future projects within the surrounding neighborhood or community would be required to comply with applicable local, State, and Federal regulations to reduce the potential impacts to less than significant, or to the extent possible. As such, the project is not anticipated to contribute potentially significant cumulative environmental impacts.

- c) Does the project have environmental effects that will cause substantial adverse effects on human beings, either directly or indirectly?

☐
☒
☐
☐

The project proposes the demolition of an existing single-family residence and construction of a new single-family residence. The project is consistent with the environmental setting and with the use as anticipated by the City. Based on the analysis presented above, implementation of the mitigation measures would reduce environmental impacts such that no substantial adverse effects on humans would occur.

APPENDICES

(Under Separate Cover)

Appendix A, Geotechnical Investigation Report

Appendix B, Preliminary Drainage Study

REFERENCES

BWE. 2025. Preliminary Drainage Study for Morrow Residence.

California Department of Toxic Substances Control. 2025. EnviroStor Database. Available at:
<https://www.envirostor.dtsc.ca.gov/public/>

Christian Wheeler Engineering. 2023. Report of Preliminary Geotechnical Investigation, dated September 27, 2023, Morrow Residence, 8460 El Paseo Grande, San Diego, California,


2024. Response to DSD-Geology Review Comments, Project Issues Report 1113364, dated August 7, 2024, Morrow Residence, 8460 El Paseo Grande, San Diego, California

2025. Response to DSD-Geology Review Comments, Project Issues Report 1113364, dated December 19, 2024, Morrow Residence, 8460 El Paseo Grande, San Diego, California

San Diego, City of (City). 2023. Multi-Jurisdictional Hazard Mitigation Plan: City of San Diego Annex.
2022a. California Environmental Quality Act Significance Determination Thresholds. September. Available at:
https://www.sandiego.gov/sites/default/files/september_2022_ceqa_thresholds_final.pdf.
2022b. Transportation Study Manual (TSM). September 19. Available at:
<https://www.sandiego.gov/sites/default/files/10-transportation-study-manual.pdf>.
2023. La Jolla Community Plan and Local Coastal Program.
2018. Land Development Code Biology Guidelines. February 1. Available at:
https://www.sandiego.gov/sites/default/files/amendment_to_the_land_development_manual_biology_guidelines_february_2018_-_clean.pdf.

San Diego County Air Pollution Control District (SDAPCD). 2022. Final 2022 Revision to the Regional Air Quality Strategy for San Diego County.

State Water Resources Control Board. 2025. Geotracker Database. Available at:
<http://geotracker.waterboards.ca.gov/>




Location Map

8460 El Paseo Grande / Project No. PRJ-1113364
Development Services Department



Figure 1



Site Plan

8460 El Paseo Grande / PRJ-1113364

Development Services Department

**FIGURE
No. 2**