

(Gen'l, Dance Halls)

**CITY COUNCIL REFERRAL ROUTE SLIP**  
**OFFICE OF CITY CLERK**  
**CITY OF SAN DIEGO, CALIFORNIA**

DATE ROUTED

August ~~27~~, 1966 - Item 105

RECEIVED  
AUG 30 1966

TO 30  
Council Conference

Office of  
CITY COUNCIL

SUBJECT

Minimum Floor Space for public dance halls - Ordinance 9434NS - Section 33.1530.1, San Diego Municipal Code.

COUNCIL COMMENT

Refer to Council Conference.

*Conf. Agenda Item # C3*

ADDRESSEE'S ACTION

C/conference 9/6/66 - C/Atty and C/ Mgr. directed to draw Ord. eliminat. 400' requirement. There will be another conference.

wb

MATERIAL ATTACHED — ~~PLEASE RETURN~~

DOCUMENT NUMBER Copy of Ord. 9434 NS.

ew

RESOLUTION NUMBER \_\_\_\_\_

*rk*

OTHER:

— RETURN THIS ROUTE SLIP WITH YOUR REPLY —

# R E P O R T

TO THE HONORABLE  
MAYOR AND CITY COUNCIL

FROM THE CITY MANAGER

October 4, 1966

(FOR INFORMATION)

SUBJECT: DANCE FLOOR ORDINANCE

As a result of discussions during City Council meeting of August 30, and Council Conference of September 6, 1966, the City Manager and City Attorney were instructed to draft an ordinance eliminating the 400 square foot minimum requirement for dance floors. In addition, provisions were to be made for the issuance of the permit to be under the jurisdiction of the City Manager, and be approved or disapproved according to Police and Fire requirements. It was also asked that the Manager's decision be appealable to the City Council.

I am informed by the City Attorney that the only action necessary to accomplish the above is to repeal Sec. 33.1530.1 (Minimum Floor Space).

The language in Sections 33.1530.9 (Public Dance Hall - License Investigation), and 33.1530.10 (Public Dance Hall - Appeal to the City Council), satisfies the other requirements asked by Council.


The Police and Fire Departments have established some administrative guidelines for processing applications. These are:

1. The dance floor area shall be clearly designated.
2. The dance floor area shall not include normal aisle or seating space.

Room must be large enough to have a legal occupant load of more than 50 persons. (Fire Department loses effective control for occupant loads under 50).

The Fire Department will make a determination that there are sufficient exits, etc., and that Building and Fire codes are not violated by issuance of a permit.

Respectfully submitted,

  
T. W. Fletcher

RECEIVED  
CITY CLERK'S OFFICE

1966 OCT -6 AM 11:40

SAN DIEGO CALIFORNIA

Distributed to Council 10/6



THE CITY OF SAN DIEGO, CALIFORNIA