

## **Storm Water Requirements Applicability Checklist**

**FORM** 

**DS-560** 

**O**CTOBER **2016** 

Project Address: Alante	Project Number (for City Use Only):			
SECTION 1. Construction Storm Water BMP Requirements:				
All construction sites are required to implement construction BMPs in accordar in the <u>Storm Water Standards Manual</u> . Some sites are additionally required to Construction General Permit (CGP) <sup>1</sup> , which is administered by the State Water	to obtain coverage under the State			
For all projects complete PART A: If project is required to submit a PART B.	SWPPP or WPCP, continue to			
PART A: Determine Construction Phase Storm Water Requirements.				
1. Is the project subject to California's statewide General NPDES permit for Storwith Construction Activities, also known as the State Construction General Peland disturbance greater than or equal to 1 acre.)	m Water Discharges Associated ermit (CGP)? (Typically projects with			

	Yes	s; SWPPP required, skip questions 2-4 🗵 No; next question					
2.	Does t grubbi	the project propose construction or demolition activity, including but not limited to, clearing, gradir ing, excavation, or any other activity resulting in ground disturbance and contact with storm water	ng, runoff?				
		es; WPCP required, skip 3-4  No; next question					
3.	Does the nal pur	the project propose routine maintenance to maintain original line and grade, hydraulic capacity, or urpose of the facility? (Projects such as pipeline/utility replacement)	origi-				
		es; WPCP required, skip 4 No; next question					
4.	Does t	the project only include the following Permit types listed below?					
	• Elec Spa	ctrical Permit, Fire Alarm Permit, Fire Sprinkler Permit, Plumbing Permit, Sign Permit, Mechanical Pe a Permit.	ermit,				
	<ul> <li>Individual Right of Way Permits that exclusively include only ONE of the following activities: water service, sewer lateral, or utility service.</li> </ul>						
	<ul> <li>Right of Way Permits with a project footprint less than 150 linear feet that exclusively include only ONE of the following activities: curb ramp, sidewalk and driveway apron replacement, pot holing, curb and gutter replacement, and retaining wall encroachments.</li> </ul>						
	×	Yes; no document required					
	Check one of the boxes below, and continue to PART B:						
		If you checked "Yes" for question 1, a SWPPP is REQUIRED. Continue to PART B					
	X	If you checked "No" for question 1, and checked "Yes" for question 2 or 3, a WPCP is REQUIRED. If the project proposes less than 5,000 square feet of ground disturbance AND has less than a 5-foot elevation change over the entire project area, a Minor WPCP may be required instead. Continue to PART B.					
		If you checked "No" for all questions 1-3, and checked "Yes" for question 4 PART B does not apply and no document is required. Continue to Section 2.					

1. More information on the City's construction BMP requirements as well as CGP requirements can be found at: <a href="https://www.sandiego.gov/stormwater/regulations/index.shtml">www.sandiego.gov/stormwater/regulations/index.shtml</a>

	age 2 of 4	City of San Diego • Development Services • Storm Water Requirements Applicability Ch	CENTISE
Th Th pr Cit Sta an	nis prioritiz ne city rese ojects are ty has align ate Constr nd receivin ficance (AS	etermine Construction Site Priority  Eation must be completed within this form, noted on the plans, and included in the SW erves the right to adjust the priority of projects both before and after construction. Co assigned an inspection frequency based on if the project has a "high threat to water ched the local definition of "high threat to water quality" to the risk determination approuction General Permit (CGP). The CGP determines risk level based on project specific g water risk. Additional inspection is required for projects within the Areas of Special SBS) watershed. NOTE: The construction priority does NOT change construction BMP or projects; rather, it determines the frequency of inspections that will be conducted by	onstruction quality." The coach of the sediment risk Biological Sig- requirements
Co	mplete F	PART B and continued to Section 2	
1.		ASBS	
		a. Projects located in the ASBS watershed.	
2.		High Priority	
		a. Projects 1 acre or more determined to be Risk Level 2 or Risk Level 3 per the Con General Permit and not located in the ASBS watershed.	struction
		b. Projects 1 acre or more determined to be LUP Type 2 or LUP Type 3 per the Cons General Permit and not located in the ASBS watershed.	truction
3.		Medium Priority	
		a. Projects 1 acre or more but not subject to an ASBS or high priority designation.	
		<ul> <li>b. Projects determined to be Risk Level 1 or LUP Type 1 per the Construction Gener not located in the ASBS watershed.</li> </ul>	al Permit and
4.	X	Low Priority	
		a. Projects requiring a Water Pollution Control Plan but not subject to ASBS, high, or priority designation.	medium
SE	CTION 2	. Permanent Storm Water BMP Requirements.	
Ad	dditional ir	nformation for determining the requirements is found in the Storm Water Standards N	<u>//anual</u> .
Prove Ve BN	ojects that lopment p MPs.	etermine if Not Subject to Permanent Storm Water Requirements.  It are considered maintenance, or otherwise not categorized as "new development proprojects" according to the Storm Water Standards Manual are not subject to Permaner	nt Storm Wate
If ne	"yes" is c ent Storn	checked for any number in Part C, proceed to Part F and check "Not Subjon Mater BMP Requirements".	ect to Perma
If	"no" is c	hecked for all of the numbers in Part C continue to Part D.	
	Does th	e project only include interior remodels and/or is the project entirely within an enclosed structure and does not have the potential to contact storm water?	☐ Yes 区
1.	CAISTILIE	chicosed structure and does not have the potential to contact storm water.	
1. 2.	Does th	e project only include the construction of overhead or underground utilities without new impervious surfaces?	☐ Yes ☑

City of San Diego • Development Services • Storm Water Requirements Applicability Checklist Page	3 of 4			
PART D: PDP Exempt Requirements.				
PDP Exempt projects are required to implement site design and source control BM	Ps.			
If "yes" was checked for any questions in Part D, continue to Part F and check the l				
"PDP Exempt."				
If "no" was checked for all questions in Part D, continue to Part E.  1. Does the project ONLY include new or retrofit sidewalks, bicycle lanes, or trails that:				
<ul> <li>Are designed and constructed to direct storm water runoff to adjacent vegetated are</li> </ul>	eas, or other			
non-erodible permeable areas? Or; • Are designed and constructed to be hydraulically disconnected from paved streets a	nd roads? Or:			
<ul> <li>Are designed and constructed with permeable pavements or surfaces in accordance Green Streets guidance in the City's Storm Water Standards manual?</li> </ul>				
Yes; PDP exempt requirements apply  No; next question				
2. Does the project ONLY include retrofitting or redeveloping existing paved alleys, streets or ro and constructed in accordance with the Green Streets guidance in the <a href="City's Storm Water Star">City's Storm Water Star</a>	ads designed ndards Manual?			
☐ Yes; PDP exempt requirements apply				
Projects that match one of the definitions below are subject to additional requirements including preparation of a Storm Water Quality Management Plan (SWQMP).  If "yes" is checked for any number in PART E, continue to PART F and check the box labeled "Priority Development Project".  If "no" is checked for every number in PART E, continue to PART F and check the box labeled "Standard Development Project".				
<ol> <li>New Development that creates 10,000 square feet or more of impervious surfaces collectively over the project site. This includes commercial, industrial, residential, mixed-use, and public development projects on public or private land.</li> </ol>	□Yes ⊠No			
2. Redevelopment project that creates and/or replaces 5,000 square feet or more of impervious surfaces on an existing site of 10,000 square feet or more of impervious surfaces. This includes commercial, industrial, residential, mixed-use, and public development projects on public or private land.	□Yes ⊠No			
3. <b>New development or redevelopment of a restaurant.</b> Facilities that sell prepared foods and drinks for consumption, including stationary lunch counters and refreshment stands sell prepared foods and drinks for immediate consumption (SIC 5812), and where the land development creates and/or replace 5,000 square feet or more of impervious surface.	ing □Yes ⊠No			
4. <b>New development or redevelopment on a hillside.</b> The project creates and/or replaces 5,000 square feet or more of impervious surface (collectively over the project site) and where the development will grade on any natural slope that is twenty-five percent or greater.	□Yes ⊠No			
5. New development or redevelopment of a parking lot that creates and/or replaces 5,000 square feet or more of impervious surface (collectively over the project site).	□Yes ⊠No			
6. <b>New development or redevelopment of streets, roads, highways, freeways, and driveways.</b> The project creates and/or replaces 5,000 square feet or more of impervious surface (collectively over the project site).	□Yes ⊠No			

Page 4 of 4 City of San Diego • Development Services • Storm Water Requirements Applicability Checklist				
Sensitive Area (collectively ove Area (ESA). "Dis- feet or less fron	The project creates and/or replaces 2,500 square feet of impervious surface er project site), and discharges directly to an Environmentally Sensitive scharging directly to" includes flow that is conveyed overland a distance of 200 m the project to the ESA, or conveyed in a pipe or open channel any distance flow from the project to the ESA (i.e. not commingled with flows from adjacent	□Yes ⊠No		
create and/or project meets the	replaces 5,000 square feet of impervious surface. The development the following criteria: (a) 5,000 square feet or more or (b) has a projected	□Yes ☒ No		
creates and/or projects catego	r replaces 5,000 square feet or more of impervious surfaces. Development brized in any one of Standard Industrial Classification (SIC) codes 5013, 5014,	□Yes ☒ No		
results in the di post construction less than 5,000 use of pesticide the square foot vehicle use, suc	isturbance of one or more acres of land and is expected to generate pollutants on, such as fertilizers and pesticides. This does not include projects creating sf of impervious surface and where added landscaping does not require regulares and fertilizers, such as slope stabilization using native plants. Calculation of tage of impervious surface need not include linear pathways that are for infrequents as emergency maintenance access or bicycle pedestrian use, if they are built			
		ART E.		
The project is <b>N</b>	NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS.			
The project is a BMP requirem	a <b>STANDARD DEVELOPMENT PROJECT</b> . Site design and source control ents apply. See the <u>Storm Water Standards Manual</u> for guidance.	×		
The project is <b>F</b> See the <u>Storm</u>	PDP EXEMPT. Site design and source control BMP requirements apply. Water Standards Manual for guidance.			
structural pollu	utant control BMP requirements apply. See the <u>Storm Water Standards Manual</u>			
ame of Owner or ignature	Agent (Please Print)  Title  Date			
	Sensitive Area (collectively over Area (ESA). "Disfect or less from as an isolated flands).  New developm create and/or project meets the Average Daily To the New developm creates and/or projects catego 5541, 7532-7530.  Other Pollutar results in the dipost construction less than 5,000 use of pesticide the square foot vehicle use, such with pervious services. The project is a BMP requirem.  The project is a structural pollution guidance of the Storm.	New development or redevelopment projects of a retail gasoline outlet (RGO) that create and/or replaces 5,000 square feet of impervious surface. The development project meets the following criteria: (a) 5,000 square feet or more or (b) has a projected Average Daily Traffic (ADT) of 100 or more vehicles per day.  New development or redevelopment projects of an automotive repair shops that creates and/or replaces 5,000 square feet or more of impervious surfaces. Development projects categorized in any one of standard Industrial Classification (SIC) codes 5013, 5014, 5541, 7532-7534, or 7536-7539.  Other Pollutant Generating Project. The project is not covered in the categories above, results in the disturbance of one or more acres of land and is expected to generate pollutants post construction, such as fertilizers and pesticides. This does not include projects creating less than 5,000 sf of impervious surface and where added landscaping does not require regular use of pesticides and fertilizers, such as slope stabilization using native plants. Calculation of the square footage of impervious surface need not include linear pathways that are for infreque vehicle use, such as emergency maintenance access or bicycle pedestrian use, if they are built with pervious surfaces of if they sheet flow to surrounding pervious surfaces.  ART F: Select the appropriate category based on the outcomes of PART C through P. The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS.  The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance.  The project is PPP EXEMPT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management		