Item *	SUBJECT / PRODUCT DESCRIPTION	SPEC. REF	MANUFACTURERS	ADDITIONAL REQUIREMENTS / NOTES
Gateway, S	LED Post Top Luminaire, Gateway, Streetside 4000K CCT, Symmetric Type V	700-6.7	General Electric Cat.#: EPAS-0-C5-A-40-G-A-A- XXXX-007EMH with ELWN0A5UG5-FU467 FINISH: CCDC BLUE IES File: quad fold PTLED14E18457-0-1-A001.ies	Provide each new luminaire with Item #AC7 Adaptive Conto Node
			Spring City Cat.#: ALMAGS-LE080/EVX/X2- 40-CN5-YPLF-FPA-M2-TR7P-XX- CU FINISH: CCDC BLUE IES File: AGS-LE080-X2-40-CN5- YPLL.IES	
Gateway, Sidewalk	4000K CCT, Asymmetric Type	700.6.7	General Electric Cat.#: EPAS-0-C3-A-40-G A-A- XXXX-007EMH with ELWN0A5UG5-FU467 FINISH: CCDC BLUE IES File: 0_180_fold_PTLED14E18456-0- 1-A001.ies	Provide each new luminaire with Item #AC7 Adaptive Conto Node
			Spring City Cat.#: ALMAGS-LE080/EVX/X2- 40-CR3-YPLF-FPA-M2-TR7P-XX- CU FINISH: CCDC BLUE IES File: AGS-LE080-X2-40-CR3- YPLL.IES	
AP	LED Post Top Luminaire, Asian Pacific See SDE-106 for Dimensions, Details, and Finishes	700.6.7	Visco Cat.#: AP-C-107-40LED-UNV-40- 5-SS	Control is by button photocell on luminai
			ELA Cat.#: AP-ELA-40LED-40K-V- DSR1	Control is by button photocell on luminai

С	LED Post Top Luminaire, Standard 4000K CCT, Type V *Note: Type C is used on Type P-C and P-CE Poles	700-6.7	General Electric Cat.#: EPAS-0-C5-A-40-G-7-A- XXXX-007EMH with ELWN0A5UG5-FU467 FINISH: CCDC BLUE IES File: quad fold PTLED14E18457-0-1-A001.ies	Provide each new luminaire with Item #AC7 Adaptive Contol Node
			Spring City Cat.#: ALMAGS-LE080/EVX/X2- 40-CN5-YPLF-FPA-M2-TR7P-XX- CU FINISH: CCDC BLUE IES File: AGS-LE080-X2-40-CN5- YPLL.IES	
CL	LED Post Top Luminaire, Little Italy 4000K CCT, Type V	700-6.7	General Electric Cat.#: EPAS-0-C5-A-40-G-7-A- XXXX-007EMH with ELWN0A5UG5-FU467 FINISH: RAL#6005 DARK GREEN IES File:quad fold PTLED14E18457-0-1-A001.ies	Provide each new luminaire with Item #AC7 Adaptive Contol Node
			Spring City Cat.#: ALMAGS-LE080/EVX/X2- 40-CN5-YPLF-FPA-M2-TR7P-XX- CU FINISH: RAL#6005 DARK GREEN IES File: AGS-LE080-X2-40-CN5- YPLL.IES	#AC7 Adaptive Contol Node

G	LED Post Top Luminaire, Gaslamp, Five head assembly	700-6.7	Visco Arm Assembly: Cat.#: VI-CR3-EMN-18-30LED- FEDERAL STANDARD COLOR 27038 "BLACK" Luminaire: LED LAMP, 30W, 4000K, 4500 Lumens, E27 Mogul base, 120V	
			Arm Assembly: Cat.#: GL-ELA-30LED-40K-V- DSR1-FEDERAL STANDARD COLOR 27038 "BLACK" Luminaire: Cat.#: ELA L2800-18/CR3E 5- WAY POST MOUNT LED LAMP, 30W, 4000K, 4500 Lumens, E27 Mogul base, 120V	
T	LED Tear Drop Luminaire, 4000K CCT, Type III	700-6.7	Spring City Cat.#: ALMCLU-LE080/EVX/X2- 40-CR3-GR14-TR7P-XX-CU- GLOSS BLACK WITH ALAVBC-2.00FNPT- 1.25MNPT ADAPTOR IES File: CLU-LE080-X2-40-CR3- GR14.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node
			Sun Valley Cat.#: LCLS-D-APA-III-80LED- NW-UNV-2-180-GLOSS BLACK- GR IES File: LCLS-APA-3-80LED- NW.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node

X4	LED Cobra Head Luminaire, Type X, 4000K CCT	700.6.5	General Electric Cat.#: ERS1-0-23B1-7-40-A- Gray-D IES File: ERS1_23B1740-120- 277V_tcm201-95048.IES LED Roadway Ltg. Cat.#: NXT-24S-5-7-2LB-5-GY-3- UL-X-2H IES File: NXT-24S-525mA-2LB- 4000K.IES	Provide each new Iuminaire with Item #AC7 Adaptive Contol Node Provide each new Iuminaire with Item #AC7 Adaptive Contol Node
Х3	LED Cobra Head Luminaire, Type X, 3000K CCT	700.6.5	General Electric Cat.#: ERS1-0-A3B1-5-30-A- Gray-D IES File: ERS1_A3B1530-120- 277V_tcm201-94909.IES LED Roadway Ltg. Cat.#: NXT-24S-5-7-2LB-5-GY- 3000K-UL-X-2H IES File: NXT-24S-525mA-2LB- 3000K.IES	Provide each new Iuminaire with Item #AC7 Adaptive Contol Node Provide each new Iuminaire with Item #AC7 Adaptive Contol Node
YI4	LED Cobra Head Luminaire, Type Y-INT, 4000K CCT	209.6.5	General Electric Cat.#: ERS1-0-B3D1-7-40-A- Gray-D IES File: ERS1_B3D1740-120- 277V_tcm201-95058.IES LED Roadway Ltg. Cat.#: NXT-36S-5-7-3LB-7-GY-3- UL-X-2H IES File: NXT-36S-700mA-2LB- 4000K.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node Provide each new luminaire with Item #AC7 Adaptive Contol Node

YI3	LED Cobra Head Luminaires, Type Y-INT, 3000K CCT	209.6.5	General Electric Cat.#: ERS1-0-C3D1-7-30-A- Gray-D IES File: ERS1_C3D1730-120- 277V_tcm201-95039.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node
			LED Roadway Ltg. Cat.#: NXT-36S-5-7-3LB-7-GY- 3000K-UL-X-2H IES File: NXT-36S-2LB-700mA- 3000K.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node
ZI4	LED Cobra Head Luminaire, Type Z-INT, 4000K CCT	700.6.5	General Electric Cat.#: ERS1-0-11-D1-40-A- GRAY-L IES File: ERS1_11D1X40tcm201- 110991.ies	Provide each new luminaire with Item #AC7 Adaptive Contol Node
			LED Roadway Ltg. Cat.#: NXT-60M-5-7-3LB-7-GY- 3-UL-X-2H IES File: NXT-60M-700mA-3LB- 4000K.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node
ZI3	LED Cobra Head Luminaire, Type Z-INT, 3000K CCT	700.6.5	General Electric Cat.#: ERS1-0-13-D1-30-A- GRAY-L IES File: ERS1_13D1X30tcm201- 111004.ies	Provide each new luminaire with Item #AC7 Adaptive Contol Node
			LED Roadway Ltg. Cat.#: NXT-60M-5-7-3LB-7-GY- 3000K-UL-X-2H IES File: NXT-60M-700mA-3LB- 3000K.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node

YM4	LED Cobra Head Luminaire, Type Y-MID, 4000K CCT	700.6.5	General Electric Cat.#: ERS1-0-B3B1-7-40-A- Gray-D IES File: ERS1_B3B1740-120- 277V_tcm201-95050.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node
			LED Roadway Ltg. Cat.#: NXT-36S-5-7-2LB-7-GY-3- UL-X-2H IES File: NXT-36S-700mA-2LB- 4000K.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node
YM3	LED Cobra Head Luminaires, Type Y-MID, 3000K CCT	700.6.5	General Electric Cat.#: ERS1-0-C3B1-7-30-A- Gray-D IES File: ERS1_C3B1730-120- 277V_tcm201-95031.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node
			LED Roadway Ltg. Cat.#: NXT-36S-5-7-2LB-7-GY- 3000K-UL-X-2H IES File: NXT-36S-2LB-700mA- 3000K.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node
ZM4	LED Cobra Head Luminaire, Type Z-MID, 4000K CCT	700.6.5	General Electric Cat.#: ERS1-0-11-C1-40-A- GRAY-L IES File: ERS1_11C1X40tcm201- 110989.ies	Provide each new luminaire with Item #AC7 Adaptive Contol Node
			LED Roadway Ltg. Cat.#: NXT-60M-5-7-3LB-7-GY- 3-UL-X-2H IES File: NXT-60M-700mA-3LB- 4000K.IES	Provide each new luminaire with Item #AC7 Adaptive Contol Node

ZM3	LED Cobra Head Luminaire,	700.6.5	General Electric	Provide each new
	Type Z-MID,		Cat.#: ERS1-0-13-C1-30-A-	luminaire with Item
	3000K CCT		GRAY-L	#AC7 Adaptive Contol
			IES File:	Node
			ERS1_13C1X30tcm201-	
			111002.ies	
			LED Roadway Ltg.	Provide each new
			Cat.#: NXT-60M-5-7-3LB-7-GY-	luminaire with Item
			3000K-UL-X-2H	#AC7 Adaptive Contol
			IES File: NXT-60M-700mA-3LB-	Node
			3000K.IES	

HIMINA	IRE ACCESSORIES			
AC7	Adaptive Controls Node, ANSI 5 Pin (For use on luminaires equiped with ANSI Standard C136.41-2013, 7 pin socket)	700.6.6	General Electric Cat.#: ELWN0A5UG5-FU467	Proprietary item due to compatibility with City wide contol system.
			Mfr #2: No others allowed.	
AC5	Adaptive Controls Node, GE 5 Pin (For use on Luminaires equiped with GE propietary 5 pin socket.)	700.6.6	General Electric Cat.#: ELWN0DXUG5-SD	Proprietary item due to compatibility with City wide contol system.
			Mfr #2: No others allowed.	
HSSX	House Side Shield for Type X	700.6.5	General Electric Cat.#: ELSHS-ERS1 LED Roadway Lighting Cat.#: NXT-S-HSS	
HSSY	House Side Shield for Type Y	700.6.5	General Electric Cat.#: ELSHS-ERS1 LED Roadway Lighting Cat.#: NXT-S-HSS	
HSSZ	House Side Shield for Type Z	700.6.5	General Electric Cat.#: ELSHS-ERS1 LED Roadway Lighting Cat.#: NXT-M-HSS	

Item *	SUBJECT / PRODUCT DESCRIPTION	SPEC. REF	MANUFACTURERS	ADDITIONAL REQUIREMENTS / NOTES
P-A	Streetscape Pole with Type A1 & A2 Luminaires, Gateway, See SDE-104	700.6.8.1	Visco Cat.#: VI-C-C2-F/16'-3" TENONS CCDC BLUE-AB WITH 18C FINIAL, C2 ARM ASSEMBLY, 17C SUPPORT, 20C SPIRE, 15C AND 14C SUPPORT, 13C POLE COLLAR, 12C/F BASE COLLAR, 11C UPPER BASE, 10C LOWER BASE	All cast iron and stee light pole parts are to be factory powder coated "CCDC Blue"
			ELA Cat.#: ELA-16-9-TA-GLSD WITH 18C FINIAL, C2 ARM ASSEMBLY, 17C SUPPORT, 20C SPIRE, 15C AND 14C SUPPORT, 13C POLE COLLAR, 12C/F BASE COLLAR, 11C UPPER BASE, 10C LOWER BASE	All cast iron and stee light pole parts are to be factory powder coated "CCDC Blue"
P-AP Streetscape Pole with Type AP Luminaire, Asian Pacific See SDE-105	700.6.8	Visco Cat.#: VI-A-F/14'-3" TENON- TIGER DRYLAC RAL#6028 WITH 12A/F BASE COLLAR, 11A UPPER BASE, 10A LOWER BASE	All cast iron and stee light pole parts are to be factory powder coated "RAL#6028"	
			ELA Cat.#: ELA-14-534-PT-GLSD TIGER DRYLAC RAL#6028 WITH 12A/F BASE COLLAR, 11A UPPER BASE, 10A LOWER BASE	All cast iron and stee light pole parts are to be factory powder coated "RAL#6028"

P-C	Streetscape Pole with Type C Luminaire, See SDE-107	700.6.8	Visco Cat.#: VI-A-F/10'-3" TENON- CCDC BLUE-AB WITH 12A/F BASE COLLAR, 11A UPPER BASE, 10A LOWER BASE	All cast iron and steel light pole parts are to be factory powder coated "CCDC Blue"
			ELA Cat.#: ELA-10-534-PT-GLSD- CCDC BLUE-AB WITH 12A/F BASE COLLAR, 11A UPPER BASE, 10A LOWER BASE	All cast iron and steel light pole parts are to be factory powder coated "CCDC Blue"
P-CE	Streetscape Enhanced Pole, with Type C Luminaire See SDE-108	700.6.8	Visco Cat.#: VI-C-F/12'-3" TENON- CCDC BLUE-AB WITH 15C SUPPORT, 14C SUPPORT, 13C POLE COLLAR, 12C/F BASE COLLAR, 11C UPPER BASE, 10C LOWER BASE	All cast iron and steel light pole parts are to be factory powder coated "CCDC Blue"
			ELA Cat.#: ELA-12-9-PT-GLSD-CCDC BLUE-AB WITH 15C SUPPORT, 14C SUPPORT, 13C POLE COLLAR, 12C/F BASE COLLAR, 11C UPPER BASE, 10C LOWER BASE	All cast iron and steel light pole parts are to be factory powder coated "CCDC Blue"

P-CL	Streetscape Pole with Type CL Luminaire See SDE-108	700.6.8.5	Visco Cat.#: VI-C-F/12'-3" TENON- TIGER DRYLAC RAL #6005 DARK GREEN WITH 15C SUPPORT, 14C SUPPORT, 13C POLE COLLAR, 12C/F BASE COLLAR, 11C UPPER BASE, 10C LOWER BASE	All cast iron and steel light pole parts are to be factory powder coated "DARK GREEN"
			ELA Cat.#: ELA-12-9-PT-GLSD-TIGER DRYLAC RAL #6005 DARK GREEN WITH 15C SUPPORT, 14C SUPPORT, 13C POLE COLLAR, 12C/F BASE COLLAR, 11C UPPER BASE, 10C LOWER BASE	All cast iron and steel light pole parts are to be factory powder coated "DARK GREEN"
P-G	Streetscape Pole with Type G Luminaire, Gaslamp See SDE-109	700.6.8	Visco Cat.#: VI-A-CR3EMN-F/14'-18"- 55QL-BLACK -AB WITH CR3EMN ARM ASSEMBLY, 12A/F BASE COLLAR, 11A UPPER BASE, 10A LOWER BASE ELA Cat.#: ELA-14-534-PT-GLSD WITH CR3EMN ARM ASSEMBLY, 12A/F BASE	All cast iron and steel light pole parts are to be factory powder coated "FEDERAL
P-T	Streetscape Pole, with type T Luminaires, Teardrop See SDE-110	700.6.8	COLLAR, 11A UPPER BASE, 10A LOWER BASE Visco Cat.#: VI-WB21-OCT/22'-4" TENON-AB	STANDARD COLOR 27038 BLACK" All cast iron and steel light pole parts are to be factory powder coated "CCDC Blue"
			ELA Cat.#: ELA-22-834-PT-PKSD	All cast iron and steel light pole parts are to be factory powder coated "CCDC Blue"

LUMINAIRE APPLICATION CODES

STREET TYPE CODE:

X Alley

Y Street Width up to 52'
Z Street Width over 52'

LOCATION CODE:

I Intersection & Cul-de-sac

M Mid-Block

COLOR CODE:

3 3000 Kelvin4 4000 Kelvin

LUMINAIRE ACCESSORY CODES

AC Adaptive Control Node HSS House Side Shield

POLE APPLICATION CODES

P-C Street Light Pole with Type Designation