



October 15, 2019

Jennifer Shen
San Diego Police Department Crime Laboratory
1401 Broadway
San Diego, CA 92101

Dear Director Shen:

Congratulations, ANAB has approved the continuation of your organization's accreditation based upon the results of your recent surveillance activity. Continuation of accreditation is a formal acknowledgement that your organization continues to operate in conformance with accreditation requirements.

As an accredited forensic service provider, the applicable accreditation symbol may be used to convey your accredited status. An accreditation symbol must not be used in any way which implies accreditation in any area outside of the scope of accreditation. If appropriate, the accreditation symbol may be used on your organization's website, reports, letterhead, business cards, and other official documents. Please refer to [PR 1018 Policy on Use of ANAB Accreditation Symbols and Claims of Accreditation Status](#) for all required information. This policy also provides information on your ability to use a combined mark that contains the ANAB accreditation symbol and the International Laboratory Accreditation Cooperation (ILAC) mark.

Enclosed are the surveillance report and the appropriate ANAB accreditation symbol(s) in multiple file formats.

Thank you for your ongoing commitment to quality and the accreditation process.

Sincerely,

Brad Putnam
Accreditation Manager
ANSI National Accreditation Board

cc: Captain Stephanie Rose, Laboratory System Director
Frank Healy, Laboratory Quality Manager
ANAB Office