

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST****MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

**Purpose:** This Substantial Conformance Review (SCR) Checklist is intended to be used by Development Services Department Staff as an aid in reviewing storm water system maintenance projects for consistency with the modified Site Development Permit (SDP) based on conformance with the Mitigation, Monitoring and Reporting Program (MMRP); the Maintenance Protocols contained in the Master Program; and the modified SDP Conditions.

**Date:** March 1, 2016

**Name of Preparer:** Genene Lehotsky

**Phone Number:** (619) 527-7507

**Email:** dlehotsky@sandiego.gov

**ACTIVITY INFORMATION**

**Master Program**

**Map #(s):** 120 & 121

**City Equipment #(s):** 88000056, -58, -60, and -62

**Creek Name:** Unnamed Tributary to Chollas Creek

**Watershed(s):** Chollas Creek Hydrologic Unit (Basin Number 8.31)

**Location:** Directly east of Interstate-5, south of Cottonwood St. and west of South 43<sup>rd</sup> St. in San Diego, CA

**DOCUMENTS INCLUDED IN CONSISTENCY DETERMINATION PACKAGE**

Included	NA	Document
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Individual Maintenance Plan (IMP)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Individual Biological Assessment (IBA)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Individual Historical Assessment (IHA)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Individual Hydrologic and Hydraulic Assessment (IHHA)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Individual Water Quality Assessment (IWQA)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Individual Noise Assessment (INA)

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST****MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

No.	Measure/Criteria	Y/N/NA	Basis for Determination (attach separate sheet(s) as necessary)
<b>Master Program PEIR Mitigation, Monitoring, and Reporting Program</b>			
<b>General Mitigation</b>			
1	Have mitigation measures for impacts to biological resources, historical resources, land use, and paleontological resources, as appropriate, been included in entirety on the submitted maintenance documents and contract specifications, under the heading, "Environmental Mitigation Requirements"? (General Mitigation Measure 1)	Y	See Attachment E – IBA and Attachment F Regulatory Permits
2	Is a Pre-maintenance Meeting required, including, as appropriate, the Mitigation Monitoring Coordinator (MMC), Storm Water Division (SWD) Project Manager, Biological Monitor, Historical Monitor, Paleontological Monitor, and Maintenance Contractor (MC), and other parties of interest? (General Mitigation Measure 2)	Y	See SCR Memo.

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST****MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

No.	Measure/Criteria	Y/N/NA	Basis for Determination (attach separate sheet(s) as necessary)
3	Is there documented evidence of compliance with other permitting authorities (e.g., copies of permits issued, letters of resolution issued by the Responsible Agency documenting compliance, or other evidence documenting compliance and deemed acceptable by the Assistant Deputy Director [ADD] Environmental Designee), as applicable? (General Mitigation Measure 3)	Y	<p>For this project, the following permits and other approvals have been issued:</p> <ul style="list-style-type: none"> <li>• Modified Master Maintenance Program (MMP)</li> <li>• Master Maintenance Program Environmental Impact Report (PEIR)</li> </ul> <p>See Also: Attachment F - Regulatory Permits, which includes the following:</p> <ul style="list-style-type: none"> <li>• Developmental Services Department (DSD) Notice of Exemption (NOE); Emergency Project (Section 21080(b)(4); 15269(b) &amp;(c)</li> <li>• Regional Water Quality Control Board (RWQCB)</li> <li>• Army Corps of Engineers (ACOE) Regional General Permit 63 Emergency; SPL-2015-00900-WSZ</li> <li>• California Dept. of Fish and Wildlife (CDFW) Lake or Streambed Alteration Agreement (1600); Notification of Emergency Work</li> </ul>
4	Is there documented evidence of compliance with Section 1602 of the State of California Fish & Game Code (e.g., copies of permits issued, letters of resolution issued by the Responsible Agency documenting compliance, or other evidence documenting compliance and deemed acceptable by the ADD Environmental Designee), as applicable? (General Mitigation Measure 4)	Y	<p>See Attachment F - Regulatory Permits, which includes (among other permits):</p> <ul style="list-style-type: none"> <li>• California Dept. of Fish and Wildlife (CDFW) Lake or Streambed Alteration Agreement (1600); Notification of Emergency Work</li> </ul>
<b>Biological Resources</b>			
5	Has a qualified biologist prepared an IBA for each area proposed to be maintained in accordance with the specifications included in the Master Program? (Mitigation Measure 4.3.1)	Y	Scott Gressard is a qualified biologist, and he prepared Attachment E – IBA, which covers each area proposed to be maintained in accordance with the specifications in the Master Program.

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST****MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

No.	Measure/Criteria	Y/N/NA	Basis for Determination (attach separate sheet(s) as necessary)
6	Have the IMPs and IBAs for maintenance activities within a proposed annual maintenance program been approved by the City's Assistant Deputy Director (ADD) Environmental Designee and state and federal agencies with jurisdiction over maintenance activities? (Mitigation Measure 4.3.2)	Y	See Attachment e – IBA and SCR Memo
7	Has an IBA been prepared by a qualified biologist for each proposed maintenance activity, including the required contents? (Mitigation Measure 4.3.3)	Y	See Attachment E - IBA
8	Has a mitigation account been established to provide sufficient funds to implement all biological mitigation associated with the proposed maintenance act? (Mitigation Measure 4.3.4)	N/A	See Attachment E – IBA. Ongoing mitigation efforts will be funded by Transportation & Storm Water Department. Internal order number 11003025 has been set up to track these costs.
9	Has evidence been provided documenting approval of the proposed maintenance by permitting authorities? (Mitigation Measure 4.3.5)	Y	See Attachment F - Regulatory Permits, which includes the following: <ul style="list-style-type: none"> <li>• Developmental Services Department (DSD) Notice of Exemption (NOE); Emergency Project (Section 21080(b)(4); 15269(b) &amp;(c)</li> <li>• Regional Water Quality Control Board (RWQCB)</li> <li>• Army Corps of Engineers (ACOE) Regional General Permit 63 Emergency; SPL-2015-00900-WSZ</li> <li>• California Dept. of Fish and Wildlife (CDFW) Lake or Streambed Alteration Agreement (1600); Notification of Emergency Work</li> </ul>

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST**  
**MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

No.	Measure/Criteria	Y/N/NA	Basis for Determination (attach separate sheet(s) as necessary)
10	Does the IMP call for a pre-maintenance meeting, if identified in the associated IBA? (Mitigation Measure 4.3.6)	Y	See SCR Memo as well as the Master List of BMPs, Maintenance Protocols and Mitigation Measures, in the following sections: <ul style="list-style-type: none"> <li>• PEIR (WQ-4.8.3, page 3)</li> <li>• MMP (BIO-3, page 12)</li> <li>• PEIR (BIO-4.3.6, page 13)</li> <li>• MMP (HIST-2, page 28)</li> </ul>
11	Does the IBA for each proposed maintenance activity identify appropriate wetland mitigation measures according to the ratios identified in Table 4.3-10? (Mitigation Measure 4.3.9)	Y	See Attachment E – IBA, Mitigation. Mitigation locations for impacts from this emergency channel maintenance have not yet been identified.
12	Have wetland mitigation plans and enhancement and/or restoration plans been prepared and submitted to the DSD pursuant to the requirements described in Mitigation Measure 4.3.10? Are they consistent with Appendix H of the Biological Technical Report (BTR) contained in Appendix D.3 of the PEIR? (Mitigation Measure 4.3.10)	N	See response to #11 above and Attachment F – IBA; Mitigation. Mitigation locations and plans for impacts from this emergency channel maintenance have not yet been identified or completed.
13	Would upland impacts be compensated through payment into the City's Habitat Acquisition Fund, or through acquisition and/or preservation of land in accordance with the ratios and requirements identified in Table 4.3-11? (Mitigation Measure 4.3.11)	N	See Attachment E – IBA; Maintenance Impacts. No upland impacts occurred as part of this emergency maintenance and no biological mitigation is required or proposed.
14	If the maintenance activity would result in loss of habitat for the coastal California gnatcatcher, is mitigation planned (i.e., through the acquisition of suitable habitat or mitigation credits within the MHPA at a ratio of 1:1, to be accomplished within six months of the date of maintenance completion? (Mitigation Measure 4.3.12)	N/A	N/A. See Attachment E – IBA. No suitable coastal California gnatcatcher habitat was impacted as part of this emergency channel maintenance.

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST****MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

No.	Measure/Criteria	Y/N/NA	Basis for Determination (attach separate sheet(s) as necessary)
15	<p>If sensitive biological resources may be impacted, would the monitoring biologist be able to verify that the following actions have been taken:</p> <ul style="list-style-type: none"> <li>• Has fencing, flagging, signage, or other means to protect sensitive resources been implemented?</li> <li>• Are noise attenuation measures needed to protect sensitive wildlife in place and effective?</li> <li>• Have nesting raptors been identified and necessary maintenance setbacks have been established if maintenance is to occur between February 1 and August 1?</li> </ul> <p>(Mitigation Measure 4.3.13)</p>	N/A	<p>See Attachment E – IBA.</p> <p>The monitoring biologist verified that no sensitive resources had the potential to be impacted by this emergency maintenance.</p> <p>Work occurred outside of the avian breeding season; therefore no bird surveys or noise attenuation measures were required in conformance with the Master Program and PEIR.</p>
16	<p>Have off-site mitigation areas been reviewed to determine if the mitigation would have a significant impact on biological resources located within the disturbance area of the mitigation? If so, have appropriate mitigation measures been proposed to reduce these impacts to below a level of significance? (Mitigation Measures 4.3.14)</p>	N	<p>See response to #11 above and Attachment E – IBA; Mitigation. Mitigation locations and plans for impacts from this emergency channel maintenance have not yet been identified or completed.</p>
17	<p>Does the IBA discuss appropriate actions to offset impacts to listed or endemic sensitive plant species? (Mitigation Measure 4.3.15)</p>	N	<p>See Attachment E – IBA. The emergency channel maintenance area is entirely concrete-lined and the potential for listed or endemic plant species to occur was low.</p>
18	<p>Would maintenance activities meet setback requirements for sensitive species? (Mitigation Measure 4.3.16)</p>	Y	<p>See Attachment E – IBA. Yes, the maintenance activities would meet the setback requirements for sensitive species as no work occurred during the breeding season of sensitive or avian species defined in Mitigation Measure 4.3.16.</p>

## SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST

### MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM

No.	Measure/Criteria	Y/N/NA	Basis for Determination (attach separate sheet(s) as necessary)
19	Would clearing, grubbing, or grading (inside and outside the MHPA) be restricted during the breeding season of the listed species? Have protocol surveys been conducted for other potentially occurring sensitive species? If observed, have adequate mitigation measures been identified in the IBA? (Mitigation Measure 4.3.17)	Y	See Attachment E – IBA. No clearing, grubbing, and grading occurred during the breeding season of any listed species; therefore no protocol surveys were conducted. Therefore, no mitigation measures for these impacts were included in the IBA.
20	Has evidence been submitted to document that protocol surveys have been conducted for potentially occurring sensitive bird species? (Mitigation Measure 4.3.18)	N/A	See response to #19 above; No clearing, grubbing, or grading occurred during the breeding season of any listed species; therefore no protocol surveys were conducted.
21	Has the IBA included appropriate mitigation measures when the potential exists for a sensitive bird species to occur near a proposed maintenance area and no protocol surveys have been conducted? (Mitigation Measures 4.3.19, 20 and 21)	Y	<p>See Attachment E – IBA. The IBA includes avoidance of dredging during the sensitive bird breeding season. With respect to Mitigation Measure 4.3.19, 20, and 21, since work was conducted outside of the avian breeding season and since there was no potential for sensitive species to occur within the emergency impact area, no protocol surveys were conducted.</p> <p>In addition, see response to #15 above in reference to noise attenuation measures for sensitive wildlife.</p>
22	Would removal of any eucalyptus trees or other trees used by raptors for nesting be proposed within the maintenance area? If yes, would maintenance include appropriate setbacks and limitations? (Mitigation Measure 4.3.22)	N	See Attachment E – IBA. Fan palms ( <i>Washingtonia robusta</i> ) were the only non-native trees that were removed and Goodding's black willow ( <i>Salix gooddingii</i> ) were the only native trees that were removed. All work was limited to outside of the avian breeding season to prevent impacts to nesting raptors or other bird species.
23	Would maintenance activities occur at known localities for listed fish species? If yes, would maintenance include appropriate mitigation? (Mitigation Measure 4.3.23)	N	See Attachment E – IBA. There are no known listed fish species occurring within the emergency channel maintenance area.

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST****MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

No.	Measure/Criteria	Y/N/NA	Basis for Determination (attach separate sheet(s) as necessary)
<b>Biological Resources (cont.)</b>			
24	Would maintenance activities occur within areas supporting listed and/or narrow endemic plants? If yes, would maintenance proceed as described in Mitigation Measure 4.3.24?	N	See Attachment E – IBA. Listed/narrow endemic plants were not found and are not expected to be found within the emergency maintenance footprint.
25	If maintenance is proposed during the nesting season of avian species, including those species not covered by the MSCP, does the IBA require maintenance within or adjacent to avian nesting habitat occur outside of the avian breeding season (January 15 to August 31) unless postponing maintenance would result in a threat to human life or property? (Mitigation Measure 4.3.25)	N/A	See Attachment E – IBA. No work occurred during the nesting season of any avian species.
<b>Historical Resources</b>			
26	Has a qualified archaeologist determined the potential for significant historical resources to occur in the maintenance area and prepared an IHA? (Mitigation Measure 4.4.1)	Y	See SCR Memo; Historical Assessment. It was determined that because the entire length of the channel maintenance area is concrete-lined, potential for impacts to significant historical resources was very low.
27	Has an Individual Historical Assessment (IHA) been prepared for the proposed maintenance? (Mitigation Measure 4.4.1)	N	This was an Emergency Channel Maintenance project. The entire length of the channel maintenance area is concrete-lined and potential impacts to significant historical resources were not expected. See Attachment E - SCR Memo; Historical Assessment.
28	If required, has a field survey of the maintenance activity APE been performed by a qualified archaeologist and a Native American monitor? (Mitigation Measure 4.4.1)	N/A	See SCR Memo; Historical Assessment. The entire length of the emergency channel maintenance area is concrete-lined and no impacts to significant historical resources were expected, therefore no field survey was conducted.



**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST**  
**MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

<b>No.</b>	<b>Measure/Criteria</b>	<b>Y/N/NA</b>	<b>Basis for Determination (attach separate sheet(s) as necessary)</b>
29	Has a record search been requested from the South Coastal Information Center (SCIC)? (Mitigation Measure 4.4.1)	N	See SCR Memo; Historical Assessment. This was an Emergency Channel Maintenance project. The entire length of the channel maintenance area is concrete-lined and potential for significant historical resources was low, therefore no record search was requested.
30	Has an archaeological testing program been performed based on the City's Historical Resources Guidelines? (Mitigation Measure 4.4.1)	N	See SCR Memo; Historical Assessment. This was an Emergency Channel Maintenance project. The entire length of the channel maintenance area is concrete-lined and potential for significant historical resources was low, therefore no historical testing program was performed.
31	Have significant historical resources been identified within the proposed maintenance activity APE? If yes, address criteria numbers 36 through 42. If no, proceed to criteria number 43. (Mitigation Measures 4.4.1 and 4.4.2)	N	See SCR Memo; Historical Assessment. This was an Emergency Channel Maintenance project. The entire length of the channel maintenance area is concrete-lined and no significant historical resources were identified within the emergency channel maintenance APE .
32	Has a Principal Investigator (PI) been selected and approved by the SWD and ADD Environmental Designee? (Mitigation Measure 4.4.2.1)	N/A	See SCR Memo; Historical Assessment. The entire length of the emergency channel maintenance area is concrete-lined and no historically significant resources were expected, therefore a PI was not assigned
33	Have mitigation recommendations from the IHA been incorporated into the IMP to the satisfaction of the PI and the ADD Environmental Designee? (Mitigation Measure 4.4.2.2)	N	N/A. See SCR Memo; Historical Assessment. The entire length or the channel maintenance area is concrete-lined, therefore impacts to significant historical resources were not expected.
34	If impacts to significant historical resources cannot be avoided, has the PI prepared and implemented an Archaeological Research Design and Data Recovery Program (ARDDRP) for the affected resources, with input from a Native American consultant (approved by the ADD Environmental Designee? (Mitigation Measure 4.4.2.3)	N/A	N/A. See SCR Memo; Historical Assessment. The entire length or the channel maintenance area is concrete-lined, therefore impacts to significant historical resources were not expected.

## SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST

### MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM

No.	Measure/Criteria	Y/N/NA	Basis for Determination (attach separate sheet(s) as necessary)
35	Has a pre-maintenance meeting been planned and/or conducted on site, including representatives from the PI, Native American consultant, SWD, MMC, Resident Engineer (RE), and MC? (Mitigation Measure 4.4.2.4)	N/A	N/A. See SCR Memo; Historical Assessment. The entire length or the channel maintenance area is concrete-lined, therefore impacts to significant historical resources were not expected.
36	If human remains have been discovered in the course of conducting the ARDDRP, would the procedures set forth in the California Public Resources Code (Sec. 5097.98) and State Health and Safety Code (Sec. 7050.5) be implemented? (Mitigation Measure 4.4.2.5)	N/A	N/A. See SCR Memo; Historical Assessment. The entire length or the channel maintenance area is concrete-lined and no human remains were discovered during maintenance.
37	Will the PI and Archaeologist assume required responsibilities? (Mitigation Measures 4.4.2.6, 4.4.2.7, and 4.4.2.8)	N/A	N/A. See SCR Memo; Historical Assessment. The entire length or the channel maintenance area is concrete-lined, therefore impacts to significant historical resources were not expected.
38	If the IHA identifies a moderate to high potential for the occurrence of significant historical resources within the APE, would mitigation measures be implemented? (Mitigation Measure 4.4.3)	N/A	N/A. See SCR Memo; Historical Assessment. The entire length or the channel maintenance area is concrete-lined, therefore the potential for occurrence of significant historical resources is low and no impacts were not expected.
<b>Land Use</b>			
39	Has the ADD Environmental Designee verified that all MHPA boundaries and limits of work have been delineated on all maintenance documents? (Mitigation Measure 4.1.1)	Y	See Attachment F – Regulatory Permits. There are no MHPA boundaries within or adjacent to the emergency channel maintenance area.
40	Has a qualified biologist (possessing a valid Endangered Species Act Section 10(a)(1)(a) recovery permit) surveyed habitat areas inside and outside the MHPA suspected to serve as habitat for the coastal California gnatcatcher, least Bell's vireo and/or other listed species? (Mitigation Measure 4.1.2)	N/A	See Attachment E - IBA. There are no MHPA boundaries within or adjacent to the emergency channel maintenance area and no work was conducted during the breeding season of any sensitive or avian species.

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST****MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

<b>No.</b>	<b>Measure/Criteria</b>	<b>Y/N/NA</b>	<b>Basis for Determination (attach separate sheet(s) as necessary)</b>
41	Has a qualified acoustician (possessing current noise engineer license or registration with monitoring noise level experience with listed animal species) performed a noise analysis for the proposed maintenance activity? (Mitigation Measure 4.1.3)	N/A	See SCR Memo; Noise Assessment. No work was conducted during the breeding season of any sensitive or avian species, therefore no technical noise analysis was conducted.
42	Would the proposed maintenance have the potential to impact breeding activities of listed species? If yes, would maintenance activities be restricted to the breeding season? (Mitigation Measure 4.1.4)	N	See #40&41 above. See also Attachment E - IBA. No work was conducted during the breeding season of any listed or avian species.
<b>Master Program PEIR Mitigation, Monitoring, and Reporting Program</b>			
43	If maintenance cannot be avoided during an identified breeding season for a listed bird which is determined to be potentially significantly affected by maintenance, would the appropriate measures be taken? (Mitigation Measure 4.1.5)	N/A	See #40, 41, & 42 above. See also Attachment E - IBA. No work was conducted during the breeding season of any listed or avian species.
44	Has a pre-maintenance meeting been planned and/or conducted, including the MC, Project Biologist, and City representative? (Mitigation Measure 4.1.6)	Y	See Attachment E – IBA. The pre-maintenance meeting, attended by participants required in Mitigation Measure 4.1.6, was planned and conducted on site on the first day of emergency maintenance (12/27/2015).
45	Does the IMP include appropriate maintenance designs? (Mitigation Measure 4.1.7)	Y	See Attachment E – IBA and SCR Memo; Individual Maintenance Plan.
46	Has the ADD Environmental Designee verified that the MHPA boundaries and the requirements regarding coastal California gnatcatcher been included in the IMP and/or IBA? (Mitigation Measure 4.1.8)	Y	See Attachment E – IBA and Attachment F – Regulatory Permits.

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST****MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

No.	Measure/Criteria	Y/N/NA	Basis for Determination (attach separate sheet(s) as necessary)
<b>Master Program Protocols</b>			
<b>Water Quality</b>			
47	Does the IMP include measures to stabilize designated access roads (or other graded areas) with permeable protective surfacing (e.g., grasscrete), storm water diversion structures (e.g., brow ditches or berms), or crossing structures (e.g., culverts) to control erosion and prevent off-site sediment transport? (WQ-1)	Y	See Attachment E – IBA and SCR Memo; Individual Maintenance Plan. Since this work was conducted as emergency channel maintenance, no Water Pollution Control Plan was drafted.
48	Does the IMP include measures to prevent off-site sediment transport during maintenance through the use erosion and sediment controls within storm water facilities, along access routes and around stockpile/staging areas? Will temporary erosion or sediment control measures be removed upon completion of maintenance unless their removal would result in greater environmental impact than leaving them in place? (WQ-2)	Y	See Attachment E – IBA and SCR Memo; Individual Maintenance Plan.
49	Does the IMP require storage of BMP materials on-site in a way that provides complete protection of exposed areas and prevent off-site sediment transport? (WQ-3)	Y	See SCR Memo; Individual Maintenance Plan.
50	Does the IMP require training for personnel responsible for the proper installation, inspection, and maintenance of on-site BMPs. (WQ-4)	Y	See SCR Memo; Individual Maintenance Plan.
51	Does the IMP require revegetation of spoil and staging areas within 30 days of completion of maintenance activities? Does it require monitoring and maintenance of revegetated areas for a period of not less than 25 months following planting? (WQ-5)	N/A	See Attachment E – IBA. No revegetation was required as part of this maintenance because all impacts and staging occurred on developed or concrete-lined areas.

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST****MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

<b>No.</b>	<b>Measure/Criteria</b>	<b>Y/N/NA</b>	<b>Basis for Determination (attach separate sheet(s) as necessary)</b>
52	Does the IMP require sampling and analysis; monitoring and reporting; and post-maintenance management programs per National Pollutant Discharge Elimination System (NPDES) and/or City requirements? (WQ-6)	N/A	Since all work was conducted when there was no flowing water in the channel, no storm water was discharged from the maintenance area and no such sampling/analysis was required. There was a small section of water that was unplugged by vegetation clearing and flowed downstream, however this was filtered by downstream sandbags and as such did not discharge sediment or pollutants downstream.
53	Does the IMP prohibit storing hazardous materials used during maintenance within 50 feet from storm water facilities? Does it require hazardous materials to be managed and stored in accordance with applicable local, state and federal regulations? (WQ-7)	Y	See SCR Memo.
54	Does the IMP prohibit storage of maintenance-related trash in areas within 50 feet from storm water facilities, and require removal of trash in receptacles at least weekly? (WQ-8)	Y	See SCR Memo.
55	Does the IMP require installation of any check dam or other comparable mechanism identified in the corresponding IHHA? Are these structures required to be removed when vegetation growth has reached a point where the structure is no longer required unless removal would result in greater environmental harm than leaving them in place? (WQ-9)	N	See SCR Memo.
56	Does the IMP require inspection of earthen-bottom storm water facilities within 30 days of the first 2-year storm following maintenance? Are erosion control measures recommended by the field engineer incorporated into the IMP? (WQ-10)	N/A	See Attachment E – IBA. The entire length of the emergency channel maintenance area is concrete-lined.
57	Does the IMP incorporate mitigation measures identified in the IWQA and/or Table 4.8-8 of the PEIR?	Y	See SCR Memo.

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST****MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

<b>No.</b>	<b>Measure/Criteria</b>	<b>Y/N/NA</b>	<b>Basis for Determination (attach separate sheet(s) as necessary)</b>
<b>Master Program Protocols (cont.)</b>			
<b>Biological Resource Protection</b>			
58	Does the IMP restrict vehicles to access designated in the Master Program? (BIO-1)	Y	See Attachment F - Regulatory Permits and SCR Memo; Individual Maintenance Plan. All vehicles were restricted to access areas defined in the agency emergency permit applications.
59	Does the IMP require delineation and flagging of all sensitive biological resources to remain within or adjacent to the maintenance area? (BIO-2)	N/A	See Attachment E – IBA and SCR Memo; Individual Maintenance Plan. No sensitive biological resources were identified within or adjacent to the maintenance area.
60	Does the IMP require a pre-maintenance meeting when maintenance will occur within or adjacent to sensitive biological resources? (BIO-3)	Y	Refer to #59 above. No sensitive biological resources were identified within or adjacent to the maintenance area.
61	Are erosion control measures designed to avoid introduction of invasive plant species? (BIO-4)	Y	See Attachment E - IBA.
62	Does the IMP require conducting pre-maintenance protocol surveys if maintenance is proposed during the breeding season of a sensitive animal species? (BIO-5)	N/A	See Attachment E – IBA. No work was conducted during the breeding season of any sensitive or avian species.
63	If arundo will be removed during maintenance, does the IMP include appropriate removal methods to minimize downstream dispersal? (BIO-6)	N/A	See Attachment E – IBA. No Arundo was removed as part of this emergency maintenance.
64	Does the IMP prohibit the use of mechanized maintenance within 300 feet of a Cooper's hawk nest, 900 feet of a northern harrier's nest, or 500 feet of any other raptor's nest until any fledglings have left the nest? (BIO-7)	N/A	See Attachment E – IBA. No work was conducted during the breeding season of any avian species.
65	Does the IMP include measures to minimize the potential for entrapping wildlife when implementing erosion control measures? (BIO-8).	Y	See SCR Memo; Individual Maintenance Plan. All BMPs were installed within developed areas or within the concrete channel; therefore the potential for entrapping wildlife while implementing any erosion control measures was low.

**SUBSTANTIAL CONFORMANCE REVIEW CHECKLIST**  
**MASTER STORM WATER SYSTEM MAINTENANCE PROGRAM**

No.	Measure/Criteria	Y/N/NA	Basis for Determination (attach separate sheet(s) as necessary)
<b>Historical Resource Protection</b>			
66	Does the IMP call for flagging, capping, or fencing of all historical resource areas in the field prior to initiation of maintenance activities in the presence of a qualified historical resource specialist, as necessary)? (HIST-1)	N	N/A. See SCR Memo; Historical Assessment. The entire length or the channel maintenance area is concrete-lined, therefore there were no historical resource areas.
67	Does the IMP require a pre-maintenance meeting on-site when maintenance activities are determined in the IHA to potentially impact historic resources? (HIST-2)	Y	N/A. See SCR Memo; Historical Assessment. The entire length or the channel maintenance area is concrete-lined, therefore impacts to significant historical resources were not expected and no pre-maintenance meeting was conducted.
<b>Waste Management</b>			
68	Does the IMP call for disposal of compostable green waste material at an approved composting facility, if available? (WM-1)	Y	See SCR Memo; Individual Maintenance Plan.
69	Does the IMP call for screening of soil, sand, and silt to remove waste debris and, wherever possible, to be re-used as fill material, aggregate, or other raw material? (WM-2)	Y	This work was conducted as an Emergency Channel Maintenance project and there was no opportunity for the re-use of material during construction. See Attachment F - Regulatory Permits and SCR Memo.
70	Does the IMP call for separation and transport of waste tires to an appropriate disposal facility, including the completion of a Comprehensive Trip Log (CTL) if more than nine tires are in a vehicle or waste bin at any one time? (WM-3)	Y	This work was conducted as an Emergency Channel Maintenance project and no tires were encountered during maintenance. See Attachment F - Regulatory Permits and SCR Memo; Individual Maintenance Plan.
71	Does the IMP require hazardous materials encountered during maintenance to be logged under a hazardous materials manifest and transported to an approved hazardous waste storage, recycling, treatment or disposal facility? (WM-4)	Y	See SCR Memo; Individual Maintenance Plan. Spill containment materials were available during emergency maintenance; however no hazardous materials were encountered during maintenance.

