

THE CITY OF SAN DIEGO

Report to the Planning Commission

DATE ISSUED:	January 17, 2019	REPORT NO. PC-19-001
HEARING DATE:	January 24, 2019	
SUBJECT:	ISLAND COURT BAYSIDE CDP/TM - Process TI	hree Decision
PROJECT NUMBER:	600832 <u>https://opendsd.sandiego.gov/Web/Proj</u>	iects/Details/600832
REFERENCE:	Hearing Officer Report No. HO-18-105	
OWNER/APPLICANT:	Anil K. Dutta	

SUMMARY

<u>Issue:</u> Should the Planning Commission approve or deny an appeal of the Hearing Officer's decision to approve Coastal Development Permit No. 2124341 and Tentative Map No. 2164319, to demolish two existing residential units and construct a new, three-story, four-dwelling-unit building with roof deck, for a total of 5,096-square feet, located at 821-827 Island Court in the Mission Beach Planned District Residential-Southern (MBPD-R-S) Zone, Coastal Overlay (appealable area), Beach Impact Area of the Parking Impact Overlay, Residential Tandem Parking Overlay, and Transit Overlay zone within the Mission Beach Community Plan?

<u>Staff Recommendation:</u> Deny the appeal, uphold the Hearing Officer's decision and Approve Coastal Development Permit No. 2124341 and Tentative Map No. 2164319.

<u>Community Planning Group Recommendation</u>: On July 29, 2018, the Mission Beach Community Planning Board voted 11-0-0 to recommend approval of the proposed project, without conditions.

<u>Environmental Review</u>: This project was determined to be categorically exempt from the California Environmental Quality Act (CEQA) pursuant to Section 15303 (New construction or conversion of small structures). This project is not pending an appeal of the environmental determination. The environmental exemption determination for this project was made on October 10, 2018, and the opportunity to appeal that determination ended October 24, 2018.

<u>Fiscal Impact Statement</u>: None. All staff costs associated with the processing of this project is paid from a deposit account maintained by the applicant.

<u>Housing Impact Statement</u>: The project will provide four for sale residential units, versus four residential units for rent.

BACKGROUND

The Hearing Officer Report No. HO-18-105 (Attachment 1) includes all project specific background and analysis of the Coastal Development Permit (CDP) and the Tentative Map (TM) requirements, and necessary findings by which staff recommend approval of the project. The proposed project is in an area identified as low medium density (36 Dwelling Units per acre) residential in the Mission Beach Community Plan and is consistent with that land use. The project is surrounded by both single-family and multi-family residential development. The project site is designated Multiple Use in the General Plan and is consistent with existing General Plan designations by providing single family residential housing within a medium-low density range within a coastal urbanized core of the City. The project complies will all required Subdivision Map Act Requirements and all San Diego Municipal Code regulations. No deviations were requested for approval of the project.

On November 7, 2018, the Island Court Bayside TM/CDP application was presented to the Hearing Officer of the City of San Diego at a notice public hearing. After hearing public testimony, both in support and opposition, and upon close of public testimony, the Hearing Officer approved CDP No. 2124341 and TM No. 2164319.

On November 21, 2018, M.W. Barnes filed an appeal of the Hearing Officer decision to approve Coastal Development Permit No. 2124341 and Tentative Map No. 2164319.

DISCUSSION

This item is an appeal of the Hearing Officer's November 7, 2018, decision to approve the CDP and TM. On November 21, 2018, M.W. Barnes, filed an appeal of the Hearing Officer's decision on the ground of Factual Error, Conflict with other matters, Findings Not Supported, and New Information (Attachment 2). The following are the appeal issues and responses from City Staff.

Appeal Issue # 1: *"Appeal to CEQA Exemption-No notice of CEQA proceeding. Final notice done until after CEQA appeal period ended."*

Staff Response: In accordance with SDMC <u>Section 112.0310</u>, the Notice of Right to Appeal the Environmental Determination was posted on October 10, 2018, on the third floor lobby of the Development Services Department, which is located at 1222 1st Avenue, San Diego, Ca. 92101, on the City of San Diego's Development Services Department Website, and was emailed to the Mission Beach Community Planning Board, Council District 2 Offices, and all interested parties that requested a copy. The environmental exemption determination for this project was made on October 10, 2018, and the opportunity to appeal that determination ended October 24, 2018.

Appeal Issue #2: "Barnes repeatedly requested notice of all hearings asked for plan maps, dates of plan, Mission Beach Planning Board hearings by mail – Barnes is elderly does not drive or use the internet.

Asked & did not receive phone notices or mail of MBPB meetings. Asked of Council offices, MBP Board & Development Services."

Staff Responses: In accordance with SDMC <u>Sections 112.0303</u>, and 112.0303, when the Land Development Code requires a Notice of Application, Notice of Future Decision, Notice of Public Hearing, or other mailed notice, the notice shall be postage prepaid and addressed to the persons identified in Section 112.0302(b). Notice by mail shall be considered complete at the time of deposit in the United States Mail. Notice of the public hearing was sent to all those required to receive the public notice by US mail. At the Hearing Officer hearing on November 7, 2018, the representative for Ms. Barnes stated on the record that she received the notice of application and the Hearing Officer Notice for the public hearing held on November 7, 2018.

When the Land Development Code requires a Notice of Public Hearing to be published, the City shall submit the Notice of Public Hearing for publication in at least one newspaper of general daily circulation within the City. A published notice is effective on the date of publication. In accordance with these requirements, the public notice for the hearing was noticed in the San Diego Daily Journal on October 17, 2018 and posted in the lobby of the Development Services Department located at 1222 1st Avenue, San Diego, Ca. 92101.

The Mission Beach Community Planning Board and all City of San Diego Community Planning Groups are not regulated by the SDMC and do not have the same noticing requirements for their meetings as are detailed above. However, pursuant to the Brown Act, the Community Planning Groups are required to send copies of their agendas to anyone who has requested them.

Appeal Issue # 3: "Not ADA compliant. Plan out of compliance inconsistent with Mission Beach Process Plan stated goals: to protect breezeways, views, limit noises, reduce bulk of construction, retain neighborhood character, etc."

Staff Responses: The project will be reviewed for all ADA regulations during the structural review of the project. The structural review would take place during the ministerial review process and during the construction permitting process. The project would be considered to be Covered Multi-Family Dwelling Units and would be required to adhere to <u>Chapter 11A of the California Building Code</u>. In addition, the project with have to comply with all noise regulations as described in SDMC <u>Section</u> <u>59.5.0401</u> et e seq.

No deviations are being requested with approval of this project. The proposed lot size is consistent with the required Mission Beach Planned District Residential-Southern (MBPD-R-S) Zone minimum lot size of 5,000-squre-feet and has adequate width and depth and is conditioned to installadequate public improvements prior to the recordation of a parcel map.

The Mission Beach Community Plan, the adopted Local Coastal Program land use plan, does not identify any public views from this private property to and along the ocean which is approximately several blocks westerly of the site or other scenic coastal areas of which there are none. In addition, the proposed coastal development will not degrade and will not remove, eliminate, or detract any protected public views to and along the ocean and other scenic coastal areas as specified in the

Local Coastal Program land use plan from this site. The Mission Beach Community Plan designates the site for residential development. The City of San Diego Progress Guide and General Plan, the Mission Beach Community Plan and Local Coastal Program designate the site for medium low-density residential with regulations for minimum lot size and dimensional criteria. The project proposes to demolish two existing residential units and construct a new, three-story, four-dwelling-unit building with roof deck, for a total of 5,096-square-feet. Both multi-family and single-family residential development are the primary existing land uses in the immediate neighborhood. The project will be compatible with the appearance of the existing neighborhood and will incorporate façade, articulation, and architectural details similar in scale, color and appearance of the existing neighborhood.

The project will not conflict with the relevant land use plans and will be developed in accordance with the policies of the Mission Beach Community Plan. The project does not conflict with the relevant land use plans. Therefore, the proposed development is in conformity with the certified Local Coastal Program land use plan and complies with all regulations of the certified Implementation Program.

Appeal Issue # 4: "Barnes has one of few protected view sheds. plan does not conform to municipal code (protect historical nature of area) in several key areas which shall be outlined in additional document. Hearing officer asked applicant to provide Barnes with hard copy of plan – that was not done. – plan out of character w/neighborhood – roof top rattles – intrusive noisy."

Staff Responses: The City of San Diego does not protect private views. No view corridors are identified in the Mission Beach Community plan for the project site.

No additional documents have been submitted to date.

On November 7, 2018, the Hearing Officer did request the applicants to provide the appellants a copy of the project plans after the hearing. Staff's understanding is that the applicant met with the appealing parties at the project site to provide the project plans and to discuss the project. Staff was not at the meeting and cannot speak to the transfer of plans between the two parties. Both parties should be at the hearing. Staff cannot copy plans due to copyright issues. However, staff did meet with Ms. Barnes representative to review of all the project plans.

The project will not conflict with the relevant land use plans and will be developed in accordance with the policies of the Mission Beach Community Plan. The project does not conflict with the relevant land use plans. Therefore, the proposed development is in conformity with the certified Local Coastal Program land use plan and complies with all regulations of the certified Implementation Program.

Appeal Issue # 5: New information – property next to subject property not noticed – encroachment issue inconsistent with commenters city plans for affordable housing mix – applicant use. New info keeps coming out.

Staff Responses: Comment noted. In accordance with SDMC Sections <u>112.0303</u>, and <u>112.0303</u>;

when the Land Development Code requires a Notice of Application, Notice of Future Decision, Notice of Public Hearing, or other mailed notice, the notice shall be postage prepaid and addressed to the persons identified in Section 112.0302(b). Notice by mail shall be considered complete at the time of deposit in the United States Mail. Notice of the public hearing was sent to all those required to receive the public notice by US mail.

Conclusion:

City staff has reviewed the application for a Coastal Development Permit and Tentative Map to demolish two existing residential units and construct a new, three-story, four-dwelling-unit building with roof deck at this location and has determined that the project is consistent with the recommended land use and development standards in effect for this site per the State Map Act and the San Diego Municipal code, including height, setbacks, view corridors and noticing requirements. The Coastal Development Permit and Tentative Map resolutions have been prepared with draft findings (Attachment 1) for consideration. Staff recommends that the Planning Commission deny the appeal and uphold the Hearing Officer's decision to approve Tentative Map No. 2164319 and Coastal Development Permit No. 2124341.

- 1. Uphold the Hearing Officer's decision to approve Tentative Map No. 2164319 and Coastal Development Permit No. 2124341.
- 2. Approve the appeal and deny Tentative Map No. 2164319 and Coastal Development Permit No. 2124341.

Respectfully submitted,

P.I. FitzGerald

Assistant Deputy Director Development Services Department

Derrick Johnson Derrick Johnson (D.J.) **Development Project Manager Development Services Department**

Attachments:

×.

- 1. Hearing Officer Report No. HO-18-105
- 2. Copy of Appeal Application
- 3. Project Renderings



THE CITY OF SAN DIEGO

Report to the Hearing Officer

<u>SUMMARY</u>

<u>Issues</u>: Should the Hearing Officer approve Coastal Development Permit No. 2124341 and Tentative Map No. 2164319 to demolish two existing residential units and construct a new, three-story, four-dwelling-unit building with roof deck, for a total of 5,096 square feet, located at 821-827 Island Court in the Mission Beach Planned District Residential-Southern (MBPD-R-S) Zone, Coastal Overlay (appealable area), Beach Impact Area of the Parking Impact Overlay, Residential Tandem Parking Overlay, and Transit Overlay zone within the Mission Beach Community Plan?

Staff Recommendations:

- 1. Approve Tentative Map No. 2164319.
- 2. Approve Coastal Development Permit No. 2124341.

<u>Community Planning Group Recommendation</u>: On July 29, 2018, the Mission Beach Community Planning Board voted 11-0-0 to recommend approval of the proposed project, without conditions.

Environmental Review:

This project was determined to be categorically exempt from the California Environmental Quality Act (CEQA) pursuant to Section 15303 (New construction or conversion of small structures). This project is not pending an appeal of the environmental determination. The environmental exemption determination for this project was made on October 10, 2018, and the opportunity to appeal that determination ended October 24, 2018, (Attachment 9).

BACKGROUND

The 0.11-acre site is located at 821-827 Island Court in the Mission Beach Planned District Residential-Southern (MBPD-R-S), Coastal Overly (appealable area), Beach Impact Area of the Parking Impact Overlay, Residential Tandem Parking Overlay, and Transit Overlay zone of the Mission Beach Community Plan area (Attachment 1). The proposed project is in an area identified as low medium density (36 Dwelling Units per acre) residential in the Mission Beach Community Plan and is consistent with that land use (Attachment 2). The project is surrounded by both single-family and multi-family residential development (Attachment 3). The project site is designated Multiple Use in the General Plan and is consistent with existing General Plan designations by providing single family residential housing within a medium-low density range within a coastal urbanized core of the City. The project complies will all required Subdivision Map Act Requirements and all San Diego Municipal Code regulations.

The existing residences located at 821-827 Island Court are not historically designated resources and are not located within a designated historical district. However, the San Diego Municipal Code requires City staff to review all projects impacting a parcel that contains a structure 45 years old or older to determine whether a potentially significant historical resource exists on site prior to issuance of a permit. Staff determined the property does not meet local designation criteria as an individually significant resource under any adopted Historical Resources Board Criteria.

DISCUSSION

The applicant is requesting the approval of a Tentative Map per San Diego Municipal Code (SDMC) Section <u>125.0410</u> to allow the subdivision of a 0.11-acre site into one parcel. The project also requires approval of a Coastal Development Permit (CDP) per SDMC Section <u>126.0702</u>(a), to demolish two existing residential units and construct a new, three-story, four-dwelling-unit building with roof deck, for a total of 5,096-square-feet. The project site is designated Multiple Use in the General Plan and is consistent with existing General Plan designations by providing housing within a low medium density range within a coastal urbanized core of the City.

The Mission Beach Community Plan does not provide specific recommendations regarding development requirements, other than general guidelines for the inclusion of building articulation and design compatibility. The project design incorporates balconies, glazing area, multiple offsetting planes, and materials and finishes that will provide visual interest and reduce the perceived bulk and scale of the existing residences. The project will be compatible with existing land uses in the immediate neighborhood and will not constitute a disruptive element to the neighborhood and community. Architectural harmony with the surrounding neighborhood and community will be achieved as far as practicable.

In addition, the proposed project will provide an opportunity for home ownership which is consistent with the General Plan, Housing Element, Goal No. 4: "to provide affordable housing opportunities consistent with a land use pattern which promotes infill development and socioeconomic equity; and facilitate compliance with all applicable federal, state, and local laws and regulations". The new residential development is a use that is compatible with Multi-Family Residential uses expected to be found in the Mission Beach area community.

Page 3

The Transportation Element of the Community Plan recommends that off-street parking should be screened from the public right-of-way and adjacent residences. Of the eight total parking spaces provided all are accessed via the alley and are partially covered. The project was reviewed by staff and determined to be in conformance with the Mission Beach Planned District Residential-Southern (MBPD-R-S) Zone development regulations.

The proposed lot size is consistent with the required Mission Beach Planned District Residential-Southern (MBPD-R-S) Zone minimum lot size of 5,000-squre-feet and has adequate width and depth and are conditioned to installadequate public improvements prior to the recordation of a parcel map (Attachment 4).

All necessary public improvements are included as project conditions, and all public utilities required to service the site are available. The project was determined to be exempt from CEQA pursuant to CEQA Guidelines Section 15303 (New construction or conversion of small structures), and there was no appeal of the environmental determination filed within the time period provided by San Diego Municipal Code Section <u>112.0520</u>. The proposed Coastal Development permit includes conditions of approval and exhibits to achieve compliance with the SDMC regulations applicable to this project. Compliance with the permit conditions would protect the health, safety and general welfare of persons residing or working in the surrounding area (Attachment 6).

The San Diego Municipal Code (SDMC) Section <u>144.0240</u> allows the subdivider to apply for a waiver from the requirement to underground existing overhead utilities within the boundary of the subdivision or within the abutting public rights of way. City staff has determined that the requested waiver of the requirements to underground privately owned utility systems and services facilities qualifies under the guidelines of SDMC Section <u>144.0242</u>(c) (1) (B) as follows: The conversion involves a short span of overhead facility (less than a full block in length) and would not represent a logical extension to an underground facility. Notwithstanding the requested waiver, the project is required to underground any new service run to any new or proposed structures within the subdivision per Condition No. 8 of the Tentative Map. The City's Undergrounding Master Plan list an estimated date for undergrounding for this in the year 2022, under <u>Project ID No. UU982</u>.

CONCLUSION

City staff has reviewed the application for a Coastal Development Permit and Tentative Map to the allow subdivision of a 0.11-acre site into one (1) lot for a four-unit residential condominium development and has determined that the subdivision application is consistent with the land use designation and development regulations in effect for this site per the State Map Act and the San Diego Municipal Code. Staff recommends that the Hearing Officer approve Tentative Map No. 2164319 and Coastal Development Permit No. 2124341.

ALTERNATIVES

- 1. Approve Tentative Map No. 2164319 and Coastal Development Permit No. 2124341, with modifications.
- 2. Deny Tentative Map No. 2164319 and Coastal Development Permit No. 2124341, if the findings required to approve the project cannot be affirmed.

Respectfully submitted,

Mars the fr

Derrick Johnson (D.J), Development Project Manager

Attachments:

- 1. Project Location Map
- 2. Community Plan Land Use Map
- 3. Aerial Photograph
- 4. Project Data Sheet
- 5. Draft Resolution with Findings
- 6. Draft Permit with Conditions
- 7. Draft Map Resolution
- 8. Draft Map Conditions
- 9. Environmental Exemption
- 10. Community Planning Group Recommendation
- 11. Ownership Disclosure Statement
- 12. Project Plans
- 13. Map Exhibit-Tentative Map



AT PATAGAMENT 1



Mission Beach Precise Plan



Land Use Map

Island Court Bayside – CDP TM / 821 – 827 Island Court PROJECT NO. 600832





ANTTAXCH INVERNIT 3

PROJECT DATA	SHEET	
PROJECT NAME:	Island Court Bayside	
PROJECT DESCRIPTION:	Map for the demolition of two ex a new three-story with roof deck, building, totaling 5,096-square-fe The 0.11 acre site is located in the	et, located at 821-827 Island Court.
COMMUNITY PLAN AREA:	Mission Beach	
DISCRETIONARY ACTIONS:	CDP & Tentative Map – Process 3	
COMMUNITY PLAN LAND USE DESIGNATION:	Residential	
ZONE: Residen	ZONING INFORMATION:	
HEIGHT LIMIT: 30-Foot m	•	
	uare-foot minimum lot size (2 exist	ing lots totaling 4,708 SF)
	mum (5,280 SF), 1.06 (5,160 SF Pro	3 3 1
FRONT SETBACK: 15 feet (A	dditional 45* angle setback at 20' a	bove grade)
SIDE SETBACK: 6 ft minin	num	
STREETSIDE SETBACK: N/A		
REAR SETBACK: 0 required		
PARKING: 8 spaces	s required	
ADJACENT PROPERTIES:	LAND USE DESIGNATION & ZONE	EXISTING LAND USE
NORTH:	Residential; MBPD-R-S	Residential
SOUTH:	Mixed Commercial; MBPD-VC-S	Commercial (Parking Lot of drive thru)
EAST:	Residential; MBPD-R-S	Residential
WEST:	Residential; MBPD-R-S	Residential
DEVIATIONS OR VARIANCES REQUESTED:	None	
COMMUNITY PLANNING GROUP RECOMMENDATION:	The Mission Beach Comm to approve the project. o	nunity Planning Group Voted 11-0-0 n July 29, 2018.

ATTACHMENT 1 ATTACHMENT 5

HEARING OFFICER RESOLUTION NO. _____ COASTAL DEVELOPMENT PERMIT No. 2124341 ISLAND COURT BAYSIDE CDP/TM -PROJECT NO. 600832

WHEREAS, Anvil K Dutta, Owner/Permittee, filed an application with the City of San Diego for a permit to demolish two existing residential units and construct a new, three-story, four-dwellingunit building with roof deck, for a total of 5,096 square feet (as described in and by reference to the approved Exhibits "A" and corresponding conditions of approval for the associated Permit No. 2124341 on portions of a 0.11-acre site;

WHEREAS, the project site is located at 821-827 Island Court in the Mission Beach Planned District Residential-Southern (MBPD-R-S), Coastal Overly (appealable area), Beach Impact Area of the Parking Impact Overlay, Residential Tandem Parking Overlay, and Transit Overlay zone, within the Mission Beach Community Plan area;

WHEREAS, the project site is legally described as Lot H, Block 97 Mission Beach, Map No 1651, County of San Diego, recorded on December 14, 1914;

WHEREAS, on October 10, 2018, the City of San Diego, as Lead Agency, through the Development Services Department, made and issued an Environmental Determination that the project is exempt from the California Environmental Quality Act (CEQA) (Public Resources Code Section 21000 et seq.) under CEQA Guideline Section 15303 (New construction or conversion of small structures) and there was no appeal of the Environmental Determination filed within the time period provided by San Diego Municipal Code Section 112.0520;

WHEREAS, on November 7, 2018, the Hearing Officer of the City of San Diego considered Coastal Development Permit No. 2124341, pursuant to the Land Development Code of the City of San Diego; NOW, THEREFORE, BE IT RESOLVED by the Hearing Officer of the City of San Diego, that it adopts the following

findings with respect to Coastal Development Permit No. 2124341:

COASTAL DEVELOMENT PERMIT FINDINGS – SDMC SECTION 126.0701

1. The proposed coastal development will not encroach upon any existing physical access way that is legally used by the public or any proposed public access way identified in a Local Coastal Program land use plan; and the proposed coastal development will enhance and protect public views to and along the ocean and other scenic coastal areas as specified in the Local Coastal Program land use plan.

The project proposes to demolish two existing residential units and construct a new, three-story, four-dwelling-unit building with roof deck, for a total of 5,096-square-feet. The Mission Beach Community Plan does not identify any existing or proposed physical access way from this site to any coastal resource and there are no public access easements recorded on the title of the property. No physical access routes are identified through the property in the Mission Beach Community Plan or Local Coastal Program Land Use Plan. Therefore, the proposed coastal development will not encroach upon any existing physical accessway that is legally used by the public or any proposed public access way identified in a Local Coastal Program land use plan. Furthermore, the Mission Beach Community Plan, the adopted Local Coastal Program land use plan, does not identify any public views from this private property to and along the ocean which is approximately several blocks westerly of the site or other scenic coastal areas of which there are none. In addition, the proposed coastal development will not degrade and will not remove, eliminate, or detract any protected public views to and along the ocean and other scenic coastal areas as specified in the Local Coastal Program land use plan from this site.

2. The proposed coastal development will not adversely affect environmentally sensitive lands.

The subject site does not contain nor is it adjacent to any environmentally sensitive lands. The project is within an urbanized area and is not located in or adjacent to the Multi Habitat Planning Area. Both single-family and multi-residential development are the primary existing land uses of the immediate neighborhood and the proposed residential development maintains that development pattern. In addition, the majority of the site's runoff will be treated by flowing over landscaping, then it will be collected in a catch basin at the rear and will be pumped to the curb outlet at the front of the residence to the alley. The project has been designed to ensure all drainage from unimproved areas will be appropriately collected and discharged to reduce, control, or mitigate erosion. The proposed coastal development will not adversely affect environmentally sensitive lands, as no such resources exist on the project site.

3. The proposed coastal Development is in conformity with the certified Local Coastal Program land use plan and complies with all regulations of the certified Implementation Program. The Mission Beach Community Plan designates the site for residential development. The City of San Diego Progress Guide and General Plan, the Mission Beach Community Plan and Local Coastal Program designate the site for medium low-density residential with regulations for minimum lot size and dimensional criteria. The project proposes to demolish two existing residential units and construct a new, three-story, four-dwelling-unit building with roof deck, for a total of 5,096-square-feet. Both multi-family and single-family residential development are the primary existing land uses in the immediate neighborhood. The project will be compatible with the appearance of the existing neighborhood and will incorporate façade, articulation, and architectural details similar in scale, color and appearance of the existing neighborhood.

The project will not conflict with the relevant land use plans and will be developed in accordance with the policies of the Mission Beach Community Plan. The project does not conflict with the relevant land use plans. Therefore, the proposed development is in conformity with the certified Local Coastal Program land use plan and complies with all regulations of the certified Implementation Program.

4. For every Coastal Development Permit issued for any coastal development between the nearest public road and the sea or the shoreline of any body of water located within the Coastal Overlay Zone the coastal development is in conformity with the public access and public recreation policies of Chapter 3 of the California Coastal Act.

The project site is not located between the nearest public road and the shoreline of a body of water. The site does not contain a physical public access way and is not within or adjacent to any public recreation area. The project does not propose to encroach into any public access way to the ocean which is approximately several blocks westerly of the site. The project is a private development on privately owned land. The Mission Beach Community Plan and Local Coastal Program do not designate any coastal access to the beach. Therefore, the development is in conformity with the public access and public recreation policies of Chapter 3 of the California Coastal Act.

The above findings are supported by the minutes, maps and exhibits, all of which are incorporated herein by this reference.

BE IT FURTHER RESOLVED that, based on the findings hereinbefore adopted by the Hearing

Officer, Coastal Development Permit No. 2124341, is hereby GRANTED by the Hearing Officer to the

referenced Owner/Permittee, in the form, exhibits, terms and conditions as set forth in Permit No.

2124341, a copy of which is attached hereto and made a part hereof.

ATTACHMENT 1 ATTACHMENT 5

Derrick Johnson (D.J.) Development Project Manager Development Services

Adopted on: November 7, 2018

IO#: 24007777

RECORDING REQUESTED BY CITY OF SAN DIEGO DEVELOPMENT SERVICES PERMIT INTAKE, MAIL STATION 501

WHEN RECORDED MAIL TO PROJECT MANAGEMENT PERMIT CLERK MAIL STATION 501

INTERNAL ORDER NUMBER: 24007777

SPACE ABOVE THIS LINE FOR RECORDER'S USE

COASTAL DEVELOPMENT PERMIT NO. 2124341 ISLAND COURT BAYSIDE NO. 600832 HEARING OFFICER

This Coastal Development Permit No. 2124341 is granted by the Hearing Officer of the City of San Diego to Anil K, Dutta Owner/Permittee, pursuant to San Diego Municipal Code [SDMC] section 126.0702. The 0.11-acre site is located at 821-827 Island Court in the Mission Beach Planned District Residential-Southern (MBPD-R-S), Coastal Overly (appealable area), Beach Impact Area of the Parking Impact Overlay, Residential Tandem Parking Overlay, and Transit Overlay zone, within the Mission Beach Community Plan area. The project site is legally described as; Lot H, Block 97 Mission Beach, Map No 1651, County of San Diego, recorded on December 14, 1914; and

Subject to the terms and conditions set forth in this Permit, permission is granted to Owner/Permittee to demolish two existing residential units and construct a new, three-story, fourdwelling-unit building with roof deck, for a total of 5,096-square-feet, described and identified by size, dimension, quantity, type, and location on the approved exhibits [Exhibit "A"] dated November 7, 2018, on file in the Development Services Department.

The project shall include:

- a. A three-story, four-unit residential building, totaling 5,096 square feet with roof deck;
- b. Landscaping (planting, irrigation and landscape related improvements);
- c. Off-street parking; and
- d. Public and private accessory improvements determined by the Development Services Department to be consistent with the land use and development standards for this site in accordance with the adopted community plan, the California Environmental Quality Act [CEQA] and the CEQA Guidelines, the City Engineer's requirements, zoning regulations, conditions of this Permit, and any other applicable regulations of the SDMC.

STANDARD REQUIREMENTS:

1. This permit must be utilized within thirty-six (36) months after the date on which all rights of appeal have expired. If this permit is not utilized in accordance with Chapter 12, Article 6, Division 1 of the SDMC within the 36-month period, this permit shall be void unless an Extension of Time has been granted. Any such Extension of Time must meet all SDMC requirements and applicable guidelines in effect at the time the extension is considered by the appropriate decision maker. This permit must be utilized by November 23, 2021.

2. This Coastal Development Permit shall become effective on the eleventh working day following receipt by the California Coastal Commission of the Notice of Final Action or following all appeals.

3. No permit for the construction, occupancy, or operation of any facility or improvement described herein shall be granted, nor shall any activity authorized by this Permit be conducted on the premises until:

- a. The Owner/Permittee signs and returns the Permit to the Development Services Department; and
- b. The Permit is recorded in the Office of the San Diego County Recorder.

4. While this Permit is in effect, the subject property shall be used only for the purposes and under the terms and conditions set forth in this Permit unless otherwise authorized by the appropriate City decision maker.

5. This Permit is a covenant running with the subject property and all of the requirements and conditions of this Permit and related documents shall be binding upon the Owner/Permittee and any successor(s) in interest.

6. The continued use of this Permit shall be subject to the regulations of this and any other applicable governmental agency.

7. Issuance of this Permit by the City of San Diego does not authorize the Owner/Permittee for this Permit to violate any Federal, State or City laws, ordinances, regulations or policies including, but not limited to, the Endangered Species Act of 1973 [ESA] and any amendments thereto (16 U.S.C. § 1531 et seq.).

8. The Owner/Permittee shall secure all necessary building permits. The Owner/Permittee is informed that to secure these permits, substantial building modifications and site improvements may be required to comply with applicable building, fire, mechanical, and plumbing codes, and State and Federal disability access laws.

9. Construction plans shall be in substantial conformity to Exhibit "A." Changes, modifications, or alterations to the construction plans are prohibited unless appropriate application(s) or amendment(s) to this Permit have been granted.

10. All of the conditions contained in this Permit have been considered and were determined necessary to make the findings required for approval of this Permit. The Permit holder is required to comply with each and every condition in order to maintain the entitlements that are granted by this Permit.

If any condition of this Permit, on a legal challenge by the Owner/Permittee of this Permit, is found or held by a court of competent jurisdiction to be invalid, unenforceable, or unreasonable, this Permit shall be void. However, in such an event, the Owner/Permittee shall have the right, by paying applicable processing fees, to bring a request for a new permit without the "invalid" conditions(s) back to the discretionary body which approved the Permit for a determination by that body as to whether all of the findings necessary for the issuance of the proposed permit can still be made in the absence of the "invalid" condition(s). Such hearing shall be a hearing de novo, and the discretionary body shall have the absolute right to approve, disapprove, or modify the proposed permit and the condition(s) contained therein.

The Owner/Permittee shall defend, indemnify, and hold harmless the City, its agents, officers, 11. and employees from any and all claims, actions, proceedings, damages, judgments, or costs, including attorney's fees, against the City or its agents, officers, or employees, relating to the issuance of this permit including, but not limited to, any action to attack, set aside, void, challenge, or annul this development approval and any environmental document or decision. The City will promptly notify Owner/Permittee of any claim, action, or proceeding and, if the City should fail to cooperate fully in the defense, the Owner/Permittee shall not thereafter be responsible to defend, indemnify, and hold harmless the City or its agents, officers, and employees. The City may elect to conduct its own defense, participate in its own defense, or obtain independent legal counsel in defense of any claim related to this indemnification. In the event of such election, Owner/Permittee shall pay all of the costs related thereto, including without limitation reasonable attorney's fees and costs. In the event of a disagreement between the City and Owner/Permittee regarding litigation issues, the City shall have the authority to control the litigation and make litigation related decisions, including, but not limited to, settlement or other disposition of the matter. However, the Owner/Permittee shall not be required to pay or perform any settlement unless such settlement is approved by Owner/Permittee.

CLIMATE ACTION PLAN REQUIREMENTS:

12. Owner/Permittee shall comply with the Climate Action Plan (CAP) Consistency Checklist stamped as Exhibit "A." Prior to issuance of any construction permit, all CAP strategies shall be noted within the first three (3) sheets of the construction plans under the heading "Climate Action Plan Requirements" and shall be enforced and implemented to the satisfaction of the Development Services Department.

AFFORDABLE HOUSING REQUIREMENTS:

13. Prior to the issuance of any building permits, the Owner/Permittee shall comply with the affordable housing requirements of the City's Inclusionary Affordable Housing Regulations (SDMC § 142.1301 et seq.).

ENGINEERING REQUIREMENTS:

14. The Coastal Development Permit No. 2124341 shall comply with all Conditions of the Final Map for the Tentative Map No. 2164319.

15. The project proposes to export 38 cubic yards of material from the project site. All excavated material listed to be exported, shall be exported to a legal disposal site in accordance with the Standard Specifications for Public Works Construction (the "Green Book"), 2015 edition and Regional Supplement Amendments adopted by Regional Standards Committee.

16. The drainage system proposed for this development is private and subject to approval by the City Engineer.

17. Prior to the issuance of any building permits, the Owner/Permittee shall assure, by permit and bond, the removal of the existing encroaching fence adjacent to site in the Island Court right of way, satisfactory to the City Engineer.

18. Prior to the issuance of any building permits, the Owner/Permittee shall assure, by permit and bond, the reconstruction of the damaged asphalt concrete alley with a City Standards Concrete Pavement Full Width Alley, in the alley adjacent to the site, satisfactory to the City Engineer.

19. Prior to the issuance of any construction permit, the Owner/Permittee shall incorporate any construction Best Management Practices necessary to comply with Chapter 14, Article 2, Division 1 (Grading Regulations) of the SDMC, into the construction plans or specifications.

20. Prior to the issuance of any construction permit the Owner/Permittee shall submit a Water Pollution Control Plan (WPCP). The WPCP shall be prepared in accordance with the guidelines in Part 2 Construction BMP Standards Chapter 4 of the City's Storm Water.

21. Prior to the issuance of any building permits, the Owner/Permittee shall assure, by permit and bond, the improvement of the unimproved portion of Island Court, adjacent to site, satisfactory to the City Engineer

LANDSCAPE REQUIREMENTS:

22. Prior to issuance of any construction permits for structures, the Owner/Permittee shall submit complete landscape and irrigation construction documents to the Development Services Department for approval. The construction documents shall be consistent with approved Exhibit 'A,' the Mission Beach Planned District Ordinance, the Mission Beach Community Plan, and the Land Development Manual - Landscape Standards.

23. The Owner/Permittee shall maintain all landscape in a disease, weed and litter free condition at all times. Severe pruning or "topping" of trees is not permitted. The trees shall be maintained in a safe manner to allow each tree to grow to its mature height and spread.

24. If any required landscape (including existing or new plantings, hardscape, landscape features, etc.) indicated on the approved construction document plans is damaged or removed during demolition or construction, it shall be repaired and/or replaced in kind and equivalent size per the approved documents to the satisfaction of the Development Services Department within 30 days of damage.

25. The Owner/Permittee shall install and maintain all landscaping proposed in public view corridors to not obstruct public views of the ocean as specified in §132.0403(e) of the Land Development Code, Coastal Overlay Zone Regulations. Landscaping materials shall not encroach or overhang into the Courts and Places right-of-way below a height of 8-ft. above the finish surface or finish grade, as measured at the trunk [§1513.0402(a)(2)].

PLANNING/DESIGN REQUIREMENTS:

26. Owner/Permittee shall maintain a minimum of eight off-street parking spaces on the property at all times in the approximate locations shown on the approved Exhibit "A." Parking spaces shall comply at all times with the SDMC and shall not be converted for any other use unless otherwise authorized by the appropriate City decision maker in accordance with the SDMC.

27. A topographical survey conforming to the provisions of the SDMC may be required if it is determined, during construction, that there may be a conflict between the building(s) under construction and a condition of this Permit or a regulation of the underlying zone. The cost of any such survey shall be borne by the Owner/Permittee.

28. All private outdoor lighting shall be shaded and adjusted to fall on the same premises where such lights are located and in accordance with the applicable regulations in the SDMC.

TRANSPORTATION REQUIREMENTS

29. All automobile parking spaces must be constructed in accordance with the requirements of the SDMC. All on-site parking stalls and aisle widths shall be in compliance with requirements of the City's Land Development Code and shall not be converted and/or utilized for any other purpose, unless otherwise authorized in writing by the appropriate City decision maker in accordance with the SDMC.

GEOLOGY REQUIREMENTS:

30. Prior to the issuance of any construction permits (either grading or building permits), the Owner/Permittee shall submit a geotechnical investigation report or update letter that specifically addressed the proposed construction plans and includes a site-specific liquefaction analysis. The geotechnical investigation report or update letter shall be reviewed for adequacy by the Geology Section of Development services prior to the issuance of any construction permit.

INFORMATION ONLY:

- The issuance of this discretionary permit alone does not allow the immediate commencement or continued operation of the proposed use on site. Any operation allowed by this discretionary permit may only begin or recommence after all conditions listed on this permit are fully completed and all required ministerial permits have been issued and received final inspection.
- Any party on whom fees, dedications, reservations, or other exactions have been imposed as conditions of approval of this Permit, may protest the imposition within ninety days of the approval of this development permit by filing a written protest with the City Clerk pursuant to California Government Code-section 66020.
- This development may be subject to impact fees at the time of construction permit issuance.

APPROVED by the Hearing Officer of the City of San Diego on November 7, 2018, and Resolution No.____

ATTACHMENT 1 ATTACHMENT 6

COASTAL DEVELOPMENT PERMIT NO. 2124341 November 7, 2018

AUTHENTICATED BY THE CITY OF SAN DIEGO DEVELOPMENT SERVICES DEPARTMENT

Derrick Johnson Development Project Manager

NOTE: Notary acknowledgment must be attached per Civil Code section 1189 et seq.

The undersigned Owner/Permittee, by execution hereof, agrees to each and every condition of this Permit and promises to perform each and every obligation of Owner/Permittee hereunder.

Anil K, Dutta Owner/Permittee

By _____ Anil K, Dutta Owner/Permittee

NOTE: Notary acknowledgments must be attached per Civil Code section 1189 et seq.

ATTACHMENT 1 ATTACHMENT 7 RESOLUTION NUMBER

HEARING OFFICER RESOLUTION NO. TENTATIVE MAP NO. 2164319 ISLAND COURT BAYSIDE CDP/TM - PROJECT NO. 600832

WHEREAS, Anil K, Dutta, Subdivider, and San Diego Land Surveying and Engineering, Land Surveyors, submitted an application to the City of San Diego for a Tentative Map No. 2164319, for the subdivision of a 0.11-acre site into one (1) lot for a four-unit residential condominium, Island Court Bayside Tentative Map, and to waive the requirement to underground existing offsite overhead utilities. The project site is located 821-827 Island Court in the Mission Beach Planned District Residential South Subdistrict (MBPD-R-S), Coastal Overlay zone (Appealable), Coastal Height Limitation Overlay zone (Prop D), Residential Tandem Parking Overlay zone, Transit Priority Area Overlay zone, Parking Impact Overlay zone (Beach & Coastal), within the Mission Beach Community Plan area. The property is legally described as: Lot H, Block 97 Mission Beach, Map No. 1651 recorded on December 14, 1914, County of San Diego; and

WHEREAS, the Map proposes the Subdivision of a 0.11-acre-site into one lot; and

WHEREAS, on October 10, 2018, the City of San Diego, as Lead Agency, through the Development Services Department, made and issued an Environmental Determination that the project is exempt from the California Environmental Quality Act [CEQA] (Public Resources Code section 21000 et. seq.) under CEQA Guideline Section 15303 (New construction or conversion of small structures) and there was no appeal of the Environmental Determination filed within the time period provided by San Diego Municipal Code Section 112.0520; and WHEREAS, the project complies with the requirements of a preliminary soils and/or geological reconnaissance report pursuant to Subdivision Map Act sections 66490 and 66491(b)-(f) and San Diego Municipal Code section 144.0220; and

WHEREAS, the request to waive the underground of existing overhead utilities has been determined to be appropriate pursuant to the San Diego Municipal Code Section 144.0242(c)(1)(B) based on a short span of overhead facility (less than a full block in length), and that the span does not represent a logical extension to an underground facility and;

WHEREAS, on October November 7, 2018, the Hearing Officer of the City of San Diego considered Tentative Map No. 2164319, including the waiver of the requirement to underground existing offsite overhead utilities, and pursuant to San Diego Municipal Code section125.0440, and Subdivision Map Act section 66428, received for its consideration written and oral presentations, evidence having been submitted, and testimony having been heard from all interested parties at the public hearing, and the Hearing Officer having fully considered the matter and being fully advised concerning the same; NOW THEREFORE,

BE IT RESOLVED by the Hearing Officer of the City of San Diego, that it adopts the following findings with respect to Tentative Map No. 216431:

1. The proposed subdivision and its design or improvement are consistent with the policies, goals, and objectives of the applicable land use plan.

The applicant is requesting the approval of a Tentative Map, to allow for the subdivision of a 0.11acre site into one lot for a four-unit residential condominium development. The site is located at 821-821 Island Court in the Mission Beach Planned District Residential South Subdistrict (MBPD-R-S), Coastal Overlay zone (appealable), Coastal Height Limitation Overlay zone (Prop D), Residential Tandem Parking Overlay zone, Transit Priority Area Overlay zone, Parking Impact Overlay zone (Beach & Coastal), within the Mission Beach Community Plan area. The proposed project is in an area identified as low medium density (36 Dwelling Units per acre) residential in the Mission Beach Community Plan and is consistent with that land use. The project is surrounded by both singlefamily and multi-family residential development. The project site is designated Multiple Use in the General Plan and is consistent with existing General Plan designations by providing single family residential housing within a medium low - density range within an urbanized core of the City. As proposed, the subdivision would be consistent with the Mission Community Plan and overall policies for development related to the Land Use and Urban Design, and Density elements contained in the General Plan.

2. The proposed subdivision complies with the applicable zoning and development regulations of the Land Development Code, including any allowable deviations pursuant to the land development code.

The applicant is requesting the approval of a Tentative Map, to allow for the subdivision of a 0.11acre site into one lot for a four-unit residential condominium development. The site is located at 821-821 Island Court in the Mission Beach Planned District Residential South Subdistrict (MBPD-R-S), Coastal Overlay zone (appealable), Coastal Height Limitation Overlay zone (Prop D), Residential Tandem Parking Overlay zone, Transit Priority Area Overlay zone, Parking Impact Overlay zone (Beach & Coastal), within the Mission Beach Community Plan. The site is consistent with the required minimum lots size of 5,000-square-feet. The project is in compliance with the Municipal Code and the Subdivision Map Act and includes conditions and exhibits to ensure the provision of adequate parking and public improvements.

The project includes a request to waive the requirement to underground the existing offsite overhead utilities. The requested wavier of the requirement to underground the existing overhead utilities facilities in the public right-of-way qualifies under the guidelines of Municipal Code Section 144.0242(1)(b). Waiver of the Requirements to Underground Privately Owned Utility Systems and Service Facilities, in that the project involves a short span of overhead facility (less than a full block in length) and would not represent a logical extension to an underground facility. The project has been conditioned to underground any new service run to any new or proposed structures within the subdivision. Therefore, the proposed subdivision complies with the applicable zoning and development regulations of the Land Development Code and the State Map Act.

3. The site is physically suitable for the type and density of development.

The applicant is requesting the approval of a Tentative Map, to allow for the subdivision of a 0.11acre site into one lot for a four-unit residential condominium development. The site is located at 821-821 Island Court in the Mission Beach Planned District Residential South Subdistrict (MBPD-R-S), Coastal Overlay zone (appealable), Coastal Height Limitation Overlay zone (Prop D), Residential Tandem Parking Overlay zone, Transit Priority Area Overlay zone, Parking Impact Overlay zone (Beach & Coastal), within the Mission Beach Community Plan. The proposed project is located in an area identified as medium low density (36-dwelling units per acre) residential in the Mission Beach Community Plan and is consistent with that land use. The project is surrounded by both singlefamily and multi-family residential developments and the project site has a community plan designation for residential development. The project has been conditioned to construct public improvements, as shown on Exhibit A, including the reconstruction of the damaged asphalt concrete alley with a City Standards Concrete Pavement Full Width Alley, in the alley adjacent to the site. Therefore, the site is physically suitable for the type and density of development.

4. The design of the subdivision or the proposed improvements are not likely to cause substantial environmental damage or substantially and avoidably injure fish or wildlife or their habitat.

The developed project site is located in a coastal urban infill area and does not contain nor is it adjacent to any sensitive resources, Multi Habitat Planning Area lands, Environmentally Sensitive Lands or existing fish or wildlife habitats.

Therefore, the design of the subdivision or the proposed improvements is not likely to cause substantial environmental damage or substantially and avoidably injure fish or wildlife or their habitat.

5. The design of the subdivision or the type of improvement will not be detrimental to the public health, safety, and welfare.

The applicant is requesting the approval of a Tentative Map, to allow for the subdivision of a 0.11acre site into one lot for a four-unit residential condominium development. The site is located at 821-821 Island Court in the Mission Beach Planned District Residential South Subdistrict (MBPD-R-S), Coastal Overlay zone (appealable), Coastal Height Limitation Overlay zone (Prop D), Residential Tandem Parking Overlay zone, Transit Priority Area Overlay zone, Parking Impact Overlay zone (Beach & Coastal), within the Mission Beach Community Plan. The subdivison conforms to the development regulations of Municipal Code and Subdivision Map Act.

All Uniform Building, Fire, Plumbing, Electrical, Mechanical Code and other regulations governing construction, continued operation and health/life/safety requirements apply to this project. The project complies with with the Municipal Code and the Subdivision Map Act and includes conditions and exhibits to ensure the provision of adequate parking, public improvements and compliance with the Land Development Code. The City of San Diego, as Lead Agency, through the Development Services Department, made and issued an Environmental Determination that the project is exempt from the California Environmental Quality Act [CEQA] (Public Resources Code section 21000 et. seq.) under CEQA Guideline Section 15303 (New construction or conversion of small structures) and there was no appeal of the Environmental Determination filed within the time period provided by San Diego Municipal Code Section 112.0520. The Subdivider shall construct the required Public Improvements. As such, the design of the subdivision or the type of improvement will not be detrimental to the public health, safety, and welfare.

6. The design of the subdivision or the type of improvements will not conflict with easements acquired by the public at large for access through or use of property within the proposed subdivision.

There are no existing easements acquired by the public at large for access through or use of property located within the project boundaries, as shown on Tentative Map No. 2164319. As such, no conflict would occur with the recording of the subdivision, and there would be no conflicts with any easements acquired by the public at large for access through or use of the property within the proposed subdivision.

7. The design of the proposed subdivision provides, to the extent feasible, for future passive or natural heating and cooling opportunities.

The applicant is requesting the approval of a Tentative Map, to allow for the subdivisions of a 0.11acre site into one lot. The site is located at 821-821 Island Court in the Mission Beach Planned District Residential South Subdistrict (MBPD-R-S), Coastal Overlay zone (appealable), Coastal Height Limitation Overlay zone (Prop D), Residential Tandem Parking Overlay zone, Transit Priority Area Overlay zone, Parking Impact Overlay zone (Beach & Coastal), within the Mission Beach Community Plan area. The proposed subdivision will not impede or inhibit any future passive or natural heating and cooling opportunities. The project has been designed to be exposed on two sides (north and south) to ensure passive cooling through cross-ventilation of the interior spaces. With the independent design of the proposed subdivision each unit will have the opportunity through building material, site orientation, architectural treatments, placement and selection of plant materials to prove to the extent feasible or future passive or natural heating and cooling opportunities. Therefore, the design of the proposed subdivision provides, to the extent feasible, for future passive or natural heating and cooling opportunities.

8. The decision maker has considered the effects of the proposed subdivision on the housing needs of the region and that those needs are balanced against the needs for public services and the available fiscal and environmental resources.

The project site is surrounded by existing development, consisting primarily of both single-family and multi-family residences. The Mission Beach Community Plan encourages a wide variety of housing types for all age, income and social groups.

The project would provide an additional lot for future development. All applicable Developer Impact Fees (DIF), school fees, water/sewer connection fees and other impact fees, will be paid at construction permit issuance in accordance with the City's Public Facilities Financing Plan and Impact Fee Schedule. The project site is served by existing public infrastructure, including, water, sewer, electrical and gas lines.

The decision maker has reviewed the administrative record including the project plans, environmental documentation and heard public testimony to determine the effects of the proposed subdivision on the housing needs of the region and; that those needs are balanced against the needs for public services and the available fiscal and environmental resources and the subdivision is consistent with the housing needs anticipated for the Mission Beach Community Plan area.

The above findings are supported by the minutes, maps, and exhibits, all of which are herein

incorporated by reference.

BE IT FURTHER RESOLVED, that based on the Findings hereinbefore adopted by the Hearing

Officer, Tentative Map No. 2164319, including the waiver of the requirement to underground

ATTACHMENT 1 ATTACHMENT 7 RESOLUTION NUMBER

existing offsite overhead utilities, is hereby granted to Konstantin Dubinin, Subdiver, subject to the

attached conditions which are made a part of this resolution by this reference.

By

Derrick Johnson (D.J.) Development Project Manager Development Services Department

ATTACHMENT: Tentative Map Conditions

Internal Order No. 24007777

ATTACHMENT 1 ATTACHMENT 8

HEARING OFFICER TENTATIVE MAP NO. 2164319 ISLAND COURT BAYSIDE CDP/TM - PROJECT NO. 600832 ADOPTED BY RESOLUTION NUMBER ____ ON NOVEMBER 7, 2018

GENERAL

- 1. This Tentative Map will expire November 23, 2021.
- 2. Compliance with all of the following conditions shall be completed and/or assured, to the satisfaction of the City Engineer, prior to the recordation of the Parcel Map, unless otherwise noted.
- 3. Prior to the expiration of the Tentative Map, a Parcel Map to subdivide lots shall be recorded in the office of the County Recorder.
- 4. Prior to the recordation of the Parcel Map, taxes must be paid on this property pursuant to Subdivision Map Act section 66492. To satisfy this condition, a tax certificate stating that there are no unpaid lien conditions against the subdivision must be recorded in the Office of the San Diego County Recorder.
- 5. All subdivision maps in the City of San Diego are required to be tied to the California Coordinate System of 1983 (CCS83), Zone 6 pursuant to section 8801 through 8819 of the California Public Resources Code.
- 6. The Subdivider shall defend, indemnify, and hold the City (including its agents, officers, and employees [together, "Indemnified Parties"]) harmless from any claim, action, or proceeding, against the City and/or any Indemnified Parties to attack, set aside, void, or annul City's approval of this project, which action is brought within the time period provided for in Government Code section 66499.37. City shall promptly notify Subdivider of any claim, action, or proceeding and shall cooperate fully in the defense. If City fails to promptly notify Subdivider of any claim, action, or proceeding, or if City fails to cooperate fully in the defense, Subdivider shall not thereafter be responsible to defend, indemnify, or hold City and/or any Indemnified Parties harmless. City may participate in the defense of any claim, action, or proceeding if City both bears its own attorney's fees and costs, City defends the action in good faith, and Subdivider is not required to pay or perform any settlement unless such settlement is approved by the Subdivider.

ENGINEERING

- 7. The Tentative Map shall comply with the conditions of Coastal Development Permit No. 2124341.
- 8. The Subdivider shall ensure that all onsite utilities serving the subdivision shall be undergrounded with the appropriate permits. The subdivider shall provide written confirmation from applicable utilities that the conversion has taken place, or provide other means to assure the undergrounding, satisfactory to the City Engineer.

MAPPING

- 9. Prior to the expiration of the Tentative Map, if approved, a Parcel Map to consolidate and subdivide the properties into four (4) residential condominium units shall be recorded to the County Recorder's office.
- 10. Prior to the recordation of the Parcel Map, taxes must be paid or bonded for this property pursuant to section 66492 of the Subdivision Map Act. A current original tax certificate, recorded in the office of the San Diego County Recorder, must be provided to satisfy this condition. If a tax bond is required as indicated in the tax certificate, ensure that it is paid or posted at the County Clerk of the Board of Supervisors Office and supply proof prior to the recordation of the Parcel Map.
- 11. The Parcel Map shall be based on field survey and all lot corners must be marked with durable survey monuments pursuant to Section 144.0311(d) of the City of San Diego Land Development Codes and Subdivision Map Act Section 66495. All survey monuments shall be set prior to the recordation of the Parcel Map, unless the setting of monuments is deemed impractical due to the proposed improvements and/or grading associated with the project, in which case, delayed monumentation may be applied on the Parcel Map in accordance with Section 144.0130 of the City of San Diego Land Development Codes.
- 12. All subdivision maps in the City of San Diego are required to be tied to the California Coordinate System of 1983 (CCS83), Zone 6 pursuant to section 8801 through 8819 of the California Public Resources Code.
- 13. "Basis of Bearing" means the source of uniform orientation of all measured bearings shown on the map. Unless otherwise approved, this source shall be the California Coordinate System, Zone 6, North American Datum of 1983 [NAD 83].
- 14. "California Coordinate System" means the coordinate system as defined in Section 8801 through 8819 of the California Public Resources Code. The specified zone for San Diego County is "Zone 6," and the official datum is the "North American Datum of 1983."
- 15. The Parcel Map shall:
 - a. Use the California Coordinate System for its "Basis of Bearing" and express all measured and calculated bearing values in terms of said system. The angle of grid divergence from a true median (theta or mapping angle) and the north point of said map shall appear on each sheet thereof. Establishment of said Basis of Bearings may be by use of existing Horizontal Control stations or astronomic observations.
 - b. Show two measured ties from the boundary of the map to existing Horizontal Control stations having California Coordinate values of First Order accuracy. These tie lines to the existing control shall be shown in relation to the California Coordinate System (i.e., grid bearings and grid distances). All other distances shown on the map are to be shown as ground distances. A combined factor for conversion of grid-to-ground distances shall be shown on the map.

PUD WATER & SEWER

- 16. Prior to the issuance of any construction permits, the Subdivider shall assure, by permit and bond, the design and construction of new water and sewer service(s) outside of any driveway or drive aisle and the abandonment of any existing unused water and sewer services within the right-of-way adjacent to the project site, in a manner satisfactory to the Public Utilities Director and the City Engineer.
- 17. Subdivider shall apply for a plumbing permit for the installation of appropriate private back flow prevention device(s), on each water service (domestic, fire and irrigation), in a manner satisfactory to the Public Utilities Director and the City Engineer. BFPDs shall be located above ground on private property, in line with the service and immediately adjacent to the right-of-way.
- 18. The Subdivider shall design and construct all proposed public water and sewer facilities, in accordance with established criteria in the current edition of the City of San Diego Water and Sewer Facility Design Guidelines and City regulations, standards and practices.
- 19. No trees or shrubs exceeding three feet in height at maturity shall be installed within ten feet of any sewer facilities and five feet of any water facilities.

INFORMATION:

- The approval of this Tentative Map by the Hearing Officer of the City of San Diego does not authorize the subdivider to violate any Federal, State, or City laws, ordinances, regulations, or policies including but not limited to, the Federal Endangered Species Act of 1973 and any amendments thereto (16 USC § 1531 et seq.).
- If the Subdivider makes any request for new water and sewer facilities (including services, fire hydrants, and laterals), the Subdivider shall design and construct such facilities in accordance with established criteria in the most current editions of the City of San Diego water and sewer design guides and City regulations, standards and practices pertaining thereto. Off-site improvements may be required to provide adequate and acceptable levels of service and will be determined at final engineering.
- Subsequent applications related to this Tentative Map will be subject to fees and charges based on the rate and calculation method in effect at the time of payment.
- Any party on whom fees, dedications, reservations, or other exactions have been imposed as conditions of approval of the Tentative Map, may protest the imposition within ninety days of the approval of this Tentative Map by filing a written protest with the San Diego City Clerk pursuant to Government Code sections 66020 and/or 66021.
- Where in the course of development of private property, public facilities are damaged or removed, the Subdivider shall at no cost to the City, obtain the required

ATTACHMENT 1 ATTACHMENT 8

permits for work in the public right-of-way, and repair or replace the public facility to the satisfaction of the City Engineer (San Diego Municipal Code § 142.0607).

Internal Order No. 24007777

ATTACTIMENT 1

(Check one or both) TO: X RECORDER/COUNTY CLERK P.O. BOX 1750, MS A-33 1600 PACIFIC HWY, ROOM 260 SAN DIEGO, CA 92101-2422

FROM: CITY OF SAN DIEGO DEVELOPMENT SERVICES DEPARTMENT 1222 FIRST AVENUE, MS 501 SAN DIEGO, CA 92101

OFFICE OF PLANNING AND RESEARCH 1400 TENTH STREET, ROOM 121 SACRAMENTO, CA 95814

PROJECT NO.: 600832

PROJECT TITLE: Island Bay Courtside

<u>PROJECT LOCATION-SPECIFIC:</u> The project is located at 821-827 Island Court, SD CA 92109 <u>PROJECT LOCATION-CITY/COUNTY:</u> San Diego/San Diego

<u>DESCRIPTION OF NATURE AND PURPOSE OF THE PROJECT</u>: Coastal Development Permit (CDP) and Tentative Map (TM) for the demolition of two existing residences and the construction of a new three-story, four-unit multi-family residential building, totaling 5,096-square-feet. The existing 0.11 acre site is made of two legal parcels with two duplex structures, which would be demolished. Other improvements consist of new water meters, new sewer connections, fire suppression systems, landscaping improvements and a roof deck. The proposed project complies with all height and bulk regulations and is located on a site that is currently developed with the public utilities in place to serve the development. The project is located in the MBPD-R-S zone in the Coastal Overlay zone (Appealable) within the Mission Beach Community Plan area.

NAME OF PUBLIC AGENCY APPROVING PROJECT: City of San Diego

NAME OF PERSON OR AGENCY CARRYING OUT PROJECT: Bay Park Capital, Brandon Soule- 5663 Balboa Avenue #495., San Diego CA 92111. (760) 547-3941

EXEMPT STATUS: (CHECK ONE)

- () MINISTERIAL (SEC. 21080(b)(1); 15268);
- () DECLARED EMERGENCY (SEC. 21080(b)(3); 15269(a));
- () EMERGENCY PROJECT (SEC. 21080(b)(4); 15269 (b)(c)
- (X) CATEGORICAL EXEMPTIONS: 15303 (NEW CONSTRUCTION)
- () STATUTORY EXEMPTION:

<u>REASONS WHY PROJECT IS EXEMPT</u>: The City of San Diego conducted an environmental review and determined that since the project would be located within a previously developed site lacking sensitive resources that environmental impacts would not occur. Therefore, the project would qualify to be categorically exempt from CEQA pursuant to 15303(b) (New Construction) which allows for the construction of up to six residential units in urbanized areas. The project site lacks sensitive environmental resources and the exceptions listed in CEQA Section 15300.2 do not apply.

LEAD AGENCY CONTACT PERSON: JEFF SZYMANSKI

<u>TELEPHONE:</u> (619) 446-5324

IF FILED BY APPLICANT:

- 1. ATTACH CERTIFIED DOCUMENT OF EXEMPTION FINDING.
- 2. HAS A NOTICE OF EXEMPTION BEEN FILED BY THE PUBLIC AGENCY APPROVING THE PROJECT?
 - () YES () NO

IT IS HEREBY, CERTIFIED THAT THE CITY OF SAN DIEGO HAS DETERMINED THE ABOVE ACTIVITY TO BE EXEMPT FROM CEQA

ENOR PLANNIN SIGNATURE/TITLE CHECK ONE: (X) SIGNED BY LEAD AGENCY () SIGNED BY APPLICANT

October 25, 2018 DATE

DATE RECEIVED FOR FILING WITH COUNTY CLERK OR OPR:



City of San Diego Development Services 1222 First Ave., MS-302 San Diego, CA 52101

Community Planning Committee **Distribution Form Part 1**

Project Name:	Project Number:	Distribution Date:
Island Court Bayside - CDP/SDP	600832	3/27/2018

Project Scope/Location:

MISSION BEACH - (Process 3) Coastal Development Pennik and Site Development Pennik for demolition of 2 existing dwellings and construction of new 3 story with roof deck, 4-unit multi-family residential structure measuring 5,096-square-feet, located at 821-827 Island Court. The 0.11 acre site is located in the MBPD-R-S zone in the Coastal Overlay zone (Appealable) within the Mission Beach Community Plan area. Council District 2.

Applicant Name:	<i>.</i>	Applicant Phon	e Number:
Soule, Brandon		760-547-3941	
Project Manager:	Phone Number:	Fax Number:	R-mail Address:
Johnson, Denick	(619) 446-5477	(619) 321-3200	DNJohnson@sandiego.gov

THIS FROJECT WAS DISCUSSED AT GUR JUNE 17, 2018 MEFTINGE THE OWNER AND THE ARCHETECTURAL REFRESENTIVE WERE PRESENT. THE PROTECT CONSERTS OF H UNETS NOT CREATER THAN 528059 A TO BE CONSTRUCTED ON A COMBENATION OF TWO LOTS AS ALLOWED PURSUANT TO OUR PDO. \$1513.0304 (a)(2); \$1513.0304 (g)(3). THE PROJECT PROVIDES TV2 FOOT INTERIOR SIDE YARD SETERATES WHERE ONLY & FEFT IS REQUIRED , THUS RODING MORE OPEN SPACE BETWEEN ABJACENT STRUCTURES. 8 1513.0304 (0) (3) (8) (1) IN ADDITION THIS PROJECT PROVIDES 7590 VEGETATION LANDSCAPING IN THE ISLAND COURT 15 FOOT FRONT YARA SETBACK WHERE 50% IS REQUERED. §1513.0402 (a) (1). THE BOARD FOUND THIS PROJECT TO MEET THE RELEVANT REQUIREMENTS OF OUR PDO AND VOTED UNANEMEUSLY TO APPROVE THE PROJECT.

ttack Additional P	nges If Noce	entery.	Please volume for
			Project Management Michigan
		18	City of San Diego
			Development Services Department
a			1222 West Asymme, MIS 302
			Sun Mirgo, CA 92101
AATAACHIMI MITIO

						and the second
	of San Diego Iopanast Services First Ave., MS-382 Nego, CA 92103		÷	1		munity Planning Committee tion Form Part 2
Project Name:			- Pro	-	Number:	Distribution Date:
Island Court Bayside - CD	950P			6	00832	3/27/2018
Project Scope/Location: MISSION BEACH ~ (Proc existing dwellings and cor 5,096-square-feat, locater Coastal Overlay zone (Ap	Istruction of new 3 slory 1 at 821-827 Island Court	with s t. Th	oof deck, 4-a e 0.11.acre si	nit m le is	located in the	MEPD-R-S zone in the
Applicant Name:	an a				Applicant P	hone Number:
Soule, Brandon					780-547-39	41
Project Manager:		Pho	ne Number:	Fa	x Number:	E-mail Address:
Johnson, Denick		(619) 446-5477	(61	9) 321-3200	DNJohnson@sandiego.gov
Vote to Approve Vote to Approve With Conditions Listed	IRclaw		Members Ye		0	Members Abstain () Members Abstain
Vote to Approve	unmendations Listed Bel	ew.	Members Ye	s 1	Members No	Members Alastain
Vote to Deny	7		Members Yo	s 1	Members No	Members Abstain
D No Action (Please spec quorum, etc.)	ily, e.g., Neel farther inf		tion, Split vote	, La	kaf 👘 🥲	Continued
CONDITIONS:						
NAME: DENN	IS LYNCH			4	TITLE: F	slan reviewer
SIGNATURE:	emme Sunch				DATE: 3	JULY 29,2018
Attack Additional Pages IJ	Necessary.		Please reliens in Project Manage City of San Mic Development S 1222 Pleast Aver San Mingo, CA	gjo en vlica mic, 3	n Department 85 382	-
	ted on necycled paper. Visit o request, this information is m					

(01-13)

AATAACHIMU BINTI 1



City of San Diego Development Services 1222 First Ave., MS 302 San Diego, CA 92101 (619) 446-5000

Ownership Disclosure Statement

3	C	3	1	0
	3	-0		0
	-		1.5	-

FORM

October 2017

Approval Type: Check appropriate box for type of a Neighborhood Development Permit Site Development Permit Applied Site Development A	velopment Permit 🗅 Planned Developm	ent Permit 🕻	Conditional Use Pe	
Project Title:Island Court Bayside		Project No	. For City Use Only	:
923 Project Address: 821-827 Island Court				
Specify Form of Ownership/Legal Status (pleas	se check):			
Corporation Limited Liability -or- Genera	I – What State?Corporate	Identification	n No	
🛛 Partnership 🛛 Individual				-
By signing the Ownership Disclosure Statement, with the City of San Diego on the subject prope owner(s), applicant(s), and other financially inter- individual, firm, co-partnership, joint venture, as: with a financial interest in the application. If the individuals owning more than 10% of the shares officers. (A separate page may be attached if neo ANY person serving as an officer or director o A signature is required of at least one of the pr notifying the Project Manager of any changes in ownership are to be given to the Project Manage accurate and current ownership information could	erty with the intent to record an encume ested persons of the above referenced sociation, social club, fraternal organiza e applicant includes a corporation or pa . If a publicly-owned corporation, incluc ressary.) If any person is a nonprofit org f the nonprofit organization or as true roperty owners. Attach additional page ownership during the time the applica- er at least thirty days prior to any public	Ibrance again property. A tion, corpora rtnership, ind de the name ganization or stee or bene is if needed. ation is being hearing on t	hast the property. P financially interested tion, estate, trust, r clude the names, tit s, titles, and address a trust, list the nam ficiary of the nonp Note: The applicar g processed or cons	lease list below the d party includes any eceiver or syndicate les, addresses of all ses of the corporate es and addresses of profit organization. It is responsible for idered. Changes in
Property Owner				
Name of Individual: <u>Anil K Dutta</u> , Butta Solo 401K VIN	UTA DUTTA	🛛 Owner	□ Tenant/Lessee	Successor Agency
Street Address: _745 Island Court				
City: San Diego			State: _CA	Zip:
Phone No.: 858-361-8258	Fax No.:	Email: _adut	ta@san.rr.com	
Signature: ADUU	V- Bullo	Date: 3/6/20	18	
Additional pages Attached: 🛛 Yes	□ No			
Applicant				
Name of Individual: Brandon Soule, Bay Park Capital		Owner	Tenant/Lessee	Successor Agency
Street Address: _5663 Balboa Avenue #495				
City: San Diego			State:	Zip: _92111
Phone No.:	Fax No.:	Email: BKSc	oule@gmail.com	
Signature:		Date: _3/6/2	018	
Additional pages Attached: 🛛 Yes	D No			
Other Financially Interested Persons				
Name of Individual:		Owner	□ Tenant/Lessee	Guccessor Agency
Street Address:				
City:			State:	Zip:
Phone No.:				
Signature:				
Additional pages Attached:	🗆 No			

Printed on recycled paper. Visit our web site at <u>www.sandiego.gov/development-services</u>. Upon request, this information is available in alternative formats for persons with disabilities.

AATAACHIMA BITTI 1

FORM



City of San Diego Development Services 1222 First Ave., MS 302 San Diego, CA 92101 (619) 446-5000

Ownership Disclosure Statement

DS-318

October 2017

Approval Type: Check appropriate box for type of approval(s) requested: □ Neighborhood U □ Neighborhood Development Permit ⊠ Site Development Permit □ Planned Developm □ Tentative Map □ Vesting Tentative Map □ Map Waiver □ Land Use Plan Amendment	ent Permit 🕻	Conditional Use Pe	
Project Title: Island Court Bayside	Project No	. For City Use Only	
Project Title: Island Court Bayside 525-527 Project Address: B25 Sand Court ISLAND C7		, ,	
Specify Form of Ownership/Legal Status (please check):			
Corporation Limited Liability -or- General – What State?Corporate	Identificatior	No. EIN: 46-	-0634848
Dertnership Individual SOLO 401K			
By signing the Ownership Disclosure Statement, the owner(s) acknowledge that an applic with the City of San Diego on the subject property with the intent to record an encum owner(s), applicant(s), and other financially interested persons of the above referenced p individual, firm, co-partnership, joint venture, association, social club, fraternal organizat with a financial interest in the application. If the applicant includes a corporation or par individuals owning more than 10% of the shares. If a publicly-owned corporation, includ officers. (A separate page may be attached if necessary.) If any person is a nonprofit org ANY person serving as an officer or director of the nonprofit organization or as trus A signature is required of at least one of the property owners. Attach additional page notifying the Project Manager of any changes in ownership during the time the applica ownership are to be given to the Project Manager at least thirty days prior to any public accurate and current ownership information could result in a delay in the hearing process	brance agair property. A f tion, corpora rtnership, ind de the names anization or stee or bene s if needed. tion is being hearing on t	nst the property. P inancially interested tion, estate, trust, ru- clude the names, tit s, titles, and address a trust, list the nam ficiary of the nonp Note: The applicar processed or cons	lease list below the d party includes any eceiver or syndicate les, addresses of all ses of the corporate es and addresses of irofit organization. It is responsible for idered. Changes in
Property Owner			
Name of Individual: Anil K. Dutta Solo 401k ANIL K. DUTTA, TRUSTEE	🛾 Owner	Tenant/Lessee	Guccessor Agency
Street Address: 745 Island Court			
City: San Diego		State: <u>CA</u>	Zip: 92109
Phone No.: Fax No.:	Email: _adutt	a@san.rr.com	
Signature: (A) Inter (Inustee)	Date: 3/6/20	18	
Additional pages Attached: 🛛 Yes 🖓 No			
Applicant			
Name of Individual: Brandon Soule, Bay Park Capital	Owner 🛛	Tenant/Lessee	Successor Agency
Street Address: _5663 Balboa Avenue #495		2 	
City: San Diego		State: <u>CA</u>	Zip: _92111
Phone No.: Fax No.:	Email: BKSo	ule@gmail.com	
Signature:	Date:	018	
Additional pages Attached: 🛛 Yes 🖓 No			
Other Financially Interested Persons	-		
Name of Individual:	Owner	Tenant/Lessee	Guccessor Agency
Street Address:			
City:		State:	Zip:
Phone No.: Fax No.:			
Signature:			
Additional pages Attached:		×	

Printed on recycled paper. Visit our web site at <u>www.sandiego.gov/development-services</u>. Upon request, this information is available in alternative formats for persons with disabilities.

Island Court Condominiums



VICINITY MAP



LEGAL DESCRIPTION

LOTS H & I, BLOCK 97, MAP 1809

APN: 423-675-05-00

SCOPE OF WORK

PROPOSED WORK INCLUDES:

NEW CONSTRUCTION OF A FOUR-UNIT, THREE STORY CONDOMINIUM BUILDING. REQUIRED PERMITS INCLUDE BUILDING, PLUMBING, ELECTRICAL, MECHANICAL.

821-827 ISLAND COURT

1

DEVELOPMENT SUMMARY THE EXISTING SITE IS TWO LEGAL PARCELS WITH TWO DUPLEX STRUCTURES. THE PROPOSED SITE WILL BE ONE LEGAL PARCEL WITH TWO ATTACHED STRUCTURES, EACH BUILDING 3 STORIES, EACH UNIT 3 BEDROOM AND 2 1/2 BATHROOMS. THE EXISTING BUILDINGS WILL BE DEMOLISHED TWO ALLOW FOR THE NEW CONSTRUCTION OF THE NEW BUILDINGS. PROJECT INCLUDES A TENTATIVE MAP.

IMPROVEMENT WILL INCLUDE NEW WATER METERS, NEW SEWER CONNECTIONS, FIRE SUPPRESSION SYSTEM IN EACH UNIT AND LANDSCAPING.

THE EXISTING BUILDINGS WERE BUILT IN 1945. OVERLY ZONES: COASTAL OVERLAY, COASTAL HEIGHT LIMIT, AIRPORT INFLUENCE.

DEFERRED SUBMITTALS

1. ROW - ENGINEERING PLAN

2. FIRE ALARM

3. FIRE SUPPRESSION SYSTEM

BUILDING DATA

821-827 ISLAND COURT SAN DIEGO, CA 92109

BUILDING AREA:	
1ST FLOOR UNIT A:	528 GS
1ST FLOOR UNIT C:	464 GS
1ST FLOOR TOTAL:	992 GS
2ND FLOOR UNIT A:	578 GS
2ND FLOOR UNIT B:	549 GS
2ND FLOOR UNIT C:	578 GS
2ND FLOOR UNIT D:	485 GS
2ND FLOOR TOTAL:	2170 G
3RD FLOOR UNIT A:	340 GS
3RD FLOOR UNIT B:	680 G

3RD FLOOR UNIT ovu GSF 3RD FLOOR UNIT C: 378 GSF 580 GSF 3RD FLOOR UNIT D: 1978 GSF **3RD FLOOR TOTAL:** TOTAL BUILDING AREA: 5160 GSF

CONSTRUCTION TYPE: V UNPROTECTED

USE GROUP:

OCCUPANCY TYPE:	RESIDENTIAL
ZONE:	MBPD-R-S
LOT SIZE:	4,808.4 SQUARE FEET

IIIE

NUMBER OF STORIES:

FLOOR AREA RATIO MAX ALLOW: 1.1 (SHALL NOT EXCEED 5,280 SF) PROPOSED F.A.R.: 1.06 (5160 GSF)

MAXIMUM BUILDING HEIGHT: 30

REQUIRED SET BACKS FRONT

15′ (ADDITIONAL 45°ANGLE SETBACK AT 20' ABOVE GRADE)

SIDE: REAR:

ENCROACHMENTS: UP TO 18 INCHES FOR A VERTICAL OFFSET EXTENDING FULL HEIGHT OF BUILDING THAT IS A MAXIMUM OF 3 FEET IN DEPTH AND NOT LESS THAN 45 DEGREES FOR AT LEAST 50 PERCENT OF BUILDING.

CODE COMPLIANCE

PROJECT DESIGNED TO COMPLY WITH THE FOLLOWING CODES:

2016 CALIFORNIA BUILDING CODE 2016 CALIFORNIA GREEN BUILDING STANDARDS CODE 2016 CALIFORNIA MECHANICAL CODE 2016 CALIFORNIA PLUMBING CODE 2016 CALIFORNIA ELECTRICAL CODE 2016 CALIFORNIA FIRE CODE 2016 CALIFORNIA BUILDING ENERGY EFFICIENCY STANDARDS

STORMWATER BMP NOTES

STORMWATER QUALITY NOTES CONSTRUCTION BEST MANAGEMENT PRACTICES (BMP'S)

THIS PROJECT SHALL COMPLY WITH ALL REQUIREMENTS OF THE STATE PERMIT: CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD, SAN DIEGO, ORDER NO. R9-2007-001, NPDES, THE CITY OF SAN DIEGO LAND DEVELOPMENT CODE, AND STORM WATER STANDARDS MANUAL

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CLEANUP OF ALL SILT AND MUD ON ADJACENT STREET(S), DUE TO CONSTRUCTION VEHICLES OR ANY OTHER CONSTRUCTION ACTIVITY, AT THE END OF EACH WORK DAY, OR AFTER A STORM EVENT THAT CAUSES A BREECH IN CONSTRUCTION BMPS WHICH MAY COMPROMISE STROM WATER QUALITY WITHIN ANY STREET(S). A STABILIZED CONSTRUCTION EXIT MAY BE REQUIRED TO PREVENT CONSTRUCTION VEHICLES OR EQUIPMENT FROM TRACKING MUD OR SILT ONTO THE STREET.

2. ALL STOCKPILES OF SOIL AND/OR BUILDING MATERIALS THAT ARE INTENDED TO BE LEFT FOR A PERIOD GREATER THAN SEVEN CALENDAR DAYS ARE TO BE COVERED. ALL REMOVABLE BMP DEVICES SHALL BE IN PLACE AT THE END OF EACH WORKING DAY IF WHEN THE FIVE-DAY RAIN PROBABILITY EXCEEDS 40%

3. A CONCRETE WASHOUT SHALL BE PROVIDED ON ALL PROJECTS WHICH PROPOSE THE CONSTRUCTION OF ANY CONCRETE IMPROVEMENTS WHICH ARE TO BE POURED INTO PLACE ON SITE.

4. THE CONTRACTOR SHALL RESTORE ALL EROSION/SEDIMENT CONTROL DEVICES TO WORKING ORDER AFTER EACH RUN-OFF PRODUCING RAINFALL OR AFTER ANY MATERIAL BREECH IN EFFECTIVENESS.

5. ALL SLOPES THAT ARE CREATED OR DISTURBED BY CONSTRUCTION ACTIVITY MUST BE PROTECTED AGAINST EROSION AND SEDIMENT TRANSPORT AT ALL TIMES.

6. THE STORAGE OF ALL CONSTRUCTION MATERIALS AND EQUIPMENT MUST BE PROTECTED AGAINST ANY POTENTIAL RELEAE OF POLLUTANTS INTO THE ENVIRONMENT.

PROJECT TEAM

OWNER/PERMIT HOLDER:

BAY PARK CAPITAL 5663 BALBOA AVENUE #495 SAN DIEGO CA 92111
GENERAL CONTRACTOR:
BRANDON SOULE BAY PARK CAPITAL 4141 JUTLAND DRIVE #10 SAN DIEGO, CA 92117 760.547.3941
ARCHITECT:
ONE WORLD ARCHITECTURE KEN PAREL-SEWELL, PRINCIPAL 9826 OGRAM DRIVE LA MESA, CA 91941 619.567.7545
RESPONSIBLE FOR PREPARATION OF PLANS
STRUCTURAL ENGINEER:
CHRISTOPHER J. TURNER, PE LOVELACE ENGINEERING 5930 CORNERSTONE COURT, SUITE 100 SAN DIEGO, CA 92121 858.535.9111 x308
RESPONSIBLE FOR STRUCTURAL CALCULATIONS
TITLE 24 COMPLIANCE
VIRANCHI SHAH MPA ARCHITECTES, INC. 3578 30TH STREET

3578 30TH STREET SAN DIEGO, CA 92121 714.888.4736

FIRE SPRINKLER NOTES

1. THE SUBMITTAL OF RESIDENTIAL FIRE SPRINKLER PLANS REQUIRED BY CALIFORNIA RESIDENTIAL CODE SECTION R313 HAS BEEN DEFERRED

2. TO AVOID DELAYS IN CONSTRUCTION, PLANS FOR FIRE SPRINKLER PLANS SHALL BE SUBMITTED NOT LESS THAN 30 CALENDAR DAYS PRIOR TO INSTALLATION OR PRIOR TO REQUESTING A FOUNDATION INSPECTION WHEN THE SUBMITTAL OF THE FIRE SPRINKLER PLANS IS DEFERRED. A FRAMING/ROUGH INSPECTION SHALL NOT BE REQUESTED

PRIOR TO APPROVAL OF THE FIRE SPRINKLER PLANS.

SHEET INDEX

ARCHITECTURAL DRAWINGS

C0.1	COVER SHEET
C0.2	NOTES AND DRAWING STANDARDS
C0.3	PLOT PLAN / SITE PLAN
C0.4	TOPOGRAPHIC SURVEY
C0.5	STORMWATER FORMS
C0.6	BMP CHECKLIST FORMS
C0.7	TENTATIVE MAP
C0.8	LANDSCAPE PLAN
A0.1	WALL, ROOF, & FLOOR TYPES
A0.2	EGRESS PLANS
A0.3	F.A.R. DIAGRAMS
A1.1	FIRST FLOOR PROPOSED PLAN
A1.2	FIRST FLOOR ENLARGED PLANS
A2.1	SECOND FLOOR PROPOSED PLAN
A2.2	SECOND FLOOR ENLARGED PLANS
A3.1	THIRD FLOOR PROPOSED PLAN
A3.2	THIRD FLOOR ENLARGED PLANS
A3.3	ROOF PROPOSED PLAN
A3.4	ROOFING SPEC & REPORT
A4.1	EXTERIOR ELEVATIONS
A4.2	EXTERIOR ELEVATIONS
A5.1	BUILDING SECTIONS
A5.2	BUILDING SECTIONS
A5.3	BUILDING SECTIONS
A5.4	DETAILS
A6.1	WINDOW SCHEDULE & DETAILS
A6.2	DOOR SCHEDULE & DETAILS
STRU	CTURAL DRAWINGS
S1	STRUCTURAL GENERAL NOTES
S2	FOUNDATION PLAN
S3	2ND FLOOR FRAMING PLAN
S4	3RD FLOOR FRAMING PLAN
S5	ROOF DECK FRAMING PLAN
S6	STRUCTURAL DETAILS
S7	STRUCTURAL DETAILS

- STRUCTURAL DETAILS
- STRUCTURAL DETAILS 58 S9 STRUCTURAL DETAILS
- STRUCTURAL DETAILS S10
- SD1 STANDARD STRUCTURAL DETAILS SD2 STANDARD STRUCTURAL DETAILS

MECHANICAL DRAWINGS

- M0.1 TITLE 24 SHEETS
- M0.2 TITLE 24 SHEETS M0.3 MECHANICAL NOTES & SCHEDULES
- M1.1 FIRST FLOOR MECHANICAL PLAN M2.1 SECOND FLOOR MECHANICAL PLAN
- M3.1 THIRD FLOOR MECHANICAL PLAN

ELECTRICAL DRAWINGS

- E0.1 ELECTRICAL NOTES & LINE DIAGRAM E0.2 TYPICAL ELECTRICAL DETAILS
- E1.1 FIRST FLOOR LIGHTING PLAN E1.2 FIRST FLOOR POWER PLAN
- E2.1 SECOND FLOOR LIGHTING PLAN E2.2 SECOND FLOOR POWER PLAN
- E3.1 THIRD FLOOR LIGHTING PLAN
- E3.2 THIRD FLOOR POWER PLAN E4.1 ROOF POWER PLAN

PLUMBING DRAWINGS

P0.1	PLUMBING NOTES & SCHEDULES
P0.2	PLUMBING STANDARDS
P0 3	PLUMBING STANDARDS

- P0.3 PLUMBING STANDARDS
- P1.1 FIRST FLOOR PLUMBING PLAN
- P2.1 SECOND FLOOR PLUMBING PLAN P3.1 THIRD FLOOR PLUMBING PLAN

ATTACHMENT ATTAACHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

- **TERMS OF USE** 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS
- REQUIRED FOR PROPER COMPLETION OF WORK CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.
- 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.
- 4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.
- 5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.
- 6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.
- 7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRINT DATE:		AUGUST 20, 20)18
PROJECT PHASE:		PERMIT S	БЕТ
rev.	date.	remark	



reman

CERTIFICATION





ABBREVIATIONS

୍ ଜ ନ	AT AND	GFI. GYP/GYP BD
ABV. A/C ACT. AD ADJ. AFF. AGG. ALUM. ALT. ANOD. APPD. APPROX. AVG.	ABOVE AIR CONDITIONING ACOUSTICAL AREA DRAIN ADJACENT ABOVE FINISH FLOOR AGGREGATE ALUMINUM ALTERNATE ANODIZED APPROVED APPROXIMATELY AVERAGE	HDWR. HDWD. HTG. HVAC CONDITIONIN HT. HC HM. HORZ. HB HW./HWR. HR. HSKPG.
BD. BLDG. BLK. BLK'G. BLW B/ OR BOT	BOARD BUILDING BLOCK BLOCKING BELOW BOTTOM	INCL. INFO. INF. ID. INSUL. INT.
CAB./CABT. CBC CCR CEC CF CFC CLG. CJ. CLR. CL. CMC CMU CNTR. C.O. COL. COL. CW. COL. COL. CW. COMP. CONC. CONN. CONSTR. CONT.	CABINET CALIFORNIA BUILDING CODE CALIFORNIA CODE OF REGULATIONS CALIFORNIA ELECTRIC CODE CUBIC FEET CALIFORNIA FIRE CODE CEILING CONTROL JOINT CLEAR CENTERLINE CALIFORNIA MECHANICAL CODE CONCRETE MASONRY UNIT COUNTER CASED OPENING COLUMN COLD WATER COMPOSITION CONCRETE CONNECTION CONSTRUCTION CONTINUOUS	JT. JB. LAM. LVL. LT./LTG. LF. MH. MFR. MATL. MAX. MECH. MTL. MWK. MIN. MIN. MIR. MISC. MOD. MTD.
CONTR. COORD. CPC CT.	CONTRACTOR COORDINATE CALIFORNIA PLUMBING CODE CERAMIC TILE	(N) NEC NIC. N/A NTS.
DB. DEMO. DET. DEPT. DIA. DIM. DIV. DW. DW. DR. DO. DBL. DN. DWG.	DECIBEL DEMOLITION DETAIL DEPARTMENT DIAMETER DIMENSION DIVISION DIVISION DISHWASHER DOOR DOOR OPENING DOUBLE DOWN DRAWING	O.C. O.A. OPNG. OPP. O.D. O/ OFD. OH. PNT. PNL. PR.
EA. ELEC. ELEV. EMER. EQ. or = EQUIP. EXH. EX/EXIST EJ. EXT. EIFS.	EACH ELECTRIC/ELECTRICAL ELEVATION EMERGENCY EQUAL EQUIPMENT EXHAUST EXISTING EXPANSION JOINT EXTERIOR EXTERIOR INSUL. FINISH SYSTEM	PART. PVMT. PERF. PLAM. PLB. PLYWD PVC. LB. PSF PP. PREFAB. PREFAB. PT.
FRP. FA. FACP FF. FG. FIXT. FEC. FH. FIREPFG. FIN. FLR. FLR. FD. FLUOR. FC. FAU	FIBERGLASS REINFORCED PNL FIRE ALARM FIRE ALARM CONTROL PANEL FINISHED FLOOR FIXED GLASS FIXTURE FIRE EXTINGUISHER CABINET FIRE HYDRANT FIREPROOFING FINISH FLOOR FLOOR DRAIN FLUORESCENT FOOT CANDLE FORCED AIR UNIT	QTY. QT. RAD. RTD. RECPT. REF. REFR. REINF. REQ'D REQ'MNTS. RET. REV. R.
GA. GALV. GC. GL. GLB.	GAUGE GALVANIZED GENERAL CONTRACTOR GLASS GLUED LAMINATED BEAM	RD. RM. RO. SAN. SCHED.

D	GROUND FAULT INTERRUPTER BD. GYPSUM WALLBOARD
	HARDWARE HARDWOOD HEATING HEATING/VENTILATION/AIR G
	HEIGHT HOLLOW CORE / HANDICAP HOLLOW METAL HORIZONTAL HOSE BIBB HOT WATER/RETURN HOUR HOUSEKEEPING
	INCLUDED INFORMATION INFRARED INSIDE DIAMETER INSULATION INTERIOR JOINT JUNCTION BOX
	LAMINATE LAMINATED VENEER LUMBER LIGHT/LIGHTINGP LINEAL FOOT
	MAN HOLE MANUFACTURER MATERIAL MAXIMUM MECHANICAL METAL MILLWORK MINIMUM MIRROR MISCELLANEOUS MODIFY MOUNTED
	NEW NATIONAL ELECTRIC CODE NOT IN CONTRACT NOT APPLICABLE NOT TO SCALE
	ON CENTER OUTSIDE AIR OPENING OPPOSITE OUTSIDE DIAMETER OVER OVERFLOW DRAIN OVERHEAD
	PAINT PANEL PAIR PARTITION PAVEMENT PERFORATED PLASTIC LAMINATE PLUMBING PLYWOOD POLY VINYL CHLORIDE POUND POUNDS PER SQUARE FOOT POWER POLE PREFABRICATED PREPARE PRESSURE TREATED
	QUANTITY QUARRY TILE
	RADIUS RATED RECEPTACLE REFERENCE OR REFER REFRIGIERATOR REINFORCING REQUIRED REQUIREMENTS RETAINING REVISE, REVISION RISER ROOF DRAIN ROOM ROUGH OPENING
	SANITARY

SCHEDULE

SECTION SHEARWALL SHEET SHELVES SHOWER SIMILAR SMOKE DETECTOR SOLID CORE SPECIFICATIONS SPRINKLER SQUARE FOOT/FEET SQUARE STAINLESS STEEL STANDARD STEEL STORM DRAIN STORAGE STRUCTURE/STRUCTURAL SUSPENDED

SECT.

S.W.

SHT.

SHLVS.

SHWR.

SPECS.

SPLR.

SIM.

SD

SC.

SF

SQ.

S.S.

STD.

STL.

SDR.

STOR.

SUSP.

TEL.

ΤV

TEMP.

TPO

Т&G

TYP.

UNO

V.B.

VENT.

VNR.

VERT.

VIF.

VCT

W.

WC.

WH.

WP.

W/

W/O

WD.

YD.

STRUCT.

TELEPHONE TELEVISION TEMPORARY THERMOPLASTIC POLYOLEFIN TONGUE & GROOVED TYPICAL

VAPOR BARRIER VENTILATION VENEER VERTICAL VERIFY IN FIELD VINYL COMPOSITION TILE WASHER WATER CLOSET WATER HEATER WATERPROOF

UNLESS NOTED OTHERWISE

TOP

TREAD

WITH

WITHOUT

WOOD

YARD

A1

(A)

KEYNOTE

WALL TAG

	1 DRAWING TITLE		6,000 SQUARE FEET (10-1, CCR TITLE 19 SE
		SCALE :: 1/4" = 1'-0"	3. COMPLETE PLANS SYSTEMS, INCLUDINC SHALL BE SUBMITTEE INSTALLATION.
			4. PLANS FOR ALL FIX SYSTEMS AND FIRE AI PREVENTION BUREAU
			5. FIRE AND/OR SMOI PROCEDURES SHALL
ار م ب	ELEVATION CENTER LINE		6. ADDRESS SHALL BE TO BE PLAINLY VISIBL [CFC 901.4.4 FHPS PC
r	NORTH ARROW		7. DECORATIVE MATE CODE OF REGS. TITLE
N			SMOKE DET
	EXISTING WALL TO REMAIN		SMOKE ALARMS IN EX
	EXISTING WALL TO BE DEMO'D		WHERE THE ALTERATI
	NEW EXTERIOR WALL OR UNIT SEPARATION WALL		WALL OR CEILING FIN SPACE OR BASEMENT INTERCONNECTION \
	NEW INTERIOR WALL		EXISTING SMOKE ALA
	NEW EXTERIOR CLADDING		
(W-01)	WINDOW		CARBON MONOXIDE WIRED WHERE THE AI INTERIOR WALL OR C
DE-01	DOOR		ATTIC, CRAWL SPACE WIRING AND INTERCO R315.2)

FIRE PROTECTION NOTES

1. BUILDINGS UNDERGOING CONSTRUCTION, ALTERATION OR DEMOLITION SHALL BE IN ACCORDANCE WITH CFC ARTICLE 87.

2. AT LEAST ONE FIRE EXTINGUISHER WITH A MINIMUM RATING OF 2-A-10B:C SHALL BE PROVIDED WITHIN 75 FEET MAXIMUM TRAVEL DISTANCE FOR EACH 6,000 SQUARE FEET OR ORTION THEREOF ON EACH FLOOR (CFC SECT.1002, UFC STANDARD SECT.3.29)

IS AND SPECIFICATIONS FOR FIRE ALARM SYSTEMS , FIRE EXTINGUISHER NG AUTOMATIC SPRINKLERS AND OTHER FIRE PROTECTION SYSTEMS TED TO FIRE AND LIFE SAFETY FOR REVIEW AND APPROVAL PRIOR TO

FIXED FIRE PROTECTION EQUIPMENT, SUCH AS STANDPIPES, SPRINKLER E ALARM SYSTEMS, MUST BE SUBMITTED TO, AND APPROVED BY, THE FIRE EAU BEFORE THIS EQUIPMENT IS INSTALLED.

OKE DAMPER ASSEMBLIES, INCLUDING SLEEVES, AND INSTALLATION LL BE APPROVED BY THE BUILDING INSPECTOR PRIOR TO INSTALLATION.

BE PROVIDED FOR ALL NEW AND EXISTING BUILDINGS IN A POSITION AS IBLE AND LEGIBLE FROM THE STREET OR ROAD FRONTING THE PROPERTY. POLICY P-00-6]

TERIALS SHALL BE MAINTAINED IN A FLAME-RETARDANT CONDITION. [CAL TLE 19, 3, 08, 3.21 CFC 2501.5]

TECTOR NOTES

EXISTING AREAS NEED TO BE INTERCONNECTED AND HARD WIRED ATIONS OR REPAIR DOES NOT RESULT IN THE REMOVAL OF INTERIOR FINISHES EXPOSING THE STRUCTURE, UNLESS THEERE IS AN ATTIC, CRAWL NT AVAILABLE WHICH COULD PROVIDE ACCESS FIR HARD WIRING AND WITHOUT THE REMOVAL OF INTERIOR FINISHES (SECTION R314.3.1)

LARMS THAT ARE MORE THAN 10 YEARS OLD WILL BE REPLACED.

DE ALARMS IN EXISTING AREAS NEED TO BE INTERCONNECTED AND HARD ALTERATIONS OR REPAIR DOES NOT RESULT IN THE REMOVAL OF CEILING FINISHES EXPOSING THE STRUCTURE, UNLESS THEERE IS AN CE OR BASEMENT AVAILABLE WHICH COULD PROVIDE ACCESS FOR HARD CONNECTION WITHOUT THE REMOVAL OF INTERIOR FINISHES (SECTION

ATTIC VENTILATION OPENING SHALL BE COVERED WITH CORROSION-RESISTANT METAL MESH WITH 1/16: MINIMUM TO 1/4" MAXIMUM OPENINGS.

2016 CALGREEN MANDATORY MEASURES

SITE DEVELOPMENT (4.106):

STORM WATER DRAINAGE MANAGEMENT PLAN SHALL BE IMPLEMENTED DURING CONSTRUCTION

INDOOR WATER USE (4.303):

MAXIMUM PLUMBING FIXTURE FLOW REQUIREMENTS SHALL BE AS FOLLOWS: SHOWER HEADS: 2GPM LAVATORY FAUCETS: 1.5 GPM

KITCHEN FAUCETS: 1.8 GPM WATER CLOSETS: 1.28 GALLONS/FLUSH

WHEN A SHOWER IS SERVED BY MORE THAN ONE SHOWER HEAD, THE COMBINED FLOW RATE OF ALL SHOWER HEADS CONTROLLED BY A SINGLE VALVE SHALL NOT EXCEED 2.0 GALLONS PER MINUTE AT 80 PSI.

OUTDOOR WATER USE (4.304):

AUTOMATIC IRRIGATION SYSTEM CONTROLLERS INSTALLED AT THE TIME OF FINAL INSPECTION SHALL BE WEATHER BASED.

ENHANCED DURABILITY AND REDUCED MAINTENANCE (4.406):

ANNULAR SPACES AROUND PIPES, ELECTRICAL CABLES, CONDUITS OR OTHER OPENINGS IN PLATES AT EXTERIOR WALLS SHALL BE PROTECTED AGAINST THE PASSAGE OF RODENTS BY CLOSING SUCH OPENINGS WITH CEMENT MORTAR, CONCRETE MASONRY OR SIMILAR METHOD ACCEPTABLE TO THE ENFORCING AGENCY.

CONSTRUCTION WASTE REDUCTION, DISPOSAL AND RECYCLING (4.408): A MINIMUM OF 60% OF THE CONSTRUCTION WASTE GENERATED AT THE SITE IS DIVERTED TO

RECYCLE OR SALVAGE. THIS IS ACHIEVED BY USING COUNTY CERTIFIED LAND FILLS OR IMPLEMENTATION OF A WASTE MANAGEMENT PLAN. WASTE MANAGEMENT PLAN SHALL BE APPROVED BY ENVIRONMENTAL SERVICES DIVISION.

BUILDING MAINTENANCE AND OPERATION (4.410):

AN OPERATION AND MAINTENANCE MANUAL SHALL BE PROVIDED TO THE OCCUPANT OR OWNER.

FIREPLACES (4.503):

ANY INSTALLED GAS FIREPLACE SHALL BE A DIRECT VENT SEALED COMBUSTION TYPE.

POLLUTANT CONTROL (4.504):

1. DUCT OPENINGS AND OTHER AIR DISTRIBUTION COMPONENT OPENINGS SHALL BE COVERED DURING CONSTRUCTION.

2.ADHESIVES, SEALANTS AND CAULKS SHALL BE COMPLIANT WITH VOC AND OTHER TOXIC COMPOUND LIMITS. PAINTS, STAINS AND OTHER COMPONENTS SHALL BE COMPLIANT WITH VOC LIMITS. AEROSOL PAINTS AND COATINGS SHALL BE COMPLIANT WITH PRODUCT WEIGHTED MANUFACTURER LIMITS FOR VOC AND OTHER TOXIC COMPOUND LIMITS.

3. CARPET AND CARPET SYSTEMS SHALL BE COMPLIANT WITH VOC LIMITS. DOCUMENTATION SHALL BE PROVIDED TO THE COUNTY BUILDING INSPECTOR VERIFYING THAT COMPLIANT VOC LIMIT FINISH MATERIALS HAVE BEEN USED. 80% OF FLOOR AREA RECEIVING RESILIENT FLOORING SHALL COMPLY WITH THE VOC EMISSION LIMIT DEFINED IN THE COLLABORATION FOR HIGH PERFORMANCE SCHOOLS (CHPS) LOW EMITTING MATERIALS LIST OR BE CERTIFIED UNDER THE RESILIENT FLOOR COVERING INSTITUTE (RFCI) FLOOR SCORE PROGRAM.

4. PARTICLE BOARD, MEDIUM DENSITY FIBER BOARD (MDF) AND HARDWOOD PLYWOOD USED IN INTERIOR FINISH SYSTEMS SHALL COMPLY WITH THE LOW FORMALDEHYDE STANDARDS.

INTERIOR MOISTURE CONTROL (4.505):

VAPOR RETARDERS AND CAPILLARY BREAK IS INSTALLED AT SLAB-ON-GRADE FOUNDATIONS. MOISTURE CONTENT OF BUILDING MATERIALS USED IN WALL AND FLOOR FRAMING IS CHECKED BEFORE ENCLOSURE. THE MOISTURE CONTENT OF WOOD SHALLL NOT EXCEED 19% BEFORE IT IS ENCLOSED IN CONSTRUCTION. THE MOISTURE CONTENT NEEDS TO BE CERTIFIED IN ONE OF THREE METHODS SPECIFIED IN CGC SECTION 4.504.3. BUILDING MATERIALS WITH VISIBLE SIGNS OF OF WATER DAMAGE SHOULD NOT BE USED IN CONSTRUCTION.

ENVIRONMENTAL COMFORT (4.507):

DUCT SYSTEMS ARE SIZED, DESIGNED AND EQUIPMENT SELECTED USING THE FOLLOWING METHODS:

1. SIZE DUCT SYSTEMS ACCORDING TO ACCA 29-D (MANUAL D) OR EQUIVALENT 2. SELECT HEATING AND COOLING EQUIPMENT ACCORDING TO ACCA 36-S (MANUAL S) OR EQUIVALENT.

INDOOR AIR QUALITY AND EXHAUST (4.506):

1. UNLESS FUNCTIONING AS A WHOLE HOUSE VENTILATION SYSTEM, BATHROOM FANS SHALL BE CONTROLLED BY A HUMIDISTAT WHICH SHALL BE READILY ACCESSIBLE. BATHROOM FANS SHALL BE ENERGY STAR RATED, VENTED DIRECTLY TO THE OUTSIDE AND CONTROLLED BY A HUMIDISTAT (CGC 4.506.1) 2. HUMIDISTAT CONTROLS SHALL BE CAPABLE OF ADJUSTMENT BETWEEN A RELATIVE HUMIDITY RANGE OF 50 TO 80 PERCENT.

QUALIFICATIONS (702):

HVAC SYSTEM INSTALLERS ARE TRAINED AND CERTIFIED IN THE INSTALLATION OF HVAC EQUIPMENT.

VERIFICATIONS (703):

1. VERIFICATION OF COMPLIANCE WITH THIS CODE MAY INCLUDE CONSTRUCTION DOCUMENTS, PLANS, SPECIFICATIONS, BUILDER OR INSTALLER CERTIFICATION, INSPECTION REPORTS OR OTHER METHODS ACCEPTABLE TO THE ENFORCING AGENCY WHICH SHOW SUBSTANTIAL CONFORMANCE.

2. PRIOR TO FINAL INSPECTION, THE LICENSED CONTRACTOR, ARCHITECT, OR ENGINEER RESPONSIBLE CHARGE OF THE OVERALL CONSTRUCTION MUST PROVIDE TO THE BUILDING DEPT. OFFICIAL WRITTEN VERIFICATION THAT ALL APPLICABLE PROVISIONS FROM THE GREEN BUILDING STANDARDS CODE HAVE BEEN IMPLEMENTED AS PART OF THE CONSTRUCTION. (CGC 102.3)

ATTACHMENT ATTAACHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE

- 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH
- WORK OR BE RESPONSIBLE FOR SAME. 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE
- SCALED.
- 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.
- 4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.
- 5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.
- 6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.
- 7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.





CERTIFICATION





REMOVE & REPLACE ADJACENT ALLEY FROM PL TO PL, SEE TENTATIVE MAP SHEET C.07



2

GEOLOGY REQUIREMENTS: PRIOR TO THE ISSUANCE OF ANY

CONSTRUCTION PERMITS (EITHER GRADING OR BUILDING PERMITS), THE OWNER/PERMITTEE SHALL SUBMIT A GEOTECHNICAL INVESTIGATION REPORT OR UPDATE LETTER THAT SPECIFICALLY ADDRESSED THE PROPOSED CONSTRUCTION PLANS AND INCLUDES A SITE SPECIFIC LIQUEFACTION ANALYSIS. THE GEOTECHNICAL INVESTIGATION SHALL BE REVIEWED FOR ADEQUACY BY THE GEOLOGY SECTION OF DEVELOPMENT SERVICES PRIOR TO THE ISSUANCE OF ANY CONSTRUCTION PERMIT.

REMOVE EXISTING FENCE (ENCROACHING ON R.O.W.) & RESTORE 2' PAVEMENT TO ORIGINAL CONDITION PER NO NEW FENCE ALONG FRONT PROPERTY LINE

ADJACENT PROPERTY LOT G, BLOCK 97, MAP 1809

- PROPOSED GAS METERS FOR UNITS A & B

- 3'-0" X 6'-0" REFUSE & RECYCLING AREA FOR UNITS A & B

– PROPOSED BACKFLOW VALVES FOR UNITS A & B

PROPOSED 1" WATER METER FOR UNIT B

ZONING INFO

PROPOSED STRUCTURE MULTIFAMILY RESIDENCE ADDRESS

821-827 ISLAND COURT SAN DIEGO, CA 92109

LEGAL DESCRIPTION LOTS H & I, BLOCK 97, MAP 1809

BUILDING ARFA:

APN: 423-675-05-00

DUILDING AREA.	
1ST FLOOR UNIT A:	528 GSF
1ST FLOOR UNIT C:	464 GSF
1ST FLOOR TOTAL:	992 GSF
2ND FLOOR UNIT A:	578 GSF
2ND FLOOR UNIT B:	549 GSF
2ND FLOOR UNIT C:	578 GSF
2ND FLOOR UNIT D:	485 GSF
2ND FLOOR TOTAL:	2,190 GSF
3RD FLOOR UNIT A:	340 GSF
3RD FLOOR UNIT B:	680 GSF
3RD FLOOR UNIT C:	378 GSF

3RD FLOOR UNIT D: 580 GSF **3RD FLOOR TOTAL:** 1,978 GSF TOTAL BUILDING AREA: 5,160 GSF

CONSTRUCTION TYPE: V UNPROTECTED

USE GROUP:	IIIB
OCCUPANCY TYPE:	RESIDENTIAL
ZONE:	MBPD-R-S
LOT SIZE:	4,708.4 SF
BUILDING FOOTPRIN	T:

2,602 SF (INCLUDING PARKING AREA)

LOT COVERAGE: 60% MAX ALLOWABLE: PROPOSED: 55%

FLOOR AREA

MAX ALLOW: 1.1 (SHALL NOT EXCEED 5,280 SF)) PROPOSED F.A.R.: 1.06 (5,096 GSF)

MAXIMUM BUILDING HEIGHT: 30' PROPOSED BUILDING HEIGHT: 30'

MAXIMUM BUILDING WIDTH: 25' PROPOSED BUILDING WIDTH: 23'-5 1/2" ON EACH SIDE OF VERTICAL OFFSET

REQUIRED SET BACKS: FRONT: 15′ SIDE:

ALLEY:

ENCROACHMENTS: UP TO 18 INCHES FOR A VERTICAL OFFSET EXTENDING FULL HEIGHT OF BUILDING THAT IS A MAXIMUM OF 3 FEET IN DEPTH AND NOT LESS THAN 45 DEGREES FOR AT LEAST 50 PERCENT OF BUILDING.

PARKING REQUIREMENTS: REQUIRED: 2 SPACES PER DWELLING UNIT

PROVIDED: 8 SPACES TOTAL (2 PER DWELLING UNIT)

PARKING NOTE: ALL AUTOMOBILE PARKING SPACES MUST BE CONSTRUCTED IN ACCORDANCE WITH THE REQUIREMENTS OF THE SD,C. ALL ON-SITE PARKING STALLS AND AISLE WIDTHS SHALL BE IN COMPLIANCE WITH REQUIREMENTS OF THE CITY'S LAND DEVELOPMENT CODES AND SHALL NOT BE CONVERTED AND/OR UTILIZED FOR ANY OTHER PURPOSE, UNLESS OTHERWISE AUTHORIZED IN WRITING BY THE APPROPRIATE CITY DECISION MAKER IN ACCORDANCE WITH THE SDMC

BUILDING ADDRESS NUMBERS: PROVIDE BUILDING ADDRESS NUMBERS, VISIBLE AND LEGIBLE FROM THE STREET OR ROAD FRONTING THE PROPERTY PER SAN DIEGO MUNICIPAL CODE SECTION 95.0209 PROVIDE ALL ADDRESS NUMBER ON FRONT & ALLEY SIDE OF BUILDING

PLAN LEGEND

- - - PROPERTY LINE — — — REQ. SETBACK LINE **BUILDING FOOTPRINT IMPERVIOUS / PAVED** SURFACE (CONCRETE, ASPHALT, ETC) PLANTERS W/ DROUGHT TOLERANT SUCCULENTS GRASSCRETE

NOTE: SEE C0.8 LANDSCAPE PLAN FOR INFO & AREA CALCULATIONS OF PERVIOUS & IMPERVIOUS SURFACES.

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING

- DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRIN	T DATE:	AUGUST 20, 2018
PRO	JECT PHASE:	PERMIT SET
rev.	date.	remark
\wedge	JUNE 12 2010	Dian abaaly variations

 $\underline{/1}$ JUNE 12, 2018 Plan check revisions 2 AUG 20, 2018 Plan check revisions

CERTIFICATION





COPYRIGHT® RINEHART ENGINEERING COMPANY. ALL RIGHTS RESERVED. NO PART OF THIS DRAWING MAY BE REPRODUCED BY PHOTOCOPYING, RECORDING OR BY ANY OTHER MEANS, OR STORED, PROCESSED OR TRANSMITTED IN OR BY

LEGE	END
SEWER (SIZE CABLE TV	ROUNDARY R/W AY R/W E STREET $$ CABLE $-OHL$ G $-OHL$ <tr< th=""></tr<>
LEGI Lots H & I,	AL BLOCK 97, MAP 1809
	MISSION BAY ISLAND CT ISLAND CT ISLA
REQUIREMELY AREAS MAX AREAS BAS INTENDED F PROJECT. DELAYS IN UPDATE OR THIS IS NOT SURVEY AN RELATING T EASEMENTS APPROXIMA TOPOGRAPH THE BEARIN MONUMENT SHOWN AND BOUNDARY SHOWN AND SHOWN AND SURVEYED BOUNDARIES NO TITLE R EASEMENTS SUBDIVISION LOCATION C RECORDS P SUBDIVISION LOCATION C	DEFENSION OF A SPECIFIC PROJECT AND SOME NTS FOR DESIGN OF A SPECIFIC PROJECT AND SOME Y HAVE GREATER OR LESSER DETAIL THAN OTHER SED ON PROJECT REQUIREMENTS. THIS MAP IS FOR USE ONLY AS A DESIGN AID FOR THAT CHANGES IN THE SCOPE, DESIGN OR SIGNIFICANT DESIGN AND/OR CONSTRUCTION MAY REQUIRE P EXTENSION OF THE TOPOGRAPHY. T A SURVEY OF PROPERTY LINES OR A RECORD OF ID REPRESENTS ONLY AVAILABLE INFORMATION TO THE BOUNDARY OF THE PARCEL AND/OR C LINES WHICH ARE INCLUDED TO SHOW THE TE RELATIVE LOCATION OF THESE LINES TO THE IC FEATURES. THE LOCATION OF THE PARCEL AND IG AND DISTANCES SHOWN ARE BASED ON FOUND S, CORNER RECORD 2066 AND MAP 1809 AND MAY THE DEED OR MAP DESCRIPTION. THE ACTUAL OF THE BOUNDARY MUST BE DETERMINED BY A SURVEY. NO MONUMENTS WERE FOUND EXCEPT AS D NO MONUMENTS WERE SET. BECAUSE OF THE ENCROACHMENTS AND LACK OF SUFFICIENT LOT ATION, IT IS RECOMMENDED THAT THE BOUNDARY BE TO DETERMINE THE LOCATION OF PARCEL S AND/OR EASEMENTS. PEPORT WAS AVAILABLE FOR THE PARCEL AND NO THE AVAILABLE FOR THE PARCEL AND NO THE SHOWN OTHER THAN THOSE ON RECORDED
	RINEHART ENGINEERING 6431 CLEEVE WAY SAN DIEGO, CA 92117 FDRORINEHART-ENGINEERING.COM (858) 268-8401 TOPOGRAPHIC MAP OF
BENCH MARK	LOTS H & I, BLOCK 97 OF MAP 1809 821-823 & 825-827 ISLAND COURT DATE OF SURVEY: <u>SEPT 1, 2017</u> SURVEYOR: <u>F. DAN RINEHART</u>
DESCRIPTION: <u>BRASS PLAQ, MONUMENT WELL</u> LOCATION: <u>ELY 4' OS LINE JAMICA CT</u> RECORD FROM: <u>CITY OF SAN DIEGO VERTICAL CONTROL</u> ELEVATION: <u>4.885</u> DATUM: <u>SAN DIEGO MEAN SEA LEVEL</u>	DRAWN BY: <u>FDR</u> SCALE: <u>1"=10'</u> JOB NUMBER: <u>17212TOA.DWG</u> SHEET <u>1</u> OF <u>1</u>

Development Services 1222 First Ave., MS-302 San Diego, CA 92101 (619) 446-5000	Storm Water Requirements Applicability Checklist	
(619) 446-5000	Annlicability Checklist	
	<u>Applicability cilectilist</u>	OCTOBER 201
SS:	Project Number (f	
Construction Storm Wa		
on sites are required to impl	ement construction BMPs in accordance with the perform	ance standard
waler Slandards Wanual S	SOMA sites are additionally required to obtain covere	en al a se bla a torra d
		······································
		continue te
termine Construction Ph	hase Storm Water Requirements.	
ct subject to California's stat	tewide General NPDES permit for Storm Water Discharges	Associated
bance greater than or equal	to 1 acre.)	ly projects wit
PPP required, skip question	s 2-4 🛛 No; next question	•
roject propose construction		g, grading
xcavation, or any other activ	vity resulting in ground disturbance and contact with storr	n water runo
PCP required, skip 3-4	No; next question	
roject propose routine main e of the facility? (Projects suc	tenance to maintain original line and grade, hydraulic cap	acity, or origi
- ·		
f () L.		
al Right of Way Permits that teral, or utility service.	exclusively include only ONE of the following activities: wa	ter service,
Way Permits with a project f	ootprint less than 150 linear feet that exclusively include o	only ONE of
ient, and retaining wall encr	roachments.	and gutter
no document required		
-		······································
If you checked "Yes" for que a SWPPP is REQUIRED. Co	estion 1, Ontinue to PART B	
a WPCP is REQUIRED. If the of ground disturbance AND	ne project proposes less than 5,000 square feet Thas less than a 5-foot elevation change over the	
entare projeccarea, a Minor	Which may be required instead. Continue to PARI B.	
PART B does not apply an	uestions 1-3, and checked "Yes" for question 4 d no document is required. Continue to Section 2	
	on sites are required to impl Water Standards Manual. General Permit (CGP) ¹ , whi ects complete PART A: I termine Construction Pl ect subject to California's star- fuction Activities, also known bance greater than or equal (PPP required, skip question roject propose construction excavation, or any other active PCP required, skip 3-4 roject propose routine main e of the facility? (Projects suc- PCP required, skip 4 roject only include the follow PCP required, skip 4 roject only include the follow I Permit, Fire Alarm Permit, Init. al Right of Way Permits that teral, or utility service. Way Permits with a project for ment, and retaining wall encomposed to document required the of the boxes below, and composed of the boxes below, and composed of the boxes below, and composed if you checked "No" for que a WPCP is REQUIRED. If the of ground disturbance AND entire project area, a Mino	roject propose routine maintenance to maintain original line and grade, hydraulic cap e of the facility? (Projects such as pipeline/utility replacement) PCP required, skip 4

regulations/index.sntml Printed on recycled paper. Visit our web site at www.sandiego.gov/development-services. Upon request, this information is available in alternative formats for persons with disabilities. DS-560 (10-16)

Page 2 of 4 City of San Diego • Development Services • Storm Water Requirements Applicability Checklist PART B: Determine Construction Site Priority This prioritization must be completed within this form, noted on the plans, and included in the SWPPP or WPCP. This prioritization must be completed within this form, noted on the plans, and included in the SWPPP of WPCP. The city reserves the right to adjust the priority of projects both before and after construction. Construction projects are assigned an inspection frequency based on if the project has a "high threat to water quality." The City has aligned the local definition of "high threat to water quality" to the risk determination approach of the State Construction General Permit (CGP). The CGP determines risk level based on project specific sediment risk and receiving water risk. Additional inspection is required for projects within the Areas of Special Biological Sig-nificance (ASBS) watershed. **NOTE:** The construction priority does **NOT** change construction BMP requirements that apply to projects; rather, it determines the frequency of inspections that will be conducted by city staff. that apply to projects; rather, it determines the frequency of inspections that will be conducted by city staff. Complete PART B and continued to Section 2 🗐 🛛 ASBS a. Projects located in the ASBS watershed. 2. High Priority a. Projects 1 acre or more determined to be Risk Level 2 or Risk Level 3 per the Construction General Permit and not located in the ASBS watershed. b. Projects 1 acre or more determined to be LUP Type 2 or LUP Type 3 per the Construction General Permit and not located in the ASBS watershed. 3. Medium Priority a. Projects 1 acre or more but not subject to an ASBS or high priority designation. b. Projects determined to be Risk Level 1 or LUP Type 1 per the Construction General Permit and not located in the ASBS watershed. \times Low Priority a. Projects requiring a Water Pollution Control Plan but not subject to ASBS, high, or medium priority designation. SECTION 2. Permanent Storm Water BMP Requirements. Additional information for determining the requirements is found in the Storm Water Standards Manual. PART C: Determine if Not Subject to Permanent Storm Water Requirements. Projects that are considered maintenance, or otherwise not categorized as "new development projects" or "rede-velopment projects" according to the <u>Storm Water Standards Manual</u> are not subject to Permanent Storm Water BMPs. If "yes" is checked for any number in Part C, proceed to Part F and check "Not Subject to Perma-nent Storm Water BMP Requirements". If "no" is checked for all of the numbers in Part C continue to Part D. Does the project only include interior remodels and/or is the project entirely within an existing enclosed structure and does not have the potential to contact storm water? Yes 🛛 No Does the project only include the construction of overhead or underground utilities without creating new impervious surfaces? Does the project fall under routine maintenance? Examples include, but are not limited to: roof or exterior structure surface replacement, resurfacing or reconfiguring surface parking lots or existing roadways without expanding the impervious footprint, and routine replacement of damaged pavement (grinding, overlay, and pothole repair). 🗌 Yes 🗵 No

PD	P Exempt projects are required to i
lf ' "P	"yes" was checked for any question DP Exempt."
	"no" was checked for all questions i
1.	Does the project ONLY include new or • Are designed and constructed to di
	non-erodible permeable areas? Or; • Are designed and constructed to be
	 Are designed and constructed to be Green Streets guidance in the City's
	Yes; PDP exempt requirements app
2.	
	Yes; PDP exempt requirements apply
	······································
Pro	RT E: Determine if Project is a Prio bjects that match one of the definitions be
	itorm Water Quality Management Plan (S)
or	"yes" is checked for any number in ity Development Project".
lf ' "St	"no" is checked for every number ir tandard Development Project".
1.	New Development that creates 10,000 collectively over the project site. This
	mixed-use, and public development pro
2.	Redevelopment project that creates a impervious surfaces on an existing sit surfaces. This includes commercial, ind
<u> </u>	development projects on public or priva
3.	New development or redevelopment and drinks for consumption, including st prepared foods and drinks for immediat
4.	development creates and/or replace 5,0
4.	New development or redevelopment 5,000 square feet or more of impervious the development will grade on any nature
5.	New development or redevelopment 5,000 square feet or more of impervio
6.	New development or redevelopment
	driveways. The project creates and/or surface (collectively over the project site
	,
	·
D '-	
Pa	ge 4 of 4 City of San Diego • Developmen
7.	New development or redevelopment Sensitive Area. The project creates and
	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu
	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha
	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment
7.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands).
7.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square
7.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more
7. 8. 9.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more
7. 8. 9.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface
7. 8. 9.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface
7. 8. 9.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers. Such as
7. 8. 9.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface
7. 8. 9.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface vehicle use, such as emergency mainten with pervious surfaces of if they sheet flow
7. 8. 9. 10.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides and fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides and fertilizers and less than 5,000 st of impervious surface use of pesticides and fertilizers and less than 5,000 st of impervious surface use of pesticides and fertilizers and less than 5,000 st of impervious surface use of pesticides and fertilizers and less than 5,000 st of impervious surface use of pesticides and fertilizers and less than 5,000 st of impervious surface use of pesticides and fertilizers and less than 5,000 st of impervious surface use of pesticides and fertilizers and less than 5,000 st of impervious surface use of pesticides and fertilizers and less than 5,000 st of impervious surface vehicle use, such as emergency mainten with pervious surfaces of if they sheet flow The project is NOT SUBJECT TO PERMA
7. 8. 9. 10. PA	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface vehicle use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPM BMP requirements apply. See the Storr The project is PDP EXEMPT. Site design
7. 8. 9. 10. PA 1. 2. 3.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface vehicle use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPM BMP requirements apply. See the Storr The project is PDP EXEMPT. Site design See the Storm Water Standards Manual
7. 8. 9. 10. PA 1. 2.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface vehicle use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPM BMP requirements apply. See the Storr The project is PDP EXEMPT. Site design
7. 8. 9. 10. PA 1. 2. 3.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides of if they sheet flow whiche use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPME BMP requirements apply. See the Storm The project is a PRIORITY DEVELOPMENT See the Storm Water Standards Manual The project is a PRIORITY DEVELOPMENT structural pollutant control BMP requirements apply requirements apply.
7. 8. 9. 10. PA 1. 2. 3.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides of if they sheet flow whiche use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPME BMP requirements apply. See the Storm The project is a PRIORITY DEVELOPMENT See the Storm Water Standards Manual The project is a PRIORITY DEVELOPMENT structural pollutant control BMP requirements apply requirements apply.
7. 8. 9. 10. PA 1. 2. 3.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, or as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides of if they sheet flow whiche use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPME BMP requirements apply. See the Storm The project is a PRIORITY DEVELOPMENT See the Storm Water Standards Manual The project is a PRIORITY DEVELOPMENT structural pollutant control BMP requirements apply requirements apply.
7. 8. 9. 10. PA 1. 2. 3. 4.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface vehicle use, such as emergency mainten with pervious surfaces of if they sheet flow The project is NOT SUBJECT TO PERMA The project is a STANDARD DEVELOPMEN MBMP requirements apply. See the Storm The project is a PRIORITY DEVELOPMEN structural pollutant control BMP require for guidance on determining if project r andon Soule
7. 8. 9. 10. PA 1. 2. 3. 4.	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface vehicle use, such as emergency mainten with pervious surfaces of if they sheet flow The project is NOT SUBJECT TO PERMA The project is a STANDARD DEVELOPME BMP requirements apply. See the Storr The project is a PRIORITY DEVELOPME structural pollutant control BMP required for guidance on determining if project r
7. 8. 9. 10. PA 1. 2. 3. 4. Bra Na	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and dischat Area (ESA). "Discharging directly to" inclu- feet or less from the project to the ESA, as an isolated flow from the project to the Iands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or mod New development or redevelopment creates and/or replaces 5,000 square of projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or mor post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides and fertilizers, such as the square footage of if they sheet flow whiche use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPM BMP requirements apply. See the Storm The project is a PRIORITY DEVELOPMENT structural pollutant control BMP requires for guidance on determining if project r andon Soule me of Owner or Agent (<i>Please Print</i>) Ward
7. 8. 9. 10. PA 1. 2. 3. 4. Bra Na	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and discha Area (ESA). "Discharging directly to" inclu feet or less from the project to the ESA, as an isolated flow from the project to the lands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or more New development or redevelopment creates and/or replaces 5,000 square for projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or more post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface vehicle use, such as emergency mainten with pervious surfaces of if they sheet flow The project is NOT SUBJECT TO PERMA The project is a STANDARD DEVELOPMEN MBMP requirements apply. See the Storm The project is a PRIORITY DEVELOPMEN structural pollutant control BMP require for guidance on determining if project r andon Soule
7. 8. 9. 10. PA 1. 2. 3. 4. Bra Na	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and dischat Area (ESA). "Discharging directly to" inclu- feet or less from the project to the ESA, as an isolated flow from the project to the Iands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or mod New development or redevelopment creates and/or replaces 5,000 square of projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or mor post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides and fertilizers, such as the square footage of if they sheet flow whiche use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPM BMP requirements apply. See the Storm The project is a PRIORITY DEVELOPMENT structural pollutant control BMP requires for guidance on determining if project r andon Soule me of Owner or Agent (<i>Please Print</i>) Wathat and the project is a STANDARD DEVELOPMENT and the project is a PRIORITY DEVELOPMENT structural pollutant control BMP requires for guidance on determining if project r
7. 8. 9. 10. PA 1. 2. 3. 4. Bra Na	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and dischat Area (ESA). "Discharging directly to" inclu- feet or less from the project to the ESA, as an isolated flow from the project to the Iands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or mod New development or redevelopment creates and/or replaces 5,000 square of projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or mor post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides and fertilizers, such as the square footage of if they sheet flow whiche use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPM BMP requirements apply. See the Storm The project is a PRIORITY DEVELOPMENT structural pollutant control BMP requires for guidance on determining if project r andon Soule me of Owner or Agent (<i>Please Print</i>) Wathat and the project is a STANDARD DEVELOPMENT and the project is a PRIORITY DEVELOPMENT structural pollutant control BMP requires for guidance on determining if project r
7. 8. 9. 10. PA 1. 2. 3. 4. Bra Na	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and dischat Area (ESA). "Discharging directly to" inclu- feet or less from the project to the ESA, as an isolated flow from the project to the Iands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or mod New development or redevelopment creates and/or replaces 5,000 square of projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or mor post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides and fertilizers, such as the square footage of if they sheet flow whiche use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPM BMP requirements apply. See the Storm The project is a PRIORITY DEVELOPMENT structural pollutant control BMP requires for guidance on determining if project r andon Soule me of Owner or Agent (<i>Please Print</i>) Wathat and the project is a STANDARD DEVELOPMENT and the project is a PRIORITY DEVELOPMENT structural pollutant control BMP requires for guidance on determining if project r
7. 8. 9. 10. PA 1. 2. 3. 4. Bra Na	New development or redevelopment Sensitive Area. The project creates and (collectively over project site), and dischat Area (ESA). "Discharging directly to" inclu- feet or less from the project to the ESA, as an isolated flow from the project to the Iands). New development or redevelopment create and/or replaces 5,000 square for project meets the following criteria: (a) 5 Average Daily Traffic (ADT) of 100 or mod New development or redevelopment creates and/or replaces 5,000 square of projects categorized in any one of Stand 5541, 7532-7534, or 7536-7539. Other Pollutant Generating Project. The results in the disturbance of one or mor post construction, such as fertilizers and less than 5,000 sf of impervious surface use of pesticides and fertilizers, such as the square footage of impervious surface use of pesticides and fertilizers, such as the square footage of if they sheet flow whiche use, such as emergency mainten with pervious surfaces of if they sheet flow The project is a STANDARD DEVELOPM BMP requirements apply. See the Storm The project is a PRIORITY DEVELOPMENT structural pollutant control BMP requires for guidance on determining if project r andon Soule me of Owner or Agent (<i>Please Print</i>) Wathat and the project is a STANDARD DEVELOPMENT and the project is a PRIORITY DEVELOPMENT structural pollutant control BMP requires for guidance on determining if project r

City of San Diego • Development Services • Storm Water Requirements Applicability Checklist Page	3 of 4
PART D: PDP Exempt Requirements.	
PDP Exempt projects are required to implement site design and source control BM	Ps.
If "yes" was checked for any questions in Part D, continue to Part F and check the b "PDP Exempt."	ox labeled
If "no" was checked for all questions in Part D, continue to Part E.	
1. Does the project ONLY include new or retrofit sidewalks, bicycle lanes, or trails that:	
 Are designed and constructed to direct storm water runoff to adjacent vegetated are non-erodible permeable areas? Or; 	as, or other
 Are designed and constructed to be hydraulically disconnected from paved streets and 	nd roads? Or;
 Are designed and constructed with permeable pavements or surfaces in accordance Green Streets guidance in the City's Storm Water Standards manual? 	with the
Yes; PDP exempt requirements apply	
Does the project ONLY include retrofitting or redeveloping existing paved alleys, streets or roa and constructed in accordance with the Green Streets guidance in the <u>City's Storm Water Star</u>	ads designed dards Manual?
Yes; PDP exempt requirements apply INO; project not exempt.	
PART E: Determine if Project is a Priority Development Project (PDP). Projects that match one of the definitions below are subject to additional requirements including a Storm Water Quality Management Plan (SWQMP).	
lf "yes" is checked for any number in PART E, continue to PART F and check the box ority Development Project".	
If "no" is checked for every number in PART E, continue to PART F and check the bo "Standard Development Project".	x labeled
 New Development that creates 10,000 square feet or more of impervious surfaces collectively over the project site. This includes commercial, industrial, residential, mixed-use, and public development projects on public or private land. 	□Yes ⊠No
 Redevelopment project that creates and/or replaces 5,000 square feet or more of impervious surfaces on an existing site of 10,000 square feet or more of impervious surfaces. This includes commercial, industrial, residential, mixed-use, and public development projects on public or private land. 	□Yes ⊠No
3. New development or redevelopment of a restaurant. Facilities that sell prepared foods	******
and drinks for consumption, including stationary lunch counters and refreshment stands selli prepared foods and drinks for immediate consumption (SIC 5812), and where the land development creates and/or replace 5,000 square feet or more of impervious surface.	ng □Yes ⊠No
4. New development or redevelopment on a hillside. The project creates and/or replaces 5,000 square feet or more of impervious surface (collectively over the project site) and where the development will grade on any natural slope that is twenty-five percent or greater.	Yes 🗵 No
 New development or redevelopment of a parking lot that creates and/or replaces 5,000 square feet or more of impervious surface (collectively over the project site). 	□Yes ⊠No
 New development or redevelopment of streets, roads, highways, freeways, and driveways. The project creates and/or replaces 5,000 square feet or more of impervious surface (collectively over the project site). 	□Yes ⊠No

t Services • Storm Water Requirements Applicability Che	cklist
discharging directly to an Environmentally /or replaces 2,500 square feet of impervious surface rges directly to an Environmentally Sensitive des flow that is conveyed overland a distance of 200 or conveyed in a pipe or open channel any distance e ESA (i.e. not commingled with flows from adjacent	□Yes ⊠No
projects of a retail gasoline outlet (RGO) that et of impervious surface. The development 000 square feet or more or (b) has a projected re vehicles per day.	Yes 🛛 No
projects of an automotive repair shops that	
ard Industrial Classification (SIC) codes 5013, 5014,	Yes 🛛 No
he project is not covered in the categories above, acres of land and is expected to generate pollutants pesticides. This does not include projects creating and where added landscaping does not require regula lope stabilization using native plants. Calculation of a need not include linear pathways that are for infrequ ance access or bicycle pedestrian use, if they are built w to surrounding pervious surfaces.	
ry based on the outcomes of PART C through F	PART E.
NENT STORM WATER REQUIREMENTS.	
ENT PROJECT. Site design and source control Water Standards Manual for guidance.	×
and source control BMP requirements apply. for guidance.	
IT PROJECT. Site design, source control, and ments apply. See the <u>Storm Water Standards Manual</u> equires a hydromodification plan management	
· .	
Developer	
Title	······································
05/29/2018	
Date	······································



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING

DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH

2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

WORK OR BE RESPONSIBLE FOR SAME.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRINT DATE:		JUNE 12, 2018	
PROJECT PHASE:		PERMIT SET	
rev.	date.	remark	
Λ	JUNE 12, 2018	Plan check revisions	

CERTIFICATION





Source Control BIMP Checkinst TOR Stenderto Protecto All development projects must implement source control BMPs. Refer to Chapter 4 and Appendix E of the BMP Design Manual for information to implement BMPs shown in this checklist. Note: All selected BMPs must be shown on the construction plans.

Source Control Requirement	la de la composición	Applied	⁽¹⁾ ?
4.2.1 Prevention of Illicit Discharges into the MS4	√Yes		□N/A
4.2.2 Storm Drain Stenciling or Signage	Yes	 No	✓N/A
4.2.3 Protect Outdoor Materials Storage Areas from Rainfall, Run-	√Yes	No	
On, Runoff, and Wind Dispersal			
4.2.4 Protect Materials Stored in Outdoor Work Areas from Rainfall,	✓Yes	ΠNο	□N/A
Run-On, Runoff, and Wind Dispersal		•••••	h
4.2.5 Protect Trash Storage Areas from Rainfall, Run-On, Runoff,	✓Yes	ΠNο	N/A
and Wind Dispersal	—		
4.2.6 BMPs based on Potential Sources of Runoff Pollutants			
On-site storm drain inlets	Yes	□ No	√ N/A
Interior floor drains and elevator shaft sump pumps	Yes	No	✓N/A
Interior parking garages	Yes	No	√N/A
Need for future indoor & structural pest control	Yes	No	✓N/A
Landscape/Outdoor Pesticide Use	Yes	No	√ N/A
Pools, spas, ponds, decorative fountains, and other water features	Yes	No	✓N/A
Food service	Yes	No	√N/A
Refuse areas	√Yes	No	 N/A
Industrial processes	Yes	No	√N/A
Outdoor storage of equipment or materials	Yes	No	✓N/A
Vehicle/Equipment Repair and Maintenance	TYes		
Fuel Dispensing Areas	Yes	ΠNO	✓N/A
Loading Docks	Yes	No	VN/A
Fire Sprinkler Test Water	Yes	No	√N/A
Miscellaneous Drain or Wash Water	Yes	No	√ N/A
Plazas, sidewalks, and parking lots	✓Yes	No	N/A
SC-6A: Large Trash Generating Facilities	Yes		√N/A
SC-6B: Animal Facilities	Yes	No	√N/A
SC-6C: Plant Nurseries and Garden Centers	Yes	No	√N/A
SC-6D: Automotive Facilities	 Yes	No	✓N/A

All NA answers: Not aplicable to the project and or site.

The City of San Diego | Storm Water Standards Form I-4A | January 2018 Edition

Form I-5B | January 2018 Edition

SD

a

TOT PDES FORTHER Site Design BMPs All development projects must implement site design BMPs where applicable and feasible. See Chapter 4-and Appendix E of the BMP Design Manual (Part 1 of Storm Water Standards) for information to implement site design BMPs shown in this checklist. Answer each category below pursuant to the following. • "Yes" means the project will implement the site design BMP as described in Chapter 4 and/or Appendix E of the BMP Design Manual. Discussion / justification is not required. • "No" means the BMP is applicable to the project but it is not feasible to implement. Discussion / justification must be provided. • "N/A" means the BMP is not applicable at the project site because the project does not include the feature that is addressed by the BMP (e.g., the project site has no existing natural areas to conserve). Discussion / justification may be provided. A site map with implemented site design BMPs must be included at the end of this checklist. Site Design Requirement Applied? 4.3.1 Maintain Natural Drainage Pathways and Hydrologic Features Yes No Discussion / justification if 4.3.1 not implemented: 1-1 Are existing natural drainage pathways and hydrologic 🗹 Yes 🗌 No 🗌 N/A features mapped on the site map? 1-2 Are trees implemented? If yes, are they shown on the site Yes No NA map? 1-3 Implemented trees meet the design criteria in 4.3.1 Fact Yes No N/A Sheet (e.g. soil volume, maximum credit, etc.)? 1-4 Is tree credit volume calculated using Appendix B.2.2.1 and Yes No N/A SD-1 Fact Sheet in Appendix E? 4.3.2 Have natural areas, soils and vegetation been conserved? Yes No V/A Discussion / justification if 4.3.2 not implemented:

Site Design BMP Checklist

1 The City of San Diego | Storm Water Standards Form I-4B | January 2018 Edition Site Design Require 4.3.3 Minimize Impervious Area Discussion / justification if 4.3.3 not imp Project to maximize previous surfaces and 4.3.4 Minimize Soil Compaction Discussion / justification if 4.3.4 not imp All soils is sand and self compacting. 4.3.5 Impervious Area Dispersion Discussion / justification if 4.3.5 not imp Natural dispersion on any impervious area. 5-1 Is the pervious area receiving ru identified on the site map? 5-2 Does the pervious area satisfy the Sheet in Appendix E (e.g. maximu etc.) 5-3 Is impervious area dispersion cred Appendix B.2.1.1 and 4.3.5 Fact Sh

Form I-5B | January 2018 Edition

1 The City of San Diego | Storm Water Standards

SDU

Source Control BMP Checklist for PDPs	Construction of the second	Form 1-4B		
Source Control BMPs				
All development projects must implement source control E feasible. See Chapter 4 and Appendix E of the BMP Design Manua Standards) for information to implement source control BMPs shown in	i (Part 1	of the Storm Water		
 Answer each category below pursuant to the following. "Yes" means the project will implement the source control Bl and/or Appendix E of the BMP Design Manual. Discussion / just "No" means the BMP is applicable to the project but it is Discussion / justification must be provided. "N/A" means the BMP is not applicable at the project site the include the feature that is addressed by the BMP (e.g., the prostorage areas). Discussion / justification may be provided. 	ification is 5 not feas Decause th	not required. sible to implement. ne project does not o outdoor materials		
Source Control Requirement		Applied?		
4.2.1 Prevention of Illicit Discharges into the MS4	√ Yes	No N/A		
Discussion / justification if 4.2.1 not implemented:				
No discharges into the MS4 from the project site	<u>.</u>			
4.2.2 Storm Drain Stenciling or Signage	Yes			
Discussion / justification if 4.2.2 not implemented: No storm drain on site or near.	1 ñ - 1			
4.2.3 Protect Outdoor Materials Storage Areas from Rainfall, Run- On, Runoff, and Wind Dispersal	Yes			
Discussion / justification if 4.2.3 not implemented:				
Material protection provided				
4.2.4 Protect Materials Stored in Outdoor Work Areas from Rainfall, Run-On, Runoff, and Wind Dispersal	AYes			
Discussion / justification if 4.2.4 not implemented:				
All material protected by BMPs				
4.2.5 Protect Trash Storage Areas from Rainfall, Run-On, Runoff, and Wind Dispersal	Yes			
Discussion / justification if 4.2.5 not implemented:	<u></u>	<u>ander and 1990 and 19</u>		
All trash storage areas protected with BMPs. Dumpsters to	be cover	ed or lidded.		

SD

Form 1558 Roge 2 of 4			
Site Design Requirement	<u>en de la definita</u> T	Applied	<u>ు శిల్లంగా సిని</u> త
.3.3 Minimize Impervious Area	[√] Yes	Applied	<u>{</u> [_]N/A
Discussion / justification if 4.3.3 not implemented:	v res		
roject to maximize previous surfaces and area.			
			•••
.3.4 Minimize Soil Compaction	Yes	No	√ N/A
Discussion / justification if 4.3.4 not implemented: Il soils is sand and self compacting.			
.3.5 Impervious Area Dispersion	√ Yes	No	N/A
Discussion / justification if 4.3.5 not implemented:	ل المشيعية		
atural dispersion on any impervious area.			
5-1 Is the pervious area receiving runon from impervious area identified on the site map?	√ Yes	No	N/A
5-2 Does the pervious area satisfy the design criteria in 4.3.5 Fact Sheet in Appendix E (e.g. maximum slope, minimum length, etc.)	√ Yes	□ No	<u>□</u> N/A
5-3 Is impervious area dispersion credit volume calculated using Appendix B.2.1.1 and 4.3.5 Fact Sheet in Appendix E?	Yes	No	√ N/A
2 The City of San Diego Storm Water Standards			
Form I-58 Lianuary 2018 Edition			> U

Form 1-45 Page 2 of 2			
Source Control Requirement		Applied?	
4.2.6 Additional BMPs Based on Potential Sources of Runoff Pollutan	ts (must and	Applied?	
source listed below)	ts (must ans	Wer for each	
On-site storm drain inlets	TYes		
Interior floor drains and elevator shaft sump pumps	 Yes		
Interior parking garages	Yes		
Need for future indoor & structural pest control	Yes		
Landscape/Outdoor Pesticide Use	Yes		
Pools, spas, ponds, decorative fountains, and other water features	Yes		
Food service	Yes		
Refuse areas	Yes	 ∏No ∏N/A	
Industrial processes	 Yes	 NoN/A	
Outdoor storage of equipment or materials	Yes		
Vehicle/Equipment Repair and Maintenance	Yes		
Fuel Dispensing Areas	Yes		
Loading Docks	Yes		
Fire Sprinkler Test Water	Yes	 NoN/A	
Miscellaneous Drain or Wash Water	Yes	<u> </u>	
Plazas, sidewalks, and parking lots	Yes	ΠΝο ΠΝ/Α	
SC-6A: Large Trash Generating Facilities	Yes	No NA	
SC-6B: Animal Facilities	Yes		
SC-6C: Plant Nurseries and Garden Centers	Yes		
SC-6D: Automotive Facilities	Yes		
Discussion / justification if 4.2.6 not implemented. Clearly identify which sources of runoff pollutants			

x

-

are discussed. Justification must be provided for <u>all</u> "No" answers shown above.

Refuse area: Will be a lidded dumpster kept on site surrounded with BMPs. Outdoor storage: Material storage will be covered and surrounded with BMPs Sidewalks, Parking Lots: No discharge from project site into adjacent parking lot and sidewalk areas. Site surrounded with approved BMPs.

2 The City of San Diego | Storm Water Standards Form I-4B | January 2018 Edition

SD)

~

•

	Form I-5B Page 3 of 4			
	Site Design Requirement		Applied?	
	Inoff Collection	[√] Yes	No	□N/A
	ussion / justification if 4.3.6 not implemented:			<u></u>
Roof dec	ck run off to planters.			:
6a-1	Are green roofs implemented in accordance with design	√ Yes	No	N/A
	criteria in 4.3.6A Fact Sheet? If yes, are they shown on			
	the site map?			
6a-2	Is the green roof credit volume calculated using Appendix	Yes	N o	√ N/A
	B.2.1.2 and 4.3.6A Fact Sheet in Appendix E?			
6b-1		√ Yes	_] No	∏N/A
	design criteria in 4.3.6B Fact Sheet? If yes, are they shown on the site map?			
6b-2	is the permeable pavement credit volume calculated	Yes		
002	using Appendix B.2.1.3 and 4.3.6B Fact Sheet in Appendix			√ N/A
4.3.7 La	ndscaping with Native or Drought Tolerant Species	√ Yes	ΠNο	N/A
	cussion / justification if 4.3.7 not implemented:			
13843	arvest and Use Precipitation	I	T [[
·		Yes		N/A
0150	cussion / justification if 4.3.8 not implemented:			
8-1	Are rain barrels implemented in accordance with design	Yes	No	✓ N/A
	criteria in 4.3.8 Fact Sheet? If yes, are they shown on the			
	site map?			
8-2	Is the rain barrel credit volume calculated using Appendix	Yes	□ No	✓N/A
	B.2.2.2 and 4.3.8 Fact Sheet in Appendix E?	<u> </u>		

3 The City of San Diego | Storm Water Standards Form I-5B | January 2018 Edition

SD



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE

- 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH
- WORK OR BE RESPONSIBLE FOR SAME. 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE
- SCALED. 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE).

ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.





1 JUNE 12, 2018 Plan check revisions

CERTIFICATION

I HEREBY CERTIFY THAT THESE DRAWINGS AND SPECIFICATIONS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE CONFORM TO THE CURRENTLY ADOPTED BUILDING CODES OF SAN DIEGO, CALIFORNIA.



17.28

All development projects must implement site design BMPs. Refer to Chapter 4 and Appendix E of the BMP Design Manual for information to implement BMPs shown in this checklist.		
Note: All selected BMPs must be shown on the construction plans.		
Site Design Requirement	Applied ⁽¹⁾ ?	
4.3.1 Maintain Natural Drainage Pathways and Hydrologic Features	✓Yes □No □N/A	
4.3.2 Conserve Natural Areas, Soils, and Vegetation	Yes No XN/A	
4.3.3 Minimize Impervious Area	MYes No N/A	
4.3.4 Minimize Soil Compaction		
4.3.5 Impervious Area Dispersion		
4.3.6 Runoff Collection		
4.3.7 Landscaping with Native or Drought Tolerant Species	Yes No N/A	
4.3.8 Harvest and Use Precipitation		
Discussion / justification for <u>all</u> "No" answers shown above:		

Site Design BMP Checkist

⁽¹⁾ Answer for each source control and site design category shall be pursuant to the following:

- "Yes" means the project will implement the BMP as described in Chapter 4 and/or Appendix E of the BMP Design Manual. Discussion / justification is not required. • "No" means the BMP is applicable to the project but it is not feasible to implement. Discussion
- / justification must be provided. • "N/A" means the BMP is not applicable at the project site because the project does not include
- the feature that is addressed by the BMP (e.g., the project has no outdoor materials storage areas). Discussion / justification may be provided.

The City of San Diego | Storm Water Standards Form I-5A | January 2018 Edition

	Rom 155 Page 4 c	·F/_	
Insert Site Map with all site des	ign BMPs identified:	d. 	
		······································	• • • • • • • • • • • • • • • • • • •
			- <u></u>
	• •		

4 The City of San Diego | Storm Water Standards Form I-5B | January 2018 Edition

SD)

SD



Succulent Examples



























LANDSCAPE NOTES

1. IRRIGATION: AN AUTOMATIC, ELECTRICALLY CONTROLLED IRRIGATION SYSTEM SHALL BE PROVIDED AS REQUIRED BY LDC 142.0403(c) FOR PROPER IRRIGATION, DEVELOPMENT, AND MAINTENANCE OF THE VEGETATION IN A HEALTHY, DISEASE-RESISTANT CONDITION. TH DESIGN OF THE SYSTEM SHALL PROVIDE ADEQUATE SUPPORT FOR THE VEGETATION SELECTED. IRRIGATION SYSTEM PROPOSED: DRIP SYSTEM.

2. MAINTENANCE: ALL REQUIRED LANDSCAPE AREAS SHALL BE MAINTAINED BY OWNER. LANDSCAPE AND IRRIGATION AREAS IN THE PUBLIC RIGHT-OF-WAY SHALL BE MAINTAINED BY OWNER. THE LANDSCAPE AREAS SHALL BE MAINTAINED FREE OF DEBRIS AND LITTER, AND ALL PLANT MATERIAL SHALL BE MAINTAINED N A HEALTHY GROWING CONDITION. DISEASED OR DEAD PLANT MATERIAL SHALL BE SATISFACTORILY TREATED OR REPLACED PER THE CONDITIONS OF THE PERMIT.

3. IF ANY REQUIRED LANDSCAPE INDICATED ON THE APPROVED CONSTRUCTION DOCUMENT PLANS IS DAMAGED OR REMOVED DURING THE DEMOLITION OR CONSTRUCTION, IT SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE PER THE APPROVED DOCUMENTS TO THE SATISFACTION OF THE DEVELOPMENT SERVICES DEPARTMENT WITHIN 30 DAYS OF DAMAGE.

4. MULCH: ALL REQUIRED PLANTING AREAS AND ALL EXPOSED SOIL AREA WITHOUT VEGETATION SHALL BE COVERED WITH MULCH TO A MINIMUM DEPTH OF 3 INCHES, EXCLUDING SLOPES REQUIRING REVEGETATION PER SMDC 142.0411

LANDSCAPE AREA CALCS

FRONT YARD:

TOTAL NON-BUILDING AREA – 920 SF TOTAL LANDSCAPE AREA – 629 SF (75%) PLANTERS -136 SF GRASS – 493 SF

TOTAL HARDSCAPE AREA – 292 SF (25%)

ALL PLANTER BOXES TO BE ON GRADE AND LEVEL WITH ADJACENT SURFACE.

PLANTS TO BE A MIX OF DROUGHT TOLERANT SUCCULENTS 1-5 GALLON

GROUND COVER IN PLANTER BOXES TO BE A MIX OF 1-2" BEACH ROCK

PLANTERS TO INCLUDE THE

FOLLOWING SUCCULENT TYPES: ECHEVERIA

- SEDUM (STONECROP)
- AEONIUM DUDLEYA
- ALOE
- COTYLDEDON CRASSULA
- SEMPERVIVUM
- GRAPTOPETALUM
- KALANCHOE SENECIO

5 Gallon Succulent Varietal

1 Gallon Succulent Varietal

PLAN LEGEND

- - - PROPERTY LINE — — — REQ. SETBACK LINE **BUILDING FOOTPRINT** IMPERVIOUS / PAVED SURFACE (CONCRETE, ASPHALT, ETC) PLANTERS W/ DROUGHT TOLERANT SUCCULENTS GRASS

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING

- DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH
- WORK OR BE RESPONSIBLE FOR SAME. 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE
- 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

SCALED.

- 4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.
- 5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRINT DATE:			JUNE 12, 2018
PROJECT PHASE:			PERMIT SET
rev.	date.	remark	

JUNE 12, 2018 Plan check revisions

CERTIFICATION







2X STUDS @ 16" O.C. ۸ <u>EXTERIOR</u>

C EXTERIOR WALL W/ STUCCO (NO CONT. INSULATION)



B EXTERIOR WALL W/ SIDING & CONT. INSULATION SCALE :: 1 1/2" = 1'-0"





EXTERIOR

A EXTERIOR WALL W/ STUCCO & CONT. INSULATION SCALE :: 1 1/2" = 1'-0"

ATTACHMENT ATTACHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS

REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.

2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.





CERTIFICATION











1

2 SECOND FLOOR MEANS OF EGRESS PLAN

SCALE :: 1/8" = 1'-0"





EGRESS NOTES

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS

REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.

2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



rev. date. remark

JUNE 12, 2018 Plan check revisions

CERTIFICATION

I HEREBY CERTIFY THAT THESE DRAWINGS AND SPECIFICATIONS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE CONFORM TO THE CURRENTLY ADOPTED BUILDING CODES OF SAN DIEGO, CALIFORNIA.





FIRST FLOOR MEANS OF EGRESS PLAN SCALE :: 1/8" = 1'-0"



2 SECOND FLOOR F.A.R. PLAN



3 THIRD FLOOR F.A.R. PLAN





SCALE :: 1/8" = 1'-0"

SCALE :: 1/8" = 1'-0"

SCALE :: 1/8" = 1'-0"

PLAN LEGEND



F.A.R. TOTALS

BUILDING AREA: 1ST FLOOR UNIT A:
1ST FLOOR UNIT C: 1ST FLOOR TOTAL:
2ND FLOOR UNIT A: 2ND FLOOR UNIT B:

2ND FLOOR UNIT D: 2ND FLOOR TOTAL: **3RD FLOOR UNIT A:** 3RD FLOOR UNIT B: 3RD FLOOR UNIT C: 3RD FLOOR UNIT D:

3RD FLOOR TOTAL:

2ND FLOOR UNIT C:

578 GSF 485 GSF 2190 GSF 340 GSF 680 GSF 378 GSF 580 GSF 1978 GSF

5160 GSF

528 GSF 464 GSF

992 GSF

578 GSF

549 GSF

TOTAL BUILDING AREA:

ATTACHMENT AZTAACHBUENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING

- DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH
- WORK OR BE RESPONSIBLE FOR SAME. 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PROJECT PHASE: PERMIT SET rev. date. remark

JUNE 12, 2018 Plan check revisions

CERTIFICATION

I HEREBY CERTIFY THAT THESE DRAWINGS AND SPECIFICATIONS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE CONFORM TO THE CURRENTLY ADOPTED BUILDING CODES OF SAN DIEGO, CALIFORNIA.



F.A.R. DIAGRAMS





PLAN LE	GEND
	Existing wall to remain
	EXISTING WALL TO BE DEMO'D
	UNIT SEPARATION WALL
	NEW EXTERIOR CLADDING
(W-01)	WINDOW
DE-01	DOOR
	KEYNOTE
WALL &	FLOOR TYPES
	ET A0.1 FOR WALL, FLOOR, &
ROOF D	
	E FRAMING SIZE (EG.: 6 FOR 2X6 RAMING)
INSULAT	DR WALL W/ CONTINUOUS TION & STUCCO CLADDING
	DR WALL W/ CONTINUOUS TON & SIDING
CLADDI	DR WALL W/ STUCCO NG (NO CONT. INSUL)
	TED UNIT SEPARATION WALL
(F) INTERIC	PR WALL W/ TILE
G SLAB W/	' FINISH FLOOR
(H) SLAB W/	O FINISH FLOOR
(I) 1-HR RA	TED FLOOR/CEILING
	TED EXTERIOR CEILING
(K) ROOF D	ECK
L 1-HR RA	TED EXTERIOR WALL
M UNRATE	D FLOOR/CEILING
TYPICAL	PLAN NOTES
1. AT LEAST ON NOT LESS THAN	M DIMENSIONS (R304 & R305): E HABITABLE ROOM SHALL HAVE N 120 S.F. AND OTHER HABITABLE HAVE A FLOOR AREA OF NOT S.F.
	OOMS SHALL NOT BE LESS THAN RIZONTAL DIRECTION.
TOILET ROOMS	PACE, HALLWAYS, BATHROOMS, 5, AND LAUNDRY ROOMS SHALL G HEIGHT OF NOT LESS THAN 7
MEANS OF EXT	QUIRE NATURAL LIGHT BY ERIOR WINDOWS OR SKYLIGHTS EFLOOR AREA OF THE ROOM.
FLOOR	PLAN KEYNOTES
	AIL AT 36" AFF. SEE DETAIL
4/A5.4 F	OR MORE INFO RAIL AT 42" AFF. SEE DETAIL
	OR MORE INFO

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS

- REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRINT DATE:		JUNE 12, 2018
PRO	JECT PHASE:	PERMIT SET
rev.	date.	remark
Λ	JUNE 12, 2018	Plan check revisions
<u> </u>	00112 12, 2010	

CERTIFICATION









PLAN LEGEND		
	Existing Wall to Remain Existing Wall to be demo'd	
	NEW EXTERIOR WALL OR UNIT SEPARATION WALL	
	NEW INTERIOR WALL	
	NEW EXTERIOR CLADDING	
(W-01)	WINDOW	

	NEW INTERIOR WALL	
	NEW EXTERIOR CLADDING	
(W-01)	WINDOW	
DE-01	DOOR	
A1	KEYNOTE	
WALL & FLOOR TYPES		

SEE SHEET A0.1 FOR WALL, FLOOR, & **ROOF DETAILS** NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING) (A) EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING B EXTERIOR WALL W/ CONTINUOUS INSULATION & SIDING C EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL) D 1-HR RATED UNIT SEPARATION WALL

- (E) INTERIOR PARTITION
- (F) INTERIOR WALL W/ TILE
- G SLAB W/ FINISH FLOOR
- (H) SLAB W/O FINISH FLOOR
- (I) 1-HR RATED FLOOR/CEILING
- J 1-HR RATED EXTERIOR CEILING

(K) ROOF DECK

- L 1-HR RATED EXTERIOR WALL
- (M) UNRATED FLOOR/CEILING

TYPICAL PLAN NOTES

MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F.

2. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION.

3. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7

LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM.

FLOOR PLAN KEYNOTES

- A1 HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO
- A2 GUARDRAIL AT 42" AFF. SEE DETAIL 3/A5.4 FOR MORE INFO

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS

- REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.
- 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.
- 4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.
- 5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.
- 6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.
- 7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRIN	T DATE:	JUNE 12, 2018
PRO	JECT PHASE:	PERMIT SET
rev.	date.	remark
Λ	JUNE 12, 2018	Plan check revisions

CERTIFICATION





1/A5.2 2/A4.2 4 2 **2**/A5.2 7 1/A5.3



SCALE :: 1/4" = 1'-0"



(D) 1-HR RATED UNIT SEPARATION WALL

(E) INTERIOR PARTITION

- (F) INTERIOR WALL W/ TILE
- (G) SLAB W/ FINISH FLOOR
- (H) SLAB W/O FINISH FLOOR
- (I) 1-HR RATED FLOOR/CEILING
- (J) 1-HR RATED EXTERIOR CEILING
- (K) ROOF DECK
- (L) 1-HR RATED EXTERIOR WALL
- (M) UNRATED FLOOR/CEILING

TYPICAL PLAN NOTES

MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F.

2. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION.

3. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7

LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM.

FLOOR PLAN KEYNOTES

- A1 HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO
- A2 GUARDRAIL AT 42" AFF. SEE DETAIL 3/A5.4 FOR MORE INFO

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS

- REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRINT DATE:		JUNE 12, 2018	
PROJECT PHASE:		PERMIT SET	
rev.	date.	remark	
Λ	JUNE 12, 2018	Plan check revisions	

CERTIFICATION

I HEREBY CERTIFY THAT THESE DRAWINGS AND SPECIFICATIONS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE CONFORM TO THE CURRENTLY ADOPTED BUILDING CODES OF SAN DIEGO, CALIFORNIA.



17.28



N 1

PLAN LE	GEND
	Existing Wall to Remain Existing Wall to be Demo'd New Exterior Wall or Unit Separation Wall New Interior Wall
	NEW EXTERIOR CLADDING
(W-01)	WINDOW
DE-01	DOOR
A1	KEYNOTE

WALL & FLOOR TYPES

	SEE SHEET A0.1 FOR WALL, FLOOR, & ROOF DETAILS
	NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING)
A	EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING
B	EXTERIOR WALL W/ CONTINUOUS INSULATION & SIDING
C	EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL)
D	1-HR RATED UNIT SEPARATION WALL
E	INTERIOR PARTITION
F	INTERIOR WALL W/ TILE
G	SLAB W/ FINISH FLOOR
H	SLAB W/O FINISH FLOOR
	1-HR RATED FLOOR/CEILING
J	1-HR RATED EXTERIOR CEILING
K	ROOF DECK
	1-HR RATED EXTERIOR WALL
M	UNRATED FLOOR/CEILING
	PICAL PLAN NOTES
1. AT L NOT L ROOM	IUM ROOM DIMENSIONS (R304 & R305): EAST ONE HABITABLE ROOM SHALL HAVE ESS THAN 120 S.F. AND OTHER HABITABLE IS SHALL HAVE A FLOOR AREA OF NOT THAN 70 S.F.
	BITABLE ROOMS SHALL NOT BE LESS THAN NANY HORIZONTAL DIRECTION.

3. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7

LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM.

FLOOR PLAN KEYNOTES

- A1 HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO
- A2 GUARDRAIL AT 42" AFF. SEE DETAIL 3/A5.4 FOR MORE INFO

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS

- REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.
- 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.
- 4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.
- 5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRIN	T DATE:	JUNE 12, 2018	
PRO	JECT PHASE:	PERMIT SET	
rev.	date.	remark	
Λ	JUNE 12, 2018	Plan check revisions	

CERTIFICATION

I HEREBY CERTIFY THAT THESE DRAWINGS AND SPECIFICATIONS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE CONFORM TO THE CURRENTLY ADOPTED BUILDING CODES OF SAN DIEGO, CALIFORNIA.



17.28



SCALE :: 1/4" = 1'-0"

EXISTING WALL TO REMAIN EXISTING WALL TO BE DEMO'D NEW EXTERIOR WALL OR NEW INTERIOR WALL NEW INTERIOR WALL NEW INTERIOR WALL W-01 WINDOW QE-01 DOOR AI KEYNOTE SEE SHEET AD I FOR WALL FLOOR, 6 ROOF DETAILS NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG: 6 FOR 2X6 SIDENOTE FRAMING SIZE (EG: 6 FOR 2X6 CONTE FRAMING SIZE (EG: 6 FOR 2X6 SIDENOTE FRAMING SIZE (EG: 6 FOR 2X6 SIDENOTE FRAMING SIZE (EG: 6 FOR 2X6 CONTENUEMERANING I EXTERIOR WALL W/ CONTINUOUS SIDENOTE FRAMING SIZE (EG: 6 FOR 2X6 SIDENOTE SIDENOTE SIDENOTE SIDENOTION	PLA	N LE	GEND
 EXISTING WALL TO BE DEMO'D NEW EXTERIOR WALL OR UNIT SEPARATION WALL NEW INTERIOR CLADDING NEW EXTERIOR CLADDING NEW EXTERIOR CLADDING NEW EXTERIOR CLADDING NEW EXTERIOR CLADDING E-0 DOOR A KEYNOTE KEYNOTE SEE SHEET AO.1 FOR WALL, FLOOR, 5 ROOF DETAILS NOTT: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING) EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING EXTERIOR WALL W/ CONTINUOUS I-HR RATED UNIT SEPARATION WALL INTERIOR WALL W/ TILE SLAB W/ FINISH FLOOR I-HR RATED EXTERIOR CEILING I-HR RATED EXTERIOR CEILING I-HR RATED EXTERIOR WALL W UNRATED FLOOR/CEILING I-HR RATED EXTERIOR WALL W UNRATED FLOOR/CEILING I-HR RATED EXTERIOR WALL INDURATED FLOOR/CEILING I-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING I-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING I-HR RATED EXTERIOR WALL INDURATED FLOOR/CEILING I-HR RATED EXTERIOR WALL INDURATED FLOOR/CEILING 			
UNIT SEPARATION WALL NEW INTERIOR WALL NEW EXTERIOR CLADDING WO DOOR A C C A C C A C C C C C C C C C C C C C			
NEW EXTERIOR CLADDING W-01 WINDOW E-0 DOOR A1 KEYNOTE WALL 5 FLOOR TYPES SEE SHEET A0.1 FOR WALL, FLOOR, 5 SECOP DETAILS NOTT: NUMBERS ON WALL, FLOOR, 5 DENOTE FRAMINGS SIZE (EG.: 6 FOR 2x6 STUD FRAMING) (A) EXTERIOR WALL W/ CONTINUOUS INSULATION 6 STUCCO CLADDING (B) EXTERIOR WALL W/ CONTINUOUS INSULATION 5 STUCCO (C) EXTERIOR WALL W/ CONTINUOUS INSULATION 6 STUCCO (B) EXTERIOR WALL W/ CONTINUOUS INSULATION 6 STUCCO (C) EXTERIOR WALL W/ CONTINUOUS INSULATION 6 STUCCO (B) EXTERIOR WALL W/ CONTINUOUS INSULATION 7 STUCCO (C) I-HR RATED UNIT SEPARATION WALL (E) INTERIOR PARTITION (E) INTERIOR PARTITION (E) SLAB W/0 FINISH FLOOR (I) I-HR RATED EXTERIOR CELLING (I) I-HR RATED EXTERIOR WALL (I) I-HR RATED EXTERIOR WALL (II) I-HR RATED EXTERIOR WALL (III) I-HR RATED EXTERIOR WALL (IIII) I-HR RATED EXTERIOR WALL (III			
W-01 WINDOW €E-02 DOOR ▲ KEYNOTE WALL & FLOOR TYPES SEE SHEET A0.1 FOR WALL, FLOOR, & ROOF DETAILS NOTT: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2x6 STUD FRAMING) ④ EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING ④ EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING ⑥ EXTERIOR WALL W/ CONTINUOUS ⑦ I-HR RATED UNIT SEPARATION WALL ⑥ INTERIOR WALL W/ TILE ⑥ SLAB W/ FINISH FLOOR ④ I-HR RATED EXTERIOR CEILING ④ I-HR RATED EXTERIOR WALL ④ I-HR RATED EXTERIOR WALL ④ I-HR RATED EXTERIOR WALL ● UNRATED FLOOR/CEILING ■ I-HR RATED EXTERIOR WALL ● UNRATED FLOOR/CEILING ■ I-HR RATED EXTERIOR WALL ● UNRATED FLOOR/CEILING ■ I-HR RATED EXTERIOR WALL ● UNRATED FLOOR/CEILING ■<			NEW INTERIOR WALL
Image: Construct of the second state of the second stat			
A1 KEYNOTE WALL & FLOOR TYPES SEE SHEET A0.1 FOR WALL, FLOOR, # SEE SHEET A0.1 FOR WALL, FLOOR, # NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2x6 STUD FRAMING) (A) EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING (B) EXTERIOR WALL W/ CONTINUOUS (INSULATION & STUCCO CLADDING (C) EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL) (D) 1-HR RATED UNIT SEPARATION WALL (E) INTERIOR PARTITION (E) INTERIOR WALL W/ TILE (G) SLAB W/ FINISH FLOOR (I) 1-HR RATED FLOOR/CEILING (I) 1-HR RATED EXTERIOR WALL (W) ROOF DECK (I) 1-HR RATED EXTERIOR WALL (W) UNRATED FLOOR/CEILING TYPICAL PLAN NOTES MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 SF. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 SF. 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION. 3. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION. SALEQUARA LE AT 36' AFF. SEE DETAIL HAVE A CEILING			
WALL & FLOOR TYPES SEE SHEET A0.1 FOR WALL, FLOOR, & ROOF DETAILS NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING) (A) EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING (B) EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING (NO CONT. INSUL) (D) EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL) (D) I-HR RATED UNIT SEPARATION WALL (E) INTERIOR PARTITION (E) INTERIOR WALL W/ TILE (G) SLAB W/O FINISH FLOOR (I) I-HR RATED FLOOR/CEILING (I) I-HR RATED EXTERIOR WALL (W) INNATED FLOOR/CEILING (II) I-HR RATED EXTERIOR WALL (III) IIIINTWICKOOM DIMENSIONS (R304 & R305): I AT HERST ONE HABITABLE ROOM SHALL	P		
SEE SHEET AD.1 FOR WALL, FLOOR, & NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING INDEXTER FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING) INISULATION & STUCCO CLADDING INISULATION & STUCCO CLADDING INISULATION & STUCCO CLADDING INISULATION & STUCCO CLADDING INISULATION & STUCCO CLADDING (NO CONT. INSUL) INTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL) INTERIOR PARTITION INTERIOR WALL W/ TILE INTERIOR WALL PLOOR/CEILING INTERIOR WALL PLO			
ROOF DETAILS NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING: Image: Stud Framing: Stud Continuous Stud Framing: Image: Stud Framing: Stud Continuous Insulation & Stud Continuous Insulation & Stud Continuous Insulation & Stud Continuous Insulation & Stud V (Continuous Insulation & Stud V (Continuous Insulation) Image: Insulation & Stud V (Continuous Insulation) Image: Im	WA	LL &	FLOOR TYPES
DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING)			
 INSULATION & STUCCO CLADDING EXTERIOR WALL W/ CONTINUOUS INSULATION & SIDING EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL) I-HR RATED UNIT SEPARATION WALL INTERIOR PARTITION INTERIOR PARTITION INTERIOR WALL W/ TILE SLAB W/ FINISH FLOOR I-HR RATED FLOOR/CEILING I-HR RATED FLOOR/CEILING I-HR RATED EXTERIOR CEILING I-HR RATED EXTERIOR WALL I-HR RATED EXTERIOR WALL I-HR RATED FLOOR/CEILING 		DENOT	E FRAMING SIZE (EG.: 6 FOR 2X6
 INSULATION & SIDING INSULATION & SIDING EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL) 1-HR RATED UNIT SEPARATION WALL INTERIOR PARTITION INTERIOR WALL W/ TILE SLAB W/ FINISH FLOOR SLAB W/ FINISH FLOOR 1-HR RATED FLOOR/CEILING 1-HR RATED EXTERIOR CEILING 1-HR RATED EXTERIOR WALL NUNRATED FLOOR/CEILING 1-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING 1-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING TYPICAL PLAN NOTES MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION. HABITABLE SPACE, HALLWAYS, BATHROOMS, 10/LET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FT. HABITABLE SPACE, HALLWAYS, BATHROOMS, 10/LET R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. 	A		
 CLADDING (NO CONT. INSUL) 1-HR RATED UNIT SEPARATION WALL INTERIOR PARTITION INTERIOR PARTITION INTERIOR WALL W/ TILE SLAB W/ FINISH FLOOR SLAB W/ FINISH FLOOR SLAB W/O FINISH FLOOR 1-HR RATED FLOOR/CEILING 1-HR RATED EXTERIOR CEILING 1-HR RATED EXTERIOR WALL I-HR RATED EXTERIOR WALL I-HR RATED EXTERIOR WALL I-HR RATED FLOOR/CEILING I-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING I-HR RATED EXTERIOR WALL I-HR RATED FLOOR/CEILING I-HR RATED FLOOR AREA OF NOT LESS THAN 70 S.F. I-HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 77 FT. I-HAR (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES HANDRAIL AT 36" AFF. SEE DETAIL I-HANDRAIL AT 36" AFF. SEE DETAIL I-HANDRAIL AT 42" AFF. SEE DETAIL 	B		
 INTERIOR PARTITION INTERIOR WALL W/ TILE SLAB W/ FINISH FLOOR SLAB W/O FINISH FLOOR SLAB W/O FINISH FLOOR 1-HR RATED FLOOR/CEILING 1-HR RATED EXTERIOR CEILING 1-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING UNRATED FLOOR/CEILING TYPICAL PLAN NOTES MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE A FLOOR AREA OF NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 3. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 3. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 3. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 3. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 3. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 3. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 3. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 4. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 3. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOLLET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 75 F. FLOOR PLAN KEYNOTES MAL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES [A1] HANDRAIL AT 36° AFF. SEE DETAIL [A2] GUARDRAIL AT 42° AFF. SEE DETAIL	C		
 F INTERIOR WALL W/ TILE SLAB W/ FINISH FLOOR SLAB W/ FINISH FLOOR SLAB W/O FINISH FLOOR 1 -HR RATED FLOOR/CEILING 1 -HR RATED EXTERIOR CEILING 1 -HR RATED EXTERIOR CEILING 1 -HR RATED EXTERIOR WALL I -HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING TYPICAL PLAN NOTES MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION. 3. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FT. LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES [A1] HANDRAIL AT 36° AFF. SEE DETAIL [A2] GUARDRAIL AT 42° AFF. SEE DETAIL	D	1-HR RA	TED UNIT SEPARATION WALL
 SLAB W/ FINISH FLOOR SLAB W/O FINISH FLOOR 1-HR RATED FLOOR/CEILING 1-HR RATED EXTERIOR CEILING 1-HR RATED EXTERIOR CEILING 1-HR RATED EXTERIOR WALL 1-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING TYPICAL PLAN NOTES MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. HABITABLE ROOMS SHALL NOT BE LESS THAN 77 S.F. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. ILGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES AL ANDRAIL AT 36° AFF. SEE DETAIL 4/AS.4 FOR MORE INFO [A2] GUARDRAIL AT 42° AFF. SEE DETAIL	E	INTERIC	PR PARTITION
 H SLAB W/O FINISH FLOOR I -HR RATED FLOOR/CEILING I -HR RATED EXTERIOR CEILING I -HR RATED EXTERIOR CEILING I -HR RATED EXTERIOR WALL I -HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING TYPICAL PLAN NOTES TYPICAL PLAN NOTES SINIMUM ROOM DIMENSIONS (R304 5 R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE A FLOOR AREA OF NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 71 IN ANY HORIZONTAL DIRECTION. 3. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 75 T. LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES [A] HANDRAIL AT 36" AFF. SEE DETAIL [A] HANDRAIL AT 42" AFF. SEE DETAIL	F	INTERIC	PR WALL W/ TILE
 1-HR RATED FLOOR/CEILING 1-HR RATED EXTERIOR CEILING 1-HR RATED EXTERIOR CEILING ROOF DECK 1-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING TYPICAL PLAN NOTES MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 7. C. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 70 S.F. IGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES [A1] HANDRAIL AT 36" AFF. SEE DETAIL 4/AS.4 FOR MORE INFO [A2] GUARDRAIL AT 42" AFF. SEE DETAIL	G	SLAB W	/ FINISH FLOOR
 1-HR RATED EXTERIOR CEILING ROOF DECK 1-HR RATED EXTERIOR WALL 1-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING TYPICAL PLAN NOTES MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 2. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 ft. LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES ALL MANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO A2 GUARDRAIL AT 42" AFF. SEE DETAIL	(\mathbf{H})	SLAB W	O FINISH FLOOR
 ROOF DECK 1-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING TYPICAL PLAN NOTES TYPICAL PLAN NOTES ININIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 71 S.F. 3. HABITABLE SPACE, HALLWAYS, BATHROOMS, ONLET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 75 T. IGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOMS FLOOR PLAN KEYNOTES [A1] HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO [A2] GUARDRAIL AT 42" AFF. SEE DETAIL		1-HR RA	TED FLOOR/CEILING
 I-HR RATED EXTERIOR WALL UNRATED FLOOR/CEILING TYPICAL PLAN NOTES MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 70 S.F. 2. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FT. LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES AL MANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO A2 GUARDRAIL AT 42" AFF. SEE DETAIL	J	1-HR RA	TED EXTERIOR CEILING
W UNRATED FLOOR/CEILING UNRATED FLOOR/CEILING STADUCTURE PLAN NOTES STALL PLAN NOTES MINIMUM ROOM DIMENSIONS (R304 & R305): AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. ABBITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION. A LABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN T. LIGHT (R303): ACEILING HEIGHT OF NOT LESS THAN 7 F. FLOOR PLAN KEYNOTES FLOOR PLAN KEYNOTES A HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO GUARDRAIL AT 42" AFF. SEE DETAIL	K	ROOF D	ECK
TYPICAL PLAN NOTES MINIMUM ROOM DIMENSIONS (R304 & R305): 1. AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION. 3. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOLET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 T. LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM.	L	1-HR RA	TED EXTERIOR WALL
 MINIMUM ROOM DIMENSIONS (R304 & R305): AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FT. LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES MANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO GUARDRAIL AT 42" AFF. SEE DETAIL 	M	UNRATE	D FLOOR/CEILING
 AT LEAST ONE HABITABLE ROOM SHALL HAVE NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FT. LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES MANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO GUARDRAIL AT 42" AFF. SEE DETAIL 	TYF	PICAL	PLAN NOTES
 2. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION. 3. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FT. LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES MANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO GUARDRAIL AT 42" AFF. SEE DETAIL 	1. AT L NOT L ROOM	.EAST ON .ESS THAI 1S SHALL	E HABITABLE ROOM SHALL HAVE N 120 S.F. AND OTHER HABITABLE HAVE A FLOOR AREA OF NOT
 3. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FT. LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES [A1] HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO [A2] GUARDRAIL AT 42" AFF. SEE DETAIL 	2. HAE	BITABLE R	OOMS SHALL NOT BE LESS THAN
LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES [A1] HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO [A2] GUARDRAIL AT 42" AFF. SEE DETAIL	3. HAE TOILE HAVE	SITABLE S T ROOMS	PACE, HALLWAYS, BATHROOMS, 5, AND LAUNDRY ROOMS SHALL
MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM. FLOOR PLAN KEYNOTES A1 HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO A2 GUARDRAIL AT 42" AFF. SEE DETAIL			QUIRE NATURAL LIGHT BY
 A1 HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO A2 GUARDRAIL AT 42" AFF. SEE DETAIL 	MEAN	S OF EXT	ERIOR WINDOWS OR SKYLIGHTS
 A1 HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO A2 GUARDRAIL AT 42" AFF. SEE DETAIL 			
 A1 HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO A2 GUARDRAIL AT 42" AFF. SEE DETAIL 			
4/A5.4 FOR MORE INFO A2 GUARDRAIL AT 42" AFF. SEE DETAIL	FLC	ORI	PLAN KEYNOTES
	A1		
	A2		

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK.

CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.

2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRIN	T DATE:	JUNE 12, 2018	
PROJECT PHASE:		PERMIT SET	
rev.	date.	remark	
\triangle	JUNE 12, 2018	Plan check revisions	

CERTIFICATION







BY THE IRON SHOP OR APPROVED EQ.

SCALE :: 1/2" = 1'-0"

5'-0" DIAMETER EXTERIOR METAL W/ PREFAB SPIRAL STAIR KIT MANUF BY THE IRON SHOP OR APPROVED EQ.

PLAN LEGEND

	EXISTING WALL TO REMAIN
	EXISTING WALL TO BE DEMO'D
	NEW EXTERIOR WALL OR UNIT SEPARATION WALL
	NEW INTERIOR WALL
	NEW EXTERIOR CLADDING
(W-01)	WINDOW
DE-01	DOOR
A1	KEYNOTE

WALL & FLOOR TYPES

	SEE SHEET A0.1 FOR WALL, FLOOR, & ROOF DETAILS
	NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING)
A	EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING
B	EXTERIOR WALL W/ CONTINUOUS INSULATION & SIDING
C	EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL)
D	1-HR RATED UNIT SEPARATION WALL
E	INTERIOR PARTITION
F	INTERIOR WALL W/ TILE
G	SLAB W/ FINISH FLOOR
H	SLAB W/O FINISH FLOOR
	1-HR RATED FLOOR/CEILING
J	1-HR RATED EXTERIOR CEILING
K	ROOF DECK
L	1-HR RATED EXTERIOR WALL
M	UNRATED FLOOR/CEILING
YF	PICAL PLAN NOTES
AT L	I <mark>UM ROOM DIMENSIONS (R304 & R305)</mark> : EAST ONE HABITABLE ROOM SHALL HAVE ESS THAN 120 S.F. AND OTHER HABITABLE

NOT LESS THAN 120 S.F. AND OTHER HABITABLE ROOMS SHALL HAVE A FLOOR AREA OF NOT LESS THAN 70 S.F.

2. HABITABLE ROOMS SHALL NOT BE LESS THAN 7 FT IN ANY HORIZONTAL DIRECTION.

3. HABITABLE SPACE, HALLWAYS, BATHROOMS, TOILET ROOMS, AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7

LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM.

FLOOR PLAN KEYNOTES

- A1 HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO
- A2 GUARDRAIL AT 42" AFF. SEE DETAIL 3/A5.4 FOR MORE INFO





Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS

- REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRIN	T DATE:	JUNE 12, 2018	
PROJECT PHASE:		PERMIT SET	
rev.	date.	remark	
Λ	JUNE 12, 2018 Plan check revisions		

CERTIFICATION







MEMBRANE ROOF OVER

SCUPPER, COLLECTOR BOX,

1 ROOF PROPOSED PLAN

N

PLAN LEGEND EXISTING WALL TO REMAIN EXISTING WALL TO BE DEMO'D

	NEW EXTERIOR WALL OR UNIT SEPARATION WALL
	NEW INTERIOR WALL
	NEW EXTERIOR CLADDING
(W-01)	WINDOW
DE-01	DOOR
A1	KEYNOTE

WALL & FLOOR TYPES

	SEE SHEET A0.1 FOR WALL, FLOOR, & ROOF DETAILS
	NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING)
A	EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING
B	EXTERIOR WALL W/ CONTINUOUS INSULATION & SIDING
C	EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL)
D	1-HR RATED UNIT SEPARATION WALL
E	INTERIOR PARTITION
F	INTERIOR WALL W/ TILE
G	SLAB W/ FINISH FLOOR
H	SLAB W/O FINISH FLOOR
	1-HR RATED FLOOR/CEILING
J	1-HR RATED EXTERIOR CEILING
K	ROOF DECK
L	1-HR RATED EXTERIOR WALL
M	UNRATED FLOOR/CEILING
TYF	PICAL PLAN NOTES
1. AT L NOT L ROOM	IUM ROOM DIMENSIONS (R304 & R305): EAST ONE HABITABLE ROOM SHALL HAVE ESS THAN 120 S.F. AND OTHER HABITABLE IS SHALL HAVE A FLOOR AREA OF NOT THAN 70 S.F.
	BITABLE ROOMS SHALL NOT BE LESS THAN NANY HORIZONTAL DIRECTION.
TOILE	BITABLE SPACE, HALLWAYS, BATHROOMS, T ROOMS, AND LAUNDRY ROOMS SHALL A CEILING HEIGHT OF NOT LESS THAN 7

TOI

LIGHT (R303): ALL ROOMS REQUIRE NATURAL LIGHT BY MEANS OF EXTERIOR WINDOWS OR SKYLIGHTS MIN 8% OF THE FLOOR AREA OF THE ROOM.

FLOOR PLAN KEYNOTES

- A1 HANDRAIL AT 36" AFF. SEE DETAIL 4/A5.4 FOR MORE INFO
- A2 GUARDRAIL AT 42" AFF. SEE DETAIL 3/A5.4 FOR MORE INFO

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS

- REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRINT	DATE:		JUNE 12, 2018
PROJ	PROJECT PHASE:		PERMIT SET
rev.	date.	remark	

JUNE 12, 2018 Plan check revisions

CERTIFICATION





Most Widely Accepted and Trusted

ICC-ES Evaluation Report

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

ESR-2201 Reissued 07/2016

This report is subject to renewal 07/2018.

DIVISION: 07 00 00—THERMAL AND MOISTURE PROTECTION SECTION: 07 18 13—PEDESTRIAN TRAFFIC COATINGS

REPORT HOLDER:

WESTCOAT

4007 LOCKRIDGE STREET SAN DIEGO, CALIFORNIA 92102

EVALUATION SUBJECT:

WESTCOAT ALX STANDARD, ALX CUSTOM, ALX PRO STANDARD, AND ALX PRO CUSTOM SYSTEMS



Look for the trusted marks of Conformity! "2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.

Copyright [©] 2017 ICC Evaluation Service, LLC. All rights reserved.

ESR-2201 Most Widely Accepted and Trusted

6 mils (0.152 mm). The coating must be allowed to cure

4.3 ALX Custom and ALX Pro Custom Systems (Following installation in accordance with Section 4.1):

4.3.1 Grout Coat: The grout coat mixture consists of one 50-pound (22.5 kg) bag of TC-5 Grout Texture Cement combined with 1 gallon (3.78 L) of WP-81, and up to ² gallon (1.89 L) of water, then mixed until uniform consistency is achieved. The mixture results in a 4.5-gallon (3.78 L) batch. The grout coat mixture must be applied onto the slurry coat at a rate of 150 to 200 square feet (13.9 to 18.6 m²) per 4.5 gallon (17.0 L) batch. The minimum dry thickness of the grout coat must be 0.047 inch (1.2 mm). Prior to application of the texture coat, the grout coat must be smoothed with a trowel and allowed to cure until firm.

4.3.2 Texture Coat: The texture coat mixture consists of one bag of TC-2 Smooth Texture Cement combined with 1 gallon (3.78 L) of WP-81 Cement Modifier and up to /2 gallon (1.89 L) of water mixed until uniform consistency is achieved. Up to 4 ounces (0.118 L) of TC-40 Liquid Colorant may be added and mixed until color is uniform. The mixture results in a 4.5-gallon (17.0 L) batch. The color coat mixture must be applied onto the grout coat at a rate of 150 to 200 square feet (13.9 to 18.6 m²) per 4.5- gallon (17.0 L) batch. The minimum dry thickness of the texture coat must be 0.047 inch (1.2 mm). Prior to the application of the stain, the texture coat must be smoothed with a trowel and allowed to cure until firm.

4.3.3 Stain: SC-35 Water-Based Stain must be applied over the texture coat with a sprayer, brush, or broom at a coverage rate of 200 to 400 square feet (18.6 to 37.2 m²) per gallon (3.79 L). The SC-35 Water-Based Stain must be allowed to completely dry before application of the next

4.3.4 Sealer: The top coat consists of SC-70 Acrylic Laquer Sealer that must be applied over the stain with a sprayer, brush, or roller at a rate of 200 to 300 square feet $(18.6 \text{ to } 27.9 \text{ m}^2)$ per gallon (3.79 L). The top coat must be allowed to cure until dry.

4.4 Class A Roof Covering over Plywood Deck:

When the Westcoat ALX Standard, ALX Custom, ALX Pro Standard, and ALX Pro Custom Systems are applied over a minimum $\frac{5}{8}$ -inch-thick (15.9 mm) plywood substrate with all edges blocked and installed in accordance with Section 4.0 at a maximum roof slope of $\frac{1}{4}$ inch per 1 foot (2% slope), the system provides a Class A roof classification.

4.5 One-hour Fire-resistance-rated Construction:

4.5.1 ALX Standard and ALX Custom Systems: When 6.0 EVIDENCE SUBMITTED the Westcoat ALX Standard and ALX Custom systems are installed in accordance to Section 4.0, over ⁵/₈-inch-thick (15.9 mm) exterior-grade plywood complying with PS-1, with nominally 2-by-8 wood joists spaced at a maximum of 16 inches (406 mm) on center, and all plywood joists blocked, the assembly can be recognized as an alternative for the double wood floor described in Item 13 of Table 721.1(3) of the 2015 IBC and 2012 IBC [Table 720.1(3) of the 2009 and 2006 IBC]. The design bending stress must be limited to 78 percent of the code prescribed design values for the wood joist.

4.5.2 ALX Pro Standard and ALX Pro Custom **Systems:** When the Westcoat ALX Pro Standard and ALX Pro Custom Systems are installed in accordance to

Page 3 of 4 Section 4.0 over $\frac{5}{8}$ -inch-thick (15.9 mm) exterior-grade plywood complying with PS-1, with nominally 2-by-10 wood joists spaced at a maximum of 16 inches (406 mm) on center, and all plywood joists blocked, the assembly can be recognized as an alternative for the double wood floor described in Item 13-1.4 of Table 721.1(3) of 2015 IBC and 2012 IBC [Table 720.1(3) of the 2009 and 2006 IBC], except that the ¹/₂-inch-thick Type X gypsum wallboard must be replaced with $\frac{5}{8}$ -inch-thick Type X gypsum wallboard. The design bending stress must be limited to

4.6 Wind Resistance:

wood ioist

Installation must be limited to buildings with a maximum height of 40 feet (12.2 m) above grade, in Exposure B areas, with either an ultimate design wind speed of 130 mph (209 km/h) under the 2015 IBC, 2015 IRC, and 2012 IBC or a maximum 3-second-oust basic wind speed of 100 miles per hour (161 km/h) under the 2009 and 2006 IBC and the 2012, 2009 and 2006 IRC. The plywood and its attachment to support framing must be adequate to resist the required wind load.

4.7 Method of Repair

The damaged area must be completely removed, including the base coat and lath. New metal lath must be stapled to the clean, dry substrate, and the system reapplied as described in Sections 4.1 through 4.6 of this report. If substrate damage occurs, the retention of the strength properties of the system must be investigated.

5.0 CONDITIONS OF USE

The Westcoat ALX Standard, ALX Custom, ALX Pro Standard and ALX Pro Custom Systems described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- 5.1 Materials must be manufactured and applied in accordance with this report, the applicable code, and the manufacturer's published installation instructions. In the event of conflict between this report and the manufacturer's installation instructions, this report governs.
- 5.2 The WP-81 Cement Modifier, WP-90 Cement Modifier, WP-47H Fiberlath, TC-1 Basecoat Cement, TC-2 Smooth Texture Cement, TC-3 Medium Texture Cement, TC-5 Grout Texture Cement, SC-10 Acrylic Topcoat, SC-35 Water-Based Stain, TC-40 Liquid Colorant and SC-70 Acrylic Lacquer Sealer products are produced under a quality control program with inspections by ICC-ES.

Data in accordance with the ICC-ES Acceptance Criteria for Walking Decks (AC39), dated June 2017. 7.0 IDENTIFICATION

The WP-81 Cement Modifier, WP-90 Cement Modifier, WP-47H Fiberlath, TC-1 Basecoat Cement, TC-2 Smooth Texture Cement, TC-3 Medium Texture Cement, TC-5 Grout Texture Cement, SC-10 Acrylic Topcoat, SC-35 Water-Based Stain, TC-40 Liquid Colorant and SC-70 Acrylic Lacquer Sealerproducts must be labeled with the Westcoat name and address, the date of manufacture, the shelf life, and the lot number or production number. In addition to the above, the products are labeled with the ICC-ES report number (ESR-2201).

BECONFICTER	Most Widely Accepted and Trusted
ICC-ES Evaluation Report	ESR-2201
-	Reissued July 201
	Revised October 201
	This report is subject to renewal July 2018
vww.icc-es.org (800) 423-6587 (562) 699-0543	A Subsidiary of the International Code Council®
DIVISION: 07 00 00—THERMAL AND MOISTURE	covering systems applied over plywood. The ALX Standar
PROTECTION Section: 07 18 13—Pedestrian Traffic Coatings	and ALX Pro Standard Systems consist of the materia described in Section 4.2 and the ALX Custom and ALX Pr
ection. 07 To To—redestrian Traine Coatings	Custom Systems consist of the material described
REPORT HOLDER:	Section 4.3.
	3.2 Materials:
VESTCOAT 1007 LOCKRIDGE STREET	3.2.1 Plywood Substrate: Plywood substrates must b
SAN DIEGO, CALIFORNIA 92102	exterior grade, ⁵ / ₈ -inch-thick (15.9 mm) plywood complyin
800) 250-4519	with U.S. DOC PS-1 or PS-2.
vww.westcoat.com	3.2.2 Metal Lath: The metal lath must be 2.5 lb/ye
VALUATION SUBJECT:	(1.36 kg/m ²), hot-dipped galvanized, expanded metal lat complying with ASTM C847. The Westcoat part number WP-25 Metal Lath.
VESTCOAT ALX STANDARD, ALX CUSTOM, ALX PRO	3.2.3 Staples: Staples must be corrosion-resistar
STANDARD, AND ALX PRO CUSTOM SYSTEMS	minimum No. 16 gauge staples with 1-inch-wide (25 mn
.0 EVALUATION SCOPE	crowns and $\frac{5}{8}$ -inch-long (15.9 mm) legs, complying with
Compliance with the following codes:	ASTM F1667. The Westcoat part number is WP-1 Staples.
	3.2.4 WP-40 Sheet Membrane: The WP-40 She
2015, 2012, 2009 and 2006 International Building Code [®] (IBC)	Membrane is a self-adhering, nominally 40-mil-thic
 2015, 2012, 2009 and 2006 International Residential Code[®] (IRC) 	[0.04 inch (1.02 mm)] membrane recognized in <u>ESR-3585</u> 3.2.5 WP-47H Fiberlath (For use with ALX Pro Standar
■ 2013 Abu Dhabi International Building Code (ADIBC) [†]	and ALX Pro Custom Systems only): WP-47H Fiberlath
[†] The ADIBC is based on the 2009 IBC. 2009 IBC code sections referenced	a glass fiber lath reinforcing mesh with 5.4 per inch war
in this report are the same sections in the ADIBC.	and 6 per inch weft hurl leno weave with a nomin
For evaluation for compliance with codes adopted by the Los Angeles Department of Building and Safety (LADBS),	0.019-inch thickness (0.48 mm) and a nominal weight 5.8 ounces/square yard (195 g/m2). The product comes
see ESR-2201 LABC and LARC Supplement.	rolls measuring 38 inches (965 mm) wide by 150 fe (45.7 m) in length.
Properties evaluated:	3.2.6 WP-81 Cement Modifier: The WP-81 Ceme
■ Durability	Modifier is a liquid admixture that is used with TC-
Wind resistance	Basecoat Cement, TC-2 Smooth Texture Cement, TC
Fire classification	Medium Texture Cement, and TC-5 Grout Texture
■ Fire resistance	Cement. Shelf life is two years when stored temperatures between 40°F and 100°F (4.4°C and 37.8°C
2.0 USES	and in a dry place.
Westcoat ALX Standard, ALX Custom, ALX Pro Standard and ALX Pro Custom Systems are cementitious coating systems for use as walking deck and classified roof covering systems over plywood substrates. The systems, as described in Section 4.4 of this report, provide a Class	3.2.7 WP-90 Waterproofing Resin (For use with AL Pro Standard and ALX Pro Custom Systems only): Th WP-90 Waterproofing Resin is a blend of acrylic resins th are formulated to be used as an admixture with TC Basecoat Cement. Shelf life is two years when stored
A roof covering fire classification. The systems, as described in Section 4.5 of this report, are used as a component of a one-hour fire-resistance-rated assembly.	temperatures between 40°F and 100°F (4.4°C and 37.8°C in a dry place.
	328 TC-1 Basecoat Cement: The TC-1 Basecoa

3.2.8 TC-1 Basecoat Cement: The TC-1 Basecoat Cement is a proprietary dry-blend mixture including portland cement and silica sand. The product is packaged in 50-pound (22.5 kg) bags. Shelf life is one year when stored in dry conditions

Page 1 of 4

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as represented as represe to any finding or other matter in this report, or as to any product covered by the report. Copyright © 2017 ICC Evaluation Service, LLC. All rights reserved.

ES EVALUATION SERVICE

ICC-ES Evaluation Report

ESR-2201 LABC and LARC Supplement Issued October 2017

This report is subject to renewal July 2018.

Most Widely Accepted and Trusted

www.icc-es.org | (800) 423-6587 | (562) 699-0543 A Subsidiary of the International Code Council[®]

DIVISION: 07 00 00—THERMAL AND MOISTURE PROTECTION Section: 07 18 13—Pedestrian Traffic Coatings

The ALX Standard, ALX Custom, ALX Pro Standard, and

ALX Pro Custom Systems are walking deck and roof

REPORT HOLDER:

3.0 DESCRIPTION

3.1 General:

WESTCOAT

4007 LOCKRIDGE STREET SAN DIEGO, CALIFORNIA 92102 (800) 250-4519 www.westcoat.com

EVALUATION SUBJECT

WESTCOAT ALX STANDARD, ALX CUSTOM, ALX PRO STANDARD, AND ALX PRO CUSTOM SYSTEMS

1.0 REPORT PURPOSE AND SCOPE

Purpose

The purpose of this evaluation report supplement is to indicate that Westcoat ALX Standard, ALX Custom, ALX Pro Standard, and ALX Pro Custom Systems, described in ICC-ES master evaluation report ESR-2201, have also been evaluated for compliance with the codes noted below as adopted by the Los Angeles Department of Building and Safety (LADBS)

Applicable code editions:

- 2017 City of Los Angeles Building Code (LABC)
- 2017 City of Los Angeles Residential Code (LARC)

2.0 CONCLUSIONS

The Westcoat ALX Standard, ALX Custom, ALX Pro Standard, and ALX Pro Custom Systems, described in Sections 2.0 through 7.0 of the master evaluation report <u>ESR-2201</u>, comply with the LABC, and the LARC, and are subjected to the conditions of use described in this supplement.

3.0 CONDITIONS OF USE

- The Westcoat ALX Standard, ALX Custom, ALX Pro Standard, and ALX Pro Custom Systems described in this evaluation report must comply with all of the following conditions:
- All applicable sections in the master evaluation report ESR-2201. • The design, installation, conditions of use and identification of the Westcoat ALX Standard, ALX Custom, ALX Pro
- Standard, and ALX Pro Custom Systems are in accordance with the 2015 International Building Code[®] (2015 IBC) provisions noted in the master evaluation report ESR-2201.
- The design, installation and inspection are in accordance with additional requirements of LABC Chapters 16 and 17, as applicable • The installation of Westcoat ALX Standard, ALX Custom, ALX Pro Standard, and ALX Pro Custom Systems must comply
- with the City of Los Angeles Information Bulletin P/BC 2014-16, "Dwellings in High Wind Velocity Areas (HWA)." • The Westcoat ALX Standard, ALX Custom, ALX Pro Standard, and ALX Pro Custom Systems have not been evaluated
- under the LABC Chapter 7A or the LARC Section R337 for use in the exterior design and construction of new buildings located in any Fire Hazard Severity Zone within State Responsibility Areas or any Wildland-Urban Interface Area. This supplement expires concurrently with the master report, reissued July 2016 and revised October 2017.

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed to any finding or other matter in this report, or as to any product covered by the report. Copyright © 2017 ICC Evaluation Service, LLC. All rights reserved.

ESR-2201 | Most Widely Accepted and Trusted

3.2.9 TC-2 Smooth Texture Cement: The TC-2 Smooth Texture Cement is a proprietary dry-blend mixture including portland cement and silica sand. The product is packaged in 50-pound (22.5 kg) bags. Shelf life is one year when stored in dry conditions.

3.2.10 TC-3 Medium Texture Cement: The TC-3 Medium Texture Cement is a proprietary dry-blend mixture including portland cement and silica sand. The product is packaged in 50-pound (22.5 kg) bags. Shelf life is one year when stored in dry conditions.

3.2.11 TC-5 Grout Texture Cement: The TC-5 Grout Texture Cement is a proprietary dry-blend mixture including portland cement and silica sand. The product is packaged in 50-pound (22.5 kg) bags. Shelf life is one year when stored in dry conditions.

3.2.12 SC-10 Acrylic Topcoat: The SC-10 Acrylic Topcoat is a proprietary, water-based liquid sealant used as the topcoat of the Westcoat ALX system. This product is packaged in 1- or 5-gallon pails (3.78 or 18.9 L). Shelf life is two years when stored at temperatures between 40°F and 100°F (4.4°C and 37.8°C) and in a dry place. 3.2.13 SC-35 Water-Based Stain: The SC-35 Water-Based Stain is a proprietary blend of water-based acrylic and pigments, used to stain the TC-2 Smooth Texture Cement. The product is packaged in 1- or 5-gallon pails (3.78 or 18.9 L). Shelf life is three years when stored in dry conditions.

3.2.14 TC-40 Liquid Colorant: TC-40 Liquid Colorant is a proprietary iron oxide slurry formulated with high pigment levels used in the ALX Custom system to integrally color the TC-2 Smooth Texture Cement. The product is packaged in 16-ounce bottles. The shelf life is one year when stored at temperatures between 40°F and 100°F

(4.4°C and 37.8°C) in a dry place. 3.2.15 SC-70 Acrylic Lacquer Sealer: The SC70 Acrylic Lacquer is a proprietary acrylic lacquer sealant. The product is packaged in 1- or 5-gallon pails (3.78 or 18.9 L). The shelf life is five years when stored at temperatures between 40°F and 100°F (4.4°C and 37.8°C) in a dry place.

4.0 INSTALLATION

4.1 General:

Installation of the Westcoat ALX Standard, ALX Custom, ALX Pro Standard and ALX Pro Custom Systems must be in accordance with the manufacturer's published installation instructions, the applicable code and this report. The manufacturer's installation instructions must be available on the jobsite during application. The system must be installed only when the ambient temperature is between 55°F and 90°F (13°C and 32°C). Materials must not be applied if precipitation is occurring or expected.

4.1.1 Preparation of Plywood Substrate: Plywood must be clean, dry, and free from dirt or foreign materials that may prevent adhesion of the base coat, and must be installed to framing in accordance with the requirements of the applicable code at a maximum framing spacing of 16 inches (406 mm) on center. All plywood edges must be blocked with nominally 2-by-4 wood members, or panel edges must be tongued and grooved. All throughpenetrations and terminations of the sheathing must be protected with metal flashing in accordance with the applicable code. Adequate drainage must be provided in accordance with the applicable code.

4.1.2 WP-40 Sheet Membrane: The WP-40 Sheet Membrane must be applied over all plywood joints in 6-inch-wide (152 mm) strips or may be applied over the



meet local building codes. The deck shall be tongue and groove, completely blocked and nailed (glued and screwed is best). Plywood shall have a maximum joist span of 16 inches. Deflection should be less than L/360. OSB is not a suitable substrate for this material.

Plywood Seam Treatment

WP-40 6" Sheet Membrane must be applied to all plywood seams for reinforcement. WP-40 may also be installed behind or on top of the flashing as a backup waterproofing measure. WP-40 may not be left exposed to the sun for more than 7 days. See Sheet Membrane Product Specification Sheet.



HHA Subsidiary of CODE COUNCI SCC Accredite Accrédité CCN

Page 2 of 4

measuring 36 inches by 75 feet (914.4 mm by 22.9 m). **4.1.3 Metal Lath:** The metal lath, as described in Section 3.2.2, must be installed with lath edges parallel to plywood substrate joints and offset from the substrate joints by a minimum of 2 inches (51 mm). The lath must be held back $1/_2$ inch (12.7 mm) from all deck edges and stapled to the plywood substrate with no less than 16 staples per square foot (174 staples per square meter). Lath must be lapped 1 to 2 inches (25 to 51 mm) at seams and stapled to the plywood substrate every 1 to 2 inches (25.4 to 50.8 mm).

entire plywood deck with the sheet membrane roll

4.1.4 Base Coat: The base coat mixture consists of one 50-pound (22.5 kg) bag of TC-1 Basecoat Cement combined with 1¹/₄ gallons (4.73 L) of WP-81 Cement Modifier and up to 1 quart of water (946.4 mL), then mixed until uniform consistency is achieved. The mixture results in a 4.5-gallon (17 L) batch. The base coat mixture must be applied onto the lath at a rate of 40 square feet (3.7 square meters) per 4.5-gallon (17 L) batch. The minimum dry thickness of the base coat must be 0.142 inch (3.6 mm). Prior to the application of the slurry coat, the base coat must be smoothed with a trowel and allowed to cure until firm.

4.1.5 ALX Pro Standard and ALX Pro Custom Systems (Optional): To upgrade from the ALX Standard or ALX Custom System to the ALX Pro Standard or ALX Pro Custom System, lay out WP-47H Fiberlath reinforcing mesh on the dried Base Coat (applied as specified in Section 4.1.4 of this report) overlapping the seams approximately 2 inches (51 mm). Combine one bag of TC-1 Basecoat Cement with 5 gallons of WP-90 Waterproofing Resin. Mix with a mechanical mixer until uniform. Pour the mixture onto the WP-47H Fiberlath, trowel thin and smooth at an approximate coverage rate of 225 to 250 square feet $(20.9 \text{ to } 23.2 \text{ m}^2)$ per batch. Use a paintbrush to spread the base coat on the flashing, making sure to get the mixture into the seams and corners. Using a brush, wet with water and feather all outside edges. Allow surface to dry for 1-4 hours at 70°F (21.1°C). Scrape off any high spots or ridges that may inhibit application of a smooth texture coat. Trim any mesh that is showing on perimeters after the material has hardened.

4.1.6 Slurry Coat:

The slurry coat mixture consists of one bag of TC-1 Basecoat Cement, 1 gallon (3.78 L) of WP-81 Cement Modifier, and up to $\frac{1}{2}$ gallon (1.89 L) of water, mixed until uniform consistency is achieved. The slurry coat mixture must be applied onto the cured base coat at a rate of 100 to 150 square feet (9.3 to 13.9 m²) per 4.5-gallon (17.0 L) batch, to result in a minimum dry thickness of the slurry coat of 0.063 inch (1.60 mm). The slurry coat must be smoothed with a trowel and allowed to cure until firm.

4.2 ALX Standard and ALX Pro Standard Systems (Following installation in accordance with Section 4.1): 4.2.1 Texture Coat: The texture coat mixture consists of one bag of TC-3 Medium Texture Cement, 1 gallon (3.78L) of WP-81 Cement Modifier and up to $^{1}/_{2}$ gallon (1.89 L) of water, mixed until uniform consistency is achieved. The texture coat must be applied with a hopper gun onto the slurry coat at a rate of 150 to 200 square feet (13.9 to 18.6 m²) per batch, to result in a minimum dry thickness of 0.047 inch (1.2 mm). The texture coat must be leveled with a trowel and allowed to cure until firm.

4.2.2 Top Coat: The SC-10 Acrylic Topcoat must be applied over the cured texture coat with a roller in one or two applications, for a total coverage rate of 125 square feet per gallon (3.04 m²/L), to a minimum thickness of

APPLICATION

Flashing

Westcoat requires a minimum of 26-gauge bonderized sheet metal. Use 4×4 inch 'L' flashing at the junction of the wall and deck. Use 2×4 inch drip edge flashing for fascia edge. Overlap all ends at least four inches. Apply two beads of WP-51 Polyurethane Sealant to all seams. Nail flashing in a staggered pattern every 4-6 inches. (Note: If the flashing is not bonderized, it must be etched in order for the coating to adhere properly).

1 of 3

ALX-PRO Standard 12/15

ARCHITECTURE

Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING

- DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED
- 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.
- 4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.
- 5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRINT DATE:	MARCH 05, 2018
PROJECT PHASE:	PERMIT SET

remark

CERTIFICATION

I HEREBY CERTIFY THAT THESE DRAWINGS AND SPECIFICATIONS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE CONFORM TO THE CURRENTLY ADOPTED BUILDING CODES OF SAN DIEGO, CALIFORNIA.





date



STUCCO –

6'-6" 6'-0" SIDE SETBACK Λ



| 6'-0"

T/ Parapet Wall Roof Deck

26'-4 1/2"

- CABLE RAIL SYSTEM, SURFACE MOUNTED TO DECK – FIBER CEMENT OR WOOD FASCIA BOARD

3rd Floor Finish - CABLE RAIL SYSTEM, SURFACE MOUNTED TO DECK

- FIBER CEMENT OR WOOD

FASCIA BOARD 6'-6"

· · ·	- · ·	— · —	2nd Floor Finish 8'-9 1/2"
· · · _	└ └ └	·	1st Floor Finish 0'-0" (el. 4.95')
)" SIDE SETBACK	 		

PLAN LEGEND EXISTING WALL TO REMAIN EXISTING WALL TO BE DEMO'D NEW EXTERIOR WALL OR UNIT SEPARATION WALL NEW INTERIOR WALL NEW EXTERIOR CLADDING - - - · 1-HR RATED ASSEMBLY, SEE A0.1 W-01 WINDOW DE-01 DOOR A1 KEYNOTE

WALL & FLOOR TYPES

SEE SHEET A0.1 FOR WALL, FLOOR, & **ROOF DETAILS** NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING) (A) EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING

- B EXTERIOR WALL W/ CONTINUOUS INSULATION & SIDING
- C EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL)
- (D) 1-HR RATED UNIT SEPARATION WALL
- (E) INTERIOR PARTITION
- (F) INTERIOR WALL W/ TILE
- G SLAB W/ FINISH FLOOR
- (H) SLAB W/O FINISH FLOOR
- (I) 1-HR RATED FLOOR/CEILING
- (J) 1-HR RATED EXTERIOR CEILING
- (K) ROOF DECK
- L 1-HR RATED EXTERIOR WALL
- (M) UNRATED FLOOR/CEILING

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

- **TERMS OF USE** 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS
- REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.
- 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRINT DATE: PROJECT PHASE: AUGUST 20, 2018 PERMIT SET

date. rev.

remark 1 JUNE 12, 2018 Plan check revisions AUG 20, 2018 Plan check revisions

CERTIFICATION









SCALE :: 1/4" = 1'-0"

]	<u>7 Parapet Wall</u> 30'-0"

3rd Floor Finish

Roof Deck 26'-4 1/2"

2nd Floor Finish 8'-9 1/2"

1st Floor Finish

EXISTING WALL TO REMAIN EXISTING WALL TO BE DEMO'D NEW EXTERIOR WALL OR UNIT SEPARATION WALL NEW INTERIOR WALL NEW EXTERIOR CLADDING - - - - 1-HR RATED ASSEMBLY, SEE A0.1 W-01 WINDOW DE-01 DOOR

WALL & FLOOR TYPES

A1 KEYNOTE

SEE SHEET A0.1 FOR WALL, FLOOR, & ROOF DETAILS NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING) (A) EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING B EXTERIOR WALL W/ CONTINUOUS INSULATION & SIDING C EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL) D 1-HR RATED UNIT SEPARATION WALL

(E) INTERIOR PARTITION

- (F) INTERIOR WALL W/ TILE
- G SLAB W/ FINISH FLOOR
- (H) SLAB W/O FINISH FLOOR (I) 1-HR RATED FLOOR/CEILING
- (J) 1-HR RATED EXTERIOR CEILING
- (K) ROOF DECK
- L 1-HR RATED EXTERIOR WALL
- (M) UNRATED FLOOR/CEILING

ATTACHMENT A2TEA CHIBIENT 1



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS

- REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRINT DATE: JUNE 12, 2018 PROJECT PHASE: PERMIT SET rev. date.

JUNE 12, 2018 Plan check revisions

remark

CERTIFICATION

I HEREBY CERTIFY THAT THESE DRAWINGS AND SPECIFICATIONS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE CONFORM TO THE CURRENTLY ADOPTED BUILDING CODES OF SAN DIEGO, CALIFORNIA.





PLAN LEGEND





1 BUILDING SECTION AA

SCALE :: 1/4" = 1'-0"

· <u> </u>	 <u></u>	Parapet Wall 30'-0"
	 	Roof Deck 26'-4 1/2"

	3rd Floor Finish	
	 17'-7"	
GUARD RAIL, SEE 3/A5.4		
	 2nd Floor Finish 8'-9 1/2"	

	16'-6"	
		1st Floor Finish
_ · · ·		0'-0" (el. 4.95')

Existing a	& proposed grade at ₽ el. 4.34'

— GUARD RAIL, SEE 3/A5.4

3rd Floor Finish – GUARD RAIL, SEE 3/A5.4 2nd Floor Finish 8'-9 1/2" 13'-6" 1st Floor Finish 0'-0" (el. 4.95') Existing & proposed grade at P el. 4.34'

PLAN LEGEND EXISTING WALL TO REMAIN EXISTING WALL TO BE DEMO'D NEW EXTERIOR WALL OR UNIT SEPARATION WALL NEW INTERIOR WALL NEW EXTERIOR CLADDING - - - - 1-HR RATED ASSEMBLY, SEE A0.1 W-01 WINDOW DE-01 DOOR A1 KEYNOTE

WALL & FLOOR TYPES

SEE SHEET A0.1 FOR WALL, FLOOR, & **ROOF DETAILS** NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING) (A) EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING

- B EXTERIOR WALL W/ CONTINUOUS INSULATION & SIDING
- C EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL)
- D 1-HR RATED UNIT SEPARATION WALL
- (E) INTERIOR PARTITION
- (F) INTERIOR WALL W/ TILE
- G SLAB W/ FINISH FLOOR
- (H) SLAB W/O FINISH FLOOR
- (I) 1-HR RATED FLOOR/CEILING
- (J) 1-HR RATED EXTERIOR CEILING
- (K) ROOF DECK
- L 1-HR RATED EXTERIOR WALL
- (M) UNRATED FLOOR/CEILING

ATTACHMENT A2TEA CHIBIENT 1



- Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056
- San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

- **TERMS OF USE** 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS
- REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.
- 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.
- 4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.
- 5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.
- 6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.
- 7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRINT DATE: PROJECT PHASE: AUGUST 20, 2018 PERMIT SET

date. rev.

remark JUNE 12, 2018 Plan check revisions AUG 20, 2018 Plan check revisions

CERTIFICATION

I HEREBY CERTIFY THAT THESE DRAWINGS AND SPECIFICATIONS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE CONFORM TO THE CURRENTLY ADOPTED BUILDING CODES OF SAN DIEGO, CALIFORNIA.



17.28









1 BUILDING SECTION CC

SCALE :: 1/4" = 1'-0"

PLAN LEGEND

	EXISTING WALL TO REMAIN
	EXISTING WALL TO BE DEMO'D
	NEW EXTERIOR WALL OR UNIT SEPARATION WALL
	NEW INTERIOR WALL
	NEW EXTERIOR CLADDING
	1-HR RATED ASSEMBLY, SEE A0.1
(W-01)	WINDOW
DE-01	DOOR
A1	KEYNOTE

WALL & FLOOR TYPES

SEE SHEET A0.1 FOR WALL, FLOOR, & ROOF DETAILS NOTE: NUMBERS ON WALL TAGS DENOTE FRAMING SIZE (EG.: 6 FOR 2X6 STUD FRAMING)

- (A) EXTERIOR WALL W/ CONTINUOUS INSULATION & STUCCO CLADDING
- B EXTERIOR WALL W/ CONTINUOUS INSULATION & SIDING
- C EXTERIOR WALL W/ STUCCO CLADDING (NO CONT. INSUL)
- D 1-HR RATED UNIT SEPARATION WALL
- (E) INTERIOR PARTITION
- (F) INTERIOR WALL W/ TILE
- G SLAB W/ FINISH FLOOR
- (H) SLAB W/O FINISH FLOOR
- (I) 1-HR RATED FLOOR/CEILING
- (J) 1-HR RATED EXTERIOR CEILING
- (K) ROOF DECK
- L 1-HR RATED EXTERIOR WALL
- (M) UNRATED FLOOR/CEILING

ATTACHMENT A2TEA CHIBIENT 1



- Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056
- San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

- TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS
- REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH WORK OR BE RESPONSIBLE FOR SAME.
- 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.
- 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.
- 4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.
- 5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.
- 6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.
- 7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PROJECT PHASE: PERMIT SET rev. date.

remark JUNE 12, 2018 Plan check revisions

CERTIFICATION





6'-6" **1** (A5.4)

1 BUILDING SECTION EE

SCALE :: 1/4" = 1'-0"



NOTE: WALL, FLOOR, AND CEILING TAGS CORRESPOND TO TYPICAL DETAILS ON SHEET A0.1. SEE TYPICAL DETAILS FOR ALL FIRE RATED ASSEMBLIES AND MINIMUM INSULATION REQUIREMENTS

PLAN L	EGEND
	EXISTING WALL TO REMAIN
L	EXISTING WALL TO BE DEMO'D
	NEW EXTERIOR WALL OR UNIT SEPARATION WALL
	NEW INTERIOR WALL
	NEW EXTERIOR CLADDING
	• 1-HR RATED ASSEMBLY, SEE A0.1
(W-01)	WINDOW
DE-01	DOOR
A1	KEYNOTE
WALL &	FLOOR TYPES
	IEET A0.1 FOR WALL, FLOOR, & DETAILS
DENO	NUMBERS ON WALL TAGS TE FRAMING SIZE (EG.: 6 FOR 2X6 FRAMING)
	IOR WALL W/ CONTINUOUS ATION & STUCCO CLADDING
	IOR WALL W/ CONTINUOUS ATION & SIDING
INSULA	

- E INTERIOR PARTITION
- F INTERIOR WALL W/ TILE
- G SLAB W/ FINISH FLOOR
- (H) SLAB W/O FINISH FLOOR
- (I) 1-HR RATED FLOOR/CEILING
- J 1-HR RATED EXTERIOR CEILING
- (K) ROOF DECK
- L 1-HR RATED EXTERIOR WALL
- (M) UNRATED FLOOR/CEILING

ATTACHMENT AZTAACHBUENT 1



- Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056
- San Diego Office: 9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

- **TERMS OF USE** 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING
- DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH
- WORK OR BE RESPONSIBLE FOR SAME. 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.
- 3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.
- 4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.
- 5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.
- 6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.
- 7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



- PERMIT SET PROJECT PHASE:
- rev. date.
- remark

JUNE 12, 2018 Plan check revisions

CERTIFICATION

I HEREBY CERTIFY THAT THESE DRAWINGS AND SPECIFICATIONS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE CONFORM TO THE CURRENTLY ADOPTED BUILDING CODES OF SAN DIEGO, CALIFORNIA.



17.28



1 WINDOW SILL A6.1 Scale: 3" = 1'-0"

ID#	TYPE	LOCATION		WINDOW				FRAME			DETAILS			GLAZING	COMMENTS
			Manufacturer	Series/Model	Width	Height	T/ Frame	Material	Finish	Sill	Head	Jamb	GLASS	Fenestration area	
N-01	Fixed	Family Room 'B'	Milgard	Montecito	2'-0*	6'-8"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	13.3 sq ft	т
W-02	Fixed	Family Room 'B'	Milgard	Montecito	1'-0"	6'-8"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	6.7 sq ft	
W-03	Fixed	Entry 'B'	Milgard	Montecito	1'-0"	6'-8"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	6.7 sq ft	т
W-04	Slider	Powder Rm 'B'	Milgard	Montecito	3'-0"	1'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	4.5 sq ft	
W-05	Slider	Bath 2 'A'	Milgard	Montecito	3′-0"	1'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	4.5 sq ft	
N-06	Slider	Bedroom 3 'A'	Milgard	Montecito	5'-0"	3'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
W-07	Slider	Bedroom 3 'A'	Milgard	Montecito	5'-0"	3'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
80-W	Slider	Bedroom 2 'A'	Milgard	Montecito	5'-0"	3'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
W-09	Slider	Bedroom 3 'C'	Milgard	Montecito	5'-0"	3'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
W-10	Slider	Bedroom 2 'C'	Milgard	Montecito	5'-0"	3'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
W-11	Slider	Bedroom 2 'C'	Milgard	Montecito	5'-0"	3'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
N-12	Slider	Bath 2 'C'	Milgard	Montecito	3'-0"	1'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	4.5 sq ft	
W-13	Slider	Powder Rm 'C'	Milgard	Montecito	3′-0"	1'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	4.5 sq ft	
N-14	Fixed	Entry 'C'	Milgard	Montecito	1'-0"	6'-8"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	6.7 sq ft	т
W-15	Fixed	Family Room 'C'	Milgard	Montecito	1'-0"	6'-8"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	6.7 sq ft	
W-16	Fixed	Family Room 'C'	Milgard	Montecito	2'-0"	6'-8"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	13.3 sq ft	т
W-17	Slider	Master Bath 'B'	Milgard	Montecito	3'-0"	1'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	4.5 sq ft	
W-18	Slider	Bedroom 2 'B'	Milgard	Montecito	5'-0"	3'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
W-19	Slider	Bedroom 3 'B'	Milgard	Montecito	5'-0"	3'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
N-20	Fixed	Stairs 'A'	Milgard	Montecito	1 '- 6 "	6 '-0*	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	9 sq ft	NOT USED
W-21	Slider	Stairs 'A'	Milgard	Montecito	5'-0"	6'-0"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	30 sq ft	
N-22	Fixed	Stairs 'A'	Milgard	Montecito	1'-6"	6'-0"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	9 sq f t	
N-23	Fixed	Stairs 'A'	Milgard	Montecito	1'-6"	6'-0"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	9 sq ft	т
N-24	Fixed	Stairs 'A'	Milgard	Montecito	1'-6"	6'-0"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	9 sq ft	т
N-25	Slider	Master Bed 'A'	Milgard	Montecito	5'-0"	3'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
N-26	Slider	Master Bed 'C'	Milgard	Montecito	5'-0"	3'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
N-27	Fixed	Stairs 'C'	Milgard	Montecito	1'-6"	6'-0"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	9 sq ft	т
W-28	Fixed	Stairs 'C'	Milgard	Montecito	1'-6"	6'-0"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	9 sq ft	Т
N-29	Fixed	Stairs 'C'	Milgard	Montecito	1'-6"	6'-0"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	9 sq ft	
W-30	Slider	Stairs 'C'	Milgard	Montecito	5'-0"	6'-0"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	30 sq ft	
W-31	Fixed	Stairs "C"	Milgard	Montecito	<u>1'-6"</u>	<u>6'-0''</u>	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	9 sq ft	NOT USED
W-32	Slider	Bedroom 2 "D"	Milgard	Montecito	5 ″- 0 ‴	3 ″- 6 ″	6'-8" AFF	Vinyl	1	1/A6.1	2/A6.1	3/A6.1	G-01	17.5 sq ft	Egress
W-33	Slider	Bath 2 "D"	Milgard	Montecito	3″-0"	1'-6''	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	4.5 sq ft	
W-34	Slider	Master Bath 'D'	Milgard	Montecito	3'-0"	1'-6"	6'-8" AFF	Vinyl		1/A6.1	2/A6.1	3/A6.1	G-01	4.5 sq ft	

1 T DENOTES TEMPERED GLASS

ID#	ТҮРЕ	LOCATION	DOOR				FRAME DETAILS				GLAZING (IF APPLICABLE)			HARDWARE	
			Manufacturer	Series/Model	Width	Height	Material	Material	Finish	Threshold	Head	Jamb	ID#	Fenestration area	Set
EXTER	IOR														
DE-01	Swing Simple	Family Room 'C'	Milgard	Montecito	3'-0"	6'-8"	Vinyl	Vinyl							
DE-02	Slider	Family Room 'C'	Milgard	Montecito	16'-0"	6'-8"	Vinyl	Vinyl					G-02	106.7 sq ft	
DE-03	Slider	Family Room 'A'	Milgard	Montecito	16'-0"	6'-8"	Vinyl	Vinyl					G-02	106.7 sq ft	
DE-04	Swing Simple	Eamily Room 'A'	Milgard	Montecito	3'-0"	6'-8"	Vinyl	Vinyl						-	
GELOA	ZINGSiTTPF	PES Starking RFC	DRMANC		3'-0"	6'-8"	Vinyl	Vinyl							
D ₽₽ ₽6	Swing Simple	Entry 'C'	Milgard	GLAZINNCecito	3'-0"	6′-8"	Vinyl	Vinyl		PERFO	RMANC	E			
DE-07	Swijng Simple	PROBUCT	Milgard	TAPCKREESS	3′-0 <mark>뿨A</mark>	NES ^{-8"}	¥inexl	SPÄCERS	U-FAC	TOR (0.32 MAX	()	SGHC	(0.25 MAX)	1	
₿ <u></u> 5098	Swingsimple	SunCoatking9	Milgard	Montecito	3'-0" _D	ual ^{6′-8} ″	Vinvl	Edgedard		0.26		(0.24	1	
8E089	Mildard	કલાગલે & aRMAIX / Pá9	(Do <mark>Mi</mark> lgard	Montecito	16'-0″D	uaĺ ^{6′-8} "	Vinvl	Edyetard		0.32		(0.23 ^{G-02}	106.7 sq ft	
DE-10	Slider	Family Room 'B'	Milgard	Montecito	16'-0"	6'-8"	Vinyl	Vinyl					G-02	106.7 sq ft	
DE-11	Swing Simple	Entry 'D'	Milgard	Montecito	3'-0"	6'-8"	Vinyl	Vinyl							
DE-12	Swing Simple	Entry 'B'	Milgard	Montecito	3'-0"	6'-8"	Vinyl	Vinyl							
DE-13	Slider	Master Bed 'D'	Milgard	Montecito	9'-0"	6'-8"	Vinyl	Vinyl					G-02	60 sq ft	
DE-14	Slider	Master Bed 'B'	Milgard	Montecito	9'-0"	6'-8"	Vinyl	Vinyl					G-02	60 sq ft	
DE-15	Slider	Master Bed 'C'	Milgard	Montecito	8'-0"	6'-8"	Vinyl	Vinyl					G-02	53.3 sq ft	
DE-16	Slider	Master Bed 'A'	Milgard	Montecito	8'-0"	6'-8"	Vinyl	Vinyl					G-02	53.3 sq ft	
INTER	IOR														
DI-01	Swing Simple	Powder Rm 'C'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A	
DI-02	Swing Simple	Powder Rm 'A'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A	
DI-03	Swing Simple	Powder Rm 'D'	TBD	TBD	2'-4"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A	
DI-04	Swing Simple	Powder Rm 'B'	TBD	TBD	2'-4"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A	

2

4



Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office:

9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE

1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH

WORK OR BE RESPONSIBLE FOR SAME. 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE

SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



COMMENTS

Т

Т

Т т

JUNE 12, 2018 Plan check revisions

CERTIFICATION

I HEREBY CERTIFY THAT THESE DRAWINGS AND SPECIFICATIONS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE CONFORM TO THE CURRENTLY ADOPTED BUILDING CODES OF SAN DIEGO, CALIFORNIA.



WINDOW SCHEDULE & DETAILS



		DULE														
ID#	ТҮРЕ	LOCATION		DOC	DR			FRAI	ME	D	ETAILS		GLAZING	G (IF APPLICABLE)	HARDWARE	COMMENTS
			Manufacturer	Series/Model	Width	Height	Material	Material	Finish	Threshold	Head	Jamb	ID#	Fenestration area	Set	
XTE	RIOR															
DE-01	Swing Simple	Family Room 'C'	Milgard	Montecito	3'-0"	6'-8"	Vinyl	Vinyl								
DE-02	Slider	Family Room 'C'	Milgard	Montecito	16'-0"	6'-8"	Vinyl	Vinyl					G-02	106.7 sq ft		Т
DE-03	Slider	Family Room 'A'	Milgard	Montecito	16'-0"	6'-8"	Vinyl	Vinyl					G-02	106.7 sq ft		Т
DE-04	Swing Simple	Family Room 'A'	Milgard	Montecito	3'-0"	6'-8"	Vinyl	Vinyl								
DE-05	Swing Simple	Parking	Milgard	Montecito	3'-0"	6'-8"	Vinyl	Vinyl								
	Swing Simple	Entry 'C'	Milgard	Montecito	3'-0"	6'-8"	Vinyl	Vinyl								
	Swing Simple	Entry 'A'	Milgard	Montecito	3'-0"	6′-8"	Vinyl	Vinyl								
DE-08		Parking	Milgard	Montecito	3'-0"	6′-8"	Vinyl	Vinyl								
DE-09	Slider	Family Room 'D'	Milgard	Montecito	16'-0"	6′-8"	Vinyl	Vinyl					G-02	106.7 sq ft		Т
DE-10	Slider	Family Room 'B'	Milgard	Montecito	16'-0"	6'-8"	Vinyl	Vinyl					G-02	106.7 sq ft		T
DE-11	Swing Simple	Entry 'D'	Milgard	Montecito	3'-0"	6'-8"	Vinyl	Vinyl								
DE-12	Swing Simple	Entry 'B'	Milgard	Montecito	3'-0"	6'-8"	Vinyl	Vinyl								_
DE-13	Slider	Master Bed 'D'	Milgard	Montecito	9'-0"	6'-8"	Vinyl	Vinyl					G-02	60 sq ft		T
DE-14	Slider	Master Bed 'B'	Milgard	Montecito	9'-0"	6'-8"	Vinyl	Vinyl					G-02	60 sq ft		T
DE-15	Slider	Master Bed 'C'	Milgard	Montecito	8'-0"	6'-8"	Vinyl	Vinyl					G-02	53.3 sq ft		T
DE-16	Slider	Master Bed 'A'	Milgard	Montecito	8'-0"	6'-8"	Vinyl	Vinyl					G-02	53.3 sq ft		Т
NTEF																
01-01	Swing Simple	Powder Rm 'C'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-02	Swing Simple	Powder Rm 'A'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-03	Swing Simple	Powder Rm 'D'	TBD	TBD	2'-4"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-04	Swing Simple	Powder Rm 'B'	TBD	TBD	2'-4"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-05	Swing Simple	Bath 2 'C'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-06	Sliding Doors	Closet 'C'	TBD	TBD	4'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-07	Bi-fold	Laundry 'C'	TBD	TBD	5'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-08	Bi-fold	Laundry 'A'	TBD	TBD	5'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-09	Sliding Doors	Closet 'A'	TBD	TBD	4'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-10	Swing Simple	Bath 2 'A'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-11	Swing Simple	Closet 'C'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-12	Swing Simple	Bedroom 2 'C'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-13	Swing Simple	Bedroom 3 'C'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-14	Sliding Doors	Closet 'C'	TBD	TBD	5'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-15	Sliding Doors	Closet 'A'	TBD	TBD	5'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-16	Swing Simple	Bedroom 2 'A'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-17	Swing Simple	Bedroom 3 'A'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-18	Swing Simple	Closet 'A'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-19	Sliding Doors	Closet 'D'	TBD	TBD	6'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-20		Closet 'B'	TBD	TBD	6'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-21		Master Bath 'D'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-22	Swing Simple		TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
		Master Bed 'B'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-24	Swing Simple	Master Bath 'B'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-25	Pocket	Bath 2 'D'	TBD	TBD	2'-4"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
DI-26	Sliding Doors	Closet 'D'	TBD	TBD	4'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-27	Swing Simple	Bedroom 2 'D'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-28	Bi-fold	Laundry 'D'	TBD	TBD	3'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-29	Bi-fold Pocket	Laundry 'B'	TBD	TBD	3'-0" 2'-4"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
0I-30	Pocket	Powder Rm 'B'	TBD	TBD	2'-4"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-31	Swing Simple	Bedroom 2 'B'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
01-32	Swing Simple Swing Simple	Bedroom 3 'B'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
)-33)-34		Closet 'B'	TBD	TBD	2'-4"	6'-8"	Wood	Wood	Paint	N/A N/A			N/A N/A	N/A N/A		
	Swing Simple	Closet 'B'	TBD	TBD	2'-4"	6'-8"	Wood	Wood	Paint							
01-35 01-36	Swing Simple Pocket	Closet 'D' Master Bath 'C'	TBD TBD	TBD TBD	2'-6" 2'-4"	6'-8" 6'-8"	Wood Wood	Wood Wood	Paint Paint	N/A N/A			N/A N/A	N/A N/A		
)-30) -37	Sliding Doors	Closet 'C'	TBD	TBD	2-4 3'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
	Sliding Doors	Closet C Closet 'C'	TBD	TBD	3 -6 3'-6"	6'-8"	Wood		Paint	N/A N/A			N/A N/A	N/A N/A		
	-							Wood								
	Swing Simple		TBD	TBD	2'-8"	6'-8"	Wood	Wood		N/A			N/A	N/A		
01-40		Master Bath 'A'	TBD	TBD	2'-6"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
	Sliding Doors	Closet 'A'	TBD	TBD	5'-0"	6'-8"	Wood	Wood	Paint	N/A			N/A	N/A		
	Swing Simple	Closet 'A'	TBD	TBD	2'-4" 2'-8"	6'-8"	Wood	Wood	Paint	N/A			N/A N/A	N/A		
	Swing Simple	Master Bed 'A'	TBD	TBD	D' 0"	6'-8"	Wood	Wood	Paint	N/A			NI/A	N/A		

GLAZING TYPES & PERFORMANCE INFO									
ID#	GLAZING						PERFORMANCE		
	MANUF.	PRODUCT/SERIES	THICKNESS	PANES	FILL	SPACERS	U-FACTOR (0.32 MAX)	SGHC (0.25 MAX)	
G-01	Milgard	SunCoat / i89	1/8″	Dual	Air	EdgeGard	0.26	0.24	
G-02	Milgard	SunCoatMAX / i89 (Door)	1/8″	Dual	Air	EdgeGard	0.32	0.23	

ATTACHMENT ATTAACHIBIENT 1							

ONE	WORLD ARCHITECTURE

Louisville Office: 414 Baxter Ave., Ste 101 Louisville, KY 40204 T: 502.212.2056

San Diego Office:

9826 Ogram Dr., La Mesa, CA 91941 T: 619.567.7545

oneworldarchitecture.com

TERMS OF USE 1. CONTRACTOR TO VERIFY ALL PROPOSED & EXISTING

DIMENSIONS, QUANTITIES, & FIELD CONDITIONS AS REQUIRED FOR PROPER COMPLETION OF WORK. CONTRACTOR TO NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH

WORK OR BE RESPONSIBLE FOR SAME. 2. UNDER NO CIRCUMSTANCES ARE DRAWINGS TO BE SCALED.

3. ALL DESIGNS © COPYRIGHT 2018 KEN PAREL-SEWELL ARCHITECTS INC. (DBA ONE WORLD ARCHITECTURE). ALL RIGHTS RESERVED.

4. THE CONTRACT DOCUMENTS CONSIST OF THE AGREEMENT BETWEEN THE OWNER AND THE CONTRACTOR, THE PROJECT MANUAL (IF ANY), ALL GENERAL NOTES, SHEETS, DRAWINGS, ADDENDA, CHANGES ORDERS, AND OTHER APPROVED MODIFICATIONS TO THE CONTRACT.

5. CONTRACTOR SHALL MAKE AVAILABLE TO EACH SUBCONTRACTOR, PRIOR TO SIGNING SUBCONTRACTS, COMPLETE COPIES OF THE CONTRACT DOCUMENTS AND KEEP ALL CONTRACTORS UP TO DATE WITH ALL REVISIONS AND CHANGES TO THE CONTRACT DOCUMENTS THROUGHOUT THE PROJECT.

6. SUBCONTRACTORS ARE BOUND TO GENERAL NOTES AND CONDITIONS AND PROJECT MANUAL TERMS THAT MAY BE SHOWN ON PAGES OTHER THAN WHERE THEIR WORK IS INDICATED.

7. ARCHITECTURAL DRAWINGS ARE INTENDED TO SHOW CONFIGURATION, QUANTITY, AND GENERAL TYPES OF CONSTRUCTION SYSTEMS. SPECIFIC PRODUCTS ARE TO BE SELECTED BY CONTRACTOR AND OWNER . NOTIFY ARCHITECT OF ANY CONFLICT BETWEEN SYSTEMS OR PRODUCTS SELECTED AND DESIGN DOCUMENTS. SCOPE INCLUDES ARCHITECTURAL WORK ONLY.



PRO	JECT PHASE:	PERMIT SET
rev.	date.	remark
Λ	JUNE 12, 2018	Plan check revisions

CERTIFICATION





			TTACHMENT 2
SD	City of San Diego Development Services 1222 First Ave., MS-302 San Diego, CA 92101	Development Permit/ Environmental Determination Appeal Application	^{FORM} DS-3031
In order to a	ssure your anneal annlication is	s successfully accepted and processed, you must read and u	November 2017
Infor	mation Bulletin 505, "Developm	ent Permits/Environmental Determination Appeal Procedu	
1. Type of Appeal:	Appeal of the Project Appeal of the Environmental	Determination	
2. Appellant: Please c	heck one 🛛 Applicant 🛛 Offic	ially recognized Planning Committee Person" (Per M.C. Sec. 113.010)	3)
Name: MW BA	Q 11 155	E-mail:	
Address: 826 IS	City: CAND CT. S	State: Zip Code: Telephone: AN DIEBO CA 92109 E	358 333280,3
3. Project Name:	2 ISCAND CA	a sub- the set of the	
4. Project Information	· · · · · · · · · · · · · · · · · · ·		10.3ger.
	Determination & Permit/Document		
600832	ermit/approval decision);	NOU. 7 Jars Denua	K. Bunson
	ermit/approval decision): - 1400MLauG OPPICE	R	
EXEMPTI	ON, CEOR	DECE	EIVED
			6 3310
D Factual Error	lease check all that apply):	D New Information	3 1 2010
Conflict with other		City-wide Significance (Process Four deci-	ENT SERVICES
Description of Ground	s for Appeal (Please relate your de	scription to the allowable reasons for appeal as more fully describe	BARK NOTIS DONS
APPEDBL	TO CETUA EXEPTION	1 - NO NOTICE OF CELLY PLACEBOMC.	uncic Apren
(. .	PARAL PERION ENDER	· PADOWES REPAIROLY PEDINESDED N	VORCE of
BOARD (T	plines by marc- BA	ANES IS ELIBLY VOB NON VILLE OR	USE (TIE
UN TERME	ET. ASCEN + MIN NOT	ABCBUR MARKE A OULES OR MAL OF BARS + BENEW MERK SERACES, NOT 40A FMISSION BEAUE PREUSE & CAN STATE WIS (MIT ADIGE, READER BULLE OF CO	LOMPLIANT
PLAN OUT	OP COMPLASACE WIT	F MISSION BEAU PROLES / CAN STATE	1 Gaps:
TO PROT	SET GREBIBUISTS VIE	WS, COMIT NOICE, REPACE BULL OF CO WS, COMIT NOICE, REPACE BULL OF CO ETC. BALKS ISAS ONE OF PEU PARTET COMICARE IN SEVEN KET ALLAS UNALLES I THISTORICA NATURA OF SUCH SI OF ANY DE BALANS WITH HALA CAR OF PEU	on newskens
RejAn ne	NOT CONCORM TO MUNI	CASE CODE IN SEVERINE LES ALLES UNHILLESI	parce BE outing
IN ADDITU	IND DOCUMENT PHUT	TO ANTONIA DARNES WITH HARA CAPE OF PLA MARINE BARNES WITH HARA CAPE OF PLA MARINEBON (5009 - ROF (OF DATTON - FAMILISIVE, I TASUBJECT PARABET NOT AUTUS) - ON CAR	n - TAHT WASher
HERSLAND OF	han out of contacter	WARKETBOL (500) - NOT (OF UT LES - PINUSSOS,	CUMENT ISLEE
6. Appellant's Signatur	e: I certify under penalty of perj	PS 4B JECT PARA BAT NOT AURUSO - OLLAN Community City Has For Strongetowing may jury that the foregoing, including all names and addresses,	Strue and correct.
Signature:	W Borney	Date: NW. 20 2018	
	Note:	Faxed appeals are not accepted.	



ATTACHMENT 3



