

Storm Water Requirements **Applicability Checklist**

FORM

DS-560

Droinet Ad		November 2018
Project Ad	Idress: 420 Ranua a ca	Project Number:
SECTION	N 1. Construction Storm Water BMP Requirements:	
All constru	uction sites are required to implement construction BMPs in accordance water Standards Manual. Some sites are additionally required	
Construct	fron General Paraity (CON)	ince with the performance standards
Construct	orm Water Standards Manual. Some sites are additionally required to implement construction BMPs in accordation Water Standards Manual. Some sites are additionally required tion General Permit (CGP) ¹ , which is administered by the State Region	onal Water Quality Control Board
For all p	rojects complete PART At If project is required.	y same of Bourd.
PART B.	rojects complete PART A: If project is required to submit	a SWPPP or WPCP, continue to
1		1
PARTA:	Determine Construction Phase Storm Water Requiremen	ts.
11. Is the pr	roject subject to Californials at a little of the control of the c	
land dist	nstruction Activities, also known as the State Construction General I turbance greater than or equal to 1 acre.)	Permit (CGP)? (Typically projects with
	/ constraints requality ractes,	
Yes;	SWPPP required, skip questions 2-4 No; next question	
		•
grubbing	e project propose construction or demolition activity, including but g, excavation, or any other activity resulting in ground disturbance a	not limited to, clearing, grading,
	y was desirely resulting in ground disturbance a	and/or contact with storm water?
Yes;	WPCP required, skip questions 3-4 No; next question	
3. Does the	e project propose routine maintenance to maintain original line and ose of the facility? (Projects such as pipeline/utility replacement)	d grade hydraulic canacity or origi
nai purpo	ose of the facility? (Projects such as pipeline/utility replacement)	b Grade, rigaradile capacity, or origi-
Constant Con		
	project only include the following Permit types listed below?	
 Electric Spa Pe 	cal Permit, Fire Alarm Permit, Fire Sprinkler Permit, Plumbing Perm	nit, Sign Permit, Mechanical Permit,
Sparc	· · · · · · · · · · · · · · · · · · ·	
sewer l	ual Right of Way Permits that exclusively include only ONE of the flateral, or utility service.	ollowing activities: water service,
 Right o 	of Way Permits with a project footprint less than 150 linear feet that	at exclusively include only ONE of
the following	owing activities: curb ramp, sidewalk and driveway apron replaced ement, and retaining wall encroachments.	ment, pot holing, curb and gutter
replace	strent, and retaining wall encroachinents.	
Yes	; no document required	
	, we stronger equited	
Check o	one of the boxes below, and continue to PART B:	
-		
	If you checked "Yes" for question 1,	
_/	a SWPPP is REQUIRED. Continue to PART B	
abla	If you checked "No" for guestion 1, and checked "Yes" for guest	ion 2 or 3.
	If you checked "No" for question 1, and checked "Yes" for quest a WPCP is REQUIRED. If the project proposes less than 5,000 so f ground disturbance AND has less than a 5-foot elevation characteristics.	square feet
	entire project area, a Minor WPCP may be required instead. Co	ontinue to PART B.
LJ	If you checked "No" for all questions 1-3, and checked "Yes" for PART B does not apply and no document is required. Contin	question 4
	The second secon	
Mara inform		ments can be found at:
www.sandiee	action on the City's constituction blue requirements as well as CGP requirer 20 gov/stormwater/regulations/index.shtml	richts can be found at.

P	age 2 of 4	City of San Diego • Development Services	
P	ART B: D	City of San Diego • Development Services • Storm Water Requirements Applicability Che	ecklist
Pi Pi Ci St ar	ne city restrojects are ty has alignate Construction (A) are ceiving ficance (A)	Determine Construction Site Priority ization must be completed within this form, noted on the plans, and included in the SW serves the right to adjust the priority of projects both before and after construction. Co gned the local definition of "high threat to water quality" to the risk determination appropriately appropriately. The CGP determines risk level based on project specific services. Additional inspection is required for projects within the Areas of Special SBS) watershed. NOTE: The construction priority does NOT change construction BMP or projects; rather, it determines the frequency of inspections that will be conducted by	PPP or WPCP. nstruction uality." The pach of the sediment risk
Co	mplete	PART B and continued to Section 2	
1.		ASBS	
		a. Projects located in the ASBS watershed.	
2.		High Priority	
		a. Projects that qualify as Risk Level 2 or Risk Level 3 per the Construction General P (CGP) and not located in the ASBS watershed.	ermit
		b. Projects that qualify as LUP Type 2 or LUP Type 3 per the CGP and not located in twatershed.	he ASBS
3.		Medium Priority	
		a. Projects that are not located in an ASBS watershed or designated as a High priorit	ny sito
		 Projects that qualify as Risk Level 1 or LUP Type 1 per the CGP and not located in watershed. 	an ASBS
		c. WPCP projects (>5,000sf of ground disturbance) located within the Los Penasquito watershed management area.	
4.	\square	Low Priority	
		a. Projects not subject to a Medium or High site priority designation and are not local watershed.	ated in an ASBS
		Permanent Storm Water BMP Requirements.	
Addi	tional inf	ormation for determining the requirements is found in the Storm Water Standards N	<u>Ianual</u> .
Prole	ects that a oment pro	ermine if Not Subject to Permanent Storm Water Requirements. are considered maintenance, or otherwise not categorized as "new development pro ojects" according to the Storm Water Standards Manual are not subject to Permaner	jects" or "rede- it Storm Water
lf "ye nent	es" is ch	ecked for any number in Part C, proceed to Part F and check "Not Subje Water BMP Requirements".	ect to Perma-
lf "no	o" is che	ecked for all of the numbers in Part C continue to Part D.	
е	xisting er	project only include interior remodels and/or is the project entirely within an included structure and does not have the potential to contact storm water?	☐Yes ☑No
. D	oes the preating n	project only include the construction of overhead or underground utilities without ew impervious surfaces?	Yes No
ro	oof or ext ats or exis	project fall under routine maintenance? Examples include, but are not limited to: erior structure surface replacement, resurfacing or reconfiguring surface parking ting roadways without expanding the impervious footprint, and routine nt of damaged pavement (grinding, overlay, and pothole repair).	□Yes ☑No

P	Page 3 of 4 City of San Diego • Development	
	Page 3 of 4 City of San Diego • Development Services • Storm Water Requirements Applicability Checkler Common Diego	ist
P	Exempt Requirements	
H	PDP Exempt projects are required to implement site design and source control BMPs. f "yes" was checked for a second for the second source control by the second se	
"	PDP Exempt."	labeled
11	f "no" was checked for all questions in Part D. continue to Part F	
•	The project ONLY include new or retrofit sidewalks, bicycle lanes, or trails that:	
	non-erodible permeable areas? Or:	1
	 Are designed and constructed to be hydraulically disconnected from paved streets and Are designed and constructed with permeable pavements or surfaces in accordance wi Green Streets guidance in the City's Storm Water Standards manual? 	roads? Or; th the
	Yes; PDP exempt requirements apply No; next question	
2.	 Does the project ONLY include retrofitting or redeveloping existing paved alleys, streets or road and constructed in accordance with the Green Streets guidance in the <u>City's Storm Water Standa</u> 	s designed ards Manual?
	Yes; PDP exempt requirements apply No; project not exempt.	
oi If "S	f "yes" is checked for any number in PART E, continue to PART F and check the box I rity Development Project". f "no" is checked for every number in PART E, continue to PART F and check the box Standard Development Project". New Development that creates 10,000 square feet or more of impervious surfaces collectively over the project site. This includes commercial, industrial, residential,	labeled
2	mixed-use, and public development projects on public or private land. Redevelopment project that creates and/or replaces 5,000 square feet or more of	☐ Yes ☑ No
۷.	impervious surfaces on an existing site of 10,000 square feet or more of impervious surfaces. This includes commercial, industrial, residential, mixed-use, and public	
	development projects on public or private land.	□Yes ☑No
3.	New development or redevelopment of a restaurant. Facilities that sell prepared foods and drinks for consumption, including stationary lunch counters and refreshment stands sellin prepared foods and drinks for immediate consumption (SIC 5812), and where the land development creates and/or replace 5,000 square feet or more of impervious surface.	
	New development or redevelopment of a restaurant. Facilities that sell prepared foods and drinks for consumption, including stationary lunch counters and refreshment stands sellin prepared foods and drinks for immediate consumption (SIC 5812), and where the land	g
4.	New development or redevelopment of a restaurant. Facilities that sell prepared foods and drinks for consumption, including stationary lunch counters and refreshment stands selling prepared foods and drinks for immediate consumption (SIC 5812), and where the land development creates and/or replace 5,000 square feet or more of impervious surface. New development or redevelopment on a hillside. The project creates and/or replaces 5,000 square feet or more of impervious surface (collectively over the project site) and where the development will grade on any natural slope that is twenty-five percent or greater.	g Yes No
4. 5.	New development or redevelopment of a restaurant. Facilities that sell prepared foods and drinks for consumption, including stationary lunch counters and refreshment stands selling prepared foods and drinks for immediate consumption (SIC 5812), and where the land development creates and/or replace 5,000 square feet or more of impervious surface. New development or redevelopment on a hillside. The project creates and/or replaces 5,000 square feet or more of impervious surface (collectively over the project site) and where the development will grade on any natural slope that is twenty-five percent or greater. New development or redevelopment of a parking lot that creates and/or replaces	g □Yes ☑No □Yes ☑No

 The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the <u>Storm Water Standards Manual</u> for guidance. The project is PDP EXEMPT. Site design and source control BMP requirements apply. See the <u>Storm Water Standards Manual</u> for guidance. 	Page 4 of 4 City of San Diego Decision				
reet or less from the polirectity to includes forest of the standard feet of impervious surface feet of less from the project to the ESA, or conveyed in a pipe or open channel any distance of 200 lands). 8. New development or redevelopment projects of a retail gasoline outlet (RGO) that project meets the following criteria: (a) 5,000 square feet of impervious surface. The development Average Daily Traffic (ADT) of 100 or more vehicles per day. 9. New development or redevelopment projects of a retail gasoline outlet (RGO) that project meets the following criteria: (a) 5,000 square feet or more or (b) has a projected. Average Daily Traffic (ADT) of 100 or more vehicles per day. 9. New development or redevelopment projects of an automotive repair shops that projects and/or replaces 5,000 square feet or more of impervious surfaces. Development projects categorized in any one of Standard Industrial Classification (SIC) codes 5013, 5014, 17532-7534, or 7536-7539. 10. Other Pollutant Generating Project. The project is not covered in the categories above, results in the disturbance of one or more acres of land and is expected to generate pollutants post constitution, such as fertilizers and pesticides. This does not include projects creating less than 5,000 st of impervious surface and where added landscaping does not require regular use of pesticides and fertilizers, such as slope stabilization using native plants. Calculation of the square footage of impervious surface and one time dinear pathways that are for infrequent vehicle use, such as emergency maintenance access or bicycle pedestrian use, if they are built with pervious surfaces of if they sheet flow to surrounding pervious surfaces. PART F: Select the appropriate category based on the outcomes of PART C through PART E. 1. The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS. 1. The project is a PRIORITY DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 2. The pro	7.	New development or real			
reet or less from the polirectity to includes forest of the standard feet of impervious surface feet of less from the project to the ESA, or conveyed in a pipe or open channel any distance of 200 lands). 8. New development or redevelopment projects of a retail gasoline outlet (RGO) that project meets the following criteria: (a) 5,000 square feet of impervious surface. The development Average Daily Traffic (ADT) of 100 or more vehicles per day. 9. New development or redevelopment projects of a retail gasoline outlet (RGO) that project meets the following criteria: (a) 5,000 square feet or more or (b) has a projected. Average Daily Traffic (ADT) of 100 or more vehicles per day. 9. New development or redevelopment projects of an automotive repair shops that projects and/or replaces 5,000 square feet or more of impervious surfaces. Development projects categorized in any one of Standard Industrial Classification (SIC) codes 5013, 5014, 17532-7534, or 7536-7539. 10. Other Pollutant Generating Project. The project is not covered in the categories above, results in the disturbance of one or more acres of land and is expected to generate pollutants post constitution, such as fertilizers and pesticides. This does not include projects creating less than 5,000 st of impervious surface and where added landscaping does not require regular use of pesticides and fertilizers, such as slope stabilization using native plants. Calculation of the square footage of impervious surface and one time dinear pathways that are for infrequent vehicle use, such as emergency maintenance access or bicycle pedestrian use, if they are built with pervious surfaces of if they sheet flow to surrounding pervious surfaces. PART F: Select the appropriate category based on the outcomes of PART C through PART E. 1. The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS. 1. The project is a PRIORITY DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 2. The pro		Sensitive Area. The project or redevelopment discharges with Water Requirements Applicability Checkers in the project of the p	cklist		
8. New development or redevelopment projects of a retail gasoline outlet (RGO) that create and/or replaces 5,000 square feet of impervious surface. The development Average Daily Traffic (ADT) of 100 or more vehicles per day. 9. New development or redevelopment projects of an automotive repair shops that project sactegorized in any one of Standard Industrial Classification (SIC) codes 5013, 5014, creates and/or 7536-7539. 10. Other Pollutant Generating Project. The project is not covered in the categories above, results in the disturbance of one or more acres of land and is expected to generate pollutants post construction, such as fertilizers and pesticides. This does not include projects creating less than 5,000 sf of impervious surface and where added landscaping does not require regular use of pesticides and fertilizers, such as slope stabilization using native plants. Calculation of the square footage of impervious surface need not include linear pathways that are for infrequent vehicle use, such as emergency maintenance access or bicycle pedestrian use, if they are built with pervious surfaces of if they sheet flow to surrounding pervious surfaces. PART F: Select the appropriate category based on the outcomes of PART C through PART E. 1. The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS. 1. The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 3. The project is a PRIORITY DEVELOPMENT PROJECT. Site design, source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management.		feet or less for less factly to an discharges directly to an effect of impervious surface			
Yes No New development or redevelopment projects of a retail gasoline outlet (RGO) that project meets the following criteria: (a) 5,000 square feet of impervious surface. The development Average Daily Traffic (ADT) of 100 or more vehicles per day. New development or redevelopment projects of an automotive repair shops that projects categorized in any one of Standard Industrial Classification (SIC) codes 5013, 5014, Yes No	0				
9. New development or redevelopment projects of an automotive repair shops that creates and/or replaces 5,000 square feet or more of impervious surfaces. Development projects categorized in any one of Standard Industrial Classification (SIC) codes 5013, 5014, 17532-7534, or 7536-7539. 10. Other Pollutant Generating Project. The project is not covered in the categories above, results in the disturbance of one or more acres of land and is expected to generate pollutants post construction, such as fertilizers and pesticides. This does not include projects creating less than 5,000 st of impervious surface and where added landscaping does not require regular use of pesticides and fertilizers, such as slope stabilization using native plants. Calculation of the square footage of impervious surface need not include linear pathways that are for infrequent vehicle use, such as emergency maintenance access or bicycle pedestrian use, if they are built with pervious surfaces of if they sheet flow to surrounding pervious surfaces. PART F: Select the appropriate category based on the outcomes of PART C through PART E. 1. The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS. 2. The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 3. The project is a PRIORITY DEVELOPMENT PROJECT. Site design, source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management Degigner Agpath	8.	NEW DEVELOR	☐Yes ☑ No		
The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS. The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management.		(ADT) of 100 or more vehicles per day			
10. Other Pollutant Generating Project. The project is not covered in the categories above, results in the disturbance of one or more acres of land and is expected to generate pollutants post construction, such as fertilizers and pesticides. This does not include projects creating use of pesticides and fertilizers, such as slope stabilization using native plants. Calculation of the square footage of impervious surface and where added landscaping does not require regular the square footage of impervious surface need not include linear pathways that are for infrequent vehicle use, such as emergency maintenance access or bicycle pedestrian use, if they are built with pervious surfaces of if they sheet flow to surrounding pervious surfaces. PART F: Select the appropriate category based on the outcomes of PART C through PART E. 1. The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS. 2. The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 3. The project is a PRIORITY DEVELOPMENT PROJECT. Site design, source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management Degriquer Agent	9.	New development and a			
10. Other Pollutant Generating Project. The project is not covered in the categories above, results in the disturbance of one or more acres of land and is expected to generate pollutants post construction, such as fertilizers and pesticides. This does not include projects creating less than 5,000 sf of impervious surface and where added landscaping does not require regular the square footage of impervious surface need not include linear pathways that are for infrequent vehicle use, such as semergency maintenance access or bicycle pedestrian use, if they are built with pervious surfaces of if they sheet flow to surrounding pervious surfaces. PART F: Select the appropriate category based on the outcomes of PART C through PART E. 1. The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS. 1. The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 3. The project is PDP EXEMPT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 4. The project is a PRIORITY DEVELOPMENT PROJECT. Site design, source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management Degigner Agent Ag		5541, 7532-7534, or 7536-7539.	□Yes ☑No		
less than 5,000 sf of impervious surface and where added landscaping does not require regular use of pesticides and fertilizers, such as slope stabilization using native plants. Calculation of the square footage of impervious surface need not include linear pathways that are for infrequent vehicle use, such as emergency maintenance access or bicycle pedestrian use, if they are built with pervious surfaces of if they sheet flow to surrounding pervious surfaces. PART F: Select the appropriate category based on the outcomes of PART C through PART E. The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS. The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. The project is PDP EXEMPT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. The project is a PRIORITY DEVELOPMENT PROJECT. Site design, source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management Degigner Agent	10	Other Pollutant Generating Project The service Control of the Cont			
1. The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS. 2. The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 3. The project is PDP EXEMPT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 4. The project is a PRIORITY DEVELOPMENT PROJECT. Site design, source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management Degigner Agent		less than 5,000 sf of impervious surface and where added landscaping does not require reguluse of pesticides and fertilizers, such as slope stabilization using native plants. Calculation of the square footage of impervious surface need not include linear pative ways that are for infrequency maintenance assess or bisurface and destrict use.	ar Juent		
1. The project is NOT SUBJECT TO PERMANENT STORM WATER REQUIREMENTS. 2. The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 3. The project is PDP EXEMPT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 4. The project is a PRIORITY DEVELOPMENT PROJECT. Site design, source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management Designer Agent					
2. The project is a STANDARD DEVELOPMENT PROJECT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 3. The project is PDP EXEMPT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. 4. The project is a PRIORITY DEVELOPMENT PROJECT. Site design, source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management Designer Agent Designer Designer Agent Designer Designer			PART E.		
BMP requirements apply. See the Storm Water Standards Manual for guidance. The project is PDP EXEMPT. Site design and source control BMP requirements apply. See the Storm Water Standards Manual for guidance. The project is a PRIORITY DEVELOPMENT PROJECT. Site design, source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management TOSHUA Degigner Agent	1.				
See the Storm Water Standards Manual for guidance. 4. The project is a PRIORITY DEVELOPMENT PROJECT. Site design, source control, and structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management JOSHUA RENNER Degigner Agent		The project is a STANDARD DEVELOPMENT PROJECT . Site design and source control BMP requirements apply. See the <u>Storm Water Standards Manual</u> for guidance.	Ø		
structural pollutant control BMP requirements apply. See the Storm Water Standards Manual for guidance on determining if project requires a hydromodification plan management JOSHUA RENNET Degigner Agent	3.	The project is PDP EXEMPT . Site design and source control BMP requirements apply. See the <u>Storm Water Standards Manual</u> for guidance.			
Hour Designer/Agent	4.	structural pollutant control BMP requirements apply. See the Storm Water Standards Manu	ıal		
Signature Date (Na	How Degigner/Age	ent		
		0 25 200	,		
	Sig	nature Date			