

RECORDING REQUESTED BY:

Civic San Diego
Planning Department
401 B Street, Suite 400
San Diego, CA 92101

AND WHEN RECORDED MAIL TO:

Civic San Diego
Planning Department
401 B Street, Suite 400
San Diego, CA 92101

THIS SPACE FOR RECORDER'S USE ONLY

*NOTE: COUNTY RECORDER, PLEASE RECORD AS
RESTRICTION ON USE OR DEVELOPMENT OF
REAL PROPERTY AFFECTING THE TITLE TO OR
POSSESSION THEREOF*

**DRAFT CENTRE CITY PLANNED DISTRICT
CENTRE CITY DEVELOPMENT PERMIT
SITE DEVELOPMENT PERMIT
NO. 2016-39**

**320 WEST CEDAR
ASSESSOR PARCEL NUMBER
533-353-10-0**

**CENTRE CITY PLANNED DISTRICT
DRAFT CENTRE CITY DEVELOPMENT PERMIT
SITE DEVELOPMENT PERMIT
NO. 2016-39**

**320 WEST CEDAR
ASSESSOR PARCEL NUMBERS
533-353-10-0**

This Centre City Development Permit / Site Development Permit (CCDP/SDP) Permit No. 2016-39 is granted by the City of San Diego Planning Commission to JMan at the K Lofts, Permittee, to allow: 1) the substantial alteration (i.e. demolition) of Historical Resources Board (HRB) Site No. 282, the Millard Rental, and, 2) the construction of a residential development known as 320 West Cedar ("Project") on the 5,000 square foot ("sq.ft.") premises located on the north side of Cedar Street between State and Union streets in the Little Italy neighborhood of the Downtown Community Plan (DCP) area and within the Centre City Planned District (CCPD); and more particularly described as Lot 7 in Block 33 of Middletown, in the City of San Diego, County of San Diego, State of California, according to partition map thereof made by J.E. Jackson on file in the office of the county clerk of said San Diego County.

Subject to the terms and conditions set forth in this Permit, permission is granted to the Owner and/or Permittee to construct and operate a development and uses as described and identified by size, dimension, quantity, type and location as follows and on the approved Basic Concept/Schematic Drawings and associated Color and Materials Boards dated December 5, 2016 on file at Civic San Diego ("CivicSD").

1. General

The Owner and/or Permittee shall construct, or cause to be constructed on the site, a development consisting of a 8-story (approximately 93-foot tall), residential development located on a 5,000 sq.ft premises located on the north side of Cedar Street between State and Union streets in the Little Italy neighborhood. The Project is comprised of an 8-story, 93-foot tall residential building comprised of 42 dwelling units ("d.u.") and a separate 5-story single-family home with a total of 11 automobile parking spaces below grade. The Project involves the demolition of a Designated Historic Resource. The total Floor Area Ratio (FAR) of the development for all uses above ground shall not exceed 6.9 (including all FAR Bonuses). The development shall not exceed a height of 93 feet above grade level, measured to the top of the parapet of the uppermost floor, with roof equipment enclosures, elevator penthouses, mechanical screening and architectural elements above this height permitted per the CCPDO.

2. Site Development Permit

The City of San Diego Planning Commission ("Planning Commission") hereby grants a SDP allowing the Substantial Alteration of a Designated Historical Resources as follows:

The City of San Diego HRB Site No. 282, the Oscar H. Millard Rental (“Millard Rental”) located at 1610 Union Street will be demolished per the Planning Commission having made the SDP findings in San Diego Municipal Code (SDMC) Section 126.0504(a) & (i) and in compliance with the 2006 Final Environmental Impact Report (FEIR) Mitigation, Monitoring, and Reporting Program (MMRP) Measures HIST A.1-3. Mitigation Measure HIST A.1-3 requires an approved Documentation Program that must include Photo Documentation and Measured Drawings of the resource.

3. Parking

The development includes 11 parking spaces that shall be designed to meet City Standards.

PLANNING AND DESIGN REQUIREMENTS

4. Urban Design Standards

The proposed development, including its architectural design concepts and off-site improvements, shall be consistent with the CCPDO and Centre City Streetscape Manual (CCSM). These standards, together with the following specific conditions, will be used as a basis for evaluating the development through all stages of the development process.

- a. Architectural Standards – The architecture of the development shall establish a high quality of design and complement the design and character of the Little Italy neighborhood as shown in the approved Basic Concept/Schematic Drawings on file with CivicSD. The development shall utilize a coordinated color scheme consistent with the approved Basic Concept/Schematic Drawings.
- b. Form and Scale – The 8-story residential development and 5-story single family home have a total of 43 residential units with an uppermost height of approximately 93 feet tall measured to the top of the roofline and/or parapet, with roof equipment enclosures, elevator penthouses, and mechanical screening above this height permitted per the CCPDO and the Federal Aviation Administration (FAA).
- c. Building Materials – All building materials shall be of a high quality as shown in the Basic Concept/Schematic Drawings and approved materials board. All materials and installation shall exhibit high-quality design, detailing, and construction execution to create a durable and high quality finish. The base of the buildings shall be clad in upgraded materials and carry down to within one inch of finish sidewalk grade, as illustrated in the approved Basic Concept/Schematic Drawings. Any plaster materials shall consist of a hard troweled, or equivalent, smooth finish. Any stone materials shall employ larger modules and full-corner profiles to create a substantial and non-veneer appearance. Any graffiti coatings shall be extended the full height of the upgraded base materials or up to a natural design break such a cornice line. All downspouts, exhaust caps, and other additive elements shall be superior grade for urban locations, carefully

composed to reinforce the architectural design. Reflectivity of the glass shall be the minimum reflectivity required by Title 24.

All construction details shall be of the highest standard and executed to minimize weathering, eliminate staining, and not cause deterioration of materials on adjacent properties or the public right of way. No substitutions of materials or colors shall be permitted without the prior written consent of the CivicSD. A final materials board which illustrates the location, color, quality, and texture of proposed exterior materials shall be submitted with 100% Construction Drawings and shall be consistent with the materials board approved with the Basic Concept/Schematic Drawings.

- d. Street Level Design – Architectural features such as awnings and other design features which add human scale to the streetscape are encouraged where they are consistent with the design theme of the structure. Exit corridors including garage/motor-court entrances shall provide a finished appearance to the street with street level exterior finishes wrapping into the openings a minimum of ten feet.

All exhaust caps, lighting, sprinkler heads, and other elements on the undersides of all balconies and surfaces shall be logically composed and placed to minimize their visibility, while meeting code requirements. All soffit materials shall be high quality and consistent with adjacent elevation materials (no stucco or other inconsistent material), and incorporate drip edges and other details to minimize staining and ensure long-term durability.

- e. Utilitarian Areas – Areas housing trash, storage, or other utility services shall be located in the garage or otherwise completely concealed from view of the ROW and adjoining developments, except for utilities required to be exposed by the City or utility company. The development shall provide trash and recyclable material storage areas per San Diego Municipal Code (SDMC) sections 142.0810 and 142.0820. Such areas shall be provided within an enclosed building/garage area and shall be kept clean and orderly at all times. The development shall implement a recycling program to provide for the separation of recyclable materials from the non-recyclable trash materials.
- f. Mail and Delivery Locations – It is the Owner's and/or Permittee's responsibility to coordinate mail service and mailbox locations with the United States Postal Service and to minimize curb spaces devoted to postal/loading use. The Owner and/or Permittee shall locate all mailboxes and parcel lockers outside of the ROW, either within the building or recessed into a building wall. A single, centralized interior mail area in a common lobby area is encouraged for all residential units within a development, including associated townhouses with individual street entrances. Individual commercial spaces shall utilize a centralized delivery stations within the building or recessed into a building wall, which may be shared with residential uses sharing a common street frontage address.
- g. Access – Vehicular access to the development's parking shall be limited to one driveway on C Street with a curb cut not to exceed 14 feet in width.

- h. Circulation and Parking – The Owner and/or Permittee shall prepare a plan which identifies the location of curbside parking control zones, parking meters, fire hydrants, trees, and street lights. Such plan shall be submitted in conjunction with 100% Construction Drawings.

All on-site parking shall meet the requirements of the City Building Official, Fire Department, and Engineer.

- i. Open Space and Development Amenities – A landscape plan that illustrates the relationship of the proposed on and off-site improvements and the location of water, and electrical hookups shall be submitted with 100% Construction Drawings.
- j. Roof Tops – A rooftop equipment and appurtenance location and screening plan shall be prepared and submitted with 100% Construction Drawings. Any roof-top mechanical equipment must be grouped, enclosed, and screened from surrounding views (including views from above); except where exempted by this Permit.
- k. Signage – All signs shall comply with the City Sign Regulations and the CCPDO.
- l. Lighting – A lighting plan which highlights the architectural qualities of the proposed development and also enhances the lighting of the ROW shall be submitted with 100% Construction Drawings. All lighting shall be designed to avoid illumination of adjoining properties.
- m. Noise Control – All mechanical equipment, including but not limited to, air conditioning, heating and exhaust systems, shall comply with the City of San Diego Noise Ordinance and California Noise Insulation Standards as set forth in Title 24. All mechanical equipment shall be located to mitigate noise and exhaust impacts on adjoining development, particularly residential. Owner and/or Permittee shall provide evidence of compliance at 100% Construction Drawings.
- n. Energy Considerations – The design of the improvements shall include, where feasible, energy conservation construction techniques and design, including cogeneration facilities, and active and passive solar energy design. The Owner and/or Permittee shall demonstrate consideration of such energy features during the review of the 100% Construction Drawings.
- o. Street Address – Building address numbers shall be provided that are visible and legible from the ROW.

5. On-Site Improvements

All off-site and on-site improvements shall be designed as part of an integral site development. An on-site improvement plan shall be submitted with the 100% Construction Drawings. Any on-site landscaping shall establish a high quality of design and be sensitive to landscape materials and design planned for the adjoining ROW.

PUBLIC IMPROVEMENTS, LANDSCAPING AND UTILITY REQUIREMENTS

6. Off-Site Improvements

The following public improvements shall be installed in accordance with the Centre City Streetscape Manual (CCSM). The CCSM is currently being updated and the Owner and/or Permittee shall install the appropriate improvements according to the latest requirements at the time of Building Permit issuance:

	Cedar Street	Union Street
Street Trees	Jacaranda	Raywood Ash
Sidewalk Paving	Little Italy Paving	Little Italy Paving
Street Lights	Gateway Street Lights	Little Italy Enhanced Standard Streetlight

- a. Street Trees – Street tree selections shall be made according to the CCSM. All trees shall be planted at a minimum 36-inch box size with tree grates provided as specified in the CCSM, and shall meet the requirements of Title 24. Tree spacing shall be accommodated after street lights have been sited, and generally spaced 20 to 25 feet on center. All landscaping shall be irrigated with private water service from the subject development.

The Owner and/or Permittee will be responsible for evaluating, with consultation with the CivicSD, whether any existing trees within the ROW shall be maintained and preserved. No trees shall be removed prior to obtaining a Tree Removal Permit from the City's Development Services Department (DSD) per City Council Policy 200-05.

- b. Street Lights – All existing lights shall be evaluated to determine if they meet current CivicSD and City requirements, and shall be modified or replaced if necessary. All street lights shall be painted "CCDC Blue" PLS6 1008F blue by Sherwin Williams.
- c. Sidewalk Paving – Any specialized paving materials shall be approved through the execution of an Encroachment Removal and Maintenance Agreement (EMRA) with the City.
- d. Landscaping – All required landscaping shall be maintained in a disease, weed and litter free condition at all times. If any required landscaping (including existing or new plantings, hardscape, landscape features, etc.) indicated on the approved construction documents is damaged or removed during demolition or construction, it shall be repaired and/or replaced in kind and equivalent in size per the approved documents and to the satisfaction of the CivicSD within 30 days of damage or Certificate of Occupancy.
- e. Planters – Planters shall be permitted to encroach into the ROW a maximum of two feet for sidewalk areas measuring at least twelve feet and less than fourteen feet in width. For sidewalk areas fourteen feet or wider, the maximum permitted planter encroachment shall

be three feet. The planter encroachment shall be measured from the property line to the face of the curb to the wall surrounding the planter. A minimum five foot clear path shall be maintained between the face of the planter and the edge of any tree grate or other obstruction in the ROW.

- f. On-Street Parking – The Owner and/or Permittee shall maximize the on-street parking wherever feasible.
- g. Public Utilities – The Owner and/or Permittee shall be responsible for the connection of on-site sewer, water and storm drain systems from the development to the City utilities located in the ROW. Sewer, water, and roof drain laterals shall be connected to the appropriate utility mains within the street and beneath the sidewalk. The Owner and/or Permittee may use existing laterals if acceptable to the City, and if not, Owner and/or Permittee shall cut and plug existing laterals at such places and in the manner required by the City, and install new laterals. Private sewer laterals require an EMA.

If it is determined that existing water and sewer services are not of adequate size to serve the proposed development, the Owner and/or Permittee will be required to abandon any unused water and sewer services and install new services and meters. Service abandonments require an engineering permit and must be shown on a public improvement plan. All proposed public water and sewer facilities, including services and meters, must be designed and constructed in accordance with established criteria in the most current edition of City's Water and Sewer Facility Design Guidelines and City regulations standards and practices pertaining thereto.

Proposed private underground sewer facilities located within a single lot shall be designed to meet the requirements of the California Uniform Plumbing Code and shall be reviewed as part of the Building Permit plan check. If and when the Owner and/or Permittee submits for a tentative map or tentative map waiver, the Water Department will require Covenants, Conditions, and Restrictions ("CC&Rs") to address the operation and maintenance of the private on-site water system serving the development. No structures or landscaping of any kind shall be installed within ten feet of water facilities.

All roof drainage and sump drainage, if any, shall be connected to the storm drain system in the public street, or if no system exists, to the street gutters through sidewalk underdrains. Such underdrains shall be approved through an Encroachment Removal Agreement with the City. The Owner and/or Permittee shall comply with the City's Storm Water Management and Discharge Control Ordinance and the storm water pollution prevention requirements of Chapter 14, Article 2, Division 1 and Chapter 14, Article 2, Division 2 of the SDMC.

- h. Franchise Public Utilities – The Owner and/or Permittee shall be responsible for the installation or relocation of franchise utility connections including, but not limited to, gas, electric, telephone and cable, to the development and all extensions of those utilities in public streets. Existing franchise utilities located above grade serving the property and in the sidewalk ROW shall be removed and incorporated into the adjoining development

where feasible. All franchise utilities shall be installed as identified in the Basic Concept Drawings. Any above grade devices shall be screened from view from the ROW.

- i. Fire Hydrants – If required, the Owner and/or Permittee shall install fire hydrants at locations satisfactory to the City's Fire Department and DSD.
- j. Water Meters and Backflow Preventers – The Owner and/or Permittee shall locate all water meters and backflow preventers in locations satisfactory to the Public Utilities Department and CivicSD. Backflow preventers shall be located outside of the ROW adjacent to the development's water meters, either within the building, a recessed alcove area, or within a plaza or landscaping area. The devices shall be screened from view from the ROW. All items of improvement shall be performed in accordance with the technical specifications, standards, and practices of the City's Engineering, Public Utilities, and Building Inspection Departments and shall be subject to their review and approval. Improvements shall meet the requirements of Title 24.

7. Storm Water Compliance

- a. Prior to issuance of any construction permit, the Owner and/or Permittee shall enter into a Maintenance Agreement for the on-going permanent Best Management Practices (BMP) maintenance, satisfactory to the City Engineer.
- b. Prior to the issuance of any Construction Permit, the Owner and/or Permittee shall incorporate any construction BMP necessary to comply with Chapter 14, Article 2, Division 1 (Grading Regulations) of the SDMC, into the construction plans or specifications.
- c. Prior to issuance of any construction permits, the Owner and/or Permittee shall submit a Water Pollution Control Plan (WPCP). The WPCP shall be prepared in accordance with the guidelines in Appendix E of the City's Storm Water Standards.
- d. Prior to the issuance of any construction permit, the Water Quality Technical Report will be subject to final review and approval by the City Engineer.

8. Removal and/or Remedy of Soil and/or Water Contamination

The Owner and/or Permittee shall (at its own cost and expense) remove and/or otherwise remedy as provided by law and implementing rules and regulations, and as required by appropriate governmental authorities, any contaminated or hazardous soil and/or water conditions on the Site. Such work may include without limitation the following:

- a. Remove (and dispose of) and/or treat any contaminated soil and/or water on the site (and encountered during installation of improvements in the adjacent ROW which the Owner and/or Permittee is to install) as necessary to comply with applicable governmental standards and requirements.

- b. Design construct all improvements on the site in a manner which will assure protection of occupants and all improvements from any contamination, whether in vapor or other form, and/or from the direct and indirect effects thereof.
- c. Prepare a site safety plan and submit it to the appropriate governmental agency, CivicSD, and other authorities for approval in connection with obtaining a building permit for the construction of improvements on the site. Such site safety plan shall assure workers and other visitors to the site of protection from any health and safety hazards during development and construction of the improvements. Such site safety plan shall include monitoring and appropriate protective action against vapors and/or the effect thereof.
- d. Obtain from the County of San Diego and/or California Regional Water Quality Control Board and/or any other authorities required by law any permits or other approvals required in connection with the removal and/or remedy of soil and/or water contamination, in connection with the development and construction on the site.
- e. If required due to the presence of contamination, an impermeable membrane or other acceptable construction alternative shall be installed beneath the foundation of the building. Drawings and specifications for such vapor barrier system shall be submitted for review and approval by the appropriate governmental authorities.

SUSTAINABILITY

9. Cool/green roofs must be utilized in the development including:

- a. Roofing materials with a minimum three-year aged solar reflection and thermal emittance or solar reflection index equal to or greater than the values specified in the voluntary measures under the California Green Building Standards Code must be implemented.

Compliance with this measure must be demonstrated prior to the issuance of the building permit.

10. The development must include, at a minimum, the following fixtures:

- a. Residential Buildings
 - Kitchen faucets: maximum flow rate not to exceed 1.5 gallons per minute at 60 psi;
 - Standard dishwashers: 4.25 gallons per cycle;
 - Compact dishwashers: 3.5 gallons per cycle; and,
 - Clothes washers: water factor of 6 gallons per cubic feet of drum capacity.

Compliance with this measure must be demonstrated prior to the issuance of the building permit.

11. The development must be designed to have an energy budget that meets or exceeds a 10% improvement with both indoor lighting and mechanical systems when compared to the Title 24, Part 6 Energy Budget for the proposed design building as calculated by Compliance Software certified by the California Energy Commission (percent improvement over current code). The demand reduction may be provided through on-site renewable energy generation, such as solar, or by designing the project to have an energy budget that meets the above-mentioned performance standards, when compared to the Title 24, Part 6 Energy Budget for the Proposed Design Building (percent improvement over current code). Compliance with this measure must be demonstrated prior to the issuance of the building permit.
12. A minimum of 3% of the total required parking spaces must be provided with a listed cabinet, box or enclosure connected to a conduit linking the parking spaces with the electrical service, in a manner approved by the building and safety official. Of the total listed cabinets, boxes or enclosures provided, at least 50% must have the necessary electric vehicle supply equipment installed to provide active electric vehicle charging stations ready for use by residents. Compliance with this measure must be demonstrated prior to the issuance of the building permit.
13. The development must contain more short- and long-term bicycle parking spaces than required in SDMC Chapter 14, Article 2, Division 5 at all times. Compliance with this measure must be demonstrated prior to the issuance of the building permit.

STANDARD REQUIREMENTS

14. Environmental Impact Mitigation Monitoring and Reporting Program

As required by CCPDO Section 156.0304(h), the development shall comply with all applicable Mitigation Monitoring and Reporting Program (MMRP) measures from the 2006 Downtown Final Environmental Impact Report (Downton FEIR) for the DCP.

15. Development Impact Fees

The development will be subject to Centre City Development Impact Fees. For developments containing commercial space(s) the Owner and/or Permittee shall provide to the City's Facilities Financing Department the following information at the time of application for building permit plan check: 1) total square footage for commercial lease spaces and all areas within the building dedicated to support those commercial spaces including, but not limited to: loading areas, service areas and corridors, utility rooms, and commercial parking areas; and 2) applicable floor plans showing those areas outlined for verification. In addition, it shall be responsibility of the Owner and/or Permittee to provide all necessary documentation for receiving any "credit" for existing buildings to be removed.

16. Inclusionary Affordable Housing Ordinance

1. Prior to the issuance of any construction permits for a residential structure, the Owner/Permittee shall comply with the affordable housing requirements of the City's Inclusionary Affordable Housing Regulations (SDMC § 142.1301 et seq.).
2. Prior to the issuance of any construction permits for a residential structure, the Owner/Permittee shall enter into an affordable housing agreement with the San Diego Housing Commission to provide affordable housing units in compliance with the City's Inclusionary Affordable Housing Regulations (SDMC § 142.1301 et seq.).

17. Construction Fence

Owner and/or Permittee shall install a construction fence pursuant to specifications of, and a permit from, the City Engineer. The fence shall be solid plywood with wood framing, painted a consistent color with the development's design, and shall contain a pedestrian passageway, signs, and lighting as required by the City Engineer. The fencing shall be maintained in good condition and free of graffiti at all times.

18. Development Identification Signs

Prior to commencement of construction on the site, the Owner and/or Permittee shall prepare and install, at its cost and expense, one sign on the barricade around the site which identifies the development. The sign shall be at least four feet by six feet and be visible to passing pedestrian and vehicular traffic. The signs shall at a minimum include:

- Color rendering of the development
- Development name
- Developer
- Completion Date
- For information call _____

Additional development signs may be provided around the perimeter of the site. All signs shall be limited to a maximum of 160 SF per street frontage. Graphics may also be painted on any barricades surrounding the site. All signs and graphics shall be submitted to the CivicSD for approval prior to installation.

19. Tentative Map

The Owner and/or Permittee shall be responsible for obtaining all map approvals required by the City prior to any future conversion of the residential units and/or commercial spaces to condominium units for individual sale.

20. This Permit must be utilized within thirty-six (36) months after the date on which all rights of appeal have expired. If this Permit is not utilized in accordance with Section 126.0108 of

the SDMC within the 36 month period, this permit shall be void unless an Extension of Time (EOT) has been granted pursuant to Section 126.0111 of the SDMC.

21. Issuance of this Permit by CivicSD does not authorize the Owner and/or Permittee for this Permit to violate any Federal, State or City laws, ordinances, regulations or policies.
22. This Permit is a covenant running with the subject property and all of the requirements and conditions of this Permit and related documents shall be binding upon the Owner and/or Permittee and any successor(s) in interest.
23. This development shall comply with the standards, policies, and requirements in effect at the time of approval of this development, including any successor(s) or new policies, financing mechanisms, phasing schedules, plans and ordinances adopted by the City.
24. No permit for construction, operation, or occupancy of any facility or improvement described herein shall be granted, nor shall any activity authorized by this Permit be conducted on the premises until this Permit is recorded in the Office of the San Diego County Recorder.
25. The Owner and/or Permittee shall defend, indemnify, and hold harmless the CivicSD and the City, its agents, officers, and employees from any and all claims, actions, proceedings, damages, judgments, or costs, including attorney's fees, against the City or its agents, officers, or employees, relating to the issuance of this permit including, but not limited to, any action to attack, set aside, void, challenge, or annul this development approval and any environmental document or decision. The CivicSD will promptly notify the Owner and/or Permittee of any claim, action, or proceeding and, if CivicSD should fail to cooperate fully in the defense, the Owner and/or Permittee shall not thereafter be responsible to defend, indemnify, and hold harmless the City or its agents, officers, and employees. CivicSD may elect to conduct its own defense, participate in its own defense, or obtain independent legal counsel in defense of any claim related to this indemnification. In the event of such election, the Owner and/or Permittee shall pay all of the costs related thereto, including without limitation reasonable attorney's fees and costs. In the event of a disagreement between CivicSD and the Owner and/or Permittee regarding litigation issues, the CivicSD shall have the authority to control the litigation and make litigation related decisions, including, but not limited to, settlement or other disposition of the matter. However, the Owner and/or Permittee shall not be required to pay or perform any settlement unless such settlement is approved by Owner and/or Permittee.

26. Geology

A Notice of Geologic and Geotechnical Conditions, prepared by the City of San Diego Development Services Geology Section, shall be recorded for the subject site, prior to or concurrent with the recordation of the Civic San Diego development permit. A confirmed copy of the recorded Notice of Geologic and Geotechnical Conditions shall be submitted to the City of San Diego Development Services Geology Section prior to issuance of construction permits. The

320 West Cedar
CCDP/SDP No. 2016-39

date of recordation and document number shall be shown on the proposed construction plans prior to issuance of construction permits.

This CCDP/SDP No. 2016-39 is granted by City of San Diego Planning Commission on February 09, 2017.

CIVIC SAN DIEGO:

OWNER/PERMITEE:

Christian Svensk
Senior Planner

Date

Jonathan Segal
JMan at the K Lofts, LLC

Date

**Note: Notary acknowledgment
must be attached per Civil Code
Section 1189 et seq**