

LAND DEVELOPMENT MANUAL

Volume I, Chapter 1

Project Submittal Requirements

Section 3 Construction Permits – Grading and Public Right-of-Way

DEVELOPMENT SERVICES DEPARTMENT

Visit our web site at <u>www.sandiego.gov/development-services</u>

Table of Contents

Construction Permits – Grading and Public Right-of-Way	1
Introduction	1
Submittal Requirements	1
Project Prescreen	1
Consolidated Review Policy	2
Active Project Management	2
Guaranteed Second Opinion	2
Submittal Requirements Matrix	3
Minimum Submittal Requirements Checklist	4

Section

3

Construction Permits – Grading and Public Right-of-Way

Introduction

Construction permit review is a review of construction plans. With the exception of some private encroachments within the public right-of-way, the review is a ministerial one in that the permit is approved if the regulations are met or denied if the regulations are not met. This section covers submitted construction permit applications for grading on private property and the construction, reconstruction, or repair of improvements within the public right-of-way.

Prior to beginning the preparation of a construction permit submittal, refer to "Important Steps to Project Approval" in Section 1 of this Manual for information that can save you time in the review process. Section 1 will also provide information to help you determine if other permits are required prior to the submittal for a construction permit.

Submittal Requirements

The Submittal Matrix and the Minimum Submittal Requirements Checklist on the following pages identify the forms, documents, and plans that are required for construction permits for grading and work within the public right-of-way. The Submittal Requirements Checklist provides a detailed description of what the content of each of the required forms, documents, and plans must be. The Approval Type for Grading and Public Right-of-Way Permits are broken down into the following subcategories:

General – Include most grading projects and those public right-of-way projects not listed as "minor" as described below, and are required to be prepared on a D-sheet drawing (24" x 36"). Format sheets and drawing templates are available through our web site at: www.sandiego.gov/development-

services/industry/standtemp.shtml.

LAND DEVELOPMENT MANUAL PROJECT SUBMITTAL PROCESS

Section 1	Guide to the Project Submittal Process
Section 2	Construction Permits – Structures
Section 2A	Single Dwelling Unit/Duplex/Townhomes
	and Accessory Structures
Section 3	Construction Permits - Grading and Public
	Right-of-Way
Section 4	Development Permits/Approvals
Section 5	Subdivision Approvals
Section 6	Policy Approvals

Minor – Include smaller public right-of-way projects that can be shown on a Construction Plan (<u>DS-3179</u>), or large Construction Size Format, such as non-standard driveway curb cut, removal and replacement of existing alleys or portions of existing alleys as long as the centerline and alley edge profiles are not altered, private underground utilities (wet or dry) perpendicular to the curb-line, minor encroachments into the public right-of-way or City easements, or community recognition signs.

Other minor standard public improvements can be reviewed by Rapid Review as identified in Information Bulletin 165, "How to Obtain a Public Right-of-Way Permit for Standard Public Improvements." Construction Templates are available through our web site at: <u>City of San</u> <u>Diego</u>.

Project Prescreen

It is necessary to evaluate all projects being submitted to ensure that the minimum submittal requirements are provided for staff to review the project. This is known as prescreen. Once it is determined that your submittal documents are complete and the applicable plan check fees are paid, your application is deemed complete and accepted into plan check.

Consolidated Review Policy

All related approvals (Grading Permit, Public Right-of-Way Permit, Encroachment Maintenance and Removal Agreement, map, easement, etc.) shall be submitted to the Development Services Department at the same time for a consolidated review. (see Project Submittal Requirements, Section 5 for the required documents for maps and easements).

Consolidated Review is the review of multiple ministerial approvals, being reviewed at the same time to allow City staff to conduct a comprehensive and coordinated review. This should help to reduce unnecessary review cycles; help avoid project conflicts and reduce review turnaround times.

Related Approvals are those approvals for which the design of one approval directly impacts the other. For example, the grading and improvement plans showing proposed streets are related approvals as they are directly related to the location of those streets shown on the final map.

Active Project Management

An Active Project Manager may be assigned to projects when an applicant requests a customized review or approval process; or for public improvements related to phased subdivisions; or when deemed necessary by management due to the project complexity or aggressive timelines. It is to be noted that assigning an Active Project Manager will not guarantee the request will be allowed to proceed. To request an Active Project Manager for engineering projects contact <u>dsdengpm@sandiego.gov</u>.

Guaranteed Second Opinion

If for any reason you disagree with the results of your completeness review, plan review comments, want some confirmation or voice a concern, you may request a second opinion. We guarantee a second opinion upon request (see <u>Information Bulletin 610</u>, "Project Issue Resolution").



City of San Diego Development Services www.sandiego.gov/development-services

Submittal Requirements Matrix Development Permits/Approvals

SUBMITTAL REQUIREMENTS (See Legend at Bottom of Page) APPROVAL TYPE 2.0 <u>ω</u> 4.0 5.0 6.0 7.0 8.0 9.0 .0 11.0 12.0 10.0 See Minimum Submittal Requirements Checklist, Construction Permits - Grading and Public R.O.W. for detailed submittal Construction Plan (DS-3179) Grading Plan (D- sheet) General Application Package **Drainage Study** Geotechnical Investigation Report Public Improvement Plan (D-sheet) **Other Technical Studies Encroachment Exhibit** Prior Development Approval Documentation **Structural Calculations Traffic Control Plan** Fees/Deposits [502] requirements. Note: Some documentation and plan information may be combined into single documents or shown on the same plans if the required information is clearly identified. GRADING PERMIT \checkmark \checkmark \checkmark **(**√) (\checkmark) \checkmark (\checkmark) (\checkmark) \checkmark General (129.0602) Private Grading (129.0602) See Information Bulletin 559 How to Obtain a Permit for Private Grading Site Reconnaissance and Testing (143.0110) See Information Bulletin 560, How to Obtain a Grading Permit for Site Reconnaissance and Testing. \checkmark (\checkmark) \checkmark Site Restoration (142.0150) (Submitted completeness review (√) \checkmark is required) \checkmark \checkmark \checkmark Underground Tank Removal and Soil Remediation PUBLIC RIGHT-OF-WAY PERMIT \checkmark \checkmark (\checkmark) (\checkmark) (√ (√ General (129.0702) **Encroachments Requiring Development Permits** See Information Bulletin 576, How to Obtain a Permit for Encroachments within the Public Right-ofor City Council Approval (129.0710) Way. **(**√) \checkmark **(**√) \checkmark Minor Improvements in public Right of Way (See Page 2) See Information Bulletin 523, How to Obtain a Permit for Sidewalk Café. Sidewalk Cafe (141.0621) See the following link: www.sandiego.gov/development-services/permits/spaces-as-places Spaces As Places (141.0621) \checkmark (\checkmark) (\checkmark) \checkmark (\checkmark) (n/a)√ \checkmark **(**√) \checkmark SUBDIVISION IMPROVEMENT AGREEMENT (129.0702) (\checkmark) =Required if project meets the conditions as identified within the Minimum Submittal Requirements Checklist LEGEND: \checkmark = Applies to all Plans required



City of San Diego Development Services www.sandiego.gov/development-services

Minimum Submittal Requirements Checklist

Construction Permits - Grading and Public R.O.W.

This checklist must be used in conjunction with the Submittal Requirements Matrix. The Submittal Requirements Matrix establishes the documents/plans that are required and the minimum quantity that must be provided, based upon the approval you are applying for. Acceptance of projects for review by the City of San Diego depends upon the accuracy and completeness of the submitted plans and documents. This Minimum Submittal Requirements Checklist establishes the minimum details that must be included in all plans and documents required by the City. Staff will review your documents against this checklist. The design professional should use this checklist when preparing project packages for review. Plans or documents missing any of the required detail will not be deemed complete (accepted into plan check). Additional information or clarification may be requested during the review process or prior to permit issuance.

Where the word "**Conditional**" appears before the document and/or detail, this information will be required if the proposed project meets those conditions. Where the word "**Recommended**" appears before the document and/or detail, the information is provided as a suggestion for improving the review process and is not required to accept your project for review. However, these items may be a plan check correction item and required to be submitted for subsequent reviews. It is recommended that you provide the documents and information to reduce the number of review cycles. All other detail is required unless not applicable to your project.

ltem No.	Requirements
1.0	GENERAL APPLICATION PACKAGE
1.1	Storm Water Requirements Applicability Checklist (DS-560): See instructions on the checklist for more detail. Checklist must be filled out completely and signed by the applicant.
1.2	Conditional - Concurrent Processing Agreement: If the construction project review is being concurrently processed with another policy or development permit/approval, provide a copy of the approved Concurrent Processing Agreement. To obtain this agreement contact your Development Project Manager.
1.3	Conditional – Approved Sewer Study Letter: Where an existing Tentative Map identifies that a Sewer Study must be approved prior to submittal of grading or public improvement plans, submit a copy of the approval letter for that study.
1.4	Conditional – Approved Water Study Letter: Where an existing Tentative Map identifies that a Water Study must be approved prior to submittal of grading or public improvement plans, submit a copy of the approval letter for that study.
1.5	(For D- Sheets) - Cost Estimate: This is a construction cost estimate of the public right-of-way improvement work, grading, landscape and irrigation and drainage improvements being done. The estimate must be prepared by a registered civil engineer using the most current Land Development Review Division - Unit Price List. In addition to the Unit Price List, a Microsoft Excel spreadsheet has been provided for the industry's use and is available at the same location on the City web site and is a good resource to help reduce preparation and review costs for construction cost estimates.

2.0 DRAINAGE STUDY

2.1 **Drainage Plan:** Provide drainage plan with existing contours and all existing and proposed flow directions, points of concentrated flows and confluence labeled, consistent with the development and output in the drainage analysis.

2.2 **Stamp/Signature:** Drainage Study cover sheet must be prepared by a registered civil engineer in accordance with the Business and Professions Code.

ltem No.	
2.3	Conditional - Storm Water Management and Discharge Control Maintenance Agreement (Forms <u>DS-3247</u> and <u>DS-3247B</u>): Projects considered as "priority" per Storm Water Applicability Checklist (<u>DS-560</u>) must ensure perpetual maintenance of all post construction permanent BMP's including site design, source control and structural treatment control BMP's by recording the appropriate agreement against the owner's property. The <u>agreement</u> is available through our website or on the 3rd floor of the Development Services Department.
3.0	Conditional - ENCROACHMENT EXHIBIT: Required if proposing privately owned and maintained improvements within the public right-of-way or public service easements. A separate 8 ½" by 11" exhibit detailing proposed encroachments into the public right-of-way or public

- 3.1 **Vicinity Map:** A vicinity map with a north arrow (north arrow will be oriented with north at top or left of the sheet).
- 3.2 **Legal Description/Assessor's Parcel Number(s):** Provide the legal description and the Assessor's Parcel Number(s) of the property benefiting from the encroachment.

service easements is required, even if shown on a D-sheet drawing. Encroachment exhibit(s) shall include the following

3.3 **Property Lines:** Show, label and dimension the property.

detail:

- 3.4 **Location/Type of Encroachment:** Show the encroachment location with dimensions to curb, property line and/or easement line, and identify the type of encroachment (e.g., "encroachment private xxxx," or "encroachment non-standard xxxx") or provide a graphical representation via a legend with symbols and/or hatch patterns that clearly illustrate the nature and extent of the encroachments proposed).
- 3.5 **Conditional Street Improvements:** If the private encroachment is within the public right-of-way dedicated for a street or alley, show curb-to-property line distance, centerline of streets/alleys, and proposed improvements, such as driveways, sidewalks, trees, light posts, fire hydrants, water meters, etc.
- 3.6 **Conditional Above ground structures:** If the encroachment structure is above ground, provide elevation view, with horizontal and vertical dimensions of the encroachments.
- 3.7 **Conditional Easement Limits:** If the encroachment is in an easement, identify type of easement and limits.

4.0 Conditional – Geotechnical Investigation Report

A preliminary geotechnical investigation report prepared in accordance with the City's Guidelines for Geotechnical Reports is required to be submitted with all proposed grading plans and improvement plans proposing grading. See *Information Bulletin 515* for exceptions.

A geotechnical investigation report shall be submitted as required to address Storm Water Standards (see 11.1 for additional information on submittal requirements). See the Storm Water Standards (specifically Appendixes C and D) for additional information on geotechnical investigation requirements.

- 4.1 **Date:** Report must be less than 3 years old or accompanied with an updated addendum geotechnical report less than 3 years old that states the findings, conclusions, and recommendations remain valid for the proposed project.
- 4.2 **Stamp/Signature:** Geotechnical reports must be signed and sealed (stamped) by appropriately licensed professionals as required by State law.

5.0 Conditional - TENTATIVE MAP/DEVELOPMENT PERMIT DOCUMENTATION

Required if the property has a related Tentative Map or Development Permit. Copies of resolutions, permits and exhibits may be obtained from the Development Services Center Records Section, located on the 2nd floor. If a Tentative Map or Development Permit/Approval is currently being processed, an approved Concurrent Processing Agreement must be provided as part of the General Application Package (see item 1.4).

ltem No.	Requirements
5.1	Permit/Resolution: Provide copies of the <i>approved</i> tentative map resolution and/or development permit.
5.2	Approved Exhibit: Provide a copy of all <i>approved</i> exhibits referenced in the permit/resolution.
6.0	Conditional - STRUCTURAL CALCULATIONS Structural calculations are required when placing shoring/tie backs in the public right-of-way and for <u>public</u> bridges.
6.1	Stamp: Provide stamp of authorized professional engineer or architect, in accordance with Section 6700 of the California Business and Professions Code.
7.0	CONSTRUCTION PLAN (DS-3179) All construction plans must be submitted on City Standard Construction Plan (DS-3179) or (DS-3179C). Note: A Construction Plan is not required for private encroachments when the proposed improvements are approved and inspected as part of a building permit. <u>Construction Plan templates</u> are available through our web site.
7.1	Plans: Provide drawings of all existing and proposed grading and improvements. Show property lines and all easements. Show location of existing structures.
7.2	Legend: All items of work to be done must be shown by means of a legend.
7.3	Vicinity Map: Provide a vicinity map.
7.4	Conditional – Minor Earthwork - Controlled Low-Strength Material (i.e. sand cement slurry) : A construction plan may be used where 100 cubic yards or less of Controlled Low-Strength Material (i.e., sand cement slurry) is proposed to fill a void or depression on private property that is 5-feet or deeper on otherwise level ground. Show the location and dimensions of the void or depression and area of CLSM placement on the construction plan. Notes should be added to the construction plans that provide the geotechnical specifications for the proposed placement of CLSM. Submit a geotechnical investigation report (see Section 4.0) that addresses the proposed CLSM placement with the construction plan.
7.5	A construction plan may be used where 100 cubic yards or less of imported soil is proposed to fill a void or depression on private property that is 5-feet or deeper on otherwise level ground. The fill soil shall be uncontaminated and free of deleterious materials (e.g. select fill soil from an AB 3098 listed source). Show the location and dimensions of the void on a construction plan. An uncontrolled embankment agreement (DS-265) shall be recorded against the property.
7.6	Conditional – Trench Resurfacing Table: If proposing trenching in existing improved public street or alley.
8.0	GRADING PLAN (D-Sheet) Grading plans which may include landscape and irrigation plans, and must be prepared in conformance to the standards listed in the Land Development Manual. Required format sheets and <u>drawing templates</u> which show these standards are available through our website.
8.1	Plan Sets: Plan sets shall include, where required, Landscaping and Traffic Control Plans. Plan sets exceeding 200 sheets must be divided into volumes with a maximum of 200 sheets each, and labeled "volume of"
8.2	Licensed Professional Information: Provide the name and license number of the professional engineer, in accordance with Section 6735 of the California Business and Professions Code.
8.3	Title Block/scale: Plans must be legible and drawn to engineering scale on a City Standard D-Drawing template.
8.4	Grading Quantities: Provide the following tabulations on the grading plans:

ltem No.	Requirements
8.5	Title Sheet: Provide a Title Sheet with the following information (templates available at the City of San Diego website): Work to be Done Legend - All items of work to be done must be shown by means of a legend Owner/Applicant Legal Description APN Topography Source Standard Specifications Standard Drawings Sheet Index Site Address Reference Drawings Vicinity Map Construction Change Table General Notes Engineer's Declaration of Responsible Charge Geotechnical Notes Post Construction Storm Water Protection Notes Post Construction BMP Operation and Maintenance Procedure Table, if applicable Waste Discharge Identification Number (WDID) Recommended - Flood way or flood plain elevations
8.6	Property Lines: Show property lines including bearing and distance information.
8.7	Contour Lines: Show existing natural grades and proposed finish grades with contour lines and spot elevations where necessary for the entire site and 50' minimum adjacent to the project site for the purpose of drainage analysis.
8.8	Limits of Grading: Circumscribes limits of grading and ground disturbance with a dash line that is labelled "limits of grading." The limits of grading must include the area of remedial grading recommended by the project's geotechnical consultant.
8.9	Conditional - Impervious surfaces: If applicable, show all buildings, structures and edges of all pavement and other impervious surfaces. Quantify the total new and/or replaced impervious areas.
8.10	Conditional - Environmentally Sensitive Lands: If grading will occur in Environmentally Sensitive Lands, show the boundary lines of environmentally sensitive lands, such as the steep hillsides, sensitive biological resources, Multiple Species Conservation Program Preserve Areas, special flood hazard areas, sensitive coastal bluffs, etc.
8.11	Conditional - Retaining Walls: Show all retaining walls, crib walls, or other earth retaining structures and include spot elevations of both the top and the bottom of the wall in several locations to indicate changes in elevation along the length of the wall. Note: A separate Building Permit will be required for construction of the walls.
8.12	Conditional – Storm Drains: If existing or proposed storm drains are within the boundaries of the grading, show the location, size and reference drawing of all existing and proposed storm drains systems, including area drains (may be shown on separate drawing plan at the same scale as grading plan). Provide Q, V, HGL and slopes on the storm drain profile.
8.13	Conditional - Easements: If applicable, show all existing and proposed easements.

8.14 **Conditional - Uncontrolled Embankment Agreement (Form DS-265):** Required when grading proposes the use of undocumented fill which will not be compacted to standard. The limits of uncontrolled embankment must be identified within the grading plans.

Item		Require	ments		
No.					

- 8.15 **Recommended Notice of Intent:** For grading projects greater than one acre, please provide evidence of coverage under National Pollutant Discharge Elimination System [NPDES] Permit No.CA0108758 via a Notice of Intent (NOI) filed with the Regional Water Resource Control Board; provide a copy of the corresponding NOI response letter from with the Regional Water Resource Control Board that includes the Waste Discharge Identification (WDID) number, and add the WDID number to the title sheet of the grading/improvement plan.
- 8.16 **Best Management Practice (BMP) Plan:** For projects considered as "standard" per Storm Water Applicability Checklist (DS-560) indicate site design and source control BMPs on the plans. For projects categorized as "priority" per the checklist show all permanent BMP's, Low Impact Development (LID's) and include Operation and Maintenance Procedures details, cross sections as required by the most recent version of the Land Development Manual-Storm Water Standards.
- 8.17 **Recommended Off-site Grading:** Show any proposed off-site grading (all off-site grading must include written consent by the owners of the affected adjacent properties).
- 8.18 **Soil Management Report:** New development with 500 square feet or more of landscape area and landscape rehabilitation projects with a landscape area of 2,500 square feet or greater must provide a Soil Management Report as defined in Title 23 of the CCR, Chapter 2.7.
- 8.19 Planting and Irrigation Plans: Required as identified below. See Chapter 14, Article 2, Division 4 of the San Diego Municipal Code for more information. Plans must be consistent with <u>the Land Development Manual Landscape Standards</u>.
- 8.19.1 Landscape Area: Include total square footage of landscape area for water conservation purposes.
- 8.19.2 **Conditional Planting Plans:** Where slopes are proposed that are 4:1 or greater, and greater than 5 feet in height, provide a plan that graphically represents the installation of a planting design proposed for the site. Where retaining walls (5 feet in height or greater) are proposed, show planting and irrigation to screen the retaining walls. Note: The plant material used to screen the walls must cover 80% within two years.
- 8.19.3 **Conditional Base Sheet Information:** The base sheet information on the planting plans must be consistent with the grading plans.
- 8.19.4 **Conditional Planting Legend:** When planting plans are required, provide the following information in a legend, as applicable:
 - Label and symbol of all trees and shrubs
 - Form and function of all plant materials
 - Botanical names and common names
 - Quantities and container sizes of each symbol
 - Mature height /spread of trees and shrubs
 - Symbol and on center spacing of container stock and root cuttings
 - Symbol of each seed mix, pounds per acre of seed mixes, % pure live seed, total pounds per acre and identify if seed mix is to be irrigated or non-irrigated
- 8.19.5 **Conditional Existing Trees and Shrubs:** Where trees and shrubs exist, indicate with a dashed symbol and label to be removed or to remain. Provide the botanical and common name, caliper size of the trees and the height and spread of the shrubs. Provide the name and condition of any ground cover to remain. If none, please note, "No existing landscaping to be removed or to remain, including street trees."
- 8.19.6 **Conditional Planting Details:** When planting plans are required, provide planting details such as Trees, Shrub/Vine Planting, and Groundcover Planting (note on center spacing and pattern).
- 8.19.7 **Conditional Erosion Control Plan:** When creating disturbed areas of bare soils and where a planting plan is not required, provide a plan that graphically represents the area of erosion control, including all construction BMP's. Provide reference to WPCP or SWPPP as applicable.

ltem	Requirements
No.	

- 8.19.8 **Conditional Erosion Control Legend:** When an Erosion Control Plan is required, provide the following information in a legend:
 - Symbol of each seed mix
 - Pounds per acre of seed mixes
 - Percent (%) pure live seed
 - Total pounds per acre
 - Identify if seed mix is to be irrigated or non-irrigated
 - Botanical names and common names

8.19.9 **Conditional – Landscape Standards:** New multi-family development and new non-residential development with 1000 square feet or more of landscape area must complete an Appendix E of the <u>Landscape Standards Land Development Manual</u>.

8.19.1 Conditional – Irrigation Plans: Required when landscape plant material is proposed and when slopes are proposed that
 are 4:1 or greater, and 5 feet or greater in height, provide an irrigation plan that graphically defines the size and type of various irrigation products and materials, such as back flow preventer, controller, rain shut off switch, valves, and pipe.

8.19.1 Conditional – Irrigation Plan Details: When an irrigation plan is required, provide irrigation details and number them consistently with the legend. Provide details, such as dedicated landscape irrigation meter, landscape irrigation sub-meter, back flow, controller, rain shut off switch, valves, wire caps, trenching depths, irrigation heads by type and use.

8.19.1 **Conditional – Irrigation Plan Legend:** When an irrigation plan is required, provide irrigation components that are consistent with the minimum landscape regulations requirements. On the legend provide:

- Symbols for each irrigation component
- Irrigation materials by size
- Product names and Manufacturer
- Irrigation pattern, radius, arc and the precipitation rate
- Gallons per minute
- Detail Numbers and Maintenance considerations
- Water conservation notes

8.19.1 **Recommended - Specifications:** Provide planting and irrigation specifications.

3

4

document.

8.19.1 Recommended - Mitigation and Monitoring Program: When the environmental document prepared for the project

9.0 PUBLIC IMPROVEMENT PLAN (D-Sheet)

Public improvement plans must be prepared in conformance to the standards listed in the Land Development Manual. Sample format sheets, general notes and <u>drawing templates</u> which show these standards are available through our website.

included a Mitigation and Monitoring Reporting Program, provide general notes on the plans per that environmental

9.1 **Plan Sets:** Plan sets shall include, where required, Landscaping and Traffic Control Plans. Plan sets exceeding 200 sheets must be divided into volumes with a maximum of 200 sheets each, and labeled "volume ____ of ____."

9.2 **Title Block/Scale:** Plans must be legible and drawn to scale on a City Standard D-Drawing with 1" perimeter border and City of San Diego Title Block.

ltem	Requirements
9.3	Title Sheet: Provide a Title Sheet with the following information: Work to be Done Legend - All items of work to be done must be shown by means of a legend Owner/Applicant Legal Description APN Topography Source Standard Specifications Standard Drawings Sheet Index Site Address Reference Drawings Vicinity Map Construction Change Table
9.4	 General Notes Engineer's Declaration of Responsible Charge Stamp/Signature: Provide stamp or signature of authorized professional engineer, in accordance with Section 6700 of the California Business and Professions Code.
9.5	Property Lines: Show property lines including bearings, distances information, and existing monumentation.
9.6	Plan and Profile: Provide both plan and profile views of the improvements.
9.7	Benchmark: Show benchmark elevation for public improvement plans (use City of San Diego Vertical Control Record).
9.8	Existing Utilities: Show existing utilities (water, sewer, gas, overhead and underground electrical and telephone cables) located within the public right-of-way.
9.9	Conditional – Reimbursement Agreement: If project is subject to a Reimbursement Agreement, provide the Reimbursement Agreement project number or Resolution/Ordinance Number above the title block.
9.10	Planting and Irrigation Plans: Required as identified below. See Chapter 14, Article 2, Division 4 of the San Diego Municipal Code for more information. Refer to our website for additional <u>landscape plan information</u> .

- 9.10.1 **Conditional Public Right-of-Way Planting Plan:** When new trees or shrubs are required to be planted within the public right-of-way (per Land Development Code Section 142.0402, Table 142-04A), provide a planting plan showing all existing (to remain) and proposed street trees, shrubs, and shrubs. For all trees within 5 feet of any landscape, pavements, or curb in the rights-of-way, provide a bold symbol for each Root Barrier location and the type of Root Barrier on the planting plan.
- 9.10.2 Conditional Street Trees: Show location and 40 s.f. root zone for all street trees in conjunction with all proposed and/or existing utilities. Provide the following table on the plan:

MINIMUM TREE SEPARATION DISTANCE

- Improvement/ Minimum Distance to Street Tree
- Traffic signals (stop signs) 20 feet
- Underground utility lines 5 feet (10-feet for sewer)
- Above ground utility structures 10 feet
- Driveway (entries) 10 feet
- Intersections (intersecting curb lines of two streets) 25 feet

Item	Requirements
No.	

- 9.10.3 **Conditional Public Right-of-Way Planting Legend:** When planting plans are required, provide the following information in a legend, as applicable:
 - Label and symbol of all trees and shrubs
 - Botanical names and common names
 - Quantities and container sizes of each symbol
 - Mature height /spread of trees and shrubs
 - Symbol and on center spacing of container stock and root cuttings
 - Symbol of each seed mix, pounds per acre of seed mixes, % pure live seed, total pounds per acre and identify if seed mix is to be irrigated or non-irrigated
- 9.10.4 **Conditional Planting Details:** When planting plans are required, provide planting details such as Trees, Shrub/Vine Planting, and Groundcover Planting (note on center spacing and pattern).
- 9.10.5 **Conditional Irrigation Plans:** Required when landscape plant material is proposed and when slopes are proposed that are 4:1 or greater, and 5 feet or greater in height, provide an irrigation plan that graphically defines the size and type of various irrigation products and materials, such as back flow preventer, controller, rain shut off switch, valves, and pipe.
- 9.10.6 **Conditional Irrigation Plan Details:** When an irrigation plan is required, provide irrigation details and number them consistently with the legend. Provide details, such as back flow, controller, rain shut off switch, valves, wire caps, trenching depths, irrigation heads by type and use.
- 9.10.7. **Conditional Irrigation Plan Legend:** When an irrigation plan is required, provide irrigation components that are consistent with the minimum landscape regulations requirements. On the legend provide:
 - Symbol of each irrigation component
 - Irrigation materials by size
 - Product names and manufacturer
 - Irrigation pattern, radius, arc and the precipitation rate
 - Gallons per minute
 - Detail numbers and maintenance considerations
 - Water conservation notes

9.10.8 **Recommended - Specifications:** Provide planting and irrigation specifications.

- 9.11 **Recommended Sewer Design:** Show sewer size, type, slope and elevations of manhole inlet, outlet and rim. For pipe profile, show original ground line and proposed finished grade. Additional profile data is required for sewers 18" in diameter and larger. Must show design flow (Q), velocity (V), design depth (Dn), ratio of design flow to pipe diameter (Dn/D) and manning's "n" value.
- 9.12 **Conditional Best Management Practice (BMP) Plan Details:** For projects considered "priority" per Storm Water Applicability Checklist (<u>DS-560</u>) indicate on details for publicly maintained BMP's.
- 9.13 **Recommended Point of connection (POC):** Provide the point of connection (POC) and the static pressure of the irrigation system, including working pressure and the feet per second of the system design.
- 9.14 **Conditional Trench Resurfacing Table:** If proposing trenching in existing improved public street or alley.

ltem No.	Requirements
10.0	Conditional - TRAFFIC CONTROL PLAN Traffic control plans are required for all public improvement projects, grading projects, construction projects, and other work that encroaches into the public right-of-way (ROW), including sidewalk area. Traffic control plans for work within the public ROW on streets with average daily trips (ADT) of 5,000 must be submitted as part of the plan check process for the original permit. Traffic control permits for streets with ADT less than 5,000 may be obtained over the counter. Traffic Control Plans shall conform to the Manual on Uniform Traffic Control Devices, California Supplemental (CAMUTCD). Refer to Information.
	Information on ADT can be obtained from the <u>City website</u> , or <u>book a virtual appointment</u> with Traffic Control.
10.1	 General Data: All traffic control plans must show the following general data: Trench profile (Typical section of the construction area including width and depth of trench in relation to the existing striping.) Lane widths, raised medians and islands - show existing striping pattern Location of proposed work Vicinity Map (Cover Sheet Only) Type of work proposed that requires traffic control Sign Legend Sign Spacing Table (Table 6C-1) and Taper Lengths Table (Table 6C-3(CA)) per CAMUTCD Dates of proposed work
10.2	 Street Information: All traffic control plans must show the following street information: Width of sidewalks - if work is to be done within sidewalk area, include location of all obstructions Distance to adjacent cross streets Street width Parking restrictions - red curb, loading zones, parking meters, etc. Lane widths, raised medians and islands - show existing striping pattern Traffic Controls - stop signs, traffic signals, etc.
10.3	 Drawings: Provide a drawing showing position and spacing of: Construction Signs (provide a sign legend showing all proposed signs) Barricades Delineators/Cones Flashing, Steady Burn Lights, and/or Flashing Arrow Boards Temporary Striping and Pavement Markings Lane Taper Lengths (L) must be clearly shown: (a) For speeds of 40 mph or less: L=ws^2/60 (b) For speeds over 40 mph: L=ws (Where, w = width of lane shift, s = speed posted or 85% speed, whichever is highest)
10.4	Conditional - Trench Profile: When trenching, provide a typical section of the construction area including width and depth of trench in relation to the existing striping.
11.0	Conditional – OTHER TECHNICAL STUDIES

11.1 Conditional – Storm Water Quality Management Plan (SWQMP)

Required for all priority development projects as listed on the Storm Water Requirements Applicability Checklist (DS-560). Must be stamped and signed by a registered professional engineer.

ltem No.	Requirements
11.2	Conditional - Construction BMP Report: WPCP or SWPPP Required for all projects proposing land disturbance, as determined per Storm Water Requirements Applicability Checklist (DS-560).
12.0	FEES (See Information Bulletin 501, Fee Schedule for Construction Permits-Structures) The deposit and application fees as identified in Information Bulletin 501 must be paid at the time the projects submitted. Checks must be made payable to the "City Treasurer" for the exact amount owed. Invoices can be paid in person by appointment or using our on-line payment system through <u>https://opendsd.sandiego.gov/web/invoices/Open DSD</u> for PTS-XXXXXX projects, or through <u>DSD Online Services</u> for PRJ- XXXXXX. <u>https://opendsd.sandiego.gov/web/invoices/</u>