

City of San Diego

CONTRACTOR'S NAME: American Asphalt South, Inc.
ADDRESS: PO Box 310036, 14436 Santa Ana Ave., Fontana, CA 92331
TELEPHONE NO.: 909-427-8276 FAX NO.: 909-427-8279
CITY CONTACT: Angelica Gil, Contract Specialist, Email: AngelicaG@sandiego.gov
Phone No. (619) 533-3622, Fax No. (619) 533-3633
M. Rahman / J. Borja / egz

BIDDING DOCUMENTS



ORIGINAL



FOR

SLURRY SEAL GROUP 1802

BID NO.: K-18-1686-DBB-3
SAP NO. (WBS/IO/CC): 21004234
CLIENT DEPARTMENT: 2116
COUNCIL DISTRICT: 3, 4, 7, 8, 9
PROJECT TYPE: ID

THIS CONTRACT WILL BE SUBJECT TO THE FOLLOWING:


- THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- PREVAILING WAGE RATES: STATE FEDERAL
- APPRENTICESHIP
- THIS IS A GAS-TAX FUNDED CONTRACT THROUGH THE STATE OF CALIFORNIA.

BID DUE DATE:

**2:00 PM
NOVEMBER 1, 2017
CITY OF SAN DIEGO
PUBLIC WORKS CONTRACTS
1010 SECOND AVENUE, 14th FLOOR, MS 614C
SAN DIEGO, CA 92101**

DEPUTY CITY ENGINEER

The engineering Specifications and Special Provisions contained herein have been prepared by or under the direction of the following Registered Engineer:



Registered City Engineer
For City Engineer

9/26/17
Date

Seal



TABLE OF CONTENTS

SECTION	PAGE
1. NOTICE INVITING BIDS.....	4
2. INSTRUCTIONS TO BIDDERS	6
3. PERFORMANCE AND PAYMENT BONDS	16
4. ATTACHMENTS:	
A. SCOPE OF WORK.....	19
B. INTENTIONALLY LEFT BLANK	21
C. INTENTIONALLY LEFT BLANK	22
D. PREVAILING WAGES.....	23
E. SUPPLEMENTARY SPECIAL PROVISIONS.....	27
1. Appendix A - Notice of Exemption.....	49
2. Appendix B - Fire Hydrant Meter Program	61
3. Appendix C - Materials Typically Accepted by Certificate of Compliance.....	75
4. Appendix D - Sample City Invoice with Spend Curve	77
5. Appendix E - Location Map	80
6. Appendix F - Project Location List.....	82
7. Appendix G - Sample of Public Notice.....	86
8. Appendix H - Advanced Metering Infrastructure (AMI) Device Protection.....	88
F. INTENTIONALLY LEFT BLANK	95
G. CONTRACT AGREEMENT	96
5. CERTIFICATIONS AND FORMS	99

NOTICE INVITING BIDS

1. **SUMMARY OF WORK:** This is the City of San Diego's (City) solicitation process to acquire Construction services for **Slurry Seal Group 1802**. For additional information refer to Attachment A.
2. **FULL AND OPEN COMPETITION:** This contract is open to full competition and may be bid on by Contractors who are on the City's current Prequalified Contractors' List. For information regarding the Contractors Prequalified list visit the City's web site: <http://www.sandiego.gov>.
3. **ESTIMATED CONSTRUCTION COST:** The City's estimated construction cost for this project is **\$2,790,000**.
4. **BID DUE DATE AND TIME ARE: NOVEMBER 1, 2017, at 2:00 PM.**
5. **PREVAILING WAGE RATES APPLY TO THIS CONTRACT:** Refer to Attachment D.
6. **LICENSE REQUIREMENT:** The City has determined that the following licensing classification(s) are required for this contract: **A or C-12 or C-32**
7. **SUBCONTRACTING PARTICIPATION PERCENTAGES:** Subcontracting participation percentages apply to this contract.
 - 7.1. The City has incorporated **mandatory** SLBE-ELBE subcontractor participation percentages to enhance competition and maximize subcontracting opportunities. For the purpose of achieving the mandatory subcontractor participation percentages, a recommended breakdown of the SLBE and ELBE subcontractor participation percentages based upon certified SLBE and ELBE firms has also been provided to achieve the mandatory subcontractor participation percentages:

1. SLBE participation	6.8%
2. ELBE participation	8.3%
3. Total mandatory participation	15.1%
 - 7.2. The Bid may be declared non-responsive if the Bidder fails to meet the following requirements:
 - 7.2.1. Include SLBE-ELBE certified subcontractors at the overall mandatory participation percentage identified in this document; **OR**
 - 7.2.2. Submit Good Faith Effort documentation, saved in searchable Portable Document Format (PDF) and stored on Compact Disc (CD) or Digital Video Disc (DVD), demonstrating the Bidder made a good faith effort to outreach to and include SLBE-ELBE Subcontractors required in this document within 3 Working Days of the Bid opening if the overall mandatory participation percentage is not met.

8. AWARD PROCESS:

- 8.1.** The Award of this contract is contingent upon the Contractor's compliance with all conditions of Award as stated within these documents and within the Notice of Intent to Award.
- 8.2.** Upon acceptance of a Bid, the City will prepare contract documents for execution within approximately 21 days of the date of the Bid opening. The City will then award the Contract within approximately 14 days of receipt of properly signed Contract, bonds, and insurance documents.
- 8.3.** This contract will be deemed executed and effective only upon the signing of the Contract by the Mayor or his designee and approval as to form the City Attorney's Office.
- 8.4.** The low Bid will be determined by Base Bid alone.
- 8.5.** Once the low bid has been determined, the City may, at its sole discretion, award the contract for the Base bid alone.

9. SUBMISSION OF QUESTIONS:

- 9.1.** The Director (or Designee) of Public Works Department is responsible for opening, examining, and evaluating the competitive Bids submitted to the City for the acquisition, construction and completion of any public improvement except when otherwise set forth in these documents. Any questions related to this solicitation shall be submitted to:

Public Works Contracts
1010 Second Avenue, 14th Floor
San Diego, California, 92101
Attention: Angelica Gil

OR:

AngelicaG@sandiego.gov

- 9.2.** Questions received less than 14 days prior to the date for opening of Bids may not be considered.
- 9.3.** Questions or clarifications deemed by the City to be material shall be answered via issuance of an addendum and posted to the City's online bidding service.
- 9.4.** Only questions answered by formal written addenda shall be binding. Oral and other interpretations or clarifications shall be without legal effect. It is the Bidder's responsibility to be informed of any addenda that have been issued and to include all such information in its Bid.

INSTRUCTIONS TO BIDDERS

1. PREQUALIFICATION OF CONTRACTORS:

- 1.1. Contractors submitting a Bid must be pre-qualified for the total amount proposed, including all alternate items, prior to the date of submittal. Bids from contractors who have not been pre-qualified as applicable and Bids that exceed the maximum dollar amount at which contractors are pre-qualified may be deemed **non-responsive** and ineligible for award. Complete information and links to the on-line prequalification application are available at:

<http://www.sandiego.gov/cip/bidopps/prequalification.shtml>

- 1.2. The completed application must be submitted online no later than 2 weeks prior to the bid opening. For additional information or the answer to questions about the prequalification program, contact David Stucky at 619-533-3474 or dstucky@sandiego.gov.
- 1.3. Due to the City's responsibility to protect the confidentiality of the contractors' information, City staff will not be able to provide information regarding contractors' prequalification status over the telephone. Contractors may access real-time information about their prequalification status via their vendor profile on [PlanetBids™](#).

2. ELECTRONIC FORMAT RECEIPT AND OPENING OF BIDS: Bids will be received in electronic format (eBids) EXCLUSIVELY at the City of San Diego's electronic bidding (eBidding) site, at: <http://www.sandiego.gov/cip/bidopps/index.shtml> and are due by the date, and time shown on the cover of this solicitation.

- 2.1. **BIDDERS MUST BE PRE-REGISTERED** with the City's bidding system and possess a system-assigned Digital ID in order to submit and electronic bid.
- 2.2. The City's bidding system will automatically track information submitted to the site including IP addresses, browsers being used and the URLs from which information was submitted. In addition, the City's bidding system will keep a history of every login instance including the time of login, and other information about the user's computer configuration such as the operating system, browser type, version, and more. Because of these security features, Contractors who disable their browsers' cookies will not be able to log in and use the City's bidding system.
- 2.3. The City's electronic bidding system is responsible for bid tabulations. Upon the bidder's or proposer's entry of their bid, the system will ensure that all required fields are entered. The system will not accept a bid for which any required information is missing. This includes all necessary pricing, subcontractor listing(s) and any other essential documentation and supporting materials and forms requested or contained in these solicitation documents.

2.4. BIDS REMAIN SEALED UNTIL BID DEADLINE. eBids are transmitted into the City's bidding system via hypertext transfer protocol secure (https) mechanism using SSL 128-256 bit security certificates issued from Verisign/Thawte which encrypts data being transferred from client to server. Bids submitted prior to the "Bid Due Date and Time" are not available for review by anyone other than the submitter which has until the "Bid Due Date and Time" to change, rescind or retrieve its proposal should it desire to do so.

2.5. BIDS MUST BE SUBMITTED BY BID DUE DATE AND TIME. Once the bid deadline is reached, no further submissions are accepted into the system. Once the Bid Due Date and Time has lapsed, bidders, proposers, the general public, and City staff are able to immediately see the results on line. City staff may then begin reviewing the submissions for responsiveness, EOCP compliance and other issues. The City may require any Bidder to furnish statement of experience, financial responsibility, technical ability, equipment, and references.

2.6. RECAPITULATION OF THE WORK. Bids shall not contain any recapitulation of the Work. Conditional Bids may be rejected as being non-responsive. Alternative proposals will not be considered unless called for.

2.7. BIDS MAY BE WITHDRAWN by the Bidder only up to the bid due date and time.

2.7.1. Important Note: Submission of the electronic bid into the system may not be instantaneous. Due to the speed and capabilities of the user's internet service provider (ISP), bandwidth, computer hardware and other variables, it may take time for the bidder's submission to upload and be received by the City's eBidding system. It is the bidder's sole responsibility to ensure their bids are received on time by the City's eBidding system. The City of San Diego is not responsible for bids that do not arrive by the required date and time.

2.8. ACCESSIBILITY AND AMERICANS WITH DISABILITIES ACT (ADA) COMPLIANCE: To request a copy of this solicitation in an alternative format, contact the Public Works Contract Specialist listed on the cover of this solicitation at least five (5) working days prior to the Bid/Proposal due date to ensure availability.

3. ELECTRONIC BID SUBMISSIONS CARRY FULL FORCE AND EFFECT

3.1. The bidder, by submitting its electronic bid, acknowledges that doing so carries the same force and full legal effect as a paper submission with a longhand (wet) signature.

3.2. By submitting an electronic bid, the bidder certifies that the bidder has thoroughly examined and understands the entire Contract Documents (which consist of the plans and specifications, drawings, forms, affidavits and the solicitation documents), and that by submitting the eBid as its bid proposal, the bidder acknowledges, agrees to and is bound by the entire Contract Documents, including any addenda issued thereto, and incorporated by reference in the Contract Documents.

- 3.3.** The Bidder, by submitting its electronic bid, agrees to and certifies under penalty of perjury under the laws of the State of California, that the certification, forms and affidavits submitted as part of this bid are true and correct.
- 3.4.** The Bidder agrees to the construction of the project as described in Attachment "A-Scope of Work" for the City of San Diego, in accordance with the requirements set forth herein for the electronically submitted prices. The Bidder guarantees the Contract Price for a period of 120 days (90 days for federally funded contracts and contracts valued at \$500,000 or less) from the date of Bid opening. The duration of the Contract Price guarantee shall be extended by the number of days required for the City to obtain all items necessary to fulfill all conditions precedent.
- 4. BIDS ARE PUBLIC RECORDS:** Upon receipt by the City, Bids shall become public records subject to public disclosure. It is the responsibility of the respondent to clearly identify any confidential, proprietary, trade secret or otherwise legally privileged information contained within the Bid. General references to sections of the California Public Records Act (PRA) will not suffice. If the Contractor does not provide applicable case law that clearly establishes that the requested information is exempt from the disclosure requirements of the PRA, the City shall be free to release the information when required in accordance with the PRA, pursuant to any other applicable law, or by order of any court or government agency, and the Contractor will hold the City harmless for release of this information.
- 5. CONTRACTOR REGISTRATION AND ELECTRONIC REPORTING SYSTEM:**
- 5.1.** Prior to the Award of the Contract or Task Order, you and your Subcontractors and Suppliers must register with the City's web-based vendor registration and bid management system. For additional information go to:
- <http://www.sandiego.gov/purchasing/bids-contracts/vendorreg.shtml>.
- 5.2.** The City may not award the contract until registration of all subcontractors and suppliers is complete. In the event this requirement is not met within the time frame specified in the Notice of Intent to Award letter, the City reserves the right to rescind the Notice of Award / Intent to Award and to make the award to the next responsive and responsible bidder / proposer.
- 6. JOINT VENTURE CONTRACTORS:** Provide a copy of the Joint Venture agreement and the Joint Venture license to the City within 10 Working Days after receiving the Contract forms. See 7-6, "The Contractors Representative" in The GREENBOOK and 7-6.1 in The WHITEBOOK.
- 7. PREVAILING WAGE RATES WILL APPLY:** Refer to Attachment D.
- 8. SUBCONTRACTING PARTICIPATION PERCENTAGES:** Subcontracting participation percentages apply to this contract. Refer to Attachment E.

9. INSURANCE REQUIREMENTS:

All certificates of insurance and endorsements required by the contract are to be provided upon issuance of the City's Notice of Intent to Award letter.

Refer to sections 7-3, "LIABILITY INSURANCE", and 7-4, "WORKERS' COMPENSATION INSURANCE" of the Supplementary Special Provisions (SSP) for the insurance requirements which must be met.

10. REFERENCE STANDARDS: Except as otherwise noted or specified, the Work shall be completed in accordance with the following standards:

Title	Edition	Document Number
Standard Specifications for Public Works Construction ("The GREENBOOK") http://www.greenbookspecs.org/	2015	PWPI070116-01
City of San Diego Standard Specifications for Public Works Construction ("The WHITEBOOK")* https://www.sandiego.gov/publicworks/edocref/greenbook	2015	PWPI070116-02
City of San Diego Standard Drawings* https://www.sandiego.gov/publicworks/edocref/standarddraw	2016	PWPI070116-03
Citywide Computer Aided Design and Drafting (CADD) Standards https://www.sandiego.gov/publicworks/edocref/drawings	2016	PWPI092816-04
California Department of Transportation (CALTRANS) Standard Specifications - http://www.dot.ca.gov/des/oe/construction-contract-standards.html	2015	PWPI092816-05
CALTRANS Standard Plans http://www.dot.ca.gov/des/oe/construction-contract-standards.html	2015	PWPI092816-06
California Manual on Uniform Traffic Control Devices Revision 1 (CA MUTCD Rev 1) - http://www.dot.ca.gov/trafficops/camutcd/	2014	PWPI092816-07
NOTE: *Available online under Engineering Documents and References at: http://www.sandiego.gov/publicworks/edocref/index.shtml		

11. CITY'S RESPONSES AND ADDENDA: The City, at its discretion, may respond to any or all questions submitted in writing via the City's eBidding web site in the **form of an addendum**. No other responses to questions, oral or written shall be of any force or effect with respect to this solicitation. The changes to the Contract Documents through addenda are made effective as though originally issued with the Bid. The Bidders shall acknowledge the receipt of Addenda at the time of bid submission.

12. CITY'S RIGHTS RESERVED: The City reserves the right to cancel the Notice Inviting Bids at any time, and further reserves the right to reject submitted Bids, without giving any reason for such action, at its sole discretion and without liability. Costs incurred by the Bidder(s) as a result of preparing Bids under the Notice Inviting Bids shall be the sole responsibility of each bidder. The Notice Inviting Bids creates or imposes no obligation upon the City to enter a contract.

13. CONTRACT PRICING: This solicitation is for a Lump Sum contract with Unit Price provisions as set forth herein. The Bidder agrees to perform construction services for the City of San Diego in accordance with these contract documents for the prices listed below. The Bidder further agrees to guarantee the Contract Price for a period of 120 days from the date of Bid opening. The duration of the Contract Price guarantee may be extended, by mutual consent of the parties, by the number of days required for the City to obtain all items necessary to fulfill all contractual conditions.

14. SUBCONTRACTOR INFORMATION:

14.1. LISTING OF SUBCONTRACTORS. In accordance with the requirements provided in the "Subletting and Subcontracting Fair Practices Act" of the California Public Contract Code, the Bidder shall provide the **NAME** and **ADDRESS** of each Subcontractor who will perform work, labor, render services or who specially fabricates and installs a portion [type] of the work or improvement, in an amount in excess of 0.5% of the Contractor's total Bid. The Bidder shall also state within the description, whether the subcontractor is a **CONSTRUCTOR, CONSULTANT** or **SUPPLIER**. The Bidder shall further state within the description, the **PORTION** of the work which will be performed by each subcontractor under this Contract. The Contractor shall list only one Subcontractor for each portion of the Work. The **DOLLAR VALUE** of the total Bid to be performed shall be stated for all subcontractors listed. Failure to comply with this requirement may result in the Bid being rejected as **non-responsive** and ineligible for award. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3, "Subcontracts", which stipulates the percent of the Work to be performed with the Bidders' own forces. The Bidder shall list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors for which Bidders are seeking recognition towards achieving any mandatory, voluntary (or both) subcontracting participation goals.

14.2. LISTING OF SUPPLIERS. Any Bidder seeking the recognition of Suppliers of equipment, materials, or supplies obtained from third party Suppliers towards achieving any mandatory or voluntary (or both) subcontracting participation goals shall provide, at a minimum, the **NAME, LOCATION (CITY)** and the **DOLLAR VALUE** of each supplier. The Bidder will be credited up to 60% of the amount to be paid to the Suppliers for materials and supplies unless vendor manufactures or substantially alters materials and supplies, in which case, 100% will be credited. The Bidder is to indicate within the description whether the listed firm is a supplier or manufacturer. If no indication is provided, the listed firm will be credited at 60% of the listed dollar value for purposes of calculating the Subcontractor Participation Percentage.

- 14.3. LISTING OF SUBCONTRACTORS OR SUPPLIERS FOR ALTERNATES.** For subcontractors or suppliers to be used on additive or deductive alternate items, in addition to the above requirements, bidder shall further note "ALTERNATE" and alternate item number within the description.
- 15. SUBMITTAL OF "OR EQUAL" ITEMS:** See Section 4-1.6, "Trade Names or Equals" in The WHITEBOOK and as amended in the SSP.
- 16. AWARD:**
- 16.1.** The Award of this contract is contingent upon the Contractor's compliance with all conditions precedent to Award.
- 16.2.** Upon acceptance of a Bid, the City will prepare contract documents for execution within approximately 21 days of the date of the Bid opening and award the Contract approximately within 7 days of receipt of properly executed Contract, bonds, and insurance documents.
- 16.3.** This contract will be deemed executed and effective only upon the signing of the Contract by the Mayor or his designee and approval as to form the City Attorney's Office.
- 17. SUBCONTRACT LIMITATIONS:** The Bidder's attention is directed to Standard Specifications for Public Works Construction, Section 2-3, "SUBCONTRACTS" in The GREENBOOK and as amended in the SSP which requires the Contractor to self-perform not less than the specified amount. Failure to comply with this requirement shall render the bid **non-responsive** and ineligible for award.
- 18. AVAILABILITY OF PLANS AND SPECIFICATIONS:** Contract Documents may be obtained by visiting the City's website: <http://www.sandiego.gov/cjp/>. Plans and Specifications for this contract are also available for review in the office of the City Clerk or Public Works Contracts.
- 19. ONLY ONE BID PER CONTRACTOR SHALL BE ACCEPTED:** No person, firm, or corporation shall be allowed to make, file, or be interested in more than one (1) Bid for the same work unless alternate Bids are called for. A person, firm or corporation who has submitted a sub-proposal to a Bidder, or who has quoted prices on materials to a Bidder, is not hereby disqualified from submitting a sub-proposal or quoting prices to other Bidders or from submitting a Bid in its own behalf. Any Bidder who submits more than one bid will result in the rejection of all bids submitted.
- 20. SAN DIEGO BUSINESS TAX CERTIFICATE:** The Contractor and Subcontractors, not already having a City of San Diego Business Tax Certificate for the work contemplated shall secure the appropriate certificate from the City Treasurer, Civic Center Plaza, First floor and submit to the Contract Specialist upon request or as specified in the Contract Documents. Tax Identification numbers for both the Bidder and the listed Subcontractors must be submitted on the City provided forms within these documents.

21. BIDDER'S GUARANTEE OF GOOD FAITH (BID SECURITY) FOR DESIGN-BID-BUILD CONTRACTS:

- 21.1.** For bids \$250,000 and above, bidders shall submit Bid Security at bid time. Bid Security shall be in one of the following forms: a cashier's check, or a properly certified check upon some responsible bank; or an approved corporate surety bond payable to the City of San Diego for an amount of not less than 10% of the total bid amount.
- 21.2.** This check or bond, and the monies represented thereby, will be held by the City as a guarantee that the Bidder, if awarded the contract, will in good faith enter into the contract and furnish the required final performance and payment bonds.
- 21.3.** The Bidder agrees that in the event of the Bidder's failure to execute this contract and provide the required final bonds, the money represented by the cashier's or certified check will remain the property of the City; and the Surety agrees that it will pay to the City the damages, not exceeding the sum of 10% of the amount of the Bid, that the City may suffer as a result of such failure.
- 21.4.** At the time of bid submission, bidders must upload and submit an electronic PDF copy of the aforementioned bid security. Whether in the form of a cashier's check, a properly certified check or an approved corporate surety bond payable to the City of San Diego, the bid security must be uploaded to the City's eBidding system. Within twenty-four (24) hours after the bid due date and time, the first five (5) apparent low bidders must provide the City with the original bid security.
- 21.5.** Failure to submit the electronic version of the bid security at the time of bid submission AND failure to provide the original within twenty-four (24) hours may cause the bid to be rejected and deemed **non-responsive**.

22. AWARD OF CONTRACT OR REJECTION OF BIDS:

- 22.1.** This contract may be awarded to the lowest responsible and reliable Bidder.
- 22.2.** Bidders shall complete ALL eBid forms as required by this solicitation. Incomplete eBids will not be accepted.
- 22.3.** The City reserves the right to reject any or all Bids, to waive any informality or technicality in Bids received, and to waive any requirements of these specifications as to bidding procedure.
- 22.4.** Bidders will not be released on account of their errors of judgment. Bidders may be released only upon receipt by the City within 3 Working Days of the bid opening, written notice from the Bidder which shows proof of honest, credible, clerical error of a material nature, free from fraud or fraudulent intent; and of evidence that reasonable care was observed in the preparation of the Bid.

- 22.5.** A bidder who is not selected for contract award may protest the award of a contract to another bidder by submitting a written protest in accordance with the San Diego Municipal Code.
- 22.6.** The City of San Diego will not discriminate in the award of contracts with regard to race, religion creed, color, national origin, ancestry, physical handicap, marital status, sex or age.
- 22.7.** Each Bid package properly signed as required by these specifications shall constitute a firm offer which may be accepted by the City within the time specified herein.
- 22.8.** The City reserves the right to evaluate all Bids and determine the lowest Bidder on the basis of the base bid and any proposed alternates or options as detailed herein.

23. BID RESULTS:

- 23.1.** The availability of the bids on the City's eBidding system shall constitute the public announcement of the apparent low bidder. In the event that the apparent low bidder is subsequently deemed non-responsive or non-responsible, a notation of such will be made on the eBidding system. The new ranking and apparent low bidder will be adjusted accordingly.
- 23.2.** To obtain the bid results, view the results on the City's web site, or request the results by U.S. mail and provide a self-addressed, stamped envelope. If requesting by mail, be sure to reference the bid name and number. The bid tabulations will be mailed to you upon their completion. The results will not be given over the telephone.

24. THE CONTRACT:

- 24.1.** The Bidder to whom award is made shall execute a written contract with the City of San Diego and furnish good and approved bonds and insurance certificates specified by the City within 14 days after receipt by Bidder of a form of contract for execution unless an extension of time is granted to the Bidder in writing.
- 24.2.** If the Bidder takes longer than 14 days to fulfill these requirements, then the additional time taken shall be added to the Bid guarantee. The Contract shall be made in the form adopted by the City, which includes the provision that no claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.
- 24.3.** If the Bidder to whom the award is made fails to enter into the contract as herein provided, the award may be annulled and the Bidder's Guarantee of Good Faith will be subject to forfeiture. An award may be made to the next lowest responsible and reliable Bidder who shall fulfill every stipulation embraced herein as if it were the party to whom the first award was made.

- 24.4.** Pursuant to the San Diego City Charter section 94, the City may only award a public works contract to the lowest responsible and reliable Bidder. The City will require the Apparent Low Bidder to (i) submit information to determine the Bidder's responsibility and reliability, (ii) execute the Contract in form provided by the City, and (iii) furnish good and approved bonds and insurance certificates specified by the City within 14 Days, unless otherwise approved by the City, in writing after the Bidder receives notification from the City, designating the Bidder as the Apparent Low Bidder and formally requesting the above mentioned items.
- 24.5.** The award of the Contract is contingent upon the satisfactory completion of the above-mentioned items and becomes effective upon the signing of the Contract by the Mayor or designee and approval as to form by the City Attorney's Office. If the Apparent Low Bidder does not execute the Contract or submit required documents and information, the City may award the Contract to the next lowest responsible and reliable Bidder who shall fulfill every condition precedent to award. A corporation designated as the Apparent Low Bidder shall furnish evidence of its corporate existence and evidence that the officer signing the Contract and bond for the corporation is duly authorized to do so.
- 25. EXAMINATION OF PLANS, SPECIFICATIONS, AND SITE OF WORK:** The Bidder shall examine carefully the Project Site, the Plans and Specifications, other materials as described in the Special Provisions, Section 2-7, and the proposal forms (e.g., Bidding Documents). The submission of a Bid shall be conclusive evidence that the Bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and scope of Work, the quantities of materials to be furnished, and as to the requirements of the Bidding Documents Proposal, Plans, and Specifications.
- 26. CITY STANDARD PROVISIONS:** This contract is subject to the following standard provisions. See The WHITEBOOK for details.
- 26.1.** The City of San Diego Resolution No. R-277952 adopted on May 20, 1991 for a Drug-Free Workplace.
- 26.2.** The City of San Diego Resolution No. R-282153 adopted on June 14, 1993 related to the Americans with Disabilities Act.
- 26.3.** The City of San Diego Municipal Code §22.3004 for Contractor Standards.
- 26.4.** The City of San Diego's Labor Compliance Program and the State of California Labor Code §§1771.5(b) and 1776.
- 26.5.** Sections 1777.5, 1777.6, and 1777.7 of the State of California Labor Code concerning the employment of apprentices by contractors and subcontractors performing public works contracts.

- 26.6. The City's Equal Benefits Ordinance (EBO), Chapter 2, Article 2, Division 43 of The San Diego Municipal Code (SDMC).
- 26.7. The City's Information Security Policy (ISP) as defined in the City's Administrative Regulation 90.63.

27. PRE-AWARD ACTIVITIES:

- 27.1. The contractor selected by the City to execute a contract for this Work shall submit the required documentation as specified in the herein and in the Notice of Award. Failure to provide the information as specified may result in the Bid being rejected as **non-responsive**.
- 27.2. The decision that bid is non-responsive for failure to provide the information required within the time specified shall be at the sole discretion of the City.

Bond No. 12152827
Premium: \$13,376.00
Premium is for Contract Term and is Subject to
Adjustments Based on Final Contract Price

PERFORMANCE BOND, LABOR AND MATERIALMEN'S BOND

FAITHFUL PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND:

American Asphalt South, Inc., a corporation, as principal, and
The Guarantee Company of North America USA, a corporation authorized to do
business in the State of California, as Surety, hereby obligate themselves, their successors and assigns,
jointly and severally, to The City of San Diego a municipal corporation in the sum of
**Two Million Four Hundred Seventy Five Thousand Two Hundred Sixty Dollars and Sixty
Four Cents (\$2,475,260.64)** for the faithful performance of the annexed contract, and in the
sum of **Two Million Four Hundred Seventy Five Thousand Two Hundred Sixty Dollars
and Sixty Four Cents (\$2,475,260.64)** for the benefit of laborers and materialmen
designated below.

Conditions:

If the Principal shall faithfully perform the annexed contract with the City of San Diego,
California, then the obligation herein with respect to a faithful performance shall be void; otherwise it
shall remain in full force.

If the Principal shall promptly pay all persons, firms and corporations furnishing materials for
or performing labor in the execution of this contract, and shall pay all amounts due under the
California Unemployment Insurance Act then the obligation herein with respect to laborers and
materialmen shall be void; otherwise it shall remain in full force.

The obligation herein with respect to laborers and materialmen shall inure to the benefit of
all persons, firms and corporations entitled to file claims under the provisions of Article 2. Claimants,
(iii) public works of improvement commencing with Civil Code Section 9100 of the Civil Code of the
State of California.

Changes in the terms of the annexed contract or specifications accompanying same or
referred to therein shall not affect the Surety's obligation on this bond, and the Surety hereby waives
notice of same.

The Surety shall pay reasonable attorney's fees should suit be brought to enforce the provisions of this
bond.

PERFORMANCE BOND, LABOR AND MATERIALMEN'S BOND (continued)

Dated November 20, 2017

Approved as to Form

American Asphalt South, Inc.

Principal

By 

Lyle Stone, Secretary

Printed Name of Person Signing for Principal

Mara W. Elliott, City Attorney

By 
Deputy City Attorney

The Guarantee Company of North America USA

Surety

By 

Sara Walliser, Attorney-in-fact

Approved:

One Towne Square, Ste. 1470

Local Address of Surety

By 

Southfield, MI 48076

Local Address (City, State) of Surety

Stephen Samara
Principal Contract Specialist
Public Works Department

866-328-0567

Local Telephone No. of Surety

Premium \$ 13,376.00

Bond No. 12152827

ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California
County of Butte


On November 20, 2017 before me, Elizabeth Collodi, Notary Public
(insert name and title of the officer)

personally appeared Sara Walliser
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/~~are~~
subscribed to the within instrument and acknowledged to me that ~~he~~/she/~~they~~ executed the same in
~~his~~/her/~~their~~ authorized capacity(~~ies~~), and that by ~~his~~/her/~~their~~ signature(s) on the instrument the
person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature *Elizabeth Collodi* (Seal)





The Guarantee Company of North America USA
Southfield, Michigan

POWER OF ATTORNEY

KNOW ALL BY THESE PRESENTS: That THE GUARANTEE COMPANY OF NORTH AMERICA USA, a corporation organized and existing under the laws of the State of Michigan, having its principal office in Southfield, Michigan, does hereby constitute and appoint

Renee Ramsey, Richard W. Pratt, John Hopkins, Elizabeth Collodi, Bobbie Beeny, Nancy Luttenbacher, Phillip O. Watkins, Keith T. Schuler, Melissa D. Diaz, Shawna Johnson, Mindy Whitehouse, Jennifer Lakmann, Sara Walliser, John J. Weber, Stephanie Agapoff Interwest Insurance Services, LLC

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these presents, shall be as binding upon THE GUARANTEE COMPANY OF NORTH AMERICA USA as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

The Power of Attorney is executed and may be certified so, and may be revoked, pursuant to and by authority of Article IX, Section 9.03 of the By-Laws adopted by the Board of Directors of THE GUARANTEE COMPANY OF NORTH AMERICA USA at a meeting held on the 31st day of December, 2003. The President, or any Vice President, acting with any Secretary or Assistant Secretary, shall have power and authority:

- 1. To appoint Attorney(s)-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof; and
2. To revoke, at any time, any such Attorney-in-fact and revoke the authority given, except as provided below
3. In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.
4. In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner - Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of the Company adopted at a meeting duly called and held on the 6th day of December 2011, of which the following is a true excerpt:

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.



IN WITNESS WHEREOF, THE GUARANTEE COMPANY OF NORTH AMERICA USA has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 2nd day of October, 2015.

THE GUARANTEE COMPANY OF NORTH AMERICA USA

[Signature of Stephen C. Ruschak]

[Signature of Randall Musselman]

STATE OF MICHIGAN
County of Oakland

Stephen C. Ruschak, President & Chief Operating Officer

Randall Musselman, Secretary

On this 2nd day of October, 2015 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each is the herein described and authorized officer of The Guarantee Company of North America USA; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of said Company.



Cynthia A. Takai
Notary Public, State of Michigan
County of Oakland
My Commission Expires February 27, 2018
Acting in Oakland County

IN WITNESS WHEREOF, I have hereunto set my hand at The Guarantee Company of North America USA offices the day and year above written.

[Signature of Cynthia A. Takai]

I, Randall Musselman, Secretary of THE GUARANTEE COMPANY OF NORTH AMERICA USA, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by THE GUARANTEE COMPANY OF NORTH AMERICA USA, which is still in full force and effect.



IN WITNESS WHEREOF, I have thereunto set my hand and attached the seal of said Company this 20th day of November, 2017

[Signature of Randall Musselman]

Randall Musselman, Secretary

ATTACHMENTS

ATTACHMENT A
SCOPE OF WORK

SCOPE OF WORK

1. **SCOPE OF WORK:** Slurry Seal Group 1802 involves furnishing all labor, materials, equipment, services and construction, including but not limited to weed abatement, tree trimming, crack sealing, milling/saw cutting asphalt and concrete, pavement base repair, sweeping, application of slurry seal, replacing traffic striping/markings/markers/devices, replacing vehicle detector loops, raising appurtenances to grade, possible weekend work, traffic control drawings & permits, and storm drain inlet protection on various asphalt streets throughout the City.
 - 1.1. The Work shall be performed in accordance with:
 - 1.1.1. The Notice Inviting Bids, inclusive.
2. **ESTIMATED CONSTRUCTION COST:** The City's estimated construction cost for this project is **\$2,790,000**.
3. **LOCATION OF WORK: The location of the Work is as follows:**

See Appendix E and Location Map.
4. **CONTRACT TIME:** The Contract Time for completion of the Work, shall be **90 Working Days**.

ATTACHMENT B

INTENTIONALLY LEFT BLANK

ATTACHMENT C

INTENTIONALLY LEFT BLANK

ATTACHMENT D
PREVAILING WAGES

ATTACHMENT D

PREVAILING WAGES

1. **PREVAILING WAGE RATES:** Pursuant to San Diego Municipal Code section 22.3019, construction, alteration, demolition, repair and maintenance work performed under this Contract is subject to State prevailing wage laws. For construction work performed under this Contract cumulatively exceeding \$25,000 and for alteration, demolition, repair and maintenance work performed under this Contract cumulatively exceeding \$15,000, the Contractor and its subcontractors shall comply with State prevailing wage laws including, but not limited to, the requirements listed below.
 - 1.1. **Compliance with Prevailing Wage Requirements.** Pursuant to sections 1720 through 1861 of the California Labor Code, the Contractor and its subcontractors shall ensure that all workers who perform work under this Contract are paid not less than the prevailing rate of per diem wages as determined by the Director of the California Department of Industrial Relations (DIR). This includes work performed during the design and preconstruction phases of construction including, but not limited to, inspection and land surveying work.
 - 1.1.1. Copies of such prevailing rate of per diem wages are on file at the City and are available for inspection to any interested party on request. Copies of the prevailing rate of per diem wages also may be found at <http://www.dir.ca.gov/OPRL/DPreWageDetermination.htm>. Contractor and its subcontractors shall post a copy of the prevailing rate of per diem wages determination at each job site and shall make them available to any interested party upon request.
 - 1.1.2. The wage rates determined by the DIR refer to expiration dates. If the published wage rate does not refer to a predetermined wage rate to be paid after the expiration date, then the published rate of wage shall be in effect for the life of this Contract. If the published wage rate refers to a predetermined wage rate to become effective upon expiration of the published wage rate and the predetermined wage rate is on file with the DIR, such predetermined wage rate shall become effective on the date following the expiration date and shall apply to this Contract in the same manner as if it had been published in said publication. If the predetermined wage rate refers to one or more additional expiration dates with additional predetermined wage rates, which expiration dates occur during the life of this Contract, each successive predetermined wage rate shall apply to this Contract on the date following the expiration date of the previous wage rate. If the last of such predetermined wage rates expires during the life of this Contract, such wage rate shall apply to the balance of the Contract.

- 1.2. Penalties for Violations.** Contractor and its subcontractors shall comply with California Labor Code section 1775 in the event a worker is paid less than the prevailing wage rate for the work or craft in which the worker is employed.
- 1.3. Payroll Records.** Contractor and its subcontractors shall comply with California Labor Code section 1776, which generally requires keeping accurate payroll records, verifying and certifying payroll records, and making them available for inspection. Contractor shall require its subcontractors to also comply with section 1776. Contractor and its subcontractors shall submit weekly certified payroll records online via the City's web-based Labor Compliance Program. Contractor is responsible for ensuring its subcontractors submit certified payroll records to the City.

 - 1.3.1.** For contracts entered into on or after April 1, 2015, Contractor and their subcontractors shall furnish records specified in Labor Code section 1776 directly to the Labor Commissioner in the manner required by Labor Code section 1771.4.
- 1.4. Apprentices.** Contractor and its subcontractors shall comply with California Labor Code sections 1777.5, 1777.6 and 1777.7 concerning the employment and wages of apprentices. Contractor is held responsible for the compliance of their subcontractors with sections 1777.5, 1777.6 and 1777.7.
- 1.5. Working Hours.** Contractor and their subcontractors shall comply with California Labor Code sections 1810 through 1815, including but not limited to: (i) restrict working hours on public works contracts to eight hours a day and forty hours a week, unless all hours worked in excess of 8 hours per day are compensated at not less than 1½ times the basic rate of pay; and (ii) specify penalties to be imposed on design professionals and subcontractors of \$25 per worker per day for each day the worker works more than 8 hours per day and 40 hours per week in violation of California Labor Code sections 1810 through 1815.
- 1.6. Required Provisions for Subcontracts.** Contractor shall include at a minimum a copy of the following provisions in any contract they enter into with a subcontractor: California Labor Code sections 1771, 1771.1, 1775, 1776, 1777.5, 1810, 1813, 1815, 1860 and 1861.
- 1.7. Labor Code Section 1861 Certification.** Contractor in accordance with California Labor Code section 3700 is required to secure the payment of compensation of its employees and by signing this Contract, Contractor certifies that "I am aware of the provisions of Section 3700 of the California Labor Code which require every employer to be insured against liability for workers' compensation or to undertake self-insurance in accordance with the provisions of that code, and I will comply with such provisions before commencing the performance of the work of this Contract."

- 1.8. Labor Compliance Program.** The City has its own Labor Compliance Program authorized in August 2011 by the DIR. The City will withhold contract payments when payroll records are delinquent or deemed inadequate by the City or other governmental entity, or it has been established after an investigation by the City or other governmental entity that underpayment(s) have occurred. For questions or assistance, please contact the City of San Diego's Equal Opportunity Contracting Department at 619-236-6000.
- 1.9. Contractor and Subcontractor Registration Requirements.** This project is subject to compliance monitoring and enforcement by the DIR. As of March 1, 2015, no contractor or subcontractor may be listed on a bid or proposal for a public works project unless registered with the DIR pursuant to Labor Code section 1725.5. As of April 1, 2015, a contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, or enter into any contract for public work, unless currently registered and qualified to perform public work pursuant to Labor Code section 1725.5. By submitting a bid or proposal to the City, Contractor is certifying that he or she has verified that all subcontractors used on this public work project are registered with the DIR in compliance with Labor Code sections 1771.1 and 1725.5, and Contractor shall provide proof of registration to the City upon request.
- 1.9.1.** A Contractor's inadvertent error in listing a subcontractor who is not registered pursuant to Labor Code section 1725.5 in response to a solicitation shall not be grounds for filing a bid protest or grounds for considering the bid non-responsive provided that any of the following apply: (1) the subcontractor is registered prior to bid opening; (2) within twenty-four hours after the bid opening, the subcontractor is registered and has paid the penalty registration fee specified in Labor Code section 1725.5; or (3) the subcontractor is replaced by another registered subcontractor pursuant to Public Contract Code section 4107.

ATTACHMENT E
SUPPLEMENTARY SPECIAL PROVISIONS

SUPPLEMENTARY SPECIAL PROVISIONS

The following Supplementary Special Provisions (SSP) modifies the following documents:

1. The **2015 Edition** of the Standard Specifications for Public Works Construction (The "GREENBOOK").
2. The **2015 Edition** of the City of San Diego Standard Specifications for Public Works Construction (The "WHITEBOOK"), including the following:
 - a) General Provisions (A) for all Contracts.

SECTION 1 - TERMS, DEFINITIONS, ABBREVIATIONS, UNITS OF MEASURE, AND SYMBOLS

- 1-2 TERMS AND DEFINITIONS.** To the "WHITEBOOK", item 54, "Normal Working Hours", ADD the following:
- Project Working Hours** are 7:30 AM to 3:30 PM. Engineer shall identify and approve exceptions due to traffic related issues.

SECTION 2 - SCOPE AND CONTROL OF WORK

- 2-3.2 Self Performance.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:
1. You shall perform, with your own organization, Contract Work amounting to at least 50% of the base Bid **AND** 50% of any alternates.

ADD:

- 2-10 AUTHORITY OF THE BOARD AND THE ENGINEER.** To the "GREENBOOK", Paragraph (2), DELETE in its entirety and SUBSTITUTE with the following:

The decision of the Engineer is final and binding on all questions relating to: quantities; acceptability of material, equipment, or work; execution, progress or sequence of work; requests for information (RFI), and interpretation of the Plans, Specifications, or other Contract Documents. This shall be precedent to any payment under the Contract. The Engineer shall be the single point of contact and shall be included in all communications.

- 2-14.3 Coordination.** To the "WHITEBOOK", ADD the following:

2. Other adjacent City projects are scheduled for construction for the same time period in the vicinity of this contract. See **Appendix F** for slurry seal limits to avoid construction conflict with adjacent City projects. Limits of work are as marked out in the field and identified in **Appendix F**.

- 2-16 CONTRACTOR REGISTRATION AND ELECTRONIC REPORTING SYSTEM.** To the "WHITEBOOK", item 1, DELETE in its entirety.

SECTION 3 - CHANGES IN WORK

3-2 CHANGES INITATED BY THE AGENCY.

3-2.1 **General.** To the "WHITEBOOK", ADD the following:

1. The location list provided by the City in the Contract Documents will be adjusted by the City as needed to match the Bid quantities at no additional cost to the City.
2. The Bid quantities are for estimating purposes only and will vary due to continued deterioration of the streets, such as streets quantified as having no tons of AC required, may in fact need AC repair (see 302-3).

3-2.3 **Stipulated Unit Prices.** To the "GREENBOOK," ADD the following:

The Contractor shall stipulate to the cost of the following Bid Items for Extra Work: "Class II Base"; "Raise Appurtenance to Grade (Water, Sewer)"; "Raise Survey Monument to Grade"; "Reconstruct Survey Monument Box"; "Crack Seal"; "Removal of Humps and Pavement Irregularities"; and "Traffic Detector Loop Replacement or Conduit Stub Installed".

3-2.5 **Eliminated Items.** To the "GREENBOOK," DELETE in its entirety and SUBSTITUTE with the following:

Should any Bid Items, except Bid Items listed in paragraph 2 of this section, be eliminated in its entirety, payment will be made to the Contractor for its actual costs incurred in connection with the eliminated item prior to notification in writing from the Engineer so stating its elimination.

Should Bid Items: "Class II Base"; "Raise Appurtenance to Grade (Water, Sewer)"; "Raise Survey Monument to Grade"; "Reconstruct Survey Monument Box"; "Crack Seal"; "Removal of Humps and Pavement Irregularities"; and "Traffic Detector Loop Replacement or Conduit Stub installed", be eliminated in their entirety, no payment will be made to the Contractor for its actual costs incurred in connection with the eliminated item(s).

If material conforming to the Plans and Specifications is ordered by the Contractor for use in the eliminated items prior to the date of notification of elimination by the Engineer, and if the order for that material cannot be canceled, payment will be made to the Contractor for the actual cost of the material. In this case, the material shall become the property of the Agency. Payment will be made to the Contractor for its actual costs for any further handling. If the material is returnable, the material shall be returned and payment will be made to the Contractor for the actual cost of charges made by the supplier for returning the material and for handling by the Contractor.

Actual costs, as used herein, shall be computed on the basis of Extra Work.

3-5.1 **Claims.** To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

ADD:

3-5.1 **Claims.**

1. A Claim is a written demand by you that seeks an adjustment in the Contract Price, Contract Time, or other relief associated with a dispute arising under or relating to the Contract, including a breach of any provision thereof. A voucher, invoice, or other routine request for payment is not a Claim.

2. A Claim shall conform to these specifications and may be considered after the City has previously denied a request by you for a Change Order seeking the demanded relief.
3. You shall submit a Claim to the Engineer if a dispute occurs that arises from or relates to the Contract. The Claim shall seek all relief to which you assert you are entitled as a result of the event(s) giving rise to the dispute. Your failure to process a Claim in accordance with these specifications shall constitute a waiver of all relief associated with the dispute. Claims are subject to 6-11, "Right to Audit".
4. You shall continue to perform the Services and Work and shall maintain the Schedule during any dispute proceedings. The Engineer will continue to make payments for undisputed Services and Work.
5. The City's Claims process specified herein shall not relieve you of your statutory obligations to present claims prior to any action under the California Government Code.

3-5.1.1 Initiation of Claim.

1. You shall promptly, but no later than 30 Days after the event(s) giving rise to the Claim, deliver the Claim to the Engineer.
2. You shall not process a Claim unless the Engineer has previously denied a request by you for a Change Order that sought the relief to be pursued in the claim.

3-5.1.1.1 Claim Certification Submittal.

1. If your Claim seeks an increase in the Contract Price, the Contract Time, or both, submit with the Claim an affidavit certifying the following:
 - a) The Claim is made in good faith and covers all costs and delays to which you are entitled as a result of the event(s) giving rise to the Claim.
 - b) The amount claimed accurately reflects the adjustments in the Contract Price, the Contract Time, or both to which you believe you are entitled.
 - c) All supporting costs and pricing data are current, accurate, and complete to the best of your knowledge. The cost breakdown per item of Work shall be supplied.
 - d) You shall ensure that the affidavit is executed by an official who has the authority to legally bind you.

3-5.1.2 Initial Determination.

1. The Engineer will respond in writing to your Claim within 30 Days of receipt of the Claim.

3-5.1.3 Settlement Meeting.

1. If you disagree with the Initial Determination, you shall request a Settlement Meeting within 30 Days. Upon receipt of this request, the Engineer will schedule the Settlement Meeting within 15 Working Days.

3-5.1.7 City's Final Determination.

1. If a settle agreement is not reached, the City shall make a written Final Determination within 10 Working Days after the Settlement Meeting.
2. If you disagree with the City's Final Determination, notify the Engineer in writing of your objection within 15 Working Days after receipt of the written determination and file a "Request for Mediation" in accordance with 3-5.2, "Dispute Resolution Process".
3. Failure to give notice of objection within the 15 Working Days period shall waive your right to pursue the Claim.

3-5.1.8 Mandatory Assistance.

1. If a third party dispute, litigation, or both arises out of or relates in any way to the Services provided under the Contract, upon the City's request, you shall agree to assist in resolving the dispute or litigation. Your assistance includes, but is not limited to the following:
 - a) Providing professional consultations.
 - b) Attending mediations, arbitrations, depositions, trials, or any event related to the dispute resolution and litigation.

3-5.1.8.1 Compensation for Mandatory Assistance.

1. The City will reimburse you for reasonable fees and expenses incurred by you for any required assistance rendered in accordance with 3-5.1.8, "Mandatory Assistance" as Extra Work.
2. The Engineer will determine whether these fees and expenses were necessary due to your conduct or failure to act.
3. If the Engineer determines that the basis of the dispute or litigation in which these fees and expenses were incurred were the result of your conduct or your failure to act in part or in whole, you shall reimburse the City for any payments made for these fees and expenses.
4. Reimbursement may be through any legal means necessary, including the City's withholding of your payment.

3-5.2.3 Selection of Mediator. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

1. A single mediator, knowledgeable in construction aspects and acceptable to both parties, shall be used to mediate the dispute.
2. To initiate mediation, the initiating party shall serve a Request for Mediation at the American Arbitration Association (AAA) on the opposing party.

3. If AAA is used, the initiating party shall concurrently file with AAA a "Request for Mediation" along with the appropriate fees, a copy of requested mediators marked in preference order, and a preference for available dates.
4. If AAA is selected to coordinate the mediation (Administrator), within 10 Working Days from the receipt of the initiating party's Request for Mediation, the opposing party shall file the following:
 - a) A copy of the list of the preferred mediators listed in preference order after striking any mediators to which they have any objection.
 - b) A preference for available dates.
 - c) Appropriate fees.
5. If the parties cannot agree on a mediator, then each party shall select a mediator and those mediators shall select the neutral third party to mediate the matter.

3-5.3 Forum of Litigation. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

1. It is the express intention that all legal actions and proceedings related to the Contract or Agreement with the City or to any rights or any relationship between the parties arising therefrom shall be solely and exclusively initiated and maintained in courts of the State of California for the County of San Diego.

SECTION 4 - CONTROL OF MATERIALS

4-1.3.3 Inspection of Items Not Locally Produced. To the "WHITEBOOK", DELETE in its entirety.

ADD:

4-1.3.3 Inspection of Items Not Locally Produced. To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:

1. When you intend to purchase materials, fabricated products, or equipment from sources located more than 200 miles (321.9 km) outside the geographical limits of the City, City Lab staff or a qualified inspection agency approved by the Engineer, shall be engaged at your expense to inspect the materials, equipment, or process.
2. This approval shall be obtained before producing any material or equipment. City Lab staff or inspector shall evaluate the materials for conformance with the requirements of the Plans and Specifications. You shall forward reports required by the Engineer. No materials or equipment shall be shipped nor shall any processing, fabrication or treatment of such materials be done without proper inspection by City Lab staff or the approved agent. Approval by said agent shall not relieve you of responsibility for complying with the requirements of the Contract Documents.
3. The Engineer may elect City Lab staff to perform inspection of an out-of-town manufacturer. You shall incur additional inspection costs of the Engineer including lodging, meals, and incidental expenses based on Federal Per Diem

Rates, along with travel and car rental expenses. If the manufacturing plant operates a double shift, a double shift shall be figured in the inspection costs.

- a) At the option of the Engineer, full time inspection shall continue for the length of the manufacturing period. If the manufacturing period will exceed 3 consecutive weeks, you shall incur additional inspection expenses of the Engineer's supervisor for a trip of 2 Days to the site per month.
- b) When the Engineer elects City Lab staff to perform out-of-town inspections, the wages of staff employed by the City shall not be part of the additional inspection expenses paid by you.
- c) Federal Per Diem Rates can be determined at the location below:

<https://www.gsa.gov/portal/content/104877>

4-1.3.6 Preapproved Materials. To the "WHITEBOOK", ADD the following:

- 3. You shall submit in writing a list of all products to be incorporated in the Work that are on the AML.

4-1.6 Trade Names or Equals. To the "WHITEBOOK", ADD the following:

- 11. You shall submit your list of proposed substitutions for an "equal" item **no later than 5 Working Days after the determination of the Apparent Low Bidder** and on the City's Product Submittal Form available at:

<http://www.sandiego.gov/publicworks/edocref/index.shtml>

SECTION 5 - UTILITIES

5-2 PROTECTION. To the "WHITEBOOK", item 2, ADD the following:

- g) Refer to **Appendix H** for more information on the protection of AML devices.

5-6 COOPERATION. To the "GREENBOOK", ADD the following:

- 1. Notify SDG&E at least 10 Working Days prior to excavating within 10 feet of SDG&E Underground High Voltage Transmission Power Lines (69 KV and higher).

SECTION 6 - PROSECUTION, PROGRESS AND ACCEPTANCE OF WORK

6-1.1 Construction Schedule. To the "WHITEBOOK", item 22, subsection b, DELETE in its entirety and SUBSTITUTE with the following:

- b) A curve value percentage comparison between the Contract Price and the updated cash flow forecast for each Project ID included in the Contract Documents. Curve values shall be set on a scale from 0% to 100% in intervals of 5% of the Contract Time. Refer to the Sample City Invoice materials in the Contract Documents and use the format shown. Your invoice amounts shall be supported by this curve value percentage. For previous periods, use the actual values and percentages and update the curve value percentages accordingly.

6-1.3.1 Payment. To the "WHITEBOOK", ADD the following:

3. The payment for any work outside normal working hours, including weekend work and night work, shall be done at no additional cost to the City.

ADD:

6-3.2.1.1 Environmental Document.

1. The City of San Diego has prepared a **Notice of Exemption (NOE)** for **Slurry Seal Group 1802**, as referenced in the Contract Appendix. You shall comply with all requirements of the **NOE** as set forth in **Appendix A**.
2. Compliance with the City's environmental document shall be included in the Contract Price.

6-8.3 Warranty. To the "WHITEBOOK", item 1, DELETE in its entirety and SUBSTITUTE with the following:

1. Warranty and repair all defective materials and workmanship for a period of 1 year. The warranty period shall start on the date the Work was accepted by the City.

SECTION 7 - RESPONSIBILITIES OF THE CONTRACTOR

7-3 INSURANCE. To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:

7-3 INSURANCE.

1. The insurance provisions herein shall not be construed to limit your indemnity obligations contained in the Contract.

7-3.1 Policies and Procedures.

1. You shall procure the insurance described below, at its sole cost and expense, to provide coverage against claims for loss including injuries to persons or damage to property, which may arise out of or in connection with the performance of the Work by you, your agents, representatives, officers, employees or Subcontractors.
2. Insurance coverage for property damage resulting from your operations is on a replacement cost valuation. The market value will not be accepted.
3. You shall maintain this insurance for the duration of this Contract and at all times thereafter when you are correcting, removing, or replacing Work in accordance with this Contract. Your liabilities under the Contract, e.g., your indemnity obligations, is not deemed limited to the insurance coverage required by this Contract.

4. The payment for insurance shall be included in the Contract Price as bid by you. Except as specifically agreed to by the City in writing, you are not entitled to any additional payment. Do not begin any Work under this Contract until you have provided and the City has approved all required insurance.
5. Policies of insurance shall provide that the City is entitled to 30 Days (10 Days for cancellation due to non-payment of premium) prior written notice of cancellation or non-renewal of the policy. Maintenance of specified insurance coverage is a material element of the Contract. Your failure to maintain or renew coverage or to provide evidence of renewal during the term of the Contract may be treated by the City as a material breach of the Contract.

7-3.2 Types of Insurance.

7-3.2.1 Commercial General Liability Insurance.

1. Commercial General Liability Insurance shall be written on the current version of the ISO Occurrence form CG 00 01 07 98 or an equivalent form providing coverage at least as broad.
2. The policy shall cover liability arising from premises and operations, XCU (explosions, underground, and collapse), independent contractors, products/completed operations, personal injury and advertising injury, bodily injury, property damage, and liability assumed under an insured's contract (including the tort liability of another assumed in a business contract).
3. There shall be no endorsement or modification limiting the scope of coverage for either "insured vs. insured" claims or contractual liability. You shall maintain the same or equivalent insurance for at least 10 years following completion of the Work.
4. All costs of defense shall be outside the policy limits. Policy coverage shall be in liability limits of not less than the following:

<u>General Annual Aggregate Limit</u>	<u>Limits of Liability</u>
Other than Products/Completed Operations	\$2,000,000
Products/Completed Operations Aggregate Limit	\$2,000,000
Personal Injury Limit	\$1,000,000
Each Occurrence	\$1,000,000

7-3.2.2 Commercial Automobile Liability Insurance.

1. You shall provide a policy or policies of Commercial Automobile Liability Insurance written on the current version of the ISO form CA 00 01 12 90 or later version or equivalent form providing coverage at least as broad in the amount of \$1,000,000 combined single limit per accident, covering bodily injury and property damage for owned, non-owned, and hired automobiles ("Any Auto").
2. All costs of defense shall be outside the limits of the policy.

7-3.3 Rating Requirements. Except for the State Compensation Insurance Fund, all insurance required by this Contract as described herein shall be carried only by responsible insurance companies with a rating of, or equivalent to, at least "A-, VI" by A.M. Best Company, that are authorized by the California Insurance Commissioner to do business in the State, and that have been approved by the City.

7-3.3.1 Non-Admitted Carriers. The City will accept insurance provided by non-admitted, "surplus lines" carriers only if the carrier is authorized to do business in the State and is included on the List of Approved Surplus Lines Insurers (LASLI list).

All policies of insurance carried by non-admitted carriers shall be subject to all of the requirements for policies of insurance provided by admitted carriers described herein.

7-3.4 Evidence of Insurance. Furnish to the City documents e.g., certificates of insurance and endorsements evidencing the insurance required herein, and furnish renewal documentation prior to expiration of this insurance. Each required document shall be signed by the insurer or a person authorized by the insurer to bind coverage on its behalf. We reserve the right to require complete, certified copies of all insurance policies required herein.

7-3.5 Policy Endorsements.

7-3.5.1 Commercial General Liability Insurance.

7-3.5.1.1 Additional Insured.

1. You shall provide at your expense policy endorsement written on the current version of the ISO Occurrence form CG 20 10 11 85 or an equivalent form providing coverage at least as broad.
2. To the fullest extent allowed by law e.g., California Insurance Code §11580.04, the policy shall be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured.
3. The additional insured coverage for projects for which the Engineer's Estimate is \$1,000,000 or more shall include liability arising out of:
 - a) Ongoing operations performed by you or on your behalf,
 - b) your products,
 - c) your Work, e.g., your completed operations performed by you or on your behalf, or
 - d) premises owned, leased, controlled, or used by you.
4. The additional insured coverage for projects for which the Engineer's Estimate is less than \$1,000,000 shall include liability arising out of:
 - a) Ongoing operations performed by you or on your behalf,
 - b) your products, or
 - c) premises owned, leased, controlled, or used by you.

- 7-3.5.1.2 Primary and Non-Contributory Coverage.** The policy shall be endorsed to provide that the coverage with respect to operations, including the completed operations, if appropriate, of the Named Insured is primary to any insurance or self-insurance of the City and its elected officials, officers, employees, agents and representatives. Further, it shall provide that any insurance maintained by the City and its elected officials, officers, employees, agents and representatives shall be in excess of your insurance and shall not contribute to it.
- 7-3.5.1.3 Project General Aggregate Limit.** The policy or policies shall be endorsed to provide a Designated Construction Project General Aggregate Limit that will apply only to the Work. Only claims payments which arise from the Work shall reduce the Designated Construction Project General Aggregate Limit. The Designated Construction Project General Aggregate Limit shall be in addition to the aggregate limit provided for the products-completed operations hazard.
- 7-3.5.2 Commercial Automobile Liability Insurance.**
- 7-3.5.2.1 Additional Insured.** Unless the policy or policies of Commercial Auto Liability Insurance are written on an ISO form CA 00 01 12 90 or a later version of this form or equivalent form providing coverage at least as broad, the policy shall be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured, with respect to liability arising out of automobiles owned, leased, hired or borrowed by you or on your behalf. This endorsement is limited to the obligations permitted by California Insurance Code §11580.04.
- 7-3.6 Deductibles and Self-Insured Retentions.** You shall pay for all deductibles and self-insured retentions. You shall disclose deductibles and self-insured retentions to the City at the time the evidence of insurance is provided.
- 7-3.7 Reservation of Rights.** The City reserves the right, from time to time, to review your insurance coverage, limits, deductibles and self-insured retentions to determine if they are acceptable to the City. The City will reimburse you, without overhead, profit, or any other markup, for the cost of additional premium for any coverage requested by the Engineer but not required by this Contract.
- 7-3.8 Notice of Changes to Insurance.** You shall notify the City 30 Days prior to any material change to the policies of insurance provided under this Contract.
- 7-3.9 Excess Insurance.** Policies providing excess coverage shall follow the form of the primary policy or policies e.g., all endorsements.
- 7-4 NOT USED.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:
- 7-4 WORKERS' COMPENSATION INSURANCE AND EMPLOYERS LIABILITY INSURANCE.**
1. In accordance with the provisions of §3700 of the California Labor Code, you shall provide at your expense Workers' Compensation Insurance and Employers Liability Insurance to protect you against all claims under applicable state workers compensation laws. The City, its elected officials, and employees will not be responsible for any claims in law or equity occasioned by your failure to comply with the requirements of this section.

2. Limits for this insurance shall be not less than the following:

<u>Workers' Compensation</u>	<u>Statutory Employers Liability</u>
Bodily Injury by Accident	\$1,000,000 each accident
Bodily Injury by Disease	\$1,000,000 each employee
Bodily Injury by Disease	\$1,000,000 policy limit

3. By signing and returning the Contract you certify that you are aware of the provisions of §3700 of the Labor Code which requires every employer to be insured against liability for worker's compensation or to undertake self-insurance in accordance with the provisions of that code and you shall comply with such provisions before commencing the Work as required by §1861 of the California Labor Code.

7-4.1 Waiver of Subrogation. The policy or policies shall be endorsed to provide that the insurer will waive all rights of subrogation against the City and its respective elected officials, officers, employees, agents, and representatives for losses paid under the terms of the policy or policies and which arise from Work performed by the Named Insured for the City.

7-8.1 General. To the "WHITEBOOK", ADD the following:

2. Use a certified self-loading motorized street sweeper equipped with a functional water spray system for this project as directed by the Engineer.

7-8.6 Water Pollution Control. To the "WHITEBOOK", ADD the following:

6. Based on a preliminary assessment by the City, this Contract is subject to **WPCP.**

7-8.6.1.11 Post-Construction Requirements. To the "WHITEBOOK", item 1, ADD the following:

1. You shall comply with the following post construction requirement:
Storm Drain Inlet Markers.

7-20 ELECTRONIC COMMUNICATION. To the "WHITEBOOK", ADD the following:

2. Virtual Project Manager shall be used on this Contract.

7-21.1 General. To the "WHITEBOOK", item 3, DELETE in its entirety and SUBSTITUTE with the following:

3. During the construction phase of projects, the minimum waste management reduction goal is 90% of the inert material (a material not subject to decomposition such as concrete, asphalt, brick, rock, block, dirt, metal, glass, and etc.) and 65% of the remaining project waste. You shall provide appropriate documentation, including a Waste Management Form attached as an appendix, and evidence of recycling and reuse of materials to meet the waste reduction goals specified.

SECTION 9 - MEASUREMENT AND PAYMENT

ADD:

9-3.7 Compensation Adjustments for Price Index Fluctuations. To the "WHITEBOOK" ADD the following:

5. This Contract is subject to the provisions of The "WHITEBOOK" for Compensation Adjustments for Price Index Fluctuations for paving asphalt.

SECTION 203 - BITUMINOUS MATERIALS

203-3.4.4 Rubber Polymer Modified Slurry (RPMS). To the "WHITEBOOK", ADD the following:

1. RPMS shall be used on this Contract.

SECTION 217 - BEDDING AND BACKFILL MATERIALS

217-2.2 Stones, Boulders, and Broken Concrete. To the "GREENBOOK", Table 217-2.2, DELETE in its entirety and SUBSTITUTE with the following:

TABLE 217-2.2

Zone	Zone Limits	Maximum Size (greatest dimension)	Backfill Requirements in Addition to 217-2.1
Street or Surface Zone	From ground surface to 12" (300 mm) below pavement subgrade or ground surface	2.5" (63 mm)	As required by the Plans or Special Provisions.
Street or Surface Zone Backfill of Tunnels beneath Concrete Flatwork		Sand	Sand equivalent of not less than 30.
Trench Zone	From 12" (300 mm) below pavement subgrade or ground surface to 12" (300 mm) above top of pipe or box	6" (150 mm)	
Deep Trench Zone (Trenches 3' (0.9 m) wide or wider)	From 60" (1.5 m) below finished surface to 12" (300 mm) above top of pipe or box	Rocks up to 12" (300 mm) excavated from trench may be placed as backfill	
Pipe Zone	From 12" (300 mm) above top of pipe or box to 6" (150 mm) below bottom of pipe or box exterior	2.5" (63 mm)	Sand equivalent of not less than 30 or a coefficient of permeability greater than 1-½ inches/hour (35 mm per hour).
Overexcavation	Backfill more than 6" (150 mm) below bottom of pipe or box exterior	6" (150 mm)	Sand equivalent of not less than 30 or a coefficient of permeability greater than 1-½ inches/hour (35 mm per hour). Trench backfill slurry (100-E-100) per 201-1 may also be used.

**SECTION 301 – TREATED SOIL, SUBGRADE, PREPARATION, AND PLACEMENT
OF BASE MATERIALS**

301-1.6 **Adjustment of Manhole and Gate Valve Frames and Covers to Grade.** To the "WHITEBOOK", BEFORE Item 1, ADD the following:

Manhole, Sewer, and Water covers shall be raised to be level with the surrounding pavement surface when such appurtenances are a minimum of one inch (1") below the surface. Engineer to approve location prior to raising.

Appurtenances extending more than one inch (1") above the road surface shall be marked out as a mill & pave and asphalt ramped to smooth transition.

301-1.7 **Payment.** To the "WHITEBOOK", DELETE Items 4, 5, and 6 and SUBSTITUTE with the following:

4. Payment for Raising Appurtenances to Grade, including manholes and valve covers, all casings, rings, extensions, concrete collars, and any other material, shall be made at the Bid unit "Raise Appurtenance to Grade (Water, Sewer)" for each appurtenance raised.

301-1.8 **Adjustment of Survey Monuments to Grade.** To the "WHITEBOOK", item 1, DELETE in its entirety and SUBSTITUTE with the following:

1. The casing and cover for survey monuments shall be adjusted to the new grade using riser rings, when such appurtenances are 1.5" to 3.75" below the surface, in accordance with Standard Drawing M-10A, "Street Survey Monument Overlay Adjustment" and Standard Drawing M-10B, "Street Survey Monument Notes".
2. The Survey Monument Precast Concrete Pipe Box must be reconstructed in accordance with Standard Drawings M-10 and Standard Drawing M-10A for survey monuments that are greater than 0.5" and less than 1.5" below the surface.
3. The Survey Monument Precast Concrete Pipe Box must be reconstructed in accordance with Standard Drawings M-10 and Standard Drawings M-10A for survey monuments that are greater than 3.75" below the surface.

301-1.8.1 **Payment.** To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

1. The payment for adjusting existing survey monument casing, frame, ring, covers, extensions, grout, brick support, sand base and any other material to grade shall be included in the Bid item for "Adjust Survey Monument to Grade" for each survey monument raised.
2. The payment for reconstructing the Survey Monument Precast Concrete Pipe Box, monument casing, frame, ring, covers, extensions, grout, brick support, sand base, and any other material required to reconstruct the precast concrete pipe box shall be included in the Bid Item Unit Price for "Reconstruct Survey Monument Box" for each the Survey Monument Precast Concrete Pipe Box reconstructed.

301-2.4 Measurement and Payment. To the "GREENBOOK", ADD the following:

Payment for Class II Base material installed shall be made at the Contract Unit Price for "Class II Base" per ton and includes all necessary works such as excavation, hauling and disposal, preparatory works, root pruning, and compaction. No additional payment shall be made for hauling and disposal of concrete, pavement fabric, rubberized material, steel reinforcement, or any other material that may be encountered.

SECTION 302 - ROADWAY SURFACING

302-1.1 General. To the "WHITEBOOK", ADD the following:

13. Edges of milled areas shall be cut cleanly. The outside edges of the milled pavement may have a radius transition on the sides parallel to the cutting drum.
14. The presence of roots, pavement fabric, concrete, rubberized material or steel reinforcement within the depth to be cold milled have not been noted or marked out in the field.
15. All milling shall be performed in such a manner as to improve drainage, eliminate ponding, and re-establish gravity flow across intersections.
16. Material removed, regardless of removal method, shall be disposed of at a legal site.

302-1.6 Cold Milling of Composite Pavements. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

1. The areas and depths of composite pavement to be cold milled, sawn, or cut have not been identified in the field nor the Contract Documents.

302-1.6.1 Cold Milling of Asphalt Concrete with Pavement Fabric Material. To the "WHITEBOOK", DELETE in its entirety.

302-1.9 Traffic Signal Loop Detectors. To the "WHITEBOOK", ADD the following:

5. All traffic detector loops and/or other detection systems located within or adjacent to the limits of work will require replacement. All damaged detectors shall be replaced after resurfacing and striping. "Q" loops may be required at bike lanes. "E Modified" loops are required at stop bars. You shall install as many loops as necessary to meet current standards.

Loops may be installed in asphalt, concrete or any other material that may be encountered during the installation.

302-1.12

Payment. To the "WHITEBOOK", item 1 and item 4, DELETE in their entirety and SUBSTITUTE with the following:

1. The payment for installation of traffic detector loops and conduits shall be included in the bid item "Traffic Detector Loop Replacement or Conduit Stub Installed" for each loop or conduit installed. No additional payment shall be made for loop, detector, or conduit type.

No additional payment shall be made for milling, grinding, or saw cutting concrete, asphalt pavement fabric, and any other material that may be encountered during the installation.

4. The payment for cold milling of the existing pavement shall be included in the contract bid unit price for which the milling is required ("Asphalt Pavement Repair", "Class II Base"), including hauling and disposal of milled material.

No additional payment shall be made for root pruning, milling, grinding, hauling, disposal or saw cutting concrete, asphalt pavement fabric, and any other material that may be encountered during the installation.

302-3

PREPARATORY REPAIR WORK. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

1. Prior to the application of slurry, the Contractor shall complete all necessary preparation and repair work to the road segment e.g., tree trimming, weed abatement, weed spraying, crack sealing, asphalt repair, removal of humps and pavement irregularities, raising appurtenances and survey monuments, removal of raised pavement markers, removal of pavement markings, and any other work and as specified in the Special Provisions and Contract Documents.
2. Most areas of damaged asphalt requiring Asphalt Pavement Repair have been marked out in the field as "MP" or "DO" (mill & pave or dig-out). Mill & paves shall have a minimum depth of 2", and dig-outs, also called base repairs, shall have a minimum depth of 10".
3. The minimum repair area shall be 4 feet by 4 feet regardless of mark out.
4. You shall repair marked out areas of distressed asphalt concrete pavement by milling, grinding, or saw cutting to remove damaged areas of pavement in accordance with 302-1.1, to expose firm and unyielding pavement, base or native. Unyielding pavement will have no visible cracks and unyielding base or native will be properly compacted, as determined by the Engineer. If cracks are visible, then pavement is not unyielding and shall require additional depth be removed. The Contractor shall prepare subgrade as needed and install a maximum of 5" compacted asphalt concrete pavement over compacted base material to be level with adjacent roadway surface.

5. Edges of milled areas shall be cut cleanly.
6. Material removed, regardless of removal method, shall be disposed of at a legal site.
7. If, in order to achieve the minimum specified depth, the base material is exposed, then the existing base material, as well as additional base material shall be compacted to 95% relative compaction to a depth 5" below the finished grade (dig-out).
8. Compaction tests shall be made to ensure compliance with the specifications. The Engineer will determine when and where the test will occur. The City will pay for the soils testing required by the Engineer, which meets the required compaction. The Contractor shall reimburse the City for the cost of retesting failing compaction tests. If additional base material is required, the Contractor shall use Class II Aggregate Base in accordance with 200-2.2 and 200-2.9, "Crushed Aggregate Base" and "Class 2 Aggregate Base" respectively. The base material shall be prepared conforming to 301-1, "Subgrade Preparation."
9. Recycled base material shall conform to Crushed Miscellaneous Base Material in accordance with 200-2.4, "Crushed Miscellaneous Aggregate Base."
10. Prior to replacing asphalt, the area shall be cleaned by removing all loose and damaged material, moisture, dirt, and other foreign matter and shall be tack coated in accordance with 302-5.4 "Tack Coat."
11. When milling and/or grinding asphalt pavement and the Contractor encounters solid, level unyielding PCC trench caps or appurtenance collars before reaching a minimum depth of 2", then the Contractor shall place enough asphalt concrete pavement to bring the surface to be level with the adjacent roadway.
12. The Contractor shall install new asphalt within the repair area or for patches in accordance with 302-5, "ASPHALT CONCRETE PAVEMENT." Asphalt concrete shall be B3 PG 64-10 (3/4") and C2-PG 64-10 (1/2") in compliance with 203-6, "ASPHALT CONCRETE."
13. Base repairs shall not exceed 20% RAP in content.
14. No preparatory asphalt work shall be done when the atmospheric temperature is below 50 °F or during unsuitable weather.
15. Following the asphalt placement, the Contractor shall roll the entire area of new asphalt in both directions at least twice. The finished patch shall be level and smooth in compliance with 302-5.6.2 "Density and Smoothness." After placement and compaction of the asphalt repair, the Contractor shall seal all finished edges with a 4" wide continuous band of SS-1H.

302-3.1 Asphalt Patching. To the "WHITEBOOK", items 1, 2, 5, and 9, DELETE in their entirety and SUBSTITUTE with the following:

1. Miscellaneous asphalt patching shall consist of patching potholes and gutter-line erosion, and skin patching other low spots in the pavement that are deeper than ¼" per 302-5.6.2 "Density and Smoothness." These areas are generally smaller and more isolated than those areas in need of mill and pave.
2. The areas requiring patching have not been identified in the Contract Documents, nor in the field. The Contractor and/or Engineer shall identify areas that may require patching prior to slurry work to ensure the smoothness and quality of the finished product.
5. You shall remove distressed asphalt pavement either by saw cutting or milling to expose firm and unyielding pavement, prepare subgrade (as needed), and install compacted asphalt concrete pavement over prepared subgrade per 301-1, "Subgrade Preparation".
9. Base repairs shall not exceed 20% RAP in content.

302-3.1 Asphalt Patching. To the "WHITEBOOK", item 4, DELETE in its entirety.

302-3.2 Payment. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

1. The payment for the preparatory works shall be included in the Contract Unit Bid Item for which preparation works are performed, unless it is specified as a separate Bid Item.
2. The areas and quantities shown on the road segments and in the appendices are given only for the Contractor's aid in planning the Work and preparing Bids. The Engineer will designate the limits to be removed and prepared and these designated areas shall be considered to take precedent over the areas shown in an Appendix to the Contract Documents. The quantities shown in the appendices are based on a street assessment survey and may vary. No payment shall be made for areas of over excavation as determined by the Engineer.
3. At the end of each day the Contractor shall submit to the Engineer an itemized list of the asphalt pavement and base repair work completed. The list shall include the location of the work, the exact square footage of the repair, tons of asphalt placed, and tons of base material placed.
4. Asphalt pavement repair, including both mill & paves and base repair dig-outs, shall be paid at the Contract unit price per ton for "Asphalt Pavement Repair". No Payment shall be made for areas of over excavation as determined by the Engineer.
5. The payment for preparatory repair asphalt works shall be paid at the Contract Unit Price for "Asphalt Pavement Repair" and "Class II Base", per 301-2.4 "Measurement and Payment", for each ton placed and includes milling, grinding, hauling, disposal or saw cutting of existing pavement, tree trimming, tack coating, compaction, and all other necessary work related to asphalt pavement installation.

No additional payment shall be made for milling, grinding, or saw cutting concrete, pavement fabric, rubberized material, steel reinforcement, or any other material.

6. Miscellaneous asphalt patching and tack coat shall be included in the unit price for Bid Item "Asphalt Pavement Repair" and no additional payment shall be made therefore regardless of number and location of patches.

302-4.12.2.1 General. To the "WHITEBOOK", ADD the following:

3. When Type I is to be applied over Type II slurry, or Type II is to be applied over Type III slurry, corrective action in accordance with 302-4.11.1.2, "Reduction in Payment Based on WTAT" such as reductions in payment, non-payment, or removal of material not meeting specifications, as directed by the Engineer, shall be executed prior to the application of the surface material.
4. Where multiple layers of RPMS are specified, the first layer, regardless of Type, shall be placed a minimum of 1' from concrete gutters.

302-4.12.4 Measurement and Payment. To the "WHITEBOOK", item 2, DELETE in its entirety and SUBSTITUTE with the following:

2. The payment of RPMS shall be the total square footage used on the project calculated using the method described and shall be paid under the following Bid Items:

BID DESCRIPTION	UNIT
Rubber Polymer Modified Slurry (RPMS) Type I (Select Streets)	SF
Rubber Polymer Modified Slurry (RPMS) Type I (Bike Lane)	SF
Rubber Polymer Modified Slurry (RPMS) Type II	SF
Rubber Polymer Modified Slurry (RPMS) Type I Over Type II	SF
Rubber Polymer Modified Slurry (RPMS) Type II Over Type III	SF

The Bid Items for RPMS shall include full compensation for the specified surface preparation not included in other Bid items and shall include the Work necessary to construct the RPMS as specified in the Contract Documents. Sweeping, removals, and furnishing the aggregate required for the mix design shall be included in these Bid Items. The removal, replacement and installation for thermoplastic striping, traffic striping, markers, markings and devices shall be paid under the separate Bid Item for "Remove, Replace & Install Traffic Striping, Markers, Markings & Devices."

- 302-5.9 Measurement and Payment.** To the "WHITEBOOK", item 2, DELETE in its entirety.
- 302-7.4 Payment.** To the "WHITEBOOK", item 1, last sentence, DELETE in its entirety and SUBSTITUTE with the following:
Payment shall not be made for additional fabric for overlapped areas.
- 302-14.5 Payment.** To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:
Crack seal installed will be paid at the Contract unit price per linear foot for "Crack Seal".

SECTION 304 -METAL FABRICATION AND CONSTRUCTION

- 304-5 PAYMENT.** To the "WHITEBOOK", REVISE section "304-5" to "304-6".

SECTION 314 - TRAFFIC STRIPING, CURB AND PAVEMENT MARKINGS, AND PAVEMENT MARKERS

- 314-1 GENERAL.** To the "GREENBOOK", ADD the following:
All crosswalks required for this contract shall be in conformance with Standard Drawing SDM-116 for Continental Crosswalks.

The Contractor shall install all traffic striping, pavement markings, pavement markers and devices within 31 calendar days after the last coat of slurry has been applied in accordance with current standards regardless of the existing conditions and installation will include the proposed striping modifications as identified in the Contract Document. All striping modifications shall be coordinated by the Engineer.
- 314-2.3 Payment.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:
See 314-5.7.
- 314-3.3 Payment.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:
See 314-5.7.
- 314-4.3.7 Payment.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:
See 314-5.7.
- 314-4.4.6 Payment.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:
See 314-5.7.
- 314-5.7 Payment.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:
All work, materials, labor, costs, and time associated with removing traffic striping, pavement markings and thermoplastics, removal of pavement markers and devices, installing painted traffic striping and markings, installing thermoplastics, replacement and installation of new pavement markers and devices shall be included in the lump sum bid item for "Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices" regardless of amount installed.

Payment for delineators and other traffic control facilities and devices not included in other bid items shall be included in the Contract lump sum price for "Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices" regardless of amount installed.

SECTION 601 – TEMPORARY TRAFFIC CONTROL FOR CONSTRUCTION AND MAINTENANCE WORK ZONES

601-2.1.4 Traffic Control for Resurfacing and Slurry Sealing. To the "WHITEBOOK", Item 6, ADD the following:

The "NO PARKING – TOW AWAY ZONE" shall include "NO DRIVING" on streets that are closed to all traffic during construction. For each street segment, in addition to resurfacing and slurry sealing, the Contractor shall post "NO PARKING" signs for any required preparatory work such as, but not limited to, asphalt pavement repair (mill & pave and dig-out), crack seal, and tree trimming.

601-6 PAYMENT. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

1. The payment for all temporary traffic control Work, including any traffic control devices that may be required by the City, shall be made at the Contract lump sum price for "Traffic Control Including Plans & Permits."
2. No separate or additional payment shall be made for the following: operation, maintenance, repair, or replacement of Temporary Traffic Control (TTC) zone devices; all traffic control devices, required signs, notices, and detours; Work Drawings, Traffic Control Plans: labor; and traffic control for grinding, resurfacing, striping, loop installation, and any other material relating to traffic control work.

EQUAL OPPORTUNITY CONTRACTING PROGRAM (EOCP) SECTION A – GENERAL REQUIREMENTS

4.1 Nondiscrimination in Contracting Ordinance. To the "WHITEBOOK", subsection 4.1.1, paragraph (2), sentence (1), DELETE in its entirety and SUBSTITUTE with the following:

You shall not discriminate on the basis of race, gender, gender expression, gender identity, religion, national origin, ethnicity, sexual orientation, age, or disability in the solicitation, selection, hiring, or treatment of subcontractors, vendors, or suppliers.

END OF SUPPLEMENTARY SPECIAL PROVISIONS (SSP)

APPENDIX E

SUPPLEMENTARY SPECIAL PROVISIONS APPENDICES

APPENDIX A
NOTICE OF EXEMPTION

NOTICE OF EXEMPTION

(Check one or both)

TO: X RECORDER/COUNTY CLERK
P.O. BOX 1750, MS A-33
1600 PACIFIC HWY, ROOM 260
SAN DIEGO, CA 92101-2422

FROM: CITY OF SAN DIEGO
PLANNING DEPARTMENT
1010 2ND AVENUE, SUITE 1200
EAST TOWER, MS 413
SAN DIEGO, CA 92101

 OFFICE OF PLANNING AND RESEARCH
1400 TENTH STREET, ROOM 121
SACRAMENTO, CA 95814

PROJECT NO.: N/A

PROJECT TITLE: Slurry Seal Group 1802

PROJECT LOCATION-SPECIFIC: City of San Diego: City Heights, College Area, Eastern Area, Encanto, North Park, Linda Vista, Normal Heights, San Ysidro, Skyline-Paradise Hills, Uptown. Within Council Districts 3, 4, 7, 8, 9.

PROJECT LOCATION- SEE ATTACHMENT A "LOCATION LIST" FOR SPECIFIC LOCATIONS.

DESCRIPTION OF PROJECT: The project involves furnishing all labor, materials, equipment, services, and construction related to slurry seal work on existing paved roadways in various areas throughout the City of San Diego. Additional work includes; placement of rubber polymer modified slurry (RPMS), crack sealing, removal of humps & pavement irregularities, asphalt mill and pave, and dig outs, pavement base repairs, replacing traffic signal detection loops and stub outs, adjusting existing City manhole frames and covers to grade, street and sidewalk sweeping, removal and replacement of existing thermoplastic striping and markings/legends, traffic control drawings & permits, storm drain inlet protection, installation of inlet markers, sediment control, and possible night and weekend work. All work would occur within the public right-of-way (paved streets) or previously disturbed non-sensitive areas only, and outside of the City's Multiple Habitat Planning Area (MHPA). No sensitive vegetation would be impacted or removed. Storm Water Best Management Practices (BMPs) for erosion control preventing discharge, as well as Traffic Control Plan (TCP) would be implemented throughout construction.

NAME OF PUBLIC AGENCY APPROVING PROJECT: City of San Diego

NAME OF PERSON OR AGENCY CARRYING OUT PROJECT: City of San Diego, Transportation & Storm Water - Street Division; Contact: MD Rahman, Assistant Engineer - Civil; 2781 Caminito Chollas, San Diego, CA, (619) 527-8073.

EXEMPT STATUS: (CHECK ONE)

- MINISTERIAL (_____)
- DECLARED EMERGENCY [SEC. 15269 (A)]
- EMERGENCY PROJECT [SEC. 15269 (B) AND (C)]
- CATEGORICAL EXEMPTION: SECTION 15301 (EXISTING FACILITIES)
- OTHER:

REASONS WHY PROJECT IS EXEMPT: The City of San Diego conducted an environmental review and determined the project is exempt from CEQA pursuant to State CEQA Guidelines Section 15301, Existing Facilities which allows for, among other activities, minor alteration of existing public or private facilities, involving negligible or no expansion of use, such as work for existing highways and streets, sidewalks, gutters, bicycle and pedestrian trails, including grading rights of way for the purpose of public safety; and where the exceptions listed in CEQA Section 15300.2 would not apply in that no cumulative impacts were identified; no significant effect on the environment were identified; the project is not adjacent to a scenic highway; no historical resources would be affected by the action.

As to the exception for hazardous materials there are locations listed on GeoTracker and EnviroStor, these locations are within 1,000 feet of to the right-of-way at 4479 University Ave, 4704 Federal Blvd, 4405 Home Ave, 6301 El Cajon Blvd, 5901 El Cajon Blvd, 6992 El Cajon Blvd, 7003 El Cajon Blvd, 7006 El Cajon Blvd, 5404 El Cajon Blvd, 5446 El Cajon Blvd, 2101 Adams Ave, 2821 Adams Ave, and 4676 Felton St. The sites are listed as a closed underground tank cases on GeoTracker. In addition there is a completed school clean-up site listed on EnviroStor located at Mountain View Dr./Edna Pl. While the locations are listed there are no open environmental cases of known hazardous material contamination that would be disturbed which would otherwise preclude use of a CEQA exemption pursuant to Section 65962.5 of the Government Code.

CONTACT PERSON: Myra Herrmann, Senior Planner

TELEPHONE: (619) 446-5372

IF FILED BY APPLICANT:

1. ATTACH CERTIFIED DOCUMENT OF EXEMPTION FINDING.
2. HAS A NOTICE OF EXEMPTION BEEN FILED BY THE PUBLIC AGENCY APPROVING THE PROJECT?
(X) YES () NO



SENIOR PLANNER

SEPTEMBER 18, 2017

SIGNATURE/TITLE

DATE

CHECK ONE:

- (X) SIGNED BY LEAD AGENCY
() SIGNED BY APPLICANT

DATE RECEIVED FOR FILING:

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-001238	52ND ST	OTILIE PL	POLK AV	9	CITY HEIGHTS	No
SS-001237	52ND ST	POLK AV	ORANGE AV	9	CITY HEIGHTS	No
SS-006905	CHAMOUNE AV	DWIGHT ST	LANDIS ST	9	CITY HEIGHTS	No
SS-001117	47TH ST	DWIGHT ST	LANDIS ST	9	CITY HEIGHTS	No
SS-001239	52ND ST	52ND PL	OTILIE PL	9	CITY HEIGHTS	No
SS-001233	52ND PL	52ND ST	END	9	CITY HEIGHTS	No
SS-001219	51ST ST	OTILIE PL	POLK AV	9	CITY HEIGHTS	No
SS-001075	45TH ST	WIGHTMAN ST	UNIVERSITY AV	9	CITY HEIGHTS	Yes**
SS-018061	MENLO AV	DWIGHT ST	LANDIS ST	9	CITY HEIGHTS	No
SS-020800	OTILIE PL	51ST ST	52ND ST	9	CITY HEIGHTS	No
SS-001122	47TH ST	FEDERAL BL	FAIRMOUNT AV	4	CITY HEIGHTS	Yes**
SS-001121	47TH ST	FAIRMOUNT AV	CHOLLAS PY	4	CITY HEIGHTS	No
SS-010812	FAIRMOUNT AV	47TH ST	RIDGE VIEW DR	9	CITY HEIGHTS	No
SS-010811	FAIRMOUNT AV	RIDGE VIEW DR	HOME AV	9	CITY HEIGHTS	Yes*
SS-001399	60TH ST	ADAMS AV	END	9	COLLEGE AREA	No
SS-024343	SARANAC ST	CITY BOUNDARY	73RD ST	9	COLLEGE AREA	No
SS-025238	SORIA DR	ADAMS AV	AROSA ST	9	COLLEGE AREA	No
SS-025239	SORIA DR	COLLEGE AV	ADAMS AV	9	COLLEGE AREA	No
SS-009981	EL CAJON BL	ALICE ST	59TH ST	9	EASTERN AREA	No
SS-009979	EL CAJON BL	ESTHER ST	60TH ST	9	EASTERN AREA	No
SS-009973	EL CAJON BL	63RD ST	CHOCTAW DR	9	EASTERN AREA	Yes**
SS-009983	EL CAJON BL	58TH ST	58TH ST	9	EASTERN AREA	No
SS-009970	EL CAJON BL	ART ST	FILIPO ST	9	EASTERN AREA	No
SS-001487	67TH ST	AMHERST ST	AMHERST ST	9	EASTERN AREA	No
SS-002376	AMHERST ST	EL CAJON BL	67TH ST	9	EASTERN AREA	No
SS-010960	FEDERAL BL	47TH ST	48TH ST	4	EASTERN AREA	Yes**
SS-009980	EL CAJON BL	59TH ST	ESTHER ST	9	EASTERN AREA	Yes**
SS-009986	EL CAJON BL	55TH ST	56TH ST	9	EASTERN AREA	No
SS-009961	EL CAJON BL	69TH ST	70TH ST	9	EASTERN AREA	Yes*

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-009987	EL CAJON BL	DAYTON ST	55TH ST	9	EASTERN AREA	No
SS-009976	EL CAJON BL	COLLEGE AV	62ND ST	9	EASTERN AREA	No
SS-009978	EL CAJON BL	60TH ST	60TH ST	9	EASTERN AREA	No
SS-009958	EL CAJON BL	72ND ST	HARBINSON AV	9	EASTERN AREA	No
SS-009960	EL CAJON BL	70TH ST	71ST ST	9	EASTERN AREA	Yes**
SS-009972	EL CAJON BL	CHOCTAW DR	ART ST	9	EASTERN AREA	No
SS-001496	67TH ST	AMHERST ST	EL CAJON BL	9	EASTERN AREA	No
SS-009957	EL CAJON BL	HARBINSON AV	73RD ST	9	EASTERN AREA	No
SS-009977	EL CAJON BL	60TH ST	COLLEGE AV	9	EASTERN AREA	No
SS-009975	EL CAJON BL	62ND ST	63RD ST	9	EASTERN AREA	No
SS-009982	EL CAJON BL	58TH ST	ALICE ST	9	EASTERN AREA	No
SS-009985	EL CAJON BL	56TH ST	EL CERRITO DR	9	EASTERN AREA	No
SS-009989	EL CAJON BL	54TH ST	BERTING ST	9	EASTERN AREA	Yes**
SS-010950	FEDERAL BL	48TH ST	DUVAL ST	4	EASTERN AREA	No
SS-009959	EL CAJON BL	71ST ST	72ND ST	9	EASTERN AREA	No
SS-010951	FEDERAL BL	DUVAL ST	49TH ST	4	EASTERN AREA	No
SS-009984	EL CAJON BL	EL CERRITO DR	58TH ST	9	EASTERN AREA	No
SS-009988	EL CAJON BL	BERTING ST	DAYTON ST	9	EASTERN AREA	Yes**
SS-016570	LIROPE ST	HONEYSUCKLE LN	PLAZA BL	4	ENCANTO	No
SS-001734	ADAMS AV	LOUISIANA ST	TEXAS ST	3	NORTH PARK	No
SS-001762	ADAMS AV	MISSISSIPPI ST	LOUISIANA ST	3	NORTH PARK	No
SS-001761	ADAMS AV	ALABAMA ST	MISSISSIPPI ST	3	NORTH PARK	Yes**
SS-001768	ADAMS AV	KANSAS ST	30TH ST	3	NORTH PARK	No
SS-001765	ADAMS AV	OREGON ST	IDAHO ST	3	NORTH PARK	No
SS-001735	ADAMS AV	TEXAS ST	ARIZONA ST	3	NORTH PARK	No
SS-001767	ADAMS AV	UTAH ST	KANSAS ST	3	NORTH PARK	No
SS-001766	ADAMS AV	IDAHO ST	UTAH ST	3	NORTH PARK	Yes**
SS-001776	ADAMS AV	FLORIDA ST	ALABAMA ST	3	NORTH PARK	No
SS-001764	ADAMS AV	HAMILTON ST	OREGON ST	3	NORTH PARK	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-001736	ADAMS AV	ARIZONA ST	ARIZONA ST	3	NORTH PARK	No
SS-001763	ADAMS AV	ARIZONA ST	HAMILTON ST	3	NORTH PARK	No
SS-012276	GLIDDEN ST	BURTON ST	COOLIDGE ST	7	LINDA VISTA	No
SS-012279	GLIDDEN ST	LINDA VISTA RD	BURTON ST	7	LINDA VISTA	No
SS-010261	ELMORE ST	BEGIN	ACHESON ST	7	LINDA VISTA	No
SS-010260	ELMORE ST	ACHESON ST	BURTON ST	7	LINDA VISTA	No
SS-012277	GLIDDEN ST	COOLIDGE ST	END	7	LINDA VISTA	No
SS-005182	BURTON ST	ACHESON ST	GLIDDEN ST	7	LINDA VISTA	No
SS-007883	COOLIDGE ST	FITCH CT	GLIDDEN ST	7	LINDA VISTA	No
SS-011158	FITCH CT	COOLIDGE ST	END	7	LINDA VISTA	No
SS-005183	BURTON ST	ELMORE ST	ACHESON ST	7	LINDA VISTA	No
SS-005184	BURTON ST	COOLIDGE ST	ELMORE ST	7	LINDA VISTA	No
SS-007884	COOLIDGE ST	BURTON ST	FITCH CT	7	LINDA VISTA	No
SS-008039	CORSICA WY	BORANA ST	CORSICA ST	7	LINDA VISTA	No
SS-012270	GLIDDEN CT	GLIDDEN LN	END	7	LINDA VISTA	No
SS-025279	SOUTH ELMAN ST	NORTH ELMAN ST	DRESCHER ST	7	LINDA VISTA	No
SS-012278	GLIDDEN ST	BEGIN	CORSICA ST	7	LINDA VISTA	No
SS-012412	GOODWIN ST	BEGIN	WEST DRESCHER ST	7	LINDA VISTA	No
SS-028458	WEST DRESCHER ST	GOODWIN ST	DRESCHER ST	7	LINDA VISTA	No
SS-009467	DRESCHER ST	KRAMER ST	GOODWIN ST	7	LINDA VISTA	No
SS-012272	GLIDDEN LN	BEGIN	GLIDDEN CT	7	LINDA VISTA	No
SS-026095	TAIT ST	BEGIN	KELLY ST	7	LINDA VISTA	No
SS-012275	GLIDDEN ST	ALCALA KNOLLS DR	LINDA VISTA RD	7	LINDA VISTA	No
SS-008037	CORSICA WY	VIA MADRINA ST	BORANA ST	7	LINDA VISTA	No
SS-015052	KELLY ST	KELLY PL	JACOBS WY	7	LINDA VISTA	No
SS-009468	DRESCHER ST	WEST DRESCHER ST	KRAMER ST	7	LINDA VISTA	No
SS-008034	CORSICA ST	GLIDDEN ST	END	7	LINDA VISTA	No
SS-015051	KELLY ST	JACOBS WY	DRESCHER ST	7	LINDA VISTA	No
SS-012273	GLIDDEN ST	CORSICA ST	GLIDDEN CT	7	LINDA VISTA	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-015049	KELLY ST	TAIT ST	KELLY PL	7	LINDA VISTA	No
SS-015050	KELLY ST	DRESCHER ST	COMSTOCK ST	7	LINDA VISTA	No
SS-012413	GOODWIN ST	WEST DRESCHER ST	DRESCHER ST	7	LINDA VISTA	No
SS-026099	TAIT ST	KELLY ST	DRESCHER ST	7	LINDA VISTA	No
SS-009463	DRESCHER ST	TAIT ST	KELLY ST	7	LINDA VISTA	No
SS-012274	GLIDDEN ST	GLIDDEN CT	ALCALA KNOLLS DR	7	LINDA VISTA	No
SS-012271	GLIDDEN CT	GLIDDEN ST	GLIDDEN LN	7	LINDA VISTA	No
SS-008035	CORSICA ST	CORSICA WY	GLIDDEN ST	7	LINDA VISTA	No
SS-008036	CORSICA ST	ALCALA KNOLLS DR	CORSICA WY	7	LINDA VISTA	No
SS-009466	DRESCHER ST	GOODWIN ST	SOUTH ELMAN ST	7	LINDA VISTA	No
SS-020056	NORTH ELMAN ST	SOUTH ELMAN ST	DRESCHER ST	7	LINDA VISTA	No
SS-004585	BORANA ST	ALCALA KNOLLS DR	CORSICA WY	7	LINDA VISTA	No
SS-026092	TAIT ST	DRESCHER ST	LINDA VISTA RD	7	LINDA VISTA	No
SS-008038	CORSICA WY	BEGIN	VIA MADRINA ST	7	LINDA VISTA	No
SS-000919	38TH ST	WARD RD	EAST MTN VIEW DR	3	NORMAL HEIGHTS	No
SS-001721	ADAMS AV	CHEROKEE AV	EAST MTN VIEW DR	3	NORMAL HEIGHTS	No
SS-009766	EAST MTN VIEW DR	38TH ST	ADAMS AV	3	NORMAL HEIGHTS	No
SS-007611	COLLIER AV	WILSON AV	EAST MTN VIEW DR	3	NORMAL HEIGHTS	No
SS-009763	EAST MTN VIEW DR	MERIVALE AV	BELMONT AV	3	NORMAL HEIGHTS	No
SS-011013	FELTON ST	MADISON AV	ADAMS AV	3	NORMAL HEIGHTS	Yes**
SS-001712	ADAMS AV	BANCROFT ST	33RD ST	3	NORMAL HEIGHTS	No
SS-001720	ADAMS AV	36TH ST	CHEROKEE AV	3	NORMAL HEIGHTS	No
SS-001714	ADAMS AV	FELTON ST	34TH ST	3	NORMAL HEIGHTS	No
SS-010991	FELTON ST	MONROE AV	MADISON AV	3	NORMAL HEIGHTS	No
SS-009934	EDNA PL	38TH ST	39TH ST	3	NORMAL HEIGHTS	No
SS-009764	EAST MTN VIEW DR	ADAMS AV	MERIVALE AV	3	NORMAL HEIGHTS	No
SS-009771	EAST MTN VIEW DR	COPLEY AV	COPLEY AV	3	NORMAL HEIGHTS	No
SS-000902	36TH ST	ADAMS AV	EAST MTN VIEW DR	3	NORMAL HEIGHTS	No
SS-009770	EAST MTN VIEW DR	COPLEY AV	35TH ST	3	NORMAL HEIGHTS	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-007628	COLLIER AV	35TH ST	WILSON AV	3	NORMAL HEIGHTS	No
SS-001710	ADAMS AV	32ND ST	BANCROFT ST	3	NORMAL HEIGHTS	No
SS-001722	ADAMS AV	EAST MTN VIEW DR	39TH ST	3	NORMAL HEIGHTS	No
SS-009773	EAST MTN VIEW DR	BELMONT AV	CHEROKEE AV	3	NORMAL HEIGHTS	No
SS-001719	ADAMS AV	WILSON AV	36TH ST	3	NORMAL HEIGHTS	No
SS-009767	EAST MTN VIEW DR	CHEROKEE AV	38TH ST	3	NORMAL HEIGHTS	No
SS-001709	ADAMS AV	IOWA ST	32ND ST	3	NORMAL HEIGHTS	No
SS-001724	ADAMS AV	39TH ST	BONNIE CT	3	NORMAL HEIGHTS	No
SS-001713	ADAMS AV	33RD ST	FELTON ST	3	NORMAL HEIGHTS	No
SS-003496	BANCROFT ST	MADISON AV	ADAMS AV	3	NORMAL HEIGHTS	No
SS-009759	EAST MTN VIEW DR	ALEXIA PL	COPLEY AV	3	NORMAL HEIGHTS	No
SS-003467	BANCROFT ST	MONROE AV	MADISON AV	3	NORMAL HEIGHTS	No
SS-003468	BANCROFT ST	MEADE AV	MONROE AV	3	NORMAL HEIGHTS	No
SS-000963	39TH ST	EDNA PL	ADAMS AV	3	NORMAL HEIGHTS	Yes**
SS-030713	CORAL CREST WY	CORAL GATE LN	CORAL SHORES CT	8	SAN YSIDRO	No
SS-030720	SIPES LN	CORAL GATE LN	CAM DE LA PLAZA	8	SAN YSIDRO	No
SS-030496	QUILALANG CT	ANELLA RD	END	8	SAN YSIDRO	No
SS-030488	LYNCH LN	GLANCY DR	NAYLOR RD	8	SAN YSIDRO	No
SS-017231	MAGUIRE RD	HIRES WY	ELLINGER PL	8	SAN YSIDRO	No
SS-014532	JANSE WY	GLANCY DR	NAYLOR RD	8	SAN YSIDRO	No
SS-030490	OKEEFE ST	ANELLA RD	END	8	SAN YSIDRO	No
SS-026832	TRIDLE WY	NAYLOR RD	OKEEFE ST	8	SAN YSIDRO	No
SS-029037	WITTMAN WY	ANELLA RD	END	8	SAN YSIDRO	No
SS-014530	JANSE WY	OKEEFE ST	WITTMAN WY	8	SAN YSIDRO	No
SS-025051	SIPES LN	ANELLA RD	CORAL GATE LN	8	SAN YSIDRO	No
SS-029035	WITTMAN WY	TRIDLE WY	SIPES LN	8	SAN YSIDRO	No
SS-008843	DEAVER LN	HIRES WY	MAGUIRE RD	8	SAN YSIDRO	No
SS-020386	OKEEFE ST	BEGIN	JANSE WY	8	SAN YSIDRO	No
SS-030715	CORAL SHORES CT	BEGIN	CORAL GATE LN	8	SAN YSIDRO	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-020387	OKEEFE ST	JANSE WY	TRIDLE WY	8	SAN YSIDRO	No
SS-029032	WITTMAN WY	BEGIN	JANSE WY	8	SAN YSIDRO	No
SS-030487	GLANCY DR	LYNCH LN	END	8	SAN YSIDRO	No
SS-005730	CAM DE LA PLAZA	DAIRY MART RD	BIBLER DR	8	SAN YSIDRO	No
SS-004203	BIBLER DR	DEAVER LN	ANELLA RD	8	SAN YSIDRO	No
SS-019740	NAYLOR RD	TRIDLE WY	LYNCH LN	8	SAN YSIDRO	No
SS-002453	ANELLA RD	JANSE WY	FIX CT	8	SAN YSIDRO	No
SS-010185	ELLINGER PL	BEGIN	MAGUIRE RD	8	SAN YSIDRO	No
SS-026831	TRIDLE WY	OKEEFE ST	WITTMAN WY	8	SAN YSIDRO	No
SS-014529	JANSE WY	WITTMAN WY	ANELLA RD	8	SAN YSIDRO	No
SS-029033	WITTMAN WY	JANSE WY	KANEKO CT	8	SAN YSIDRO	No
SS-004204	BIBLER DR	NAYLOR RD	DEAVER LN	8	SAN YSIDRO	No
SS-005728	CAM DE LA PLAZA	BIBLER DR	SIPES LN	8	SAN YSIDRO	No
SS-030711	CORAL GATE LN	SIPES LN	CORAL CREST WY	8	SAN YSIDRO	No
SS-013612	HIRES WY	DEAVER LN	MAGUIRE RD	8	SAN YSIDRO	No
SS-005735	CAM DE LA PLAZA	SIPES LN	WILLOW RD	8	SAN YSIDRO	No
SS-030712	CORAL SHORES CT	CORAL CREST WY	END	8	SAN YSIDRO	No
SS-025050	SIPES LN	WITTMAN WY	ANELLA RD	8	SAN YSIDRO	No
SS-002455	ANELLA RD	SIPES LN	WITTMAN WY	8	SAN YSIDRO	No
SS-019738	NAYLOR RD	BIBLER DR	JANSE WY	8	SAN YSIDRO	No
SS-029034	WITTMAN WY	KANEKO CT	TRIDLE WY	8	SAN YSIDRO	No
SS-012183	GLANCY DR	TRIDLE WY	LYNCH LN	8	SAN YSIDRO	No
SS-012182	GLANCY DR	JANSE WY	TRIDLE WY	8	SAN YSIDRO	No
SS-004205	BIBLER DR	CAM DE LA PLAZA	NAYLOR RD	8	SAN YSIDRO	No
SS-030491	WITTMAN WY	SIPES LN	ANELLA RD	8	SAN YSIDRO	No
SS-017230	MAGUIRE RD	ELLINGER PL	DEAVER LN	8	SAN YSIDRO	No
SS-026833	TRIDLE WY	GLANCY DR	NAYLOR RD	8	SAN YSIDRO	No
SS-020388	OKEEFE ST	TRIDLE WY	ANELLA RD	8	SAN YSIDRO	No
SS-030716	CORAL SHORES CT	CORAL GATE LN	CORAL CREST WY	8	SAN YSIDRO	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-012181	GLANCY DR	BEGIN	JANSE WY	8	SAN YSIDRO	No
SS-002452	ANELLA RD	BIBLER DR	JANSE WY	8	SAN YSIDRO	No
SS-013611	HIRES WY	BEGIN	DEAVER LN	8	SAN YSIDRO	No
SS-014531	JANSE WY	NAYLOR RD	OKEEFE ST	8	SAN YSIDRO	No
SS-008844	DEAVER LN	MAGUIRE RD	BIBLER DR	8	SAN YSIDRO	No
SS-019739	NAYLOR RD	JANSE WY	TRIDLE WY	8	SAN YSIDRO	No
SS-014904	KANEKO CT	WITTMAN WY	END	8	SAN YSIDRO	No
SS-030714	CORAL GATE LN	CORAL CREST WY	CORAL SHORES CT	8	SAN YSIDRO	No
SS-014528	JANSE WY	ANELLA RD	END	8	SAN YSIDRO	No
SS-002454	ANELLA RD	FIX CT	SIPES LN	8	SAN YSIDRO	No
SS-030489	NAYLOR RD	LYNCH LN	ANELLA RD	8	SAN YSIDRO	No
SS-030495	ANELLA RD	QUILALANG CT	NAYLOR RD	8	SAN YSIDRO	No
SS-002456	ANELLA RD	WITTMAN WY	QUILALANG CT	8	SAN YSIDRO	No
SS-011159	FIX CT	BEGIN	ANELLA RD	8	SAN YSIDRO	No
SS-030176	BULLOCK DR	GALLEGOS TR	DUARTE PL	4	SKYLINE-PARADISE HILLS	No
SS-008176	CRABTREE ST	HOVANEC ST	GILMARTIN DR	4	SKYLINE-PARADISE HILLS	No
SS-013179	HAUSER ST	GALLEGOS TR	DUARTE PL	4	SKYLINE-PARADISE HILLS	No
SS-011782	GALLEGOS TR	HAUSER ST	BULLOCK DR	4	SKYLINE-PARADISE HILLS	No
SS-021137	PARADISE MESA RD	PARADISE RIDGE RD	JOUGLARD ST	4	SKYLINE-PARADISE HILLS	No
SS-030172	BULLOCK DR	HERRERA CT	GILMARTIN DR	4	SKYLINE-PARADISE HILLS	No
SS-012139	GILMARTIN DR	BULLOCK DR	CRABTREE ST	4	SKYLINE-PARADISE HILLS	No
SS-007850	CONTRERAS CT	BEGIN	BULLOCK DR	4	SKYLINE-PARADISE HILLS	No
SS-021141	PARADISE RIDGE RD	PARADISE MESA RD	HOVANEC ST	4	SKYLINE-PARADISE HILLS	No
SS-012140	GILMARTIN DR	CRABTREE ST	PARADISE CREST VIEW WY	4	SKYLINE-PARADISE HILLS	No
SS-030174	BULLOCK DR	BLANFORD ST	CONTRERAS CT	4	SKYLINE-PARADISE HILLS	No
SS-012143	GILMARTIN DR	JOUGLARD ST	PLAZA RIDGE RD	4	SKYLINE-PARADISE HILLS	No
SS-014688	JOUGLARD ST	GILMARTIN DR	PLAZA CREST RIDGE RD	4	SKYLINE-PARADISE HILLS	No
SS-013394	HERRERA CT	BEGIN	BULLOCK DR	4	SKYLINE-PARADISE HILLS	No
SS-013800	HOVANEC ST	CRABTREE ST	PARADISE RIDGE RD	4	SKYLINE-PARADISE HILLS	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-009485	DUARTE PL	HAUSER ST	BULLOCK DR	4	SKYLINE-PARADISE HILLS	No
SS-013132	HARTWELL CT	BEGIN	ELSBERRY ST	4	SKYLINE-PARADISE HILLS	No
SS-030178	BULLOCK DR	GILMARTIN DR	FREED MANOR LN	4	SKYLINE-PARADISE HILLS	No
SS-008178	CRABTREE ST	DIVISION ST	BLANFORD ST	4	SKYLINE-PARADISE HILLS	No
SS-011781	GALLEGOS TR	BEGIN	HAUSER ST	4	SKYLINE-PARADISE HILLS	No
SS-021951	PLAZA RIDGE RD	PARADISE MESA RD	GILMARTIN DR	4	SKYLINE-PARADISE HILLS	No
SS-021293	PARKLAND WY	FREED MANOR LN	OSTERLING CT	4	SKYLINE-PARADISE HILLS	No
SS-014690	JOUGLARD ST	DILLARD ST	JESTER ST	4	SKYLINE-PARADISE HILLS	No
SS-011327	FORSBERG CT	BEGIN	ELSBERRY ST	4	SKYLINE-PARADISE HILLS	No
SS-030175	BULLOCK DR	DUARTE PL	BLANFORD ST	4	SKYLINE-PARADISE HILLS	No
SS-030177	BULLOCK DR	DIVISION ST	GALLEGOS TR	4	SKYLINE-PARADISE HILLS	No
SS-008177	CRABTREE ST	BLANFORD ST	HOVANEC ST	4	SKYLINE-PARADISE HILLS	No
SS-006645	CASTEEL CT	DIVISION ST	END	4	SKYLINE-PARADISE HILLS	No
SS-014687	JOUGLARD ST	JESTER ST	PARADISE MESA RD	4	SKYLINE-PARADISE HILLS	No
SS-014689	JOUGLARD ST	PARADISE MESA RD	GILMARTIN DR	4	SKYLINE-PARADISE HILLS	No
SS-021928	PLAZA CREST RIDGE RD	PARADISE CREST VIEW WY	JOUGLARD ST	4	SKYLINE-PARADISE HILLS	No
SS-021952	PLAZA RIDGE RD	GILMARTIN DR	END	4	SKYLINE-PARADISE HILLS	No
SS-012153	GINSBERG CT	BEGIN	ELSBERRY ST	4	SKYLINE-PARADISE HILLS	No
SS-012142	GILMARTIN DR	PARADISE RIDGE RD	JOUGLARD ST	4	SKYLINE-PARADISE HILLS	No
SS-004411	BLANFORD ST	BEGIN	BULLOCK DR	4	SKYLINE-PARADISE HILLS	No
SS-030173	BULLOCK DR	CONTRERAS CT	HERRERA CT	4	SKYLINE-PARADISE HILLS	No
SS-021138	PARADISE MESA RD	JOUGLARD ST	PLAZA RIDGE RD	4	SKYLINE-PARADISE HILLS	No
SS-009484	DUARTE PL	BEGIN	HAUSER ST	4	SKYLINE-PARADISE HILLS	No
SS-008175	CRABTREE ST	GILMARTIN DR	END	4	SKYLINE-PARADISE HILLS	No
SS-004825	BRENNER WY	DILLARD ST	END	4	SKYLINE-PARADISE HILLS	No
SS-030171	BULLOCK DR	FREED MANOR LN	PARKLAND WY	4	SKYLINE-PARADISE HILLS	No
SS-010275	ELSBERRY ST	DILLARD ST	FORSBERG CT	4	SKYLINE-PARADISE HILLS	No
SS-004412	BLANFORD ST	BULLOCK DR	CRABTREE ST	4	SKYLINE-PARADISE HILLS	No
SS-021142	PARADISE RIDGE RD	HOVANEC ST	GILMARTIN DR	4	SKYLINE-PARADISE HILLS	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-021130	PARADISE CREST VIEW WY	GILMARTIN DR	PLAZA CREST RIDGE RD	4	SKYLINE-PARADISE HILLS	No
SS-010274	ELSBERRY ST	HARTWELL CT	DIVISION ST	4	SKYLINE-PARADISE HILLS	No
SS-011466	FREED MANOR LN	BULLOCK DR	PARKLAND WY	4	SKYLINE-PARADISE HILLS	No
SS-010273	ELSBERRY ST	FORSBERG CT	GINSBERG CT	4	SKYLINE-PARADISE HILLS	No
SS-010272	ELSBERRY ST	GINSBERG CT	HARTWELL CT	4	SKYLINE-PARADISE HILLS	No
SS-021290	PARKLAND WY	BULLOCK DR	FREED MANOR LN	4	SKYLINE-PARADISE HILLS	No
SS-012141	GILMARTIN DR	PARADISE CREST VIEW WY	PARADISE RIDGE RD	4	SKYLINE-PARADISE HILLS	No
SS-005984	CAMPUS AV	MONROE AV	MADISON AV	3	UPTOWN	No
SS-005983	CAMPUS AV	MADISON AV	GOLDEN GATE DR	3	UPTOWN	No
SS-001772	ADAMS AV	MISSION CLIFF DR	NORTH AV	3	UPTOWN	No
SS-001773	ADAMS AV	NORTH AV	PARK BL	3	UPTOWN	No
SS-001775	ADAMS AV	PARK BL	GEORGIA ST	3	UPTOWN	No
SS-001737	ADAMS AV	BEGIN	MISSION CLIFF DR	3	UPTOWN	No
SS-001777	ADAMS AV	GEORGIA ST	FLORIDA ST	3	UPTOWN	No

* Based on search on EnviroStor: <http://www.envirostor.dtsc.ca.gov/public/> and GeoTracker: <http://geotracker.waterboards.ca.gov>

** Individual sites on GeoTracker listed as closed cleanup sites for 4479 University Ave, 4704 Federal Blvd 4405 Home Ave, 6301 El Cajon Blvd, 5901 El Cajon Blvd, 6992 El Cajon Blvd, 7003 El Cajon Blvd, 7006 El Cajon Blvd, 5404 El Cajon Blvd, 5446 El Cajon Blvd, 2101 Adams Ave, 2821 Adams Ave, and 4676 Felton St. In addition EnviroStor lists a completed school clean up at Mountain View Dr/Edna Pl.

APPENDIX B
FIRE HYDRANT METER PROGRAM

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 1 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

1. **PURPOSE**

- 1.1 To establish a Departmental policy and procedure for issuance, proper usage and charges for fire hydrant meters.

2. **AUTHORITY**

- 2.1 All authorities and references shall be current versions and revisions.
- 2.2 San Diego Municipal Code (NC) Chapter VI, Article 7, Sections 67.14 and 67.15
- 2.3 Code of Federal Regulations, Safe Drinking Water Act of 1986
- 2.4 California Code of Regulations, Titles 17 and 22
- 2.5 California State Penal Code, Section 498B.0
- 2.6 State of California Water Code, Section 110, 500-6, and 520-23
- 2.7 Water Department Director

Reference

- 2.8 State of California Guidance Manual for Cross Connection Programs
- 2.9 American Water Works Association Manual M-14, Recommended Practice for Backflow Prevention
- 2.10 American Water Works Association Standards for Water Meters
- 2.11 U.S.C. Foundation for Cross Connection Control and Hydraulic Research Manual

3. **DEFINITIONS**

- 3.1 **Fire Hydrant Meter:** A portable water meter which is connected to a fire hydrant for the purpose of temporary use. (These meters are sometimes referred to as Construction Meters.)

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 2 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

3.2 **Temporary Water Use:** Water provided to the customer for no longer than twelve (12) months.

3.3 **Backflow Preventor:** A Reduced Pressure Principal Assembly connected to the outlet side of a Fire Hydrant Meter.

4. **POLICY**

4.1 The Water Department shall collect a deposit from every customer requiring a fire hydrant meter and appurtenances prior to providing the meter and appurtenances (see Section 7.1 regarding the Fees and Deposit Schedule). The deposit is refundable upon the termination of use and return of equipment and appurtenances in good working condition.

4.2 Fire hydrant meters will have a 2 ½" swivel connection between the meter and fire hydrant. The meter shall not be connected to the 4" port on the hydrant. All Fire Hydrant Meters issued shall have a Reduced Pressure Principle Assembly (RP) as part of the installation. Spanner wrenches are the only tool allowed to turn on water at the fire hydrant.

4.3 The use of private hydrant meters on City hydrants is prohibited, with exceptions as noted below. All private fire hydrant meters are to be phased out of the City of San Diego. All customers who wish to continue to use their own fire hydrant meters must adhere to the following conditions:

a. Meters shall meet all City specifications and American Water Works Association (AWWA) standards.

b. Customers currently using private fire hydrant meters in the City of San Diego water system will be allowed to continue using the meter under the following conditions:

1. The customer must submit a current certificate of accuracy and calibration results for private meters and private backflows annually to the City of San Diego, Water Department, Meter Shop.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 3 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

2. The meter must be properly identifiable with a clearly labeled serial number on the body of the fire hydrant meter. The serial number shall be plainly stamped on the register lid and the main casing. Serial numbers shall be visible from the top of the meter casing and the numbers shall be stamped on the top of the inlet casing flange.
3. All meters shall be locked to the fire hydrant by the Water Department, Meter Section (see Section 4.7).
4. All meters shall be read by the Water Department, Meter Section (see Section 4.7).
5. All meters shall be relocated by the Water Department, Meter Section (see Section 4.7).
6. These meters shall be tested on the anniversary of the original test date and proof of testing will be submitted to the Water Department, Meter Shop, on a yearly basis. If not tested, the meter will not be allowed for use in the City of San Diego.
7. All private fire hydrant meters shall have backflow devices attached when installed.
8. The customer must maintain and repair their own private meters and private backflows.
9. The customer must provide current test and calibration results to the Water Department, Meter Shop after any repairs.
10. When private meters are damaged beyond repair, these private meters will be replaced by City owned fire hydrant meters.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 4 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

11. When a private meter malfunctions, the customer will be notified and the meter will be removed by the City and returned to the customer for repairs. Testing and calibration results shall be given to the City prior to any re-installation.
 12. The register shall be hermetically sealed straight reading and shall be readable from the inlet side. Registration shall be in hundred cubic feet.
 13. The outlet shall have a 2 ½ "National Standards Tested (NST) fire hydrant male coupling.
 14. Private fire hydrant meters shall not be transferable from one contracting company to another (i.e. if a company goes out of business or is bought out by another company).
- 4.4 All fire hydrant meters and appurtenances shall be installed, relocated and removed by the City of San Diego, Water Department. All City owned fire hydrant meters and appurtenances shall be maintained by the City of San Diego, Water Department, Meter Services.
- 4.5 If any fire hydrant meter is used in violation of this Department Instruction, the violation will be reported to the Code Compliance Section for investigation and appropriate action. Any customer using a fire hydrant meter in violation of the requirements set forth above is subject to fines or penalties pursuant to the Municipal Code, Section 67.15 and Section 67.37.
- 4.6 **Conditions and Processes for Issuance of a Fire Hydrant Meter**
- Process for Issuance
- a. Fire hydrant meters shall only be used for the following purposes:
 1. Temporary irrigation purposes not to exceed one year.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 5 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

2. Construction and maintenance related activities (see Tab 2).
 - b. No customer inside or outside the boundaries of the City of San Diego Water Department shall resell any portion of the water delivered through a fire hydrant by the City of San Diego Water Department.
 - c. The City of San Diego allows for the issuance of a temporary fire hydrant meter for a period not to exceed 12 months (365 days). An extension can only be granted in writing from the Water Department Director for up to 90 additional days. A written request for an extension by the consumer must be submitted at least 30 days prior to the 12 month period ending. No extension shall be granted to any customer with a delinquent account with the Water Department. No further extensions shall be granted.
 - d. Any customer requesting the issuance of a fire hydrant meter shall file an application with the Meter Section. The customer must complete a "Fire Hydrant Meter Application" (Tab 1) which includes the name of the company, the party responsible for payment, Social Security number and/or California ID, requested location of the meter (a detailed map signifying an exact location), local contact person, local phone number, a contractor's license (or a business license), description of specific water use, duration of use at the site and full name and address of the person responsible for payment.
 - e. At the time of the application the customer will pay their fees according to the schedule set forth in the Rate Book of Fees and Charges, located in the City Clerk's Office. All fees must be paid by check, money order or cashiers check, made payable to the City Treasurer. Cash will not be accepted.
 - f. No fire hydrant meters shall be furnished or relocated for any customer with a delinquent account with the Water Department.
 - g. After the fees have been paid and an account has been created, the

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 6 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

meter shall be installed within 48 hours (by the second business day). For an additional fee, at overtime rates, meters can be installed within 24 hours (within one business day).

4.7 Relocation of Existing Fire Hydrant Meters

- a. The customer shall call the Fire Hydrant Meter Hotline (herein referred to as "Hotline"), a minimum of 24 hours in advance, to request the relocation of a meter. A fee will be charged to the existing account, which must be current before a work order is generated for the meter's relocation.
- b. The customer will supply in writing the address where the meter is to be relocated (map page, cross street, etc). The customer must update the original Fire Hydrant Meter Application with any changes as it applies to the new location.
- c. Fire hydrant meters shall be read on a monthly basis. While fire hydrant meters and backflow devices are in service, commodity, base fee and damage charges, if applicable, will be billed to the customer on a monthly basis. If the account becomes delinquent, the meter will be removed.

4.8 Disconnection of Fire Hydrant Meter

- a. After ten (10) months a "Notice of Discontinuation of Service" (Tab 3) will be issued to the site and the address of record to notify the customer of the date of discontinuance of service. An extension can only be granted in writing from the Water Department Director for up to 90 additional days (as stated in Section 4.6C) and a copy of the extension shall be forwarded to the Meter Shop Supervisor. If an extension has not been approved, the meter will be removed after twelve (12) months of use.
- b. Upon completion of the project the customer will notify the Meter Services office via the Hotline to request the removal of the fire hydrant meter and appurtenances. A work order will be generated

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 7 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

for removal of the meter.

- c. Meter Section staff will remove the meter and backflow prevention assembly and return it to the Meter Shop. Once returned to the Meter Shop the meter and backflow will be tested for accuracy and functionality.
- d. Meter Section Staff will contact and notify Customer Services of the final read and any charges resulting from damages to the meter and backflow or its appurtenance. These charges will be added on the customer's final bill and will be sent to the address of record. Any customer who has an outstanding balance will not receive additional meters.
- e. Outstanding balances due may be deducted from deposits and any balances refunded to the customer. Any outstanding balances will be turned over to the City Treasurer for collection. Outstanding balances may also be transferred to any other existing accounts.

5. **EXCEPTIONS**

- 5.1 Any request for exceptions to this policy shall be presented, in writing, to the Customer Support Deputy Director, or his/her designee for consideration.

6. **MOBILE METER**

- 6.1 Mobile meters will be allowed on a case by case basis. All mobile meters will be protected by an approved backflow assembly and the minimum requirement will be a Reduced Pressure Principal Assembly. The two types of Mobile Meters are vehicle mounted and floating meters. Each style of meters has separate guidelines that shall be followed for the customer to retain service and are described below:

- a) **Vehicle Mounted Meters:** Customer applies for and receives a City owned Fire Hydrant Meter from the Meter Shop. The customer mounts the meter on the vehicle and brings it to the Meter Shop for

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 8 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

inspection. After installation is approved by the Meter Shop the vehicle and meter shall be brought to the Meter Shop on a monthly basis for meter reading and on a quarterly basis for testing of the backflow assembly. Meters mounted at the owner's expense shall have the one year contract expiration waived and shall have meter or backflow changed if either fails.

b) **Floating Meters:** Floating Meters are meters that are not mounted to a vehicle. **(Note: All floating meters shall have an approved backflow assembly attached.)** The customer shall submit an application and a letter explaining the need for a floating meter to the Meter Shop. The Fire Hydrant Meter Administrator, after a thorough review of the needs of the customer, (i.e. number of jobsites per day, City contract work, lack of mounting area on work vehicle, etc.), may issue a floating meter. At the time of issue, it will be necessary for the customer to complete and sign the "Floating Fire Hydrant Meter Agreement" which states the following:

- 1) The meter will be brought to the Meter Shop at 2797 Caminito Chollas, San Diego on the third week of each month for the monthly read by Meter Shop personnel.
- 2) Every other month the meter will be read and the backflow will be tested. This date will be determined by the start date of the agreement.

If any of the conditions stated above are not met the Meter Shop has the right to cancel the contract for floating meter use and close the account associated with the meter. The Meter Shop will also exercise the right to refuse the issuance of another floating meter to the company in question.

Any Fire Hydrant Meter using reclaimed water shall not be allowed use again with any potable water supply. The customer shall incur the cost of replacing the meter and backflow device in this instance.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 9 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

7. **FEE AND DEPOSIT SCHEDULES**

7.1 **Fees and Deposit Schedules:** The fees and deposits, as listed in the Rate Book of Fees and Charges, on file with the Office of the City Clerk, are based on actual reimbursement of costs of services performed, equipment and materials. These deposits and fees will be amended, as needed, based on actual costs. Deposits, will be refunded at the end of the use of the fire hydrant meter, upon return of equipment in good working condition and all outstanding balances on account are paid. Deposits can also be used to cover outstanding balances.

All fees for equipment, installation, testing, relocation and other costs related to this program are subject to change without prior notification. The Mayor and Council will be notified of any future changes.

8. **UNAUTHORIZED USE OF WATER FROM A HYDRANT**

- 8.1 Use of water from any fire hydrant without a properly issued and installed fire hydrant meter is theft of City property. Customers who use water for unauthorized purposes or without a City of San Diego issued meter will be prosecuted.
- 8.2 If any unauthorized connection, disconnection or relocation of a fire hydrant meter, or other connection device is made by anyone other than authorized Water Department personnel, the person making the connection will be prosecuted for a violation of San Diego Municipal Code, Section 67.15. In the case of a second offense, the customer's fire hydrant meter shall be confiscated and/or the deposit will be forfeited.
- 8.3 Unauthorized water use shall be billed to the responsible party. Water use charges shall be based on meter readings, or estimates when meter readings are not available.
- 8.4 In case of unauthorized water use, the customer shall be billed for all applicable charges as if proper authorization for the water use had been obtained, including but not limited to bi-monthly service charges, installation charges and removal charges.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 10 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

8.5 If damage occurs to Water Department property (i.e. fire hydrant meter, backflow, various appurtenances), the cost of repairs or replacements will be charged to the customer of record (applicant).

Water Department Director

- Tabs: 1. Fire Hydrant Meter Application
2. Construction & Maintenance Related Activities With No Return To Sewer
3. Notice of Discontinuation of Service

APPENDIX

Administering Division: Customer Support Division

Subject Index: Construction Meters
Fire Hydrant
Fire Hydrant Meter Program
Meters, Floating or Vehicle Mounted
Mobile Meter
Program, Fire Hydrant Meter

Distribution: DI Manual Holders



Application for Fire Hydrant Meter (EXHIBIT A)

(For Office Use Only)

NS REQ	FAC#
DATE	BY

METER SHOP (619) 527-7449

Meter Information

Application Date	Requested Install Date:
------------------	-------------------------

Fire Hydrant Location: (Attach Detailed Map//Thomas Bros. Map Location or Construction drawing.) <u>Zip:</u>	T.B.	G.B. (CITY USE)
Specific Use of Water:		
Any Return to Sewer or Storm Drain, if so, explain:		
Estimated Duration of Meter Use: <input type="text"/>	<input type="checkbox"/>	Check Box if Reclaimed Water

Company Information

Company Name:			
Mailing Address:			
City:	State:	Zip:	Phone: ()
*Business license#		*Contractor license#	
A Copy of the Contractor's license OR Business License is required at the time of meter issuance.			
Name and Title of Billing Agent: <small>(PERSON IN ACCOUNTS PAYABLE)</small>		Phone: ()	
Site Contact Name and Title:		Phone: ()	
Responsible Party Name:		Title:	
Cal ID#		Phone: ()	
Signature:		Date:	
Guarantees Payment of all Charges Resulting from the use of this Meter. Insures that employees of this Organization understand the proper use of Fire Hydrant Meter			

Fire Hydrant Meter Removal Request		Requested Removal Date:
Provide Current Meter Location if Different from Above:		
Signature:	Title:	Date:
Phone: ()	Pager: ()	

<input type="checkbox"/>	City Meter	<input type="checkbox"/>	Private Meter
Contract Acct #:		Deposit Amount: \$ 936.00	Fees Amount: \$ 62.00
Meter Serial #		Meter Size: 05	Meter Make and Style: 6-7
Backflow #		Backflow Size:	Backflow Make and Style:
Name:		Signature:	Date:

WATER USES WITHOUT ANTICIPATED CHARGES FOR RETURN TO SEWER

Auto Detailing
Backfilling
Combination Cleaners (Vactors)
Compaction
Concrete Cutters
Construction Trailers
Cross Connection Testing
Dust Control
Flushing Water Mains
Hydro Blasting
Hydro Seeing
Irrigation (for establishing irrigation only; not continuing irrigation)
Mixing Concrete
Mobile Car Washing
Special Events
Street Sweeping
Water Tanks
Water Trucks
Window Washing

Note:

1. If there is any return to sewer or storm drain, then sewer and/or storm drain fees will be charges.

Date

Name of Responsible Party
Company Name and Address
Account Number: _____

Subject: Discontinuation of Fire Hydrant Meter Service

Dear Water Department Customer:

The authorization for use of Fire Hydrant Meter # _____, located at *(Meter Location Address)* ends in 60 days and will be removed on or after *(Date Authorization Expires)*. Extension requests for an additional 90 days must be submitted in writing for consideration 30 days prior to the discontinuation date. If you require an extension, please contact the Water Department, or mail your request for an extension to:

City of San Diego
Water Department
Attention: Meter Services
2797 Caminito Chollas
San Diego, CA 92105-5097

Should you have any questions regarding this matter, please call the Fire Hydrant Hotline at (619) _____ - _____.

Sincerely,

Water Department

APPENDIX C

MATERIALS TYPICALLY ACCEPTED BY CERTIFICATE OF COMPLIANCE

MATERIALS TYPICALLY ACCEPTED BY CERTIFICATE OF COMPLIANCE

1. Soil amendment
2. Fiber mulch
3. PVC or PE pipe up to 16 inch diameter
4. Stabilizing emulsion
5. Lime
6. Preformed elastomeric joint seal
7. Plain and fabric reinforced elastomeric bearing pads
8. Steel reinforced elastomeric bearing pads
9. Waterstops (Special Condition)
10. Epoxy coated bar reinforcement
11. Plain and reinforcing steel
12. Structural steel
13. Structural timber and lumber
14. Treated timber and lumber
15. Lumber and timber
16. Aluminum pipe and aluminum pipe arch
17. Corrugated steel pipe and corrugated steel pipe arch
18. Structural metal plate pipe arches and pipe arches
19. Perforated steel pipe
20. Aluminum underdrain pipe
21. Aluminum or steel entrance tapers, pipe downdrains, reducers, coupling bands and slip joints
22. Metal target plates
23. Paint (traffic striping)
24. Conductors
25. Painting of electrical equipment
26. Electrical components
27. Engineering fabric
28. Portland Cement
29. PCC admixtures
30. Minor concrete, asphalt
31. Asphalt (oil)
32. Liquid asphalt emulsion
33. Epoxy

APPENDIX D

SAMPLE CITY INVOICE WITH SPEND CURVE


Sample Project Spend Curve

Sample Date Entries Required


Incremental Curve Value
Duration % Increment

0.0%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	6.5%	6.5%	6.5%	6.5%	6.5%	6.5%	6.5%	6.5%	6.5%
0%	5%	10%	15%	20%	25%	30%	35%	40%	45%	50%	55%	60%	65%	70%	75%	80%	85%	90%	95%	100%

Sample Screenshot from Primavera P6



APPENDIX E
LOCATION MAP



Street Division
City of San Diego




Street Resurfacing Program
Fiscal Year 2017
SLURRY SEAL

Council Districts 1-9

LEGEND

S1802



Every reasonable effort has been made to assure the accuracy of this map. SanGIS does not assume any liability arising from its use. THIS MAP IS PROVIDED WITHOUT WARRANTY OF ANY KIND, either expressed or implied, including, but not limited to:

APPENDIX F
PROJECT LOCATION LIST

Slurry Seal Group 1802
Project Location List
IO# 21004234

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	TB Map	Community	Activity
SS-005984	CAMPUS AV	MONROE AV	MADISON AV	3	1269-C4	UPTOWN	AC - Surface Treatment (RPMS)
SS-001734	ADAMS AV	LOUISIANA ST	TEXAS ST	3	1269-D3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-001762	ADAMS AV	MISSISSIPPI ST	LOUISIANA ST	3	1269-C3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-001761	ADAMS AV	ALABAMA ST	MISSISSIPPI ST	3	1269-C3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-001768	ADAMS AV	KANSAS ST	30TH ST	3	1269-E3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-001765	ADAMS AV	OREGON ST	IDAHO ST	3	1269-D3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-001735	ADAMS AV	TEXAS ST	ARIZONA ST	3	1269-D3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-005983	CAMPUS AV	MADISON AV	GOLDEN GATE DR	3	1269-C4	UPTOWN	AC - Surface Treatment (RPMS)
SS-001772	ADAMS AV	MISSION CLIFF DR	NORTH AV	3	1269-C3	UPTOWN	AC - Surface Treatment (RPMS)
SS-001773	ADAMS AV	NORTH AV	PARK BL	3	1269-C3	UPTOWN	AC - Surface Treatment (RPMS)
SS-001767	ADAMS AV	UTAH ST	KANSAS ST	3	1269-E3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-001766	ADAMS AV	IDAHO ST	UTAH ST	3	1269-D3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-001775	ADAMS AV	PARK BL	GEORGIA ST	3	1269-C3	UPTOWN	AC - Surface Treatment (RPMS)
SS-001776	ADAMS AV	FLORIDA ST	ALABAMA ST	3	1269-C3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-001764	ADAMS AV	HAMILTON ST	OREGON ST	3	1269-D3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-001736	ADAMS AV	ARIZONA ST	ARIZONA ST	3	1269-D3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-001737	ADAMS AV	BEGIN	MISSION CLIFF DR	3	1269-C3	UPTOWN	AC - Surface Treatment (RPMS)
SS-001777	ADAMS AV	GEORGIA ST	FLORIDA ST	3	1269-C3	UPTOWN	AC - Surface Treatment (RPMS)
SS-001763	ADAMS AV	ARIZONA ST	HAMILTON ST	3	1269-D3	GREATER NORTH PARK	AC - Surface Treatment (RPMS)
SS-000919	38TH ST	WARD RD	EAST MTN VIEW DR	3	1269-G3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-001721	ADAMS AV	CHEROKEE AV	EAST MTN VIEW DR	3	1269-G3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-009766	EAST MTN VIEW DR	38TH ST	ADAMS AV	3	1269-G3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-007611	COLLIER AV	WILSON AV	EAST MTN VIEW DR	3	1269-F3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-009763	EAST MTN VIEW DR	MERIVALE AV	BELMONT AV	3	1269-G3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-011013	FELTON ST	MADISON AV	ADAMS AV	3	1269-F3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-001712	ADAMS AV	BANCROFT ST	33RD ST	3	1269-F3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-001720	ADAMS AV	36TH ST	CHEROKEE AV	3	1269-G3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-001714	ADAMS AV	FELTON ST	34TH ST	3	1269-F3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-010991	FELTON ST	MONROE AV	MADISON AV	3	1269-F4	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-000934	EDNA PL	38TH ST	39TH ST	3	1269-G3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-009764	EAST MTN VIEW DR	ADAMS AV	MERIVALE AV	3	1269-G3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-009771	EAST MTN VIEW DR	COPELY AV	COPELY AV	3	1269-F3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-000902	36TH ST	ADAMS AV	EAST MTN VIEW DR	3	1269-F3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-009770	EAST MTN VIEW DR	COPELY AV	35TH ST	3	1269-F2	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-007628	COLLIER AV	35TH ST	WILSON AV	3	1269-F3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-001710	ADAMS AV	32ND ST	BANCROFT ST	3	1269-E3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-009773	EAST MTN VIEW DR	BELMONT AV	CHEROKEE AV	3	1269-G3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-001719	ADAMS AV	WILSON AV	36TH ST	3	1269-F3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-009767	EAST MTN VIEW DR	CHEROKEE AV	38TH ST	3	1269-G3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-001709	ADAMS AV	IOWA ST	32ND ST	3	1269-E3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-001713	ADAMS AV	33RD ST	FELTON ST	3	1269-F3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-003496	BANCROFT ST	MADISON AV	ADAMS AV	3	1269-E3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-009759	EAST MTN VIEW DR	ALEXIA PL	COPELY AV	3	1269-F3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-003467	BANCROFT ST	MONROE AV	MADISON AV	3	1269-E4	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-003468	BANCROFT ST	MEADE AV	MONROE AV	3	1269-E4	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-000963	39TH ST	EDNA PL	ADAMS AV	3	1269-G3	NORMAL HEIGHTS	AC - Surface Treatment (RPMS)
SS-030176	BULLOCK DR	GALLEGOS TR	DUARTE PL	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-016570	LIROPE ST	HONEYSUCKLE LN	PLAZA BL	4	1290-C6	ENCANTO	AC - Surface Treatment (RPMS)
SS-008176	CRABTREE ST	HOVANEK ST	GILMARTIN DR	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-013179	HAUSER ST	GALLEGOS TR	DUARTE PL	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-011782	GALLEGOS TR	HAUSER ST	BULLOCK DR	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-021137	PARADISE MESA RD	PARADISE RIDGE RD	JOUGLARD ST	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-030172	BULLOCK DR	HERRERA CT	GILMARTIN DR	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-012139	GILMARTIN DR	BULLOCK DR	CRABTREE ST	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-007850	CONTRERAS CT	BEGIN	BULLOCK DR	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-021141	PARADISE RIDGE RD	PARADISE MESA RD	HOVANEK ST	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-012140	GILMARTIN DR	CRABTREE ST	PARADISE CREST VIEW WY	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-030174	BULLOCK DR	BLANFORD ST	CONTRERAS CT	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-012143	GILMARTIN DR	JOUGLARD ST	PLAZA RIDGE RD	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-014686	JOUGLARD ST	GILMARTIN DR	PLAZA CREST RIDGE RD	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-013394	HERRERA CT	BEGIN	BULLOCK DR	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-015800	HOVANEK ST	CRABTREE ST	PARADISE RIDGE RD	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-009485	DUARTE PL	BULLOCK DR	BULLOCK DR	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-013132	HARTWELL CT	BEGIN	ELSBERRY ST	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-030178	BULLOCK DR	GILMARTIN DR	FREED MANOR LN	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-008178	CRABTREE ST	DIVISION ST	BLANFORD ST	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-011781	GALLEGOS TR	BEGIN	HAUSER ST	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-021951	PLAZA RIDGE RD	PARADISE MESA RD	GILMARTIN DR	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-021293	PARKLAND WY	FREED MANOR LN	OSTERLING CT	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-014680	JOUGLARD ST	DILLARD ST	JESTER ST	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-013377	FORSBERG CT	BEGIN	ELSBERRY ST	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-030175	BULLOCK DR	DUARTE PL	BLANFORD ST	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-030177	BULLOCK DR	DIVISION ST	GALLEGOS TR	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-008177	CRABTREE ST	BLANFORD ST	HOVANEK ST	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-006645	CASTEEL CT	DIVISION ST	END	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-014687	JOUGLARD ST	JESTER ST	PARADISE MESA RD	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-014689	JOUGLARD ST	PARADISE MESA RD	GILMARTIN DR	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-021928	PLAZA CREST RIDGE RD	PARADISE CREST VIEW WY	JOUGLARD ST	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-021952	PLAZA RIDGE RD	GILMARTIN DR	END	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-012153	GINSBERG CT	BEGIN	ELSBERRY ST	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-012142	GILMARTIN DR	PARADISE RIDGE RD	JOUGLARD ST	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-004411	BLANFORD ST	BEGIN	BULLOCK DR	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-030173	BULLOCK DR	CONTRERAS CT	HERRERA CT	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-021138	PARADISE MESA RD	JOUGLARD ST	PLAZA RIDGE RD	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-009484	DUARTE PL	BEGIN	HAUSER ST	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-008175	CRABTREE ST	GILMARTIN DR	END	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-004825	BRENNER WY	DILLARD ST	END	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-030171	BULLOCK DR	FREED MANOR LN	PARKLAND WY	4	1290-E5	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-010275	ELSBERRY ST	DILLARD ST	FORSBERG CT	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-004412	BLANFORD ST	BULLOCK DR	CRABTREE ST	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-021142	PARADISE RIDGE RD	HOVANEK ST	GILMARTIN DR	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-021130	PARADISE CREST VIEW WY	GILMARTIN DR	PLAZA CREST RIDGE RD	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-010274	ELSBERRY ST	HARTWELL CT	DIVISION ST	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-011466	FREED MANOR LN	BULLOCK DR	PARKLAND WY	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-010273	ELSBERRY ST	FORSBERG CT	GINSBERG CT	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-010272	ELSBERRY ST	GINSBERG CT	HARTWELL CT	4	1290-D6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-021290	PARKLAND WY	BULLOCK DR	FREED MANOR LN	4	1290-E5	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-012141	GILMARTIN DR	PARADISE RIDGE RD	PARADISE CREST VIEW WY	4	1290-E6	SKYLINE-PARADISE HILLS	AC - Surface Treatment (RPMS)
SS-001121	47TH ST	FAIRMOUNT AV	CHOLLAS PY	4	1289-J1	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-010960	FEDERAL BL	47TH ST	48TH ST	4	1289-J2	EASTERN AREA	AC - Surface Treatment (RPMS)

Slurry Seal Group 1802
Project Location List
I0# 21004234

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	TB Map	Community	Activity
SS-010950	FEDERAL BL	48TH ST	DUVAL ST	4	1289-J2	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-010951	FEDERAL BL	DUVAL ST	49TH ST	4	1290-A2	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-005357	CALAMAR CV	CALAMAR DR	END	7	1250-A2	TIERRASANTA	AC - Surface Treatment (RPMS)
SS-027315	VACA PL	INVIERNO DR	END	7	1250-B2	TIERRASANTA	AC - Surface Treatment (RPMS)
SS-014189	INVIERNO DR	CALAMAR DR	CEBADA CT	7	1250-A2	TIERRASANTA	AC - Surface Treatment (RPMS)
SS-014191	INVIERNO DR	VACA PL	COLINA DORADA DR	7	1250-B2	TIERRASANTA	AC - Surface Treatment (RPMS)
SS-014190	INVIERNO DR	CEBADA CT	VACA PL	7	1250-A2	TIERRASANTA	AC - Surface Treatment (RPMS)
SS-005356	CALAMAR CT	CALAMAR DR	END	7	1250-B2	TIERRASANTA	AC - Surface Treatment (RPMS)
SS-005358	CALAMAR DR	CALAMAR CT	CALLE DE VIDA	7	1250-B2	TIERRASANTA	AC - Surface Treatment (RPMS)
SS-006745	CEBADA CT	INVIERNO DR	END	7	1250-B2	TIERRASANTA	AC - Surface Treatment (RPMS)
SS-005360	CALAMAR DR	INVIERNO DR	CALAMAR CV	7	1250-A2	TIERRASANTA	AC - Surface Treatment (RPMS)
SS-005359	CALAMAR DR	CALAMAR CV	CALAMAR CT	7	1250-A2	TIERRASANTA	AC - Surface Treatment (RPMS)
SS-012276	GLIDDEN ST	BURTON ST	COOLIDGE ST	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012279	GLIDDEN ST	LINDA VISTA RD	BURTON ST	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-010261	ELMORE ST	BEGIN	ACHESON ST	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-010260	ELMORE ST	ACHESON ST	BURTON ST	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012277	GLIDDEN ST	COOLIDGE ST	END	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-005182	BURTON ST	ACHESON ST	GLIDDEN ST	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-007883	COOLIDGE ST	FITCH CT	GLIDDEN ST	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-011158	FITCH CT	COOLIDGE ST	END	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-005183	BURTON ST	ELMORE ST	ACHESON ST	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-005184	BURTON ST	COOLIDGE ST	ELMORE ST	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-007884	COOLIDGE ST	BURTON ST	FITCH CT	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-008039	CORSICA WY	BORANA ST	CORSICA ST	7	1268-H2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012270	GLIDDEN CT	GLIDDEN LN	END	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-025279	SOUTH ELMAN ST	NORTH ELMAN ST	DRESCHER ST	7	1268-J1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012278	GLIDDEN ST	BEGIN	CORSICA ST	7	1268-H2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012412	GOODWIN ST	BEGIN	WEST DRESCHER ST	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-028458	WEST DRESCHER ST	GOODWIN ST	DRESCHER ST	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-009467	DRESCHER ST	KRAMER ST	GOODWIN ST	7	1268-J1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012272	GLIDDEN LN	BEGIN	GLIDDEN CT	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-026095	TAIT ST	BEGIN	KELLY ST	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012275	GLIDDEN ST	ALCALA KNOLLS DR	LINDA VISTA RD	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-008037	CORSICA WY	VIA MADRINA ST	BORANA ST	7	1268-H2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-015052	KELLY ST	KELLY PL	JACOBS WY	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-009468	DRESCHER ST	WEST DRESCHER ST	KRAMER ST	7	1268-J2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-008034	CORSICA ST	GLIDDEN ST	END	7	1268-H2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-015051	KELLY ST	JACOBS WY	DRESCHER ST	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012273	GLIDDEN ST	CORSICA ST	GLIDDEN CT	7	1268-H2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-015049	KELLY ST	TAIT ST	KELLY PL	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-015050	KELLY ST	DRESCHER ST	COMSTOCK ST	7	1268-J1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012413	GOODWIN ST	WEST DRESCHER ST	DRESCHER ST	7	1268-J1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-026099	TAIT ST	KELLY ST	DRESCHER ST	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-009463	DRESCHER ST	TAIT ST	KELLY ST	7	1268-J1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012274	GLIDDEN ST	GLIDDEN CT	ALCALA KNOLLS DR	7	1268-H2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-012271	GLIDDEN CT	GLIDDEN LN	GLIDDEN LN	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-008035	CORSICA ST	CORSICA WY	GLIDDEN ST	7	1268-H2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-008036	CORSICA ST	ALCALA KNOLLS DR	CORSICA WY	7	1268-H2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-009466	DRESCHER ST	GOODWIN ST	SOUTH ELMAN ST	7	1268-J1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-020056	NORTH ELMAN ST	SOUTH ELMAN ST	DRESCHER ST	7	1268-H1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-004585	BORANA ST	ALCALA KNOLLS DR	CORSICA WY	7	1268-H2	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-026092	TAIT ST	DRESCHER ST	LINDA VISTA RD	7	1268-J1	LINDA VISTA	AC - Surface Treatment (RPMS)
SS-030679	ROYAL ISLAND WY	ISLAND BREEZE LN	BLACK CORAL WY	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030685	FATHOM CT	SEA LAVENDER WY	END	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030692	BLACK CORAL WY	DAYSAILOR CT	BLACK CORAL CT	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030689	ISLAND BREEZE LN	SEA LAVENDER WY	BLACK CORAL WY	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030686	SEA LAVENDER WY	ISLAND BREEZE LN	FATHOM CT	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030688	BLACK CORAL WY	SEA LAVENDER WY	ISLAND BREEZE LN	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030677	DENNERY RD	BLACK CORAL WY	ISLAND BREEZE LN	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-009081	DENNERY RD	REGATTA LN	OCEAN VIEW HILLS PY	8	1330-H7	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030684	SEA LAVENDER WY	FATHOM CT	BLACK CORAL WY	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030681	WHEELHOUSE DR	ISLAND BREEZE LN	BLACK CORAL WY	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-031250	DENNERY RD	BEGIN	TOPSAIL DR	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030693	BLACK CORAL CT	BEGIN	BLACK CORAL WY	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030682	ISLAND BREEZE LN	ROYAL ISLAND WY	WHEELHOUSE DR	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030687	ISLAND BREEZE LN	WHEELHOUSE DR	SEA LAVENDER WY	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030690	BLACK CORAL WY	ISLAND BREEZE LN	DAYSAILOR CT	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030747	DENNERY RD	RED CORAL LN	REGATTA LN	8	1330-H6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-031249	DENNERY RD	TOPSAIL DR	TOPSIDE LN	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030475	DENNERY RD	ISLAND BREEZE LN	RED CORAL LN	8	1330-H6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030676	BLACK CORAL WY	DENNERY RD	ROYAL ISLAND WY	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030680	ISLAND BREEZE LN	DENNERY RD	ROYAL ISLAND WY	8	1330-H6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030678	BLACK CORAL WY	ROYAL ISLAND WY	WHEELHOUSE DR	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030691	DAYSAILOR CT	BEGIN	BLACK CORAL WY	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030675	DENNERY RD	TOPSIDE LN	BLACK CORAL WY	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030683	BLACK CORAL WY	WHEELHOUSE DR	SEA LAVENDER WY	8	1330-J6	OTAY MESA	AC - Surface Treatment (RPMS)
SS-030713	CORAL CREST WY	CORAL GATE LN	CORAL SHORES CT	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030720	SIPES LN	CORAL GATE LN	CAM DE LA PLAZA	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030496	QUILALANG CT	ANELLA RD	END	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030488	LYNCH LN	GLANCY DR	NAYLOR RD	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-017231	MAGUIRE RD	HIRES WY	ELLINGER PL	8	1350-F4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-014532	JANSE WY	GLANCY DR	NAYLOR RD	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030490	OKEEFE ST	ANELLA RD	END	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-026832	TRIDLE WY	NAYLOR RD	OKEEFE ST	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-029037	WITTMAN WY	ANELLA RD	END	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-014530	JANSE WY	OKEEFE ST	WITTMAN WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-025051	SIPES LN	ANELLA RD	CORAL GATE LN	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-029035	WITTMAN WY	TRIDLE WY	SIPES LN	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-008843	DEAVER LN	HIRES WY	MAGUIRE RD	8	1350-F4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-020386	OKEEFE ST	BEGIN	JANSE WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030715	CORAL SHORES CT	BEGIN	CORAL GATE LN	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-020387	OKEEFE ST	JANSE WY	TRIDLE WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-029032	WITTMAN WY	BEGIN	JANSE WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030487	GLANCY DR	LYNCH LN	END	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-005730	CAM DE LA PLAZA	DAIRY MART RD	BIBLER DR	8	1350-E4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-004203	BIBLER DR	DEAVER LN	ANELLA RD	8	1350-F4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-019740	NAYLOR RD	TRIDLE WY	LYNCH LN	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-002453	ANELLA RD	JANSE WY	FIX CT	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-010185	ELLINGER PL	BEGIN	MAGUIRE RD	8	1350-F4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-026831	TRIDLE WY	OKEEFE ST	WITTMAN WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)


Slurry Seal Group 1802
Project Location List
IO# 21004234

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	TB Map	Community	Activity
SS-014529	JANSE WY	WITTMAN WY	ANELLA RD	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-029033	WITTMAN WY	JANSE WY	KANEKO CT	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-004204	BIBLER DR	NAYLOR RD	DEAVER LN	8	1350-F4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-005728	CAM DE LA PLAZA	BIBLER DR	SIPES LN	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030711	CORAL GATE LN	SIPES LN	CORAL CREST WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-013632	HIRES WY	DEAVER LN	MAGUIRE RD	8	1350-E4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-005735	CAM DE LA PLAZA	SIPES LN	WILLIOW RD	8	1350-G6	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030712	CORAL SHORES CT	CORAL CREST WY	END	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-025050	SIPES LN	WITTMAN WY	ANELLA RD	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-002435	ANELLA RD	SIPES LN	WITTMAN WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-019738	NAYLOR RD	BIBLER DR	JANSE WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-029034	WITTMAN WY	KANEKO CT	TRIDLE WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-012183	GLANCY DR	TRIDLE WY	LYNCH LN	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-012182	GLANCY DR	JANSE WY	TRIDLE WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-004205	BIBLER DR	CAM DE LA PLAZA	NAYLOR RD	8	1350-F4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030491	WITTMAN WY	SIPES LN	ANELLA RD	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-017230	MAGUIRE RD	ELLINGER PL	DEAVER LN	8	1350-F4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-026833	TRIDLE WY	GLANCY DR	NAYLOR RD	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-020388	OKEEFE ST	TRIDLE WY	ANELLA RD	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030716	CORAL SHORES CT	CORAL GATE LN	CORAL CREST WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-012181	GLANCY DR	BEGIN	JANSE WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-002452	ANELLA RD	BIBLER DR	JANSE WY	8	1350-F4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-013611	HIRES WY	BEGIN	DEAVER LN	8	1350-E4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-014531	JANSE WY	NAYLOR RD	OKEEFE ST	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-008844	DEAVER LN	MAGUIRE RD	BIBLER DR	8	1350-F4	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-019739	NAYLOR RD	JANSE WY	TRIDLE WY	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-014904	KANEKO CT	WITTMAN WY	END	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030714	CORAL GATE LN	CORAL CREST WY	CORAL SHORES CT	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-014528	JANSE WY	ANELLA RD	END	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-002454	ANELLA RD	FIX CT	SIPES LN	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030489	NAYLOR RD	LYNCH LN	ANELLA RD	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-030495	ANELLA RD	QUILALANG CT	NAYLOR RD	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-002456	ANELLA RD	WITTMAN WY	QUILALANG CT	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-011159	FIX CT	BEGIN	ANELLA RD	8	1350-F5	SAN YSIDRO	AC - Surface Treatment (RPMS)
SS-001238	52ND ST	OTTILIE PL	POLK AV	9	1270-A5	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-001237	52ND ST	POLK AV	ORANGE AV	9	1270-A5	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-006905	CHAMOUNE AV	DWIGHT ST	LANDIS ST	9	1269-J6	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-001117	47TH ST	DWIGHT ST	LANDIS ST	9	1269-J6	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-001239	52ND ST	OTTILIE PL	OTTILIE PL	9	1270-A5	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-001233	52ND PL	52ND ST	END	9	1270-A5	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-001219	51ST ST	OTTILIE PL	POLK AV	9	1270-A5	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-001075	45TH ST	WIGHTMAN ST	UNIVERSITY AV	9	1269-J5	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-018061	MENLO AV	DWIGHT ST	LANDIS ST	9	1269-J6	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-020800	OTTILIE PL	51ST ST	52ND ST	9	1270-A5	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-001399	60TH ST	ADAMS AV	END	9	1270-C3	COLLEGE AREA	AC - Surface Treatment (RPMS)
SS-009981	EL CAJON BL	ALICE ST	59TH ST	9	1270-C4	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009979	EL CAJON BL	ESTHER ST	60TH ST	9	1270-C3	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009973	EL CAJON BL	63RD ST	CHOCTAW DR	9	1270-D3	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009983	EL CAJON BL	58TH ST	58TH ST	9	1270-B4	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009970	EL CAJON BL	ART ST	FILIPO ST	9	1270-D3	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-001487	67TH ST	AMHERST ST	AMHERST ST	9	1270-E2	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-002376	AMHERST ST	EL CAJON BL	67TH ST	9	1270-D2	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009980	EL CAJON BL	59TH ST	ESTHER ST	9	1270-C3	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-024343	SARANAC ST	CITY BOUNDARY	73RD ST	9	1270-F2	COLLEGE AREA	AC - Surface Treatment (RPMS)
SS-009986	EL CAJON BL	55TH ST	56TH ST	9	1270-B4	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009961	EL CAJON BL	69TH ST	70TH ST	9	1270-E2	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-010812	FAIRMOUNT AV	47TH ST	RIDGE VIEW DR	9	1289-J1	CITY HEIGHTS	AC - Surface Treatment (RPMS)
SS-009987	EL CAJON BL	DAYTON ST	55TH ST	9	1270-B4	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009976	EL CAJON BL	COLLEGE AV	62ND ST	9	1270-C3	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009978	EL CAJON BL	60TH ST	60TH ST	9	1270-C3	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009958	EL CAJON BL	72ND ST	HARBINSON AV	9	1270-F2	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009960	EL CAJON BL	70TH ST	71ST ST	9	1270-F2	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009972	EL CAJON BL	CHOCTAW DR	ART ST	9	1270-D3	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-001496	67TH ST	AMHERST ST	EL CAJON BL	9	1270-E2	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009957	EL CAJON BL	HARBINSON AV	73RD ST	9	1270-F2	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009977	EL CAJON BL	60TH ST	COLLEGE AV	9	1270-C3	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-025238	SORIA DR	ADAMS AV	AROSA ST	9	1270-C3	COLLEGE AREA	AC - Surface Treatment (RPMS)
SS-009975	EL CAJON BL	62ND ST	63RD ST	9	1270-C3	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009982	EL CAJON BL	58TH ST	ALICE ST	9	1270-C4	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009985	EL CAJON BL	56TH ST	EL CERRITO DR	9	1270-B4	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009989	EL CAJON BL	54TH ST	BERTING ST	9	1270-B4	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-025239	SORIA DR	COLLEGE AV	ADAMS AV	9	1270-C3	COLLEGE AREA	AC - Surface Treatment (RPMS)
SS-009959	EL CAJON BL	71ST ST	72ND ST	9	1270-F2	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009984	EL CAJON BL	EL CERRITO DR	58TH ST	9	1270-B4	EASTERN AREA	AC - Surface Treatment (RPMS)
SS-009988	EL CAJON BL	BERTING ST	DAYTON ST	9	1270-B4	EASTERN AREA	AC - Surface Treatment (RPMS)

APPENDIX G

SAMPLE OF PUBLIC NOTICE

FOR SAMPLE REFERENCE ONLY



CONSTRUCTION NOTICE

PROJECT TITLE

Work on your street will begin within one week to replace the existing water mains servicing your community.

The work will consist of:

- Saw-cutting and trench work on Ingulf Street from Morena Boulevard to Galveston Street to install new water mains, water laterals and fire hydrants.
- Streets where trenching takes place will be resurfaced and curb ramps will be upgraded to facilitate access for persons with disabilities where required.
- This work is anticipated to be complete in your community by December 2016.

How your neighborhood may be impacted:


- Water service to some properties during construction will be provided by a two-inch highline pipe that will run along the curb. To report a highline leak call 619-515-3525.
- Temporary water service disruptions are planned. If planned disruptions impact your property, you will receive advance notice.
- Parking restrictions will exist because of the presence of construction equipment and materials.
- "No Parking" signs will be displayed 72 hours in advance of the work.
- Cars parked in violation of signs will be TOWED.

Hours and Days of Operation:

Monday through Friday X:XX AM to X:XX PM.

City of San Diego Contractor:

Company Name, XXX-XXX-XXXX



CONSTRUCTION NOTICE

PROJECT TITLE

Work on your street will begin within one week to replace the existing water mains servicing your community.

The work will consist of:

- Saw-cutting and trench work on Ingulf Street from Morena Boulevard to Galveston Street to install new water mains, water laterals and fire hydrants.
- Streets where trenching takes place will be resurfaced and curb ramps will be upgraded to facilitate access for persons with disabilities where required.
- This work is anticipated to be complete in your community by December 2016.

How your neighborhood may be impacted:

- Water service to some properties during construction will be provided by a two-inch highline pipe that will run along the curb. To report a highline leak call 619-515-3525.
- Temporary water service disruptions are planned. If planned disruptions impact your property, you will receive advance notice.
- Parking restrictions will exist because of the presence of construction equipment and materials.
- "No Parking" signs will be displayed 72 hours in advance of the work.
- Cars parked in violation of signs will be TOWED.

Hours and Days of Operation:

Monday through Friday X:XX AM to X:XX PM.

City of San Diego Contractor:

Company Name, XXX-XXX-XXXX

To contact the City of San Diego:  Public Works
619-533-4207 | engineering@sandiego.gov | sandiego.gov/CIP

 This information is available in alternative formats upon request.
Slurry Seal Group 1802

To contact the City of San Diego:  Public Works
619-533-4207 | engineering@sandiego.gov | sandiego.gov/CIP

 This information is available in alternative formats upon request.

APPENDIX H

ADVANCED METERING INFRASTRUCTURE (AMI) DEVICE PROTECTION

Protecting AMI Devices in Meter Boxes and on Street Lights


The Public Utilities Department (PUD) has begun the installation of the Advanced Metering Infrastructure (AMI) technology as a new tool to enhance water meter reading accuracy and efficiency, customer service and billing, and to be used by individual accounts to better manage the efficient use of water. **All AMI devices shall be protected per Section 5-2, "Protection", of the 2015 Whitebook.**

AMI technology allows water meters to be read electronically rather than through direct visual inspection by PUD field staff. This will assist PUD staff and customers in managing unusual consumption patterns which could indicate leaks or meter tampering on a customer's property.

Three of the main components of an AMI system are the:


- A. Endpoints, see Photo 1:

Photo 1




B. AMI Antenna attached to Endpoint (antenna not always required), see Photo 2:

Photo 2




Network Devices, see Photo 3:

Photo 3



AMI endpoints transmit meter information to the AMI system and will soon be on the vast majority of meters in San Diego. These AMI devices provide interval consumption data to the PUD's Customer Support Division. If these devices are damaged or communication is interrupted, this Division will be alerted of the situation. The endpoints are installed in water meter boxes, coffins, and vaults adjacent to the meter. A separate flat round antenna may also be installed through the meter box lid. This antenna is connected to the endpoint via cable. The following proper installation shall be implemented when removing the lid to avoid damaging the antenna, cable, and/or endpoint. Photo 4 below demonstrates a diagram of the connection:

Photo 4



The AMI device ERT/Endpoint/Transmitter shall be positioned and installed as discussed in this Appendix. If the ERT/Endpoint/Transmitter is disturbed, it shall be re-installed and returned to its original installation with the end points pointed upwards as shown below in Photo 5.

The PUD's code compliance staff will issue citations and invoices to you for any damaged AMI devices that are not re-installed as discussed in the Contract Document

Photo 5 below shows a typical installation of an AMI endpoint on a water meter.

Photo 5





Photo 6 below is an example of disturbance that shall be avoided:

Photo 6

The antenna was drilled into the lid and now it is removed



You are responsible when working in and around meter boxes. If you encounter these endpoints, use proper care and do not disconnect them from the registers on top of the water meter. If the lid has an antenna drilled through, do not change or tamper with the lid and inform the Resident Engineer immediately about the location of that lid. Refer to Photo 7 below:


Photo 7



Another component of the AMI system are the Network Devices. The Network Devices are strategically placed units (mainly on street light poles) that collect interval meter reading data from multiple meters for transmission to the Department Control Computer. **If you come across any of these devices on street lights that will be removed or replaced (refer to Photos 8 and 9 below), notify AMI Project Manager Arwa Sayed at (619) 362-0121 immediately.**

Photo 8 shows an installed network device on a street light. On the back of each Network Device is a sticker with contact information. See Photo 9. **Call PUD Water Emergency Repairs at 619-515-3525 if your work will impact these street lights.** These are assets that belong to the City of San Diego and you shall be responsible for any costs of disruption of this network.

Photo 8



Network Device

Photo 9



If you encounter any bad installations, disconnected/broken/buried endpoints, or inadvertently damage any AMI devices or cables, notify the Resident Engineer immediately. The Resident Engineer will then immediately contact the AMI Project Manager, Arwa Sayed, at (619) 362-0121.

ATTACHMENT F

INTENTIONALLY LEFT BLANK

ATTACHMENT G
CONTRACT AGREEMENT

ATTACHMENT G

CONTRACT AGREEMENT

CONSTRUCTION CONTRACT

This contract is made and entered into between THE CITY OF SAN DIEGO, a municipal corporation, herein called "City", and **American Asphalt South, Inc.**, herein called "Contractor" for construction of **SLURRY SEAL GROUP 1802**; Bid No. **K-18-1686-DBB-3**; in the amount of **Two Million Four Hundred Seventy Five Thousand Two Hundred Sixty Dollars and Sixty Four Cents (\$2,475,260.64)**, which is comprised of the Base Bid.

IN CONSIDERATION of the payments to be made hereunder and the mutual undertakings of the parties hereto, City and Contractor agree as follows:


1. The following are incorporated into this contract as though fully set forth herein:
 - (a) The attached Faithful Performance and Payment Bonds.
 - (b) The attached Proposal included in the Bid documents by the Contractor.
 - (c) Reference Standards listed in the Instruction to Bidders and the Supplementary Special Provisions (SSP).
 - (d) That certain documents entitled **SLURRY SEAL GROUP 1802**, on file in the office of the Public Works Department as Document No. **21004234**, as well as all matters referenced therein.
2. The Contractor shall perform and be bound by all the terms and conditions of this contract and in strict conformity therewith shall perform and complete in a good and workmanlike manner **SLURRY SEAL GROUP 1802**, Bid Number **K-18-1686-DBB-3**, San Diego, California.
3. For such performances, the City shall pay to Contractor the amounts set forth at the times and in the manner and with such additions or deductions as are provided for in this contract, and the Contractor shall accept such payment in full satisfaction of all claims incident to such performances.
4. No claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.
5. This contract is effective as of the date that the Mayor or designee signs the agreement.

CONTRACT AGREEMENT (continued)

IN WITNESS WHEREOF, this Agreement is signed by the City of San Diego, acting by and through its Mayor or designee, pursuant to Municipal Code §22.3102 authorizing such execution.

THE CITY OF SAN DIEGO

APPROVED AS TO FORM

By 

By 


Print Name: Stephen Samara
Principal Contract Specialist
Public Works Department

Print Name: RYAN P. GENERTY
Deputy City Attorney

Date: 12-21-2017

Date: 12/22/17

CONTRACTOR

By 

Print Name: Lyle Stone

Title: Secretary

Date: November 21st, 2017

City of San Diego License No.: B2002006142

State Contractor's License No.: 784969A

DEPARTMENT OF INDUSTRIAL RELATIONS (DIR) REGISTRATION NUMBER: 100000645

CERTIFICATIONS AND FORMS

The Bidder, by submitting its electronic bid, agrees to and certifies under penalty of perjury under the laws of the State of California, that the certifications, forms and affidavits submitted as part of this bid are true and correct.

Bidder's General Information

To the City of San Diego:

Pursuant to "Notice Inviting Bids", specifications, and requirements on file with the City Clerk, and subject to all provisions of the Charter and Ordinances of the City of San Diego and applicable laws and regulations of the United States and the State of California, the undersigned hereby proposes to furnish to the City of San Diego, complete at the prices stated herein, the items or services hereinafter mentioned. The undersigned further warrants that this bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and, further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

The undersigned bidder(s) further warrants that bidder(s) has thoroughly examined and understands the entire Contract Documents (plans and specifications) and the Bidding Documents therefore, and that by submitting said Bidding Documents as its bid proposal, bidder(s) acknowledges and is bound by the entire Contract Documents, including any addenda issued thereto, as such Contract Documents incorporated by reference in the Bidding Documents.

**NON-COLLUSION AFFIDAVIT TO BE EXECUTED BY BIDDER AND SUBMITTED WITH BID
UNDER 23 UNITED STATES CODE 112 AND PUBLIC CONTRACT CODE 7106**

State of California

County of San Diego

The bidder, being first duly sworn, deposes and says that he or she is authorized by the party making the foregoing bid that the bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

CONTRACTOR CERTIFICATION

DRUG-FREE WORKPLACE

I hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-17 regarding Drug-Free Workplace as outlined in the WHITEBOOK, Section 7-13.3, "Drug-Free Workplace", of the project specifications, and that;

This company has in place a drug-free workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of subdivisions a) through c) of the policy as outlined.

CONTRACTOR CERTIFICATION

AMERICAN WITH DISABILITIES ACT (ADA) COMPLIANCE CERTIFICATION

I hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-4 regarding the American With Disabilities Act (ADA) outlined in the WHITEBOOK, Section 7-13.2, "American With Disabilities Act", of the project specifications, and that:

This company has in place workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of the policy as outlined.

CONTRACTOR CERTIFICATION

CONTRACTOR STANDARDS – PLEDGE OF COMPLIANCE

I declare under penalty of perjury that I am authorized to make this certification on behalf of the company submitting this bid/proposal, that as Contractor, I am familiar with the requirements of City of San Diego Municipal Code § 22.3004 regarding Contractor Standards as outlined in the WHITEBOOK, Section 7-13.4, ("Contractor Standards"), of the project specifications, and that Contractor has complied with those requirements.

I further certify that each of the Contractor's subcontractors whose subcontracts are greater than \$50,000 in value has completed a Pledge of Compliance attesting under penalty of perjury of having complied with City of San Diego Municipal Code § 22.3004.

CONTRACTOR CERTIFICATION

EQUAL BENEFITS ORDINANCE CERTIFICATION

I declare under penalty of perjury that I am familiar with the requirements of and in compliance with the City of San Diego Municipal Code § 22.4300 regarding Equal Benefits Ordinance.

AFFIDAVIT OF DISPOSAL

(To be submitted upon completion of Construction pursuant to the contracts Certificate of Completion)

WHEREAS, on the _____ DAY OF _____, 2____ the undersigned entered into and executed a contract with the City of San Diego, a municipal corporation, for:

SLURRY SEAL GROUP 1802

(Name of Project or Task)

as particularly described in said contract and identified as Bid No. **K-18-1686-DBB-3**; SAP No. (WBS/IO/CC) **21004234**; and **WHEREAS**, the specification of said contract requires the Contractor to affirm that "all brush, trash, debris, and surplus materials resulting from this project have been disposed of in a legal manner"; and **WHEREAS**, said contract has been completed and all surplus materials disposed of:

NOW, THEREFORE, in consideration of the final payment by the City of San Diego to said Contractor under the terms of said contract, the undersigned Contractor, does hereby affirm that all surplus materials as described in said contract have been disposed of at the following location(s)

and that they have been disposed of according to all applicable laws and regulations.

Dated this _____ DAY OF _____, _____.

By: _____
Contractor

ATTEST:

State of _____ County of _____

On this _____ DAY OF _____, 2____, before the undersigned, a Notary Public in and for said County and State, duly commissioned and sworn, personally appeared _____ known to me to be the _____ Contractor named in the foregoing Release, and whose name is subscribed thereto, and acknowledged to me that said Contractor executed the said Release.

Notary Public in and for said County and State

LIST OF SUBCONTRACTORS

***** PROVIDED FOR ILLUSTRATIVE PURPOSES ONLY *** TO BE SUBMITTED IN ELECTRONIC FORMAT ONLY *** SEE INSTRUCTIONS TO BIDDERS, FOR FURTHER INFORMATION**

In accordance with the requirements of the "Subletting and Subcontracting Fair Practices Act", Section 4100, of the California Public Contract Code (PCC), the Bidder is to list below the name, address and license number of each Subcontractor who will perform work, labor, render services or specially fabricate and install a portion [type] of the work or improvement, in an amount of or in excess of 0.5% of the Contractor's total Bid. Failure to comply with this requirement may result in the Bid being rejected as non-responsive. The Contractor is to list only one Subcontractor for each portion of the Work. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3 Subcontracts, which stipulates the percentage of the Work to be performed with the Bidder's own forces. The Bidder is to also list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors for which the Bidders are seeking recognition towards achieving any mandatory, voluntary, or both subcontracting participation percentages.

NAME, ADDRESS AND TELEPHONE NUMBER OF SUBCONTRACTOR	CONSTRUCTOR OR DESIGNER	SUBCONTRACTOR LICENSE NUMBER	TYPE OF WORK	DOLLAR VALUE OF SUBCONTRACT	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB [ⓐ]	WHERE CERTIFIED [ⓑ]	CHECK IF JOINT VENTURE PARTNERSHIP
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____							
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____							

- ⓐ As appropriate, Bidder shall identify Subcontractor as one of the following and shall include a valid proof of certification (except for OBE, SLBE and ELBE):
- | | | | |
|-----------------------------------------------|--------|------------------------------------------------|---------|
| Certified Minority Business Enterprise | MBE | Certified Woman Business Enterprise | WBE |
| Certified Disadvantaged Business Enterprise | DBE | Certified Disabled Veteran Business Enterprise | DVBE |
| Other Business Enterprise | OBE | Certified Emerging Local Business Enterprise | ELBE |
| Certified Small Local Business Enterprise | SLBE | Small Disadvantaged Business | SDB |
| Woman-Owned Small Business | WoSB | HUBZone Business | HUBZone |
| Service-Disabled Veteran Owned Small Business | SDVOSB | | |
- ⓑ As appropriate, Bidder shall indicate if Subcontractor is certified by:
- | | | | |
|------------------------------------------------------|--------|--------------------------------------------------|----------|
| City of San Diego | CITY | State of California Department of Transportation | CALTRANS |
| California Public Utilities Commission | CPUC | | |
| State of California's Department of General Services | CADoGS | City of Los Angeles | LA |
| State of California | CA | U.S. Small Business Administration | SBA |

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

NAMED EQUIPMENT/MATERIAL SUPPLIER LIST

*** PROVIDED FOR ILLUSTRATIVE PURPOSES ONLY *** TO BE SUBMITTED IN ELECTRONIC FORMAT ONLY *** SEE INSTRUCTIONS TO BIDDERS FOR FURTHER INFORMATION

NAME, ADDRESS AND TELEPHONE NUMBER OF VENDOR/SUPPLIER	MATERIALS OR SUPPLIES	DOLLAR VALUE OF MATERIAL OR SUPPLIES	SUPPLIER (Yes/No)	MANUFACTURER (Yes/No)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB ^①	WHERE CERTIFIED ^②
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____						
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____						

- ① As appropriate, Bidder shall identify Vendor/Supplier as one of the following and shall include a valid proof of certification (except for OBE, SLBE and ELBE):
- | | | | |
|-----------------------------------------------|--------|------------------------------------------------|---------|
| Certified Minority Business Enterprise | MBE | Certified Woman Business Enterprise | WBE |
| Certified Disadvantaged Business Enterprise | DBE | Certified Disabled Veteran Business Enterprise | DVBE |
| Other Business Enterprise | OBE | Certified Emerging Local Business Enterprise | ELBE |
| Certified Small Local Business Enterprise | SLBE | Small Disadvantaged Business | SDB |
| Woman-Owned Small Business | WoSB | HUBZone Business | HUBZone |
| Service-Disabled Veteran Owned Small Business | SDVOSB | | |
- ② As appropriate, Bidder shall indicate if Vendor/Supplier is certified by:
- | | | | |
|------------------------------------------------------|--------|--------------------------------------------------|----------|
| City of San Diego | CITY | State of California Department of Transportation | CALTRANS |
| California Public Utilities Commission | CPUC | | |
| State of California's Department of General Services | CADoGS | City of Los Angeles | LA |
| State of California | CA | U.S. Small Business Administration | SBA |

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

ELECTRONICALLY SUBMITTED FORMS

THE FOLLOWING FORMS MUST BE SUBMITTED IN PDF FORMAT WITH BID SUBMISSION

The following forms are to be completed by the bidder and submitted (uploaded) electronically with the bid in PlanetBids.

- A. BID BOND – See Instructions to Bidders, Bidders Guarantee of Good Faith (Bid Security) for further instructions**

- B. CONTRACTOR'S CERTIFICATION OF PENDING ACTIONS**

Bids will not be accepted until ALL the above-named forms are submitted as part of the bid submittal

BID BOND

**See Instructions to Bidders, Bidder Guarantee of Good Faith
(Bid Security)**

KNOW ALL MEN BY THESE PRESENTS,

That American Asphalt South, Inc. as Principal, and
The Guarantee Company of North America USA as Surety, are

held and firmly bound unto The City of San Diego hereinafter called "OWNER," in the sum of **10% OF THE TOTAL BID AMOUNT** for the payment of which sum, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these presents.

WHEREAS, said Principal has submitted a Bid to said OWNER to perform the WORK required under the bidding schedule(s) of the OWNER's Contract Documents entitled

Slurry Seal Group 1802

NOW THEREFORE, if said Principal is awarded a contract by said OWNER and, within the time and in the manner required in the "Notice Inviting Bids" enters into a written Agreement on the form of agreement bound with said Contract Documents, furnishes the required certificates of insurance, and furnishes the required Performance Bond and Payment Bond, then this obligation shall be null and void, otherwise it shall remain in full force and effect. In the event suit is brought upon this bond by said OWNER and OWNER prevails, said Surety shall pay all costs incurred by said OWNER in such suit, including a reasonable attorney's fee to be fixed by the court.

SIGNED AND SEALED, this 11th day of October, 2017

American Asphalt South, Inc. (SEAL)
(Principal)

The Guarantee Company
of North America USA (SEAL)
(Surety)

By: [Signature]
Eric Grove, Secretary
(Signature)

By: [Signature]
Sara Walliser, Attorney in Fact
(Signature)

(SEAL AND NOTARIAL ACKNOWLEDGEMENT OF SURETY)

ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California
County of Butte


On October 11, 2017 before me, Elizabeth Collodi, Notary Public
(insert name and title of the officer)

personally appeared Sara Walliser,
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/~~are~~
subscribed to the within instrument and acknowledged to me that ~~he~~/she/~~they~~ executed the same in
~~his~~/her/~~their~~ authorized capacity(~~ies~~), and that by ~~his~~/her/~~their~~ signature(s) on the instrument the
person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature *Elizabeth Collodi* (Seal)





The Guarantee Company of North America USA
Southfield, Michigan

POWER OF ATTORNEY

KNOW ALL BY THESE PRESENTS: That THE GUARANTEE COMPANY OF NORTH AMERICA USA, a corporation organized and existing under the laws of the State of Michigan, having its principal office in Southfield, Michigan, does hereby constitute and appoint

Renee Ramsey, Richard W. Pratt, John Hopkins, Elizabeth Collodi, Bobbie Beeny, Nancy Luttenbacher, Phillip O. Watkins, Keith T. Schuler, Melissa D. Diaz, Shawna Johnson, Mindy Whitehouse, Jennifer Lakmann, Sara Walliser, John J. Weber, Stephanie Agapoff
Interwest Insurance Services, LLC

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these presents, shall be as binding upon THE GUARANTEE COMPANY OF NORTH AMERICA USA as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

The Power of Attorney is executed and may be certified so, and may be revoked, pursuant to and by authority of Article IX, Section 9.03 of the By-Laws adopted by the Board of Directors of THE GUARANTEE COMPANY OF NORTH AMERICA USA at a meeting held on the 31st day of December, 2003. The President, or any Vice President, acting with any Secretary or Assistant Secretary, shall have power and authority:

1. To appoint Attorney(s)-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof; and
2. To revoke, at any time, any such Attorney-in-fact and revoke the authority given, except as provided below
3. In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.
4. In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner – Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of the Company adopted at a meeting duly called and held on the 6th day of December 2011, of which the following is a true excerpt:

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.



IN WITNESS WHEREOF, THE GUARANTEE COMPANY OF NORTH AMERICA USA has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 2nd day of October, 2015.

THE GUARANTEE COMPANY OF NORTH AMERICA USA

STATE OF MICHIGAN
County of Oakland

Stephen C. Ruschak, President & Chief Operating Officer

Randall Musselman, Secretary

On this 2nd day of October, 2015 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each is the herein described and authorized officer of The Guarantee Company of North America USA; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of said Company.



Cynthia A. Takai
Notary Public, State of Michigan
County of Oakland
My Commission Expires February 27, 2018
Acting in Oakland County

IN WITNESS WHEREOF, I have hereunto set my hand at The Guarantee Company of North America USA offices the day and year above written.

I, Randall Musselman, Secretary of THE GUARANTEE COMPANY OF NORTH AMERICA USA, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by THE GUARANTEE COMPANY OF NORTH AMERICA USA, which is still in full force and effect.



IN WITNESS WHEREOF, I have thereunto set my hand and attached the seal of said Company this 11 day of October, 2017

Randall Musselman, Secretary

CONTRACTOR'S CERTIFICATION OF PENDING ACTIONS

As part of its bid or proposal (Non-Price Proposal in the case of Design-Build contracts), the Bidder shall provide to the City a list of all instances within the past 10 years where a complaint was filed or pending against the Bidder in a legal or administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers, and a description of the status or resolution of that complaint, including any remedial action taken.

CHECK ONE BOX ONLY.

- The undersigned certifies that within the past 10 years the Bidder has NOT been the subject of a complaint or pending action in a legal administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers.
- The undersigned certifies that within the past 10 years the Bidder has been the subject of a complaint or pending action in a legal administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers. A description of the status or resolution of that complaint, including any remedial action taken and the applicable dates is as follows:

DATE OF CLAIM	LOCATION	DESCRIPTION OF CLAIM	LITIGATION (Y/N)	STATUS	RESOLUTION/REMEDIAL ACTION TAKEN

Contractor Name: American Asphalt South, Inc.

Certified By Lyle Stone Title Secretary
Name
Lyle Stone Date 10/31/2017
Signature

USE ADDITIONAL FORMS AS NECESSARY

City of San Diego

CITY CONTACT: Angelica Gil, Contract Specialist, Email: AngelicaG@sandiego.gov
Phone No. (619) 533-3622, Fax No. (619) 533-3633

ADDENDUM A



FOR

SLURRY SEAL GROUP 1802


BID NO.: _____ K-18-1686-DBB-3
SAP NO. (WBS/IO/CC): _____ 21004234
CLIENT DEPARTMENT: _____ 2116
COUNCIL DISTRICT: _____ 3, 4, 7, 8, 9
PROJECT TYPE: _____ ID

BID DUE DATE:

**2:00 PM
NOVEMBER 1, 2017
CITY OF SAN DIEGO
PUBLIC WORKS CONTRACTS
1010 SECOND AVENUE, 14th FLOOR, MS 614C
SAN DIEGO, CA 92101**

DEPUTY CITY ENGINEER

The engineering Specifications and Special Provisions contained herein have been prepared by or under the direction of the following Registered Engineer:


Registered Engineer
For City Engineer

10/12/17
Date

Seal



A. CHANGES TO CONTRACT DOCUMENTS

The following changes to the Contract Documents are hereby made effective as though originally issued with the bid package. Bidders are reminded that all previous requirements to this solicitation remain in full force and effect.

B. NOTICE INVITING BIDS

1. To Bidding Documents, Cover page, **DELETE** in its entirety and **SUBSTITUTE** with page 4 of this Addendum.

C. SUPPLEMENTARY SPECIAL PROVISIONS

1. To Attachment E, Supplementary Special Provisions, Appendices, Appendix F, Project Location List, pages 83 through 85, **DELETE** in their entirety and **SUBSTITUTE** with pages 5 through 51 of this Addendum.

James Nagelvoort, Director
Public Works Department


Dated: *October 13, 2017*
San Diego, California

JN/JB/egz

City of San Diego

CONTRACTOR'S NAME: _____
ADDRESS: _____
TELEPHONE NO.: _____ FAX NO.: _____
CITY CONTACT: Angelica Gil, Contract Specialist, Email: AngelicaG@sandiego.gov
Phone No. (619) 533-3622, Fax No. (619) 533-3633
M. Rahman / J. Borja / egz

BIDDING DOCUMENTS



FOR

SLURRY SEAL GROUP 1802

BID NO.: _____ K-18-1686-DBB-3
SAP NO. (WBS/IO/CC): _____ 21004234
CLIENT DEPARTMENT: _____ 2116
COUNCIL DISTRICT: _____ 3, 4, 7, 8, 9
PROJECT TYPE: _____ ID

THIS CONTRACT WILL BE SUBJECT TO THE FOLLOWING:

- THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- PREVAILING WAGE RATES: STATE FEDERAL
- APPRENTICESHIP
- THIS IS A GAS-TAX FUNDED CONTRACT THROUGH THE STATE OF CALIFORNIA.

BID DUE DATE:

**2:00 PM
NOVEMBER 1, 2017
CITY OF SAN DIEGO
PUBLIC WORKS CONTRACTS
1010 SECOND AVENUE, 14th FLOOR, MS 614C
SAN DIEGO, CA 92101**

APPENDIX F
PROPOSED WORK FOR: S1802

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1250-A2	CALAMAR CV	CALAMAR DR	END	7	Residential	150 ft	42 ft	6300 ft ²	Friday
	Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area: 16.0 ft ² AC Repair: 0.2 ton Base Material: 0.0 ton		Crack Seal: 485 ft Traffic Loops: 0 ea @					
1250-A2	INVIERNO DR	CALAMAR DR	CEBADA CT	7	Residential	305 ft	32 ft	9760 ft ²	Friday
	Hump Removal: Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I/II	AC Repair Area: 224.0 ft ² AC Repair: 3.0 ton Base Material: 0.0 ton		Crack Seal: 751 ft Traffic Loops: 0 ea @					
1250-A2	INVIERNO DR	CEBADA CT	VACA PL	7	Residential	255 ft	32 ft	8160 ft ²	Friday
	Hump Removal: 42 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area: 258.0 ft ² AC Repair: 3.4 ton Base Material: 0.0 ton		Crack Seal: 628 ft Traffic Loops: 0 ea @					
1250-A2	CALAMAR DR	INVIERNO DR	CALAMAR CV	7	Residential	360 ft	32 ft	11520 ft ²	Friday
	Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area: 1,216.0 ft ² AC Repair: 16.1 ton Base Material: 0.0 ton		Crack Seal: 886 ft Traffic Loops: 0 ea @					
1250-A2	CALAMAR DR	CALAMAR CV	CALAMAR CT	7	Residential	345 ft	32 ft	11040 ft ²	Friday
	Hump Removal: 19 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area: 1,110.0 ft ² AC Repair: 14.7 ton Base Material: 0.0 ton		Crack Seal: 849 ft Traffic Loops: 0 ea @					

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1250-B2	CEBADA CT	INVIERNO DR	END	7	Residential	535 ft	38 ft	20330 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 1,894.0 ft ²			Crack Seal: 1564 ft				
	Inlet Markers: 0 ea	AC Repair: 25.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1250-B2	CALAMAR DR	CALAMAR CT	CALLE DE VIDA	7	Residential	245 ft	32 ft	7840 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 1,212.0 ft ²			Crack Seal: 603 ft				
	Inlet Markers: 0 ea	AC Repair: 16.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1250-B2	CALAMAR CT	CALAMAR DR	END	7	Residential	155 ft	42 ft	6510 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 1,527.0 ft ²			Crack Seal: 501 ft				
	Inlet Markers: 0 ea	AC Repair: 20.2 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1250-B2	INVIERNO DR	VACA PL	COLINA DORADA DR	7	Residential	332 ft	32 ft	10624 ft ²	Friday
	Hump Removal: 42 ft	AC Repair Area: 260.0 ft ²			Crack Seal: 817 ft				
	Inlet Markers: 0 ea	AC Repair: 3.4 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1250-B2	VACA PL	INVIERNO DR	END	7	Residential	385 ft	38 ft	14630 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 3,304.0 ft ²			Crack Seal: 1125 ft				
	Inlet Markers: 0 ea	AC Repair: 43.6 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1268-H1	GOODWIN ST	BEGIN	WEST DRESCHER ST	7	Residential	1414 ft	48 ft	67872 ft ²	Wednesday
	Hump Removal: 92 ft	AC Repair Area: 2,768.0 ft ²			Crack Seal: 5221 ft				
	Inlet Markers: 2 ea	AC Repair: 36.5 ton			Traffic Loops: 0 ea @				
	Inlets: 3 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1268-H1	GLIDDEN CT	GLIDDEN LN	END	7	Residential	101 ft	48 ft	4848 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²	AC Repair: 0.0 ton		Crack Seal: 373 ft				
	Inlet Markers: 0 ea				Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H1	TAIT ST	BEGIN	KELLY ST	7	Prime	448 ft	48 ft	21504 ft ²	Wednesday
	Hump Removal: 11 ft	AC Repair Area: 982.0 ft ²	AC Repair: 15.7 ton		Crack Seal: 1654 ft				
	Inlet Markers: 2 ea				Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 4.7 ton							
	Comments: TYPE I/II. RESTORE ALL PARKING STRIPING IN CUL-DE-SAC.								
1268-H1	KELLY ST	KELLY PL	JACOBS WY	7	Residential	630 ft	36 ft	22680 ft ²	Wednesday
	Hump Removal: 20 ft	AC Repair Area: 1,300.0 ft ²	AC Repair: 17.2 ton		Crack Seal: 1745 ft				
	Inlet Markers: 1 ea				Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H1	GLIDDEN LN	BEGIN	GLIDDEN CT	7	Residential	502 ft	48 ft	24096 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²	AC Repair: 0.0 ton		Crack Seal: 1854 ft				
	Inlet Markers: 1 ea				Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H1	WEST DRESCHER ST	GOODWIN ST	DRESCHER ST	7	Residential	718 ft	28 ft	20104 ft ²	Wednesday
	Hump Removal: 8 ft	AC Repair Area: 573.0 ft ²	AC Repair: 7.6 ton		Crack Seal: 1546 ft				
	Inlet Markers: 2 ea				Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H1	KELLY ST	JACOBS WY	DRESCHER ST	7	Residential	611 ft	34 ft	20774 ft ²	Wednesday
	Hump Removal: 44 ft	AC Repair Area: 316.0 ft ²	AC Repair: 4.2 ton		Crack Seal: 1598 ft				
	Inlet Markers: 0 ea				Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. RAISE 1 SURVEY MONUMENT.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1268-H1	KELLY ST	TAIT ST	KELLY PL	7	Prime	188 ft	36 ft	6768 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 521 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H1	TAIT ST	KELLY ST	DRESCHER ST	7	Prime	1055 ft	34 ft	35870 ft ²	Wednesday
	Hump Removal: 77 ft	AC Repair Area: 332.0 ft ²			Crack Seal: 2759 ft				
	Inlet Markers: 1 ea	AC Repair: 4.4 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H1	GLIDDEN CT	GLIDDEN ST	GLIDDEN LN	7	Residential	248 ft	48 ft	11904 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 64.0 ft ²			Crack Seal: 916 ft				
	Inlet Markers: 0 ea	AC Repair: 0.8 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H1	NORTH ELMAN ST	SOUTH ELMAN ST	DRESCHER ST	7	Residential	721 ft	28 ft	20188 ft ²	Wednesday
	Hump Removal: 3 ft	AC Repair Area: 400.0 ft ²			Crack Seal: 1553 ft				
	Inlet Markers: 1 ea	AC Repair: 5.3 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H2	BORANA ST	ALCALA KNOLLS DR	CORSICA WY	7	Residential	745 ft	32 ft	23840 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 208.0 ft ²			Crack Seal: 1834 ft				
	Inlet Markers: 0 ea	AC Repair: 6.6 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 6.5 ton							
	Comments: TYPE I/II.								
1268-H2	CORSICA ST	CORSICA WY	GLIDDEN ST	7	Residential	200 ft	32 ft	6400 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 160.0 ft ²			Crack Seal: 492 ft				
	Inlet Markers: 0 ea	AC Repair: 2.1 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1268-H2	CORSICA ST	ALCALA KNOLLS DR	CORSICA WY	7	Residential	630 ft	32 ft	20160 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 72.0 ft ²			Crack Seal: 1551 ft				
	Inlet Markers: 0 ea	AC Repair: 1.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H2	GLIDDEN ST	GLIDDEN CT	ALCALA KNOLLS DR	7	Residential	375 ft	37 ft	13875 ft ²	Wednesday
	Hump Removal: 7 ft	AC Repair Area: 102.0 ft ²			Crack Seal: 1067 ft				
	Inlet Markers: 0 ea	AC Repair: 1.4 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H2	GLIDDEN ST	CORSICA ST	GLIDDEN CT	7	Residential	594 ft	37 ft	21978 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 343.0 ft ²			Crack Seal: 1691 ft				
	Inlet Markers: 0 ea	AC Repair: 4.5 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H2	CORSICA ST	GLIDDEN ST	END	7	Residential	125 ft	48 ft	6000 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 44.0 ft ²			Crack Seal: 462 ft				
	Inlet Markers: 0 ea	AC Repair: 0.6 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H2	CORSICA WY	VIA MADRINA ST	BORANA ST	7	Residential	260 ft	32 ft	8320 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 640 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-H2	CORSICA WY	BORANA ST	CORSICA ST	7	Residential	255 ft	32 ft	8160 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 40.0 ft ²			Crack Seal: 628 ft				
	Inlet Markers: 0 ea	AC Repair: 0.5 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1268-H2	GLIDDEN ST	BEGIN	CORSICA ST	7	Residential	810 ft	48 ft	38880 ft ²	Wednesday
	Hump Removal: 28 ft	AC Repair Area: 94.0 ft ²			Crack Seal: 2991 ft				
	Inlet Markers: 1 ea	AC Repair: 1.2 ton			Traffic Loops: 0 ea @				
	Inlets: 3 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. RAISE 1 SURVEY MONUMENT.								
1268-J1	SOUTH ELMAN ST	NORTH ELMAN ST	DRESCHER ST	7	Residential	535 ft	27 ft	14445 ft ²	Wednesday
	Hump Removal: 23 ft	AC Repair Area: 56.0 ft ²			Crack Seal: 1111 ft				
	Inlet Markers: 0 ea	AC Repair: 0.7 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-J1	DRESCHER ST	KRAMER ST	GOODWIN ST	7	Residential	465 ft	32 ft	14880 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 52.0 ft ²			Crack Seal: 1145 ft				
	Inlet Markers: 0 ea	AC Repair: 0.7 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-J1	KELLY ST	DRESCHER ST	COMSTOCK ST	7	Prime	565 ft	32 ft	18080 ft ²	Wednesday
	Hump Removal: 6 ft	AC Repair Area: 458.0 ft ²			Crack Seal: 1391 ft				
	Inlet Markers: 0 ea	AC Repair: 6.1 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. RAISE 1 SURVEY MONUMENT.								
1268-J1	DRESCHER ST	TAIT ST	KELLY ST	7	Residential	603 ft	32 ft	19296 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 246.0 ft ²			Crack Seal: 1484 ft				
	Inlet Markers: 0 ea	AC Repair: 3.3 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-J1	GOODWIN ST	WEST DRESCHER ST	DRESCHER ST	7	Residential	438 ft	30 ft	13140 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 2,655.0 ft ²			Crack Seal: 1011 ft				
	Inlet Markers: 0 ea	AC Repair: 35.1 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1268-J1	DRESCHER ST	GOODWIN ST	SOUTH ELMAN ST	7	Residential	370 ft	32 ft	11840 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 83.0 ft ²			Crack Seal: 911 ft				
	Inlet Markers: 0 ea	AC Repair: 1.1 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-J1	TAIT ST	DRESCHER ST	LINDA VISTA RD	7	Residential	137 ft	34 ft	4658 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 170.0 ft ²			Crack Seal: 358 ft				
	Inlet Markers: 0 ea	AC Repair: 2.2 ton			Traffic Loops: 5 ea @ LINDA VISTA RD				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1268-J2	COOLIDGE ST	BURTON ST	FITCH CT	7	Residential	1040 ft	32 ft	33280 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 850.0 ft ²			Crack Seal: 2560 ft				
	Inlet Markers: 0 ea	AC Repair: 11.2 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1268-J2	BURTON ST	COOLIDGE ST	ELMORE ST	7	Residential	285 ft	32 ft	9120 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 702 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1268-J2	BURTON ST	ELMORE ST	ACHESON ST	7	Residential	940 ft	32 ft	30080 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 1,808.0 ft ²			Crack Seal: 2314 ft				
	Inlet Markers: 1 ea	AC Repair: 23.9 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1268-J2	FITCH CT	COOLIDGE ST	END	7	Residential	355 ft	22 ft	7810 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 48.0 ft ²			Crack Seal: 601 ft				
	Inlet Markers: 1 ea	AC Repair: 0.6 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1268-J2	BURTON ST	ACHESON ST	GLIDDEN ST	7	Residential	272 ft	32 ft	8704 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 859.0 ft ²			Crack Seal: 670 ft				
	Inlet Markers: 0 ea	AC Repair: 11.3 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1268-J2	COOLIDGE ST	FITCH CT	GLIDDEN ST	7	Residential	280 ft	32 ft	8960 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 689 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1268-J2	GLIDDEN ST	COOLIDGE ST	END	7	Residential	725 ft	32 ft	23200 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 1,223.0 ft ²			Crack Seal: 1785 ft				
	Inlet Markers: 0 ea	AC Repair: 16.1 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1268-J2	ELMORE ST	ACHESON ST	BURTON ST	7	Residential	235 ft	28 ft	6580 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 40.0 ft ²			Crack Seal: 506 ft				
	Inlet Markers: 0 ea	AC Repair: 0.5 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II								
1268-J2	DRESCHER ST	WEST DRESCHER ST	KRAMER ST	7	Residential	231 ft	30 ft	6930 ft ²	Wednesday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 533 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. RAISE 1 SURVEY MONUMENT.								
1268-J2	GLIDDEN ST	ALCALA KNOLLS DR	LINDA VISTA RD	7	Prime	540 ft	37 ft	19980 ft ²	Wednesday
	Hump Removal: 35 ft	AC Repair Area: 432.0 ft ²			Crack Seal: 1537 ft				
	Inlet Markers: 1 ea	AC Repair: 5.7 ton			Traffic Loops: 5 ea @ LINDA VISTA RD				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1268-J2	GLIDDEN ST	LINDA VISTA RD	BURTON ST	7	Residential	285 ft	32 ft	9120 ft ²	Wednesday
	Hump Removal: 0 ft		AC Repair Area: 256.0 ft ²		Crack Seal: 702 ft				
	Inlet Markers: 0 ea		AC Repair: 3.4 ton		Traffic Loops: 5 ea @ @ LINDA VISTA RD				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II								
1268-J2	GLIDDEN ST	BURTON ST	COOLIDGE ST	7	Residential	555 ft	32 ft	17760 ft ²	Wednesday
	Hump Removal: 0 ft		AC Repair Area: 786.0 ft ²		Crack Seal: 1366 ft				
	Inlet Markers: 0 ea		AC Repair: 10.4 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II								
1268-J2	ELMORE ST	BEGIN	ACHESON ST	7	Residential	242 ft	22 ft	5324 ft ²	Wednesday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 410 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 1 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II								
1269-C3	ADAMS AV	ALABAMA ST	MISSISSIPPI ST	3	Collector	387 ft	53 ft	20511 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1578 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III								
1269-C3	ADAMS AV	MISSISSIPPI ST	LOUISIANA ST	3	Collector	378 ft	52 ft	19656 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1512 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III								
1269-C3	ADAMS AV	NORTH AV	PARK BL	3	Residential	389 ft	51 ft	19839 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1526 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III; NORTHSIDE DIAGONAL PARKING								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-C3	ADAMS AV	MISSION CLIFF DR	NORTH AV	3	Residential	263 ft	51 ft	13413 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1032 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III; NORTHSIDE DIAGONAL PARKING								
1269-C3	ADAMS AV	PARK BL	GEORGIA ST	3	Collector	380 ft	50 ft	19000 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1462 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III; NORTH & SOUTH PARKING LANE								
1269-C3	ADAMS AV	FLORIDA ST	ALABAMA ST	3	Collector	398 ft	50 ft	19900 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 452.0 ft ²			Crack Seal: 1531 ft				
	Inlet Markers: 2 ea	AC Repair: 6.0 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III; NORTH & SOUTH PARKING LANE								
1269-C3	ADAMS AV	GEORGIA ST	FLORIDA ST	3	Collector	380 ft	50 ft	19000 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 64.0 ft ²			Crack Seal: 1462 ft				
	Inlet Markers: 0 ea	AC Repair: 0.8 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III; NORTH & SOUTH PARKING LANE								
1269-C3	ADAMS AV	BEGIN	MISSION CLIFF DR	3	Residential	54 ft	50 ft	2700 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 208 ft				
	Inlet Markers: 1 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III								
1269-C4	CAMPUS AV	MADISON AV	GOLDEN GATE DR	3	Residential	358 ft	52 ft	18616 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 80.0 ft ²			Crack Seal: 1432 ft				
	Inlet Markers: 0 ea	AC Repair: 1.1 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II; CURB REPAIR @ 4665 (12 LF)								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-C4	CAMPUS AV	MONROE AV	MADISON AV	3	Residential	658 ft	50 ft	32900 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 100.0 ft ²		Crack Seal: 2531 ft				
	Inlet Markers: 0 ea		AC Repair: 1.3 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II, CURB REPAIR @ 4565 (12 FL), EASTSIDE DIAGONAL PARKING								
1269-D3	ADAMS AV	LOUISIANA ST	TEXAS ST	3	Collector	185 ft	55 ft	10175 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 783 ft				
	Inlet Markers: 2 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III								
1269-D3	ADAMS AV	OREGON ST	IDAHO ST	3	Collector	380 ft	51 ft	19380 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 412.0 ft ²		Crack Seal: 1491 ft				
	Inlet Markers: 0 ea		AC Repair: 5.4 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III								
1269-D3	ADAMS AV	TEXAS ST	ARIZONA ST	3	Collector	270 ft	55 ft	14850 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1142 ft				
	Inlet Markers: 2 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III								
1269-D3	ADAMS AV	HAMILTON ST	OREGON ST	3	Collector	377 ft	50 ft	18850 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 768.0 ft ²		Crack Seal: 1450 ft				
	Inlet Markers: 0 ea		AC Repair: 10.1 ton		Traffic Loops: 1 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III								
1269-D3	ADAMS AV	ARIZONA ST	ARIZONA ST	3	Collector	162 ft	51 ft	8262 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 360.0 ft ²		Crack Seal: 636 ft				
	Inlet Markers: 0 ea		AC Repair: 4.8 ton		Traffic Loops: @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-D3	ADAMS AV	ARIZONA ST	HAMILTON ST	3	Collector	220 ft	53 ft	11660 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 897 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III								
1269-D3	ADAMS AV	IDAHO ST	UTAH ST	3	Collector	380 ft	51 ft	19380 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 941.0 ft ²			Crack Seal: 1491 ft				
	Inlet Markers: 2 ea	AC Repair: 12.4 ton			Traffic Loops: 1 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III								
1269-E3	ADAMS AV	UTAH ST	KANSAS ST	3	Collector	379 ft	51 ft	19329 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 492.0 ft ²			Crack Seal: 1487 ft				
	Inlet Markers: 0 ea	AC Repair: 6.5 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III								
1269-E3	ADAMS AV	32ND ST	BANCROFT ST	3	Collector	325 ft	55 ft	17875 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1375 ft				
	Inlet Markers: 1 ea	AC Repair: 0.0 ton			Traffic Loops: 7 ea @ (6) WB @ 32ND ST; (1) WB @ 3220				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III.								
1269-E3	BANCROFT ST	MADISON AV	ADAMS AV	3	Residential	837 ft	35 ft	29295 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 840.0 ft ²			Crack Seal: 2253 ft				
	Inlet Markers: 0 ea	AC Repair: 11.1 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1269-E3	ADAMS AV	IOWA ST	32ND ST	3	Collector	347 ft	53 ft	18391 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1415 ft				
	Inlet Markers: 1 ea	AC Repair: 0.0 ton			Traffic Loops: @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-E3	ADAMS AV	KANSAS ST	30TH ST	3	Collector	379 ft	40 ft	15160 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 568.0 ft ²		Crack Seal: 1166 ft				
	Inlet Markers: 0 ea		AC Repair: 7.5 ton		Traffic Loops: 1 ea @ EB @ ALLEY (2933)				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III								
1269-E4	BANCROFT ST	MONROE AV	MADISON AV	3	Residential	705 ft	34 ft	23970 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 536.0 ft ²		Crack Seal: 1844 ft				
	Inlet Markers: 0 ea		AC Repair: 7.1 ton		Traffic Loops: @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1269-E4	BANCROFT ST	MEADE AV	MONROE AV	3	Residential	646 ft	34 ft	21964 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 692.0 ft ²		Crack Seal: 1690 ft				
	Inlet Markers: 2 ea		AC Repair: 9.1 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1269-F2	EAST MTN VIEW DR	COPLEY AV	35TH ST	3	Residential	691 ft	50 ft	34550 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 2,007.0 ft ²		Crack Seal: 2658 ft				
	Inlet Markers: 0 ea		AC Repair: 44.3 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 30.4 ton						
	Comments: TYPE I/II. SWEEPING EVERY 3RD MONDAY OF THE MONTH.								
1269-F3	EAST MTN VIEW DR	COPLEY AV	COPLEY AV	3	Residential	234 ft	50 ft	11700 ft ²	Friday
	Hump Removal: 10 ft		AC Repair Area: 886.0 ft ²		Crack Seal: 900 ft				
	Inlet Markers: 0 ea		AC Repair: 19.8 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 13.8 ton						
	Comments: TYPE I/II. SWEEPING EVERY 3RD MONDAY OF THE MONTH.								
1269-F3	ADAMS AV	FELTON ST	34TH ST	3	Collector	327 ft	52 ft	17004 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 396.0 ft ²		Crack Seal: 1308 ft				
	Inlet Markers: 1 ea		AC Repair: 5.2 ton		Traffic Loops: 1 ea @ WB @ 3366				
	Inlets: 1 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III. DO NOT SLURRY INTERSECTION AT FELTON ST.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-F3	FELTON ST	MADISON AV	ADAMS AV	3	Residential	819 ft	34 ft	27846 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 2,560.0 ft ²			Crack Seal: 2142 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1269-F3	ADAMS AV	BANCROFT ST	33RD ST	3	Collector	295 ft	55 ft	16225 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1248 ft				
	Inlet Markers: 1 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III. DO NOT SLURRY DECORATED INTERSECTION AT 33RD ST.								
1269-F3	COLLIER AV	WILSON AV	EAST MTN VIEW DR	3	Residential	145 ft	35 ft	5075 ft ²	
	Hump Removal: 0 ft	AC Repair Area: 100.0 ft ²			Crack Seal: 390 ft				
	Inlet Markers: 0 ea	AC Repair: 1.3 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1269-F3	ADAMS AV	WILSON AV	36TH ST	3	Collector	307 ft	55 ft	16885 ft ²	
	Hump Removal: 0 ft	AC Repair Area: 2,156.0 ft ²			Crack Seal: 1299 ft				
	Inlet Markers: 0 ea	AC Repair: 28.5 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III. BIKE ROUTE								
1269-F3	ADAMS AV	33RD ST	FELTON ST	3	Collector	280 ft	50 ft	14000 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 280.0 ft ²			Crack Seal: 1077 ft				
	Inlet Markers: 1 ea	AC Repair: 3.7 ton			Traffic Loops: 1 ea @ EB @ 3333				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III. DO NOT SLURRY INTERSECTIONS AT 33RD ST AND FELTON ST.								
1269-F3	EAST MTN VIEW DR	ALEXIA PL	COPLEY AV	3	Residential	245 ft	50 ft	12250 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 410.0 ft ²			Crack Seal: 942 ft				
	Inlet Markers: 0 ea	AC Repair: 11.5 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 10.3 ton							
	Comments: TYPE I/II. SWEEPING EVERY 3RD MONDAY OF THE MONTH.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-F3	COLLIER AV	35TH ST	WILSON AV	3	Residential	307 ft	35 ft	10745 ft ²	
	Hump Removal: 0 ft		AC Repair Area: 1,048.0 ft ²		Crack Seal: 827 ft				
	Inlet Markers: 0 ea		AC Repair: 13.8 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II. COLD PATCH AT NORTH SIDE.								
1269-F3	36TH ST	ADAMS AV	EAST MTN VIEW DR	3	Residential	517 ft	36 ft	18612 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 886.0 ft ²		Crack Seal: 1432 ft				
	Inlet Markers: 0 ea		AC Repair: 11.7 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1269-F4	FELTON ST	MONROE AV	MADISON AV	3	Residential	687 ft	35 ft	24045 ft ²	Friday
	Hump Removal: 34 ft		AC Repair Area: 1,526.0 ft ²		Crack Seal: 1850 ft				
	Inlet Markers: 0 ea		AC Repair: 20.1 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1269-G3	EDNA PL	38TH ST	39TH ST	3	Residential	400 ft	35 ft	14000 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 56.0 ft ²		Crack Seal: 1077 ft				
	Inlet Markers: 0 ea		AC Repair: 0.7 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1269-G3	39TH ST	EDNA PL	ADAMS AV	3	Residential	350 ft	36 ft	12600 ft ²	Friday
	Hump Removal: 6 ft		AC Repair Area: 132.0 ft ²		Crack Seal: 969 ft				
	Inlet Markers: 0 ea		AC Repair: 1.7 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1269-G3	EAST MTN VIEW DR	ADAMS AV	MERIVALE AV	3	Residential	157 ft	50 ft	7850 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 138.0 ft ²		Crack Seal: 604 ft				
	Inlet Markers: 0 ea		AC Repair: 1.8 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II. SWEEPING EVERY 3RD MONDAY OF THE MONTH.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-G3	EAST MTN VIEW DR	38TH ST	ADAMS AV	3	Residential	355 ft	47 ft	16685 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1283 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. SWEEPING EVERY 3RD MONDAY OF THE MONTH.								
1269-G3	ADAMS AV	CHEROKEE AV	EAST MTN VIEW DR	3	Collector	593 ft	54 ft	32022 ft ²	
	Hump Removal: 125 ft	AC Repair Area: 1,260.0 ft ²			Crack Seal: 2463 ft				
	Inlet Markers: 0 ea	AC Repair: 16.6 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III. BIKE ROUTE. PERMANENT DELINEATOR ON BOTH SIDE (16 IN TOTAL)								
1269-G3	38TH ST	WARD RD	EAST MTN VIEW DR	3	Residential	420 ft	25 ft	10500 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 16.0 ft ²			Crack Seal: 808 ft				
	Inlet Markers: 2 ea	AC Repair: 0.2 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1269-G3	ADAMS AV	36TH ST	CHEROKEE AV	3	Collector	326 ft	55 ft	17930 ft ²	
	Hump Removal: 0 ft	AC Repair Area: 1,866.0 ft ²			Crack Seal: 1379 ft				
	Inlet Markers: 0 ea	AC Repair: 24.6 ton			Traffic Loops: 6 ea @ @INTERSECTION OF ADAMS AND CHEROKEE AVE				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III. BIKE ROUTE								
1269-G3	EAST MTN VIEW DR	MERIVALE AV	BELMONT AV	3	Residential	281 ft	49 ft	13769 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 122.0 ft ²			Crack Seal: 1059 ft				
	Inlet Markers: 0 ea	AC Repair: 1.6 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. RAISE 1 MONUMENT. SWEEPING EVERY 3RD MONDAY OF THE MONTH.								
1269-G3	EAST MTN VIEW DR	BELMONT AV	CHEROKEE AV	3	Residential	342 ft	51 ft	17442 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 215.0 ft ²			Crack Seal: 1342 ft				
	Inlet Markers: 0 ea	AC Repair: 6.8 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 6.7 ton							
	Comments: TYPE I/II. SWEEPING EVERY 3RD MONDAY OF THE MONTH.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1269-G3	EAST MTN VIEW DR	CHEROKEE AV	38TH ST	3	Collector	483 ft	45 ft	21735 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 352.0 ft ²		Crack Seal: 1672 ft				
	Inlet Markers: 0 ea		AC Repair: 4.7 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II. SWEEPING EVERY 3RD MONDAY OF THE MONTH.								
1269-J5	45TH ST	WIGHTMAN ST	UNIVERSITY AV	9	Residential	617 ft	35 ft	21595 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1661 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1269-J6	MENLO AV	DWIGHT ST	LANDIS ST	9	Residential	662 ft	29 ft	19198 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 777.0 ft ²		Crack Seal: 1477 ft				
	Inlet Markers: 0 ea		AC Repair: 10.3 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1269-J6	CHAMOUNE AV	DWIGHT ST	LANDIS ST	9	Residential	645 ft	36 ft	23220 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 724.0 ft ²		Crack Seal: 1786 ft				
	Inlet Markers: 0 ea		AC Repair: 9.6 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1269-J6	47TH ST	DWIGHT ST	LANDIS ST	9	Residential	642 ft	30 ft	19260 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1482 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1270-A5	52ND ST	POLK AV	ORANGE AV	9	Collector	417 ft	36 ft	15012 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 842.0 ft ²		Crack Seal: 1155 ft				
	Inlet Markers: 0 ea		AC Repair: 11.1 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II. SCHOOL WEST SIDE. DO NOT SLURRY CONCRETE PART OF STREET AND PARKING LOT ON EAST SIDE. 2 SPEED HUMPS @ PRO KIDS BLDG								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1270-A5	52ND ST	OTTILIE PL	POLK AV	9	Collector	351 ft	36 ft	12636 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 972 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. SCHOOL WEST SIDE.								
1270-A5	OTTILIE PL	51ST ST	52ND ST	9	Residential	83 ft	27 ft	2241 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 172 ft				
	Inlet Markers: 1 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1270-A5	52ND ST	52ND PL	OTTILIE PL	9	Collector	152 ft	38 ft	5776 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 200.0 ft ²			Crack Seal: 444 ft				
	Inlet Markers: 1 ea	AC Repair: 2.6 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1270-A5	52ND PL	52ND ST	END	9	Residential	616 ft	37 ft	22792 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 72.0 ft ²			Crack Seal: 1753 ft				
	Inlet Markers: 0 ea	AC Repair: 1.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. SLURRY LIMIT: 52ND TO ENTRANCE OF PARKING LOT.								
1270-A5	51ST ST	OTTILIE PL	POLK AV	9	Residential	443 ft	34 ft	15062 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1159 ft				
	Inlet Markers: 2 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1270-B4	EL CAJON BL	BERTING ST	DAYTON ST	9	Major	355 ft	62 ft	22010 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 2,213.0 ft ²			Crack Seal: 1693 ft				
	Inlet Markers: 0 ea	AC Repair: 29.2 ton			Traffic Loops: 10 ea @ DAYTON ST				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1270-B4	EL CAJON BL	54TH ST	BERTING ST	9	Major	251 ft	68 ft	17068 ft ²	Friday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE II/III. DO NOT INCLUDE INTERSECTION @ 54TH.		AC Repair Area: 2,429.0 ft ² AC Repair: 32.1 ton Base Material: 0.0 ton		Crack Seal: 1313 ft Traffic Loops: 11 ea @ 54TH ST					
1270-B4	EL CAJON BL	56TH ST	EL CERRITO DR	9	Major	380 ft	59 ft	22420 ft ²	Friday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE II/III.		AC Repair Area: 1,925.0 ft ² AC Repair: 25.4 ton Base Material: 0.0 ton		Crack Seal: 1725 ft Traffic Loops: 0 ea @					
1270-B4	EL CAJON BL	EL CERRITO DR	58TH ST	9	Major	261 ft	67 ft	17487 ft ²	Friday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE II/III. RAISE 11 WATER VALVES.		AC Repair Area: 726.0 ft ² AC Repair: 9.6 ton Base Material: 0.0 ton		Crack Seal: 1345 ft Traffic Loops: 0 ea @					
1270-B4	EL CAJON BL	58TH ST	58TH ST	9	Major	69 ft	66 ft	4554 ft ²	Friday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE II/III.		AC Repair Area: 48.0 ft ² AC Repair: 0.6 ton Base Material: 0.0 ton		Crack Seal: 350 ft Traffic Loops: 0 ea @					
1270-B4	EL CAJON BL	55TH ST	56TH ST	9	Major	369 ft	59 ft	21771 ft ²	Friday
Hump Removal: 8 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE II/III.		AC Repair Area: 1,055.0 ft ² AC Repair: 13.9 ton Base Material: 0.0 ton		Crack Seal: 1675 ft Traffic Loops: 5 ea @ 56TH ST					
1270-B4	EL CAJON BL	DAYTON ST	55TH ST	9	Major	404 ft	59 ft	23836 ft ²	Friday
Hump Removal: 20 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE II/III. RAISE 4 WATER VALVES.		AC Repair Area: 1,820.0 ft ² AC Repair: 24.0 ton Base Material: 0.0 ton		Crack Seal: 1834 ft Traffic Loops: 6 ea @ DAYTON ST					

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1270-C3	EL CAJON BL	COLLEGE AV	62ND ST	9	Major	831 ft	74 ft	61494 ft ²	Friday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 2 ea		AC Repair Area: 3,198.0 ft ² AC Repair: 42.2 ton Base Material: 0.0 ton		Crack Seal: 4730 ft Traffic Loops: 24 ea @ COLLEGE (14); 62ND (10)					
Comments: TYPE II/III. DO NOT INCLUDE INTERSECTION @ COLLEGE.									
1270-C3	EL CAJON BL	60TH ST	60TH ST	9	Major	151 ft	70 ft	10570 ft ²	Friday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea		AC Repair Area: 216.0 ft ² AC Repair: 2.9 ton Base Material: 0.0 ton		Crack Seal: 813 ft Traffic Loops: 0 ea @					
Comments: TYPE II/III. DO NOT INCLUDE INTERSECTIONS OF 60TH ST.									
1270-C3	EL CAJON BL	59TH ST	ESTHER ST	9	Major	348 ft	64 ft	22272 ft ²	Friday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea		AC Repair Area: 335.0 ft ² AC Repair: 6.9 ton Base Material: 4.3 ton		Crack Seal: 1713 ft Traffic Loops: 6 ea @ 59TH ST					
Comments: TYPE II/III.									
1270-C3	60TH ST	ADAMS AV	END	9	Residential	1148 ft	38 ft	43624 ft ²	Friday
Hump Removal: 0 ft Inlet Markers: 1 ea Inlets: 1 ea		AC Repair Area: 356.0 ft ² AC Repair: 4.7 ton Base Material: 0.0 ton		Crack Seal: 3356 ft Traffic Loops: 0 ea @					
Comments: TYPE I/II.									
1270-C3	EL CAJON BL	ESTHER ST	60TH ST	9	Major	267 ft	70 ft	18690 ft ²	Friday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea		AC Repair Area: 166.0 ft ² AC Repair: 2.2 ton Base Material: 0.0 ton		Crack Seal: 1438 ft Traffic Loops: 0 ea @					
Comments: TYPE II/III.									
1270-C3	SORIA DR	COLLEGE AV	ADAMS AV	9	Residential	367 ft	30 ft	11010 ft ²	Friday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea		AC Repair Area: 392.0 ft ² AC Repair: 5.2 ton Base Material: 0.0 ton		Crack Seal: 847 ft Traffic Loops: 0 ea @					
Comments: TYPE I/II.									

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1270-C3	EL CAJON BL	62ND ST	63RD ST	9	Major	534 ft	73 ft	38982 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 2,144.0 ft ²					Crack Seal: 2999 ft	
	Inlet Markers: 0 ea		AC Repair: 28.3 ton					Traffic Loops: 14 ea @ 62ND ST	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III.								
1270-C3	SORIA DR	ADAMS AV	AROSA ST	9	Residential	953 ft	30 ft	28590 ft ²	Friday
	Hump Removal: 5 ft		AC Repair Area: 1,713.0 ft ²					Crack Seal: 2199 ft	
	Inlet Markers: 0 ea		AC Repair: 22.6 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1270-C3	EL CAJON BL	60TH ST	COLLEGE AV	9	Major	462 ft	74 ft	34188 ft ²	Friday
	Hump Removal: 4 ft		AC Repair Area: 2,512.0 ft ²					Crack Seal: 2630 ft	
	Inlet Markers: 0 ea		AC Repair: 33.2 ton					Traffic Loops: 19 ea @ COLLEGE AV	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III. DO NOT INCLUDE INTERSECTION @ COLLEGE.								
1270-C4	EL CAJON BL	58TH ST	ALICE ST	9	Major	387 ft	66 ft	25542 ft ²	Friday
	Hump Removal: 30 ft		AC Repair Area: 518.0 ft ²					Crack Seal: 1965 ft	
	Inlet Markers: 0 ea		AC Repair: 6.8 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III.								
1270-C4	EL CAJON BL	ALICE ST	59TH ST	9	Major	347 ft	65 ft	22555 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 852.0 ft ²					Crack Seal: 1735 ft	
	Inlet Markers: 1 ea		AC Repair: 11.3 ton					Traffic Loops: 4 ea @ 59TH ST	
	Inlets: 1 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III.								
1270-D2	AMHERST ST	EL CAJON BL	67TH ST	9	Residential	745 ft	38 ft	28310 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 490.0 ft ²					Crack Seal: 2178 ft	
	Inlet Markers: 1 ea		AC Repair: 6.5 ton					Traffic Loops: 10 ea @	
	Inlets: 3 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1270-D3	EL CAJON BL	ART ST	FILIPO ST	9	Major	741 ft	73 ft	54093 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 618.0 ft ²			Crack Seal: 4161 ft				
	Inlet Markers: 0 ea	AC Repair: 8.2 ton			Traffic Loops: 11 ea @ ART ST				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III.								
1270-D3	EL CAJON BL	63RD ST	CHOCTAW DR	9	Major	531 ft	73 ft	38763 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 4,787.0 ft ²			Crack Seal: 2982 ft				
	Inlet Markers: 0 ea	AC Repair: 63.2 ton			Traffic Loops: 20 ea @ 63RD ST				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III.								
1270-D3	EL CAJON BL	CHOCTAW DR	ART ST	9	Major	283 ft	73 ft	20659 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 80.0 ft ²			Crack Seal: 1589 ft				
	Inlet Markers: 0 ea	AC Repair: 1.1 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III.								
1270-E2	67TH ST	AMHERST ST	EL CAJON BL	9	Residential	334 ft	38 ft	12692 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 916.0 ft ²			Crack Seal: 976 ft				
	Inlet Markers: 0 ea	AC Repair: 12.1 ton			Traffic Loops: 8 ea @ EL CAJON BLVD				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1270-E2	67TH ST	AMHERST ST	AMHERST ST	9	Collector	356 ft	38 ft	13528 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 756.0 ft ²			Crack Seal: 1041 ft				
	Inlet Markers: 0 ea	AC Repair: 10.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1270-E2	EL CAJON BL	69TH ST	70TH ST	9	Major	696 ft	68 ft	47328 ft ²	Friday
	Hump Removal: 0 ft	AC Repair Area: 4,889.0 ft ²			Crack Seal: 3641 ft				
	Inlet Markers: 2 ea	AC Repair: 64.5 ton			Traffic Loops: 20 ea @ 70TH ST				
	Inlets: 3 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III. DO NOT INCLUDE THE INTERSECTION OF EL CAJON AND 69TH ST.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1270-F2	SARANAC ST	CITY BOUNDARY	73RD ST	9	Residential	196 ft	28 ft	5488 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 422 ft	
	Inlet Markers: 0 ea		AC Repair: 0.0 ton					Traffic Loops: 0 ea @	
	Inlets: 1 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1270-F2	EL CAJON BL	72ND ST	HARBINSON AV	9	Major	392 ft	63 ft	24696 ft ²	Friday
	Hump Removal: 85 ft		AC Repair Area: 775.0 ft ²					Crack Seal: 1900 ft	
	Inlet Markers: 0 ea		AC Repair: 10.2 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III.								
1270-F2	EL CAJON BL	70TH ST	71ST ST	9	Major	673 ft	66 ft	44418 ft ²	Friday
	Hump Removal: 18 ft		AC Repair Area: 3,620.0 ft ²					Crack Seal: 3417 ft	
	Inlet Markers: 0 ea		AC Repair: 47.8 ton					Traffic Loops: 10 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III.								
1270-F2	EL CAJON BL	HARBINSON AV	73RD ST	9	Major	312 ft	71 ft	22152 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 4,601.0 ft ²					Crack Seal: 1704 ft	
	Inlet Markers: 0 ea		AC Repair: 60.7 ton					Traffic Loops: 11 ea @ 73RD ST	
	Inlets: 1 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III.								
1270-F2	EL CAJON BL	71ST ST	72ND ST	9	Major	650 ft	63 ft	40950 ft ²	Friday
	Hump Removal: 0 ft		AC Repair Area: 3,326.0 ft ²					Crack Seal: 3150 ft	
	Inlet Markers: 0 ea		AC Repair: 43.9 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III.								
1289-J1	FAIRMOUNT AV	47TH ST	RIDGE VIEW DR	9	Residential	1622 ft	68 ft	110296 ft ²	
	Hump Removal: 112 ft		AC Repair Area: 4,762.0 ft ²					Crack Seal: 8484 ft	
	Inlet Markers: 3 ea		AC Repair: 62.9 ton					Traffic Loops: 12 ea @ 7 @ Ridge View Dr	
	Inlets: 3 ea		Base Material: 0.0 ton						
	Comments: Type II/III. Type I Over Bike Lane								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1289-J1	47TH ST	FAIRMOUNT AV	CHOLLAS PY	4	Collector	790 ft	36 ft	28440 ft ²	
	Hump Removal: 0 ft	AC Repair Area:1,596.0 ft ²			Crack Seal: 2188 ft				
	Inlet Markers: 0 ea	AC Repair: 21.1 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: Type I/II								
1289-J2	FEDERAL BL	47TH ST	48TH ST	4	Major	437 ft	67 ft	29279 ft ²	
	Hump Removal: 21 ft	AC Repair Area:1,302.0 ft ²			Crack Seal: 2252 ft				
	Inlet Markers: 0 ea	AC Repair: 18.3 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 1.9 ton							
	Comments: Type II/III								
1289-J2	FEDERAL BL	48TH ST	DUVAL ST	4	Major	326 ft	68 ft	22168 ft ²	
	Hump Removal: 8 ft	AC Repair Area:2,108.0 ft ²			Crack Seal: 1705 ft				
	Inlet Markers: 0 ea	AC Repair: 27.8 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: Type II/III								
1290-A2	FEDERAL BL	DUVAL ST	49TH ST	4	Major	351 ft	66 ft	23166 ft ²	
	Hump Removal: 0 ft	AC Repair Area:2,722.0 ft ²			Crack Seal: 1782 ft				
	Inlet Markers: 0 ea	AC Repair: 35.9 ton			Traffic Loops: 7 ea @ 1 @ EB on Federal				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: Type II/III. DO NOT SLURRY INTERSECTION								
1290-C6	LIROPE ST	HONEYSUCKLE LN	PLAZA BL	4	Residential	422 ft	34 ft	14348 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area:1,518.0 ft ²			Crack Seal: 1104 ft				
	Inlet Markers: 1 ea	AC Repair: 20.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-D6	BULLOCK DR	GALLEGOS TR	DUARTE PL	4	Collector	554 ft	38 ft	21052 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 129.0 ft ²			Crack Seal: 1619 ft				
	Inlet Markers: 0 ea	AC Repair: 1.7 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. SPEED HUMP @ 6475 & 6425.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1290-D6	PARADISE MESA RD	PARADISE RIDGE RD	JOUGLARD ST	4	Residential	340 ft	34 ft	11560 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²		Crack Seal: 889 ft				
	Inlet Markers: 0 ea	AC Repair:	0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material:	0.0 ton						
	Comments: TYPE I/II.								
1290-D6	HAUSER ST	GALLEGOS TR	DUARTE PL	4	Residential	723 ft	33 ft	23859 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area:	989.0 ft ²		Crack Seal: 1835 ft				
	Inlet Markers: 0 ea	AC Repair:	13.1 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material:	0.0 ton						
	Comments: TYPE I/II.								
1290-D6	GALLEGOS TR	HAUSER ST	BULLOCK DR	4	Residential	168 ft	34 ft	5712 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area:	424.0 ft ²		Crack Seal: 439 ft				
	Inlet Markers: 0 ea	AC Repair:	5.6 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material:	0.0 ton						
	Comments: TYPE I/II.								
1290-D6	DUARTE PL	HAUSER ST	BULLOCK DR	4	Residential	228 ft	34 ft	7752 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²		Crack Seal: 596 ft				
	Inlet Markers: 0 ea	AC Repair:	0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material:	0.0 ton						
	Comments: TYPE I/II.								
1290-D6	CRABTREE ST	DIVISION ST	BLANFORD ST	4	Residential	682 ft	33 ft	22506 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area:	114.0 ft ²		Crack Seal: 1731 ft				
	Inlet Markers: 0 ea	AC Repair:	1.5 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material:	0.0 ton						
	Comments: TYPE I/II.								
1290-D6	GALLEGOS TR	BEGIN	HAUSER ST	4	Residential	591 ft	38 ft	22458 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area:	1,690.0 ft ²		Crack Seal: 1728 ft				
	Inlet Markers: 0 ea	AC Repair:	22.3 ton		Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material:	0.0 ton						
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1290-D6	HARTWELL CT	BEGIN	ELSBERRY ST	4	Residential	88 ft	46 ft	4048 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 90.0 ft ²		Crack Seal: 311 ft				
	Inlet Markers: 0 ea		AC Repair: 1.2 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-D6	JOUGLARD ST	DILLARD ST	JESTER ST	4	Residential	1159 ft	37 ft	42883 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 3299 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-D6	FORSBERG CT	BEGIN	ELSBERRY ST	4	Residential	173 ft	38 ft	6574 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 1,470.0 ft ²		Crack Seal: 506 ft				
	Inlet Markers: 0 ea		AC Repair: 19.4 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-D6	ELSBERRY ST	FORSBERG CT	GINSBERG CT	4	Residential	289 ft	33 ft	9537 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 529.0 ft ²		Crack Seal: 734 ft				
	Inlet Markers: 0 ea		AC Repair: 7.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-D6	ELSBERRY ST	GINSBERG CT	HARTWELL CT	4	Residential	270 ft	33 ft	8910 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 368.0 ft ²		Crack Seal: 685 ft				
	Inlet Markers: 0 ea		AC Repair: 4.9 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-D6	ELSBERRY ST	HARTWELL CT	DIVISION ST	4	Residential	352 ft	34 ft	11968 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 50.0 ft ²		Crack Seal: 921 ft				
	Inlet Markers: 0 ea		AC Repair: 0.7 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1290-D6	DUARTE PL	BEGIN	HAUSER ST	4	Residential	144 ft	38 ft	5472 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 421 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-D6	BRENNER WY	DILLARD ST	END	4	Residential	479 ft	38 ft	18202 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 704.0 ft ²		Crack Seal: 1400 ft				
	Inlet Markers: 0 ea		AC Repair: 12.9 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 6.1 ton						
	Comments: TYPE I/II. STREET IS PART CONCRETE.								
1290-D6	ELSBERRY ST	DILLARD ST	FORSBERG CT	4	Residential	315 ft	33 ft	10395 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 386.0 ft ²		Crack Seal: 800 ft				
	Inlet Markers: 0 ea		AC Repair: 6.9 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 3.1 ton						
	Comments: TYPE I/II.								
1290-D6	CASTEEL CT	DIVISION ST	END	4	Residential	157 ft	40 ft	6280 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 515.0 ft ²		Crack Seal: 483 ft				
	Inlet Markers: 0 ea		AC Repair: 6.8 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-D6	JOUGLARD ST	JESTER ST	PARADISE MESA RD	4	Residential	222 ft	37 ft	8214 ft ²	Thursday
	Hump Removal: 35 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 632 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 1 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-D6	BULLOCK DR	DIVISION ST	GALLEGOS TR	4	Collector	115 ft	38 ft	4370 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 336 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1290-D6	GINSBERG CT	BEGIN	ELSBERRY ST	4	Residential	132 ft	39 ft	5148 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 272.0 ft ²		Crack Seal: 396 ft				
	Inlet Markers: 0 ea		AC Repair: 3.6 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-D6	PARADISE MESA RD	JOUGLARD ST	PLAZA RIDGE RD	4	Residential	208 ft	35 ft	7280 ft ²	Thursday
	Hump Removal: 25 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 560 ft				
	Inlet Markers: 1 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 1 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-E5	BULLOCK DR	FREED MANOR LN	PARKLAND WY	4	Collector	898 ft	38 ft	34124 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 677.0 ft ²		Crack Seal: 2625 ft				
	Inlet Markers: 0 ea		AC Repair: 8.9 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II. SPEED HUMP @ 6866; 6818; 6778								
1290-E5	PARKLAND WY	BULLOCK DR	FREED MANOR LN	4	Residential	684 ft	35 ft	23940 ft ²	Thursday
	Hump Removal: 30 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1842 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 1 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-E6	GILMARTIN DR	PARADISE CREST VIEW WY	PARADISE RIDGE RD	4	Residential	393 ft	37 ft	14541 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1119 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1290-E6	FREED MANOR LN	BULLOCK DR	PARKLAND WY	4	Residential	992 ft	29 ft	28768 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 64.0 ft ²		Crack Seal: 2213 ft				
	Inlet Markers: 0 ea		AC Repair: 0.8 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1290-E6	BLANFORD ST	BULLOCK DR	CRABTREE ST	4	Residential	222 ft	33 ft	7326 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 564 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	PARADISE RIDGE RD	HOVANEC ST	GILMARTIN DR	4	Residential	259 ft	33 ft	8547 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 657 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	PARADISE CREST VIEW WY	GILMARTIN DR	PLAZA CREST RIDGE RD	4	Residential	231 ft	35 ft	8085 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 622 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	CRABTREE ST	GILMARTIN DR	END	4	Residential	274 ft	38 ft	10412 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 280.0 ft ²			Crack Seal: 801 ft				
	Inlet Markers: 0 ea	AC Repair: 3.7 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	BULLOCK DR	CONTRERAS CT	HERRERA CT	4	Collector	372 ft	37 ft	13764 ft ²	Thursday
	Hump Removal: 10 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1059 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. SPEED HUMP @ 6625								
1290-E6	BLANFORD ST	BEGIN	BULLOCK DR	4	Residential	392 ft	38 ft	14896 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 70.0 ft ²			Crack Seal: 1146 ft				
	Inlet Markers: 0 ea	AC Repair: 0.9 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1290-E6	GILMARTIN DR	PARADISE RIDGE RD	JOUGLARD ST	4	Residential	315 ft	38 ft	11970 ft ²	Thursday
	Hump Removal: 85 ft	AC Repair Area: 220.0 ft ²			Crack Seal: 921 ft				
	Inlet Markers: 0 ea	AC Repair: 2.9 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	PLAZA RIDGE RD	GILMARTIN DR	END	4	Residential	279 ft	38 ft	10602 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 816 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	PLAZA CREST RIDGE RD	PARADISE CREST VIEW WY	JOUGLARD ST	4	Residential	601 ft	34 ft	20434 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1572 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. CONFLICT WITH B17030, CONST STRT: 04/30/2020, CONTACT PM HENRY GIMUTAO								
1290-E6	JOUGLARD ST	PARADISE MESA RD	GILMARTIN DR	4	Residential	1144 ft	33 ft	37752 ft ²	Thursday
	Hump Removal: 30 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 2904 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. REPLACE 2 BROKEN MONUMENTS @ 6475 & 6585.								
1290-E6	CRABTREE ST	BLANFORD ST	HOVANEC ST	4	Residential	606 ft	33 ft	19998 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 302.0 ft ²			Crack Seal: 1538 ft				
	Inlet Markers: 1 ea	AC Repair: 4.0 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	BULLOCK DR	DUARTE PL	BLANFORD ST	4	Collector	241 ft	37 ft	8917 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 289.0 ft ²			Crack Seal: 686 ft				
	Inlet Markers: 0 ea	AC Repair: 3.8 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. SPEED HUMP @ 6515.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1290-E6	PARKLAND WY	FREED MANOR LN	OSTERLING CT	4	Residential	1247 ft	34 ft	42398 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 9,962.0 ft ²			Crack Seal: 3261 ft				
	Inlet Markers: 0 ea	AC Repair: 131.5 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	PLAZA RIDGE RD	PARADISE MESA RD	GILMARTIN DR	4	Residential	1186 ft	33 ft	39138 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 3011 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	BULLOCK DR	GILMARTIN DR	FREED MANOR LN	4	Collector	558 ft	37 ft	20646 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 431.0 ft ²			Crack Seal: 1588 ft				
	Inlet Markers: 0 ea	AC Repair: 5.7 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. SPEED HUMP @ 6740. UNCOVER 1 SURVEY MONUMENT @ 6725.								
1290-E6	HOVANEK ST	CRABTREE ST	PARADISE RIDGE RD	4	Residential	433 ft	33 ft	14289 ft ²	Thursday
	Hump Removal: 55 ft	AC Repair Area: 307.0 ft ²			Crack Seal: 1099 ft				
	Inlet Markers: 0 ea	AC Repair: 4.1 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	CRABTREE ST	HOVANEK ST	GILMARTIN DR	4	Residential	308 ft	34 ft	10472 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 105.0 ft ²			Crack Seal: 806 ft				
	Inlet Markers: 0 ea	AC Repair: 1.4 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	GILMARTIN DR	BULLOCK DR	CRABTREE ST	4	Residential	259 ft	36 ft	9324 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 717 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1290-E6	BULLOCK DR	HERRERA CT	GILMARTIN DR	4	Collector	178 ft	37 ft	6586 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 507 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. SPEED HUMP @ 6675								
1290-E6	HERRERA CT	BEGIN	BULLOCK DR	4	Residential	197 ft	39 ft	7683 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 215.0 ft ²			Crack Seal: 591 ft				
	Inlet Markers: 0 ea	AC Repair: 2.8 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1290-E6	GILMARTIN DR	JOUGLARD ST	PLAZA RIDGE RD	4	Residential	378 ft	38 ft	14364 ft ²	Thursday
	Hump Removal: 33 ft	AC Repair Area: 128.0 ft ²			Crack Seal: 1105 ft				
	Inlet Markers: 2 ea	AC Repair: 1.7 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. REPLACE 1 SURVEY MONUMENT BOX NEAR INLETS. CONFLICT WITH B17030, CONST STRT: 04/30/2020, CONTACT PM HENRY GIMUTAO								
1290-E6	JOUGLARD ST	GILMARTIN DR	PLAZA CREST RIDGE RD	4	Residential	243 ft	33 ft	8019 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 617 ft				
	Inlet Markers: 1 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. CONFLICT WITH B17030, CONST STRT: 04/30/2020, CONTACT PM HENRY GIMUTAO								
1290-E6	BULLOCK DR	BLANFORD ST	CONTRERAS CT	4	Collector	308 ft	38 ft	11704 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 900 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II. SPEED HUMP @ 6575.								
1290-E6	PARADISE RIDGE RD	PARADISE MESA RD	HOVANEC ST	4	Residential	934 ft	35 ft	32690 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 410.0 ft ²			Crack Seal: 2515 ft				
	Inlet Markers: 0 ea	AC Repair: 5.4 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1290-E6	GILMARTIN DR	CRABTREE ST	PARADISE CREST VIEW WY	4	Residential	239 ft	37 ft	8843 ft ²	Tuesday
	Hump Removal: 0 ft		AC Repair Area: 80.0 ft ²		Crack Seal: 680 ft				
	Inlet Markers: 0 ea		AC Repair: 2.5 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 2.5 ton						
	Comments: TYPE I/II.								
1290-E6	CONTRERAS CT	BEGIN	BULLOCK DR	4	Residential	290 ft	38 ft	11020 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 948.0 ft ²		Crack Seal: 848 ft				
	Inlet Markers: 0 ea		AC Repair: 12.5 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1330-H6	DENNERY RD	RED CORAL LN	REGATTA LN	8	Major	1650 ft	70 ft	115500 ft ²	
	Hump Removal: 35 ft		AC Repair Area: 1,305.0 ft ²		Crack Seal: 8885 ft				
	Inlet Markers: 4 ea		AC Repair: 17.2 ton		Traffic Loops: 22 ea @ 11@REGATTA LN , 11@ RED CORAL LN				
	Inlets: 4 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III WITH TYPE I ON BIKE LANE.								
1330-H6	DENNERY RD	ISLAND BREEZE LN	RED CORAL LN	8	Major	517 ft	70 ft	36190 ft ²	
	Hump Removal: 100 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 2784 ft				
	Inlet Markers: 1 ea		AC Repair: 0.0 ton		Traffic Loops: 10 ea @ @ RED CORAL				
	Inlets: 1 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III WITH TYPE I ON BIKE LANE								
1330-H6	ISLAND BREEZE LN	DENNERY RD	ROYAL ISLAND WY	8	Residential	210 ft	34 ft	7140 ft ²	
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 549 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I/II.								
1330-H7	DENNERY RD	REGATTA LN	OCEAN VIEW HILLS PY	8	Major	612 ft	88 ft	53856 ft ²	
	Hump Removal: 0 ft		AC Repair Area: 200.0 ft ²		Crack Seal: 4143 ft				
	Inlet Markers: 1 ea		AC Repair: 2.6 ton		Traffic Loops: 28 ea @ 14@ OCEAN VIEW HILLS AND 14@ REGATTA LN				
	Inlets: 1 ea		Base Material: 0.0 ton						
	Comments: TYPE II/III WITH TYPE I ON BIKE LANE								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-J6	DENNERY RD	BLACK CORAL WY	ISLAND BREEZE LN	8	Major	1048 ft	51 ft	53448 ft ²	
	Hump Removal: 15 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 4111 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 6 ea @ BLACK CORAL WY				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III WITH TYPE I ON BIKE LANE								
1330-J6	DENNERY RD	BEGIN	TOPSAIL DR	8	Collector	40 ft	38 ft	1520 ft ²	
	Hump Removal:	AC Repair Area: 0.0 ft ²			Crack Seal: 117 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III WITH TYPE I ON BIKE LANE								
1330-J6	SEA LAVENDER WY	FATHOM CT	BLACK CORAL WY	8	Residential	238 ft	34 ft	8092 ft ²	
	Hump Removal:	AC Repair Area: 0.0 ft ²			Crack Seal: 622 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1330-J6	WHEELHOUSE DR	ISLAND BREEZE LN	BLACK CORAL WY	8	Residential	998 ft	34 ft	33932 ft ²	
	Hump Removal: 18 ft	AC Repair Area: 100.0 ft ²			Crack Seal: 2610 ft				
	Inlet Markers: 0 ea	AC Repair: 3.2 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 3.1 ton							
	Comments: TYPE I/II.								
1330-J6	BLACK CORAL CT	BEGIN	BLACK CORAL WY	8	Residential	415 ft	36 ft	14940 ft ²	
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1149 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1330-J6	ISLAND BREEZE LN	ROYAL ISLAND WY	WHEELHOUSE DR	8	Residential	300 ft	34 ft	10200 ft ²	
	Hump Removal: 50 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 785 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: @				
	Inlets: 7 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-J6	ISLAND BREEZE LN	SEA LAVENDER WY	BLACK CORAL WY	8	Residential	850 ft	34 ft	28900 ft ²	
	Hump Removal:								
	Inlet Markers: 1 ea	AC Repair Area: 0.0 ft ²			Crack Seal: 2223 ft				
	Inlets: 2 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
		Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1330-J6	SEA LAVENDER WY	ISLAND BREEZE LN	FATHOM CT	8	Residential	597 ft	33 ft	19701 ft ²	
	Hump Removal: 0 ft								
	Inlet Markers: 0 ea	AC Repair Area: 0.0 ft ²			Crack Seal: 1515 ft				
	Inlets: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
		Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1330-J6	BLACK CORAL WY	DAYSAILOR CT	BLACK CORAL CT	8	Residential	245 ft	33 ft	8085 ft ²	
	Hump Removal: 0 ft								
	Inlet Markers: 0 ea	AC Repair Area: 0.0 ft ²			Crack Seal: 622 ft				
	Inlets: 2 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
		Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1330-J6	BLACK CORAL WY	SEA LAVENDER WY	ISLAND BREEZE LN	8	Residential	544 ft	34 ft	18496 ft ²	
	Hump Removal: 0 ft								
	Inlet Markers: 0 ea	AC Repair Area: 0.0 ft ²			Crack Seal: 1423 ft				
	Inlets: 2 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
		Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1330-J6	FATHOM CT	SEA LAVENDER WY	END	8	Residential	220 ft	36 ft	7920 ft ²	
	Hump Removal: 0 ft								
	Inlet Markers: 0 ea	AC Repair Area: 24.0 ft ²			Crack Seal: 609 ft				
	Inlets: 1 ea	AC Repair: 0.3 ton			Traffic Loops: 0 ea @				
		Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1330-J6	ROYAL ISLAND WY	ISLAND BREEZE LN	BLACK CORAL WY	8	Residential	990 ft	34 ft	33660 ft ²	
	Hump Removal: 25 ft								
	Inlet Markers: 1 ea	AC Repair Area: 64.0 ft ²			Crack Seal: 2589 ft				
	Inlets: 3 ea	AC Repair: 0.8 ton			Traffic Loops: 10 ea @				
		Base Material: 0.0 ton							
	Comments: TYPE I/II.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-J6	DENNERY RD	TOPSIDE LN	BLACK CORAL WY	8	Major	1317 ft	39 ft	51363 ft ²	
	Hump Removal:	AC Repair Area:	0.0 ft ²		Crack Seal:	3951 ft			
	Inlet Markers: 1 ea	AC Repair:	0.0 ton		Traffic Loops:	11 ea @	@BLACK CORAL WY		
	Inlets: 3 ea	Base Material:	0.0 ton						
	Comments: TYPE II/III WITH TYPE I ON BIKE LANE								
1330-J6	DAYSAILOR CT	BEGIN	BLACK CORAL WY	8	Residential	512 ft	36 ft	18432 ft ²	
	Hump Removal: 0 ft	AC Repair Area:	176.0 ft ²		Crack Seal:	1418 ft			
	Inlet Markers: 0 ea	AC Repair:	2.3 ton		Traffic Loops:	0 ea @			
	Inlets: 0 ea	Base Material:	0.0 ton						
	Comments: TYPE I/II.								
1330-J6	BLACK CORAL WY	ROYAL ISLAND WY	WHEELHOUSE DR	8	Residential	330 ft	34 ft	11220 ft ²	
	Hump Removal:	AC Repair Area:	120.0 ft ²		Crack Seal:	863 ft			
	Inlet Markers: 0 ea	AC Repair:	1.6 ton		Traffic Loops:	0 ea @			
	Inlets: 1 ea	Base Material:	0.0 ton						
	Comments: TYPE I/II.								
1330-J6	BLACK CORAL WY	WHEELHOUSE DR	SEA LAVENDER WY	8	Residential	330 ft	34 ft	11220 ft ²	
	Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²		Crack Seal:	863 ft			
	Inlet Markers: 0 ea	AC Repair:	0.0 ton		Traffic Loops:	0 ea @			
	Inlets: 2 ea	Base Material:	0.0 ton						
	Comments: TYPE I/II.								
1330-J6	BLACK CORAL WY	DENNERY RD	ROYAL ISLAND WY	8	Residential	186 ft	34 ft	6324 ft ²	
	Hump Removal: 6 ft	AC Repair Area:	260.0 ft ²		Crack Seal:	486 ft			
	Inlet Markers: 0 ea	AC Repair:	8.2 ton		Traffic Loops:	5 ea @			
	Inlets: 2 ea	Base Material:	8.1 ton						
	Comments: TYPE II/III WITH TYPE I ON BIKE LANE								
1330-J6	DENNERY RD	TOPSAIL DR	TOPSIDE LN	8	Major	483 ft	39 ft	18837 ft ²	
	Hump Removal: 0 ft	AC Repair Area:	48.0 ft ²		Crack Seal:	1449 ft			
	Inlet Markers: 0 ea	AC Repair:	1.5 ton		Traffic Loops:	0 ea @			
	Inlets: 0 ea	Base Material:	1.5 ton						
	Comments: TYPE II/III WITH TYPE I ON BIKE LANE.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1330-J6	ISLAND BREEZE LN	WHEELHOUSE DR	SEA LAVENDER WY	8	Residential	312 ft	34 ft	10608 ft ²	
	Hump Removal: 60 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 816 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1330-J6	BLACK CORAL WY	ISLAND BREEZE LN	DAYSAILOR CT	8	Residential	294 ft	34 ft	9996 ft ²	
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 769 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I/II.								
1350-E4	HIRES WY	BEGIN	DEAVER LN	8	Residential	248 ft	32 ft	7936 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 610 ft				
	Inlet Markers: 1 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-E4	HIRES WY	DEAVER LN	MAGUIRE RD	8	Residential	418 ft	30 ft	12540 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 965 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-E4	CAM DE LA PLAZA	DAIRY MART RD	BIBLER DR	8	Major	3205 ft	62 ft	198710 ft ²	Thursday
	Hump Removal: 18 ft	AC Repair Area: 891.0 ft ²			Crack Seal: 15285 ft				
	Inlet Markers: 2 ea	AC Repair: 11.8 ton			Traffic Loops: 10 ea @ 10@ BIBLER				
	Inlets: 5 ea	Base Material: 0.0 ton							
	Comments: TYPE II/III. TYPE I WITH BIKE LANE								
1350-E5	GLANCY DR	BEGIN	JANSE WY	8	Residential	241 ft	32 ft	7712 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 593 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-F4	ANELLA RD	BIBLER DR	JANSE WY	8	Residential	398 ft	38 ft	15124 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1163 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F4	BIBLER DR	CAM DE LA PLAZA	NAYLOR RD	8	Prime	456 ft	38 ft	17328 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1333 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F4	MAGUIRE RD	ELLINGER PL	DEAVER LN	8	Residential	434 ft	30 ft	13020 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1002 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F4	DEAVER LN	MAGUIRE RD	BIBLER DR	8	Residential	328 ft	34 ft	11152 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 858 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F4	BIBLER DR	DEAVER LN	ANELLA RD	8	Prime	255 ft	38 ft	9690 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 745 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F4	BIBLER DR	NAYLOR RD	DEAVER LN	8	Prime	470 ft	38 ft	17860 ft ²	Thursday
	Hump Removal: 8 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1374 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1.350-F4	ELLINGER PL	BEGIN	MAGUIRE RD	8	Residential	152 ft	30 ft	4560 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 351 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1.350-F4	MAGUIRE RD	HIRES WY	ELLINGER PL	8	Residential	164 ft	30 ft	4920 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 378 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1.350-F4	DEAVER LN	HIRES WY	MAGUIRE RD	8	Residential	754 ft	34 ft	25636 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1972 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1.350-F5	WITTMAN WY	BEGIN	JANSE WY	8	Residential	294 ft	30 ft	8820 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 678 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1.350-F5	OKEEFE ST	JANSE WY	TRIDLE WY	8	Residential	504 ft	30 ft	15120 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 288.0 ft ²		Crack Seal: 1163 ft				
	Inlet Markers: 0 ea		AC Repair: 3.8 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1.350-F5	WITTMAN WY	TRIDLE WY	SIPES LN	8	Residential	279 ft	30 ft	8370 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 644 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-F5	SIPES LN	ANELLA RD	CORAL GATE LN	8	Residential	482 ft	38 ft	18316 ft ²	Thursday
	Hump Removal: 70 ft	AC Repair Area: 140.0 ft ²			Crack Seal: 1409 ft				
	Inlet Markers: 1 ea	AC Repair: 1.9 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I								
1350-F5	OKEEFE ST	BEGIN	JANSE WY	8	Residential	248 ft	30 ft	7440 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 144.0 ft ²			Crack Seal: 572 ft				
	Inlet Markers: 0 ea	AC Repair: 1.9 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I								
1350-F5	CORAL SHORES CT	BEGIN	CORAL GATE LN	8	Residential	108 ft	34 ft	3672 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 282 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I								
1350-F5	LYNCH LN	GLANCY DR	NAYLOR RD	8	Residential	264 ft	30 ft	7920 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 609 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I								
1350-F5	JANSE WY	GLANCY DR	NAYLOR RD	8	Residential	262 ft	34 ft	8908 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 685 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I								
1350-F5	CORAL CREST WY	CORAL GATE LN	CORAL SHORES CT	8	Residential	548 ft	32 ft	17536 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1349 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-F5	SIPES LN	CORAL GATE LN	CAM DE LA PLAZA	8	Residential	946 ft	38 ft	35948 ft ²	Thursday
	Hump Removal: 20 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 2765 ft				
	Inlet Markers: 1 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 3 ea	Base Material: 0.0 ton							
	Comments: TYPE I								
1350-F5	QUILALANG CT	ANELLA RD	END	8	Residential	268 ft	30 ft	8040 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 618 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	TRIDLE WY	NAYLOR RD	OKEEFE ST	8	Residential	262 ft	30 ft	7860 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 605 ft				
	Inlet Markers: 2 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	OKEEFE ST	ANELLA RD	END	8	Residential	316 ft	32 ft	10112 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 778 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	WITTMAN WY	ANELLA RD	END	8	Residential	565 ft	32 ft	18080 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 80.0 ft ²			Crack Seal: 1391 ft				
	Inlet Markers: 0 ea	AC Repair: 1.1 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	JANSE WY	OKEEFE ST	WITTMAN WY	8	Residential	260 ft	34 ft	8840 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 680 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-F5	TRIDLE WY	OKEEFE ST	WITTMAN WY	8	Residential	262 ft	30 ft	7860 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 605 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	JANSE WY	WITTMAN WY	ANELLA RD	8	Residential	394 ft	34 ft	13396 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 1030 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	WITTMAN WY	JANSE WY	KANEKO CT	8	Residential	218 ft	30 ft	6540 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 503 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	CAM DE LA PLAZA	BIBLER DR	SIPES LN	8	Major	4430 ft	70 ft	310100 ft ²	Thursday
	Hump Removal: 30 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 23854 ft				
	Inlet Markers: 1 ea	AC Repair: 0.0 ton			Traffic Loops: 6 ea @ 6@BIBLER DR				
	Inlets: 4 ea	Base Material: 0.0 ton							
	Comments: TYPE II. TYPE I WITH BIKE LANE								
1350-F5	CORAL GATE LN	SIPES LN	CORAL CREST WY	8	Residential	178 ft	32 ft	5696 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 100.0 ft ²			Crack Seal: 438 ft				
	Inlet Markers: 0 ea	AC Repair: 1.3 ton			Traffic Loops: 0 ea @				
	Inlets: 2 ea	Base Material: 0.0 ton							
	Comments: TYPE I								
1350-F5	CORAL SHORES CT	CORAL CREST WY	END	8	Residential	154 ft	32 ft	4928 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 379 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-F5	SIPES LN	WITTMAN WY	ANELLA RD	8	Residential	424 ft	34 ft	14416 ft ²	Thursday
	Hump Removal: 25 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1109 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I								
1350-F5	GLANCY DR	LYNCH LN	END	8	Residential	115 ft	32 ft	3680 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 283 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I								
1350-F5	NAYLOR RD	TRIDLE WY	LYNCH LN	8	Residential	502 ft	38 ft	19076 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1467 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I								
1350-F5	ANELLA RD	JANSE WY	FIX CT	8	Residential	612 ft	38 ft	23256 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1789 ft				
	Inlet Markers: 1 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I								
1350-F5	JANSE WY	NAYLOR RD	OKEEFE ST	8	Residential	262 ft	34 ft	8908 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 72.0 ft ²		Crack Seal: 685 ft				
	Inlet Markers: 0 ea		AC Repair: 1.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I								
1350-F5	NAYLOR RD	JANSE WY	TRIDLE WY	8	Residential	508 ft	38 ft	19304 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²		Crack Seal: 1485 ft				
	Inlet Markers: 0 ea		AC Repair: 0.0 ton		Traffic Loops: 0 ea @				
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-F5	KANEKO CT	WITTMAN WY	END	8	Residential	148 ft	30 ft	4440 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 30.0 ft ²			Crack Seal: 342 ft				
	Inlet Markers: 0 ea	AC Repair: 0.4 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	JANSE WY	ANELLA RD	END	8	Residential	144 ft	30 ft	4320 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 332 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	CORAL GATE LN	CORAL CREST WY	CORAL SHORES CT	8	Residential	271 ft	32 ft	8672 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 667 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	FIX CT	BEGIN	ANELLA RD	8	Residential	172 ft	30 ft	5160 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 397 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: @				
	Inlets: 0 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	ANELLA RD	WITTMAN WY	QUILALANG CT	8	Residential	198 ft	38 ft	7524 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 579 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								
1350-F5	ANELLA RD	QUILALANG CT	NAYLOR RD	8	Residential	220 ft	38 ft	8360 ft ²	Thursday
	Hump Removal: 0 ft	AC Repair Area: 0.0 ft ²			Crack Seal: 643 ft				
	Inlet Markers: 0 ea	AC Repair: 0.0 ton			Traffic Loops: 0 ea @				
	Inlets: 1 ea	Base Material: 0.0 ton							
	Comments: TYPE I.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-F5	ANELLA RD	FIX CT	SIPES LN	8	Residential	440 ft	38 ft	16720 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 1286 ft	
	Inlet Markers: 0 ea		AC Repair: 0.0 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1350-F5	NAYLOR RD	LYNCH LN	ANELLA RD	8	Residential	244 ft	38 ft	9272 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 713 ft	
	Inlet Markers: 0 ea		AC Repair: 0.0 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1350-F5	WITTMAN WY	SIPES LN	ANELLA RD	8	Residential	434 ft	30 ft	13020 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 1002 ft	
	Inlet Markers: 0 ea		AC Repair: 0.0 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1350-F5	GLANCY DR	JANSE WY	TRIDLE WY	8	Residential	502 ft	30 ft	15060 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 136.0 ft ²					Crack Seal: 1158 ft	
	Inlet Markers: 0 ea		AC Repair: 1.8 ton					Traffic Loops: 0 ea @	
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1350-F5	TRIDLE WY	GLANCY DR	NAYLOR RD	8	Residential	268 ft	30 ft	8040 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 618 ft	
	Inlet Markers: 1 ea		AC Repair: 0.0 ton					Traffic Loops: 0 ea @	
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1350-F5	CORAL SHORES CT	CORAL GATE LN	CORAL CREST WY	8	Residential	524 ft	32 ft	16768 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 1290 ft	
	Inlet Markers: 0 ea		AC Repair: 0.0 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1350-F5	OKEEFE ST	TRIDLE WY	ANELLA RD	8	Residential	680 ft	30 ft	20400 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 1569 ft	
	Inlet Markers: 0 ea		AC Repair: 0.0 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1350-F5	WITTMAN WY	KANEKO CT	TRIDLE WY	8	Residential	280 ft	30 ft	8400 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 646 ft	
	Inlet Markers: 0 ea		AC Repair: 0.0 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1350-F5	NAYLOR RD	BIBLER DR	JANSE WY	8	Residential	410 ft	38 ft	15580 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 1198 ft	
	Inlet Markers: 0 ea		AC Repair: 0.0 ton					Traffic Loops: 0 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1350-F5	ANELLA RD	SIPES LN	WITTMAN WY	8	Residential	468 ft	38 ft	17784 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 1368 ft	
	Inlet Markers: 0 ea		AC Repair: 0.0 ton					Traffic Loops: 0 ea @	
	Inlets: 2 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1350-F5	GLANCY DR	TRIDLE WY	LYNCH LN	8	Residential	644 ft	30 ft	19320 ft ²	Thursday
	Hump Removal: 0 ft		AC Repair Area: 0.0 ft ²					Crack Seal: 1486 ft	
	Inlet Markers: 0 ea		AC Repair: 0.0 ton					Traffic Loops: 10 ea @	
	Inlets: 0 ea		Base Material: 0.0 ton						
	Comments: TYPE I.								
1350-G5	CAM DE LA PLAZA	SIPES LN	WILLOW RD	8	Major	1088 ft	70 ft	76160 ft ²	Thursday
	Hump Removal:		AC Repair Area: 913.0 ft ²					Crack Seal: 5858 ft	
	Inlet Markers: 1 ea		AC Repair: 15.7 ton					Traffic Loops: 11 ea @ 11@WILLOW RD	
	Inlets: 2 ea		Base Material: 6.2 ton						
	Comments: TYPE II WITH TYPE I IN BIKE LANE.								

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
-------------	-------------	------	----	------------------	------------------	--------	-------	------	-----------

Total Number of Locations: 275

Bid Results

Bidder Details

Vendor Name American Asphalt South, Inc.
Address PO Box 310036
 14436 Santa Ana Ave
 Fontana, CA 92331
 United States
Respondee Lyle Stone
Respondee Title Corporate Secretary
Phone 909-427-8276 Ext.
Email lyles@americanasphaltsouth.com
Vendor Type CAU,MALE,PQUAL,CADIR
License # 784969
CADIR 1000000645

Bid Detail

Bid Format Electronic
Submitted November 1, 2017 12:48:25 PM (Pacific)
Delivery Method
Bid Responsive
Bid Status Submitted
Confirmation # 122302
Ranking 0

Respondee Comment

Addendum A Acknowledged

Buyer Comment

Attachments

File Title	File Name	File Type
Contractor's Certification of Pending Actions	Contractor's Certification of Pending Actions.pdf	Contractor's Certification of Pending Actions
Bid Bond	Bid Bond.pdf	Bid Bond

Line Items

Type	Item Code	UOM	Qty	Unit Price	Line Total	Comment Reference
Main Bid						
1	Bonds (Payment and Performance)					
	524126	LS	1	\$20,000.00	\$20,000.00	2-4.1
2	Traffic Control Including Plans & Permits					
	237310	LS	1	\$73,750.00	\$73,750.00	601-6
3	Field Orders - EOC Type II					
		AL	1	\$75,000.00	\$75,000.00	9-3.5
4	Raise Appurtenance to Grade (Water, Sewer)					
	237310	EA	36	\$263.00	\$9,468.00	301-1.7

Bid Results

Type	Item Code	UOM	Qty	Unit Price	Line Total	Comment Reference
5	Raise Survey Monument to Grade					
	237310	EA	15	\$684.00	\$10,260.00	301-1.8.1
6	Reconstruct Survey Monument Box					
	237310	EA	15	\$1,052.00	\$15,780.00	301-1.8.1
7	Class II Base					
	237310	TON	220	\$65.00	\$14,300.00	301-2.4
8	Traffic Detector Loop Replacement or Conduit Stub Installed					
	237310	EA	216	\$331.50	\$71,604.00	302-1.12
9	Removal of Humps & Pavement Irregularities					
	237310	LF	1600	\$13.00	\$20,800.00	302-1.12
10	Asphalt Pavement Repair					
	237310	TON	2100	\$185.70	\$389,970.00	302-3.2
11	Rubber Polymer Modified Slurry Type I (Select Streets)					
	237310	SF	1934409	\$0.11	\$212,784.99	302-4.12.4
12	Rubber Polymer Modified Slurry Type I (Bike Lane)					
	237310	SF	269304	\$0.17	\$45,781.68	302-4.12.4
13	Rubber Polymer Modified Slurry Type II					
	237310	SF	869199	\$0.15	\$130,379.85	302-4.12.4
14	Rubber Polymer Modified Slurry Type I Over Type II					
	237310	SF	3162705	\$0.26	\$822,303.30	302-4.12.4
15	Rubber Polymer Modified Slurry Type II Over Type III					
	237310	SF	595938	\$0.34	\$202,618.92	302-4.12.4
16	Post-construction Requirements - Inlet Markers					
	237310	EA	85	\$12.50	\$1,062.50	7-8.6.1.11
17	Crack Seal					
	237310	LF	547860	\$0.34	\$186,272.40	302-14.5
18	Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices					
	237310	LS	1	\$166,625.00	\$166,625.00	314-5.7
19	Water Pollution Control Program Development					
	541330	LS	1	\$1,500.00	\$1,500.00	7-8.6.4.2
20	Water Pollution Control Program Implementation					
	237990	LS	1	\$5,000.00	\$5,000.00	7-8.6.4.2
				Subtotal	\$2,475,260.64	

Bid Results

Type	Item Code	UOM	Qty	Unit Price	Line Total	Comment
					Total	\$2,475,260.64

Subcontractors

Name & Address	Description	License Num	CADIR	Amount	Type
PAL General Engineering, Inc. 10675 Treena st ste 103 San Diego, CA 92131 United States	Raise Appurtenance to Grade, Adjust Survey Monument to Grade, Reconstruct Survey Monument Box, Class II Base, Removal of Humps & Pavement Irregularities	916931	1000004280	\$67,250.00	LAT,FEM
Payco Specialties Inc. 120 North Second Ave Chula Vista, CA 91910 United States	Post-Construction Requirements-Inlet Markers, Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices	298637	1000003515	\$159,345.79	CAU,FEM,PQUAL,S LBE,MBE,SDB,WB E,WOSB
HMS Construction 2885 Scott Street Vista, CA 92081 United States	Traffic Detector Loop Replacement or Conduit Stub Installed	765590	1000000923	\$68,040.00	CAU,MALE,PQUAL, CADIR
Quality Construction & Engineering inc. 11956 Bernardo Plaza Drive #133 san diego, CA 92128 United States	Asphalt Pavement Repair	1005282	1000026419	\$370,713.00	PQUAL,SLBE,CADI R,SDB