

PUBLIC NOTICE & AGENDA SPECIAL MEETING

EASTERN AREA COMMUNITIES PLANNING COMMITTEE – GENERAL MEETING
HOLY SPIRIT CATHOLIC CHURCH - PARISH HALL ◡ 2725 55TH STREET ◡ SAN DIEGO, CA 92105

TUESDAY OCTOBER 30, 2012 – 7:00 PM

7:00 PM	CALL MEETING TO ORDER / ROLL CALL / QUORUM	
7:02 PM	CHAIR'S WELCOME	
7:10 PM	NEW CITY BUDGET PROCESS FOR COMMUNITY INPUT ON CAPITAL IMPROVEMENTS PROGRAM (CIP) AND CITY OTHER UN-FUNDED PROJECTS IN EACPC – Discussion and review of City CIP and other un-funded projects in El Cerrito, Oak Park, Redwood Village, Rolando Park, Rolando Village and Webster communities in District 4 and District 7 to prepare a final list and rank projects for submittal to the City Council and the Mayor to consider for funding in next year's City Budget. List is due by November 7, 2012.	ACTION 35 Minutes
9:30 PM	FOR THE GOOD OF THE ORDER AND ADJOURNMENT	
GET INVOLVED AND HAVE A SAY IN YOUR COMMUNITY		

WBS#	Project Title	Community Plan Area Description	Project Description	Asset Type (grouped by Project Controls)	Council Districts	Engineer's Construction Estimate	Total Project Estimate	Budget TO-DATE as of 9/5/2012	Delta btwn Total Project Estimate and Budget To-Date Received	Project Phase	Notice To Proceed for Construction (NTP)	Notice Of Completion for Construction (NOC)
Mid-City: Eastern Area												
S10042	Fitting Facility Expansion	Mid-city: eastern Area	This project allows for the expansion of the existing vehicle fitting facility located at the Chollas Operations Yard. The expansion will increase the facility from one service bay to six service bays and will include office space. The project will also p	Buildings	4	\$ 737,000.00	\$ 847,000.00	\$ 1,025,000.00	\$ 178,000.00	02 Design Phase	May-14	Mar-15
S00654	CHOLLAS COMMUNITY PARK	Mid-city: eastern Area	The scope of work provides for the design and development of an 1,800 SF comfort station with concession stand and storage space, and utility services to the building including approximately 3,000 FT of electrical and telephone wiring from the main servic	Parks	4	\$ 2,790,000.00	\$ 3,200,000.00	\$ 3,831,595.00	\$ 626,245.00	02 Design Phase	Dec-13	Mar-15
B10043	Colina Del Sol Recreation Center - ADA	Mid-city: eastern Area	Colina Del Sol Recreation Center - ADA improvements Platt Whitelaw architects, Atlas Development, construction contract Project Manager: Barry Kelleher/Samir Mahmalji ext. 35219/35301 CCH#: 300004895 Bid#- K-12-5311-DBB	Parks	7	\$ 805,000.00	\$ 1,200,250.00	\$ 1,200,250.00	\$ -	06 Construction Phase	Jun-12	Dec-12
B10036	Various Rec Ctrs Prkg Lot Resurfacing	Old Town San Diego, Rancho Bernardo, Mid-city: eastern Area, Mid-city: city Heights, Southeastern San Diego, southeastern	This project provides for the repair/resurfacing of the parking lot and required upgrades to the accessible parking of the Rancho Bernardo Community Park.	Parks	24578	\$ 54,697.00	\$ 100,000.00	\$ 95,000.00	\$ (5,000.00)	05 Bid and Award Phase	May-13	Mar-14
B11029	Pipeline Rehab - Phase G-2 (Laterals)	Serra Mesa, Mid-city: normal Heights, Greater North Park, Balboa Park, La Jolla, Navajo, College Area, Mid-city: eastern Area, Mid-city: city Heights, Encanto Neighborhoods, southeastern, Skyline-paradise Hills, Southeastern San Diego, southeastern	This project consists of rehabilitating approximately 1,365 existing service laterals. The existing laterals that will be rehabbed are four inch (4") in size. This is part of the City of San Diego's ongoing program to rehabilitate or replace all of the ag	Sewer	1234678	\$ 3,350,000.00	\$ 4,000,000.00	\$ 50,000.00	\$ (3,950,000.00)	02 Design Phase	Jan-15	Aug-16
B10182	Pipeline Rehabilitation N-1	Navajo, College Area, Mid-city: eastern Area	This project proposes to rehabilitate approximately 44,510 linear feet (8.43 miles) of existing 8-inch sewer pipeline primarily within the paved right of way. The pipeline rehabilitation will occur in the community areas of Del Cerro, Navajo, San Carlos,	Sewer	7	\$ 5,890,000.00	\$ 7,229,000.00	\$ 7,229,000.00	\$ -	06 Construction Phase	Feb-12	Mar-13
B10192	Pipeline Rehabilitation P-1	Mid-city: eastern Area, Mid-city: city Heights	This project is approximately 8.15 miles of existing VC (vitrified clay) sewer mains, which have been identified as candidates for rehabilitation per Public Utilities Departments Standards. This project also includes point repairs, manhole replacement, ma	Sewer	7	\$ 5,194,448.00	\$ 6,122,409.00	\$ 6,166,408.95	\$ 44,000.00	06 Construction Phase	Dec-11	Apr-13
B11074	Pipeline Rehabilitation Q-1	Mid-city: eastern Area, Mid-city: city Heights, Encanto Neighborhoods, southeastern	Pipeline Rehabilitation Q-1 rehabilitates 38,380 linear feet (7.27) miles of existing sewer mains and connecting manholes and laterals using trenchless methods. The project takes place in the communities of Eastern Area, Encanto Neighborhoods, and City H	Sewer	4	\$ 4,896,542.00	\$ 6,027,335.00	\$ 6,027,334.52	\$ -	06 Construction Phase	Jun-12	Sep-13
B00474	Rehabilitation Phase "D-2"	Navajo, Mid-city: eastern Area, Mid-city: city Heights, Encanto Neighborhoods, southeastern, Skyline-paradise Hills	The work involves furnishing all labor, materials, equipment, services, and construction of four hundred thirty-one (436) sewer cleanouts, and the cleaning, lining and televising of five hundred eighty-six (590) existing laterals; all in accordance with t	Sewer	347	\$ 1,333,142.00	\$ 1,676,073.00	\$ 1,741,771.32	\$ 65,698.00	07 Post Construction Phase	Aug-10	Oct-11
B00389	Sewer & Water Group 780 (CH)	College Area, Mid-city: eastern Area, Mid-city: city Heights	The replacement of approx. 12,900 LF (2.5 miles) of 6", and 8" sewer mains, and 1,250 LF (0.24 miles) of 6", 8" water main.	Sewer	37	\$ 2,181,686.00	\$ 3,502,926.00	\$ 3,797,749.43	\$ 294,823.00	06 Construction Phase	Jun-11	Aug-12
B00379	Sewer & Water Group 788 (EA)	Mid-city: eastern Area	Replacement of approximately 18,600 LF VC/CP/CI sewer mains and 1750 LF CI/AC water mains due to maintenance or structural problems. This project will abandon 1300 LF VC Sewer Main. This project will connect to G796 in three locations. To coordinate w/Cit	Sewer	7	\$ 3,551,574.00	\$ 4,425,025.00	\$ 575,952.00	\$ (3,849,073.00)	05 Bid and Award Phase	Jan-13	Jul-14
B00359	Sewer Group 750	Mid-city: eastern Area	Sewer replacement totaling approximately 4,700 linear feet.	Sewer	7	\$ 1,274,154.00	\$ 2,418,040.00	\$ 2,472,682.44	\$ 54,642.00	07 Post Construction Phase	Dec-10	Apr-12
B12042	Water and Sewer Group Job 940 (s)	Mid-city: eastern Area	Replacement and rehabilitation of sewer mains and replumb of sewer laterals.	Sewer	7	\$ 3,249,782.00	\$ 4,117,560.00	\$ 420,000.00	\$ (3,697,660.00)	02 Design Phase	Sep-14	Aug-16
B12033	Bonillo Drive (4150) Storm Drain Replacement	Mid-city: eastern Area	Replace 150-feet of existing corroded 24-inch diameter Corrugated Metal Pipe storm drain pipe with new 24-inch diameter Reinforced Concrete Pipe in the same 8-foot wide easement.	Storm Water Drainage	7	\$ 170,000.00	\$ 300,000.00	\$ 106,000.00	\$ (194,000.00)	01 Planning Phase	May-15	Sep-15
S10052	Judy Lee Place Strm Drn Replacement	Mid-city: eastern Area		Storm Water Drainage	7	\$ 400,000.00	\$ 560,000.00	\$ 560,000.00	\$ (175,000.00)	06 Construction Phase	Jan-12	Aug-12
S00956	54TH STREET AND EUCLID AVE BIKEWAYS	Mid-city: eastern Area, Mid-city: city Heights, Encanto Neighborhoods, southeastern	This project provides for the installation of Class II Bike Lanes on 54th Street between Trojan and Euclid Avenues and for Class III Bike Route signage and pavement markings along Euclid Avenue between 54th Street and Market Street.	Transportation	47	\$ 37,800.00	\$ 130,000.00	\$ 130,000.00	\$ 118,562.00	06 Construction Phase	Mar-10	Aug-12
B10107	Ace St-Winlow to Streamview New Sidewalk	Mid-city: eastern Area		Transportation	7	\$ -	\$ 123,600.00	\$ 119,378.00	\$ (4,222.00)	07 Post Construction Phase	Oct-11	Feb-12
B10113	El Cajon & Streamview Dr Street Lights	Mid-city: eastern Area	Install 33 lights along El Cajon Blvd between 54th and 73rd; Install 13 lights along Streamview Drive between 54th and College	Transportation	47	\$ 324,800.00	\$ 580,000.00	\$ 580,000.00	\$ -	07 Post Construction Phase	Oct-11	Jul-12
B00999	FY2009 CITY OWNED ST LIGHTS & ST LIGHTS	Uptown, Mira Mesa, Torrey Hills, Linda Vista, Carmel Mountain Ranch, La Jolla, Clairemont Mesa, Pacific Beach, Mid-city: eastern Area, Peninsula, Skyline-paradise Hills, Southeastern San Diego, southeastern, Otay Mesa-nestor, Mission Valley	The project will install street lights at various locations citywide	Transportation	1234568	\$ 320,000.00	\$ 444,000.00	\$ 744,000.00	\$ -	07 Post Construction Phase	Feb-11	Dec-11
B12059	Racine Rd-College Grv to School d/w Sdwk	Mid-city: eastern Area		Transportation	7	\$ 292,800.00	\$ 403,870.00	\$ 7,500.00	\$ (396,370.00)	01 Planning Phase	Feb-14	Apr-14
S11046	SR-94/Euclid Ave Interchange Improvements	Mid-city: eastern Area, Encanto Neighborhoods, southeastern		Transportation	4	\$ 722,000.00	\$ 1,004,000.00	\$ 425,000.00	\$ (579,000.00)	01 Planning Phase	Feb-16	Dec-16
S00864	STREAMVIEW DRIVE IMPROVEMENTS	Mid-city: eastern Area	This project provides for safety/capacity improvements on Streamview Drive from 54th Street to College Avenue to reduce excessive speeds, increase safety, and enhance visual impacts.	Transportation	47	\$ 1,800,000.00	\$ 2,565,000.00	\$ 1,725,000.00	\$ (840,000.00)	02 Design Phase	May-14	Oct-14
B11108	Traffic Signal Modifications FY2011	Downtown, University, Clairemont Mesa, Mid-city: eastern Area, Southeastern San Diego, southeastern	Major traffic signal modifications at following locations: Balboa Ave & Clairemont Dr; Genesee Ave & Governor Dr; 8th Ave & E Street; Clairemont Mesa Blvd & Genesee Ave; 30th Street & Market Street; and 56th Street & El Cajon Blvd	Transportation	12678	\$ 572,000.00	\$ 907,590.00	\$ 651,915.72	\$ (255,674.00)	02 Design Phase	Apr-13	Nov-13

WBS#	Project Title	Community Plan Area Description	Project Description	Asset Type (grouped by Project Controls)	Council Districts	Engineer's Construction Estimate	Total Project Estimate	Budget TO-DATE as of 9/5/2012	Delta btwn Total Project Estimate and Budget To-Date Received	Project Phase	Notice To Proceed for Construction (NTP)	Notice Of Completion for Construction (NOC)
S11025	Chollas Building	Mid-city: eastern Area	This project will construct two new buildings, one two-story building for administration staff and a one-story maintenance shop.	Water	4	\$ 16,200,000.00	\$ 17,700,000.00	\$ 7,900,000.00	\$ (9,800,000.00)	05 Bid and Award Phase	Sep-13	Nov-16
S11027	Otay 1st /2nd Pipeline	Mid-city: eastern Area, Mid-city: city Heights	This project will abandon approximately 13,630 feet of aged 30-inch and 36-inch pipes, identified as Otay 1st and 2nd water transmission pipelines. These pipelines sections will be abandoned from Highland Avenue and Wightman Street east to 54th Street.	Water	347	\$ 5,091,000.00	\$ 7,221,721.00	\$ 1,063,250.00	\$ (6,158,471.00)	02 Design Phase	Apr-14	Mar-15
S11109	Otay 2nd Pipeline - Emergency Main Replc	Mid-city: eastern Area		Water	4	\$ 236,765.00	\$ 500,000.00	\$ 500,000.00	\$ -	07 Post Construction Phase	Jul-11	Apr-12
B00076	Sewer & Water Group 760 (CA)	College Area, Mid-city: eastern Area	Replacement of 1700 linear feet of existing CI water main and 2,169 linear feet of existing CP & VC sewer mains located in the College area.	Water	7	\$ 336,722.00	\$ 642,511.00	\$ 559,565.26	\$ (82,946.00)	Project Complete	Jun-08	Aug-09
B00092	Sewer & Water Group 780 (CH)	College Area, Mid-city: eastern Area, Mid-city: city Heights	The replacement of approx. 12,900 LF (2.5 miles) of 6", and 8" sewer mains, and 1,250 LF (0.24 miles) of 6", 8" water main.	Water	37	\$ 279,680.00	\$ 786,664.00	\$ 1,170,084.40	\$ 383,420.00	06 Construction Phase	Jun-11	Aug-12
B00106	Sewer & Water Group 788 (EA)	Mid-city: eastern Area	Replacement of approximately 18,600 LF VC/CP/CI sewer mains and 1750 LF CI/AC water mains due to maintenance or structural problems. This project will abandon 1300 LF VC Sewer Main. This project will connect to G796 in three locations. To coordinate w/Cit	Water	7	\$ 205,500.00	\$ 478,222.00	\$ 221,521.32	\$ (256,701.00)	05 Bid and Award Phase	Jan-13	Jul-14
B11036	Water and Sewer Group 940 (w)	Mid-city: eastern Area	Replace existing 16" and 12" CI water mains.	Water	7	\$ 3,323,658.00	\$ 4,586,431.00	\$ 240,000.00	\$ (4,346,431.00)	02 Design Phase	Sep-14	Aug-16
B00018	Water Group 616	Mid-city: eastern Area	The replacement of existing CI and AC water main and appurtenances, including associated water services, fire hydrants, curb ramps, etc. Water Group 616 is located in Council District 7, within the Mid-City Eastern area.	Water	7	\$ 5,243,710.00	\$ 7,129,949.00	\$ 589,000.00	\$ (6,540,949.00)	02 Design Phase	Sep-13	Sep-14
B00085	Water Group 773 (CA2)	College Area, Mid-city: eastern Area	The construction of Water Group 773 consist of the replacement of 4687 feet of 8 & 12 in water mains.	Water	7	\$ 850,968.00	\$ 1,460,358.00	\$ 2,203,936.85	\$ 743,579.00	07 Post Construction Phase	Nov-10	Jun-12
B10174	Water Group Job 924	Mid-city: eastern Area	Replacement of approximately 21,555 LF of water main	Water	4	\$ 3,944,106.00	\$ 5,596,311.00	\$ 5,596,305.00	\$ (6.00)	06 Construction Phase	Feb-12	Jun-13
B10175	Water Group Job 925	Mid-city: eastern Area		Water	47	\$ 2,812,955.00	\$ 3,938,135.00	\$ 3,948,135.00	\$ 10,000.00	06 Construction Phase	Aug-11	Jun-13
B11043	Water Group Job 947	Mid-city: eastern Area	The replacement of existing 2,545 LF of 12" CI/CL pipes and 99 LF of 12" AC pipes in Federal Blvd, the total of mileage is 2,644 LF or 0.50 Mile. The construction scheduled FY 2014. Note: Ridge View Dr portion has been picked up with GRC project as new GJ	Water	4	\$ 749,303.00	\$ 1,351,439.00	\$ 215,000.00	\$ (1,136,439.00)	02 Design Phase	Feb-14	Feb-15

<http://www.sandiego.gov/planning/community/pdf/cpc/streetsmap.pdf>

<http://www.sandiego.gov/planning/community/cpc/resources.shtml>

City of San Diego
Asset Owners Contact List
September 10, 2012

Fire Department (Fire-Rescue)

Maurice Luque, Program Manager
619-533-4418, MLuque@sandiego.gov

Library Department

Marion Hubbard, Senior Public Information Officer
619-236-5848, MHubbard@sandiego.gov

Park & Recreation Department

Jim Winter, Project Officer II
619-235-5257, JWinter@sandiego.gov

Public Utilities Department

Arian Collins, Supervising Public Information Officer
619-527-3121, ACollins@sandiego.gov
Kurt Kidman – Customer Support, Supervising Public Information Officer
619-533-4185, KKidman@sandiego.gov
Eric Symons – Long-Range Planning and Water Resources, Supervising Public Information Officer
858-614-5795, ESymons@sandiego.gov

Public Works Department

Racquel Vasquez, Senior Public Information Officer
619-533-3196, RVasquez@sandiego.gov
Pierrette Storey, Senior Public Information Officer
619-533-3781, PStorey@sandiego.gov

Transportation & Storm Water Department

Bill Harris, Supervising Public Information Officer
858-541-4354, BillHarris@sandiego.gov

Environmental Services Department

Dennis Williams Public Information Officer
858-573-1241, WilliamsDL@sandiego.gov
Jose Ysea, Public Information Officer
858-573-1291, JYsea@sandiego.gov

Police Department

Lieutenant Andra Brown
619-531-2675, aebrown@pd.sandiego.gov
Detective Gary Hassen
619-531-2900, ghassen@pd.sandiego.gov

Development Services (and Neighborhood Code Compliance)

Linda Pfeifer, Senior Public Information Officer
619-687-5977, LPfeifer@sandiego.gov

**Water Facilities Master Plan (WFMP)
(Prioritization Results- As of January 2010)**

Rank	Title	Description
1	Scripps Miramar Pump Station Upgrade	<p>Background and justification:</p> <ul style="list-style-type: none"> Rapid growth in the Scripps Miramar PS service area, lack of redundancy, and maintenance needs require immediate replacement of this PS This facility is the only source of supply for Scripps Ranch 1020, therefore any failure will result in water shortages to the entire Scripps Ranch service area <p>Recommendation:</p> <ul style="list-style-type: none"> Build a new 20-mgd PS at the corner of Scripps Lake Drive and Scripps Ranch Blvd to replace the existing 15.2-mgd PS located adjacent to the Miramar Clearwells
2	Miramar Clearwells Replacement	<ul style="list-style-type: none"> Demolish two existing clearwells and construct two or three new clearwells Increase clearwell storage at Miramar WTP (due to plant capacity increase from 140 to 215 mgd)
3	Cast-Iron Replacement Group Jobs (10 mile replacements)	<p>Background and justification:</p> <ul style="list-style-type: none"> Cast-iron mains in the City are decades old and present significant integrity issues <p>Proposed Project:</p> <ul style="list-style-type: none"> Replace the mains to comply with regulatory and City council mandates
4	54-inch Mid-City Pipeline Phase II (Trojan Pipeline Backup)	<p>Background and justification:</p> <ul style="list-style-type: none"> This project will provide a backup supply for the aging 54" Trojan Pipeline that currently supplies the Mid-City Pipeline west of the 63rd Street inter-tie Provides a second supply line to the largest region of the Alvarado WTP service area, provides backup service, and allows the Trojan Pipeline to be removed from service for inspection Provides connections for a new 69th and Mohawk PS to become the lead supply to the Redwood Village (645) zone <p>Proposed Project:</p> <ul style="list-style-type: none"> New 54" Pipeline (6,505 LFC) to connect the Alvarado clearwells to the existing 48" Mid-City Pipeline
5	69th and Mohawk Pump Station / Montezuma Pipeline	<p>Background and justification:</p> <ul style="list-style-type: none"> Current facility is out of service and disconnected from the system Existing aging Montezuma PS is the only capable supply source to the Redwood Village 645 Zone, which will require a pumping capacity of 5.66 mgd and serve a population of 54,112 in 2030 An outage here would leave SDSU and the college area without water This project will replace the Montezuma PS as the lead supply to the zone, and add reliability and redundancy to the system Cast-iron line replacement lowers the risk of a main break <p>Proposed Project:</p> <ul style="list-style-type: none"> Replace existing 69th and Mohawk PS with a new 25-mgd VFD PS to provide reliable backup to the Montezuma PS Suction from a side outlet from the 54" Mid-City Pipeline Phase II (phased with this project) and discharge to 30" line that splits into 16" and 24" lines within a short distance from the PS Replace existing 6,181 lf of 16" cast-iron College Heights Reservoir Pipeline with 2,231 lf of new 16" pipeline from 69th and Mohawk east to 72nd and Saranac Street Add 2,742 lf of new 24" line: Montezuma Pipeline from 69th and Mohawk west to Montezuma and Catalin Drive Abandon 322 lf of 16" CI line from 72nd and Saranac to the old College Heights Reservoir property
6	Catalina Standpipe Replacement and Expansion	<p>Currently in 10% design as a replacement, including the following:</p> <ul style="list-style-type: none"> Seismic improvements Review capacity, operational, and hydraulic analysis to determine volume based on demand of Catalina 462 and Point Loma 260 zones
7	Climax Pump Station Replacement	<ul style="list-style-type: none"> Replace and relocate PS based on the following observations: <ul style="list-style-type: none"> PS condition shows signs of deterioration (not hydraulic deficiencies) Site poses maintenance constraints Control valves require a detailed evaluation, building design is inadequate A makeshift HVAC system was installed to cool down the electrical panel of Pump 4, and to maintain adequate station temperature 12" suction header leaks constantly, causing the pump pump to continuously discharge water to the curb, resulting in a constant stream of water that runs four blocks until it reaches a storm drain inlet; residents complain that the City is wasting water The suction header is located in an easement, adjacent to a single residential family home, and gaining access would be difficult to repair the leak Relocation considerations for new PS: <ul style="list-style-type: none"> Find location more suitable for operation and maintenance Conceptual level study recommends combining three small pump pressure zones within the San Carlos Focus Area of the Alvarado WTP Service Area Master Plan (Climax 910, Country Casual 925, and Eagle Ridge 940) into one large zone served by a single PS (if possible) Potential location on Barker Way (on City of San Diego property) adjacent to Mission Trails Regional Park Design summary for planned PS: <ul style="list-style-type: none"> Design capacity to meet year 2030 max-day, and fire demand of ~5.25 mgd serving a population of 3,903 residents (max-day of 0.93 mgd and fire flow of 4.32 mgd)
8	El Monte Parallel Pipeline #2	<p>Background and Justification:</p> <ul style="list-style-type: none"> Existing El Monte 68-inch pipeline that runs from the Lakeside Pump Station and terminates at the Lake Murray outlet structure is reinforced concrete with no steel core This type of material is intended for low-pressure gravity flow applications (trunk sewers) and is not suitable for significant pressure flow The existing pipeline is vented to atmosphere east of the SR-125 crossing (north of Grossmont Center) and includes many air valves that limit internal pressure. With reliance on these mechanical control points, the pipeline has potential to experience high internal pressure leading to failure. <p>Proposed Project:</p> <ul style="list-style-type: none"> The project will line the existing 53,081 LF of Reinforced Concrete Pipe (RCP) with a steel liner. A pipeline condition assessment study is proposed to further refine the project scope. <ul style="list-style-type: none"> A previous alternative recommended to build a second pipeline (El Monte 2 Pipeline) parallel to the existing pipeline. Paralleling the existing pipe alignment would be infeasible. The existing alignment is entirely outside of city boundaries and crosses mostly private property running under or near commercial and residential structures, under the Gillespie Field runway, and along the shoulder of SR-67. At minimum, a new pipeline alignment would have to be established to include major new right-of-way acquisition. The feasibility and cost of any pipeline replacement/relocation proposal make this option highly unlikely. Lining the existing pipe may be the only feasible option. <p>Benefits:</p> <ul style="list-style-type: none"> Lining of the pipeline will make it a reliable supply link between San Vicente/El Capitan reservoirs to the Alvarado WTP at Lake Murray It will also raise the pipeline capacity by as much as 100% (from approximately 60 mgd to 115+ mgd) due to a higher allowable pressure gradient from the Lakeside Pump Station to Lake Murray This improvement, in turn, would allow for increased dependence on the local storage capacity at the El Capitan and San Vicente reservoirs as a supply route to Lake Murray for attenuating seasonal raw water peaking, and maximizing use of local runoff as available.
9	La Jolla Country Club Reservoir Seismic (Circular tank and PS) Upgrade, La Jolla Soledad West (925) Zone pressure reduction Study and Brodiaea Way 925 Zone Extension	<p>Background and justification:</p> <ul style="list-style-type: none"> The old facility is deteriorated, there is need for increased storage volume and backup supply to the 925 Zone Reservoir has seismic structural deficiencies, dilapidated roof, deteriorated pipes and appurtenances, historic leakage, poor reservoir site drainage, and under drainage that threatens neighboring residential property The site is difficult to access <p>Proposed Project:</p> <ul style="list-style-type: none"> Add 800 feet of 8" pipe and alter the border of the La Jolla Soledad West 925 zone The replacement and expansion of the Country Club Reservoir to add 0.5 MG of storage will meet the storage requirements within the Soledad Muirlands 725 Zone and 725-supplied Zones Replacement or rehab of the Country Club Reservoir is likely to require removal of the Country Club PS because of the proximity of the facilities, and to provide construction accessibility Replace the Country Club PS with a new and more reliable VFD station As part of a supply improvement design, the high operating pressures throughout most of the La Jolla Soledad West (925) Zone should be lowered and the zone should be further studied to find a potential rezoning solution Extend the La Jolla Soledad West 925 zone to cover portions of Encelia Dr and Brodiaea Way Additional information for this project can be found in Appendix F of the Miramar Service Area Water Master Plan; the pressure on Brodiaea Way is less than 40 psi and does not meet the minimum pressure and fire flow requirements based on the City of San Diego Guidelines and Standards, Book 2
10	Tierrasanta (Via Dominique) Pump Station Upgrade	<ul style="list-style-type: none"> Construct new above-ground pump station (PS) facility based on the following observations and recommendations: <ul style="list-style-type: none"> Existing underground PS presents hazardous condition for staff and facility, and requires significant renewal Deficient motors, starters, and HVAC system warrant new PS Above-ground facility will increase maintenance efficiency and provide adequate fire flow requirements for the zone Existing PS does not meet multifamily fireflow requirements for this zone Revise hydraulic analysis to accommodate proposed operational changes, including suction pressure reduction caused by CWA Aqueduct source water traveling via Pomeroy pipeline to the Miramar WTP
11	Harbor Drive Pipeline	<ul style="list-style-type: none"> Replace approximately 23,340 lf of remaining portions of 16" cast iron water main, located along Harbor Drive, from Point Loma to San Diego Bay <p>Benefits:</p> <ul style="list-style-type: none"> Improves reliability, water quality, and safety
12	Lindberg Field 16-inch Cast Iron Pipe Replacement	<ul style="list-style-type: none"> Relocate water main from beneath the tarmac (loading strip) at Lindbergh Field to a location that provides greater accessibility for operation and maintenance This project will install approximately 9000 lf of 16" and 5000 lf of 12" pipe <p>Benefits:</p> <ul style="list-style-type: none"> Improves reliability, water quality, and safety

Water Facilities Master Plan (WFMP)
(Prioritization Results- As of January 2010)

13	Torrey Pines Rd /La Jolla Blvd - Phase 3	<p>Background and justification:</p> <ul style="list-style-type: none"> The La Jolla Shores Drive 16" cast-iron Water Main Replacement Project (CIP No 709534) is the third phase of the Torrey Pines Blvd Pipeline Project was shelved 2.5yrs back when it was in the 90% design phase ± 4,410 linear ft of 16" cast iron water main between Avenue de La Playa and Ruelle Monte Carlo along La Jolla Shores Dr in the La Jolla Area Includes cast iron main replacement of the La Jolla Shore Dr. S/O Ruelle Monte Carlo 370/447 PRS—mandated by the Department of Public Health
14	El Capitan Pipeline Potable Segment Rehab and Normal Heights Pressure Zone Development.	<p>Background and justification:</p> <ul style="list-style-type: none"> Installed in 1926, the El Capitan Pipeline is an old steel pipeline that requires condition assessment Based on condition assessment results, the recommendation may be to use it as-is, or rehab/replace the pipe The Normal Heights/Kensington Low Pressure Area suffers from substandard service pressure in the low 40 psi range but drops below 40 psi at times; most of the area has inadequate fire flow, particularly where there is commercial or multi-family zoning requiring higher fire flow rates, or where there is no nearby backbone distribution main The Normal Heights Zone was originally planned to become 560 HGL under the Mid-City PL project but was never converted after the Mid-City PL. was taken off the aqueduct and operated on 536
15	University Ave. Pipeline Cast-iron Replacement	<p>Proposed Project:</p> <ul style="list-style-type: none"> Replace 13,463 lf of existing cast-iron University Avenue Pipeline with new 16" distribution line on the entire alignment of the pipeline Connect crossing distribution lines at all intersections, and re-connect all services Include lining or sleeving of freeway crossings where necessary
16	Upas Street Pipeline Cast-iron Replacement	<p>Proposed Project:</p> <ul style="list-style-type: none"> Replace 11,598 lf of existing cast-iron Upas Street Pipeline with new 16" line from 30th and Upas to Upas and Front Street Abandon 2,546 lf of existing cast-iron Upas Street Pipeline from Upas and Front to West Upas and Ibis Street Replace 246 lf cast-iron Upas Street Pipeline with new 8" line from West Upas and Ibis to West Upas and Jackdaw Street Abandon 1,902 lf of Upas Street Pipeline from West Upas and Jackdaw to the west side of California Street Replace 249 lf cast-iron Upas Street Pipeline with new 16" line from the Pacific Beach Pipeline west of California Street to the 12" connection west of Pacific Highway
17	College Ranch Hydro Pump Station Upgrade	<p>Background and justification:</p> <ul style="list-style-type: none"> Current pump firm capacity is insufficient because the PS only has only a single pump and no fire flow pumps PS components have been in service for more than forty years, therefore the pump and motor are old and worn Pump is protected by a small concrete enclosure and wooden cover Hydro tank that works with the PS is not in service and a makeshift pressure relief valve has been installed to provide adequate pressure for the pump Planned PS should have a design capacity sufficient to meet year 2030 max-day, plus fire demand of ~3 mgd <p>Proposed Project:</p> <ul style="list-style-type: none"> Current plans include replacing the PS with a new larger station (~3 mgd capacity) due to PS condition A conceptual level study was conducted based on combining three small pump pressure zones within the San Carlos Focus Area of the Alvarado WTP Service Area Master Plan (Climax 910, Country Casual 925, and Eagle Ridge 940) into one large zone served by a single PS (if possible)
18	Pacific Beach Pipeline Replacement	<p>Background and justification:</p> <ul style="list-style-type: none"> This project is needed to replace cast-iron pipe, provide supply reliability to Pacific Beach, improve water quality, reduce energy waste at the Miramar CWA Pumpback facility, reduce peaking problems in the Miramar WTP service area, and to provide supply flexibility (Alvarado vs. Miramar) The project is also a key part of a larger plan to improve transmission reliability to the coastal Pacific Beach/La Jolla Zones by replacing the aging Kearny Mesa Pipeline as the lead supply, and adding a second transmission route to the coastal zones <p>Proposed Project:</p> <ul style="list-style-type: none"> Replace 7,148 LF of existing CI/Steel 16-inch pipeline on Ingraham St from Sea World Dr & W Mission Bay Drive to Crown Point. Pipe is hung from two bridges along the route crossing Mission Bay to Vacation Island, and crossing Fisherman's Channel to Crown Point. This pipeline will be a 536 HGL with pressure reduction at distribution tees Add parallel 16-inch line 7,148 LF on Ingraham St from Sea World Dr & W Mission Bay Drive to Crown Point and also hung from the two bridges as above. This pipeline will be at 536 HGL with pressure reduction at any distribution tees Replace existing 16-inch CI Pacific Beach Pipeline with 16-inch PVC line approximately 7,920 LF on Buena Vista St and Haines St from the proposed Crown Point Pressure Reducing Station (PRS) at Ingraham St and Crown Point Dr to Haines St and Felspar St Add approximately 4,480 LF of new 16-inch PVC line from Haines and Felspar east on Felspar to Ingraham, then north on Ingraham and Foothill to the proposed replaced Foothill and Tourmaline PRS at Foothill and Tourmaline Replace existing 11,664 LF of 10-inch CI, AC, and 12-inch PVC with a continuous new 16-inch PVC main on Ingraham St from the proposed Crown Point PRS at Ingraham and Crown Point Dr to the proposed replaced Foothill and Tourmaline PRS at Foothill and Tourmaline. This will result in dual 16-inch lines on Ingraham and Foothill between Felspar and Tourmaline. Replace existing Foothill and Tourmaline PRS single 12-inch PRV with new station to include dual 16-inch PRV's. Build new Crown Point Pressure Reducing Station at Ingraham and Crown Point Dr including new station with dual 16-inch PRV's. Replace approximately 1,401 LF of existing 16-inch CI with 8-inch PVC on Haines St between Diamond and Wilbur. Abandon 16-inch CI pipe and pipeline easements where the pipe crosses the grounds of Pacific Beach Middle School, and where it runs between residential homes between Wilbur Ave and Foothill Blvd.
19	Alvarado 2nd Extension Pipeline and Morena Blvd Cast-Iron Replacement	<p>Background and justification:</p> <ul style="list-style-type: none"> Replace cast-iron pipe; provide redundant transmission to the coastal zones of La Jolla and Pacific Beach for supply reliability; improve water quality; reduce energy waste at the Miramar CWA Pumpback facility; reduce peaking problems in the Miramar WTP service area; and provide supply flexibility (Alvarado vs. Miramar) Part of a larger plan to improve transmission reliability to the coastal Pacific Beach/La Jolla Zones by replacing the aging Kearny Mesa Pipeline as the lead supply, and adding a second transmission route to the coastal zones <p>Proposed Project:</p> <ul style="list-style-type: none"> Build 22,504 lf of new 48" Alvarado 2nd Extension Pipeline from the western terminus of the existing 48" Alvarado 2nd Pipeline (at 1-805 and Friars Road to Morena Boulevard and Napa Street) Use existing surface streets in Mission Valley to avoid tunneling under the SR-163 freeway, and other bridge crossings The Alvarado 2nd Pipeline is only used as a second supply to the high side of the Texas Street Regulators and has a low flow rate relative to its capacity Replace the aging Kearny Mesa Pipeline transmission route with a new transmission route that uses the Alvarado 2nd Pipeline Replace 17,032 lf of existing 20"/16" cast-iron Morena Boulevard Pipeline with new 36" Morena Boulevard Pipeline; this 36" line will run from the end of the 48" Alvarado 2nd Extension Pipeline and connect to the Kearny Mesa Pipeline at the north end, operating at a 536 HGL Replace 15,598 lf of parallel 16" distribution line from Friars Road and Morena to Morena and Balboa Avenue; new 16" line will operate at 390 HGL connected to the existing 16" line on Friars Road and terminating at Morena and Bunker Hill Street
20	La Jolla View-Exchange PL Reservoir Consolidation	<p>Proposed Project:</p> <ul style="list-style-type: none"> Phase the abandonment of the Exchange Place Reservoir and PS until after completion of the proposed La Jolla View Reservoir Replace the reservoir with a new 2 MG tank at a higher elevation (overflow elevation is 570 feet), and increase the diameter of the inflow pipeline in Country Club Drive from the existing 16" cast iron main to 30"
21	Otay 1st/2nd Pipeline Consolidation- West of Highland Avenue	<p>Background and justification:</p> <ul style="list-style-type: none"> The cast-iron Otay 1st and 2nd Pipelines were built in 1915 and 1930, respectively Develop a replacement and/or abandonment plan to remove the existing cast-iron segments of pipeline west of Highland Avenue Cast iron reaches of the Otay 1st and 2nd Pipelines are neither safe nor reliable facilities, and may contribute to poor water quality An active approach is recommended because of high risks and consequences of pipe failure The Otay 1st Pipeline (West of Highland and Polk to the University Heights Reservoir) is paralleled by both the Otay 2nd Pipeline and the El Capitan Pipeline; three parallel lines are unnecessary for this area, and the Otay 1st Pipeline is the oldest and most under-utilized of the three parallel pipelines <p>Proposed Project:</p> <ul style="list-style-type: none"> Replace Otay 1st and 2nd Pipeline (west of Highland Ave, along existing Otay 2nd alignment) Replace 14,572 lf of existing cast-iron Otay 2nd Pipeline with new 42" Wightman St Pipeline line, primarily along existing Otay 2nd alignment from Highland Ave & Polk Ave to the University Heights Reservoir at Howard Ave & Idaho St The reach on Highland Ave includes replacement of 1,328 LF of the existing CI Otay 1st Pipeline Replace 10,896 lf of the CI Otay 1st Pipeline from Highland and Polk to the University Heights Reservoir with 16" distribution line
22	Del Mar Heights Replacement (East Segment)	<p>Background and Justification:</p> <ul style="list-style-type: none"> The Del Mar Heights Pipeline is in the North City 610 zone and starts at Rancho Bernardo PS where it is fed by the Del Mar Heights at Rancho Bernardo PS pressure reducing station (fed by Miramar 712 zone), and runs west to the City of Del Mar. This pipeline is the major transmission line feeding the northern portion of the North City 610 zone and forms a loop with the Green Valley Pipeline This pipeline was built in 1961 and has experienced leaks. It is in poor condition and has no corrosion protection. The original pipe was 30 inches in diameter SCRW. This size is too small to meet projected demand increases in the area. Portions of the pipeline are being replaced by developers as housing and roads are built in Carmel Valley. As the roads are built, the pipeline is being moved into the roads and is being upsized to 36 inch diameter Inspection of the Del Mar Pipeline (East and West segments) will have to be completed before this project proceeds <p>Proposed Project:</p> <ul style="list-style-type: none"> This project will finish installing 2,800-ft of 36-inch pipe portions not being built by developers along the east end of the pipeline and install 3,668-ft of parallel pipeline between Mona Lane and Lopiella Meadows Place for redundancy

2010 Unfunded Park Improvements - Council District 4

ADA=Americans with Disabilities Act BPC=Balboa Park Committee		CAC=Citizens Advisory Committee CDBG=Community Development Block Grant		CD=Council District MBPC=Mission Bay Park Committee			P&R=Staff RC=Recreation Council			
Estimated Cost Ranges:		A = \$0-\$50,000 B = \$50,001-\$100,000		C = \$100,001-\$250,000 D = \$250,001-\$500,000			E = \$500,001-\$1 million F = > \$1 million			
Name / Address	Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Baker Elementary: 4041 'T' Street	4	Southeast San Diego	No project proposed.		Yes					Property owned by San Diego Unified School District.
Balboa Elementary: 1844 South 40th Street	4	Southeast San Diego	No project proposed.		Yes					Property owned by San Diego Unified School District.
Bay Terraces Community Park: 7373 Tooma Street	4	Skyline	Upgrade tot lot to meet State and Federal accessibility and safety guidelines.	Yes	Yes	Yes	D	2001	P&R	
Bay Terraces Community Park: 7373 Tooma Street	4	Skyline	Design and construct community center.	No	Yes	Yes	F	2010	RC	
Bay Terraces Community Park: 7373 Tooma Street	4	Skyline	Install ball field lighting.	No	Yes	No	D	2010	RC	
Bay Terraces Community Park: 7373 Tooma Street	4	Skyline	If practical, add sidewalk from Zamarano Elementary School to front parking lot.	No	Yes	Yes	A	2010	RC	
Boone Park: 7201 Bullock Drive	4	Skyline	Upgrade tot lot to meet State and Federal accessibility and safety guidelines.	Yes	Yes	Yes	D	2001	P&R	
Chollas lake Community Park: 6350 College Grove Drive	4	Mid City <i>EACPC</i>	Construct a 10,000 square foot multi-generational recreation building.	No	Yes	Yes	F	1997	RC	
Chollas lake Community Park: 6350 College Grove Drive	4	Mid City <i>EACPC</i>	Construct two (2) additional 250' ballfields (includes one multi-purpose field).	No	Yes	Yes	E	2003	RC	

EACPC = EASTERN AREA COMMUNITIES PLANNING COMMITTEE

2010 Unfunded Park Improvements - Council District 4

ADA=Americans with Disabilities Act BPC=Balboa Park Committee Estimated Cost Ranges:		CAC=Citizens Advisory Committee CDBG=Community Development Block Grant A = \$0-\$50,000 B = \$50,001-\$100,000		CD=Council District MBPC=Mission Bay Park Committee C = \$100,001-\$250,000 D = \$250,001-\$500,000			P&R=Staff RC=Recreation Council E = \$500,001-\$1 million F = > \$1 million			
Name / Address	Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Chollas Lake Community Park: 6350 College Grove Drive	4	Southeast San Diego <i>MIDCITY - EACPC</i>	Replace roofs on all picnic shelters.	Yes	Yes	Yes	C	2010	P&R	Roofs old and in poor condition.
Chollas Lake Community Park: 6350 College Grove Drive	4	Southeast San Diego <i>EACPC</i>	Replace generator at office.	Yes	Yes	Yes	A	2010	P&R	Present generator to small.
Chollas Lake Community Park: 6350 College Grove Drive	4	Southeast San Diego <i>EACPC</i>	Provide security lights around lake.	No	Yes	No	E	2010	P&R	No security lights.
Chollas Lake Community Park: 6350 College Grove Drive	4	Southeast San Diego <i>EACPC</i>	Repair scoreboard on baseball field.	Yes	Yes	No	A	2010	P&R	
Chollas Lake Community Park: 6350 College Grove Drive	4	Southeast San Diego <i>EACPC</i>	Upgrade tot lot to meet State and Federal accessibility and safety guidelines - northeast side of lake.	Yes	Yes	Yes	D	2010	P&R	Tot lot priority #1. Retaining wall needed to hold sand, erosion problems.
Chollas Lake Community Park: 6350 College Grove Drive	4	Southeast San Diego <i>EACPC</i>	Upgrade tot lot to meet State and Federal accessibility and safety guidelines - south side of lake.	Yes	Yes	Yes	D	2010	P&R	Tot lot priority #2.
Chollas Lake Community Park: 6350 College Grove Drive	4	Southeast San Diego <i>EACPC</i>	Upgrade tot lot to meet State and Federal accessibility and safety guidelines - northwest side of lake.	Yes	Yes	Yes	D	2010	P&R	Tot lot priority #3
Chollas Lake Community Park: 6350 College Grove Drive	4	Southeast San Diego <i>EACPC</i>	Upgrade tot lot to meet State and Federal accessibility and safety guidelines - Gloria Mesa area.	Yes	Yes	Yes	D	2010	P&R	Tot lot priority #4. Exercise equipment needs replacement as well.
Dennis V. Allen Park: 800 Boundary Street	4	Southeast San Diego	Replace 2,000 sf of damaged sidewalk.	Yes	Yes	Yes	A	2010	RC	

EACPC = EASTERN AREA COMMUNITIES PLANNING COMMITTEE

2010 Unfunded Park Improvements - Council District 4

ADA=Americans with Disabilities Act	CAC=Citizens Advisory Committee	CD=Council District	P&R=Staff
BPC=Balboa Park Committee	CDBG=Community Development Block Grant	MBPC=Mission Bay Park Committee	RC=Recreation Council
Estimated Cost Ranges:	A = \$0-\$50,000	C = \$100,001-\$250,000	E = \$500,001-\$1 million
	B = \$50,001-\$100,000	D = \$250,001-\$500,000	F = > \$1 million

Name / Address	Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Martin Ave Mini Park: Martin Ave. W of 35th St.	4	Southeast San Diego	No project proposed.		Yes					
Mountain View Park: 4015 Ocean View Blvd	4	Southeast San Diego	Design and install upgrades to the existing irrigation system.	Yes	Yes	No	D	2001	RC	
Mountain View Park: 4015 Ocean View Blvd	4	Southeast San Diego	Convert security lighting from low pressure to high pressure sodium.	Yes	Yes	No	B	2001	RC	
Mountain View Park: 4015 Ocean View Blvd	4	Southeast San Diego	Ballfield lighting.	No	Yes	Yes	C	2003	RC	
Mountain View Park: 4015 Ocean View Blvd	4	Southeast San Diego	Vacate South Boundary Street between Mountain View Park and the Mountain View Community Center, between Hemlock and "T" Streets.	No	Yes	No	D	2005	RC	Boundary St. closure possible if 40th St. can revert to a two-way street. Landscape and irrigate closed street.
Mountain View Park: 4015 Ocean View Blvd	4	Southeast San Diego	Resurface two basketball courts and replace fixtures and electrical equipment.	Yes	Yes	Yes	B	2010	RC	
Mountain View Park: 4015 Ocean View Blvd	4	Southeast San Diego	Resurface two tennis courts and replace fixtures and electrical equipment.	Yes	Yes	Yes	B	2010	RC	
Mountain View Park: 4015 Ocean View Blvd	4	Southeast San Diego	Re-surface the parking lot on the north side of the park.	Yes	Yes	Yes	A	2010	P&R	
Oak Park: 5235 Maple Street	4	Southeast San Diego	Upgrade comfort station and bring within current city building code at.	Yes	Yes	Yes	C	2010	P&R	

EACPC = EASTERN AREA PLANNING COMMITTEES

COMMUNITIES

2010 Unfunded Park Improvements - Council District 4

ADA=Americans with Disabilities Act	CAC=Citizens Advisory Committee	CD=Council District	P&R=Staff
BPC=Balboa Park Committee	CDBG=Community Development Block Grant	MBPC=Mission Bay Park Committee	RC=Recreation Council
Estimated Cost Ranges:	A = \$0-\$50,000	C = \$100,001-\$250,000	E = \$500,001-\$1 million
	B = \$50,001-\$100,000	D = \$250,001-\$500,000	F => \$1 million

Name / Address	Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Oak Park: 5235 Maple Street	4	Southwest San Diego <i>EACPC</i>	Build picnic shelter at Oak Park.	No	Yes	Yes	C	2010	P&R	No picnic shelter in park.
Oak Park: 5235 Maple Street	4	Southwest San Diego <i>EACPC</i>	Add security lighting to Oak Park, 4 additional poles.	No	Yes	No	A	2010	P&R	Security lighting to be added to turf area.
Paradise Hills Community Park: 6610 Potomac Street	4	Skyline - Paradise Hills	Upgrade tot lot to meet State and Federal accessibility and safety guidelines.	Yes	Yes	Yes	D	2001	P&R	
Paradise Hills Community Park: 6610 Potomac Street	4	Skyline - Paradise Hills	Resurface gym floor.	Yes	Yes	No	B	2003	P&R	
Paradise Hills Community Park: 6610 Potomac Street	4	Skyline - Paradise Hills	Install an electronic marquee on recreation center.	No	Yes	No	A	2010	RC	
Paradise Hills Community Park: 6610 Potomac Street	4	Skyline - Paradise Hills	Install lights in the upper back part of the park behind the tot lots.	No	Yes	No	A	2010	RC	
Parkside Neighborhood Park: Parkside Avenue at Landscape Drive	4	Skyline-Paradise Hills	Acquire adjacent land from San Diego Unified School District and develop ball fields.	No	Yes	Yes	F	2010	RC	Approximately 5 acres of undeveloped land north of the existing park.
Penn Elementary School: 2797 Utica Drive	4	Skyline - Paradise Hills	Upgrade the tot lot to meet State and Federal accessibility and safety guidelines.	Yes	Yes	Yes	D	2001	RC	A.K.A. Penn Athletic Area. Property owned by San Diego Unified School District.
Penn Elementary School: 2797 Utica Drive	4	Skyline - Paradise Hills	Install additional field lighting.	No	Yes	No	C	2010	RC	A.K.A. Penn Athletic Area. Property owned by San Diego Unified School District.

EACPC = EASTERN AREA COMMUNITIES PLANNING COMMITTEE

2010 Unfunded Park Improvements - Council District 4

ADA=Americans with Disabilities Act BPC=Balboa Park Committee Estimated Cost Ranges:		CAC=Citizens Advisory Committee CDBG=Community Development Block Grant A = \$0-\$50,000 B = \$50,001-\$100,000		CD=Council District MBPC=Mission Bay Park Committee C = \$100,001-\$250,000 D = \$250,001-\$500,000		P&R=Staff RC=Recreation Council E = \$500,001-\$1 million F = > \$1 million				
Name / Address	Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Penn Elementary School: 2797 Utica Drive	4	Skyline - Paradise Hills	Install an electronic marquee.	No	Yes	No	A	2010	RC	A.K.A. Penn Athletic Area. Property owned by San Diego Unified School District.
Santa Isabel Mini Park: Santa Isabel Drive at San Onofre Terrace	4	Southeast San Diego	No project proposed.		Yes					
School of Creative & Performing Arts: 2425 Dusk Drive	4	Southeast San Diego	No project proposed.		Yes					
Skyline Hills Community Park: 8285 Skyline Drive	4	Skyline - Paradise Hills	Upgrade ball court lighting.	Yes	Yes	Yes	C	2005	RC	
Skyline Hills Community Park: 8285 Skyline Drive	4	Skyline - Paradise Hills	Upgrade the electrical wiring in the snack bar.	Yes	No	No	A	2010	RC	
Skyline Hills Community Park: 8285 Skyline Drive	4	Skyline - Paradise Hills	Replace cabinets and floor tiles in the kitchen and main office of the recreation center.	No	No	Yes	B	2010	RC	
Skyline Hills Community Park: 8285 Skyline Drive	4	Skyline - Paradise Hills	Install security cameras in the back parking lot.	No	No	No	B	2010	RC	
Skyview Park: 7226 Skyline Drive	4	Skyline - Paradise Hills	Convert security lighting from low pressure to high pressure sodium.	Yes	Yes	No	B		P&R	
Sunshine Berardini Field: 4402 Federal Blvd	4	Mid-City	Implement improvements shown on GDP upon final approval.	No	Yes	Yes	F	2003/2005	RC	GDP in process. \$14 million estimate.

2010 Unfunded Park Improvements - Council District 7

Name / Address		Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Allied Gardens Community Park: 5155 Greenbrier Ave 92120		7	Navajo	Upgrade tot lot to meet State and Federal accessibility and safety guidelines.	Yes	No	Yes	D	2010	RC	
Allied Gardens Community Park: 5155 Greenbrier Ave 92120		7	Navajo	Remove existing wall paneling and install new wall surfacing in the Gardens Room.	Yes	No	No	B	2010	RC	
Allied Gardens Community Park: 5155 Greenbrier Ave 92120		7	Navajo	Purchase and install rubberized surfacing/material for the two planter areason the east side of Allied Gardens Recreation Center.	No	No	No	B	2010	RC	
Allied Gardens Community Park: 5155 Greenbrier Ave 92120		7	Navajo	Purchase and install bleachers for outdoor multi purpose courts.	No	No	Yes	A	2010	RC	
Allied Gardens Community Park: 5155 Greenbrier Ave 92120		7	Navajo	Construct a Senior Center.	No	No	Yes	E	2010	RC	
Camp Elliott Park: south of Clairemont Mesa Blvd., east of Rueda Drive		7	Tierrasanta	Acquire 12 hillside acres at elementary school site for open space.		No	No	E	2001	RC	Not a "park improvement."
Clay Elementary School: 6506 Solita Avenue		7	Mid City	Improve existing irrigation system and renovate turf for continued joint use of the ballfield.	Yes	Yes	No	C	2003 2005	RC	Property owned by San Diego Unified School District.
Clay Neighborhood Park: 4767 Seminole Drive		7	Mid City	Upgrade tot lot to meet State and Federal accessibility and safety guidelines.	Yes	Yes	Yes	D	2001	P&R	
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	North bank renovation, adjacent to tennis courts. Install retaining wall. Remove weeds and shrubs, replace with erosion control plant material.	Yes	Yes	No	C	2005	RC	

2010 Unfunded Park Improvements - Council District 7

ADA=Americans with Disabilities Act BPC=Balboa Park Committee Estimated Cost Ranges:		CAC=Citizens Advisory Committee CDBG=Community Development Block Grant A = \$0-\$50,000 B = \$50,001-\$100,000		CD=Council District MBPC=Mission Bay Park Committee C = \$100,001-\$250,000 D = \$250,001-\$500,000		P&R=Staff RC=Recreation Council E = \$500,001-\$1 million F = > \$1 million				
Name / Address	Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Colina del Sol Community Park: 5319 Orange Avenue	7	Mid City	Replace irrigation system on the south passive area.	Yes	Yes	No	C	2005	RC	
Colina del Sol Community Park: 5319 Orange Avenue	7	Mid City	Replace security lighting system in the south passive area and south parking lot.	Yes	Yes	No	B	2005	RC	
Colina del Sol Community Park: 5319 Orange Avenue	7	Mid City	ADA Upgrades throughout facility to meet State and Federal accessibility guidelines.	Yes	Yes	Yes	E	2005	RC	
Colina del Sol Community Park: 5319 Orange Avenue	7	Mid City	Replace existing recreation center building.	No	Yes	Yes	F	2005	RC	
Colina del Sol Community Park: 5319 Orange Avenue	7	Mid City	Remove and replace multi-purpose field lighting system.	Yes	Yes	Yes	D	2005	RC	
Colina del Sol Community Park: 5319 Orange Avenue	7	Mid City	Remove and replace tennis court lights.	Yes	Yes	Yes	D	2005	RC	
Colina del Sol Community Park: 5319 Orange Avenue	7	Mid City	Remove and replace multi-purpose court lights.	Yes	Yes	Yes	C	2005	RC	
Colina del Sol Community Park: 5319 Orange Avenue	7	Mid City	Remove existing bocci court and replace with a new tot lot to meet ADA standards.	No	Yes	Yes	D	2010	P&R	This area is closer to front picnic area where we have a lot of picnic and youth birthday parties.
Colina del Sol Community Park: 5319 Orange Avenue	7	Mid City	Replace roof on tennis shed.	Yes	Yes	No	A	2010	P&R	Roof leaking

2010 Unfunded Park Improvements - Council District 7

Name / Address		Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Build three picnic shelters: 1) north side of park, 2) south side of park, and 3) south east side of park at top of hill.	No	Yes	Yes	D	2010	P&R	No shelters in park for public use.
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Replace tile/floor covering in recreation center.	Yes	Yes	No	B	2010	P&R	
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Large video screen and video imaging equipment gym/stage.	No	Yes	No	A	2010	P&R	
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Upgrade outside multi-purpose courts new back boards and standards, incorporate volleyball lines and removable standards.	Yes	Yes	Yes	B	2010	P&R	Present equipment dated.
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Re-sod multipurpose field.	Yes	Yes	Yes	C	2010	P&R	
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Add new ball field lights to the football field. Incorporate security lights into the new ball field light poles.	No	Yes	Yes	D	2010	P&R	Poor lighting for changed demographics.
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Add security video system to facility, parking lot and area adjacent to building.	No	Yes	No	D	2010	P&R	Ongoing need for additional security.
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Provide a secured equipment delivery door to gym office.	Yes	Yes	Yes	A	2010	P&R	
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Add heating to the gym office.	No	Yes	No	A	2010	P&R	

2010 Unfunded Park Improvements - Council District 7

Name / Address		Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Replace lifting device for backboard at west end of gym.	Yes	Yes	No	A	2010	P&R	Present equipment dated.
Colina del Sol Community Park: 5319 Orange Avenue		7	Mid City	Computer learning center within Teen Center.	Yes	Yes	Yes	B	2010	P&R	
Dailard Park: Cibola Road, SE of Laurelridge Road		7	Navajo	No project proposed.		No					
Farb Middle School: 4880 La Cuenta Drive		7	Tierrasanta	No project proposed.		No					Property owned by San Diego Unified School District.
Forward Elementary School: 6460 Boulder Lake Drive		7	Navajo	Improve existing irrigation system for continued joint use of the ballfield.	Yes	Yes	No	C	2003	P&R	Property owned by San Diego Unified School District.
Grantville Park: 4601 Vandever Avenue		7	Navajo	No project proposed.		No					
Hancock Elementary School: 3303 Taussig St.		7	Tierrasanta	Irrigate and turf d.g. area for joint use.	No	No	Yes	E	2000	RC	Property owned by San Diego Unified School District.
Hardy Elementary School: 5420 Montezuma Road		7	College Area	No project proposed.		No					Property owned by San Diego Unified School District.
Hearst Elementary School: 6230 Del Cerro Boulevard		7	Navajo	No project proposed.		No					Property owned by San Diego Unified School District.

2010 Unfunded Park Improvements - Council District 7

ADA=Americans with Disabilities Act BPC=Balboa Park Committee Estimated Cost Ranges:		CAC=Citizens Advisory Committee CDBG=Community Development Block Grant A = \$0-\$50,000 B = \$50,001-\$100,000		CD=Council District MBPC=Mission Bay Park Committee C = \$100,001-\$250,000 D = \$250,001-\$500,000			P&R=Staff RC=Recreation Council E = \$500,001-\$1 million F = > \$1 million			
Name / Address	Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Lewis Middle School: 5170 Greenbrier Avenue	7	Navajo	Purchase and install bleachers at the three joint use field areas.	No	No	No	C	2010	RC	
Lewis Middle School: 5170 Greenbrier Avenue	7	Navajo	Install concrete dugout surfacing at three Joint Use softball fields.	No	No	No	C	2010	RC	
Mann Middle School: 4345 54th Street	7	Mid-City	Renovate existing irrigation system and turf.	Yes	Yes	No	C	2005	RC	Property owned by San Diego Unified School District.
Montezuma Park: 4929 Catocotin Drive	7	College Area	Acquire adjacent Asetline property to expand existing park.	No	No	No	F	2005	RC	
Princess del Cerro Park: 6195 Wenrich Drive	7	Navajo	Construct concrete swale along NW residences (back side of Eldergardens Ave.) to divert run-off to storm drain at Wenrich Drive.	Yes	No	No	C	2005	RC	
Rancho Mission Canyon Park: 6005 Larchwood Avenue	7	Navajo	Upgrade tot lot to meet State and Federal accessibility and safety guidelines.	Yes	No	Yes	D	2001	P&R	
Rancho Mission Canyon Park: Margerum Ave 92120	7	Navajo	Install concrete dugout surfacing.	No	No	No	A	2010	RC	
Road Runner Park: 734 La Cuenta Drive	7	Tierrasanta	Upgrade tot lot to meet State and Federal accessibility and safety guidelines.	Yes	No	Yes	D	2001	P&R	
Road Runner Park: 734 La Cuenta Drive	7	Tierrasanta	Improve existing security lighting throughout the park.	Yes	No	Yes	B	2000	RC	

2010 Unfunded Park Improvements - Council District 7

Name / Address		Council District	Community Planning Area	Project Description	Deferred Maint.	CDBG Eligible	Require ADA	Cost Range	Date of Request	Request Source	Remarks:
Road Runner Park: 734 La Cuenta Drive		7	Tierrasanta	Install picnic shelter.	No	No	Yes	C	2000	RC	
Road Runner Park: 734 La Cuenta Drive		7	Tierrasanta	Install emergency call box.	No	No	No	A	2005	RC	
Rolando Mini Park: 6610 Serrano Place		7	Mid City	No project proposed.		Yes					
Rolando School Park: 6505 Zena Drive		7	Mid City	No project proposed.		Yes					
San Carlos Community Park: 6445 Lake Badin Avenue		7	Navajo	Expand parking lot.	No	No	Yes	D	1981	RC	
San Carlos Community Park: 6445 Lake Badin Avenue		7	Navajo	Replace gymnasium flooring.	Yes	No	Yes	C	1997	RC	
San Carlos Community Park: 6445 Lake Badin Avenue		7	Navajo	Acquire land adjacent to joint use field.	No	No	Yes	F	1981	RC	
San Carlos Community Park: 6445 Lake Badin Avenue		7	Navajo	Design and construct an aquatic facility.	No	No	Yes	F	2003	RC	
San Carlos Community Park: 6445 Lake Badin Avenue		7	Navajo	Security camera system.	No	No	No	B	2005	RC	

**Transportation Unfunded Needs
(Grouped by Category)**

8/27/2012

Title	Description
Bicycle Facilities	
San Diego River Qualcomm Stadium to Zion Avenue Bicycle Path	This project will design and construct a Class I Multi-use path. This alignment chose will start at the southern property line of Mission Playmore condo and Ward Road and continue to Zion Avenue.
San Diego River Bike /Ped Bridge at Qualcomm Way	This project will design and construct a Bicycle/Pedestrian Bridge crossing over Qualcomm Way, south of the Trolley Line and south of the San Diego River.
San Diego River Path Connection from Sefton Ball Field to YMCA	This project will have a crossing that will connect between the Sefton Ball Path and YMCA.
Bayshore Bikeway	Install Class I (bike path) from Embarcadero Path to National City Limit.
Nobel Drive Bikeway between I-5 to Regents Road	Install 5' - 6' Class II (bike lanes)
Morena Blvd/Taylor Street Bikeway	Install Class II (bike lanes) on Morena Blvd between W. Morena Bl to Taylor St and on Taylor St between Morena Blvd to Pacific Hwy.
Pacific Beach Dr Bike Path	This project will provide approx. 1600 linear feet of 14 ft wide pervious concrete bike path and streetscape improvements.
Hotel Circle South between Cam de la Reina and Bachman Pl - install bike path	This project will install a bike path and upgrade street light under I-8 on Hotel Circle South between Camino de la Reina and Bachman Pl. About 1/3 of this project is in CALTRANS ROW and will involve coordination with them. The Class I bike path will be paved with porous concrete similar to the material that the Ocean Beach Bike Path used.
San Diego River Bike Path at Sunset Cliffs Blvd and I-8 WB off ramp	This project will install a fence around pillars under the bridge.
San Diego River Bike Path and Camino de la Reina Bikeway	Install Class I (bike path) between Hotel Circle Place to the existing Fashion Valley Bike Path, and along Camino de la Reina between Hotel Circle N to existing Camino de la Reina bike path.
SR-56 connector to Sorrento Valley Rd under I-5	Extends the Class I bikepath on the south side of SR-56 under I-5 to the existing Class I bikepath on old Sorrento Valley Road
SR 56 Bicycle Path Connection at Torrey Meadows Drive	This project will provide an access to the SR 56 Bicycle Path at Torrey Meadows Drive
Morena Blvd Bikeway II	Install class II (bike lanes) on Morena Blvd between Gesner St to W. Morena Bl.
Robinson Ave and Landis Street Bikeway - limits unknown	Install Class III (bike route) on Robinson Avenue and a Bicycle Track on Landis Street.
Island/20/L/32/Imperial bike facility	Install bike facilities from Front St to City Limits
Mira Mesa Blvd Bikeway	
W. San Ysidro Bl Bikeway between Dairy Mart Road to southern terminus of San Ysidro Bl	Install 5' - 6' Class II (bike lanes).
Pacific Hwy south	Install Class II & III bike facilities from Taylor Street south to Harbor Dr
Universty Av/Washington St/Normal Street Bikeway between University Av/Washington St to El Cajon Blvd	Install 5' to 6' Class II (bike lanes), Class III (bike route) and sharrows.
Villa La Jolla Drive Bicycle between Gilman Dr (N) to Gilman Dr (S)	Install 5' - 6' Class II (bike lanes).
Pacific Beach Drive Bikeway between Ingraham St to Lee St	Install Bicycle Boulevard that will connect to the existing Rosecreek Bridge project.
SR 56 Bikeway at Darkwood Rd - Design and construct connector	This project would provide the design and construction of a connector between the SR-56 bike path and Darkwood Rd/Park Run Rd
Rose Creek Bicycle Path Improvements	Widened and pave path from West Mission Bay Drive to Damon St
Interstate 805 Bike Path Study	This project will construct a connection between Mira Mesa and University Towne Center along I-805.
SR-52 Bike Path between the existing bike path in Rose Canyon to the existing bike path at Santo Road - construct bike path	This project would provide a Class I bike path parallel to SR-52 on the south side of the freeway.
Mira Mesa Boulevard between I-15 and Parkdale Drive - install Class II bike lanes	This project would install Class II bike lanes on Mira Mesa Blvd between I-15 and Parkdale Ave. To accommodate the bike lane, either parking removal or median narrowing is required.
SR 52 Bike Path between University City, Clairemont, and Kearny Mesa Communities.	This will provide a bike path along SR 52 that will connection University City, Clairemont, and Kearny Mesa communities.
Wightman Street Bikeway	Install Class II (bike lanes) on Wightman Street from Swift Avenue to Euclid Avenue.
Island Avenue Bikeway between Harbor Dr to I-5	Install Bike Blvd
14th St/National Avenue/Cesar E Chavez Pkwy Bikeway	Inst Class III bikeway on 14th St between Broadway to Commercial and National Avenue between Commercial St to Cesar Chavez Pkwy. Install Class II Bikeway on Cesar Chavez Pkwy from National Avenue to Harbor Drive
State Street Bikeway	Install Class III (bike route) on State Street between Columbia Street to Market Street.
University Ave Bikeway between Utah St to Fairmount Ave	Install Class II (bike lanes) on University Ave between Utah St to Fairmount Ave and install Sharrows thru I-805 interchange.
Midway Drive Bikeway	Install Class II (bike lanes) on Midway Drive between W. Point Loma Bl to Barnett Avenue.
Mission Blvd Bikeway between Grand Ave to W. Mission Bay Drive	Install Class II (bike lane) on Mission Blvd between Grand Avenue to Pacific Beach Drive and a Bicycle Boulevard on Mission Blvd between Pacific Beach Drive to W. Mission Bay Drive.
State Route 56 and Camino Santa Fe Connection Bike Path Study	This project would design and construct a grade-separated bicycle interchange at SR-56 and Camino Santa Fe.
Fairmount and Montezuma Road Improvements	This project will Improve the existing bike lanes and improve the safety for Bicyclist.
State Route 56 at Camino del Sur - Design and construct bike interchange	This project would provide the design and construction of a bicycle interchange at SR-56 and Camino del Sur.
Texas Street between Camino del Rio N to Camino Del Rio S	Coordinate with Caltrans to Improve Bikeway.
University Ave Bikeway between Fairmount Ave to City limits	Install 3.3 miles of 5' to 6' of Class II (bike lanes) on University Ave between Fairmount Ave to City Limits.
Camino Del Rio N Bikeway between Mission City Pkwy to I-15	Install 5'-6' Class II (bike lanes).
Daley Center Road Bikepath	Bikepath on Stadium Golf Driving range connecting Daley Center Road to Murphy Canyon Road
SR 56 Bikeway at Rancho del Sol Way - Design and construct connector	This project will provide for the design and construction of a bike/ped connector between Rancho del Sol Way and the SR-56 bike path.
4th and 5th Avenue Bikeway between Elm St to Island Ave	Install Class II on 5th Ave between Washington St to C Street and Class III and Sharrows on 4th Avenue between Elm St to Island Ave and 5th Ave between C to Harbor Dr Bikeway
Nimitz Blvd Cycle Track	Provide a Cycle Track from Harbor Drive to the San Diego River Bikepath
SD River Path between Zion Ave and Princess View Drive - install bicycle facility	This project will design and construct a Class I bicycle path along the San Diego River from Zion Ave to Princess View Drive. Redevelopment in the area can provide opportunities for developer funding.
University Ave Bikeway between Florida St to Utah St	Install Class II (bike lanes) on University Avenue between Florida St to Utah Street
Paradise Valley Road between Munda Dr and Meadowbrook Dr - install bike facility	This project would install Class II and Class III bicycle facilities on Paradise Valley Road between National City and Spring Valley city limits.
El Cajon Blvd Bikeway	Install Class II (bike lanes) between Utah St to Montezuma Road.
Poway Road Bikepath	Extends the existing Bikepath east to Sabre Springs
25th Street/Ocean View Bl Bikeway between Market Street to Commercial Street	Install 5'-6' Class II (bike lanes) on 25th Street between Market Street to Commercial and on Ocean View Bl between Commercial Street to 36th Street.

Transportation Unfunded Needs
(Grouped by Category)

8/27/2012

Title	Description
New Roads, Roadway Widening and Road Reconfigurations	
La Media Rd from Siempre Viva Rd to 9400' n/o Siempre Viva - Construct 4 and 6-lane road	Construct La Media Road from Siempre Viva Road to a point 9,400 feet north. This includes 2,600 linear feet of a 4-lane Major street and 6,800 linear feet of a 6-lane Primary Arterial street. (Approximately 4,000 linear feet of the 6-lane Primary Arterial street fronts the Brown Field Airport).
Gilman Dr from Via La Jolla Dr to 300' n/o same-install Curb, Gutter and Sidewalk on west side	Curb, Gutter and Sidewalk on west side
Hollister St (west side) from Leon Ave to Tocayo Ave - Install CG&S and improve street	This project will provide pcc curb, gutter and sidewalk on the west side of Hollister between Leon Ave. and Tocayo Ave. Excavation, relocation of fire hydrant and utility ples, sign relocation and fence relocation is required. New to include pcc curb, gutter and sidewalk AC pavement, driveways and curb ramps.
University Ave from 40th St to I-805 - Widen to 4-Lane Major	Widen to 4-lane major
College Ave at Canyon Crest Dr/Alvarado Rd - Intersection Improvements and Street Realignment	This project will provide for the improvement of the College Ave/Canyon Crest/Alvarado Rd intersection. The realignment of Alvarado Rd for approx 1600 feet east of College Ave is included in this project. This project also provides Class II bike lanes on College Ave/Canyon Crest Dr.
Airway Rd from Heritage Rd to 18000' e/o Heritage Rd - Construct 4-lane major	Construct Airway Road from Heritage Road to a point 18,000 feet easterly as a 4-lane Major street.
Del Sol Blvd from eastern boundary of Palm Ridge through open space and in front of park and schools - Construct 2 and 4-lane road	Construct the central section of Del Sol Boulevard easterly of the eastern boundary of Palm Ridge through the Multiple Species Conservation Program (MSCP) open space and along the frontage of the proposed community park, elementary school, and middle school. The roadway will consist of 800 linear feet of 2-lane collector and 2,000 linear feet of a 4-lane collector street. See companion projects: T-4.1 and T-4.2.
Carmel Mountain Road - Neighborhood 10 Boundary To Del Mar Mesa Road-construct as 2-lane collector	This project provides for the construction of Carmel Mountain Road as a 2-Lane Collector Street from the Carmel Valley Neighborhood 10 Easterly Boundary to Del Mar Mesa Road. The westerly 2,000 foot (FBA funded) which traverses open space will be 40'/62'. Also included as part of this project is a wildlife crossing under Carmel Mountain Road. The remainder (Subdivider funded) will be both 40'/62' and 50'/72' and will include a left-turn lane at intersections and major driveways as needed. A multi-use trail will be constructed as part of this project along the entire project length.
Linda Vista Rd at Mesa College Dr- Widen to add SBRT Lane	Widening of Linda Vista Rd for a southbound right turn lane & restripe mesa College Dr to provide a westbound right turn lane (This is 'Alternate A' design plan)
Camino Del Sur - Bing Crosby Drive east to City Limits - New Road	Construct a four lane major roadway within a six-lane right-of-way from Bing Crosby Dr east to 45 Ranch within Black Mountain Ranch (BMR).
Genesee Ave from Osler St to Community Boundary- Widen to 4-Lane Major	Widen Genesee Ave to a 4-lane major. Improvements such as curb, gutter, sidewalk and center median will be included as part of this project.
Euclid Ave from Home Ave to Ridgeview St- Road widening, Curb, Gutter and sidewalk, Ret. Walls	CG&S, Ret Walls, Road Widening
University Ave at Euclid Ave- Additional Through and turn lanes	Additional through & turn lanes
Market St from Euclid Ave to 54th St. - Widen to 4-lane major	This project provides for the widening of Market St. to a four lane major street. Including raised median.
Leon Ave (south side) from Hollister St to Saturn Blvd - Install CG&S and improve street	This project will provide curb, gutter and sidewalk on the southside of Leon Ave.. Excavation, street light relocation, utility pole relocation, sign relocation and tree removal will be required. Construction of new curb, gutter and sidewalk, AC pavement and driveways and curb ramps will be required.
College Ave at Montezuma Rd and at Lindo Paseo - Intersection Improvements	Improvements include right-of-way acquisition, removal of existing structures/buildings, traffic signal modifications, and relocating raised center median. These improvements will provide 3 through lanes, separate right turn lanes on the north and south legs of College Ave at both intersections. It also provides Class II bike lanes.
Little McGonigle Ranch Rd. - Del Mar Mesa Road To SR-56	This project will be completed in two phases: Phase I provides for the construction of Camino Santa Fe (44'/65') from the northerly terminus of Carmel Mountain Road at Del Vino Court, northwesterly to the easterly terminus of Del Mar Mesa Road. The project includes a multi-use trail adjacent to the roadway. Phase II provides for the construction of Camino Santa Fe (40'/62') from Del Mar Mesa Road to SR-56. The project will include a 100' bridge structure. A multi-use trail will also be constructed adjacent to the roadway. Phase I (completed): Mesa Verde - Del Mar LP \$2,060,000 Phase II: To be determined \$4,790,000
El Cajon Boulevard - 54th Street to 58th Street- Widen to a modified 4-lane major (74/80)	The improvements are for widening of El Cajon Blvd. to a modified 4 lane major (74/80) from 54th to 58th.
Midway Dr at Sports Arena Blvd- Install additional through lane	Widen by adding a through lane
College Avenue- Lindo Paseo to Canyon Crest Drive-widen to 6-lane major	Widen to a modified 6-lane major.
Black Mountain Rd from Gemini Ave to Mira Mesa Blvd - Widen east side for additional NB lane	This project widens the east side of Black Mountain Road from Gemini Avenue to Mira Mesa Boulevard for an additional northbound lane. Class II Bike Lanes are included.
Black Mountain Rd from Galvin Ave to Gemini Ave - Widen to 6-lane primary arterial	This project pertains to Black Mountain Road from Galvin Avenue to Gemini Avenue. Widen to a 6-Lane Primary Arterial with Class II Bike Lanes.
Navajo Rd from College Ave/Waring Rd to Waring Rd - Construct 2-lane collector	Construct 4-lane collector
New Heritage Rd from terminus of companion project T-21.1 to 5000' s/o terminus - Construct 6-lane primary arterial	Construct New Heritage Road from the southerly terminus of companion project T-21.1 to a point 5,000 feet south as a 6-lane Primary Arterial street. (This project consists of open space, begins at Otay Rio Business Park on the north and terminates at the top of the canyon in the south.)
El Paseo Grande at Camino del Oro Landscaped Median, additional parking and sidewalk extension	Project to provide a landscaped median, additional parking, and a sidewalk extension. Will require roadway excavation, curb and gutter removal, and striping removal. It will also require the installation of new curb and gutter, sidewalk, pavement, striping, street sign relocation, and landscaping with irrigation.
Mercury St @ Balboa Ave- Install SB Left Turn Lane and Class 2 Bike Lane	This project will provide an additional left turn lane on southbound Mercury Street at Balboa Avenue and class 2 bike lane. Additional right of way acquisition required.
Home Ave from Fairmount Ave to Euclid Ave- Widen to 4-Lane Coll	Widen to 4-lane collector
Camino del Rio North @ WB I-8 - Install 2 hook ramps	This project provides for 2 new hook ramps from Camino Del Rio North to west bound I-8. Ramps connections just easterly of Qualcom Way.
Hazard Center Drive from 500' e/o SR-163 bridge to Avenida del Rio - Widen to 4 lanes	construct 2 lane road
Balboa Ave @ Grand Ave - modify intersection	Re-alignment
Jamacha Rd from Meadowbrook Dr to Cardiff St - Widen to 2-lane collector	Improve to 2-lane collector
Harvest Rd from Otay Mesa Rd to Siempre Viva Rd - Construct 4-lane major	Construct Harvest Road from Otay Mesa Road south to Siempre Viva Road as a 4-lane Major street.
Carroll Canyon Rd from Camino Santa Fe to Camino Ruiz - Construct 6 lane primary arterial	Construct 6 lane facility
Sea World Dr from West Mission Bay Dr to I-5 - Widen to 6-lane major	Widen to 6-lane major with bike lanes
Calle Primera from Via de San Ysidro to Willow Rd and Willow Rd from Calle Primera to Camino de la Plaza - Widen to 4-lane collector	Project will widen to modified 4-lane collector
Hollister St from Monument Rd to SR-905 - Widen to 4-lane major	Widen to 4-lane major

Transportation Unfunded Needs
(Grouped by Category)

8/27/2012

Title	Description
New Roads, Roadway Widening and Road Reconfigurations	
Heritage Rd from Otay Mesa Rd to Airway Rd - Construct 6-lane major	Construct Heritage Road from Otay Mesa Road southerly to Airway Road. This includes approximately 2,600 linear feet of a 6-lane Major Street.
Camino Del Sur - Carmel Valley Road south to SR-56 - Widening	Design and construct additional travel lanes for Camino del Sur, complete with median improvements, within a six-lane right-of-way. (See companion project T-13).
Euclid Ave from El Cajon Blvd to Chollas Creek- Widening	Widen to 3-lane, 4-lane collector
West Point Loma Blvd @ Nimitz Blvd - Install EBLT lane	Add eastbound to northbound left turn lane
Hollister St from Coronado Ave to Tocayo Ave - Widen to 4-lane collector	Widen to a 4 -lane collector
Cesar Chavez Pkwy from Commercial St to I-5 - Widen to 4-lane collector	This project will provide for the widening of Cesar Chavez Pkwy to a four-lane Collector.
Division St from Lorenz Ave to 61st St - Widen to 4-lane collector	This project will provide for the widening of Division Street to a modified four lane Collector.
Brooklyn Ave from 65th St to 66th St - Improve road	Fully improve to 40' c/c, Rwalls, Grade adjustment
Saturn Blvd (east side) from Grove St south to existing sidewalk and Grove St (south side) from Saturn Blvd to Switzerland Dr - Widen street & install CG&S	This project will provide new sidewalk with curb and gutter and new AC pavement on the east side of Saturn Blvd. at Grove Ave. southerly to existing sidewalk. And on the south side of Grove ave from Saturn Blvd. easterly to curb return at Switzerland Dr. Project will require excavation, tree removal, AC berm and sidewalk removal. New curb, gutter and sidewalk, AC pavement, retaining wall, curb ramps and driveways will also be required.
Kearny Villa Rd from Black Mountain Rd to 600' s/o Miramar Rd - Widen to 6-lane primary arterial	This project provides for the widening of Kearny Villa Road to a six-lane Primary Arterial with Class II Bike Lanes between Black Mountain Road and Miramar Road.
Carroll Canyon Rd from Scranton Rd to El Camino Memorial Park Western Entrance - upgrade to 4-lane major street	Provides all necessary improvements to upgrade Carroll Canyon Road between Scranton Road and El Camino Memorial Park's western entrance to standards for a four lane Major Street. Traffic Signals at Scranton Road and Nancy Ridge Road intersect and are included.
El Camino Real - Half Mile Drive north to San Dieguito Road - Widening	Complete construction of existing El Camino Real between Half Mile Dr and San Dieguito Rd as a 4-lane major within the existing grading right-of-way. Estimated cost includes environmental analysis and alignment studies for the entire length of El Camino Real, i.e. from Half Mile Dr to Via de la Valle.
Camino Del Norte at Bernardo Center Dr - Intersection Improvements	Design and construct improvements at the intersection of Camino del Norte and Bernardo Center Dr including dual left turns from each approach and full use of the through lanes. Provide right turn lane for westbound to northbound movement. Provide pedestrian bridge over Camino del Norte.
College Avenue over I-8 Bridge and Approaches-Widen to 6-lanes	Widen bridge and approaches to six lanes.
Nimitz Blvd at West Point Loma Blvd - Install NBRT lane	CG&S, Soil Nail Wall, Fence Relocation, Large Tree Mitigation, Env
Highland Valley Rd from Pomerado Rd to easterly City limits - Widen to 2-lane modified collector	Improve to 2-lane modified collector
West San Ysidro Blvd from Sunset Ln to Smythe Ave - Widen to 4-lane modified major	Widen to 4-lane modified major
Madera St from 66th St to 69th St - Widen for CG&S	CG&S 3200'
Washington St from Fifth Ave to Richmond St - Widen to 6-lane major	Widen to 6-lane major including SR-163 and 6th Street extension bridges.
Caliente Rd from Otay Mesa Rd to Siempre Viva Rd - Construct 4 and 6-lane major	Construct Caliente Road in 2 phases from Otay Mesa Road southerly to Siempre Viva Road. This includes approximately 800 linear feet of a 6-lane Major street and 6,600 linear feet of a 4-lane Major street. Phase I: SR-905 to North Vista Road Phase II: North Vista Road to Siempre Viva Road
Guy St @ Keating St - Reconstruct to full depth concrete pavement	This project provides for the reconstruction of the existing cold patch AC pavement with full depth concrete pavement.
Miramar Rd at Kearny Villa Rd - Widen east & west legs of intersection	This project will widen both the east and west legs of Miramar Road at the Kearny Villa Road Intersection by adding additional left hand and right hand turn lanes.
Black Mountain Rd from Gold Coast Dr to Maya Linda Rd - Widen to 5-lane primary arterial	This project provides for the widening of Black Mountain Road to a six-lane Primary Arterial with Class II Bike Lanes between Gold Coast Drive and Maya Linda Road.
College Avenue at El Cajon Boulevard- Widen Intersection and install class 2 Bikelane	Improvements provide for three thru lanes, dual left turn and separate right turn lanes on the north and south legs and two thru lanes, dual left turn and separate right turn lane on the east and west legs. Class 2 bikelane included.
Broadway from 30th St to SR-94- Widen to 4-lane major	Widen to 4-lane major
Camino de la Riena from Fashion Valley Rd to Napa St - Construct 4-lane major	Construct 4-lane major street
Camino Del Sur - San Dieguito Rd to Bing Crosby Dr - Widening	Construct the widening of Camino del Sur from its initial two lanes northward from San Dieguito Rd to an ultimate four lane major street. (See companion project T-8).
Camino Del Sur - San Dieguito Rd south to Carmel Valley Rd - Widening	Construct an additional two lanes of Camino del Sur from San Dieguito Rd southward to Carmel Valley Rd. Modify traffic signals at San Dieguito Rd, B St, and Carmel Valley Rd to be consistent with this cross section.
East Beyer Blvd from Beyer Blvd to Camino de la Plaza - Widen to 4-lane collector	Widen to 4-lane collector
Klauber Ave from Bittern St to 69th St - Widen road	4000' Widen CG&S, Rwall, Drainage Major Road Proj
Potomac Street - Alta View Drive to Paradise Valley Road	This project will provide for the improvement of Potomac Street to a four lane collector from Alta Vista Drive to Paradise Valley Road. Improvements consist of pavement, curb, gutter, and sidewalks adjacent to City owned Paradise Hills Park.
Camino Santa Fe @ Miramar Rd - Install RT Lanes: SB-to-WB on Camino Santa Fe, WB-to-NB on Miramar Rd	This project will widen both the north leg of Camino Santa Fe and the east leg of Miramar Road by adding a southbound to westbound right turn lane and a westbound to northbound right turn lane.
Carmel Valley Road: Del Mar Heights Road east to Via Abertura - 4 Lanes	Design and construct Carmel Valley Road from Del Mar Heights Road to Via Abertura as a 4-lane facility.
Mission Gorge Rd from Old Cliffs Road to Princess View Dr - Widen to 6 lanes	Widen to 6 lanes as needed
West Calle Primera from Street "A" to Via de San Ysidro - Widen to modified 4-lane collector	Widen to 4-lane collector
43rd St from Imperial Ave to Logan Ave - Widen to 4-lane collector	This project provides for the construction of 43rd Street to a four-lane collector. This project is recommended for deletion. See comments.
Dennery Rd from s/o Topsail Dr to Avenida de las Vistas - Construct 2-lane collector	Construct approximately 3,000 linear feet as a 2-lane Collector street through MSCP open space to provide local access to the Robinhood Ridge development. Right of Way to be acquired concurrently through the open space as a subdivision exaction.
Southbound Truck Route from Britannia Blvd to Drucker Ln - Construct 3-lane road	Construct the Southbound Truck Route in several distinct phases. The initial phase consisted of temporary pavement sections for the northerly portion of La Media Drive, a permanent pavement section for the southerly portion of La Media Drive, and a new lane within the 150 foot border zone from La Media to the Port of Entry. The unloaded truck phase programmed for FY 2003 consists of completing Harvest Road from Airway Road to Siempre Viva Road, Drucker Lane, and a lane north of the 150 foot border zone from La Media to the Port of Entry.
Valencia Pkwy from Imperial Ave to Market St - Widen to 4-lane major	This project provides for the extension of Valencia Parkway as a four-lane major street.
Camino Ruiz from Gold Coast Dr to east leg of Jade Coast and Maralani Dr to Miramar Rd - Widen to modified 6-lane major	This project will widen Camino Ruiz to a Modified 6-Lane Major Street from Gold Coast Drive to the East Leg of Jade Coast and from the northern most boundaries of Miralani Business Park to Miramar Road. Class II Bicycle Lanes will be installed from Mira Mesa Boulevard to Gold Coast Drive and within the project limits.

**Transportation Unfunded Needs
(Grouped by Category)**

8/27/2012

Title	Description
New Roads, Roadway Widening and Road Reconfigurations	
Black Mountain Rd @ Mira Mesa Blvd - Install NBRT lane	This project will widen Black Mountain Road to provide right turn lanes to Mira Mesa Boulevard. Class II Bike Lanes are included. The Black Mountain Road southbound right turn lane has been completed.
Texas St from El Cajon Blvd to Madison Ave - Widen to 4-lane collector	Widen to 4-lane collector
Texas St from Madison Ave to Camino Del Rio South- widen to 4-lanes	Widen to 4 lanes
I-8/Qualcomm Way Ramps	Construct new off-on ramps to westbound I-8 at Qualcomm Way
Saturn Blvd (west side) from Grove Ave to Leon Ave - Widen to 4-lane collector	This project provides for the widening of the west side to a four lane collector. Improvements include right of way acquisition, curb, gutter and sidewalk, drainage, traffic signals street lights and landscaping.
Akins Ave from Iona Dr to 69th St - Widen to install CG&S	3,120 linear feet of CG&S
University Ave from Normal St to Florida St - Widen road	Widen to 60 feet (curb-to-curb)/80 feet (right-of-way)
Klauber Avenue from 69th Street to Broadway Roadway Improvement	Contingent on Georgia Street Bridge project retrofit/replacement
Leon Ave (north side) from Saturn Blvd to Hollister St - Install CG&S and Improve street	This project provides for new curb, gutter and sidewalk on the north side of Leon Ave. from Saturn Blvd. to Hollister St. Project will require AC sidewalk removal, AC pavement removal, tree removal, and mail box relocation. Construction of new curb, gutter and sidewalk, AC pavement, driveways and curb ramps is anticipated.
Eastgate Mall - Miramar Rd. to I-805(SDG&E Easement)	Widen to 4 lanes
Black Mountain Rd from Hillery Dr to Gold Coast Dr - Widen to 6-lane primary arterial	This project pertains to Black Mountain Road from Hillery Drive to Gold Coast Drive. Widen to a 6-Lane Primary Arterial with Class II Bike Lanes.
Convoy Tr from Convoy St to Magnatron Blvd- Construct 4-Lane Coll	This project will provide for the construction of a four lane collector street from Convoy Street to Magnatron Boulevard.
Mercury St from Mercury Ct to Convoy Tr (Copley Park Place)-construct 2-lane coll	This project will provide for the construction of a two lane Collector Street with a center turn lane from Mercury Court to Convoy Terrace.
Carmel Valley Road: Camino del Sur to Black Mountain Road, Widen to Four Lanes	Design and construct two additional travel lanes for Carmel Valley Road. This widening shall occur in two increments. The first increment requires the widening from Via Abertura to Camino del Sur. The second increment extends the widening easterly from Camino del Sur to Black Mountain Road. Timing of each increment of widening will be based on the Transportation Phasing Plan for Subarea IV. (See companion Project T-22.1).
West Bernardo Drive at Bernardo Center Drive, Intersection Improvements	Design and construct intersection improvements to provide additional right turns from Bernardo Center Drive to West Bernardo Drive including a minor widening.
Garnet Ave from I-5 to Soledad Mountain Rd - Widen road	Widen street
Camino Del Sur South Wildlife Crossing Widening (add 2 lanes)	Construct the additional width necessary for the wildlife crossing under Camino del Sur (see Project T-11) to allow for the widening of Camino Ruiz (see Project T-10).
Genesee Ave - Boyd Ave to southerly community boundary - Widening	Widen to 4-lane major including Class II bike lanes, sidewalks, and upgraded drainage system. This will occur within the existing right-of-way.
69th St from Madera St to Mallard St - Widen for CG&S	CG&S, Pavement, Drainage
Washington St from San Diego Ave to India St - Widen to 6-lanes	Widen to 6 lanes
Airway Rd from Old Otay Mesa Rd to Heritage Rd - Construct 4-lane road	Construct Airway Road from Old Otay Mesa Road to the intersection of Heritage Road. This includes approximately 1,600 linear feet of a 4-lane Collector, and 5,800 linear feet of a 4-lane Major roadway, of which approximately 4,350 linear feet will cross MSCP open space. Also includes a 450 linear foot bridge to span portions of Spring Canyon (FBA funded).
Carmel Valley Road: Via Abertura east to Camino del Sur, Widen to Four Lanes	Design and construct two additional travel lanes for Carmel Valley Road. This widening shall occur in two increments. The first increment requires the widening from Via Abertura to Camino del Sur. The second increment extends the widening easterly from Camino del Sur to Black Mountain Road. (See companion Project T-22.2). Timing of each increment of widening shall be based on the transportation phasing plan for Subarea IV.
Aero Dr from Kearny Villa Rd to Sandrock Rd- Widen to 6-Lane PA with Bike Lanes	This project will provide for the widening of Aero Drive from Kearny Villa Road to Sandrock Road to a six lane primary arterial with bike lanes.
Health Center Dr from Frost St to Genesee Ave - Widen to 4 lanes	This project would widen Health Center Dr. to a 4-lane collector. This project is subdivider funded. The subdivider has already provided improvements at Mesa College Dr. See Ref. Document RR-280667.
Oceanview Blvd from 40th St to 32nd St - Widen to 4-lane major	This project provides for the widening of Oceanview Boulevard to a modified four-lane major street. No additional right of way is anticipated.
Black Mountain Road, Twin Trails Road south to Mercy Road- Widen to six lane	Design and construct a widening from four lanes to six lanes on Black Mountain Road between Twin Trails Road on the north and Mercy Road on the south.
El Cajon Boulevard at 70th Street- Intersection Improvements	Improvements include right of way, relocating raised median, separate right turn lane on the west and east leg, dual left turn lanes on the west leg and a single left turn on the east leg. Class 2 bikelane included.
Camino Del Sur North Wildlife Crossing Widening (add 2 lanes)	Construct the widening of the bridge for Camino del Sur across the Lusardi Creek from its initial configuration to a full four lane width.
Balboa Ave - Clairemont Dr to I-5 - Widening	Widen to 6-lane major. Project improvements include the modification of traffic signals, Class II bike lane, sidewalks, and a transition from 6 lanes to 4 lanes on the easterly side of Clairemont Dr.
Tonawanda Dr from Reo Dr (east) to Reo Dr (west) - Widen to 4-lane collector	Widen to 4-lanes collector
Benson St from 370' e/o 61st St to Jenna St - Widen for CG&S	Widen, CG&S, Pmt, Fill
Otay Mesa Rd @ Ocean View Hills Pkwy - Construct WBRT lane	This project provides for the following improvements: 1) Construction of an exclusive westbound to northbound right-turn lane on Otay Mesa Road. 2) Re-stripping the number three lane on westbound Otay Mesa Road to an exclusive right-turn lane. 3) Re-stripping the number three lane on northbound Ocean View Hills Parkway to an exclusive right-turn lane.
Federal Blvd at Euclid Avenue- Install additional NB and SB through lanes	Additional north-south through lane
Dairy Mart Rd from I-5 to southern Community boundary - Widen to modified 4-lane collector	Widen to 4-lane collector with bikeway and landscaped median
Market St from Euclid Ave to 32nd St - Widen to 4-lane major	This project provides for the widening of Market Street to a four-lane major street with Class II bicycle lanes. The cost for property acquisition and building demolition are included in this estimate.
Black Mountain Rd from Mira Mesa Blvd to Hillery Dr - Widen to 6-lane primary arterial	This project provides for the widening of Black Mountain Road to a six-lane Primary Arterial with Class II Bike Lanes between Mira Mesa Boulevard and Hillery Drive.
Upas St at 30th St- Realign intersection	Realign intersection
Ulric St from Linda Vista Rd to Fulton St- Widen to a 2-Lane Coll with TWLT Lane	Project provides for widening Ulric St. to a two-lane collector with a two-way left turn lane.

Transportation Unfunded Needs
(Grouped by Category)

8/27/2012

Title	Description
New Traffic Signals	
04th Ave @ Date St Traffic Signal	Install a new traffic signal
36th St @ El Cajon Blvd Traffic Signal	Install a new traffic signal
Division Street & Main Street Traffic Signal	Install a new traffic signal
Division St & Osborn St Traffic Signal	Install a new traffic signal
Via de San Ysidro @ I-5 N/B offramp Traffic Signal	Install a new traffic signal
Grove Ave/Ingrid Ave @ Hollister Street Traffic Signal	Install a new traffic signal
Genesee Ave @ SR-52 W/B on-ramp Traffic Signal	Install a new traffic signal.
Aquarius Drive & Camino Ruiz Traffic Signal	On deferred list by the Mira Mesa Comm. Group. Is listed in the Mira Mesa FFP as project 15-40 (8), for construction in 2009 at an est cost of \$160,000, FBA.
Boundary/33rd St @ North Park Wy/I-805 ramp Traffic Signal	Install a new traffic signal.
Jackson Dr & Winding Creek Dr Traffic Signal	Install a new traffic signal.
Florida Dr @ Morley Field Dr Traffic Signal	Install a new traffic signal
La Jolla Blvd @ Turquoise St Traffic Signal	Install a new traffic signal.
Florida Dr & Zoo Pl Traffic Signal	Install a new traffic signal
Chippewa Ct @ Clairemont Dr Traffic Signal	Install a new traffic signal
03rd Ave @ Washington St Traffic Signal	Install a new traffic signal
Division St @ Valencia Pkwy Traffic Signal	Install a new traffic signal
Churrituck Dr @ Palm Ave Traffic Signal	Install a new traffic signal
54th Street @ Nutmeg Street Traffic Signal	Install a new traffic signal
Hotel Circle South @ Taylor St Traffic Signal	Install a new traffic signal
Foothill Bl @ Loring St Traffic Signal	Install a new traffic signal.
Technology Drive & W Bernardo Drive Traffic Signal	Install a new traffic signal.
Market Street & Merlin Drive Traffic Signal	Install a new traffic signal
Brlarwood & Goode Street Traffic Signal	Install a new traffic signal
31st St @ National Ave Traffic Signal	Install a new traffic signal
31st St @ Ocean View Bl Traffic Signal	Install a new traffic signal.
Kettner Blvd @ W. Palm St Traffic Signal	Install a new traffic signal.
10th Ave @ Robinson Ave Traffic Signal	Install a new traffic signal
Clairemont Mesa Bl @ Pocahontas Av Traffic Signal	Install a new traffic signal
Pennant Wy @ Regents Rd Traffic Signal	Install a new traffic signal.
Del Diablo Wy @ Penasquitos Dr Traffic Signal	Install a new traffic signal
41st St @ National Ave Traffic Signal	Install a new traffic signal
Girard Ave @ Prospect St Traffic Signal	Install a new traffic signal
Calle Fortunada(N) @ Ruffin Rd Traffic Signal	Install a new traffic signal
Adams Ave @ West Mountain View Dr Traffic Signal	Install a new traffic signal
Remora St @ Santo Rd Traffic Signal	Install a new traffic signal
Copley Dr/Ruffner St @ Copley Park Pl	Install a new traffic signal.
Carroll Rd @ Nancy Ridge Dr Traffic Signal	Install a new traffic signal
Princess Street & Torrey Pines Road Traffic Signal	Install a new traffic signal. The Torrey Pines Rd Corridor Study (by the Transportation Planning Div.) concluded that there were conflicting opinions in the community as to whether this signal should be installed. The study recommended that the signal be installed initially as a ped signal only, but to be designed and constructed to allow for future upgrade to a full signal.
Catalina Bl @ Hill St/Santa Barbara St Traffic Signal	Install a new traffic signal
Arzuza St @ Picador Blvd Traffic Signal	Install a new traffic signal.
Carmel Creek Rd @ Del Mar Trails Rd Traffic Signal	Install a new traffic signal
Park Village Rd @ Spindletop Rd Traffic Signal	Install a new traffic signal
Averil Rd & W San Ysidro Bl Traffic Signal	Install a new traffic signal
Camino del Sur @ Four Gee Rd Traffic Signal	Install a new traffic signal
Airway Road & Avenida Costa Azul Traffic Signal	This is project T-72.1E in the Otay Mesa PFFP FY 2007 to construct a traffic signal.
	Design and construction is scheduled for FY 2012.
	This is project T-72.1C in the Otay Mesa PFFP FY 2007 to construct a traffic signal
Piper Ranch Road & St. Andrews Avenue Traffic Signal	Design and construction is scheduled for FY 2012.
	This intersection does not exist.
Business Park Ave @ Pomerado Rd Traffic Signal	This project will provide for the installation of a traffic signal at Pomerado Road and Business Park Avenue. This project is Project 34-15 in the Scripps Miramar Ranch PFFF. It is scheduled for design in 2010 at a cost of \$170,000
Carroll Canyon Road & Carroll Road Traffic Signal	This project would install a traffic signal at the future intersection of Carroll Canyon Road (now Fenton Rd) & Carroll Road. This location is listed in the Mira Mesa PFFF as project 15-40 (28), as completed by SUBDIV.
	Install traffic signals at two locations on Carmel Country Road - at Cloverhurst Way and Craven Ridge Way. Project T-7 in the Carmel Valley FFP, formerly project 21A-31
Carmel Country Road & Craven Ridge Wy Traffic Signal	Carmel Country Rd & Cloverhurst Wy was completed in 02/2006.
	This project now consists of the proposed signal at Carmel Country Rd & Craven Ridge Way only. This signal is scheduled for 2010 per the FFP.
	This is project T-72.1B in the Otay Mesa PFFP FY 2007 to construct a traffic signal at the intersection of OTAY MESA ROAD and AVENIDA COSTA AZUL.
Avenida Costa Azul & Otay Mesa Rd Traffic Signal	Design and construction is scheduled for FY 2012.
	This intersection does not exist. There is no project in the PFFF to extend Avenida Costa Azul north to Otay Mesa Rd.
Airway Road & Piper Ranch Road Traffic Signal	This is project T-72.1D in the Otay Mesa PFFP FY 2007 to construct a traffic signal at the intersection of AIRWAY ROAD and PIPER RANCH ROAD.
	Design and construction is scheduled for FY 2012.
Mission Center Road @ SD River Bike Path Pedestrian Signal	Install a Pedestrian Signal at the San Diego River Bicycle Path on Mission Center Road between Hazard Center & Camino de la Reina.
Airway Rd @ La Media Rd Traffic Signal	Install a new traffic signal. To be installed by future development at ultimate configuration.

**Transportation Unfunded Needs
(Grouped by Category)**

8/27/2012

Title	Description
Pedestrian facilities including sidewalks but not curb ramps	
60th St. from Old Memory Lane to Broadway St.(East Side)- Install New Sidewalk	This project will provide approximately 1382 linear feet of sidewalk, 111 linear feet of driveway with appropriate curb and gutter, replace about 100 feet of guardrail, provide 100 linear feet of fence, and about 458 linear feet of retaining wall. It will require some road widening.
Fergus St. from Brooklyn St. to Akins St.(East Side)- Install New Sidewalk	This project will provide approximately 611 linear feet of sidewalk, 242 linear feet of driveway, two pedestrian ramps, relocate one fire hydrant and one traffic sign.
Shaw St. from Rachel Ave. to Deauville St.(North Side)- Install New Sidewalk	This project will provide approximately 440 linear feet of sidewalk, 156 linear feet of driveway, four pedestrian ramps, 38 linear feet of retaining wall, and relocate one sign.
West Street from south of Imerial Ave to End of West St (East Side) - Install New Sidewalk	This project will provide approximately 513 linear feet of sidewalk, 141 linear feet of driveways, 36 linear feet of curb and gutter, replace one street sign, and six mail boxes.
68th St. from Imperial Ave to Madrone Ave.(East Side)- Install New Sidewalk	This project will provide approximately 444 linear feet of sidewalk, 91 linear feet of driveway with respective curb and gutter, replace two fire hydrants, replace one street sign, replace three mail boxes, provide four pedestrian ramps, and street widening.
Bolivar Street from Reo Dr. to Rachael Ave.(North Side)- Install New Sidewalk	This project will provide approximately 844 linear feet of sidewalk, 145 linear feet of driveway, 221 linear feet of retaining wall, three pedestrian ramps, and replace three signs.
Thermal St. from Donax St. to Palm St.(West Side)- Install New Sidewalk	This project will provide approximately 489 linear feet of sidewalk with curb, gutter, 64 linear feet of driveways and four pedestrian ramps.
Sunrise Dr. from East of Sycamore Rd. to End of Sunrise Dr.(West Side)- Install New Sidewalk	This project will provide approximately 450 linear feet of sidewalk, with curb and gutter, 165 linear feet of driveway, 568 linear feet of storm drain, one storm drain inlet box, four storm drain clean outs, and place 61 linear feet of fence.
Savoy St. from La Paloma St. to Varano St.(East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Savoy Street.
Shaw St. from Rachel Ave. to Deauville St.(South Side)- Install New Sidewalk	This project will provide approximately 673 linear feet of sidewalk, 154 linear feet of driveway, five pedestrian ramps, 263 linear feet of retaining wall, relocate three fire hydrants, and remove one tree.
Calle Cristobal from Sorrento Valley Bl. to Caminito Propico (North Side)- Install New Sidewalk	This project will install sidewalk on the north side of the street on Calle Cristobal.
Calle Cristobal from Sorrento Valley Bl. to Caminito Propico (South Side)- Install New Sidewalk	This project will install PCC sidewalk on the South Side of Calle Cristobal.
Academy St. from Beryl St. to Chalcedony St. (East side)- Install New Sidewalk	This project would install sidewalk on the east side of Academy Street.
Academy St. from Beryl St. to Chalcedony St.(West Side) - Install New Sidewalk	This project would install sidewalk on the west side of Academy Street.
Camino Santa Fe from Sorrento Valley Bl to Top Gun St.(East Side)- Install New Sidewalk	This Project will provide approximately 2120 linear feet of sidewalk with respective curb and gutter, and five pedestrian ramps on the east side of street.
Berger Ave. from Kearny Villa Rd/ Mesa College Dr to Frost St (East side)- Install New Sidewalk	This project will provide approximately 252 linear feet of sidewalk on the east side of Berger Avenue.
Camino Santa Fe from Maycrest Ln to Top Gun St (West)- Install New Sidewalk	This project will provide approximately 1246 linear feet of PCC curb, gutter, sidewalk, and additional AC pavement for bike lane and replace existing metal guardrail with same.
Wightman St from Altadena to 52nd (South Side) - Install New Sidewalk	This project will provide approximately 530 LF of new sidewalk, concrete sidewalk, curb ramps, driveway aprons, and a 100 LF retaining wall on the south side of Wightman Street. It will require excavation, AC sidewalk removal, sign relocation, tree removal, and fence relocation.
Sunrise Dr. from East of Sycamore Rd. to End of Sunrise Dr (East Side)- Install New Sidewalk	This project will provide approximately 303 linear feet of sidewalk with curb and gutter, 112 linear feet of driveway, 554 linear feet of storm drain, one storm drain inlet box, four storm drain clean outs, place 61 linear feet of fence with a gate, and relocate one fire hydrant. Street widening is necessary.
Thermal St. from Donax St. to Palm St.(East Side)- Install New Sidewalk	This project will provide approximately 400 linear feet of sidewalk, curb, gutter, 150 linear feet of driveway, 3944 sq feet of new pavement, four pedestrian ramps, and relocate two fire hydrants.
Balboa Ave. from I-5 underpass to Morena Blvd (North Side) - Install New Sidewalk	This project will provide approximately 449 linear feet of sidewalk and 55 linear feet of retaining wall.
Benson Ave from Pagel Pl to Aviation Dr, (South Side) - Install New Sidewalk	This project will install new PCC sidewalk on the south side of Benson Ave.
Euclid Ave. from Federal Blvd. to Marilou Rd.(West Side)- Install New Sidewalk	This project will provide approximately 200 linear feet of sidewalk, 254 linear feet of curb, gutter, 118 linear feet of driveway, and two pedestrian ramps.
Donax Ave. from 16th St. to Thermal Ave.(South Side)- Install New Sidewalk	This project will install PCC sidewalk on the South Side of Donax Avenue from 16th Street to Thermal Avenue.
Donax Ave. from 18th St. to Saturn Blvd.(North Side)- Install New Sidewalk	This project will install PCC sidewalk on the North Side of Donax Avenue.
Donax Ave. from 18th St. to Saturn Blvd.(South Side)- Install New Sidewalk	This project will install PCC sidewalk on the South Side of Donax Avenue.
Chollas Pkwy from Boyce to Mina (West Side)- Install New Sidewalk	This project will provide approximately 900 linear feet of new concrete sidewalk, curb ramps, and driveway aprons. It will require clearing and grubbing, excavation, fence relocation, fire hydrant relocation, and ROW acquisition.
Mercado Dr from Del Mar Heights Rd to Cordero Rd (East Side) - Install New Sidewalk	This project will provide approximately 303 LF of sidewalk, replace nine driveways, and install one pedestrian ramp.
Wabaska Dr from Tennyson St to Voltaire St (Both Sides) - Install New Sidewalk	This project will install PCC sidewalk on both sides of Wabaska Drive.
Redwood St from 45th St to Menlo Ave (Both Sides) - Install New Sidewalk	This project will install PCC sidewalk on both sides of the street within the specified limits.
Coronado Ave from Granger St to Thermal Ave (North Side)- Install New Sidewalk	This project will install PCC sidewalk on the North side of Coronado Avenue. For the West Side, the project will provide approximately 283 linear feet of sidewalk, 2 driveways, and one pedestrian ramp.
Rosecrans St from Qualtrough St to Bessemer St (Both Sides) - Install New Sidewalk	For the East Side, the project will provide approximately 1582 linear feet of sidewalk, 26 driveways, 43 linear feet of curb and gutter, and four pedestrian ramps. It will require a significant amount of clearing.
Willow St from Zola St to Browning St (Both Sides)- Install New Sidewalk	This project will install PCC sidewalk on both sides of Willow St from Zola St to Browning St.
La Jolla Shores Dr from Calle Corta to Calle del Oro - Install New Sidewalk	This project will install PCC sidewalk on La Jolla Shores Dr from Calle Corta to Calle del Oro.
Broadway from Scimitar Dr to 65th St (North Side)- Install New Sidewalk	This project will install CG&S on the North Side of Broadway from approx. 40' West of Scimitar Dr to 65th St.
Euclid Frontage Rd from Trinidad Way to Manzanaranes Way (East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East side of 5 Euclid Frontage Road.
West Point Loma Blvd and Bacon St (East Side) - Install New Sidewalk	This project will install PCC sidewalk on the NE side of West Point Loma Blvd and Bacon St
49th St. From Federal Boulevard to A St.(Both Side)- Install New Sidewalk	Install a sidewalk on both side of 49th Street. This project will provide approximately 847 linear feet of PCC sidewalk, 154 linear feet of driveway, and 328 linear feet of curb and gutter.
Cervantes Ave. from Euclid Ave. to Bonita Dr (North Side)- Install New Sidewalk	This project will provide approximately 2070 LF of CG&S, curb ramps, and driveway aprons. It will require AC curb removal, sign relocation, fence relocation, excavation, clearing and grubbing, and ROW acquisition.

Transportation Unfunded Needs
(Grouped by Category)

8/27/2012

Title	Description
Pedestrian facilities including sidewalks but not curb ramps	
Alta Vista Ave from Cervantes Ave to 58th St.(South Side)- Install New Sidewalk	This project will provide approximately install 1259 linear feet of sidewalk, 243 linear feet of driveway, with respective curb and gutter, four pedestrian ramps, 273 linear feet of retaining wall, relocate 12 mail boxes, and three signs on the south side of Alta Vista Avenue.
Ash St. from Bancroft St to Gregory St (Northside)- Install New Sidewalk	This project will provide approximately 682 linear feet of sidewalk with three driveways, eight pedestrian ramps and relocate 77 linear feet of guardrail.
61st St. from Akins St. to Brooklyn St.(East Side)- Install New Sidewalk	This project will provide approximately 701 linear feet of sidewalk, 432 linear feet of driveway, 1146 linear feet of curb and gutter, one pedestrian ramp, replace 3 fire hydrants, and replace one street sign.
Morena Blvd. From Balboa Ave. to Avati Dr (West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Morena Boulevard.
Hasty St. from Streamview Dr. to Thorn St.(Both Sides)- Install New Sidewalk	This project will provide approximately 546 linear feet of sidewalk, 77 linear feet of driveway, three pedestrian ramps, relocate one light pole and two signs.
Hershey St. from Sparling St (N) to Sparling St. (S), (East Side) - Install New Sidewalk	This project will install PCC sidewalk on the East Side of Hershey Street.
Edgewater St. from Rancho Dr. to Sea Breeze Dr.(South Sides)- Install New Sidewalk	This project will provide approximately 244 linear feet of sidewalk, 68 linear feet of driveway, and three pedestrian ramps.
College Ave. from Streamview Dr. to University Ave.(Both Side)- Install New Sidewalk	This project will provide approximately 938 linear feet of sidewalk, 136 linear feet of driveway, five pedestrian ramps, and relocate two signs.
Keating St. from Mckee St. to Neale St.(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Keating Street.
Malden St. from Kendall St. to Collingwood Dr.(South Side)- Install New Sidewalk	This project will install PCC sidewalk on the south side of Malden Street.
Radio Dr. from 60th St. to Springfield Dr.(North Side)- Sidewalk Improvement	This project will install PCC sidewalk on the north side of Radio Drive.
Hershey St. from Sparling St (N) to Sparling St. (S), (West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side Hershey Street.
Castana St. from San Jacinto Dr. to Groveland Dr.(North Side)- Install New Sidewalk	This project will provide approximately 470 linear feet of sidewalk, and 31 feet of driveway.
Creston Dr. from Selma Pl. to Roswell St.(Both Sides)- Install New Sidewalk	This project will provide approximately 544 linear feet of PCC sidewalk, 156 linear feet of driveway, one pedestrian ramp, and relocate two signs.
Day St. from Dwight St. to Michael St.(East Side)- Install New Sidewalk	This project will provide approximately 197 linear feet of sidewalk, 25 feet of driveway, and six pedestrian ramps.
Ewing St. from Montezuma Rd. to Tipton St. (West Side)- Install New Sidewalk	This project will provide approximately 90 linear feet of PCC sidewalk with 15 linear feet of driveway.
Malden St. from Kendall St. to Collingwood Dr (North Side)- Install New Sidewalk	This Project will install PCC sidewalk on the North Side of Malden Street.
Morena Blvd. from Balboa Ave. to Avati Dr.(East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Morena Blvd.
Radio Dr. from 60th St. to Springfield Dr.(South Side)- Sidewalk Improvement	This project will install PCC sidewalk on the South Side of Radio Drive.
Hollister St. from Iris Ave. to Leon Ave.(West Side)- Install New Sidewalk	This project will provide new sidewalk with curb and gutter on the west side of Hollister Street. Work will include excavation, vegetation removal, sign and mailbox relocation, utility pole relocation and fence relocation. This project will include new curb ramps, driveways, sidewalk, curb and gutter, and AC Pavement.
Pacific Beach Dr. from Crown Point Dr. to Olney St.(South Side)- Install New Sidewalk	This project will provide for a sidewalk on the south side of Pacific Beach Drive.
Calle Primera from Calle Segundo to Via De San Ysidrio (South Side)-Install New Sidewalk	This project will provide approximately 129 linear feet of sidewalk with respective curb and gutter, one driveway approach, two pedestrian ramps and one cross gutter.
Chelsea Ave from Camino de La Costa to Dolphin Pl (East Side)- Install New Sidewalk	This project will provide approximately 180 ft of sidewalk with respective curb & gutter on the east side of Chelsea Avenue.
Bandlri St. from Hayden Wy. To Orizaba St (Both Sides)- Install New Sidewalk	This project will provide approximately 425 linear feet of PCC sidewalk, 71 feet of PCC driveway, and two pedestrian ramps. A small retaining wall is required.
Washington St from Lincoln Ave to 9th Ave (South Side) - Install New Sidewalk	This project will provide approximately 1353 linear feet of PCC sidewalk, one advance warning beacon, five pedestrian ramps, and relocate two street lights.
Castana St. from San Jacinto Dr. to Groveland Dr (South Side)- Install New Sidewalk	This project will provide approximately 377 linear feet of sidewalk, and 104 linear feet of driveway. It will be necessary to relocate one fire hydrant and one traffic sign.
Cervantes Ave. from Euclid Ave. to Bonita Dr.(South Side)- Install New Sidewalk	This project will provide approximately 2070 LF of sidewalk on the south side of Cervantes Avenue. It will require AC curb removal, sign relocation, fence relocation, excavation, clearing and grubbing, and ROW acquisition. It will include new CG&S, curb ramps, and driveway aprons.
Keating St. from Mckee St. to Neale St.(East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Keating Street.
Cervantes Ave. from Bonita Dr. to Alta Vista Ave.(North Side)- Install New Sidewalk	This project will provide approximately 541 linear feet of sidewalk, six driveways, and six pedestrian ramps.
Cervantes Ave. from Bonita Dr. to Alta Vista Ave (South Side)- Install New Sidewalk	This project will provide approximately 1032 linear feet of sidewalk, two driveways, nine pedestrian ramps, and 132 linear feet of retaining wall.
Coban St. from Euclid Ave. to Reynolds St.(North Side)- Install New Sidewalk	This project will install PCC sidewalk on the North Side of Coban Street.
Coban St. from Euclid Ave. to Reynolds St (South Side)- Install New Sidewalk	This project will provide approximately 913 linear feet of sidewalk, 17 driveways, and two pedestrian ramps.
Groveland Dr. from 53rd St. to 54th St (North Side)- Install New Sidewalk	This project will provide approximately 407 linear feet of sidewalk, 84 linear feet of driveway, 491 linear feet of curb and gutter, two pedestrian ramps, and relocate one fire hydrant.
Groveland Dr. from 53rd St. to 54th St.(South Side)- Install New Sidewalk	This project will install PCC sidewalk on the South Side of Groveland Drive.
Torrey Pines Rd. from Princess St. to Amalfi St.(South Side)- Install New Sidewalk	This project will provide approximately 597 linear feet of sidewalk, one pedestrian ramp, 176 linear feet of retaining wall. It will be necessary to remove 176 linear feet of retaining wall, relocate one fire hydrant, and remove 176 linear feet of sidewalk.
Torrey Pines Rd. from Princess St. to Hillside Dr.(South Side)- Install New Sidewalk	This project will provide approximately 229 linear feet of sidewalk, one pedestrian ramp, and 47 linear feet of driveway. Note: Existing storm drain inlet to remain and be protected.
Livingston St from College Ave to Aragon Dr (North Side) - Install New Sidewalk	This project will provide approximately 335 linear feet of sidewalk, and three pedestrian ramps. It will be necessary to relocate one fire hydrant, one street light, and three traffic signs.
Chamoune Ave from Redwood St to Quince St (East Sides) - Install New Sidewalk	This project will provide approximately 500 ft of sidewalk, it will include five driveways, and two pedestrian ramps on the east side of Chamoune Avenue.
Olive St from Menlo Ave to End (Both Sides) - Install New Sidewalk	This project will provide approximately 180 linear feet of sidewalk. It will include two driveways and four pedestrian ramps.
46th St from Home Ave to End (Both Sides) - Install New Sidewalk	This project will install PCC sidewalk on both sides of 46th Street.
Rosecrans St from Sports Arena Bl to Pacific Hw (West Side) - Install New Sidewalk	This project will install PCC sidewalk on the west side of Rosecrans St within the specified limits.
Dwight St from Winlow St to Spa St (Both Sides)- Install New Sidewalk	This project will install PCC sidewalk on both sides of Dwight Street.
Westwood St from Cumberland St to Albermarle St (Both Sides)- Install New Sidewalk	West Side: This project will provide approximately 302 linear feet of sidewalk, five driveways, and one pedestrian ramp. East Side: This Project will consist of approximately 460 linear feet of sidewalk, eight driveways, and 90 linear feet of retaining wall.
Iona Dr from Kenwood St to Brooklyn Ave (Both Sides)- Install New Sidewalk	This location is missing sidewalk on both sides of Iona Drive.
Bolton Hall from San Ysidro Blvd to East Beyer Blvd (Both Sides)- Install New Sidewalk	This project will install PCC sidewalk on both sides of Bolton Hall.

Transportation Unfunded Needs
(Grouped by Category)

8/27/2012

Title	Description
Pedestrian facilities including sidewalks but not curb ramps	
Haines St. from 150' N & 150' S of Law St.(East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Haines Street.
Jewell St. from Malden St. to Los Altos Rd.(East Side)- Install New Sidewalk	This project will provide approximately 325 linear feet of sidewalk, road widening, one driveway, one retaining wall, curb and gutter.
Los Altos Rd. from Kate Sessions Wy to Los Altos Wy.(East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Los Altos Road.
Saturn Blvd. from Elm Ave. to Donax Ave.(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the West Side of Saturn Boulevard.
Chollas Pkwy from 54th to University (South Side)-Install New Sidewalk	This project will install PCC sidewalk on the South Side of Chollas Parkway.
Balboa Ave. from Moraga to Claremont Dr (North Side)- Install New Sidewalk	This project will install PCC sidewalk on the North Side of Balboa Avenue.
45th St from Benfield Ct to Imperial Ave (East Side)- Install New Sidewalk	This project will install PCC sidewalk on the east side of 45th Street.
Ruffin Rd from Calle Fortunada to Aero Dr (East Side)- Install New Sidewalk	This project will install PCC sidewalk on the east side of Ruffin Road. West Side: This project will provide approximately 1021 linear feet of sidewalk, 359 linear feet of driveway, seven ped ramps, and replace for signs.
Calle Tres Lomas from Cumberland to Roanoke (Both Sides)- Install New Sidewalk	East Side: This project will provide approximately 917 linear feet of sidewalk with 17 feet of driveway, four ped ramps, and one retaining wall. This project will install PCC sidewalk on both sides of Calle Aguadulce. It will also include a small segment of sidewalk on the north side of Roanoke from Calle Aguadulce to Calle Tres Lomas.
Calle Aguadulce from Cumberland St to Roanoke (Both Sides)- Install New Sidewalk	
Rosecrans St from Malaga St to Madrid St (North Side) - Install New Sidewalk	This project will install PCC sidewalk on the north side of Rosecrans Street.
Rosecrans St from Strothe Rd to Lawrence St.(East Side)- Install New Sidewalk	This project will provide approximately 560 LF of sidewalk on the east side of Rosecrans Street. It will require pavement removal, C&G removal, sidewalk removal, sign relocation, tree removal, fence relocation, meter box adjustments, and ROW acquisition. It will include new CG&S, AC pavement, driveway aprons, and curb ramps.
Kendall St from Malden St to Beryl St (Both Sides)- Install New Sidewalk	This project will provide PCC sidewalk on both sides of Kendall Street.
Grove Ave from Saturn Blvd to Switzerland Dr (South Side)- Install New Sidewalk	This project will provide new sidewalk with curb and gutter on the south side of Grove Avenue. This project will require excavation, tree removal, and AC berm and sidewalk removal. Installation will include new CG&S, pavement, retaining wall, driveways, and curb ramps.
Camulos St from Mentone St to Famosa Blvd (East Side)- Install New Sidewalk	This project will install new PCC sidewalk on the East Side of Camulos Street.
Famosa Blvd from W. Point Loma Blvd to Camulos St (East Side) - Install New Sidewalk	This project will install PCC sidewalk on the East Side of Famosa Blvd.
Ace St/Dwight St from Winlow St to Streamview Dr (West Side)- Install New Sidewalk	This project will provide new PCC sidewalk on Ace Street/Dwight Street.
Jewell St from Oliver St to Pacific Beach Dr (West Side)- Install New Sidewalk	This project will install PCC sidewalk on the West Side of Jewell Street.
Estudillo St from Pacific Hwy to Kurtz St (Both Sides)- Install New Sidewalk	This project will install PCC sidewalk on both of Estudillo Street.
Jamacha Rd from Skyline Dr to Osage Dr - (South Side)	This project will install PCC sidewalk on the South Side of Jamacha Rd.
Greenwood St from Hancock St to Moore St (South Side)- Install New Sidewalk	This project will install PCC sidewalk on the South Side of Greenwood Street.
College Grove Dr from Caminito Chollas to College Grove Wy (South Side) - Install New Sidewalk	This project will install PCC sidewalk on the south side of College Grove Drive. This project will install PCC sidewalk on the West Side of Denver Street within the specified limits.
Denver St from Jellet St to Ingulf St (West Side)- Install New Sidewalk	
Albemarle St. from Flintridge St. to Reo Dr.(Both Sides)- Install New Sidewalk	This project will provide approximately 964 linear feet of sidewalk, 161 linear feet of driveway, and five pedestrian ramps.
Albemarle St. from Rachael Ave to Flintridge St.(Both Sides)- Install New Sidewalk	This project will provide approximately 1567 linear feet of sidewalk, 240 linear feet of driveway, seven pedestrian ramps, and 284 linear feet of retaining wall.
Bunker Hill St. from Princeton Ave to Trenton Ave.(North Side)- Install New Sidewalk	This project will provide approximately 454 linear feet of sidewalk, 45 feet of driveway, 350 linear feet of retaining wall, and eight pedestrian ramps. This project will install PCC sidewalk on the west side of Woodman Street.
Woodman St. from Imperial Ave. to Skyline Dr (West Side) - Install New Sidewalk	
Rutgers Rd. from Paseo Bonita to La Jolla Scenic (West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Rutgers Road.
La Jolla Scenic South Drive from Via Capri to La Jolla Mesa Dr. (West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of La Jolla Scenic South Drive.
Albatross Dr. from W. Lewis to Front St.(southside) Extension- Install New Sidewalk	This project will install 385 linear feet of sidewalk on the south side of Albatross Dr.
Racine Rd. from Marlowe Dr. to Vista Grande Dr (East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Racine Road.
Rutgers Rd. from Paseo Bonita to La Jolla Scenic (East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Rutgers Road.
Balboa Ave. from Santa Fe St to Moraga Ave.(South Side)- Install New Sidewalk	This project will install approximately 1326 linear feet of sidewalk with approximately 211 linear feet of retaining wall on the south side of Balboa Ave.
Bunker Hill St. from Paul Jones Ave. to Princeton Ave.(North Side)-Install New Sidewalk	This project will install PCC sidewalk on the North Side of Bunker Hill Street.
Bunker Hill St. from Paul Jones Ave. to Princeton Ave.(South Side)-Install New Sidewalk	This project will install PCC sidewalk on the South Side of Bunker Hill Street.
Chollas Pkwy from 54th to University (North Side)- Install New Sidewalk	This project will install PCC sidewalk on the north side of Chollas Pkwy.
Riverdale St from Friars Rd to Glacier Ave (East Side)- Install New Sidewalk	This project will provide approximately 491 linear feet of sidewalk, 168 linear feet of retaining wall, two driveways, 111 ft of fence, and three pedestrian ramps. North Side: This project will provide sidewalk on the north side. It will require excavation, mailbox relocation, and ROW acquisition. It will include new sidewalk, curb ramps, driveway apron, and a 240 LF 5' high retaining wall.
C St from 34th St to Delevan St (Both Sides)-Install New Sidewalk	South Side: This project will provide sidewalk. It will require excavation, sign relocation, tree removal, guardrail removal, and fire hydrant relocation. It will include new sidewalk, curb ramps and sidewalk underdrain.
31st St from Cedar to Elm (Both Sides)- Install New Sidewalk	This project will install PCC sidewalk on both sides of 31st St.
Outer Road from Hollister to Coronado (East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Outer Road.
Mentone St from Clovis St to Eastern Terminus (North Side) - Install New Sidewalk	This project will install PCC sidewalk along the north side of Mentone Street.
Buisness Park Ave from Southern Terminus to Carroll Canyon Rd (East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East side of Buisness Park Avenue.
Kurtz St from Hancock St to Sherman St (South Side)- Install New Sidewalk	This project will install new sidewalk on the south side of Kurtz St within the specified limits.
Altadena Ave from Landis to Wightman (East Side)- Install New Sidewalk	This project will provide approximately 300 LF of sidewalk on the east side of Altadena Avenue. It will require AC driveway removal, excavation, and sign relocation. It will include new PCC sidewalk, curb ramp, driveway apron, and a 190 LF retaining wall.
Cumberland St. from Rancho Dr. to Reo Dr.(South Side)- Install New Sidewalk	This project will install PCC sidewalk on the south side of Cumberland Street.
33rd St. from Imperial Ave to 75' N/O Imperial Ave.(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of 33rd Street.
Roselle St. from I-5 to Dunhill St.(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Roselle Street.
Mallard St. from Federal Blvd. to 69th St. (South Side)- Install New Sidewalk	This project will install PCC sidewalk on the South Side of Mallard Street. North Side: This project will provide approximately 380 linear feet of sidewalk. It will require excavation, sign relocation, and ROW acquisition. It will include new PCC sidewalk, driveway aprons, and curb ramps.
Marilou Rd. from Altadena Ave. to Euclid Ave.(Both Sides)- Install New Sidewalk	South Side: This project will provide approximately 200 linear feet of sidewalk. It will require excavation, sign relocation, meter box adjustments, and ROW acquisition. It will include new PCC sidewalk, driveway aprons, and curb ramps.

Transportation Unfunded Needs
(Grouped by Category)

8/27/2012

Title	Description
Pedestrian facilities including sidewalks but not curb ramps	
Bunker Hill St. from Princeton Ave to Trenton Ave.(South Side)- Install New Sidewalk	This project will provide approximately 549 linear feet of sidewalk, 50 feet of driveway, and eight pedestrian ramps.
Benson Ave from Roth Ct. to Jojo Ct. (South Side) - Install New Sidewalk	This project will install PCC sidewalk on the south side of Benson Ave.
29th St from Imperial Ave to Commercial St (East Side)- Install New Sidewalk	This project will provide approx 330 LF of sidewalk, trees w/ grates, AC pavement, curb ramps, driveway apron, Type B inlet, and traffic striping. It will require sidewalk removal, pavement removal, inlet removal, sign relocation, meter box adjustment, and fire hydrant relocation.
Auburn Dr from Loris St to Ontario Ave (East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Auburn Drive.
Hancock St from Witherby St to Noell St (West Side)- Install New Sidewalk	This project will provide PCC sidewalk on the west side of Hancock Street.
Old Grove Rd from Western Terminus to Willow Creek Rd (South Side)- Install New Sidewalk	This project will install PCC sidewalk on the South side of Old Grove Road.
Chalmers St from Columbia St to State St (South Side)- Install New Sidewalk	This project will install PCC sidewalk on the south east corner of Columbia St and Chalmers St.
Elkhart St. from Laurel St. to Indianapolis Ave.(North Side)- Install New Sidewalk	This project will install PCC sidewalk on the North Side of Elkhart Street.
Alvarado Rd. From 70th St. to 750' West, (South Side)- Install New Sidewalk	This project will provide approximately 731 linear feet of sidewalk and 319 linear feet of retaining wall.
Reynard Wy. from Maple St. to n/o Maple St.(West Side)- Install New Sidewalk	This project will install approximately 330 linear feet of sidewalk and restriping on the west side of Reynard Way.
54th St. from Imperial Ave to Santa Margarita St.(East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of 54th Street.
53rd St. from Santa Margarita St. to Imperial Ave(East Side)- Install New Sidewalk	This project will install PCC sidewalk on the east side of 53rd Street.
Point Loma Ave. from Santa Barbara St.(North Side)- Install New Sidewalk	This project will install PCC sidewalk on the north side of Point Loma Avenue.
Santa Barbara St. from Cape May Ave. to 140' south (North Side)- Install New Sidewalk	This project will install PCC sidewalk on the north side of Santa Barbara Street.
Ticonderoga St. from Ethan Allen Ave. to Morena Bl.(North Side)- Install New Sidewalk	This project will install PCC sidewalk on the north side of Ticonderoga Street.
Reynard Wy. from Otsego Dr. to 165' s/o Otsego Dr.(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Reynard Way.
Bluffside Avenue/Mission Bay Dr from Pico St. to Rose Creek Crossing- Install New Sidewalk	This project provides for a 5 foot wide concrete sidewalk on the south side of Bluffside Ave. and on the west side of Mission Bay Dr. which will include curb, gutter and driveways at several locations.
Santa Barbara St. from Cape May Ave. to 140' south (South Side)- Install New Sidewalk	This project will install PCC sidewalk on the South Side of Santa Barbara Street.
Illion St. from 2026 Illion Street to 2060 Illion St.(North Side)- Install New Sidewalk	This project will install sidewalk on the north side of the Illion Sreet.
Airway Rd. from Otay Mesa Rd to Caliente Ave (North Side)- Install New Sidewalk	This project will install PCC sidewalk on the North Side of Airway Rd.
Wightman St from Shiloh to End (South Side) - Install New Sidewalk	This project will provide approximately 290 LF of concrete sidewalk on the south side of Wightman Street. It will require sign relocation, striping removal, concrete wall relocation, fire hydrant relocation, and meter box relocation. It will include new sidewalk, curb ramps, and striping.
Redwood St from Fairmount to End of Segment (South Side) - Install New Sidewalk	This project will install PCC sidewalk on the south side of Redwood Street.
Menlo Ave from Quince St to Redwood St (West Side) - Install New Sidewalk	This project will provide approximately 449 linear feet of sidewalk, 97 linear feet of driveway, and 73 linear feet of retaining wall, two pedestrian ramps, and 24 linear feet of curb and gutter.
Rosecrans St from McCall St to Perry St (Both sides) - Install New Sidewalk	This project will install PCC sidewalk on both sides of Rosecrans Street.
Cecelia TR from Garfield Rd to Illion St (Both Sides)- Install New Sidewalk	This project will install PCC sidewalk on both sides of Cecelia Tr.
Kurtz St from Wright St to Estudillo St (South Side)- Install New Sidewalk	This project will install PCC sidewalk on the south side of Kurtz Street.
Roswell St from Swaner St to Old Memory Lane (North Side)- Install New Sidewalk	This project will install a missing sidewalk segment on the North Side of Roswell St.
Tourmaline St. from Dawes St. to 120' E/O Dawes St.(South Side)- Install New Sidewalk	This project will install PCC sidewalk on the south side of Tourmaline Street.
Bancroft St. from Island Ave to J St.(West Side)- Install New Sidewalk	This project will provide approximately 291 linear feet of sidewalk, relocate three (3) street lights, 18 linear feet of driveway, and add five (5) pedestrian ramps.
Seaside St. from North of Castelar St. to End of Seaside St.(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Seaside Street.
45th St from Quince St to Redwood St(East Side)- Install New Sidewalk	This project will provide approximately 570 linear feet of new PCC sidewalk, curb ramps, driveway apron, and a 65' LF of 3' high retaining wall. It will require sidewalk removal, sign relocation, tree removal, and fence relocation.
Catoctin St. from Montezuma Rd. to N/O Catoctin St.(North Side)- Install New Sidewalk	This project will install PCC sidewalk on the north side of Catoctin Street.
Geneva Ave. from Winston Dr. to Beverly St.(South Side)- Install New Sidewalk	This project will install PCC sidewalk on the South Side of Geneva Ave.
45th St from Quince St to Redwood St(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the West Side of 45th Street.
Illion St. from Milton St. to Kane St.(West Side)- Install New Sidewalk	This project will provide approximately 120 LF of sidewalk on the west side of Illion street. It will require excavation, AC sidewalk removal, and sign relocation. It will include new PCC sidewalk, curb ramps, and driveway aprons.
Electric Ave. from Palomar Ave. to Mesa Way (East Side)- Install New Sidewalk	This project will provide approximately 755 linear feet of sidewalk. It will require clearing and rubbing, sign relocation, tree removal, fence relocation, meter box adjustment, fire hydrant relocation, and ROW acquisition. It will include new PCC sidewalk, curb ramps, and driveway aprons.
58th St. from South of Atla Vista Ave to End of 58th St(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of 58th Street.
Reynard Wy. from Curlew St. to 220' n/o Curlew St.(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Reynard Way.
Reynard Wy. from s/o Sutter St. to Pennsylvania Ave.(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Reynard Way.
Donax St. from City Limit to Saturn Blvd. - Install New Sidewalk	This project will install PCC sidewalk on Donax Street.
Santa Isabel Dr. from Bonita Dr. to Olvera Ave.(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Santa Isabel Drive.
La Jolla Shores Dr. from Poole St. to South of Poole St.(East Side)- Install New Sidewalk	This project will provide approximately 291 linear feet of sidewalk, 129 linear feet of driveway.
Kearny Villa Rd. from Clairemont Mesa Bl. to Tech Wy.(West Side)- Install New Sidewalk	This project would install sidewalk on the west side of Kearny Villa Road.
Catalina Bl. from Canon St to Cedarbrae Ln (East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Catalina Boulevard.
Illion St. from Milton St. to Kane St.(East Side)- Install New Sidewalk	This project will install PCC sidewalk on the East Side of Illion Street.
Wightman St from Shiloh to End (North Side) - Install New Sidewalk	This project will provide approximately 135 linear feet of concrete sidewalk on the north side of Wightman Street. It will require pavement removal, concrete wall relocation, wood posts relocation, meter box adjustment, and ROW acquisition. It will include new sidewalk, curb & gutter, and AC pavement.
Madison Ave from Bancroft St to 50' South of Madison Ave (West Side)- Install New Sidewalk	This project will install PCC sidewalk on the Southwest Corner at the Intersection of Madison Ave and Bancroft St.
Sicard St from Newton Ave to Main St (West Side)-Install New Sidewalk	This project will install PCC Sidewalk on the West Side of Sicard Street.
Sigsbee St from Main St to Harbor Dr (West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Sigsbee St from Main St to Harbor Dr.
Chateau Dr. from Camber Dr. to 210' Northwest(South Side)- Install New Sidewalk	This project will install PCC sidewalk on the south side of Chateau Drive.
Celia Vista Dr. from Vista Grande Dr. to Hope St.(South Side)- Install New Sidewalk	Install a sidewalk along the south side of Celia Vista Drive.
Cordero Rd. from Requerdo Dr. to Mercado Dr.(North Side)- Install New Sidewalk	This project will provide approximately 269 linear feet of sidewalk, one driveway, and two pedestrian ramps. It might be necessary to remove one tree.
Illion St. from 320' s/o Orten St. to 475' s/o Orten St.(North Side)- Install New Sidewalk	This project will provide approximately 391 linear feet of sidewalk and 153 linear feet of retaining wall with fence.
Cordero Rd. from Mira Montana Dr. to Boquita Dr.(North Side)- Install New Sidewalk	This project will provide approximately 171 linear feet of sidewalk, and one pedestrian ramp.
Princeton Ave. from Ticonderoga St. to Brandywine St.(West Side)- Install New Sidewalk	This project will install PCC sidewalk on the west side of Princeton Avenue.
Chatsworth Blvd. from Garrison St to 625' W/O Garrison St (South Side)- Install New Sidewalk	This project will install PCC sidewalk on the South Side of Chatsworth Boulevard.

Transportation Unfunded Needs
(Grouped by Category)

8/27/2012

Title	Description
Traffic Calming, Flashing Beacons and Other Speed Abatement Work	
Olive St at 44th St - Raised Crosswalk	This project will provide 2 raised crosswalks within the project limits. It will require curb and gutter removal, pavement removal, curb ramp removal, drainage solution, sign relocation, and fire hydrant relocation. It will include new raised crosswalks with textured surface and detectable warning surfaces, sidewalk, and traffic striping.
Olive St at Fairmount Ave- (4) Pop Outs	This project call for four (4) pop outs at the intersection of Olive Street and Fairmount Ave near Hamilton Elementary School.
60th St and Estelle St/ Vale Wy - Traffic Circle	This project will provide a 40' diameter traffic circle within the project limits. It will require pavement removal, excavation, and striping removal. It will include a new traffic circle with stamped concrete and Type B-2 median curb, and a new traffic striping. It will also include two street lights.
Kelton Rd at Kelton Pl and 1356 Kelton Rd- Electronic V-Calm sign (2)	This project will install two Electronic V-Calm signs on Kelton Rd, one facing Northbound and the other Southbound traffic, by Kelton Pl and the other near Johnson Elementary School.
Garnet Ave at Dawes St - Lighted Crosswalk	This project will provide in roadway warning lights at the intersection of Garnet Ave and Dawes St at the existing crosswalk.
Rosecrans from Talbot St. to Kellogg St -Electronic V-Calm sign (2)	This project will install Two electronic V-Calm Signs on Rosecrans from Talbot to Kellogg.
Rosecrans St from Qualtrough St to Bessemer St - Electronic V- Calm Sign (2)	This project will install two (2) Electronic V- Calm Signs on Rosecrans St between Qualtrough and Bessemer St.
Rosecrans St and Owen St - Pop Outs	This project will install curb extensions at the intersection of Rosecrans St and Owen St.
Rosecrans St at Bessemer St - Pop Outs	This project will install Pop Outs at the intersection of Rosecrans St and Bessemer St.
Rosecrans St at Qualtrough St - Chokers	This project will install Chokers at the intersection of Rosecrans St and Qualtrough St.
Ingraham St. at existing midblock approx. 1000' north of La Playa- Pop-Outs/ Lighted Crosswalk/ Median Choker	This project will provide popouts on both sides of the street within the project limits. It will require sawcutting, pavement removal, curb ramp removal, and AC choker removal. It will include new popouts with curb and gutter, median chokers with stamped concrete, curb ramps, steel plates, traffic striping, and a lighted crosswalk.
38th St at Alpha St- Pop-Outs(4)	This project will provide approximately 2980 square feet of pop out, 249 feet of curb and gutter, four pedestrian ramps, relocate one fire hydrant, one manhole, and two storm drain inlets. Assume: grades flat, subsurface drainage proposed.
Ace St. and Dwight St.- Flashing Yellow Beacon	This project will install a Type 1A Flashing Yellow Beacon at the intersection of Ace Street and Dwight Street facing the Westbound traffic.
Avenida Del Gato and Zapata Ave.- Flashing Yellow Beacon	This project will install a Type 1A Flashing Yellow Beacon with school warning sign on Avenida Del Gato North of Zapata Avenue facing Northbound traffic.
Avenida Del Gato and Los Sabalos- Flashing Yellow Beacon	This project will install a Type 1A Flashing Yellow Beacon with school warning sign on Avenida Del Gato South of Los Sabalos facing Southbound traffic.
Monroe Ave at 47th St - Traffic Circle	This project will install a traffic circle at the intersection of Monroe Ave and 47th St.
Thermal Ave. at Hermes- Pop-Outs	This project will provide four half pop-out on Thermal Ave with respective curb and gutter, and eight pedestrian ramps.
Sunset Cliffs Blvd from Santa Monica Ave to Brighton Ave- Electronic V-Calm Sign (2)	This project will add (2) Electronic V-Calm Signs on Sunset Cliffs Blvd between Santa Monica Ave and Brighton Ave in the Community of Ocean Beach.
Upas St at Granada Ave - Traffic Circle	This project will install a Traffic Circle at the intersection of Upas St and Granada Ave.
Radcliffe Dr between Governor Dr and Dennison St- Electronic V-Calm Sign (2)	This project will install (2) Electronic Driver Feedback (V-Calm) Signs on Radcliffe Drive Between Governor Drive and Dennison Street in the community of University City.
Fay Ave. North of Pearl St (Von's driveway)- Pop-Outs	This project will provide one pop out, two pedestrian ramps, 35 feet of curb and gutter with a grate between the curb and the pop out. Relocate one under drain and adjust one manhole.
Via Azul and Via Bellini- Flashing Yellow Beacon	This project will install a Type 1A Flashing Yellow Beacon with school warning sign at the intersection of Via Azul and Via Bellini facing westbound traffic.
Saturn Blvd. at Hermes- Pop-Outs	This project will install (2) Electronic Driver Feedback (V-Calm) Signs on Radcliffe Drive Between Governor Drive and Dennison Street in the community of University City.
Traffic Circles(2) on Lotus Dr.	This project will install two Traffic Circles on Lotus Drive.
Ingraham St. at La Circa Dr.- Pop-Outs(2)	This project will provide two pop outs, curb and gutter, three pedestrian ramps, tow inlets, and 66 linear feet of storm drain with two storm drain cleanouts. It might be required to relocate three signs.
La Jolla Mesa at Van Nuys St.- Pop-Outs	This project will install Pop-Outs on La Jolla Mesa at Van Nuys Street.
Canon St at Valemont St- Electronic V-Calm Sign	This project will install an Electronic V-Calm Sign at the intersection of Canon St and Valemont.
Montezuma Rd. between Yerba Santa Dr. and 54th St.- Electronic V-Calm sign (1)	This project will install an Electronic V-Calm Sign on Montezuma Road between Yerba Santa Drive and 54th Street.
Point Loma Ave. at Guizot St.- Electronic V-Calm Sign (1)	The sign will face west bound traffic on Point Loma Ave. The location will require a new pole and will be located in the vicinity of the 4500 block of Point Loma Ave near Guizot St.
Gilman Dr. between Gilman Ct. and Via Alicante- Electronic V-Calm sign (2)	This project will install Two Electronic V-Calm Signs on Gilman Drive between Gilman Court and Via Alicante.
La Jolla Blvd. at Marine Street- In-Roadway Warning Lights	This project will install warning lights on La Jolla Boulevard at Marine Street.
La Jolla Blvd. at Playa Del Norte St.- Intersection Channelization Island	This project will provide a center island with respective curb and gutter.
Ironwood Rd. between Bourbon Ct. and Dichondra Pl.- Electronic V-Calm sign (1)	This project will install an Electronic V-Calm Sign on Ironwood Road between Bourbon Court and Dichondra Pl.
La Jolla Blvd. at Gravilla St.- Pop-Outs	This project will provide two pop-outs at La Jolla Blvd and Gravilla St crosswalk with respective curb and gutter, and four pedestrian ramps.
La Jolla Blvd. at Mira Monte Pz- Pop-Outs	This project will provide two pop-outs with respective curb and gutter, and three pedestrian ramps.
La Jolla Blvd. at Marine St.- Pop-Outs	This project will provide two pop-outs at La Jolla Blvd and Marine St crosswalk with respective curb and gutter and two pedestrian ramps.
La Jolla Blvd. at Winamer Ave.- Pop-Outs	This project will provide two pop-outs at La Jolla Blvd and Winamer Ave crosswalk with respective curb and gutter, and three pedestrian ramps.
La Jolla Blvd. at La Canada- Pop-Outs	This project will provide two pop-outs with respective curb and gutter, and four pedestrian ramps.
La Jolla Blvd. at Genter St.- Pop-Outs	This project will provide two pop-outs at La Jolla Blvd and Genter St crosswalk with respective curb and gutter, and two pedestrian ramps.
Santo Rd. at Orleck St. and Snook St.- Electronic V-Calm sign (2)	This project will install two Electronic V-Calm Signs on Santo Road near the intersection of Orleck Road for Southbound Traffic and near the intersection of Snook Street for Northbound Traffic.
La Jolla Blvd. at Via Del Norte- Pop-Outs	This project will provide two pop-outs with respective curb and gutter, and two pedestrian ramps.
La Jolla Blvd. at Westbourne (N) St.- Pop-Outs	This project will provide two pop-outs at La Jolla Blvd and Westbourne St crosswalk with respective curb and gutter, and two pedestrian ramps.

Transportation Unfunded Needs
(Grouped by Category)

8/27/2012

Title	Description
Traffic Signal Upgrades and Modifications	
Garnet Av @ Ingraham St Traffic Signal Upgrade	Install new signal poles with longer mast arms for e/b & w/b, new ppb and ped countdown timers.
Sorrento Valley Blvd @ Sorrento Valley Rd Signal Modification	Install left turn phase for w/b Sorrento Valley Blvd
Meade Ave/Mission Ave @ Park Blvd Traffic Signal Upgrade	Install ADA PPBs; upgrade signal heads; install front loops; install EVPE; install exclusive ped phase across Mission.
Camino Ruiz & Mira Mesa Bl Traffic Signal Upgrade	Install longer mastarm for EB; upgrade (8) 8" signal heads to 12" (2000)
Main St & Vesta St Traffic Signal Upgrade	Install EVP (2000); upgrade signal poles & equipment (2009)
El Cajon Blvd @ 30th St Traffic Signal Upgrade	Install advance loops for e/b & w/b El Cajon Bl
Campanile Drive & Montezuma Road Traffic Signal Upgrade	Install signal mast arms (2000)
Mira Mesa Bl & Westview Py Traffic Signal Upgrade	Remove median poles FEBT/FWBT. Install longer mast arms EB and WB (2000)
Sunset Cliffs Bl & W Point Loma Bl Traffic Signal Upgrade	Replace signal indications (ball) on SWC with arrows (2008)
National Av & Sampson St Traffic Signal Upgrade	Install new poles and equipment (2010)
06th Ave @ Pennsylvania Ave Traffic Signal Upgrade	Upgrade (3) 8" signal heads to 12" and install (4) ADA ped ramps
Linda Vista Rd @ Via las Cumbres Traffic Signal Upgrade	Install right turn overlap for N/B Via las Cumbres
Friars Road & Sea World Drive Traffic Signal Upgrade	Install signal mast arms and poles; install ped heads (2000) and countdown timers, install ADA ped ramps.
Madison Ave & Texas St Traffic Signal Upgrade	Install signal poles with longer mast arms at NWC and SEC; install ped ramps; install ADA pushbuttons; install EVP for EB.
Rolando Ave @ University Ave Traffic Signal Upgrade	Install signal mast arms and poles; install ped heads (2000)
Clairemont Mesa Bl @ Diane Ave Traffic Signal Upgrade	Install (2) new poles w/mast arms NB & SB, (8) ped countdown timers and (2) ADA ped ramps.
32nd St & Norman Scott APS	Installation of audible pedestrian signals and pedestrian ramps.
Jackson Drive & Navajo Road Traffic Signal Upgrade	Install longer mast arms for EB and WB traffic; remove median mounted poles.
Alaquinas Dr & Beyer Bl Traffic Signal Upgrade	Install EVPE (2000)
Catalina Bl & Point Loma Bl Traffic Signal Upgrade	Install EVP(2000). Upgrade 8" signal heads to 12". Install ped ramps.
Palm Av (SB) at Saturn Bl Traffic Signal Upgrade	Remove median poles, replace EB and WB poles with longer mast arms; install ped heads for north and south legs (2000).
Cesar Chavez Pky & Main St Traffic Signal Upgrade	Replace ped ramps, install ped countdown timers (2009)
06th Ave @ Laurel St Traffic Signal Upgrade	Install (8) ped countdown timers for all directions. Install (4) ADA ped ramps.
Governor Dr @ Scripps St Traffic Signal Upgrade	Install additional signal heads for NB and SB Scripps.
Cass St & Garnet Ave Traffic Signal Upgrade	Install signal mast arms; upgrade signal heads to 12".
Cedar Street & Pacific Highway Traffic Signal Upgrade	Provide protected left turns for SB traffic; provide new mast arms and heads for WB and SB traffic.
Camino del Este & Camino de la Reina Traffic Signal Upgrade	Install protected left turn phasing for NB and SB traffic (2005)
19th Street & Imperial Avenue Traffic Signal Upgrade	Install signal poles and mast arms; upgrade to 12" signal heads; install detection; replace controller
Clairemont Dr & Iroquois Ave Traffic Signal Upgrade	Install left turn phasing N/B & S/B. Install new signal poles with longer mast arms.
Grand Avenue & Ingraham Street Traffic Signal Upgrade	Install longer mast arms for EB & WB traffic (2008). Replace left turn PV heads. Install ADA PPBs.
Gleason Rd/Mariners Wy & W Mission Bay Dr Traffic Signal Upgrade	Upgrade signal heads to 12"
Pacific Highway & Palm St (W) Traffic Signal Upgrade	Install EVP (2000). Change to split phasing on Palm. (2007)
Bicycle Detection at Signalized Intersections	Install bicycle detection at 20 locations
30th Street & Broadway Traffic Signal Upgrade	Install new signal poles at the NWC and NEC; Install ADA pushbuttons.
30th Street & C Street Traffic Signal Upgrade	Install new signal poles at all corners; install new electrical service; install ADA pushbuttons.
Clairemont Mesa Boulevard & Convoy Street Traffic Signal Upgrade	Install longer mast arms for EB, SB, and NB traffic; upgrade signal heads; remove median standards; install EVPE.
Linda Vista Rd & Wheatley St Traffic Signal Upgrade	Install signal mast arms and poles. Remove median poles. Install ped ramps for north leg.
08th Ave & Broadway Traffic Signal Upgrade	Install mast arms for SB traffic; replace (6) 8" heads with 12" (2000)
32nd St & North Park Wy Traffic Signal Upgrade	Replace (8) PPB with ADA PPBs. Replace (8) 8" indications with 12"; install EVPE.
Cass St & Turquoise St Traffic Signal Upgrade	Upgrade signal heads to 12" (2000). Install pedestrian indications & buttons on north leg.
Ohio Ave @ University Ave Traffic Signal Upgrade	Remove ped heads and buttons NEC and SEC; replace (2) PPB with ADA PPBs; install (2) ADA PPB; install ped ramp SWC; install EVP FSBT (2002)
Scott St & Shelter Island Dr Traffic Signal Upgrade	Install ped heads/buttons for the NEC and SEC (2004). Install new crosswalk.
Muirlands Dr/W Muirlands Dr @ Nautilus St APS	Install Polara APS
58th Street & University Avenue Traffic Signal Upgrade	Install signal mast arms; install ped heads, upgrade heads to 12".
Boundary Street/Iowa Street & Meade Avenue Traffic Signal Upgrade	Install new poles with longer mast arms; install Type III service; install ped ramps; install (16) loops.
College Avenue at The Grove Shopping Center Driveway Traffic Signal Upgrade	Install signal mast arms
Cowles Mountain Blvd & Navajo Rd Traffic Signal Upgrade	Install new mast arms for EB, WB and NB traffic; remove median poles; upgrade signal heads.
Dunaway Dr/Glenbrook Wy & Torrey Pines Rd Traffic Signal Upgrade	Install signal mast arms; install ped heads, install ped ramps (2000). Install EVPE
Lake Murray Blvd @ Turnbridge Wy/Ferguson Wy Traffic Signal Upgrade	Install PPLT for NB & SB Lake Murray Bl.
Linda Vista Rd & Mesa College Dr Traffic Signal Upgrade	Install new signal pole and mastarm NWC; remove median pole, west leg.
Linda Vista Rd & Tait St Traffic Signal Upgrade	Install left turn phasing for Tait Street; install longer mast arms on Linda Vista Road; remove median mounted poles.
13th Street & Broadway Traffic Signal Upgrade	Install mast arm for NB; replace (5) 8" heads with 12" (2000)
Bob Wilson Dr & Florida Dr Traffic Signal Upgrade	Replace (8) PPB with ADA PPBs; replace (1) 8" indication with 12"; install EVP for EB
Diamond St & Ingraham St Traffic Signal Upgrade	Upgrade signal heads to 12" (2000). Install EVPE
Mission Gorge Rd & Zion Av Traffic Signal Upgrade	Install longer mast arm FNBT; upgrade (6) 8" signal heads to 12" (2000)
Grim Ave @ University Ave Traffic Signal Upgrade	Upgrade signal heads to 12"; replace PPB with ADA PPB; install EVP (1999)
University Ave @ Illinois St Traffic Signal Upgrade	Replace PPB with ADA PPB; replace 8" heads with 12"; install EVP (2002)
National Av & Sigsbee St Traffic Signal Upgrade	Relocate manhole and install ped ramp NWC, install ped countdown heads (2010)
49th St & Federal Bl APS	Install audible pedestrian signals
54th St & Montezuma Rd Traffic Signal Upgrade	Install signal mast arms and poles.
Billman St/Streamview Dr & College Ave Traffic Signal Upgrade	Install signal mast arms; install EVPE
Chatsworth Blvd & Voltaire St Traffic Signal Upgrade	Remove SB free right turn lane; install new curb ramps; upgrade signal heads.
Fulton Street & Linda Vista Road Traffic Signal Upgrade	Install signal mast arms and poles; remove median mounted poles (2000).
Genesee Avenue & N Torrey Pines Road Traffic Signal Upgrade	Install longer mast arm for NB/EB traffic on Genesee (2008)
30th Street & Redwood Street Traffic Signal Upgrade	Replace PPB with ADA PPBs; install EVP.
Beech St (W) & Front St Traffic Signal Upgrade	Replace (3) 8" signal heads with 12" (2000)
Del Sol Bl & Picador Bl Traffic Signal Upgrade	Install EVP (2000); replace all PV MAS heads with LED MAS heads (2008).
Felspar St & Mission Bl Traffic Signal Upgrade	Install (2) additional signal heads
Ingraham St & La Playa Av Traffic Signal Upgrade	Install mast arm signal head FNBT; replace (4) 8" heads with 12" (2005)
Navajo Rd & Park Ridge Bl Traffic Signal Upgrade	Install signal mast arms and poles (2000)

Transportation Unfunded Needs
(Grouped by Category)

8/27/2012

Title	Description
Traffic Signal Upgrades and Modifications	
Rosecrans St & Talbot St Traffic Signal Upgrade	Install EVP (2000)
Girard Av & Pearl St APS	Install audible pedestrian signals.
La Jolla Village Dr @ Towne Centre Dr Traffic Signal Upgrade	Install Polara APS
Mira Mesa Bl & Reagan (West) Rd Traffic Signal Upgrade	Install new crosswalk and pedestrian signal hardware on the east leg of the intersection.
52nd Street & El Cajon Boulevard Traffic Signal Upgrade	Install signal mast arms.
63rd Street & El Cajon Boulevard Traffic Signal Upgrade	Install signal mast arms; upgrade heads to 12".
Aragon Drive & University Avenue Traffic Signal Upgrade	Install signal mast arms.
Ashford Street & Mesa College Drive Traffic Signal Upgrade	Install signal mast arms.
Boulder Lake Avenue & Navajo Road Traffic Signal Upgrade	Install longer mast arms for EB and WB; remove median poles; upgrade (4) 8" heads to 12"; install EVPE.
Derrick Dr & Genesee Ave Traffic Signal Upgrade	Install new poles and mast arms; remove median mounted poles (2000)
Lake Murray Blvd & Navajo Rd Traffic Signal Upgrade	Install new signal poles with longer mast arms for all approaches.
32nd St & University Av Traffic Signal Upgrade	Upgrade signal heads to 12"; replace PPB with ADA PPBs.
Black Mountain Rd & Capricorn Wy Traffic Signal Upgrade	Install RTOL FEBT; replace two 3-section heads (balls) with 1 4-section MAS and a 3-section arrow head FEBT.
El Cajon Blvd @ Rolando Blvd Traffic Signal Upgrade	Upgrade signal heads to 12" (2000). Repair/Replace conduit to SEC
Mission Gorge Rd & Mission Gorge Pl Traffic Signal Upgrade	Install near side left pole mounted signal head at 17"; install EVP (2000)
Morena Bl & W Morena Bl (S) Traffic Signal Upgrade	Install signal poles and mast arms (2000).
Park Bl & Presidents Wy Traffic Signal Upgrade	Install signal mast arms and poles; upgrade signal heads to 12"; install EVP; remove median noses from xwalks (2000)
University Av & Utah St Traffic Signal Upgrade	Replace (8) PPB with ADA PPB; new streetlight on SWC; install EVP for NB and SB (2002)
Comstock St & Linda Vista Rd APS	Install audible pedestrian signals
54th St & Euclid Av/Elm St APS	Install audible pedestrian signals
Orleck St & Santo Rd APS	Install audible pedestrian signals
05th Avenue & Robinson Avenue Traffic Signal Upgrade	Install new poles/mast arms for EB/WB traffic; install EVPE
05th Avenue & Washington Street Traffic Signal Upgrade	Install new poles; longer mast arms, conduits, and pull boxes.
42nd Street & University Avenue Traffic Signal Upgrade	Install signal poles and mast arms.
E Mission Bay Dr/Pacific Highway & Sea World Dr Traffic Signal Upgrade	Install ped ramps; replace limit line detection all legs; relocate ped head; install crosswalks.
14th Street & Broadway Traffic Signal Upgrade	Install mast arm for SB traffic; replace (6) 8" heads with 12" (2000)
32nd St & Market St Traffic Signal Upgrade	Add pedestrian signal heads and push buttons
Catalina Bl & Talbot St Traffic Signal Upgrade	Install EVP (2000)
Euclid Av & Logan Av/Olvera Av Traffic Signal Upgrade	Relocate PPB 180 degrees at NWC of Logan and Euclid (south leg of Logan, PPB on median); relocate PPB 180 degrees at SEC of Olvera & Euclid (2002)
Goldfinch St @ University Ave Traffic Signal Upgrade	Replace (2) 8" heads with 12"; install EVP (2000)
Grape St (W) & Kettner Bl Traffic Signal Upgrade	Replace (7) 8" heads with 12"; Install EVP (2000)
Hollister St & Palm Av (SB) Traffic Signal Upgrade	Install NO LEFT TURN 'blank out' sign for SB. Sign to be on during RR preemption (2009)
Morena Bl & Napa St/Sherman St Traffic Signal Upgrade	Install signal mast arms and poles (2000). Install new ped ramps.
Morena Bl & Seaworld Dr/Teolote Rd Traffic Signal Upgrade	Install signal poles and mast arms (2000). Remove median poles.
N Harbor Dr & Scott St Traffic Signal Upgrade	Install EVP (2000)
Santo Rd & Tierrasanta Bl Traffic Signal Upgrade	Upgrade (4) 8" heads to 12" (2000)
32nd St & Imperial Ave Traffic Signal Upgrade	Install new limit line loops to improve bicycle detection for all approaches (Mod. Type E)
Balboa Ave @ Mt Everest Bl Traffic Signal Upgrade	Install (8) ped countdown timers. Upgrade (4) ped ramps.
Gramercy Dr at Mobley St Traffic Signal Upgrade	Install new signal poles for NB and SB traffic. Upgrade all signal heads to 12-in heads. Install new curb ramps.
Executive Way @ La Jolla Village Dr Traffic Signal Upgrade	Upgrade existing APS to Polara system. Upgrade 1 ped ramp to ADA.
Beyer Wy/Picador Blvd & Palm Ave(SB) Traffic Signal Upgrade	Install EVP (2000). Install front loops on Beyer Way and Picador Blvd; replace (4) 8" heads with 12", replace PV heads with LED.
Convoy St & Othello Ave Traffic Signal Upgrade	Install new poles and mast arms all directions; remove median poles; upgrade signal heads; install EVPE.
Laning Road & N Harbor Drive Traffic Signal Upgrade	Relocate advanced loops for EB and WB traffic; install EVP.
35th St & Orange Av Traffic Signal Upgrade	Upgrade (8) 8" signal heads to 12"
Commerce Av/Milch Rd & Miramar Rd Traffic Signal Upgrade	Install video detection for NB (2005)
Evergreen St/Lowell St & Nimitz Bl Traffic Signal Upgrade	Replace (5) 8" signal heads with 12" (2007)
Florida St @ University Ave Traffic Signal Upgrade	Replace (4) PPB with ADA PPB; install (4) additional PPB; install EVP NB/SB (2002)
La Jolla Shores Dr & N Torrey Pines Rd Traffic Signal Upgrade	Upgrade signal heads to 12" (2000)
54th St & El Cajon Bl Traffic Signal Upgrade	Replace PPB with new ADA PPB
Balboa Ave @ Gerald Griffin Dwy Traffic Signal Upgrade	Install (6) ped countdown timers. Upgrade (5) PPB. Upgrade (4) ped ramps. Install (3) ped Xwalks.
Balboa Ave @ Garnet Ave Traffic Signal Upgrade	Install signal mast arms
Canon Street & Rosecrans Street Traffic Signal Upgrade	Install EB left-turn lane on Canon and upgrade intersection
Dana Landing Rd/Quivera Rd @ W Mission Bay Dr Traffic Signal Upgrade	Upgrade signal heads; install stopline detection
El Cajon Blvd @ Illinois St Traffic Signal Upgrade	Replace (8) PPB with ADA PPB; remove median nose on east leg.
Fanuel St & Garnet Ave Traffic Signal Upgrade	Install signal mast arms and stopline detection
25th Street & Broadway Traffic Signal Upgrade	Replace (8) PPB with ADA PPB; install electrical service. (2002)
Convoy Ct & Convoy St Traffic Signal Upgrade	Install additional MAS head FSBT on Convoy St (2007)
Espirit Av/Highland Ranch Rd @ Ted Williams Pkwy Traffic Signal Upgrade	Relocate the pole-mounted signal head on the SEC for westbound traffic to the back of the mast arm.
Friars Rd & Frazee Rd Traffic Signal Upgrade	Install EVP (2000)
Gramercy Rd/Greyling Dr & Sandrock Rd Traffic Signal Upgrade	Upgrade (7) 8" heads to 12" (2000)
Grape St (W) & Pacific Highway Traffic Signal Upgrade	Install EVP (2000)
Hawthorn St (W) & N Harbor Dr Traffic Signal Upgrade	Replace (8) 8" heads with 12" heads
Hawthorn St (W) & Pacific Highway Traffic Signal Upgrade	Install EVP (2000)
Miramar Rd & Miramar Wy Traffic Signal Upgrade	Install EVP (2000)
Balboa Ave @ Ruffin Rd Traffic Signal Upgrade	Install (8) ped countdown timers. Upgrade (5) PPB. Upgrade (4) ped ramps. Remove (2) extended island noses.
Pomerado Rd & Rios Rd APS	Install audible pedestrian signals
Aero Dr & Santo Rd APS	Install audible pedestrian signals
19th Street & Market Street Traffic Signal Upgrade	Install pedestrian heads for all crossings
Balboa Ave @ Viewridge Ave Ped improvements	Install (3) crosswalks, install (6) ped countdown timers, upgrade (5) PPB to ADA PPBs, remove median nose on west leg, upgrade (4) curb ramps.
Golfcrest Drive & Navajo Road Traffic Signal Upgrade	Install new poles and mast arms for EB, WB, NB, and SB traffic; remove median standards; install EVPE (2000); cut-back median and install marked crosswalks.
Lake Arrowhead Dr/San Carlos Dr @ Lake Murray Blvd Traffic Signal Upgrade	Install new poles with longer mast arms for NB and SB; replace PV heads with LED; install EVP.

Transportation Unfunded Needs
(Grouped by Category)

8/27/2012

Title	Description
Traffic Signal Upgrades and Modifications	
04th Avenue & Ash Street Traffic Signal Upgrade	Install EVPE (2003)
06th Ave & Elm St Traffic Signal Upgrade	Replace (5) 8" signal heads with 12" (2004) (Caltrans)
13th Street & E Street Traffic Signal Upgrade	Replace (7) 8" signal heads with 12" (2000)
13th Street & F Street Traffic Signal Upgrade	Replace five 8" heads with 12" (2000)
16th Street & Imperial Avenue Traffic Signal Upgrade	Install pedestrian indications for all crossings (2008)
25th Street & C Street Traffic Signal Upgrade	Replace (8) PPB with ADA PPB (2002).
25th Street & Imperial Avenue Traffic Signal Upgrade	Install PPB (2010).
25th Street & Market Street Traffic Signal Upgrade	Change out left turn signal; head from PV to regular signal heads with arrows
30th Street (S) & Ocean View Boulevard Traffic Signal Upgrade	Install pedestrian indications on the NWC and NEC
Camino Estrellado/Magerum Av & Navajo Rd Traffic Signal Upgrade	Install EVP (2000)
Fashion Valley Rd & Hotel Circle N Traffic Signal Upgrade	Install EVP (2000)
Friars Rd & Riverdale St Traffic Signal Upgrade	Install EVP (2000)
Golfcrest Dr & Jackson Dr Traffic Signal Upgrade	Install EVP (2000); cut-back median and install marked crosswalks (2010)
Greens East Rd/Paseo del Verano & Pomerado Rd Traffic Signal Upgrade	Install EVP (2000)
Kearny Mesa Rd & Miramar Rd Traffic Signal Upgrade	Install vehicle detection for NBRT (2006)
Margerum Av/Mission Vista Dr @ Mission Gorge Rd Traffic Signal Upgrade	Install EVP (2000)
Mississippi St @ University Ave Traffic Signal Upgrade	Replace (8) PPB with ADA PPB (2002)
Nimitz Bl & N Harbor Dr Traffic Signal Upgrade	Install EVP (2000)
Texas St @ University Av Traffic Signal Upgrade	Install EVP NB & SB (2002)
Balboa Ave @ Charger Bl/Hathaway St Traffic Signal Upgrade	Install (6) ped countdown timers. Upgrade (5) PPBs. Remove (2) extended island noses.
Balboa Ave @ Convoys St Traffic Signal Upgrade	Upgrade ped heads and install countdown timers, upgrade to ADA PPBs, remove median nose on west leg, replace (4) curb ramps.
Appleton Street & Genesee Avenue Traffic Signal Upgrade	Install new poles with longer mast arms for NB/SB; upgrade signal heads to 12"; upgrade ped ramps.
Clairemont Dr & Merrimac Ave Traffic Signal Upgrade	Install protected left turn on Clairemont Drive.
B St (W) & Front St Traffic Signal Upgrade	Replace (6) 8" heads with 12".
Barnett Av & Midway Dr Traffic Signal Upgrade	Replace (4) 8" signal heads with 12".
Beyer Bl & Del Sol Bl Traffic Signal Upgrade	Replace PV-MAS heads with LED heads, all directions. (2008)
N Harbor Dr & Coastguard Xing Traffic Signal Upgrade	Install EVP (2000)
Balboa Ave @ Cannington Dr/Mt Albertine Av Traffic Signal Upgrade	Install (6) ped countdown timers.
Balboa Ave @ Genesee Ave Traffic Signal Upgrade	Remove (2) extended island noses.
Del Mar Heights Road Flashing Beacon	Installation of a flashing beacon and "Signal Ahead" sign on Del Mar Heights just west of Seagrove FEBT.
Balboa Ave & Viewridge Av Traffic Signal Upgrade	Install protected left turn for NB/SB traffic
Inspiration Ave & Park Blvd Traffic Signal Upgrade	Install signal mast arms and poles; upgrade signal heads to 12"; install EVPE; remove median nose from crosswalk (2000)
04th Avenue & Robinson Avenue Traffic Signal Upgrade	Install EVPE
05th Avenue & Upas Street Traffic Signal Upgrade	Install EVPE
Beyer Bl & Del Sur Bl Traffic Signal Upgrade	Install EVP (2000)
Beyer Bl & Smythe Av Traffic Signal Upgrade	Install EVP (2000)
Black Mountain Rd & Kearny Villa Rd Traffic Signal Upgrade	Install EVP (2000)
Friars Rd & Ulric St Traffic Signal Upgrade	Install EVP (2000)
Collwood Bl & Monroe Av Traffic Signal Upgrade	Install ADA PPBs
Balboa Ave @ Pennisi Dwy Traffic Signal Upgrade	Install (4) ped countdown timers. Upgrade (3) ped ramps. Remove (1) extended island noses.
Balboa Ave @ Moraga Ave Traffic Signal Upgrade	Remove standard In median and install standard w/longer mast arm. Install (6) ped countdown timers. Upgrade (2) ped ramps. Remove extended island nose.
01st Ave and Broadway Traffic Signal Upgrade	Install ped countdown timers
Balboa Ave @ Ponderosa Ave Traffic Signal Upgrade	Upgrade (3) ped heads. Install (4) ped countdown timers. Install (2) new & upgrade (3) PPBs. Upgrade (3) ped ramps.
Balboa Ave @ Kearny Villa Rd Traffic Signal Upgrade	Complete intersection & signal modification
Balboa Ave @ Mt Abernathy/Mt Alifan Traffic Signal Upgrade	Install (8) ped countdown timers. Remove (1) extended island noses.
La Jolla Blvd & Sea Ridge Dr/Carla Wy Traffic Signal Upgrade	Install new signal poles with longer mast arms for NB & SB traffic
Adams Av & Ohio St Traffic Signal Upgrade	Replace (6) PPB with ADA PPBs; Install Type III service; Install EVP for NB.
Avenida Abeja & Bernardo Center Dr Traffic Signal Upgrade	Install pole-mounted signal head for EBT (2004)
Aero Dr & John J. Montgomery Dr/Sandrock Rd Traffic Signal Upgrade	Install EVP; replace (6) 8" heads with 12" (2000)
Aero Ct & Aero Dr Traffic Signal Upgrade	Replace MAS PV heads with MAS LED heads with arrows FEBT and FWBT.
Balboa Ave @ Mercury St Traffic Signal Upgrade	Install (8) ped countdown timers. Upgrade (4) ped ramps. Remove (2) extended island noses.
Balboa Av & Kearny Villa Rd Ped Improvements	Install new curb ramps (4) Upgrade ped push buttons (8) Install ped countdown timers (8) Cutback median noses (2) Install marked crosswalks
Laurel St (W) & N Harbor Dr Traffic Signal Upgrade	Install EVP (2000)
55th St & Hardy Av Traffic Signal Upgrade	Remove crosswalk and ped signals on south leg of intersection
54th St @ Trojan St Signal Upgrade	Remove and install new ped heads. Install (8) ped countdown timers.

City of San Diego
Urban Runoff Management Program

Department	Description	Address	Watershed
Park & Recreation - Metro Parks (Centre City)	House Of Pacific Relations, Czechoslovakia (L)	#Pan American Plaza	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	House Of Pacific Relations, Czechoslovakia (L)	#Pan American Plaza	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	House Of Pacific Relations, Czechoslovakia (L)	#Pan American Plaza	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Comfort Station, Golden Hill/Russ	#27th St. & Russ Blvd.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Museum, Timken Art Gallery	1500 El Prado	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Jr. High School, Mann	4345 54th St.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Jr. High School, Mann	4345 54th St.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Jr. High School, Mann	4345 54th St.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Jr. High School, Mann	4345 54th St.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Jr. High School, Mann	4345 54th St.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Colina Del Sol	54th St. & Orange Ave.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Colina Del Sol	54th St. & Orange Ave.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Colina Del Sol	54th St. & Orange Ave.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Colina Del Sol	54th St. & Orange Ave.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Colina Del Sol	54th St. & Orange Ave.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Colina Del Sol	54th St. & Orange Ave.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Park, Colina Del Sol	54th St. & Orange Ave.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Comfort Station, Chollas Lake Park	6350 College Grove Dr.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Pro Shop, Tennis Court (L)(No Maint.)	2223 Morley Field Dr.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Pro Shop, Tennis Court (L)(No Maint.)	2223 Morley Field Dr.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Pro Shop, Tennis Court (L)(No Maint.)	2223 Morley Field Dr.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Pool, Kearns Municipal (Var. JO#)	2229 Morley Field Dr.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Comfort Station, 28th & Beech	#28th St. & Beech St.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Shelter & Shuffleboard, Senior Center, Golden Hill	#Golden Hill, North Court	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Comfort Station, Golden Hill	#25th St & Golden Hill Dr. At The Park	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Comfort Station, 28th & Grape	#28th St. & Grape St.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Comfort Station, Arbor Grove	#Pershing Dr. At Frisbee Golf Course	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Comfort Station, Archery Range	#Balboa Park	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Comfort Station, Morley Field, N.E. Corner Of Ball	#Morley Field	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Recreation Center, Blind (D) 09-15-98	1805 Upas St.	SAN DIEGO BAY
Park & Recreation - Metro Parks (Centre City)	Veterans War Memorial	3325 Zoo Drive	SAN DIEGO BAY

City of San Diego
Urban Runoff Management Program

Department	Description	Address	Watershed
Park & Recreation - Inland Parks And Recreat	Park, La Jolla Elementary School	1111 Marine St.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Park, La Jolla Elementary School	1111 Marine St.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Park, La Jolla Elementary School	1111 Marine St.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Park, La Jolla Elementary School	1111 Marine St.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Park, La Jolla Elementary School	1111 Marine St.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Park, La Jolla Elementary School	1111 Marine St.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Park, La Jolla Elementary School	1111 Marine St.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Park, La Jolla Elementary School	1111 Marine St.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Park, La Jolla Elementary School	1111 Marine St.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Shelter, La Jolla	330 Coast Blvd.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Comfort Station, Doyle Park	8175 Cargill Ave.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Toolshed, Mission Bay Sports Field, South	2600 Grand Ave.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Toolshed, Mission Bay Sports Field, North	2600 Grand Ave.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Comfort Station, Tecolote Park	5176 Tecolote Rd.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Nature & Visitors Center, Tecolote	5180 Tecolote Rd.	PENASQUITOS
Park & Recreation - Inland Parks And Recreat	Recreation Center, Encanto	6508 Wunderlin Ave.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Senior Center, Encanto	6555 Broadway Ave.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Neighborhood House, Mountain View (L)(NO MAINT)	841 S. 41st Street	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Neighborhood House, Mountain View (L)(NO MAINT)	841 S. 41st Street	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Comfort Station, Gompers Park	#Hilltop Dr. & Carolina Ln.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Recreation Center, Paradise Hills	6610 Potomac St.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Comfort Station, Paradise Hills Park	#Paradise Valley Rd. & Potomac St.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Recreation Center, Southcrest	4199 Keeler Ave.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Marston Mansion	3525 7th Ave.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Marston Mansion	3525 7th Ave.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Park, Grant Hill	#26th St. & J St.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Comfort Station, Chicano Park	1975 Logan Ave.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Central Alarm Station (Old)	#8TH Ave. & Cobblestone Dr.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Comfort Station, Dennis Allen Park	#Boundary St. & J St.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Comfort Station, Pioneer Park	1535 Washington Pl.	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Lake, Chollas, Boat House	6350 College Grove	SAN DIEGO BAY
Park & Recreation - Inland Parks And Recreat	Lake, Chollas, Shed, Gardeners, West	6350 College Grove	SAN DIEGO BAY

Deferred Capital Needs identified in 2009 Parsons Assessment (Council District 2)

Recommended-3-10 Yrs – Projects in this category include items that represent a sensible improvement to existing conditions. These items are not required for the most basic function of a facility. Maintenance needs in this category are not included in the proposed list of projects.

Rank	System Ranking	Facility_Type	FCI%	Facility_Name	System	Maint	District	Material	Distress	Correction	Estimated Repair Cost
1	1	Police Department	35.95%	Police Clubhouse Pistol Range	Lighting and Branch Wiring	Critical / Immediate Need	District 4	Lighting/Branch Wiring	Damaged	Clean and Preventive Maintenance to Light Fixture	\$2,291
1	1	Police Department	35.95%	Police Clubhouse Pistol Range	Lighting and Branch Wiring	Critical / Immediate Need	District 4	Lighting/Branch Wiring	Missing	Replace Receptacle Covers or Junction Box Covers	\$1,988
1	1	Police Department	35.95%	Police Clubhouse Pistol Range	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$5,808
1	1	Police Department	35.95%	Police Clubhouse Pistol Range	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Beyond Expected Life	Replace Receptacle 20A 120V ASSY/S.F.	\$30,013
1	1	Police Department	35.95%	Police Clubhouse Pistol Range	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Beyond Expected Life	Replace 1X4 Surface Fluorescent Fixture S.F.	\$65,760
1	2	Police Department	35.95%	Police Clubhouse Pistol Range	Roof Construction	Critical / Immediate Need	District 4	Roof Construction	Damaged	Replace roof construction assembly	\$47,146
1	2	Police Department	35.95%	Police Clubhouse Pistol Range	Roof Construction	Critical / Immediate Need	District 4	Roof Construction	Damaged	Prepare Paint Wood fascia and Eaves (\$F)	\$9,875
1	3	Police Department	35.95%	Police Clubhouse Pistol Range	Exhaust Fans	Potentially Critical-12 months	District 4	Exhaust Ventilation System	Beyond Expected Life	Install or replace kitchen range exhaust hood syst	\$68,983
1	3	Police Department	35.95%	Police Clubhouse Pistol Range	Exhaust Fans	Necessary- 2-5 Yrs	District 4	Exhaust Ventilation System	Missing	Install new exhaust system and controls	\$5,677
1	4	Police Department	35.95%	Police Clubhouse Pistol Range	Rain Water Drainage	Critical / Immediate Need	District 4	Rain Water Drainage	Damaged	Replace Gutter; Aluminum up to 6" x LF	\$9,942
1	5	Police Department	35.95%	Police Clubhouse Pistol Range	Roof Coverings	Critical / Immediate Need	District 4	Roof Covering	Damaged	Replace Asphalt Shingle	\$50,332
1	6	Police Department	35.95%	Police Clubhouse Pistol Range	Domestic Water Distribution	Necessary- 2-5 Yrs	District 4	Domestic Water Distribution	Beyond Expected Life	Replace Domestic Water Lines; up to 1"; Surf. Mtd.	\$12,749
1	6	Police Department	35.95%	Police Clubhouse Pistol Range	Domestic Water Distribution	Necessary- 2-5 Yrs	District 4	Domestic Water Distribution	Beyond Expected Life	Replace Water Heater; Electric; up to 30 Gallons	\$4,177
1	7	Police Department	35.95%	Police Clubhouse Pistol Range	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Failing	Repaint wall	\$6,069
1	7	Police Department	35.95%	Police Clubhouse Pistol Range	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Replace Wall Panelling	\$19,871
1	8	Police Department	35.95%	Police Clubhouse Pistol Range	Plumbing Fixtures	Necessary- 2-5 Yrs	District 4	Plumbing Fixtures	Beyond Expected Life	Replace Plumbing Fixtures	\$48,467
1	8	Police Department	35.95%	Police Clubhouse Pistol Range	Plumbing Fixtures	Necessary- 2-5 Yrs	District 4	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$17,120
1	9	Police Department	35.95%	Police Clubhouse Pistol Range	Exterior Doors	Potentially Critical-12 months	District 4	Exterior Doors	Damaged	Replace Wood Doors	\$27,252
1	10	Police Department	35.95%	Police Clubhouse Pistol Range	Exterior Windows	Potentially Critical-12 months	District 4	Exterior Windows	Damaged	Replace Wood Windows	\$43,974
1	11	Police Department	35.95%	Police Clubhouse Pistol Range	Water Supply	Potentially Critical-12 months	District 4	Domestic Water Distribution	Beyond Expected Life	Replace Domestic Water Lines; up to 1"; Surf. Mtd.	\$8,615
1	12	Police Department	35.95%	Police Clubhouse Pistol Range	Site Development	Necessary- 2-5 Yrs	District 4	Site Development	Damaged	Repair and Paint Pipe Bollard; 4"-6" Dia. to 4' H	\$2,831
1	13	Police Department	35.95%	Police Clubhouse Pistol Range	Exterior Walls	Necessary- 2-5 Yrs	District 4	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$4,348
1	14	Police Department	35.95%	Police Clubhouse Pistol Range	Interior Doors	Necessary- 2-5 Yrs	District 4	Interior Doors	Damaged	Replace Int. Door; Solid; Painted; up to 3/0 x 7/0	\$5,302
1	15	Police Department	35.95%	Police Clubhouse Pistol Range	Electrical Distribution	Necessary- 2-5 Yrs	District 4	Electrical Service/Distribution	Beyond Useful Life	Replace electric service entrance -200 Amp	\$9,491
1	16	Police Department	35.95%	Police Clubhouse Pistol Range	Sanitary Sewer	Necessary- 2-5 Yrs	District 4	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$9,902
1	17	Police Department	35.95%	Police Clubhouse Pistol Range	Communications and Security	Necessary- 2-5 Yrs	District 4	Communications/Security	Inadequate	Replace Intercom/Paging System-50 stations	\$14,473
1	18	Police Department	35.95%	Police Clubhouse Pistol Range	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 4	Electrical Service/Distribution	Beyond Expected Life	Replace electric service entrance -200 Amp	\$15,913
1	19	Police Department	35.95%	Police Clubhouse Pistol Range	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Failing	Prepare and Paint Interior Ceiling	\$20,710
1	20	Police Department	35.95%	Police Clubhouse Pistol Range	Fixed Furnishings	Necessary- 2-5 Yrs	District 4	Fixed Furnishing	Damaged	Replace Fixed Casework Base / Wall Cabinets	\$48,159
1	21	Police Department	35.95%	Police Clubhouse Pistol Range	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace VCT	\$70,749
1	22	Police Department	35.95%	Police Clubhouse Pistol Range	Terminal & Package Units	Necessary- 2-5 Yrs	District 4	Terminal and Package Units	Inadequate	Install New Pkg. System; DX Cool; Gas Heat to 5T	\$71,477
1	23	Police Department	35.95%	Police Clubhouse Pistol Range	Parking Lots	Necessary- 2-5 Yrs	District 4	Roadways	Damaged	Replace Asphalt Road Surfaces	\$75,574
2	24	Fire Stations	27.68%	Fire Department Training Tower	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace Wall Switch 20A 120/277V ASSY/Ea.	\$19,097
2	24	Fire Stations	27.68%	Fire Department Training Tower	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$2,980
2	24	Fire Stations	27.68%	Fire Department Training Tower	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace Receptacle, 20A 120V ASSY/Ea.	\$36,805
2	24	Fire Stations	27.68%	Fire Department Training Tower	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace Incandescent Light Fixtures	\$28,766
2	24	Fire Stations	27.68%	Fire Department Training Tower	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Install or replace exterior lighting	\$935
2	25	Fire Stations	27.68%	Fire Department Training Tower	Fittings	Potentially Critical-12 months	District 6	Fittings	Damaged	Re-Attach Steel Balcony to Exterior Wall	\$5,974
2	25	Fire Stations	27.68%	Fire Department Training Tower	Fittings	Potentially Critical-12 months	District 6	Fittings	Damaged	Replace Wall Sign; Painted Letters and Background	\$45,159
2	26	Fire Stations	27.68%	Fire Department Training Tower	Electrical Service/Distribution	Potentially Critical-12 months	District 6	Electrical Service/Distribution	Missing	Install Circuit Breaker Knock-Out Blank; Plastic	\$299
2	27	Fire Stations	27.68%	Fire Department Training Tower	Exterior Walls	Potentially Critical-12 months	District 6	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
2	28	Fire Stations	27.68%	Fire Department Training Tower	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Replace Ext. Door and Frame; to 4/0x6/8 Wood/Metal	\$9,177

2	29	Fire Stations	27.68%	Fire Department Training Tower	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Replace Metal Door/Metal Frame	\$9,851
2	30	Fire Stations	27.68%	Fire Department Training Tower	Standpipes	Potentially Critical-12 months	District 6	Fire Suppression	Damaged	Replace Stand Pipe System - 5 Outlets	\$12,069
2	31	Fire Stations	27.68%	Fire Department Training Tower	Roof Openings	Potentially Critical-12 months	District 6	Roof Openings	Damaged	Replace Roof Hatch; Metal; up to 12 SF	\$12,746
2	32	Fire Stations	27.68%	Fire Department Training Tower	Stair Construction	Potentially Critical-12 months	District 6	Stairs	Damaged	Repaint Handrails	\$14,051
2	33	Fire Stations	27.68%	Fire Department Training Tower	Communications and Security	Potentially Critical-12 months	District 6	Communications/Security	Damaged	Replace Intercom/Paging System-50 stations	\$27,919
2	34	Fire Stations	27.68%	Fire Department Training Tower	Exterior Windows	Potentially Critical-12 months	District 6	Exterior Windows	Damaged	Replace Steel Windows	\$76,164
2	35	Fire Stations	27.68%	Fire Department Training Tower	Sprinklers	Potentially Critical-12 months	District 6	Fire Suppression	Damaged	Install or replace wet fire suppression system	\$99,367
3	36	Life Guard Stations	20.62%	Garage - Northern	Exterior Walls	Critical / Immediate Need	District 1	Exterior Walls	Damaged	Replace Ext. Wall; Wood Fram; 1-Story	\$15,888
3	36	Life Guard Stations	20.62%	Garage - Northern	Exterior Walls	Critical / Immediate Need	District 1	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$6,719
3	36	Life Guard Stations	20.62%	Garage - Northern	Exterior Walls	Critical / Immediate Need	District 1	Exterior Walls	Damaged	Termite Inspection of Structure	\$13,136
3	36	Life Guard Stations	20.62%	Garage - Northern	Exterior Walls	Necessary- 2-5 Yrs	District 1	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
3	37	Life Guard Stations	20.62%	Garage - Northern	Roof Construction	Critical / Immediate Need	District 1	Roof Construction	Damaged	Replace roof construction assembly	\$20,161
3	37	Life Guard Stations	20.62%	Garage - Northern	Roof Construction	Critical / Immediate Need	District 1	Roof Construction	Damaged	Prepare Paint Wood Fascia and Eaves (SF)	\$4,467
3	38	Life Guard Stations	20.62%	Garage - Northern	Exterior Doors	Critical / Immediate Need	District 1	Exterior Doors	Failing	Repair/Replace Overhead Door Safety Switch	\$2,592
3	38	Life Guard Stations	20.62%	Garage - Northern	Exterior Doors	Necessary- 2-5 Yrs	District 1	Exterior Doors	Damaged	Prepare Paint Overhead Door	\$3,321
3	38	Life Guard Stations	20.62%	Garage - Northern	Exterior Doors	Necessary- 2-5 Yrs	District 1	Exterior Doors	Damaged	Replace Wood Doors	\$5,094
3	39	Life Guard Stations	20.62%	Garage - Northern	Roof Coverings	Critical / Immediate Need	District 1	Roof Covering	Damaged	Replace Asphalt Shingle	\$10,037
3	40	Life Guard Stations	20.62%	Garage - Northern	Lighting and Branch Wiring	Potentially Critical-12 months	District 1	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,651
3	41	Life Guard Stations	20.62%	Garage - Northern	Parking Lots	Necessary- 2-5 Yrs	District 1	Roadways	Damaged	Replace Asphalt Road Surfaces	\$15,134
4	42	Block House	18.69%	Blockhouse - Point Loma	Lighting and Branch Wiring	Potentially Critical-12 months	District 2	Lighting/Branch Wiring	Missing	Install Junction Box and Cover; 4' x 4" Steel	\$159
4	42	Block House	18.69%	Blockhouse - Point Loma	Lighting and Branch Wiring	Potentially Critical-12 months	District 2	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$3,005
4	42	Block House	18.69%	Blockhouse - Point Loma	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 2	Lighting/Branch Wiring	Beyond Expected Life	Replace 1X4 Surface Fluorescent Fixture S.F.	\$13,348
4	43	Block House	18.69%	Blockhouse - Point Loma	Landscaping	Critical / Immediate Need	District 2	Landscaping	Failing	Re-grade Site	\$8,651
4	44	Block House	18.69%	Blockhouse - Point Loma	Site Development	Necessary- 2-5 Yrs	District 2	Site Development	Damaged	Repair and Paint Pipe Bollard; 4"-6" Dia. to 4' H	\$676
4	45	Block House	18.69%	Blockhouse - Point Loma	Exterior Doors	Necessary- 2-5 Yrs	District 2	Exterior Doors	Failing	Repaint exterior metal doors	\$1,304
4	46	Block House	18.69%	Blockhouse - Point Loma	Fuel Distribution - LP Gas	Necessary- 2-5 Yrs	District 2	Fuel Distribution	Failing	Prepare and Paint LP Fuel Tank; Steel; to 5100 Gal	\$2,006
4	47	Block House	18.69%	Blockhouse - Point Loma	Exterior Walls	Necessary- 2-5 Yrs	District 2	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
4	48	Block House	18.69%	Blockhouse - Point Loma	Ceiling Finishes	Necessary- 2-5 Yrs	District 2	Ceiling Finishes	Failing	Repair interior roof structure and deck.	\$4,247
4	49	Block House	18.69%	Blockhouse - Point Loma	Roof Construction	Necessary- 2-5 Yrs	District 2	Roof Construction	Failing	Prepare Paint Wood Fascia and Eaves (SF)	\$5,331
4	50	Block House	18.69%	Blockhouse - Point Loma	Electrical Distribution	Necessary- 2-5 Yrs	District 2	Electrical Service/Distribution	Beyond Useful Life	Replace electric service entrance -200 Amp	\$7,709
4	51	Block House	18.69%	Blockhouse - Point Loma	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 2	Electrical Service/Distribution	Beyond Expected Life	Replace electric service entrance -200 Amp	\$23,126
5	52	Fire Stations	16.70%	Fire Station #26	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Failing	Replace Carpet	\$29,402
5	52	Fire Stations	16.70%	Fire Station #26	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Failing	Epoxy floor	\$6,627
5	52	Fire Stations	16.70%	Fire Station #26	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace VCT	\$8,351
5	52	Fire Stations	16.70%	Fire Station #26	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Failing	Seal stone floor	\$18,250
5	53	Fire Stations	16.70%	Fire Station #26	Wall Finishes	Critical / Immediate Need	District 4	Wall Finishes	Damaged	Replace Plaster / Lath Interior Wall	\$4,930
5	53	Fire Stations	16.70%	Fire Station #26	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Replace Ceramic Tile	\$1,055
5	53	Fire Stations	16.70%	Fire Station #26	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Repaint wall	\$13,512
5	54	Fire Stations	16.70%	Fire Station #26	Site Development	Necessary- 2-5 Yrs	District 4	Site Development	Damaged	Replace Pipe Bollard; Steel; Painted	\$1,027
5	54	Fire Stations	16.70%	Fire Station #26	Site Development	Necessary- 2-5 Yrs	District 4	Site Development	Damaged	Repair and Paint Pipe Bollard; 4"-6" Dia. to 4' H	\$676
5	54	Fire Stations	16.70%	Fire Station #26	Site Development	Necessary- 2-5 Yrs	District 4	Fencing	Damaged	Replace Fencing - Wood - Up to 6' (H)	\$877
5	55	Fire Stations	16.70%	Fire Station #26	Exterior Walls	Necessary- 2-5 Yrs	District 4	Stairs	Damaged	Repaint Handrails	\$10,117
5	55	Fire Stations	16.70%	Fire Station #26	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Clean and Re-Point Masonry Wall Joints	\$1,505
5	55	Fire Stations	16.70%	Fire Station #26	Exterior Walls	Necessary- 2-5 Yrs	District 4	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
5	56	Fire Stations	16.70%	Fire Station #26	Interior Doors	Necessary- 2-5 Yrs	District 4	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$24,994
5	56	Fire Stations	16.70%	Fire Station #26	Interior Doors	Necessary- 2-5 Yrs	District 4	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$5,866
5	56	Fire Stations	16.70%	Fire Station #26	Interior Doors	Necessary- 2-5 Yrs	District 4	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$62,486
5	57	Fire Stations	16.70%	Fire Station #26	Exterior Windows	Potentially Critical-12 months	District 4	Exterior Windows	Damaged	Replace Thermal/Dual Pane Glass/Lite to 6 SF	\$648
5	57	Fire Stations	16.70%	Fire Station #26	Exterior Windows	Necessary- 2-5 Yrs	District 4	Exterior Windows	Inadequate	Replace Aluminium Windows	\$21,784
5	58	Fire Stations	16.70%	Fire Station #26	Exhaust Ventilation Systems Other than Vehicle	Potentially Critical-12 months	District 4	Exhaust Ventilation System	Inadequate	Install new exhaust system and controls	\$7,790
5	58	Fire Stations	16.70%	Fire Station #26	Exhaust Ventilation Systems Other than Vehicle	Necessary- 2-5 Yrs	District 4	Exhaust Ventilation System	Beyond Expected Life	Install new exhaust system and controls	\$15,580
5	59	Fire Stations	16.70%	Fire Station #26	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$11,996
5	59	Fire Stations	16.70%	Fire Station #26	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Failing	Replace 1X4 Surface Fluorescent Fixture S.F.	\$133,423
5	60	Fire Stations	16.70%	Fire Station #26	Communications and Security	Critical / Immediate Need	District 4	Communications/Security	Damaged	Replace or Install Ceiling Smoke Detector	\$1,469

5	61	Fire Stations	16.70%	Fire Station #26	Parking Lots	Necessary- 2-5 Yrs	District 4	Roadways	Damaged	Replace Asphalt Road Surfaces	\$113,645
5	61	Fire Stations	16.70%	Fire Station #26	Parking Lots	Necessary- 2-5 Yrs	District 4	Roadways	Damaged	Replace Concrete Roadway	\$11,550
5	62	Fire Stations	16.70%	Fire Station #26	Landscaping	Potentially Critical-12 months	District 4	Landscaping	Inadequate	Re-grade Site	\$2,208
5	63	Fire Stations	16.70%	Fire Station #26	Terminal & Package Units	Potentially Critical-12 months	District 4	Ductwork	Damaged	Clean, Sanitize and Balance Air Distribution SYS	\$17,995
5	64	Fire Stations	16.70%	Fire Station #26	Site Lighting	Potentially Critical-12 months	District 4	Site Lighting	Inadequate	Install/Replace site lighting-Lite Pole	\$27,777
5	65	Fire Stations	16.70%	Fire Station #26	Water Supply	Necessary- 2-5 Yrs	District 4	WATER Supply	Beyond Expected Life	Replace domestic water service	\$4,737
5	66	Fire Stations	16.70%	Fire Station #26	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Beyond Expected Life	Replace Ext. Door and Frame; to 4/0x6/8 Wood/Metal	\$13,765
5	67	Fire Stations	16.70%	Fire Station #26	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Falling	Replace Acoustical Ceiling Tile	\$21,673
5	68	Fire Stations	16.70%	Fire Station #26	Vehicle Exhaust Systems	Necessary- 2-5 Yrs	District 4	Vehicle Exhaust System	Beyond Expected Life	Replace Vehicle Exhaust System - Diesel - 1 Bay	\$26,438
5	69	Fire Stations	16.70%	Fire Station #26	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 4	Electrical Service/Distribution	Beyond Expected Life	Replace electric service entrance -200 Amp	\$28,265
5	70	Fire Stations	16.70%	Fire Station #26	Domestic Water Distribution	Necessary- 2-5 Yrs	District 4	Domestic Water Distribution	Beyond Expected Life	Replace Domestic Water Lines; up to 1"; Surf. Mtd.	\$35,806
5	71	Fire Stations	16.70%	Fire Station #26	Sanitary Sewer	Necessary- 2-5 Yrs	District 4	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$36,787
5	72	Fire Stations	16.70%	Fire Station #26	Roof Coverings	Necessary- 2-5 Yrs	District 4	Roof Covering	Beyond Expected Life	Replace Modified Bitumen Roof Coverings	\$93,736
5	73	Fire Stations	16.70%	Fire Station #26	Plumbing Fixtures	Necessary- 2-5 Yrs	District 4	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$167,874
6	74	Fire Stations	15.70%	Fire Station #28	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Falling	Seal stone floor	\$12,615
6	74	Fire Stations	15.70%	Fire Station #28	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Falling	Replace Carpet	\$25,533
6	74	Fire Stations	15.70%	Fire Station #28	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Replace Ceramic Tile	\$3,127
6	74	Fire Stations	15.70%	Fire Station #28	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Replace Ceramic Tile	\$7,920
6	74	Fire Stations	15.70%	Fire Station #28	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Falling	Replace Carpet	\$9,718
6	74	Fire Stations	15.70%	Fire Station #28	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Missing	Replace rubber/vinyl cove base	\$221
6	74	Fire Stations	15.70%	Fire Station #28	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Falling	Seal stone floor	\$14,579
6	75	Fire Stations	15.70%	Fire Station #28	Exterior Walls	Potentially Critical-12 months	District 6	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
6	75	Fire Stations	15.70%	Fire Station #28	Exterior Walls	Potentially Critical-12 months	District 6	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
6	75	Fire Stations	15.70%	Fire Station #28	Exterior Walls	Potentially Critical-12 months	District 6	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
6	75	Fire Stations	15.70%	Fire Station #28	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Falling	Repaint Exterior Block Wall	\$12,140
6	75	Fire Stations	15.70%	Fire Station #28	Exterior Walls	Potentially Critical-12 months	District 6	Stairs	Damaged	Repaint Handrails	\$3,934
6	75	Fire Stations	15.70%	Fire Station #28	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Falling	Repaint Exterior Block Wall	\$3,852
6	76	Fire Stations	15.70%	Fire Station #28	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Falling	Repaint exterior metal doors	\$2,608
6	76	Fire Stations	15.70%	Fire Station #28	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Beyond Expected Life	Replace Overhead Door; Roll-Up; Motorized	\$11,590
6	76	Fire Stations	15.70%	Fire Station #28	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Beyond Expected Life	Replace Ext. Door and Frame; to 4/0x6/8 Wood/Metal	\$9,177
6	76	Fire Stations	15.70%	Fire Station #28	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Beyond Expected Life	Replace Overhead Door; Roll-Up; Motorized	\$24,432
6	76	Fire Stations	15.70%	Fire Station #28	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Beyond Expected Life	Replace Ext. Door and Frame; to 4/0x6/8 Wood/Metal	\$22,942
6	76	Fire Stations	15.70%	Fire Station #28	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Beyond Expected Life	Replace Ext. Door and Frame; to 4/0x6/8 Wood/Metal	\$4,588
6	77	Fire Stations	15.70%	Fire Station #28	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Replace Fluor. Ltg. Fix. 4'; 2 Lamp Vanity	\$527
6	77	Fire Stations	15.70%	Fire Station #28	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace 2x4 Fluorescent Fixture - 5.F.	\$25,470
6	77	Fire Stations	15.70%	Fire Station #28	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$3,385
6	77	Fire Stations	15.70%	Fire Station #28	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$5,886
6	77	Fire Stations	15.70%	Fire Station #28	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,615
6	78	Fire Stations	15.70%	Fire Station #28	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Falling	Repaint drywall/plaster ceiling	\$18,812
6	78	Fire Stations	15.70%	Fire Station #28	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Falling	Replace Acoustical Ceiling Tile	\$11,647
6	78	Fire Stations	15.70%	Fire Station #28	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Falling	Repaint drywall/plaster ceiling	\$10,821
6	78	Fire Stations	15.70%	Fire Station #28	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Falling	Repaint drywall/plaster ceiling	\$3,934
6	78	Fire Stations	15.70%	Fire Station #28	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Falling	Replace Acoustical Ceiling Tile	\$6,752
6	79	Fire Stations	15.70%	Fire Station #28	Fittings	Potentially Critical-12 months	District 6	Fittings	Damaged	Replace Counter Top; Solid Surface	\$1,354
6	79	Fire Stations	15.70%	Fire Station #28	Fittings	Potentially Critical-12 months	District 6	Fittings	Damaged	Replace Toilet Partition	\$1,980
6	79	Fire Stations	15.70%	Fire Station #28	Fittings	Potentially Critical-12 months	District 6	Fittings	Damaged	Replace Toilet Partition	\$7,920
6	79	Fire Stations	15.70%	Fire Station #28	Fittings	Potentially Critical-12 months	District 6	Fittings	Damaged	Refinish Base / Wall Cabinets - SF	\$2,674
6	80	Fire Stations	15.70%	Fire Station #28	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Falling	Repair and refinish interior doors - 3-0x7-0	\$5,866
6	80	Fire Stations	15.70%	Fire Station #28	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Replace Wood Door/Metal Frame	\$5,718
6	80	Fire Stations	15.70%	Fire Station #28	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Falling	Repair and refinish interior doors - 3-0x7-0	\$29,160
6	80	Fire Stations	15.70%	Fire Station #28	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Falling	Repair and refinish interior doors - 3-0x7-0	\$6,704
6	81	Fire Stations	15.70%	Fire Station #28	Terminal & Package Units	Potentially Critical-12 months	District 6	Terminal and Package Units	Inadequate	Install New Pkg. System; DX Cool; Gas Heat to 5T	\$27,699

43	632	Police Department	4.83%	Eastern Substation	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace Duplex Receptacle Cover	\$304
43	632	Police Department	4.83%	Eastern Substation	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Replace Junction Box Cover; Blank4" Square; Steel	\$294
43	632	Police Department	4.83%	Eastern Substation	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace Light Switch Cover 1-Gang	\$314
43	633	Police Department	4.83%	Eastern Substation	Site Development	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Repaint exterior metal doors	\$1,304
43	633	Police Department	4.83%	Eastern Substation	Site Development	Potentially Critical-12 months	District 6	Fencing	Failing	Repaint Metal Fence	\$26,032
43	633	Police Department	4.83%	Eastern Substation	Site Development	Potentially Critical-12 months	District 6	Site Development	Damaged	Prepare and Paint Pipe Bollard; 4"-6" Dia. to 4" H	\$2,254
43	633	Police Department	4.83%	Eastern Substation	Site Development	Potentially Critical-12 months	District 6	Exterior Walls	Damaged	Replace Stucco Wall	\$12,430
43	634	Police Department	4.83%	Eastern Substation	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Damaged	Patch plaster walls	\$9,557
43	634	Police Department	4.83%	Eastern Substation	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Failing	Prepare and Paint Exterior Metal Trim	\$867
43	634	Police Department	4.83%	Eastern Substation	Exterior Walls	Potentially Critical-12 months	District 6	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
43	634	Police Department	4.83%	Eastern Substation	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Damaged	Repaint Exterior Block Wall	\$75,015
43	635	Police Department	4.83%	Eastern Substation	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Replace VCT	\$2,412
43	635	Police Department	4.83%	Eastern Substation	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Failing	Seal stone floor	\$13,832
43	635	Police Department	4.83%	Eastern Substation	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Replace VCT	\$2,146
43	635	Police Department	4.83%	Eastern Substation	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Failing	Replace Carpet	\$88,348
43	636	Police Department	4.83%	Eastern Substation	Plumbing Fixtures	Potentially Critical-12 months	District 6	Plumbing Fixtures	Damaged	Replace Faucet Set; Chrome;	\$4,904
43	636	Police Department	4.83%	Eastern Substation	Plumbing Fixtures	Potentially Critical-12 months	District 6	Plumbing Fixtures	Inadequate	Perform Maintenance and Clean Drinking Fountain	\$865
43	637	Police Department	4.83%	Eastern Substation	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Failing	Repaint exterior metal doors	\$16,954
43	637	Police Department	4.83%	Eastern Substation	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Prepare Paint Overhead Door	\$1,660
43	638	Police Department	4.83%	Eastern Substation	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Failing	Repaint drywall/plaster ceiling	\$21,437
43	638	Police Department	4.83%	Eastern Substation	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$3,831
43	639	Police Department	4.83%	Eastern Substation	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$46,924
43	639	Police Department	4.83%	Eastern Substation	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Missing	Install Door Hardware Blanks	\$435
43	640	Police Department	4.83%	Eastern Substation	Wall Finishes	Potentially Critical-12 months	District 6	Wall Finishes	Damaged	Repaint wall	\$231,678
43	640	Police Department	4.83%	Eastern Substation	Wall Finishes	Potentially Critical-12 months	District 6	Wall Finishes	Damaged	Replace Vinyl Wall Covering	\$41,439
43	641	Police Department	4.83%	Eastern Substation	Site Lighting	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace Junction or Pull Box; 8"x8"x4" N3R	\$1,469
43	642	Police Department	4.83%	Eastern Substation	Fittings	Potentially Critical-12 months	District 6	Fittings	Missing	Replace room signage	\$224
43	643	Police Department	4.83%	Eastern Substation	Electrical Service/Distribution	Potentially Critical-12 months	District 6	Electrical Service/Distribution	Abandoned	Remove Abandoned Electrical Service Equipment	\$1,879
43	644	Police Department	4.83%	Eastern Substation	Domestic Water Distribution	Potentially Critical-12 months	District 6	Domestic Water Distribution	Abandoned	Remove abandoned equipment/system	\$6,731
43	645	Police Department	4.83%	Eastern Substation	Landscaping	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace Junction or Pull Box; 36"x36"x8" N3R	\$7,881
43	646	Police Department	4.83%	Eastern Substation	Rain Water Drainage	Potentially Critical-12 months	District 6	Rain Water Drainage	Inadequate	Replace Roof Drain/Receptor Screen	\$11,923
43	647	Police Department	4.83%	Eastern Substation	Terminal & Package Units	Potentially Critical-12 months	District 6	Terminal and Package Units	Beyond Expected Life	Replace 3T Heat Pump	\$21,921
43	648	Police Department	4.83%	Eastern Substation	Communications and Security	Potentially Critical-12 months	District 6	Communications/Security	Beyond Expected Life	Replace Fire Alarm System/ASSY for 50 devices	\$67,298
43	649	Police Department	4.83%	Eastern Substation	Parking Lots	Potentially Critical-12 months	District 6	Parking Lot	Failing	Slurry seal asphalt	\$95,307
44	650	Fire Stations	4.66%	Fire Station #10	Exterior Walls	Necessary- 2-5 Yrs	District 7	Exterior Walls	Damaged	Clean, seal and treat Exterior cement surface	\$6,418
44	650	Fire Stations	4.66%	Fire Station #10	Exterior Walls	Necessary- 2-5 Yrs	District 7	Exterior Walls	Failing	Replace wood siding	\$16,761
44	650	Fire Stations	4.66%	Fire Station #10	Exterior Walls	Necessary- 2-5 Yrs	District 7	Exterior Walls	Failing	Repaint Exterior Block Wall	\$997
44	650	Fire Stations	4.66%	Fire Station #10	Exterior Walls	Necessary- 2-5 Yrs	District 7	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
44	651	Fire Stations	4.66%	Fire Station #10	Interior Doors	Necessary- 2-5 Yrs	District 7	Interior Doors	Failing	Repair and refinish interior doors - 3-0x7-0	\$6,704
44	651	Fire Stations	4.66%	Fire Station #10	Interior Doors	Necessary- 2-5 Yrs	District 7	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$5,629
44	651	Fire Stations	4.66%	Fire Station #10	Interior Doors	Necessary- 2-5 Yrs	District 7	Interior Doors	Failing	Repair and refinish interior doors - 3-0x7-0	\$6,144
44	652	Fire Stations	4.66%	Fire Station #10	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Failing	Replace Carpet	\$45,163
44	652	Fire Stations	4.66%	Fire Station #10	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Failing	Replace Sheet Vinyl Floor Covering	\$10,634
44	652	Fire Stations	4.66%	Fire Station #10	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Failing	Seal stone floor	\$23,561
44	653	Fire Stations	4.66%	Fire Station #10	Lighting and Branch Wiring	Potentially Critical-12 months	District 7	Lighting/Branch Wiring	Damaged	Replace Duplex Receptacle Cover	\$304
44	653	Fire Stations	4.66%	Fire Station #10	Lighting and Branch Wiring	Potentially Critical-12 months	District 7	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$8,649
44	654	Fire Stations	4.66%	Fire Station #10	Exterior Doors	Necessary- 2-5 Yrs	District 7	Exterior Doors	Damaged	Prepare Paint Overhead Door	\$10,902
44	654	Fire Stations	4.66%	Fire Station #10	Exterior Doors	Necessary- 2-5 Yrs	District 7	Exterior Doors	Beyond Expected Life	Replace Ext. Door and Frame; to 4/0x6/8 Wood/Metal	\$27,529
44	655	Fire Stations	4.66%	Fire Station #10	Ceiling Finishes	Necessary- 2-5 Yrs	District 7	Ceiling Finishes	Failing	Repaint drywall/plaster ceiling	\$36,284
44	655	Fire Stations	4.66%	Fire Station #10	Ceiling Finishes	Necessary- 2-5 Yrs	District 7	Ceiling Finishes	Failing	Replace Acoustical Ceiling Tile	\$69,588
44	656	Fire Stations	4.66%	Fire Station #10	Exhaust Ventilation Systems Other than Vehicle	Potentially Critical-12 months	District 7	Exhaust Ventilation System	Beyond Expected Life	Install or replace kitchen range exhaust hood syst	\$16,119
44	657	Fire Stations	4.66%	Fire Station #10	Terminal & Package Units	Potentially Critical-12 months	District 7	Ductwork	Damaged	Clean, Sanitize and Balance Air Distribution SYS	\$25,949
44	658	Fire Stations	4.66%	Fire Station #10	Pedestrian Paving	Necessary- 2-5 Yrs	District 7	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$8,104

44	659	Fire Stations	4.66%	Fire Station #10	Site Development	Necessary- 2-5 Yrs	District 7	Fencing	Damaged	Replace Fencing - Wood - Up to 6' (H)	\$8,772
44	660	Fire Stations	4.66%	Fire Station #10	Site Lighting	Necessary- 2-5 Yrs	District 7	Site Lighting	Damaged	Replace Walkway Bollard Light Fixture	\$10,096
44	661	Fire Stations	4.66%	Fire Station #10	Wall Finishes	Necessary- 2-5 Yrs	District 7	Wall Finishes	Failing	Repaint wall	\$27,618
44	662	Fire Stations	4.66%	Fire Station #10	Roof Construction	Necessary- 2-5 Yrs	District 7	Roof Construction	Failing	Prepare and Paint Concrete Eaves and Fascia	\$39,541
44	663	Fire Stations	4.66%	Fire Station #10	Vehicle Exhaust Systems	Necessary- 2-5 Yrs	District 7	Vehicle Exhaust System	Beyond Expected Life	Replace Vehicle Exhaust System - Diesel - 1 Bay	\$39,657
44	664	Fire Stations	4.66%	Fire Station #10	Landscaping	Necessary- 2-5 Yrs	District 7	Landscaping	Failing	Perform landscaping maintenance	\$52,889
45	665	Police Department	4.58%	Police Station Mid-City	Exterior Walls	Necessary- 2-5 Yrs	District 3	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
45	665	Police Department	4.58%	Police Station Mid-City	Exterior Walls	Necessary- 2-5 Yrs	District 3	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
45	665	Police Department	4.58%	Police Station Mid-City	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Failing	Repaint Exterior Block Wall	\$4,224
45	665	Police Department	4.58%	Police Station Mid-City	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Failing	Prepare and Paint Exterior Metal Trim	\$17,524
45	665	Police Department	4.58%	Police Station Mid-City	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Failing	Prepare and Paint Exterior Metal Trim	\$15,067
45	666	Police Department	4.58%	Police Station Mid-City	Exterior Doors	Potentially Critical-12 months	District 3	Exterior Doors	Damaged	Replace Weatherstripping	\$1,728
45	666	Police Department	4.58%	Police Station Mid-City	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Failing	Repaint exterior metal doors	\$2,608
45	666	Police Department	4.58%	Police Station Mid-City	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Damaged	Prepare Paint Overhead Door	\$8,301
45	666	Police Department	4.58%	Police Station Mid-City	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Failing	Repaint exterior metal doors	\$22,171
45	667	Police Department	4.58%	Police Station Mid-City	Communications and Security	Critical / Immediate Need	District 3	Communications/Security	Missing	Install Blank Cover on Security Sys. Component	\$524
45	667	Police Department	4.58%	Police Station Mid-City	Communications and Security	Potentially Critical-12 months	District 3	Communications/Security	Damaged	Replace Conduit; PVC; Up to 1"	\$3,526
45	668	Police Department	4.58%	Police Station Mid-City	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,108
45	668	Police Department	4.58%	Police Station Mid-City	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$31,858
45	669	Police Department	4.58%	Police Station Mid-City	Storm Sewer	Critical / Immediate Need	District 3	Storm Sewer	Failing	Clean out catch basin/drain	\$286
45	670	Police Department	4.58%	Police Station Mid-City	Rain Water Drainage	Necessary- 2-5 Yrs	District 3	Rain Water Drainage	Failing	Prepare and Paint Metal Gutters and Downspouts	\$871
45	670	Police Department	4.58%	Police Station Mid-City	Rain Water Drainage	Necessary- 2-5 Yrs	District 3	Rain Water Drainage	Failing	Prepare and Paint Metal Gutters and Downspouts	\$4,836
45	671	Police Department	4.58%	Police Station Mid-City	Site Development	Necessary- 2-5 Yrs	District 3	Fencing	Failing	Repaint Metal Fence	\$29,797
45	671	Police Department	4.58%	Police Station Mid-City	Site Development	Necessary- 2-5 Yrs	District 3	Site Development	Damaged	Prepare and Paint Pipe Bollard; 4"-6" Dia. to 4' H	\$1,127
45	672	Police Department	4.58%	Police Station Mid-City	Ceiling Finishes	Necessary- 2-5 Yrs	District 3	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$511
45	672	Police Department	4.58%	Police Station Mid-City	Ceiling Finishes	Necessary- 2-5 Yrs	District 3	Ceiling Finishes	Failing	Repaint drywall/plaster ceiling	\$36,592
45	673	Police Department	4.58%	Police Station Mid-City	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Failing	Seal stone floor	\$5,840
45	673	Police Department	4.58%	Police Station Mid-City	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Failing	Replace Carpet	\$162,100
45	674	Police Department	4.58%	Police Station Mid-City	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Failing	Repaint wall	\$190,159
45	674	Police Department	4.58%	Police Station Mid-City	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Failing	Repaint wall	\$2,485
45	675	Police Department	4.58%	Police Station Mid-City	Roof Openings	Necessary- 2-5 Yrs	District 3	Roof Openings	Damaged	Prepare Paint Roof Hatch; Metal; up to 20 SF	\$2,058
45	676	Police Department	4.58%	Police Station Mid-City	Exterior Windows	Necessary- 2-5 Yrs	District 3	Exterior Windows	Failing	Prepare and Paint Ext. Metal Window; Up To 20 SF	\$7,703
45	677	Police Department	4.58%	Police Station Mid-City	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace Counter Top; Solid Surface	\$14,975
45	678	Police Department	4.58%	Police Station Mid-City	Site Lighting	Necessary- 2-5 Yrs	District 3	Site Lighting	Failing	Prepare Paint Site Lighting; Pole; Steel to 40'	\$31,735
45	679	Police Department	4.58%	Police Station Mid-City	Interior Doors	Necessary- 2-5 Yrs	District 3	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$54,465
45	680	Police Department	4.58%	Police Station Mid-City	Parking Lots	Necessary- 2-5 Yrs	District 3	Parking Lot	Failing	Slurry seal asphalt	\$96,274
45	681	Police Department	4.58%	Police Station Mid-City	Terminal & Package Units	Necessary- 2-5 Yrs	District 3	Terminal and Package Units	Beyond Expected Life	Replace Gas/Electric Pkg. Unit (s)	\$272,789
46	682	Fire Stations	4.56%	Fire Station #36	Exhaust Ventilation Systems Other than Vehicle	Potentially Critical-12 months	District 6	Exhaust Ventilation System	Inadequate	Install or replace kitchen range exhaust hood syst	\$13,972
46	682	Fire Stations	4.56%	Fire Station #36	Exhaust Ventilation Systems Other than Vehicle	Potentially Critical-12 months	District 6	Exhaust Ventilation System	Damaged	Install new exhaust system and controls	\$7,790
46	682	Fire Stations	4.56%	Fire Station #36	Exhaust Ventilation Systems Other than Vehicle	Potentially Critical-12 months	District 6	Exhaust Ventilation System	Inadequate	Install new exhaust system and controls	\$4,168
46	683	Fire Stations	4.56%	Fire Station #36	Site Development	Potentially Critical-12 months	District 6	Other Site Structures	Damaged	Repaint pipe bollards	\$636
46	683	Fire Stations	4.56%	Fire Station #36	Site Development	Potentially Critical-12 months	District 6	Fencing	Damaged	Replace Fencing - Wood - Up to 6' (H)	\$832
46	683	Fire Stations	4.56%	Fire Station #36	Site Development	Potentially Critical-12 months	District 6	Fencing	Damaged	Replace chain link fencing	\$5,312
46	684	Fire Stations	4.56%	Fire Station #36	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$4,385
46	684	Fire Stations	4.56%	Fire Station #36	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Beyond Useful Life	Replace Acoustical Ceiling Tile	\$2,005
46	684	Fire Stations	4.56%	Fire Station #36	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Beyond Useful Life	Replace Acoustical Ceiling Tile	\$3,459
46	685	Fire Stations	4.56%	Fire Station #36	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install or replace GFCI outlets	\$2,561
46	685	Fire Stations	4.56%	Fire Station #36	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Inadequate	Replace 2X4 Fluorescent Fixture Ea.	\$5,104
46	685	Fire Stations	4.56%	Fire Station #36	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Inadequate	Replace 2X4 Fluorescent Fixture - S.F.	\$5,789
46	686	Fire Stations	4.56%	Fire Station #36	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Replace Wood Door/Metal Frame	\$1,076
46	686	Fire Stations	4.56%	Fire Station #36	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$7,757
46	687	Fire Stations	4.56%	Fire Station #36	Fittings	Potentially Critical-12 months	District 6	Fittings	Damaged	Replace Toilet Partition	\$8,662
46	687	Fire Stations	4.56%	Fire Station #36	Fittings	Potentially Critical-12 months	District 6	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
46	688	Fire Stations	4.56%	Fire Station #36	Wall Finishes	Potentially Critical-12 months	District 6	Wall Finishes	Beyond Useful Life	Replace Ceramic Tile	\$27,444

57	822	Police Department	3.74%	South Eastern Substation	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$65,039
58	823	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Floor Finishes	Necessary- 2-5 Yrs	District 5	Floor Finishes	Damaged	Replace Carpet	\$60,204
58	823	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Floor Finishes	Necessary- 2-5 Yrs	District 5	Floor Finishes	Damaged	Replace resilient base moulding	\$4,596
58	823	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Floor Finishes	Necessary- 2-5 Yrs	District 5	Floor Finishes	Failing	Replace Ceramic Tile	\$3,908
58	823	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Floor Finishes	Necessary- 2-5 Yrs	District 5	Floor Finishes	Failing	Replace VCT	\$5,275
58	824	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Ceiling Finishes	Necessary- 2-5 Yrs	District 5	Ceiling Finishes	Failing	Repaint drywall/plaster ceiling	\$3,056
58	824	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Ceiling Finishes	Necessary- 2-5 Yrs	District 5	Ceiling Finishes	Failing	Replace Acoustical Ceiling Tile	\$7,062
58	825	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Wall Finishes	Necessary- 2-5 Yrs	District 5	Wall Finishes	Damaged	Replace Ceramic Tile	\$6,818
58	825	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Wall Finishes	Necessary- 2-5 Yrs	District 5	Wall Finishes	Damaged	Repaint wall	\$11,440
58	826	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Terminal & Package Units	Necessary- 2-5 Yrs	District 5	Terminal and Package Units	Failing	Replace 2 T Gas/Elec rooftop Packaged Unit	\$10,080
58	826	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Terminal & Package Units	Necessary- 2-5 Yrs	District 5	Terminal and Package Units	Failing	Replace Ductwork Pkg Sys/Ton	\$9,933
58	827	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Parking Lots	Necessary- 2-5 Yrs	District 5	Parking Lot	Damaged	Replace Parking Lot - Concrete	\$1,791
58	828	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Domestic Water Distribution	Potentially Critical-12 months	District 5	Water Heaters	Missing	Install or replace insulation on hot water piping	\$647
58	829	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Lighting and Branch Wiring	Potentially Critical-12 months	District 5	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$2,020
58	830	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Exterior Doors	Potentially Critical-12 months	District 5	Exterior Doors	Missing	Install or replace exterior hardware	\$2,538
58	831	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Exhaust Ventilation Systems Other than Vehicle	Potentially Critical-12 months	District 5	Exhaust Ventilation System	Beyond Expected Life	Install new exhaust system and controls	\$5,461
58	832	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Fittings	Necessary- 2-5 Yrs	District 5	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
58	833	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Interior Doors	Necessary- 2-5 Yrs	District 5	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$3,007
58	834	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Plumbing Fixtures	Necessary- 2-5 Yrs	District 5	Plumbing Fixtures	Failing	Replace Vanity Sink, Marble Top	\$6,521
58	835	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Vehicle Exhaust Systems	Necessary- 2-5 Yrs	District 5	Vehicle Exhaust System	Beyond Expected Life	Replace vehicle exhaust system-2 bay	\$10,471
58	836	Fire Stations	3.64%	Fire Station #38 (Mira Mesa)	Exterior Walls	Necessary- 2-5 Yrs	District 5	Exterior Walls	Damaged	Clean, seal and treat Exterior cement surface	\$13,235
59	837	Fire Stations	3.60%	Fire Station #16	Exhaust Ventilation Systems Other than Vehicle	Potentially Critical-12 months	District 1	Exhaust Ventilation System	Failing	Install or replace kitchen range exhaust hood syst	\$10,829
59	837	Fire Stations	3.60%	Fire Station #16	Exhaust Ventilation Systems Other than Vehicle	Potentially Critical-12 months	District 1	Exhaust Ventilation System	Inadequate	Install new exhaust system and controls	\$4,740
59	837	Fire Stations	3.60%	Fire Station #16	Exhaust Ventilation Systems Other than Vehicle	Potentially Critical-12 months	District 1	Exhaust Ventilation System	Inadequate	Install or replace kitchen range exhaust hood syst	\$1,442
59	838	Fire Stations	3.60%	Fire Station #16	Lighting and Branch Wiring	Potentially Critical-12 months	District 1	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$2,919
59	838	Fire Stations	3.60%	Fire Station #16	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 1	Lighting/Branch Wiring	Failing	Replace 2X4 Fluorescent Fixture - S.F.	\$43,935
59	839	Fire Stations	3.60%	Fire Station #16	Terminal & Package Units	Necessary- 2-5 Yrs	District 1	Cooling Generation	Beyond Expected Life	Replace air cooled condensing unit	\$9,606
59	839	Fire Stations	3.60%	Fire Station #16	Terminal & Package Units	Necessary- 2-5 Yrs	District 1	Heat Generation	Beyond Expected Life	Replace gas fired forced air furnace w/ evap. Coi	\$8,766
59	840	Fire Stations	3.60%	Fire Station #16	Floor Finishes	Necessary- 2-5 Yrs	District 1	Floor Finishes	Damaged	Replace Carpet	\$17,742
59	840	Fire Stations	3.60%	Fire Station #16	Floor Finishes	Necessary- 2-5 Yrs	District 1	Floor Finishes	Damaged	Replace VCT	\$4,176
59	841	Fire Stations	3.60%	Fire Station #16	Slab on Grade	Potentially Critical-12 months	District 1	Roadways	Damaged	Repair and fill cracks and spalding.	\$6,306
59	842	Fire Stations	3.60%	Fire Station #16	Site Development	Necessary- 2-5 Yrs	District 1	Other Site Structures	Damaged	Repaint pipe bollards	\$889
59	843	Fire Stations	3.60%	Fire Station #16	Fittings	Necessary- 2-5 Yrs	District 1	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
59	844	Fire Stations	3.60%	Fire Station #16	Ceiling Finishes	Necessary- 2-5 Yrs	District 1	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$4,312
59	845	Fire Stations	3.60%	Fire Station #16	Exterior Walls	Necessary- 2-5 Yrs	District 1	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$4,543
59	846	Fire Stations	3.60%	Fire Station #16	Wall Finishes	Necessary- 2-5 Yrs	District 1	Wall Finishes	Damaged	Repaint wall	\$5,048
59	847	Fire Stations	3.60%	Fire Station #16	Parking Lots	Necessary- 2-5 Yrs	District 1	Parking Lot	Damaged	Replace Parking Lot - Concrete	\$5,973
59	848	Fire Stations	3.60%	Fire Station #16	Interior Doors	Necessary- 2-5 Yrs	District 1	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$7,757
60	849	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Floor Finishes	Necessary- 2-5 Yrs	District 1	Floor Finishes	Damaged	Replace Carpet	\$60,204
60	849	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Floor Finishes	Necessary- 2-5 Yrs	District 1	Floor Finishes	Failing	Replace VCT	\$5,275
60	849	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Floor Finishes	Necessary- 2-5 Yrs	District 1	Floor Finishes	Damaged	Replace resilient base moulding	\$4,596
60	849	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Floor Finishes	Necessary- 2-5 Yrs	District 1	Floor Finishes	Failing	Replace Ceramic Tile	\$5,601
60	850	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Domestic Water Distribution	Necessary- 2-5 Yrs	District 1	Domestic Water Distribution	Failing	Replace Copper Water Pipe <2 in	\$939
60	850	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Domestic Water Distribution	Potentially Critical-12 months	District 1	Water Heaters	Missing	Install or replace insulation on hot water piping	\$647
60	851	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Wall Finishes	Necessary- 2-5 Yrs	District 1	Wall Finishes	Damaged	Replace Ceramic Tile	\$12,422
60	851	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Wall Finishes	Necessary- 2-5 Yrs	District 1	Wall Finishes	Damaged	Repaint wall	\$25,529
60	852	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Ceiling Finishes	Necessary- 2-5 Yrs	District 1	Ceiling Finishes	Failing	Replace Acoustical Ceiling Tile	\$9,886
60	852	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Ceiling Finishes	Necessary- 2-5 Yrs	District 1	Ceiling Finishes	Failing	Repaint drywall/plaster ceiling	\$4,278
60	853	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Terminal & Package Units	Potentially Critical-12 months	District 1	Ductwork	Failing	Clean, Sanitize and Balance Air Distribution SYS	\$2,320
60	854	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Lighting and Branch Wiring	Potentially Critical-12 months	District 1	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$2,320
60	855	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Exterior Doors	Potentially Critical-12 months	District 1	Exterior Doors	Missing	Install or replace exterior hardware	\$3,807
60	856	Fire Stations	3.47%	Fire Station #40 -Penasquitos	Exhaust Ventilation Systems Other than Vehicle	Potentially Critical-12 months	District 1	Exhaust Ventilation System	Beyond Expected Life	Install new exhaust system and controls	\$5,461

110	1533	Libraries	2.71%	Urban Village Park Perf. Annex	Pedestrian Paving	Necessary- 2-5 Yrs	District 3	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$889
110	1534	Libraries	2.71%	Urban Village Park Perf. Annex	Ceiling Finishes	Necessary- 2-5 Yrs	District 3	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$976
110	1535	Libraries	2.71%	Urban Village Park Perf. Annex	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Damaged	Repaint Exterior Block Wall	\$9,707
110	1536	Libraries	2.71%	Urban Village Park Perf. Annex	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Damaged	Repaint wall	\$25,238
110	1537	Libraries	2.71%	Urban Village Park Perf. Annex	Communications and Security	Necessary- 2-5 Yrs	District 3	Communications/Security	Beyond Expected Life	Replace Fire Alarm System/ASSY for 50 devices	\$67,298
110	1538	Libraries	2.71%	Urban Village Park Perf. Annex	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Damaged	Replace Carpet	\$279,758
111	1539	Libraries	2.41%	Scripps Miramar Ranch Library	Terminal & Package Units	Potentially Critical-12 months	District 5	Terminal and Package Units	Missing	Install or replace DX split ductless system	\$12,946
111	1539	Libraries	2.41%	Scripps Miramar Ranch Library	Terminal & Package Units	Potentially Critical-12 months	District 5	Ductwork	Inadequate	Clean, Sanitize and Balance Air Distribution SYS	\$20,869
111	1539	Libraries	2.41%	Scripps Miramar Ranch Library	Terminal & Package Units	Potentially Critical-12 months	District 5	Terminal and Package Units	Missing	Install or replace DX split ductless system	\$6,144
111	1540	Libraries	2.41%	Scripps Miramar Ranch Library	Electrical Service/Distribution	Critical / Immediate Need	District 5	Electrical Service/Distribution	Inadequate	Remove unauthorized storage	\$1,923
111	1540	Libraries	2.41%	Scripps Miramar Ranch Library	Electrical Service/Distribution	Potentially Critical-12 months	District 5	Exhaust Ventilation System	Missing	Install new exhaust system and controls	\$3,895
111	1541	Libraries	2.41%	Scripps Miramar Ranch Library	Site Development	Necessary- 2-5 Yrs	District 5	Pedestrian Paving	Damaged	Patch concrete	\$1,290
111	1541	Libraries	2.41%	Scripps Miramar Ranch Library	Site Development	Necessary- 2-5 Yrs	District 5	Fencing	Damaged	Repaint Metal Fence	\$1,694
111	1541	Libraries	2.41%	Scripps Miramar Ranch Library	Site Development	Necessary- 2-5 Yrs	District 5	Stairs	Damaged	Paint stairs	\$1,192
111	1542	Libraries	2.41%	Scripps Miramar Ranch Library	Exterior Doors	Potentially Critical-12 months	District 5	Exterior Doors	Damaged	Install or replace exterior hardware	\$794
111	1542	Libraries	2.41%	Scripps Miramar Ranch Library	Exterior Doors	Necessary- 2-5 Yrs	District 5	Exterior Doors	Damaged	Repaint exterior metal doors	\$15,464
111	1543	Libraries	2.41%	Scripps Miramar Ranch Library	Electrical Distribution	Critical / Immediate Need	District 5	Electrical Service/Distribution	Inadequate	Remove unauthorized storage	\$1,923
111	1544	Libraries	2.41%	Scripps Miramar Ranch Library	Other Electrical Systems	Critical / Immediate Need	District 5	Other Electrical Systems	Missing	Install or replace emergency and/or exit lights	\$3,254
111	1545	Libraries	2.41%	Scripps Miramar Ranch Library	Pedestrian Paving	Necessary- 2-5 Yrs	District 5	Pedestrian Paving	Damaged	Replace decomposed granite	\$1,158
111	1545	Libraries	2.41%	Scripps Miramar Ranch Library	Pedestrian Paving	Necessary- 2-5 Yrs	District 5	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$3,218
111	1546	Libraries	2.41%	Scripps Miramar Ranch Library	Interior Doors	Necessary- 2-5 Yrs	District 5	Interior Doors	Damaged	Replace door hardware	\$1,214
111	1546	Libraries	2.41%	Scripps Miramar Ranch Library	Interior Doors	Necessary- 2-5 Yrs	District 5	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$5,028
111	1547	Libraries	2.41%	Scripps Miramar Ranch Library	Lighting and Branch Wiring	Potentially Critical-12 months	District 5	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$20,869
111	1548	Libraries	2.41%	Scripps Miramar Ranch Library	Parking Lots	Necessary- 2-5 Yrs	District 5	Parking Lot	Damaged	Replace Parking Lot - Asphalt	\$1,801
111	1549	Libraries	2.41%	Scripps Miramar Ranch Library	Fittings	Necessary- 2-5 Yrs	District 5	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
111	1550	Libraries	2.41%	Scripps Miramar Ranch Library	Exhaust Fans	Necessary- 2-5 Yrs	District 5	Exhaust Ventilation System	Missing	Install or replace kitchen range exhaust hood syst	\$10,829
111	1551	Libraries	2.41%	Scripps Miramar Ranch Library	Wall Finishes	Necessary- 2-5 Yrs	District 5	Wall Finishes	Damaged	Repaint wall	\$23,432
111	1552	Libraries	2.41%	Scripps Miramar Ranch Library	Ceiling Finishes	Necessary- 2-5 Yrs	District 5	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$28,142
111	1553	Libraries	2.41%	Scripps Miramar Ranch Library	Exterior Walls	Necessary- 2-5 Yrs	District 5	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$35,693
111	1554	Libraries	2.41%	Scripps Miramar Ranch Library	Floor Finishes	Necessary- 2-5 Yrs	District 5	Floor Finishes	Damaged	Replace Carpet	\$300,498
112	1555	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Site Development	Necessary- 2-5 Yrs	District 4	Other Site Structures	Damaged	Repaint pipe bollards	\$592
112	1555	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Site Development	Necessary- 2-5 Yrs	District 4	Other Site Structures	Damaged	Repaint miscellaneous site structures	\$573
112	1556	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$9,919
112	1556	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Replace Stucco Wall	\$5,145
112	1557	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Landscaping	Necessary- 2-5 Yrs	District 4	Landscaping	Damaged	Re-grade Site	\$42,004
112	1557	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Landscaping	Necessary- 2-5 Yrs	District 4	Landscaping	Damaged	Perform landscaping maintenance	\$4,809
112	1558	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$2,354
112	1558	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace Carpet	\$391,661
112	1559	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Terminal & Package Units	Potentially Critical-12 months	District 4	Ductwork	Inadequate	Clean, Sanitize and Balance Air Distribution SYS	\$19,234
112	1560	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$25,320
112	1561	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Pedestrian Paving	Necessary- 2-5 Yrs	District 4	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$3,190
112	1562	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Interior Doors	Necessary- 2-5 Yrs	District 4	Interior Doors	Damaged	Repair Interior Metal Door Frames	\$4,648
112	1563	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Site Lighting	Potentially Critical-12 months	District 4	Site Lighting	Inadequate	Engineering study to determine scope of work	\$23,078
112	1564	Libraries	2.36%	Malcolm X, & R.E.A.D. San Die	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Repaint wall	\$108,718
113	1565	Libraries	2.23%	Oak Park	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$5,219
113	1565	Libraries	2.23%	Oak Park	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Damaged	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$9,943
113	1566	Libraries	2.23%	Oak Park	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$1,103
113	1566	Libraries	2.23%	Oak Park	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$303
113	1567	Libraries	2.23%	Oak Park	Domestic Water Distribution	Potentially Critical-12 months	District 4	Water Heaters	Missing	Install or replace insulation on hot water piping	\$310
113	1568	Libraries	2.23%	Oak Park	Terminal & Package Units	Potentially Critical-12 months	District 4	Ductwork	Inadequate	Clean, Sanitize and Balance Air Distribution SYS	\$5,219
113	1569	Libraries	2.23%	Oak Park	Site Lighting	Potentially Critical-12 months	District 4	Site Lighting	Failing	Install/Replace site lighting-Lite Pole	\$14,169
113	1570	Libraries	2.23%	Oak Park	Pedestrian Paving	Necessary- 2-5 Yrs	District 4	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$2,279
113	1571	Libraries	2.23%	Oak Park	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$2,908

113	1572	Libraries	2.23%	Oak Park	Parking Lots	Necessary- 2-5 Yrs	District 4	Parking Lot	Damaged	Slurry seal asphalt	\$7,628
113	1573	Libraries	2.23%	Oak Park	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Replace Ceramic Tile	\$7,800
113	1574	Libraries	2.23%	Oak Park	Exterior Windows	Necessary- 2-5 Yrs	District 4	Exterior Windows	Damaged	Replace Aluminium Windows	\$9,256
113	1575	Libraries	2.23%	Oak Park	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Steel Doors	\$14,805
113	1576	Libraries	2.23%	Oak Park	Fixed Furnishings	Necessary- 2-5 Yrs	District 4	Fixed Furnishing	Damaged	Replace Fixed Casework Base / Wall Cabinets	\$18,134
114	1577	Libraries	2.19%	Rancho Bernardo Library	Pedestrian Paving	Necessary- 2-5 Yrs	District 5	Parking Lot	Damaged	Replace Parking Lot - Concrete	\$4,148
114	1577	Libraries	2.19%	Rancho Bernardo Library	Pedestrian Paving	Necessary- 2-5 Yrs	District 5	Floor Finishes	Failing	Minor Repairs to Concrete Floor	\$752
114	1577	Libraries	2.19%	Rancho Bernardo Library	Pedestrian Paving	Necessary- 2-5 Yrs	District 5	Stairs	Failing	Paint stairs	\$2,119
114	1577	Libraries	2.19%	Rancho Bernardo Library	Pedestrian Paving	Necessary- 2-5 Yrs	District 5	Parking Lot	Failing	Replace expansion joint filler	\$1,005
114	1578	Libraries	2.19%	Rancho Bernardo Library	Ceiling Finishes	Necessary- 2-5 Yrs	District 5	Ceiling Finishes	Damaged	Replace Drywall Ceiling	\$673
114	1578	Libraries	2.19%	Rancho Bernardo Library	Ceiling Finishes	Necessary- 2-5 Yrs	District 5	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$1,597
114	1578	Libraries	2.19%	Rancho Bernardo Library	Ceiling Finishes	Necessary- 2-5 Yrs	District 5	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$2,165
114	1579	Libraries	2.19%	Rancho Bernardo Library	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 5	Lighting/Branch Wiring	Inadequate	Replace 2X4 Fluorescent Fixture - S.F.	\$10,854
114	1579	Libraries	2.19%	Rancho Bernardo Library	Lighting and Branch Wiring	Potentially Critical-12 months	District 5	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$22,119
114	1580	Libraries	2.19%	Rancho Bernardo Library	Fixed Furnishings	Necessary- 2-5 Yrs	District 5	Fixed Furnishing	Damaged	Repair or replace laminate	\$9,905
114	1580	Libraries	2.19%	Rancho Bernardo Library	Fixed Furnishings	Necessary- 2-5 Yrs	District 5	Fixed Furnishing	Damaged	Replace Bathroom Sink Cabinet	\$1,077
114	1581	Libraries	2.19%	Rancho Bernardo Library	Floor Finishes	Necessary- 2-5 Yrs	District 5	Floor Finishes	Damaged	Replace VCT	\$5,950
114	1581	Libraries	2.19%	Rancho Bernardo Library	Floor Finishes	Necessary- 2-5 Yrs	District 5	Floor Finishes	Failing	Replace Carpet	\$370,142
114	1582	Libraries	2.19%	Rancho Bernardo Library	Sprinklers	Potentially Critical-12 months	District 5	Fire Suppression	Inadequate	Install or replace wet fire suppression system	\$2,424
114	1583	Libraries	2.19%	Rancho Bernardo Library	Exhaust Fans	Potentially Critical-12 months	District 5	Exhaust Ventilation System	Missing	Install or replace kitchen range exhaust hood syst	\$11,577
114	1584	Libraries	2.19%	Rancho Bernardo Library	Terminal & Package Units	Potentially Critical-12 months	District 5	Ductwork	Inadequate	Clean, Sanitize and Balance Air Distribution SYS	\$22,119
114	1585	Libraries	2.19%	Rancho Bernardo Library	Storm Sewer	Necessary- 2-5 Yrs	District 5	Rain Water Drainage	Failing	Replace Area Drain and Piping	\$10,251
114	1586	Libraries	2.19%	Rancho Bernardo Library	Site Development	Necessary- 2-5 Yrs	District 5	Parking Lot	Failing	Repaint or restripe Parking Lot/	\$1,173
114	1587	Libraries	2.19%	Rancho Bernardo Library	Domestic Water Distribution	Necessary- 2-5 Yrs	District 5	Water Heaters	Beyond Expected Life	Remove and replace domestic water heater, electric	\$2,880
114	1588	Libraries	2.19%	Rancho Bernardo Library	Exterior Doors	Necessary- 2-5 Yrs	District 5	Exterior Doors	Damaged	Repaint exterior metal doors	\$4,412
114	1589	Libraries	2.19%	Rancho Bernardo Library	Exterior Walls	Necessary- 2-5 Yrs	District 5	Exterior Walls	Damaged	Prepare Paint Exterior Walls up to 3 Floors	\$7,774
114	1590	Libraries	2.19%	Rancho Bernardo Library	Interior Doors	Necessary- 2-5 Yrs	District 5	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$12,122
114	1591	Libraries	2.19%	Rancho Bernardo Library	Wall Finishes	Necessary- 2-5 Yrs	District 5	Wall Finishes	Failing	Repaint wall	\$42,749
114	1592	Libraries	2.19%	Rancho Bernardo Library	Communications and Security	Necessary- 2-5 Yrs	District 5	Communications/Security	Beyond Expected Life	Replace Fire Alarm System/ASSY for 50 devices	\$67,298
115	1593	Libraries	2.02%	Earl & Birdie Taylor Library	Electrical Service/Distribution	Critical / Immediate Need	District 2	Electrical Service/Distribution	Inadequate	Remove unauthorized storage	\$1,923
115	1594	Libraries	2.02%	Earl & Birdie Taylor Library	Interior Doors	Necessary- 2-5 Yrs	District 2	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$5,866
115	1594	Libraries	2.02%	Earl & Birdie Taylor Library	Interior Doors	Necessary- 2-5 Yrs	District 2	Interior Doors	Failing	Replace door hardware	\$2,427
115	1595	Libraries	2.02%	Earl & Birdie Taylor Library	Fittings	Necessary- 2-5 Yrs	District 2	Fittings	Damaged	Replace Toilet Partition	\$6,214
115	1595	Libraries	2.02%	Earl & Birdie Taylor Library	Fittings	Necessary- 2-5 Yrs	District 2	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
115	1596	Libraries	2.02%	Earl & Birdie Taylor Library	Ceiling Finishes	Necessary- 2-5 Yrs	District 2	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$27,436
115	1596	Libraries	2.02%	Earl & Birdie Taylor Library	Ceiling Finishes	Necessary- 2-5 Yrs	District 2	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$1,054
115	1597	Libraries	2.02%	Earl & Birdie Taylor Library	Sprinklers	Potentially Critical-12 months	District 2	Fire Suppression	Missing	Install protective security barrier for fire riser	\$699
115	1598	Libraries	2.02%	Earl & Birdie Taylor Library	Pedestrian Paving	Necessary- 2-5 Yrs	District 2	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$3,216
115	1599	Libraries	2.02%	Earl & Birdie Taylor Library	Fixed Furnishings	Necessary- 2-5 Yrs	District 2	Fixed Furnishing	Damaged	Repair or replace laminate	\$1,828
115	1600	Libraries	2.02%	Earl & Birdie Taylor Library	Site Development	Necessary- 2-5 Yrs	District 2	Fencing	Damaged	Repaint Metal Fence	\$2,107
115	1601	Libraries	2.02%	Earl & Birdie Taylor Library	Exterior Windows	Necessary- 2-5 Yrs	District 2	Exterior Windows	Damaged	Replace Aluminium Windows	\$2,853
115	1602	Libraries	2.02%	Earl & Birdie Taylor Library	Exterior Doors	Necessary- 2-5 Yrs	District 2	Exterior Doors	Damaged	Repaint exterior metal doors	\$4,412
115	1603	Libraries	2.02%	Earl & Birdie Taylor Library	Exhaust Fans	Necessary- 2-5 Yrs	District 2	Exhaust Ventilation System	Inadequate	Install or replace kitchen range exhaust hood syst	\$11,577
115	1604	Libraries	2.02%	Earl & Birdie Taylor Library	Exterior Walls	Necessary- 2-5 Yrs	District 2	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$18,467
115	1605	Libraries	2.02%	Earl & Birdie Taylor Library	Wall Finishes	Necessary- 2-5 Yrs	District 2	Wall Finishes	Damaged	Repaint wall	\$19,413
115	1606	Libraries	2.02%	Earl & Birdie Taylor Library	Floor Finishes	Necessary- 2-5 Yrs	District 2	Floor Finishes	Damaged	Replace Carpet	\$188,120
116	1608	Comfort Stations	51.88%	#000510	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Beyond Useful Life	Replace Receptacle 20A 120V ASSY/S.F.	\$4,531
116	1608	Comfort Stations	51.88%	#000510	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Beyond Useful Life	Install or replace exterior lighting	\$1,870
116	1608	Comfort Stations	51.88%	#000510	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Damaged	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$7,456
116	1608	Comfort Stations	51.88%	#000510	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$647
116	1609	Comfort Stations	51.88%	#000510	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Beyond Useful Life	Replace Restroom Accessories	\$4,541
116	1609	Comfort Stations	51.88%	#000510	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
116	1609	Comfort Stations	51.88%	#000510	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Beyond Useful Life	Replace Toilet Partition	\$10,991
116	1610	Comfort Stations	51.88%	#000510	Plumbing Fixtures	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$16,255

119	1642	OF- Field Office - Engineering	1.25%	Eng. & Dev. Lab. Matl. Test	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$9,309
119	1642	OF- Field Office - Engineering	1.25%	Eng. & Dev. Lab. Matl. Test	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Replace door hardware	\$2,427
119	1643	OF- Field Office - Engineering	1.25%	Eng. & Dev. Lab. Matl. Test	Terminal & Package Units	Potentially Critical-12 months	District 6	Other Plumbing Systems	Missing	Install or replace flexible fuel connection	\$510
119	1644	OF- Field Office - Engineering	1.25%	Eng. & Dev. Lab. Matl. Test	Other Electrical Systems	Potentially Critical-12 months	District 6	Other Electrical Systems	Missing	Install or replace emergency and/or exit lights	\$8,949
119	1645	OF- Field Office - Engineering	1.25%	Eng. & Dev. Lab. Matl. Test	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$6,641
119	1646	OF- Field Office - Engineering	1.25%	Eng. & Dev. Lab. Matl. Test	Roof Coverings	Potentially Critical-12 months	District 6	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$8,062
119	1647	OF- Field Office - Engineering	1.25%	Eng. & Dev. Lab. Matl. Test	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Repaint exterior metal doors	\$24,704
119	1648	OF- Field Office - Engineering	1.25%	Eng. & Dev. Lab. Matl. Test	Domestic Water Distribution	Potentially Critical-12 months	District 6	Sanitary Waste	Missing	Install or replace interceptor(clay trap).	\$28,247
119	1649	OF- Field Office - Engineering	1.25%	Eng. & Dev. Lab. Matl. Test	Wall Finishes	Potentially Critical-12 months	District 6	Wall Finishes	Damaged	Repaint wall	\$35,131
120	1650	Libraries	1.13%	Otay Mesa	Other Electrical Systems	Critical / Immediate Need	District 8	Other Electrical Systems	Failing	Replace 5-KVA Emergency Power Supply-Inverter	\$21,491
120	1651	Libraries	1.13%	Otay Mesa	Exterior Walls	Necessary- 2-5 Yrs	District 8	Exterior Walls	Damaged	Repaint Wood Trellis	\$2,334
120	1651	Libraries	1.13%	Otay Mesa	Exterior Walls	Necessary- 2-5 Yrs	District 8	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$11,199
120	1652	Libraries	1.13%	Otay Mesa	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace VCT	\$6,384
120	1652	Libraries	1.13%	Otay Mesa	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace Carpet	\$55,952
120	1653	Libraries	1.13%	Otay Mesa	Lighting and Branch Wiring	Potentially Critical-12 months	District 8	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$4,809
120	1654	Libraries	1.13%	Otay Mesa	Terminal & Package Units	Potentially Critical-12 months	District 8	Ductwork	Inadequate	Clean, Sanitize and Balance Air Distribution SYS	\$9,265
120	1655	Libraries	1.13%	Otay Mesa	Interior Doors	Necessary- 2-5 Yrs	District 8	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$2,047
120	1656	Libraries	1.13%	Otay Mesa	Site Lighting	Necessary- 2-5 Yrs	District 8	Site Lighting	Failing	Replace in-ground HID light fixture	\$17,642
120	1657	Libraries	1.13%	Otay Mesa	Ceiling Finishes	Necessary- 2-5 Yrs	District 8	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$26,780
121	1658	Libraries	1.09%	Linda Vista (New)	Lighting and Branch Wiring	Critical / Immediate Need	District 6	Lighting/Branch Wiring	Damaged	Replace exit light fixtures	\$530
121	1658	Libraries	1.09%	Linda Vista (New)	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$9,852
121	1659	Libraries	1.09%	Linda Vista (New)	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$11,999
121	1659	Libraries	1.09%	Linda Vista (New)	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Damaged	Clean, seal and treat Exterior cement surface	\$3,788
121	1660	Libraries	1.09%	Linda Vista (New)	Domestic Water Distribution	Potentially Critical-12 months	District 6	Water Heaters	Missing	Install or replace insulation on hot water piping	\$1,035
121	1661	Libraries	1.09%	Linda Vista (New)	Site Development	Potentially Critical-12 months	District 6	Other Site Structures	Damaged	Repaint miscellaneous site structures	\$1,428
121	1662	Libraries	1.09%	Linda Vista (New)	Exhaust Fans	Potentially Critical-12 months	District 6	Ventilation and Exhaust	Missing	Add/replace fractional HP exhaust fans;incl. duct	\$2,706
121	1663	Libraries	1.09%	Linda Vista (New)	Fittings	Potentially Critical-12 months	District 6	Fittings	Damaged	Replace Toilet Partition	\$6,497
121	1664	Libraries	1.09%	Linda Vista (New)	Pedestrian Paving	Potentially Critical-12 months	District 6	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$7,014
121	1665	Libraries	1.09%	Linda Vista (New)	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$17,149
121	1666	Libraries	1.09%	Linda Vista (New)	Wall Finishes	Potentially Critical-12 months	District 6	Wall Finishes	Damaged	Repaint wall	\$23,297
122	1667	Comfort Stations	50.94%	#000541	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 2	Lighting/Branch Wiring	Beyond Useful Life	Replace Receptacle, 20A 120V ASSY/Ea.	\$3,781
122	1667	Comfort Stations	50.94%	#000541	Lighting and Branch Wiring	Potentially Critical-12 months	District 2	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$693
122	1668	Comfort Stations	50.94%	#000541	Plumbing Fixtures	Necessary- 2-5 Yrs	District 2	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$16,255
122	1668	Comfort Stations	50.94%	#000541	Plumbing Fixtures	Necessary- 2-5 Yrs	District 2	Plumbing Fixtures	Beyond Useful Life	Replace Stainless Steel Plumbing Fixtures	\$15,420
122	1669	Comfort Stations	50.94%	#000541	Exterior Walls	Necessary- 2-5 Yrs	District 2	Exterior Walls	Damaged	Replace CMU Block Wall	\$60,972
122	1669	Comfort Stations	50.94%	#000541	Exterior Walls	Necessary- 2-5 Yrs	District 2	Exterior Walls	Beyond Useful Life	Repaint Exterior Block Wall	\$5,352
122	1670	Comfort Stations	50.94%	#000541	Fittings	Necessary- 2-5 Yrs	District 2	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
122	1671	Comfort Stations	50.94%	#000541	Water Supply	Necessary- 2-5 Yrs	District 2	Water Supply	Beyond Useful Life	Replace domestic water service	\$3,433
122	1672	Comfort Stations	50.94%	#000541	Floor Finishes	Necessary- 2-5 Yrs	District 2	Floor Finishes	Beyond Useful Life	Re-paint or Re-Stain Concrete	\$4,374
122	1673	Comfort Stations	50.94%	#000541	Wall Finishes	Necessary- 2-5 Yrs	District 2	Wall Finishes	Beyond Useful Life	Repaint wall	\$5,358
122	1674	Comfort Stations	50.94%	#000541	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 2	Electrical Service/Distribution	Beyond Useful Life	Replace electric service entrance -200 Amp	\$7,786
122	1675	Comfort Stations	50.94%	#000541	Sanitary Sewer	Necessary- 2-5 Yrs	District 2	Sanitary Sewer	Beyond Useful Life	Replace sanitary sewer service	\$12,266
122	1676	Comfort Stations	50.94%	#000541	Roof Construction	Necessary- 2-5 Yrs	District 2	Roof Construction	Beyond Useful Life	Replace Wood Rafters and Deck	\$64,056
123	1678	Libraries	0.41%	Mission Valley	Terminal & Package Units	Potentially Critical-12 months	District 6	Ductwork	Damaged	Clean, Sanitize and Balance Air Distribution SYS	\$18,917
123	1678	Libraries	0.41%	Mission Valley	Terminal & Package Units	Potentially Critical-12 months	District 6	Terminal and Package Units	Inadequate	Install or replace Energy Management System (BAS)	\$63,345
123	1679	Libraries	0.41%	Mission Valley	Plumbing Fixtures	Potentially Critical-12 months	District 6	Other Plumbing Systems	Failing	Clean out sump plumbing and pump for fountain	\$1,769
123	1680	Libraries	0.41%	Mission Valley	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Replace Aluminium Doors	\$11,606
124	1681	Libraries	0.34%	College Rolando Library	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$1,595
124	1681	Libraries	0.34%	College Rolando Library	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Construction	Damaged	Reslope floor to floor slope to floor drain	\$4,977

124	1682	Libraries	0.34%	College Rolando Library	Domestic Water Distribution	Potentially Critical-12 months	District 7	Water Heaters	Missing	Install or replace insulation on hot water piping	\$518
124	1683	Libraries	0.34%	College Rolando Library	Terminal & Package Units	Potentially Critical-12 months	District 7	Ductwork	Failing	Install or replace thermal insulation of ductwork	\$38,325
124	1684	Libraries	0.34%	College Rolando Library	Wall Finishes	Necessary- 2-5 Yrs	District 7	Wall Finishes	Damaged	Repaint wall	\$2,366
124	1685	Libraries	0.34%	College Rolando Library	Fittings	Necessary- 2-5 Yrs	District 7	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
124	1686	Libraries	0.34%	College Rolando Library	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 7	Lighting/Branch Wiring	Inadequate	Replace 2X4 Fluorescent Fixture Ea	\$3,423
124	1687	Libraries	0.34%	College Rolando Library	Pedestrian Paving	Necessary- 2-5 Yrs	District 7	Pedestrian Paving	Damaged	Patch concrete	\$3,582
125	1688	Libraries	0.28%	Florence Riford / La Jolla	Electrical Service/Distribution	Critical / Immediate Need	District 1	Electrical Service/Distribution	Inadequate	Remove unauthorized storage	\$962
125	1689	Libraries	0.28%	Florence Riford / La Jolla	Interior Doors	Necessary- 2-5 Yrs	District 1	Interior Doors	Damaged	Replace door hardware	\$2,427
125	1689	Libraries	0.28%	Florence Riford / La Jolla	Interior Doors	Necessary- 2-5 Yrs	District 1	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$2,513
125	1690	Libraries	0.28%	Florence Riford / La Jolla	Parking Lots	Necessary- 2-5 Yrs	District 1	Parking Lot	Missing	Repaint or restripe Parking Lot/	\$1,294
125	1690	Libraries	0.28%	Florence Riford / La Jolla	Parking Lots	Necessary- 2-5 Yrs	District 1	Parking Lot	Damaged	Slurry seal asphalt	\$4,399
125	1691	Libraries	0.28%	Florence Riford / La Jolla	Exterior Doors	Necessary- 2-5 Yrs	District 1	Exterior Doors	Damaged	Repaint exterior metal doors	\$3,184
125	1691	Libraries	0.28%	Florence Riford / La Jolla	Exterior Doors	Necessary- 2-5 Yrs	District 1	Exterior Doors	Damaged	Replace Steel Doors	\$13,561
125	1692	Libraries	0.28%	Florence Riford / La Jolla	Lighting and Branch Wiring	Potentially Critical-12 months	District 1	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$24,427
125	1693	Libraries	0.28%	Florence Riford / La Jolla	Ceiling Finishes	Necessary- 2-5 Yrs	District 1	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$1,054
125	1694	Libraries	0.28%	Florence Riford / La Jolla	Roof Coverings	Necessary- 2-5 Yrs	District 1	Roof Covering	Damaged	Replace Clay Tiles	\$1,204
125	1695	Libraries	0.28%	Florence Riford / La Jolla	Wall Finishes	Necessary- 2-5 Yrs	District 1	Wall Finishes	Damaged	Repaint wall	\$2,136
125	1696	Libraries	0.28%	Florence Riford / La Jolla	Fittings	Necessary- 2-5 Yrs	District 1	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
125	1697	Libraries	0.28%	Florence Riford / La Jolla	Exterior Windows	Necessary- 2-5 Yrs	District 1	Exterior Windows	Failing	Replace Aluminium Windows	\$2,594
125	1698	Libraries	0.28%	Florence Riford / La Jolla	Pedestrian Paving	Necessary- 2-5 Yrs	District 1	Pedestrian Paving	Missing	Replace Concrete Sidewalks	\$2,649
126	1699	Libraries	0.23%	Point Loma Library	Exterior Walls	Necessary- 2-5 Yrs	District 2	Exterior Walls	Damaged	Replace Decorative Tile	\$913
126	1699	Libraries	0.23%	Point Loma Library	Exterior Walls	Necessary- 2-5 Yrs	District 2	Exterior Walls	Damaged	Paint exposed structural steel	\$7,938
126	1700	Libraries	0.23%	Point Loma Library	Domestic Water Distribution	Potentially Critical-12 months	District 2	Water Heaters	Missing	Install or replace insulation on hot water piping	\$518
126	1701	Libraries	0.23%	Point Loma Library	Site Lighting	Potentially Critical-12 months	District 2	Site Lighting	Failing	Install/Replace site lighting-Lite Pole	\$21,254
126	1702	Libraries	0.23%	Point Loma Library	Wall Finishes	Necessary- 2-5 Yrs	District 2	Wall Finishes	Damaged	Repaint wall	\$2,039
126	1703	Libraries	0.23%	Point Loma Library	Site Development	Necessary- 2-5 Yrs	District 2	Fencing	Damaged	Replace concrete block fencing	\$4,370
126	1704	Libraries	0.23%	Point Loma Library	Pedestrian Paving	Necessary- 2-5 Yrs	District 2	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$8,905
126	1705	Libraries	0.23%	Point Loma Library	Cooling Generating Systems	Necessary- 2-5 Yrs	District 2	Distribution Systems	Inadequate	Replace AHU 3000 CFM	\$14,702
127	1706	Libraries	0.21%	Serra Mesa/Kearny Mesa	Terminal & Package Units	Potentially Critical-12 months	District 6	Other Plumbing Systems	Missing	Install or replace flexible fuel connection	\$1,020
127	1706	Libraries	0.21%	Serra Mesa/Kearny Mesa	Terminal & Package Units	Potentially Critical-12 months	District 6	Ductwork	Damaged	Clean, Sanitize and Balance Air Distribution SYS	\$4,809
127	1706	Libraries	0.21%	Serra Mesa/Kearny Mesa	Terminal & Package Units	Potentially Critical-12 months	District 6	Terminal and Package Units	Missing	Install or replace DX split ductless system	\$12,946
127	1707	Libraries	0.21%	Serra Mesa/Kearny Mesa	Fuel Distribution - Natural Gas	Potentially Critical-12 months	District 6	Fuel Distribution	Missing	Install protective bollards	\$5,102
127	1708	Libraries	0.21%	Serra Mesa/Kearny Mesa	Fittings	Potentially Critical-12 months	District 6	Fittings	Missing	Replace Identifying Devices	\$101
127	1709	Libraries	0.21%	Serra Mesa/Kearny Mesa	Site Development	Potentially Critical-12 months	District 6	Exterior Walls	Damaged	Repaint Exterior Block Wall	\$815
127	1710	Libraries	0.21%	Serra Mesa/Kearny Mesa	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$1,071
127	1711	Libraries	0.21%	Serra Mesa/Kearny Mesa	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Inadequate	Replace 2X4 Fluorescent Fixture Ea	\$2,568
127	1712	Libraries	0.21%	Serra Mesa/Kearny Mesa	Exterior Windows	Potentially Critical-12 months	District 6	Exterior Windows	Damaged	Replace Aluminium Windows	\$4,628
127	1713	Libraries	0.21%	Serra Mesa/Kearny Mesa	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Replace door hardware	\$4,855
128	1714	Comfort Stations	49.18%	#000509	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$382
128	1714	Comfort Stations	49.18%	#000509	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Failing	Replace Receptacle 20A 120V ASSY/S.F.	\$2,676
128	1714	Comfort Stations	49.18%	#000509	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Failing	Replace 1X4 Surface Fluorescent Fixture S.F.	\$8,492
128	1715	Comfort Stations	49.18%	#000509	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Failing	Replace Toilet Parttion	\$19,446
128	1715	Comfort Stations	49.18%	#000509	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Failing	Replace Bathroom Accessories	\$739
128	1715	Comfort Stations	49.18%	#000509	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
128	1716	Comfort Stations	49.18%	#000509	Exterior Doors	Potentially Critical-12 months	District 3	Exterior Doors	Failing	Repaint exterior metal doors	\$2,608
128	1717	Comfort Stations	49.18%	#000509	Ceiling Finishes	Necessary- 2-5 Yrs	District 3	Ceiling Finishes	Failing	Repaint drywall/plaster ceiling	\$1,627
128	1717	Comfort Stations	49.18%	#000509	Ceiling Finishes	Necessary- 2-5 Yrs	District 3	Ceiling Finishes	Beyond Useful Life	Replace Plaster Ceiling	\$24,695
128	1718	Comfort Stations	49.18%	#000509	Plumbing Fixtures	Necessary- 2-5 Yrs	District 3	Plumbing Fixtures	Damaged	Replace Stainless Steel Plumbing Fixtures	\$42,386
128	1718	Comfort Stations	49.18%	#000509	Plumbing Fixtures	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$16,255
128	1719	Comfort Stations	49.18%	#000509	Roof Construction	Necessary- 2-5 Yrs	District 3	Roof Construction	Failing	Replace Roof Fascia	\$1,725
128	1720	Comfort Stations	49.18%	#000509	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$2,412
128	1721	Comfort Stations	49.18%	#000509	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Failing	Repaint wall	\$3,689
128	1722	Comfort Stations	49.18%	#000509	Electrical Distribution	Necessary- 2-5 Yrs	District 3	Electrical Service/Distribution	Beyond Useful Life	Replace electric service entrance -200 Amp	\$5,919
128	1723	Comfort Stations	49.18%	#000509	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 3	Electrical Service/Distribution	Beyond Useful Life	Replace electric service entrance -200 Amp	\$7,709
128	1724	Comfort Stations	49.18%	#000509	Sanitary Sewer	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Useful Life	Replace sanitary sewer service	\$7,862

246	3062	Community Services Centers	9.55%	San Ysidro	Pedestrian Paving	Necessary- 2-5 Yrs	District 8	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$3,625
246	3063	Community Services Centers	9.55%	San Ysidro	Landscaping	Necessary- 2-5 Yrs	District 8	Landscaping	Damaged	Re-grade Site	\$4,345
246	3064	Community Services Centers	9.55%	San Ysidro	Fixed Furnishings	Necessary- 2-5 Yrs	District 8	Fixed Furnishing	Damaged	Replace Fixed Casework Base / Wall Cabinets	\$8,443
246	3065	Community Services Centers	9.55%	San Ysidro	Wall Finishes	Necessary- 2-5 Yrs	District 8	Wall Finishes	Damaged	Repaint wall	\$9,901
246	3066	Community Services Centers	9.55%	San Ysidro	Exterior Doors	Necessary- 2-5 Yrs	District 8	Exterior Doors	Damaged	Replace Wood Doors	\$16,587
246	3067	Community Services Centers	9.55%	San Ysidro	Roof Construction	Necessary- 2-5 Yrs	District 8	Roof Construction	Damaged	Replace Wood Rafters and Deck	\$44,426
246	3068	Community Services Centers	9.55%	San Ysidro	Exterior Windows	Necessary- 2-5 Yrs	District 8	Exterior Windows	Damaged	Replace Aluminium Windows	\$48,393
247	3070	PB - Park Balboa	9.54%	House Of Pac. Rel. Finland	Exterior Doors	Potentially Critical-12 months	District 3	Exterior Doors	Damaged	Remove, Salvage, Restore Ext. Door-Wood Historic	\$4,492
247	3070	PB - Park Balboa	9.54%	House Of Pac. Rel. Finland	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Failing	Repaint Exterior Wood Doors	\$1,753
247	3071	PB - Park Balboa	9.54%	House Of Pac. Rel. Finland	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$418
247	3072	PB - Park Balboa	9.54%	House Of Pac. Rel. Finland	Exterior Windows	Necessary- 2-5 Yrs	District 3	Exterior Windows	Failing	Prepare and Paint Ext. Wood Window up to 4' x 4'	\$2,166
247	3073	PB - Park Balboa	9.54%	House Of Pac. Rel. Finland	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace Facility Number Signage - Cast Aluminum	\$2,567
247	3074	PB - Park Balboa	9.54%	House Of Pac. Rel. Finland	Plumbing Fixtures	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$7,670
247	3075	PB - Park Balboa	9.54%	House Of Pac. Rel. Finland	Sanitary Sewer	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$8,121
248	3076	Recreation Centers	9.35%	North Park Teen Ctr/Game Room	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Damaged	Replace VCT	\$2,440
248	3076	Recreation Centers	9.35%	North Park Teen Ctr/Game Room	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Damaged	Replace Carpet	\$21,488
248	3076	Recreation Centers	9.35%	North Park Teen Ctr/Game Room	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$1,724
248	3077	Recreation Centers	9.35%	North Park Teen Ctr/Game Room	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,418
248	3078	Recreation Centers	9.35%	North Park Teen Ctr/Game Room	Pedestrian Paving	Necessary- 2-5 Yrs	District 3	Pedestrian Paving	Damaged	Patch concrete	\$1,992
248	3079	Recreation Centers	9.35%	North Park Teen Ctr/Game Room	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Damaged	Repaint wall	\$9,707
248	3080	Recreation Centers	9.35%	North Park Teen Ctr/Game Room	Exterior Windows	Necessary- 2-5 Yrs	District 3	Exterior Windows	Damaged	Replace Steel Windows	\$54,432
249	3081	PO - Parks / Recreation	8.96%	Ranger Office Chollas Lake	Exterior Walls	Necessary- 2-5 Yrs	District 3	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
249	3081	PO - Parks / Recreation	8.96%	Ranger Office Chollas Lake	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Failing	Repaint Wood Siding	\$8,471
249	3082	PO - Parks / Recreation	8.96%	Ranger Office Chollas Lake	Exterior Windows	Critical / Immediate Need	District 3	Exterior Windows	Damaged	Replace Window Glass Pane; up to 4 SF	\$805
250	3083	Comfort Stations	8.78%	#000814	Lighting and Branch Wiring	Critical / Immediate Need	District 3	Lighting/Branch Wiring	Missing	Replace Receptacle Covers or Junction Box Covers	\$414
250	3083	Comfort Stations	8.78%	#000814	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$931
250	3084	Comfort Stations	8.78%	#000814	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace mirrors	\$1,346
250	3084	Comfort Stations	8.78%	#000814	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
250	3085	Comfort Stations	8.78%	#000814	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Failing	Repaint exterior metal doors	\$3,913
250	3086	Comfort Stations	8.78%	#000814	Ceiling Finishes	Necessary- 2-5 Yrs	District 3	Ceiling Finishes	Failing	Repaint interior roof structure and deck.	\$9,136
250	3087	Comfort Stations	8.78%	#000814	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Failing	Repaint Exterior Block Wall	\$10,355
250	3088	Comfort Stations	8.78%	#000814	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Failing	Repaint wall	\$11,648
251	3089	Senior Centers	8.76%	Paradise	Lighting and Branch Wiring	Potentially Critical-12 months	District 8	Lighting/Branch Wiring	Damaged	Replace floor box receptacle covers/brass	\$4,054
251	3089	Senior Centers	8.76%	Paradise	Lighting and Branch Wiring	Potentially Critical-12 months	District 8	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$2,405
251	3089	Senior Centers	8.76%	Paradise	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 8	Lighting/Branch Wiring	Inadequate	Replace 1X4 Surface Fluorescent Fixture S.F.	\$53,480
251	3089	Senior Centers	8.76%	Paradise	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 8	Lighting/Branch Wiring	Inadequate	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$3,729
251	3090	Senior Centers	8.76%	Paradise	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace VCT	\$29,247
251	3090	Senior Centers	8.76%	Paradise	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$4,138
251	3090	Senior Centers	8.76%	Paradise	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace Carpet	\$2,600
251	3091	Senior Centers	8.76%	Paradise	Terminal & Package Units	Potentially Critical-12 months	District 8	Terminal and Package Units	Inadequate	Install or replace DX split ductless system	\$32,372
251	3092	Senior Centers	8.76%	Paradise	Pedestrian Paving	Necessary- 2-5 Yrs	District 8	Pedestrian Paving	Damaged	Patch concrete	\$1,779
251	3093	Senior Centers	8.76%	Paradise	Roof Coverings	Necessary- 2-5 Yrs	District 8	Roof Covering	Damaged	Repair and reseal leaky gutter	\$4,434
251	3094	Senior Centers	8.76%	Paradise	Exterior Windows	Necessary- 2-5 Yrs	District 8	Exterior Windows	Damaged	Replace Steel Windows	\$5,131
251	3095	Senior Centers	8.76%	Paradise	Fixed Furnishings	Necessary- 2-5 Yrs	District 8	Fixed Furnishing	Damaged	Replace Fixed Casework Base / Wall Cabinets	\$8,728
251	3096	Senior Centers	8.76%	Paradise	Wall Finishes	Necessary- 2-5 Yrs	District 8	Wall Finishes	Damaged	Repaint wall	\$9,513
251	3097	Senior Centers	8.76%	Paradise	Exterior Doors	Necessary- 2-5 Yrs	District 8	Exterior Doors	Damaged	Replace Wood Doors	\$9,952
251	3098	Senior Centers	8.76%	Paradise	Standard Foundations	Necessary- 2-5 Yrs	District 8	Foundations	Damaged	Conduct Engineering Assessment - Foundation	\$28,849
252	3100	PB - Park Balboa	8.71%	House Of Pac. Rel. Czech	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$800
252	3101	PB - Park Balboa	8.71%	House Of Pac. Rel. Czech	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Damaged	Repaint wall	\$1,553
252	3102	PB - Park Balboa	8.71%	House Of Pac. Rel. Czech	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace Facility Number Signage - Cast Aluminum	\$2,567
252	3103	PB - Park Balboa	8.71%	House Of Pac. Rel. Czech	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Failing	Repaint Exterior Wood Doors	\$2,923

277	3344	PB - Park Balboa	7.00%	House Of Pac. Rel. Denmark	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$537
277	3345	PB - Park Balboa	7.00%	House Of Pac. Rel. Denmark	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
277	3346	PB - Park Balboa	7.00%	House Of Pac. Rel. Denmark	Exterior Windows	Necessary- 2-5 Yrs	District 3	Exterior Windows	Failing	Prepare and Paint Ext. Wood Window up to 4' x 4'	\$2,889
277	3347	PB - Park Balboa	7.00%	House Of Pac. Rel. Denmark	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Failing	Repaint Exterior Wood Doors	\$2,923
277	3348	PB - Park Balboa	7.00%	House Of Pac. Rel. Denmark	Sanitary Sewer	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$8,121
278	3349	Swimming Pools	6.95%	Colina Del Sol	Lighting and Branch Wiring	Potentially Critical-12 months	District 7	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$4,051
278	3349	Swimming Pools	6.95%	Colina Del Sol	Lighting and Branch Wiring	Potentially Critical-12 months	District 7	Other Electrical Systems	Inadequate	Install or replace emergency and/or exit lights	\$2,440
278	3349	Swimming Pools	6.95%	Colina Del Sol	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 7	Lighting/Branch Wiring	Beyond Useful Life	Replace Receptacle 20A 120V ASSY/S.F.	\$28,400
278	3349	Swimming Pools	6.95%	Colina Del Sol	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 7	Site Lighting	Inadequate	Install/Replace HID/HPS 250W exterior wall pack	\$3,435
278	3349	Swimming Pools	6.95%	Colina Del Sol	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 7	Lighting/Branch Wiring	Beyond Useful Life	Replace Wall Switch 20A 120/277V ASSY/Ea.	\$7,034
278	3350	Swimming Pools	6.95%	Colina Del Sol	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Damaged	Replace Carpet	\$12,130
278	3350	Swimming Pools	6.95%	Colina Del Sol	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$4,557
278	3350	Swimming Pools	6.95%	Colina Del Sol	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$2,300
278	3350	Swimming Pools	6.95%	Colina Del Sol	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Damaged	Epoxy floor	\$35,145
278	3350	Swimming Pools	6.95%	Colina Del Sol	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Damaged	Replace VCT	\$3,003
278	3351	Swimming Pools	6.95%	Colina Del Sol	Domestic Water Distribution	Potentially Critical-12 months	District 7	Water Heaters	Missing	Install or replace insulation on hot water piping	\$518
278	3351	Swimming Pools	6.95%	Colina Del Sol	Domestic Water Distribution	Necessary- 2-5 Yrs	District 7	Domestic Water Distribution	Beyond Useful Life	Replace Domestic Water and Sanitary Piping (SF)	\$20,088
278	3352	Swimming Pools	6.95%	Colina Del Sol	Ceiling Finishes	Necessary- 2-5 Yrs	District 7	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$11,224
278	3352	Swimming Pools	6.95%	Colina Del Sol	Ceiling Finishes	Necessary- 2-5 Yrs	District 7	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$1,915
278	3353	Swimming Pools	6.95%	Colina Del Sol	Exhaust Fans	Necessary- 2-5 Yrs	District 7	Ventilation and Exhaust	Inadequate	Add/replace fractional HP exhaust fans;incl. duct	\$5,410
278	3354	Swimming Pools	6.95%	Colina Del Sol	Exterior Walls	Necessary- 2-5 Yrs	District 7	Exterior Walls	Damaged	Repaint Exterior Block Wall	\$7,176
278	3355	Swimming Pools	6.95%	Colina Del Sol	Wall Finishes	Necessary- 2-5 Yrs	District 7	Wall Finishes	Damaged	Repaint wall	\$13,046
278	3356	Swimming Pools	6.95%	Colina Del Sol	Exterior Doors	Necessary- 2-5 Yrs	District 7	Exterior Doors	Damaged	Replace Wood Doors	\$13,269
278	3357	Swimming Pools	6.95%	Colina Del Sol	Site Development	Necessary- 2-5 Yrs	District 7	Fencing	Damaged	Replace Fabric at Fence	\$13,358
278	3358	Swimming Pools	6.95%	Colina Del Sol	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 7	Electrical Service/Distribution	Beyond Useful Life	Replace electric service entrance 400 or 800 Amp	\$14,219
278	3359	Swimming Pools	6.95%	Colina Del Sol	Pool Equipment	Necessary- 2-5 Yrs	District 7	Heat Generation	Beyond Useful Life	Replace Gas/Oil Boiler 1600 MBTU	\$20,839
278	3360	Swimming Pools	6.95%	Colina Del Sol	Plumbing Fixtures	Necessary- 2-5 Yrs	District 7	Plumbing Fixtures	Beyond Useful Life	Replace Plumbing Fixtures	\$23,601
278	3361	Swimming Pools	6.95%	Colina Del Sol	Pedestrian Paving	Necessary- 2-5 Yrs	District 7	Pedestrian Paving	Damaged	Patch concrete	\$162,301
279	3362	PB - Park Balboa	6.84%	House Of Pac. Rel. Israel	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Inadequate	Install circuit label electric outlets and switches	\$647
279	3363	PB - Park Balboa	6.84%	House Of Pac. Rel. Israel	Roof Coverings	Potentially Critical-12 months	District 3	Roof Covering	Inadequate	Remove Debris from Roof	\$1,450
279	3364	PB - Park Balboa	6.84%	House Of Pac. Rel. Israel	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Failing	Repaint Exterior Wood Doors	\$1,753
279	3365	PB - Park Balboa	6.84%	House Of Pac. Rel. Israel	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace Facility Number Signage - Cast Aluminum	\$2,567
279	3366	PB - Park Balboa	6.84%	House Of Pac. Rel. Israel	Exterior Windows	Necessary- 2-5 Yrs	District 3	Exterior Windows	Failing	Prepare and Paint Ext. Wood Window up to 4' x 4'	\$3,611
279	3367	PB - Park Balboa	6.84%	House Of Pac. Rel. Israel	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Damaged	Replace Stucco Wall	\$3,860
279	3368	PB - Park Balboa	6.84%	House Of Pac. Rel. Israel	Plumbing Fixtures	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$7,670
279	3369	PB - Park Balboa	6.84%	House Of Pac. Rel. Israel	Sanitary Sewer	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$8,121
280	3370	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$10,652
280	3370	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Failing	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$14,119
280	3370	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Inadequate	Replace 2X4 Fluorescent Fixture Ea.	\$14,582
280	3370	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Inadequate	Replace Branch Panelboard - 200A	\$10,410
280	3371	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Domestic Water Distribution	Critical / Immediate Need	District 3	Domestic Water Distribution	Missing	Replace Domestic Water and Sanitary Piping (SF)	\$52,827
280	3371	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Domestic Water Distribution	Potentially Critical-12 months	District 3	Water Heaters	Missing	Install or replace insulation on hot water piping	\$588
280	3372	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Roof Openings	Potentially Critical-12 months	District 3	Roof Openings	Missing	Replace Roof Access Door (through wall)	\$2,555
280	3373	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Storm Sewer	Potentially Critical-12 months	District 3	Storm Sewer	Failing	Provide technical study of storm drainage system	\$21,849
280	3374	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Communications and Security	Potentially Critical-12 months	District 3	Other Electrical Systems	Beyond Useful Life	Install or replace emergency and/or exit lights	\$27,824
280	3375	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,916
280	3376	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Damaged	Repaint wall	\$9,042
280	3377	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Interior Doors	Necessary- 2-5 Yrs	District 3	Interior Doors	Damaged	Replace Wood Door/Metal Frame	\$10,999
280	3378	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Terminal & Package Units	Necessary- 2-5 Yrs	District 3	Terminal and Package Units	Inadequate	Replace ST Gas/Elec Pkg Unit, Roof Mount	\$18,606
280	3379	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Damaged	Replace Wood Doors	\$23,149
280	3380	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Fixed Furnishings	Necessary- 2-5 Yrs	District 3	Fixed Furnishing	Damaged	Replace Fixed Casework Base / Wall Cabinets	\$31,323
280	3381	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Damaged	Replace Carpet	\$63,563
280	3382	PB - Park Balboa	6.73%	World Beat, S. Pepper Grove	Roof Coverings	Necessary- 2-5 Yrs	District 3	Roof Covering	Damaged	Replace Built up Roof	\$189,336
281	3383	Recreation Centers	6.70%	South Clairomont	Exhaust Fans	Potentially Critical-12 months	District 6	Exhaust Ventilation System	Inadequate	Install or replace kitchen range exhaust hood syst	\$20,170

295	3496	PB - Park Balboa	5.84%	House Of Pac. Rel. Poland	Lighting and Branch Wiring	Critical / Immediate Need	District 3	Lighting/Branch Wiring	Missing	Replace Receptacle Covers or Junction Box Covers	\$207
295	3496	PB - Park Balboa	5.84%	House Of Pac. Rel. Poland	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Damaged	Replace Wall Switch 20A 120/277V ASSY/Ea.	\$468
295	3496	PB - Park Balboa	5.84%	House Of Pac. Rel. Poland	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$573
295	3497	PB - Park Balboa	5.84%	House Of Pac. Rel. Poland	Fittings	Potentially Critical-12 months	District 3	Fittings	Damaged	Replace Base Cabinet Door Hinge	\$452
295	3497	PB - Park Balboa	5.84%	House Of Pac. Rel. Poland	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace Facility Number Signage - Cast Aluminum	\$2,567
295	3498	PB - Park Balboa	5.84%	House Of Pac. Rel. Poland	Other HVAC Systems - Kitchen Exhaust Fan	Potentially Critical-12 months	District 3	Ventilation and Exhaust	Inadequate	Replace Kitchen Range Hood; Resident; Incl. Duct	\$1,372
295	3499	PB - Park Balboa	5.84%	House Of Pac. Rel. Poland	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Falling	Repaint Exterior Wood Doors	\$584
295	3500	PB - Park Balboa	5.84%	House Of Pac. Rel. Poland	Wall Finishes	Necessary- 2-5 Yrs	District 3	Stairs	Damaged	Repaint Handrails	\$684
295	3501	PB - Park Balboa	5.84%	House Of Pac. Rel. Poland	Plumbing Fixtures	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$7,670
295	3502	PB - Park Balboa	5.84%	House Of Pac. Rel. Poland	Sanitary Sewer	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$8,121
296	3503	Community Services Centers	5.79%	College/Rolando	Electrical Service/Distribution	Critical / Immediate Need	District 7	Electrical Service/Distribution	Inadequate	Remove unauthorized storage	\$962
296	3503	Community Services Centers	5.79%	College/Rolando	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 7	Electrical Service/Distribution	Inadequate	Replace electrical service entrance	\$3,291
296	3504	Community Services Centers	5.79%	College/Rolando	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 7	Lighting/Branch Wiring	Damaged	Install or replace exterior lighting	\$2,338
296	3504	Community Services Centers	5.79%	College/Rolando	Lighting and Branch Wiring	Potentially Critical-12 months	District 7	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,847
296	3505	Community Services Centers	5.79%	College/Rolando	Parking Lots	Necessary- 2-5 Yrs	District 7	Parking Lot	Damaged	Replace Parking Lot - Asphalt	\$1,299
296	3505	Community Services Centers	5.79%	College/Rolando	Parking Lots	Necessary- 2-5 Yrs	District 7	Parking Lot	Damaged	Replace Parking Lot - Concrete	\$3,119
296	3506	Community Services Centers	5.79%	College/Rolando	Pedestrian Paving	Necessary- 2-5 Yrs	District 7	Floor Finishes	Damaged	Epoxy floor	\$959
296	3507	Community Services Centers	5.79%	College/Rolando	Exterior Doors	Necessary- 2-5 Yrs	District 7	Exterior Doors	Damaged	Repaint exterior metal doors	\$1,956
296	3508	Community Services Centers	5.79%	College/Rolando	Fittings	Necessary- 2-5 Yrs	District 7	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
296	3509	Community Services Centers	5.79%	College/Rolando	Exterior Windows	Necessary- 2-5 Yrs	District 7	Exterior Windows	Damaged	Replace Steel Windows	\$28,209
296	3510	Community Services Centers	5.79%	College/Rolando	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Damaged	Replace Carpet	\$30,960
297	3511	Recreation Centers	5.77%	North Clairemont	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install or replace GFCI outlets	\$512
297	3511	Recreation Centers	5.77%	North Clairemont	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Beyond Expected Life	Replace Wall Switch 20A 120/277V ASSY/Ea.	\$9,377
297	3511	Recreation Centers	5.77%	North Clairemont	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$6,732
297	3511	Recreation Centers	5.77%	North Clairemont	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Beyond Expected Life	Replace Receptacle 20A 120V ASSY/S.F.	\$12,136
297	3512	Recreation Centers	5.77%	North Clairemont	Exhaust Fans	Potentially Critical-12 months	District 6	Exhaust Ventilation System	Missing	Install or replace Kln Exhaust System	\$5,528
297	3512	Recreation Centers	5.77%	North Clairemont	Exhaust Fans	Potentially Critical-12 months	District 6	Exhaust Ventilation System	Missing	Install new exhaust system and controls	\$6,182
297	3512	Recreation Centers	5.77%	North Clairemont	Exhaust Fans	Potentially Critical-12 months	District 6	Exhaust Ventilation System	Missing	Install or replace kitchen range exhaust hood syst	\$9,590
297	3513	Recreation Centers	5.77%	North Clairemont	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Replace VCT	\$9,618
297	3513	Recreation Centers	5.77%	North Clairemont	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Refinish wood floor	\$73,854
297	3514	Recreation Centers	5.77%	North Clairemont	Other Electrical Systems	Potentially Critical-12 months	District 6	Other Electrical Systems	Inadequate	Install or replace emergency and/or exit lights	\$4,904
297	3515	Recreation Centers	5.77%	North Clairemont	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Replace Steel Doors	\$699
297	3516	Recreation Centers	5.77%	North Clairemont	Pedestrian Paving	Potentially Critical-12 months	District 6	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$5,381
297	3517	Recreation Centers	5.77%	North Clairemont	Domestic Water Distribution	Potentially Critical-12 months	District 6	Sanitary Waste	Missing	Replace Grease Trap, 25 GPM, 50# Cap	\$6,330
297	3518	Recreation Centers	5.77%	North Clairemont	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Replace door hardware	\$9,471
297	3519	Recreation Centers	5.77%	North Clairemont	Plumbing Fixtures	Potentially Critical-12 months	District 6	Plumbing Fixtures	Damaged	Replace Plumbing Fixtures	\$24,316
297	3520	Recreation Centers	5.77%	North Clairemont	Terminal & Package Units	Potentially Critical-12 months	District 6	Heat Generation	Falling	Install or replace heating equip or system	\$67,995
297	3521	Recreation Centers	5.77%	North Clairemont	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Damaged	Replace Glue on Tile	\$77,480
297	3522	Recreation Centers	5.77%	North Clairemont	Fixed Furnishings	Potentially Critical-12 months	District 6	Fixed Furnishing	Damaged	Replace Fixed Casework Base / Wall Cabinets	\$96,804
297	3523	Recreation Centers	5.77%	North Clairemont	Exterior Windows	Potentially Critical-12 months	District 6	Exterior Windows	Damaged	Replace Steel Windows	\$116,362
298	3524	PB - Park Balboa	5.70%	Veteran's War Memorial	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Damaged	Replace Ceramic Tile	\$4,923
298	3524	PB - Park Balboa	5.70%	Veteran's War Memorial	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Damaged	Repaint wall	\$32,421
298	3524	PB - Park Balboa	5.70%	Veteran's War Memorial	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Damaged	Replace Wall Paneling	\$11,855
298	3525	PB - Park Balboa	5.70%	Veteran's War Memorial	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$11,472
298	3525	PB - Park Balboa	5.70%	Veteran's War Memorial	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Beyond Useful Life	Replace Branch Panelboard - 200A	\$7,526

161	2133	PB - Park Balboa	25.65%	Spanish Village #6 Stds 7-10	Pedestrian Paving	Necessary- 2-5 Yrs	District 3	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$110,039
162	2135	Comfort Stations	25.61%	#001089	Lighting and Branch Wiring	Potentially Critical-12 months	District 2	Lighting/Branch Wiring	Damaged	Install or replace GFCI outlets	\$2,048
162	2135	Comfort Stations	25.61%	#001089	Lighting and Branch Wiring	Potentially Critical-12 months	District 2	Lighting/Branch Wiring	Damaged	Install or replace GFCI outlets	\$2,048
162	2135	Comfort Stations	25.61%	#001089	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 2	Lighting/Branch Wiring	Beyond Useful Life	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$14,914
162	2135	Comfort Stations	25.61%	#001089	Lighting and Branch Wiring	Potentially Critical-12 months	District 2	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,140
162	2136	Comfort Stations	25.61%	#001089	Fittings	Necessary- 2-5 Yrs	District 2	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
162	2136	Comfort Stations	25.61%	#001089	Fittings	Necessary- 2-5 Yrs	District 2	Fittings	Failing	Replace Toilet Partition	\$9,346
162	2137	Comfort Stations	25.61%	#001089	Exterior Doors	Necessary- 2-5 Yrs	District 2	Exterior Doors	Beyond Useful Life	Replace exterior door hardware	\$5,716
162	2137	Comfort Stations	25.61%	#001089	Exterior Doors	Necessary- 2-5 Yrs	District 2	Exterior Doors	Beyond Useful Life	Replace Steel Doors	\$2,095
162	2138	Comfort Stations	25.61%	#001089	Electrical Distribution	Potentially Critical-12 months	District 2	Site Lighting	Beyond Expected Life	Install/Replace site lighting-Lite Pole	\$7,085
162	2139	Comfort Stations	25.61%	#001089	Exterior Walls	Necessary- 2-5 Yrs	District 2	Exterior Walls	Failing	Repaint Exterior Block Wall	\$2,381
162	2140	Comfort Stations	25.61%	#001089	Ceiling Finishes	Necessary- 2-5 Yrs	District 2	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$2,428
162	2141	Comfort Stations	25.61%	#001089	Domestic Water Distribution	Necessary- 2-5 Yrs	District 2	Domestic Water Distribution	Beyond Useful Life	Replace Domestic Water and Sanitary Piping (SF)	\$5,652
162	2142	Comfort Stations	25.61%	#001089	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 2	Electrical Service/Distribution	Damaged	Replace electric service entrance -200 Amp	\$7,709
162	2143	Comfort Stations	25.61%	#001089	Wall Finishes	Necessary- 2-5 Yrs	District 2	Wall Finishes	Damaged	Repaint wall	\$13,804
162	2144	Comfort Stations	25.61%	#001089	Plumbing Fixtures	Necessary- 2-5 Yrs	District 2	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$16,255
162	2145	Comfort Stations	25.61%	#001089	Roof Coverings	Necessary- 2-5 Yrs	District 2	Roof Covering	Failing	Replace Modified Bitumen Roof Coverings	\$53,876
162	2146	Comfort Stations	25.61%	#001089	Sanitary Sewer	Necessary- 2-5 Yrs	District 2	Sanitary Sewer	Beyond Useful Life	Replace sanitary sewer service	\$11,794
163	2147	Comfort Stations	25.52%	#000524	Fittings	Potentially Critical-12 months	District 6	Fittings	Damaged	Replace outdoor metal cabinet	\$1,489
163	2147	Comfort Stations	25.52%	#000524	Fittings	Potentially Critical-12 months	District 6	Fittings	Beyond Useful Life	Replace Toilet Partition	\$14,792
163	2147	Comfort Stations	25.52%	#000524	Fittings	Potentially Critical-12 months	District 6	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
163	2147	Comfort Stations	25.52%	#000524	Fittings	Potentially Critical-12 months	District 6	Fittings	Beyond Expected Life	Replace Restroom Accessories	\$4,151
163	2148	Comfort Stations	25.52%	#000524	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Install or replace GFCI outlets	\$512
163	2148	Comfort Stations	25.52%	#000524	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Beyond Useful Life	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$12,428
163	2148	Comfort Stations	25.52%	#000524	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$677
163	2149	Comfort Stations	25.52%	#000524	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Replace Steel Doors	\$14,777
163	2149	Comfort Stations	25.52%	#000524	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Install or replace exterior hardware	\$1,269
163	2150	Comfort Stations	25.52%	#000524	Plumbing Fixtures	Potentially Critical-12 months	District 6	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$16,255
163	2150	Comfort Stations	25.52%	#000524	Plumbing Fixtures	Potentially Critical-12 months	District 6	Plumbing Fixtures	Damaged	Replace Drinking Fountain	\$3,119
163	2151	Comfort Stations	25.52%	#000524	Roof Construction	Potentially Critical-12 months	District 6	Roof Construction	Damaged	Repair Concrete Fascia	\$1,841
163	2152	Comfort Stations	25.52%	#000524	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Beyond Useful Life	Repaint Exterior Block Wall	\$3,106
163	2153	Comfort Stations	25.52%	#000524	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$7,821
163	2154	Comfort Stations	25.52%	#000524	Sanitary Sewer	Potentially Critical-12 months	District 6	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$15,332
163	2155	Comfort Stations	25.52%	#000524	Electrical Service/Distribution	Potentially Critical-12 months	District 6	Electrical Service/Distribution	Beyond Useful Life	Replace electric service entrance -200 Amp	\$7,709
163	2156	Comfort Stations	25.52%	#000524	Wall Finishes	Potentially Critical-12 months	District 6	Wall Finishes	Damaged	Repaint wall	\$12,136
164	2157	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace Carpet	\$5,596
164	2157	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace VCT	\$3,067
164	2157	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$63,189
164	2157	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Minor Repairs to Concrete Floor	\$156,290
164	2157	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Refinish wood floor	\$445
164	2158	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Clean, seal and treat Exterior cement surface	\$231,187
164	2158	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Replace Stucco Wall	\$20,906
164	2158	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Replace Exterior Wood Structures	\$15,457
164	2158	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Termite Inspection of Structure	\$9,616
164	2158	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Replace Metal Siding	\$29,714
164	2159	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$21,654
164	2159	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Failing	Replace exit light fixtures	\$5,292
164	2159	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Failing	Replace 2X4 Fluorescent Fixture - S.F.	\$162,920
164	2160	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Roof Coverings	Necessary- 2-5 Yrs	District 4	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$61,411
164	2160	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Roof Coverings	Necessary- 2-5 Yrs	District 4	Roof Covering	Damaged	Replace Gutters and downspouts	\$12,790
164	2161	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Terminal & Package Units	Potentially Critical-12 months	District 4	Terminal and Package Units	Inadequate	Install or replace DX split ductless system	\$12,946
164	2161	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Terminal & Package Units	Necessary- 2-5 Yrs	District 4	Terminal and Package Units	Beyond Useful Life	Install or replace thermostats	\$2,345
164	2162	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Domestic Water Distribution	Potentially Critical-12 months	District 4	Water Heaters	Missing	Install or replace insulation on hot water piping	\$373
164	2162	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Domestic Water Distribution	Necessary- 2-5 Yrs	District 4	Domestic Water Distribution	Beyond Useful Life	Replace Domestic Water and Sanitary Piping (SF)	\$107,387

164	2163	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Communications and Security	Potentially Critical-12 months	District 4	Communications/Security	Missing	Replace or Install Ceiling Smoke Detector	\$465
164	2163	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Communications and Security	Necessary- 2-5 Yrs	District 4	Communications/Security	Failing	Replace Intercom/Paging System-50 stations	\$126,904
164	2164	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 4	Electrical Service/Distribution	Beyond Useful Life	Replace Electric Service and Distribution - 2000A	\$1,423,251
164	2164	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Electrical Service/Distribution	Critical / Immediate Need	District 4	Electrical Service/Distribution	Beyond Useful Life	Replace Medium Voltage Service	\$107,913
164	2165	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$3,201
164	2165	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$2,295
164	2166	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Steel Doors	\$21,003
164	2166	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Overhead Door; Roll-Up; Motorized	\$73,188
164	2167	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Exhaust Fans (Other Than Vehicle)	Necessary- 2-5 Yrs	District 4	Ventilation and Exhaust	Beyond Useful Life	Add/replace fractional HP exhaust fans;incl. duct	\$13,234
164	2168	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Interior Doors	Necessary- 2-5 Yrs	District 4	Interior Doors	Damaged	Replace Wood Door/Metal Frame	\$26,800
164	2169	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Repaint wall	\$29,121
164	2170	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Exterior Windows	Necessary- 2-5 Yrs	District 4	Exterior Windows	Damaged	Replace Aluminium Windows	\$36,889
164	2171	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Sprinklers	Necessary- 2-5 Yrs	District 4	Fire Suppression	Beyond Useful Life	Install or replace wet fire suppression system	\$136,838
164	2172	OS - Operations Services	25.31%	Equip., Fab Shop, Chollas	Parking Lots	Necessary- 2-5 Yrs	District 4	Parking Lot	Damaged	Replace Parking Lot - Asphalt	\$236,722
165	2173	Comfort Stations	24.79%	#001480	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Failing	Replace Branch Conduit/Wire 20/30A ASSY/Ea	\$5,567
165	2173	Comfort Stations	24.79%	#001480	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Beyond Useful Life	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$4,971
165	2173	Comfort Stations	24.79%	#001480	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$742
165	2174	Comfort Stations	24.79%	#001480	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace Toilet Partition	\$27,721
165	2174	Comfort Stations	24.79%	#001480	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
165	2175	Comfort Stations	24.79%	#001480	Ceiling Finishes	Necessary- 2-5 Yrs	District 3	Ceiling Finishes	Damaged	Repaint interior roof structure and deck.	\$2,915
165	2176	Comfort Stations	24.79%	#001480	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Failing	Repaint Exterior Block Wall	\$3,702
165	2177	Comfort Stations	24.79%	#001480	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Beyond Useful Life	Repaint wall	\$4,504
165	2178	Comfort Stations	24.79%	#001480	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Failing	Repaint exterior metal doors	\$6,521
165	2179	Comfort Stations	24.79%	#001480	Roof Coverings	Necessary- 2-5 Yrs	District 3	Roof Covering	Failing	Replace Built up Roof	\$15,950
165	2180	Comfort Stations	24.79%	#001480	Roof Construction	Necessary- 2-5 Yrs	District 3	Roof Construction	Failing	Replace Wood Rafters and Deck	\$39,978
166	2181	Comfort Stations	24.64%	#010108	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$631
166	2181	Comfort Stations	24.64%	#010108	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Damaged	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$4,971
166	2181	Comfort Stations	24.64%	#010108	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Beyond Useful Life	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$4,971
166	2182	Comfort Stations	24.64%	#010108	Fittings	Necessary- 2-5 Yrs	District 4	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
166	2182	Comfort Stations	24.64%	#010108	Fittings	Necessary- 2-5 Yrs	District 4	Fittings	Missing	Replace Restroom Accessories	\$262
166	2183	Comfort Stations	24.64%	#010108	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Beyond Useful Life	Replace exterior door hardware	\$1,481
166	2183	Comfort Stations	24.64%	#010108	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Failing	Replace Steel Doors	\$1,397
166	2184	Comfort Stations	24.64%	#010108	Roof Coverings	Potentially Critical-12 months	District 4	Roof Covering	Damaged	Replace concrete tile roof	\$55,215
166	2185	Comfort Stations	24.64%	#010108	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Failing	Repaint interior roof structure and deck.	\$1,219
166	2186	Comfort Stations	24.64%	#010108	Plumbing Fixtures	Necessary- 2-5 Yrs	District 4	Plumbing Fixtures	Beyond Useful Life	Replaces fixture flush valve	\$1,304
166	2187	Comfort Stations	24.64%	#010108	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Failing	Repaint Exterior Block Wall	\$2,112
166	2188	Comfort Stations	24.64%	#010108	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Failing	Repaint wall	\$3,292
166	2189	Comfort Stations	24.64%	#010108	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Failing	Epoxy floor	\$9,684
167	2190	Senior Centers	24.46%	Memorial	Exterior Walls	Potentially Critical-12 months	District 8	Exterior Walls	Damaged	Replace Wood Fascia	\$32,188
167	2190	Senior Centers	24.46%	Memorial	Exterior Walls	Necessary- 2-5 Yrs	District 8	Exterior Walls	Damaged	Termite Inspection of Structure	\$11,638
167	2190	Senior Centers	24.46%	Memorial	Exterior Walls	Necessary- 2-5 Yrs	District 8	Exterior Walls	Damaged	Replace wood siding	\$29,993
167	2191	Senior Centers	24.46%	Memorial	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$5,886
167	2191	Senior Centers	24.46%	Memorial	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace VCT	\$8,445
167	2191	Senior Centers	24.46%	Memorial	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace VCT	\$2,355
167	2192	Senior Centers	24.46%	Memorial	Lighting and Branch Wiring	Potentially Critical-12 months	District 8	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,221
167	2192	Senior Centers	24.46%	Memorial	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 8	Lighting/Branch Wiring	Beyond Expected Life	Replace 2X4 Fluorescent Fixture - S.F.	\$18,379
167	2193	Senior Centers	24.46%	Memorial	Ceiling Finishes	Necessary- 2-5 Yrs	District 8	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$7,183
167	2193	Senior Centers	24.46%	Memorial	Ceiling Finishes	Necessary- 2-5 Yrs	District 8	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$2,766
167	2194	Senior Centers	24.46%	Memorial	Roof Coverings	Necessary- 2-5 Yrs	District 8	Roof Covering	Damaged	Replace Asphalt Shingle	\$46,719
167	2194	Senior Centers	24.46%	Memorial	Roof Coverings	Necessary- 2-5 Yrs	District 8	Roof Covering	Damaged	Replace Roofing Eave	\$64,830
167	2195	Senior Centers	24.46%	Memorial	Fittings	Necessary- 2-5 Yrs	District 8	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
167	2196	Senior Centers	24.46%	Memorial	Landscaping	Necessary- 2-5 Yrs	District 8	Landscaping	Damaged	Perform landscaping maintenance	\$4,809
167	2197	Senior Centers	24.46%	Memorial	Wall Finishes	Necessary- 2-5 Yrs	District 8	Wall Finishes	Damaged	Repaint wall	\$6,038
167	2198	Senior Centers	24.46%	Memorial	Exterior Doors	Necessary- 2-5 Yrs	District 8	Exterior Doors	Damaged	Replace Wood Doors	\$6,635
167	2199	Senior Centers	24.46%	Memorial	Site Development	Necessary- 2-5 Yrs	District 8	Fencing	Damaged	Replace chain link fencing	\$26,142
167	2200	Senior Centers	24.46%	Memorial	Exterior Windows	Necessary- 2-5 Yrs	District 8	Exterior Windows	Damaged	Replace Wood Windows	\$29,244

200	2557	OS - Operations Services	14.54%	#000041 Rader Hall	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 8	Electrical Service/Distribution	Abandoned	Remove Abandoned Electrical Service Equipment	\$293
200	2558	OS - Operations Services	14.54%	#000041 Rader Hall	Fixed Furnishings	Necessary- 2-5 Yrs	District 8	Fittings	Failing	Refinish Base / Wall Cabinets - SF	\$1,656
200	2559	OS - Operations Services	14.54%	#000041 Rader Hall	Exterior Windows	Necessary- 2-5 Yrs	District 8	Exterior Windows	Missing	Replace Window Awning	\$1,829
200	2560	OS - Operations Services	14.54%	#000041 Rader Hall	Terminal & Package Units	Necessary- 2-5 Yrs	District 8	Terminal and Package Units	Damaged	Install or replace thermal insulation on HVAC pipi	\$2,722
200	2561	OS - Operations Services	14.54%	#000041 Rader Hall	Domestic Water Distribution	Necessary- 2-5 Yrs	District 8	Domestic Water Distribution	Beyond Expected Life	Replace Domestic Water Lines; up to 1"; Surf. Mtd.	\$32,902
200	2562	OS - Operations Services	14.54%	#000041 Rader Hall	Sanitary Sewer	Necessary- 2-5 Yrs	District 8	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$43,851
201	2563	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace Bathroom Accessories	\$11,013
201	2563	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,916
201	2563	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace Bathroom Accessories	\$11,013
201	2564	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Damaged	Prepare Paint Exterior Walls up to 3 Floors	\$4,859
201	2564	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Damaged	Replace Stucco Wall	\$4,385
201	2565	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Ceiling Finishes	Necessary- 2-5 Yrs	District 3	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$774
201	2565	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Ceiling Finishes	Necessary- 2-5 Yrs	District 3	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$15,867
201	2566	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,888
201	2567	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Damaged	Replace VCT	\$523
201	2568	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Interior Doors	Necessary- 2-5 Yrs	District 3	Interior Doors	Damaged	Replace Wood Door/Metal Frame	\$2,444
201	2569	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Damaged	Repaint wall	\$2,756
201	2570	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Terminal & Package Units	Necessary- 2-5 Yrs	District 3	Terminal and Package Units	Beyond Useful Life	Replace evaporative cooler	\$8,762
201	2571	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Damaged	Replace Steel Doors	\$15,626
201	2572	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 3	Electrical Service/Distribution	Beyond Useful Life	Replace electric service entrance 400 or 800 Amp	\$16,153
201	2573	PB - Park Balboa	14.42%	Balboa Park Concessions (L)	Roof Coverings	Necessary- 2-5 Yrs	District 3	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$39,288
202	2574	OS - Operations Services	14.17%	Chollas, Station 38	Terminal & Package Units	Potentially Critical-12 months	District 4	Ductwork	Inadequate	Clean, Sanitize and Balance Air Distribution SYS	\$18,244
202	2574	OS - Operations Services	14.17%	Chollas, Station 38	Terminal & Package Units	Potentially Critical-12 months	District 4	Terminal and Package Units	Failing	Replace 4T Split System A/C Comp	\$21,061
202	2574	OS - Operations Services	14.17%	Chollas, Station 38	Terminal & Package Units	Necessary- 2-5 Yrs	District 4	Terminal and Package Units	Beyond Useful Life	Replace ST Gas/Elec Pkg Unit, Roof Mount	\$131,026
202	2574	OS - Operations Services	14.17%	Chollas, Station 38	Terminal & Package Units	Necessary- 2-5 Yrs	District 4	Terminal and Package Units	Beyond Useful Life	Replace Ductwork Pkg Sys/Ton	\$217,463
202	2575	OS - Operations Services	14.17%	Chollas, Station 38	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace Carpet	\$9,326
202	2575	OS - Operations Services	14.17%	Chollas, Station 38	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace VCT	\$28,994
202	2575	OS - Operations Services	14.17%	Chollas, Station 38	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$7,594
202	2575	OS - Operations Services	14.17%	Chollas, Station 38	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$5,289
202	2576	OS - Operations Services	14.17%	Chollas, Station 38	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$18,244
202	2576	OS - Operations Services	14.17%	Chollas, Station 38	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Inadequate	Replace 2X4 Fluorescent Fixture Ea.	\$12,837
202	2576	OS - Operations Services	14.17%	Chollas, Station 38	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Failing	Replace 2X4 Fluorescent Fixture Ea.	\$1,711
202	2577	OS - Operations Services	14.17%	Chollas, Station 38	Plumbing Fixtures	Necessary- 2-5 Yrs	District 4	Plumbing Fixtures	Beyond Useful Life	Replace Tankless Type Toilet	\$9,072
202	2577	OS - Operations Services	14.17%	Chollas, Station 38	Plumbing Fixtures	Necessary- 2-5 Yrs	District 4	Plumbing Fixtures	Beyond Useful Life	Replace Group Wash Fountain	\$26,049
202	2577	OS - Operations Services	14.17%	Chollas, Station 38	Plumbing Fixtures	Necessary- 2-5 Yrs	District 4	Plumbing Fixtures	Beyond Useful Life	Replace Wall Hung Urinal	\$8,013
202	2578	OS - Operations Services	14.17%	Chollas, Station 38	Domestic Water Distribution	Necessary- 2-5 Yrs	District 4	Domestic Water Distribution	Inadequate	Replace 30 Gal Gas Water Heater	\$2,899
202	2578	OS - Operations Services	14.17%	Chollas, Station 38	Domestic Water Distribution	Necessary- 2-5 Yrs	District 4	Domestic Water Distribution	Beyond Useful Life	Remove abandoned equipment/system	\$9,616
202	2579	OS - Operations Services	14.17%	Chollas, Station 38	Exhaust Fans	Necessary- 2-5 Yrs	District 4	Ventilation and Exhaust	Inadequate	Add/replace fractional HP exhaust fans;incl. duct	\$1,352
202	2579	OS - Operations Services	14.17%	Chollas, Station 38	Exhaust Fans	Necessary- 2-5 Yrs	District 4	Ventilation and Exhaust	Inadequate	Add/replace fractional HP exhaust fans;incl. duct	\$2,706
202	2580	OS - Operations Services	14.17%	Chollas, Station 38	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Overhead Door; Roll-Up; Motorized	\$13,143
202	2580	OS - Operations Services	14.17%	Chollas, Station 38	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Wood Doors	\$43,125
202	2581	OS - Operations Services	14.17%	Chollas, Station 38	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Replace Drywall Ceiling	\$55,000
202	2581	OS - Operations Services	14.17%	Chollas, Station 38	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$5,966
202	2582	OS - Operations Services	14.17%	Chollas, Station 38	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Clean, seal and treat Exterior cement surface	\$69,965
202	2582	OS - Operations Services	14.17%	Chollas, Station 38	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Prepare Paint Exterior Walls up to 3 Floors	\$4,368
202	2583	OS - Operations Services	14.17%	Chollas, Station 38	Fittings	Necessary- 2-5 Yrs	District 4	Fittings	Damaged	Replace Bathroom Accessories	\$49,971
202	2583	OS - Operations Services	14.17%	Chollas, Station 38	Fittings	Necessary- 2-5 Yrs	District 4	Fittings	Damaged	Replace Lockers	\$185,071
202	2584	OS - Operations Services	14.17%	Chollas, Station 38	Roof Coverings	Necessary- 2-5 Yrs	District 4	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$287,297
202	2584	OS - Operations Services	14.17%	Chollas, Station 38	Roof Coverings	Necessary- 2-5 Yrs	District 4	Roof Covering	Damaged	Replace Gutters and downspouts	\$11,407

202	2585	OS - Operations Services	14.17%	Chollas, Station 38	Electrical Service/Distribution	Critical / Immediate Need	District 4	Electrical Service/Distribution	Beyond Useful Life	Replace Medium Voltage Service	\$107,913
202	2586	OS - Operations Services	14.17%	Chollas, Station 38	Sprinklers	Potentially Critical-12 months	District 4	Sprinklers	Beyond Useful Life	Replace Sprinkler System	\$17,961
202	2587	OS - Operations Services	14.17%	Chollas, Station 38	Pedestrian Paving	Necessary- 2-5 Yrs	District 4	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$3,418
202	2588	OS - Operations Services	14.17%	Chollas, Station 38	Fixed Furnishings	Necessary- 2-5 Yrs	District 4	Fixed Furnishing	Damaged	Replace Fixed Casework Base Cabinets w/S.S. Top	\$15,139
202	2589	OS - Operations Services	14.17%	Chollas, Station 38	Partitions	Necessary- 2-5 Yrs	District 4	Partitions	Damaged	Repair Drywall Partitions	\$25,867
202	2590	OS - Operations Services	14.17%	Chollas, Station 38	Exterior Windows	Necessary- 2-5 Yrs	District 4	Exterior Windows	Damaged	Replace Aluminium Windows	\$32,398
202	2591	OS - Operations Services	14.17%	Chollas, Station 38	Interior Doors	Necessary- 2-5 Yrs	District 4	Interior Doors	Damaged	Replace Wood Door/Metal Frame	\$35,500
202	2592	OS - Operations Services	14.17%	Chollas, Station 38	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Repaint wall	\$36,887
202	2593	OS - Operations Services	14.17%	Chollas, Station 38	Roof Construction	Necessary- 2-5 Yrs	District 4	Roof Construction	Damaged	Replace Wooden Canopy	\$54,252
202	2594	OS - Operations Services	14.17%	Chollas, Station 38	Parking Lots	Necessary- 2-5 Yrs	District 4	Parking Lot	Damaged	Replace Parking Lot - Asphalt	\$88,774
202	2595	OS - Operations Services	14.17%	Chollas, Station 38	Communications and Security	Necessary- 2-5 Yrs	District 4	Communications/Security	Failing	Replace Intercom/Paging System-50 stations	\$126,904
203	2596	PB - Park Balboa	14.06%	United Nations Building (L)	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$2,306
203	2596	PB - Park Balboa	14.06%	United Nations Building (L)	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Beyond Expected Life	Replace Receptacle 20A 120V ASSY/S.F.	\$16,162
203	2596	PB - Park Balboa	14.06%	United Nations Building (L)	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Beyond Expected Life	Replace Wall Switch 20A 120/277V ASSY/Ea.	\$5,327
203	2597	PB - Park Balboa	14.06%	United Nations Building (L)	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Damaged	Replace Carpet	\$6,910
203	2597	PB - Park Balboa	14.06%	United Nations Building (L)	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Damaged	Replace VCT	\$1,599
203	2598	PB - Park Balboa	14.06%	United Nations Building (L)	Roof Coverings	Necessary- 2-5 Yrs	District 3	Roof Covering	Damaged	Replace Clay Tiles	\$25,069
203	2598	PB - Park Balboa	14.06%	United Nations Building (L)	Roof Coverings	Necessary- 2-5 Yrs	District 3	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$38,706
203	2599	PB - Park Balboa	14.06%	United Nations Building (L)	Exhaust Fans	Potentially Critical-12 months	District 3	Exhaust Ventilation System	Missing	Install new exhaust system and controls	\$7,023
203	2600	PB - Park Balboa	14.06%	United Nations Building (L)	Terminal & Package Units	Potentially Critical-12 months	District 3	Heat Generation	Inadequate	Install or replace heating equip or system	\$14,658
203	2601	PB - Park Balboa	14.06%	United Nations Building (L)	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 3	Electrical Service/Distribution	Failing	Replace electrical service entrance	\$7,478
203	2602	PB - Park Balboa	14.06%	United Nations Building (L)	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$1,397
203	2603	PB - Park Balboa	14.06%	United Nations Building (L)	Exterior Doors	Necessary- 2-5 Yrs	District 3	Exterior Doors	Damaged	Repaint exterior metal doors	\$4,445
203	2604	PB - Park Balboa	14.06%	United Nations Building (L)	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace Toilet Partition	\$4,499
203	2605	PB - Park Balboa	14.06%	United Nations Building (L)	Plumbing Fixtures	Necessary- 2-5 Yrs	District 3	Plumbing Fixtures	Beyond Expected Life	Replace Plumbing Fixtures	\$13,284
203	2606	PB - Park Balboa	14.06%	United Nations Building (L)	Water Supply	Necessary- 2-5 Yrs	District 3	Water Supply	Beyond Expected Life	Replace domestic water service	\$15,599
203	2607	PB - Park Balboa	14.06%	United Nations Building (L)	Exterior Windows	Necessary- 2-5 Yrs	District 3	Exterior Windows	Damaged	Replace Wood Windows	\$23,596
203	2608	PB - Park Balboa	14.06%	United Nations Building (L)	Sanitary Sewer	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$25,010
204	2610	Senior Centers	13.96%	Encanto	Domestic Water Distribution	Critical / Immediate Need	District 4	Domestic Water Distribution	Failing	Request Plumbing Consultant	\$5,289
204	2610	Senior Centers	13.96%	Encanto	Domestic Water Distribution	Potentially Critical-12 months	District 4	Water Heaters	Missing	Install or replace insulation on hot water piping	\$518
204	2610	Senior Centers	13.96%	Encanto	Domestic Water Distribution	Necessary- 2-5 Yrs	District 4	Domestic Water Distribution	Beyond Useful Life	Replace Domestic Water and Sanitary Piping (SF)	\$5,814
204	2611	Senior Centers	13.96%	Encanto	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install or replace GFCI outlets	\$512
204	2611	Senior Centers	13.96%	Encanto	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,177
204	2611	Senior Centers	13.96%	Encanto	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Inadequate	Replace 2X4 Fluorescent Fixture Ea.	\$12,837
204	2612	Senior Centers	13.96%	Encanto	Exhaust Fans	Necessary- 2-5 Yrs	District 4	Ventilation and Exhaust	Missing	Add/replace fractional HP exhaust fans;incl. duct	\$2,706
204	2612	Senior Centers	13.96%	Encanto	Exhaust Fans	Necessary- 2-5 Yrs	District 4	Ventilation and Exhaust	Inadequate	Add/replace fractional HP exhaust fans;incl. duct	\$2,706
204	2613	Senior Centers	13.96%	Encanto	Terminal & Package Units	Potentially Critical-12 months	District 4	Terminal and Package Units	Missing	Install or replace DX split ductless system	\$12,946
204	2614	Senior Centers	13.96%	Encanto	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$2,869
204	2615	Senior Centers	13.96%	Encanto	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Repaint wall	\$6,561
204	2616	Senior Centers	13.96%	Encanto	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Repaint Wood Siding	\$8,714
204	2617	Senior Centers	13.96%	Encanto	Plumbing Fixtures	Necessary- 2-5 Yrs	District 4	Plumbing Fixtures	Beyond Useful Life	Replace Plumbing Fixtures	\$12,786
204	2618	Senior Centers	13.96%	Encanto	Exterior Windows	Necessary- 2-5 Yrs	District 4	Exterior Windows	Damaged	Replace Aluminium Windows	\$20,681
204	2619	Senior Centers	13.96%	Encanto	Site Development	Necessary- 2-5 Yrs	District 4	Roof Construction	Damaged	Replace Wooden Canopy	\$45,839
204	2620	Senior Centers	13.96%	Encanto	Roof Coverings	Necessary- 2-5 Yrs	District 4	Roof Covering	Damaged	Replace Asphalt Shingle	\$47,554
205	2621	Recreation Centers	13.91%	Mountain View Teen Ctr.	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,848
205	2621	Recreation Centers	13.91%	Mountain View Teen Ctr.	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Damaged	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$9,943
205	2621	Recreation Centers	13.91%	Mountain View Teen Ctr.	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Beyond Useful Life	Replace Branch Panelboard - 200A	\$4,228
205	2622	Recreation Centers	13.91%	Mountain View Teen Ctr.	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$3,449
205	2622	Recreation Centers	13.91%	Mountain View Teen Ctr.	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$4,374
205	2622	Recreation Centers	13.91%	Mountain View Teen Ctr.	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace VCT	\$9,383
205	2623	Recreation Centers	13.91%	Mountain View Teen Ctr.	Domestic Water Distribution	Potentially Critical-12 months	District 4	Water Heaters	Missing	Install or replace insulation on hot water piping	\$518
205	2623	Recreation Centers	13.91%	Mountain View Teen Ctr.	Domestic Water Distribution	Necessary- 2-5 Yrs	District 4	Domestic Water Distribution	Beyond Useful Life	Replace Domestic Water and Sanitary Piping (SF)	\$9,166

212	2701	Comfort Stations	13.30%	#000304	Electrical Distribution	Necessary- 2-5 Yrs	District 1	Electrical Service/Distribution	Beyond Useful Life	Replace electric service entrance -200 Amp	\$7,709
212	2702	Comfort Stations	13.30%	#000304	Ceiling Finishes	Necessary- 2-5 Yrs	District 1	Ceiling Finishes	Failing	Repaint drywall/plaster ceiling	\$7,967
212	2703	Comfort Stations	13.30%	#000304	Exterior Walls	Necessary- 2-5 Yrs	District 1	Exterior Walls	Damaged	Repaint Exterior Block Wall	\$9,629
212	2704	Comfort Stations	13.30%	#000304	Wall Finishes	Necessary- 2-5 Yrs	District 1	Wall Finishes	Damaged	Repaint wall	\$10,871
212	2705	Comfort Stations	13.30%	#000304	Roof Coverings	Necessary- 2-5 Yrs	District 1	Roof Covering	Beyond Useful Life	Replace Built up Roof	\$16,000
212	2706	Comfort Stations	13.30%	#000304	Floor Finishes	Necessary- 2-5 Yrs	District 1	Floor Finishes	Failing	Epoxy floor	\$19,430
212	2707	Comfort Stations	13.30%	#000304	Sanitary Sewer	Necessary- 2-5 Yrs	District 1	Sanitary Sewer	Beyond Useful Life	Replace sanitary sewer service	\$13,052
213	2708	Comfort Stations	13.29%	#000579	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 2	Lighting/Branch Wiring	Beyond Useful Life	Replace Wall Switch 20A 120/277V ASSY/Ea.	\$468
213	2708	Comfort Stations	13.29%	#000579	Lighting and Branch Wiring	Potentially Critical-12 months	District 2	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,004
213	2709	Comfort Stations	13.29%	#000579	Exterior Doors	Necessary- 2-5 Yrs	District 2	Exterior Doors	Beyond Useful Life	Replace exterior door hardware	\$4,287
213	2709	Comfort Stations	13.29%	#000579	Exterior Doors	Necessary- 2-5 Yrs	District 2	Exterior Doors	Beyond Expected Life	Replace Wood Doors	\$15,282
213	2710	Comfort Stations	13.29%	#000579	Fittings	Necessary- 2-5 Yrs	District 2	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
213	2711	Comfort Stations	13.29%	#000579	Ceiling Finishes	Necessary- 2-5 Yrs	District 2	Ceiling Finishes	Failing	Repaint drywall/plaster ceiling	\$2,139
213	2712	Comfort Stations	13.29%	#000579	Wall Finishes	Necessary- 2-5 Yrs	District 2	Wall Finishes	Damaged	Repaint wall	\$6,077
213	2713	Comfort Stations	13.29%	#000579	Floor Finishes	Necessary- 2-5 Yrs	District 2	Floor Finishes	Damaged	Epoxy floor	\$15,652
213	2714	Comfort Stations	13.29%	#000579	Plumbing Fixtures	Necessary- 2-5 Yrs	District 2	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$16,255
213	2715	Comfort Stations	13.29%	#000579	Sanitary Sewer	Necessary- 2-5 Yrs	District 2	Sanitary Sewer	Beyond Useful Life	Replace sanitary sewer service	\$15,254
214	2716	Comfort Stations	13.08%	#001239	Roof Construction	Potentially Critical-12 months	District 2	Roof Construction	Damaged	Replace roof construction assembly	\$35,039
214	2716	Comfort Stations	13.08%	#001239	Roof Construction	Necessary- 2-5 Yrs	District 2	Roof Construction	Damaged	Termite Inspection of Roof structure	\$10,200
214	2716	Comfort Stations	13.08%	#001239	Roof Construction	Necessary- 2-5 Yrs	District 2	Roof Construction	Damaged	Replace Roof Fascia	\$1,694
214	2717	Comfort Stations	13.08%	#001239	Fittings	Necessary- 2-5 Yrs	District 2	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
214	2718	Comfort Stations	13.08%	#001239	Exterior Doors	Necessary- 2-5 Yrs	District 2	Exterior Doors	Failing	Repaint exterior metal doors	\$2,608
214	2719	Comfort Stations	13.08%	#001239	Pedestrian Paving	Necessary- 2-5 Yrs	District 2	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$3,973
215	2720	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Refinish wood floor	\$1,978
215	2720	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace VCT	\$1,317
215	2720	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace VCT	\$9,199
215	2720	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$54,682
215	2720	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Minor Repairs to Concrete Floor	\$120,223
215	2720	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace Carpet	\$27,975
215	2720	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$4,598
215	2721	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Inadequate	Replace exit light fixtures	\$5,292
215	2721	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$24,812
215	2721	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install or replace GFCI outlets	\$1,024
215	2721	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Failing	Replace 2X4 Fluorescent Fixture - S.F.	\$373,364
215	2721	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Damaged	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$1,243
215	2722	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Terminal & Package Units	Critical / Immediate Need	District 4	Terminal and Package Units	Missing	Install or replace DX split ductless system	\$12,946
215	2722	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Terminal & Package Units	Potentially Critical-12 months	District 4	Ductwork	Inadequate	Clean, Sanitize and Balance Air Distribution SYS	\$6,203
215	2722	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Terminal & Package Units	Potentially Critical-12 months	District 4	Terminal and Package Units	Failing	Install or replace DX split ductless system	\$12,946
215	2723	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Clean, seal and treat Exterior cement surface	\$356,981
215	2723	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Repaint Wood Siding	\$6,380
215	2723	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Replace Metal Siding	\$43,581
215	2724	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$36,204
215	2724	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$13,773
215	2725	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Steel Doors	\$71,609
215	2725	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Overhead Door; Roll-Up; Motorized	\$101,337
215	2726	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Roof Coverings	Necessary- 2-5 Yrs	District 4	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$230,666
215	2726	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Roof Coverings	Necessary- 2-5 Yrs	District 4	Roof Covering	Damaged	Replace Gutters and downspouts	\$16,041
215	2727	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Domestic Water Distribution	Potentially Critical-12 months	District 4	Water Heaters	Missing	Install or replace insulation on hot water piping	\$373
215	2728	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Exhaust Fans (Other Than Vehicle)	Potentially Critical-12 months	District 4	Ventilation and Exhaust	Inadequate	Add/replace fractional HP exhaust fans;incl. duct	\$2,706
215	2729	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Electrical Service/Distribution	Critical / Immediate Need	District 4	Electrical Service/Distribution	Beyond Useful Life	Replace Medium Voltage Service	\$107,913
215	2730	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Partitions	Necessary- 2-5 Yrs	District 4	Partitions	Damaged	Replace wall insulation	\$3,516
215	2731	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Interior Doors	Necessary- 2-5 Yrs	District 4	Interior Doors	Damaged	Replace Wood Door/Metal Frame	\$17,213
215	2732	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Roof Construction	Necessary- 2-5 Yrs	District 4	Roof Construction	Damaged	Replace Wooden Canopy	\$19,055
215	2733	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Repaint wall	\$40,769
215	2734	OS - Operations Services	12.49%	Equip., Auto Rpr Shop, Chollas	Exterior Windows	Necessary- 2-5 Yrs	District 4	Exterior Windows	Damaged	Replace Aluminium Windows	\$56,590

222	2821	Recreation Centers	12.06%	Ocean Beach Recreation Center	Interior Doors	Necessary- 2-5 Yrs	District 2	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$9,488
222	2822	Recreation Centers	12.06%	Ocean Beach Recreation Center	Floor Finishes	Necessary- 2-5 Yrs	District 2	Floor Finishes	Damaged	Replace VCT	\$5,257
222	2822	Recreation Centers	12.06%	Ocean Beach Recreation Center	Floor Finishes	Necessary- 2-5 Yrs	District 2	Floor Finishes	Damaged	Replace VCT	\$8,708
222	2822	Recreation Centers	12.06%	Ocean Beach Recreation Center	Floor Finishes	Necessary- 2-5 Yrs	District 2	Floor Finishes	Damaged	Epoxy floor	\$21,288
222	2823	Recreation Centers	12.06%	Ocean Beach Recreation Center	Pedestrian Paving	Necessary- 2-5 Yrs	District 2	Floor Finishes	Damaged	Epoxy floor	\$975
222	2823	Recreation Centers	12.06%	Ocean Beach Recreation Center	Pedestrian Paving	Necessary- 2-5 Yrs	District 2	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$2,262
222	2824	Recreation Centers	12.06%	Ocean Beach Recreation Center	Site Development	Necessary- 2-5 Yrs	District 2	Fencing	Damaged	Replace chain link fencing	\$6,896
222	2824	Recreation Centers	12.06%	Ocean Beach Recreation Center	Site Development	Necessary- 2-5 Yrs	District 2	Parking Lot	Missing	Repaint or restripe Parking Lot/	\$962
222	2825	Recreation Centers	12.06%	Ocean Beach Recreation Center	Exterior Doors	Necessary- 2-5 Yrs	District 2	Exterior Doors	Damaged	Replace Steel Doors	\$22,208
222	2825	Recreation Centers	12.06%	Ocean Beach Recreation Center	Exterior Doors	Necessary- 2-5 Yrs	District 2	Exterior Doors	Damaged	Repair exterior metal doors	\$29,343
222	2826	Recreation Centers	12.06%	Ocean Beach Recreation Center	Ceiling Finishes	Necessary- 2-5 Yrs	District 2	Ceiling Finishes	Damaged	Repair drywall/plaster ceiling	\$2,017
222	2826	Recreation Centers	12.06%	Ocean Beach Recreation Center	Ceiling Finishes	Necessary- 2-5 Yrs	District 2	Ceiling Finishes	Damaged	Replace Glue on Tile	\$102,930
222	2827	Recreation Centers	12.06%	Ocean Beach Recreation Center	Other Electrical Systems	Potentially Critical-12 months	District 2	Other Electrical Systems	Missing	Install or replace emergency and/or exit lights	\$12,248
222	2828	Recreation Centers	12.06%	Ocean Beach Recreation Center	Fittings	Necessary- 2-5 Yrs	District 2	Fittings	Damaged	Replace Toilet Partition	\$3,249
222	2829	Recreation Centers	12.06%	Ocean Beach Recreation Center	Water Supply	Necessary- 2-5 Yrs	District 2	Water Supply	Beyond Expected Life	Replace domestic water service	\$11,730
222	2830	Recreation Centers	12.06%	Ocean Beach Recreation Center	Sanitary Sewer	Necessary- 2-5 Yrs	District 2	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$34,595
222	2831	Recreation Centers	12.06%	Ocean Beach Recreation Center	Parking Lots	Necessary- 2-5 Yrs	District 2	Parking Lot	Damaged	Replace Parking Lot - Asphalt	\$34,660
222	2832	Recreation Centers	12.06%	Ocean Beach Recreation Center	Exterior Walls	Necessary- 2-5 Yrs	District 2	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$53,664
222	2833	Recreation Centers	12.06%	Ocean Beach Recreation Center	Wall Finishes	Necessary- 2-5 Yrs	District 2	Wall Finishes	Damaged	Repaint wall	\$57,749
222	2834	Recreation Centers	12.06%	Ocean Beach Recreation Center	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 2	Electrical Service/Distribution	Beyond Expected Life	Replace electric service entrance 400 or 800 Amp	\$65,501
222	2835	Recreation Centers	12.06%	Ocean Beach Recreation Center	Fixed Furnishings	Necessary- 2-5 Yrs	District 2	Fixed Furnishing	Damaged	Replace Fixed Casework Base / Wall Cabinets	\$97,187
222	2836	Recreation Centers	12.06%	Ocean Beach Recreation Center	Terminal & Package Units	Necessary- 2-5 Yrs	District 2	Terminal and Package Units	Beyond Expected Life	Replace unit heaters	\$111,655
222	2837	Recreation Centers	12.06%	Ocean Beach Recreation Center	Exterior Windows	Necessary- 2-5 Yrs	District 2	Exterior Windows	Damaged	Replace Steel Windows	\$223,547
223	2839	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$12,455
223	2839	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Failing	Install or replace exterior lighting	\$6,348
223	2839	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Failing	Replace 2X4 Fluorescent Fixture - S.F.	\$187,421
223	2840	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Domestic Water Distribution	Potentially Critical-12 months	District 4	Water Heaters	Missing	Install or replace insulation on hot water piping	\$373
223	2840	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Domestic Water Distribution	Necessary- 2-5 Yrs	District 4	Domestic Water Distribution	Beyond Useful Life	Replace Domestic Water and Sanitary Piping (SF)	\$61,768
223	2841	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$23,088
223	2841	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace Ceramic Tile	\$1,564
223	2842	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Repaint Wood Siding	\$8,251
223	2842	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Replace Metal Siding	\$59,428
223	2843	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Overhead Door; Roll-Up; Motorized	\$61,929
223	2843	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Wood Doors	\$9,952
223	2844	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Terminal & Package Units	Potentially Critical-12 months	District 4	Terminal and Package Units	Missing	Install or replace DX split ductless system	\$116,516
223	2845	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Replace Blanket Ceiling Insulation	\$4,593
223	2846	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Plumbing Fixtures	Necessary- 2-5 Yrs	District 4	Plumbing Fixtures	Beyond Useful Life	Replace Janitors Sink	\$5,213
223	2847	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Repaint wall	\$6,794
223	2848	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Site Development	Necessary- 2-5 Yrs	District 4	Fencing	Damaged	Replace chain link fencing	\$13,293
223	2849	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Communications and Security	Necessary- 2-5 Yrs	District 4	Communications/Security	Failing	Replace Intercom/Paging System-50 stations	\$47,756
223	2850	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Parking Lots	Necessary- 2-5 Yrs	District 4	Parking Lot	Damaged	Replace Parking Lot - Asphalt	\$118,359
223	2851	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Roof Construction	Necessary- 2-5 Yrs	District 4	Roof Construction	Damaged	Replace Wooden Canopy	\$131,279
223	2852	OS - Operations Services	11.92%	Str,Carpenter,Foresty, Chollas	Roof Coverings	Necessary- 2-5 Yrs	District 4	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$200,014
224	2853	Comfort Stations	11.69%	#010012	Exterior Doors	Necessary- 2-5 Yrs	District 5	Exterior Doors	Failing	Repaint exterior metal doors	\$653
224	2853	Comfort Stations	11.69%	#010012	Exterior Doors	Necessary- 2-5 Yrs	District 5	Exterior Doors	Failing	Replace exterior door hardware	\$1,429
224	2853	Comfort Stations	11.69%	#010012	Exterior Doors	Necessary- 2-5 Yrs	District 5	Exterior Doors	Failing	Replace Steel Doors	\$699
224	2854	Comfort Stations	11.69%	#010012	Fittings	Necessary- 2-5 Yrs	District 5	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
224	2854	Comfort Stations	11.69%	#010012	Fittings	Necessary- 2-5 Yrs	District 5	Fittings	Missing	Replace / Install Grab Bars	\$887
224	2855	Comfort Stations	11.69%	#010012	Lighting and Branch Wiring	Potentially Critical-12 months	District 5	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$800
224	2856	Comfort Stations	11.69%	#010012	Roof Coverings	Potentially Critical-12 months	District 5	Roof Covering	Failing	Replace concrete tile roof	\$47,463
224	2857	Comfort Stations	11.69%	#010012	Ceiling Finishes	Necessary- 2-5 Yrs	District 5	Ceiling Finishes	Failing	Repaint interior roof structure and deck.	\$2,544
224	2858	Comfort Stations	11.69%	#010012	Floor Finishes	Necessary- 2-5 Yrs	District 5	Floor Finishes	Failing	Epoxy floor	\$13,673
225	2859	PB - Park Balboa	11.68%	Spanish Village #4 Stds 20-29	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Damaged	Replace Stucco Wall	\$16,442
225	2859	PB - Park Balboa	11.68%	Spanish Village #4 Stds 20-29	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Damaged	Prepare Paint Exterior Walls up to 3 Floors	\$15,355
225	2860	PB - Park Balboa	11.68%	Spanish Village #4 Stds 20-29	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$5,867

235	2963	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 1	Lighting/Branch Wiring	Beyond Expected Life	Replace Flour. Ltg. Fix. 1x4 Surf. Mtd. 2 Lamp	\$52,178
235	2964	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Pool Equipment	Potentially Critical-12 months	District 1	Equipment	Damaged	Replace Valve; Swimming Pool; 6"-8"	\$24,938
235	2964	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Pool Equipment	Necessary- 2-5 Yrs	District 1	Equipment	Beyond Expected Life	Replace Swimming Pool Heater/Boiler	\$101,001
235	2965	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Floor Finishes	Necessary- 2-5 Yrs	District 1	Floor Finishes	Failing	Epoxy floor	\$58,288
235	2965	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Floor Finishes	Necessary- 2-5 Yrs	District 1	Floor Finishes	Failing	Replace rubber/vinyl cove base	\$373
235	2966	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Terminal & Package Units	Necessary- 2-5 Yrs	District 1	Heat Generation	Beyond Expected Life	Replace Gas/Oil Boiler 584 MBTU	\$52,813
235	2966	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Terminal & Package Units	Necessary- 2-5 Yrs	District 1	Terminal and Package Units	Beyond Expected Life	Replace Fan Coil Unit	\$17,812
235	2967	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Wall Finishes	Potentially Critical-12 months	District 1	Wall Finishes	Damaged	Repaint wall	\$3,728
235	2968	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Exterior Doors	Potentially Critical-12 months	District 1	Exterior Doors	Failing	Install or replace exterior hardware	\$17,764
235	2969	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Exhaust Fans	Potentially Critical-12 months	District 1	Exhaust Ventilation System	Damaged	Replace Exhaust Fan; Centrifugal; Direct Drive	\$19,373
235	2970	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Exterior Walls	Necessary- 2-5 Yrs	District 1	Fittings	Missing	Replace Facility Number Signage - Cast Aluminum	\$2,567
235	2971	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Interior Doors	Necessary- 2-5 Yrs	District 1	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$3,911
235	2972	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Site Lighting	Necessary- 2-5 Yrs	District 1	Site Lighting	Failing	Prepare Paint Site Lighting; Pole; Steel to 40'	\$8,655
235	2973	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Domestic Water Distribution	Necessary- 2-5 Yrs	District 1	Domestic Water Distribution	Beyond Expected Life	Replace Gas Water Heater; Commercial;100 Gallons	\$13,798
235	2974	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Roof Coverings	Necessary- 2-5 Yrs	District 1	Roof Covering	Beyond Expected Life	Replace Modified Bitumen Roof Coverings	\$106,330
235	2975	Swimming Pools	10.81%	Standley-Swanson Swimming Pool	Pedestrian Paving	Necessary- 2-5 Yrs	District 1	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$110,529
236	2978	PB - Park Balboa	10.72%	House Of Pac. Rel. Scotland	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$427
236	2979	PB - Park Balboa	10.72%	House Of Pac. Rel. Scotland	Domestic Water Distribution	Potentially Critical-12 months	District 3	Domestic Water Distribution	Beyond Expected Life	Replace Domestic Water Lines; up to 1"; Surf. Mtd.	\$5,502
236	2980	PB - Park Balboa	10.72%	House Of Pac. Rel. Scotland	Water Supply	Potentially Critical-12 months	District 3	Domestic Water Distribution	Beyond Expected Life	Replace Domestic Water Lines; up to 1"; Surf. Mtd.	\$6,833
236	2981	PB - Park Balboa	10.72%	House Of Pac. Rel. Scotland	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Damaged	Replace Facility Number Signage - Cast Aluminum	\$2,567
236	2983	PB - Park Balboa	10.72%	House Of Pac. Rel. Scotland	Plumbing Fixtures	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$7,670
236	2984	PB - Park Balboa	10.72%	House Of Pac. Rel. Scotland	Sanitary Sewer	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$8,121
237	2976	OS - Operations Services	10.72%	Streets Division, Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$3,818
237	2976	OS - Operations Services	10.72%	Streets Division, Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Other Electrical Systems	Failing	Install or replace emergency and/or exit lights	\$2,458
237	2976	OS - Operations Services	10.72%	Streets Division, Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install or replace GFCI outlets	\$512
237	2976	OS - Operations Services	10.72%	Streets Division, Chollas	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Inadequate	Replace 2X4 Fluorescent Fixture - S.F.	\$57,452
237	2977	OS - Operations Services	10.72%	Streets Division, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace Carpet	\$66,303
237	2977	OS - Operations Services	10.72%	Streets Division, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace VCT	\$2,146
237	2977	OS - Operations Services	10.72%	Streets Division, Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$2,897
237	2982	OS - Operations Services	10.72%	Streets Division, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Prepare - Paint Exterior Walls up to 3 Floors	\$5,607
237	2985	OS - Operations Services	10.72%	Streets Division, Chollas	Floor Construction	Necessary- 2-5 Yrs	District 4	Floor Construction	Damaged	Repair Balcony Floor	\$9,616
237	2986	OS - Operations Services	10.72%	Streets Division, Chollas	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Repaint wall	\$9,901
237	2987	OS - Operations Services	10.72%	Streets Division, Chollas	Exterior Windows	Necessary- 2-5 Yrs	District 4	Exterior Windows	Damaged	Replace Aluminium Windows	\$18,513
237	2988	OS - Operations Services	10.72%	Streets Division, Chollas	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$29,531
237	2989	OS - Operations Services	10.72%	Streets Division, Chollas	Parking Lots	Necessary- 2-5 Yrs	District 4	Parking Lot	Damaged	Replace Parking Lot - Asphalt	\$88,774
238	2990	PB - Park Balboa	10.68%	House Of Pac. Rel. Sweden	Lighting and Branch Wiring	Critical / Immediate Need	District 3	Lighting/Branch Wiring	Damaged	Replace Receptacle Covers or Junction Box Covers	\$207
238	2990	PB - Park Balboa	10.68%	House Of Pac. Rel. Sweden	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$573
238	2991	PB - Park Balboa	10.68%	House Of Pac. Rel. Sweden	Exterior Windows	Necessary- 2-5 Yrs	District 3	Exterior Windows	Failing	Prepare and Paint Ext. Wood Window up to 4' x 4'	\$2,166
238	2991	PB - Park Balboa	10.68%	House Of Pac. Rel. Sweden	Exterior Windows	Necessary- 2-5 Yrs	District 3	Exterior Windows	Inadequate	Replace Aluminium Windows	\$2,594
238	2992	PB - Park Balboa	10.68%	House Of Pac. Rel. Sweden	Exterior Walls	Necessary- 2-5 Yrs	District 3	Stairs	Damaged	Repaint Handrails	\$9,124
238	2992	PB - Park Balboa	10.68%	House Of Pac. Rel. Sweden	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Damaged	Powerwash exterior wall	\$1,829
238	2993	PB - Park Balboa	10.68%	House Of Pac. Rel. Sweden	Roof Coverings	Potentially Critical-12 months	District 3	Roof Covering	Inadequate	Remove Debris from Roof	\$1,293

286	3416	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Other Electrical Systems	Inadequate	Install or replace emergency and/or exit lights	\$13,063
286	3416	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$15,695
286	3416	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Failing	Replace 2X4 Fluorescent Fixture - S.F.	\$236,175
286	3416	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Failing	Replace exit light fixtures	\$1,588
286	3419	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace Carpet	\$13,428
286	3419	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$2,208
286	3420	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Wood Doors	\$6,635
286	3420	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Overhead Door; Roll-Up; Motorized	\$56,299
286	3421	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Domestic Water Distribution	Potentially Critical-12 months	District 4	Water Heaters	Missing	Install or replace insulation on hot water piping	\$373
286	3422	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Exhaust Fans	Potentially Critical-12 months	District 4	Ventilation and Exhaust	Inadequate	Add/replace fractional HP exhaust fans;incl. duct	\$2,706
286	3423	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Terminal & Package Units	Potentially Critical-12 months	District 4	Ductwork	Inadequate	Clean, Sanitize and Balance Air Distribution SYS	\$15,695
286	3424	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Electrical Service/Distribution	Critical / Immediate Need	District 4	Electrical Service/Distribution	Beyond Useful Life	Replace Medium Voltage Service	\$107,913
286	3426	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Interior Doors	Necessary- 2-5 Yrs	District 4	Interior Doors	Damaged	Replace Wood Door/Metal Frame	\$3,227
286	3427	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Fittings	Necessary- 2-5 Yrs	District 4	Fittings	Damaged	Replace Toilet Partition	\$4,332
286	3428	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Ceiling Finishes	Necessary- 2-5 Yrs	District 4	Ceiling Finishes	Damaged	Replace Drywall Ceiling	\$4,400
286	3432	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Exterior Windows	Necessary- 2-5 Yrs	District 4	Exterior Windows	Damaged	Replace Aluminium Windows	\$6,116
286	3433	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Repaint wall	\$27,179
286	3435	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Clean, seal and treat Exterior cement surface	\$62,881
286	3436	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Parking Lots	Necessary- 2-5 Yrs	District 4	Parking Lot	Damaged	Replace Parking Lot - Asphalt	\$106,525
286	3437	OS - Operations Services	6.43%	Prch, Central Store #2,Chollas	Communications and Security	Necessary- 2-5 Yrs	District 4	Communications/Security	Failing	Replace Intercom/Paging System-50 stations	\$126,904
287	3438	Comfort Stations	6.35%	#010385	Lighting and Branch Wiring	Potentially Critical-12 months	District 1	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$536
287	3439	Comfort Stations	6.35%	#010385	Exterior Walls	Necessary- 2-5 Yrs	District 1	Exterior Walls	Damaged	Repaint Exterior Block Wall	\$2,175
287	3440	Comfort Stations	6.35%	#010385	Fittings	Necessary- 2-5 Yrs	District 1	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
287	3441	Comfort Stations	6.35%	#010385	Exterior Doors	Necessary- 2-5 Yrs	District 1	Exterior Doors	Failing	Repaint exterior metal doors	\$3,913
288	3442	Comfort Stations	6.32%	#010367	Lighting and Branch Wiring	Potentially Critical-12 months	District 5	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$519
288	3443	Comfort Stations	6.32%	#010367	Wall Finishes	Necessary- 2-5 Yrs	District 5	Wall Finishes	Damaged	Repaint wall	\$1,048
288	3444	Comfort Stations	6.32%	#010367	Fittings	Necessary- 2-5 Yrs	District 5	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
288	3445	Comfort Stations	6.32%	#010367	Exterior Doors	Necessary- 2-5 Yrs	District 5	Exterior Doors	Beyond Useful Life	Repaint exterior metal doors	\$2,935
289	3446	Recreation Centers	6.29%	Memorial	Lighting and Branch Wiring	Critical / Immediate Need	District 8	Lighting/Branch Wiring	Damaged	Replace exit light fixtures	\$2,664
289	3446	Recreation Centers	6.29%	Memorial	Lighting and Branch Wiring	Potentially Critical-12 months	District 8	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$12,560
289	3446	Recreation Centers	6.29%	Memorial	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 8	Lighting/Branch Wiring	Inadequate	Replace 2X4 Fluorescent Fixture Ea.	\$68,462
289	3446	Recreation Centers	6.29%	Memorial	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 8	Lighting/Branch Wiring	Abandoned	Replace 1X4 Surface Fluorescent Fixture S.F.	\$27,973
289	3447	Recreation Centers	6.29%	Memorial	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$1,823
289	3447	Recreation Centers	6.29%	Memorial	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace VCT	\$46,917
289	3447	Recreation Centers	6.29%	Memorial	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace rubber/vinyl cove base	\$7,818
289	3447	Recreation Centers	6.29%	Memorial	Floor Finishes	Necessary- 2-5 Yrs	District 8	Floor Finishes	Damaged	Replace Ceramic Tile	\$104,216
289	3448	Recreation Centers	6.29%	Memorial	Pedestrian Paving	Necessary- 2-5 Yrs	District 8	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$8,845
289	3448	Recreation Centers	6.29%	Memorial	Pedestrian Paving	Necessary- 2-5 Yrs	District 8	Pedestrian Paving	Damaged	Patch concrete	\$5,016
289	3449	Recreation Centers	6.29%	Memorial	Exterior Walls	Necessary- 2-5 Yrs	District 8	Exterior Walls	Damaged	Repaint Wood Trellis	\$10,004
289	3449	Recreation Centers	6.29%	Memorial	Exterior Walls	Necessary- 2-5 Yrs	District 8	Exterior Walls	Damaged	Repaint Exterior Block Wall	\$11,001
289	3450	Recreation Centers	6.29%	Memorial	Exterior Doors	Necessary- 2-5 Yrs	District 8	Exterior Doors	Damaged	Replace Weatherstripping	\$2,096
289	3450	Recreation Centers	6.29%	Memorial	Exterior Doors	Necessary- 2-5 Yrs	District 8	Exterior Doors	Damaged	Repaint exterior metal doors	\$19,562
289	3451	Recreation Centers	6.29%	Memorial	Ceiling Finishes	Necessary- 2-5 Yrs	District 8	Ceiling Finishes	Damaged	Repaint drywall/plaster ceiling	\$27,665
289	3451	Recreation Centers	6.29%	Memorial	Ceiling Finishes	Necessary- 2-5 Yrs	District 8	Ceiling Finishes	Damaged	Replace Drywall Ceiling	\$52,346
289	3452	Recreation Centers	6.29%	Memorial	Terminal & Package Units	Necessary- 2-5 Yrs	District 8	Ductwork	Damaged	Install ductwork insulation and aces. as req.d	\$2,144
289	3453	Recreation Centers	6.29%	Memorial	Fittings	Necessary- 2-5 Yrs	District 8	Fittings	Damaged	Replace Toilet Partition	\$11,880
289	3454	Recreation Centers	6.29%	Memorial	Wall Finishes	Necessary- 2-5 Yrs	District 8	Wall Finishes	Damaged	Repaint wall	\$41,621
289	3455	Recreation Centers	6.29%	Memorial	Partitions	Necessary- 2-5 Yrs	District 8	Partitions	Damaged	Replace Drywall Partition/Wood Stud Backup	\$58,231
289	3456	Recreation Centers	6.29%	Memorial	Roof Coverings	Necessary- 2-5 Yrs	District 8	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$218,309
290	3457	Comfort Stations	6.25%	#009991	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Install or replace GFCI outlets	\$1,024
290	3457	Comfort Stations	6.25%	#009991	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace Ext. HPS Wall Pack Lt. Fix Ea.	\$4,971
290	3457	Comfort Stations	6.25%	#009991	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$853
290	3458	Comfort Stations	6.25%	#009991	Fittings	Potentially Critical-12 months	District 6	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
290	3459	Comfort Stations	6.25%	#009991	Roof Construction	Potentially Critical-12 months	District 6	Roof Construction	Damaged	Replace Roof Fascia	\$2,588
290	3460	Comfort Stations	6.25%	#009991	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Repaint exterior metal doors	\$2,608
290	3461	Comfort Stations	6.25%	#009991	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Beyond Useful Life	Repaint Exterior Block Wall	\$4,934
290	3462	Comfort Stations	6.25%	#009991	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$5,389
290	3463	Comfort Stations	6.25%	#009991	Ceiling Finishes	Potentially Critical-12 months	District 6	Ceiling Finishes	Beyond Useful Life	Repaint drywall/plaster ceiling	\$6,688

312	3668	Recreation Centers	4.91%	Standley RC & Handball Ct.	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 1	Lighting/Branch Wiring	Failing	Replace 2X4 Fluorescent Fixture - S.F.	\$123,008
312	3668	Recreation Centers	4.91%	Standley RC & Handball Ct.	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 1	Lighting/Branch Wiring	Beyond Expected Life	Replace Receptacle 20A 120V ASSV/S.F.	\$57,311
312	3669	Recreation Centers	4.91%	Standley RC & Handball Ct.	Electrical Service/Distribution	Critical / Immediate Need	District 1	Electrical Service/Distribution	Inadequate	Remove unauthorized storage	\$1,923
312	3669	Recreation Centers	4.91%	Standley RC & Handball Ct.	Electrical Service/Distribution	Necessary- 2-5 Yrs	District 1	Electrical Service/Distribution	Beyond Expected Life	Replace electric service entrance 400 or 800 Amp	\$31,012
312	3670	Recreation Centers	4.91%	Standley RC & Handball Ct.	Terminal & Package Units	Potentially Critical-12 months	District 1	Other Plumbing Systems	Missing	Install or replace flexible fuel connection	\$398
312	3670	Recreation Centers	4.91%	Standley RC & Handball Ct.	Terminal & Package Units	Necessary- 2-5 Yrs	District 1	Heat Generation	Beyond Expected Life	Install or replace heating equip or system	\$17,647
312	3671	Recreation Centers	4.91%	Standley RC & Handball Ct.	Exterior Doors	Potentially Critical-12 months	District 1	Exterior Doors	Damaged	Install or replace exterior hardware	\$5,091
312	3671	Recreation Centers	4.91%	Standley RC & Handball Ct.	Exterior Doors	Necessary- 2-5 Yrs	District 1	Exterior Doors	Damaged	Repaint exterior metal doors	\$27,744
312	3672	Recreation Centers	4.91%	Standley RC & Handball Ct.	Ceiling Finishes	Necessary- 2-5 Yrs	District 1	Ceiling Finishes	Damaged	Replace Glue on Tile	\$56,397
312	3672	Recreation Centers	4.91%	Standley RC & Handball Ct.	Ceiling Finishes	Necessary- 2-5 Yrs	District 1	Ceiling Finishes	Damaged	Replace Acoustical Ceiling Tile	\$10,615
312	3673	Recreation Centers	4.91%	Standley RC & Handball Ct.	Exterior Walls	Necessary- 2-5 Yrs	District 1	Exterior Walls	Damaged	Paint exposed structural steel	\$1,744
312	3674	Recreation Centers	4.91%	Standley RC & Handball Ct.	Wall Finishes	Necessary- 2-5 Yrs	District 1	Wall Finishes	Damaged	Repaint wall	\$3,882
312	3675	Recreation Centers	4.91%	Standley RC & Handball Ct.	Interior Doors	Necessary- 2-5 Yrs	District 1	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$11,732
312	3676	Recreation Centers	4.91%	Standley RC & Handball Ct.	Pedestrian Paving	Necessary- 2-5 Yrs	District 1	Pedestrian Paving	Damaged	Replace concrete slab	\$12,936
312	3677	Recreation Centers	4.91%	Standley RC & Handball Ct.	Fixed Furnishings	Necessary- 2-5 Yrs	District 1	Fixed Furnishing	Damaged	Replace Fixed Casework Base / Wall Cabinets	\$89,431
312	3678	Recreation Centers	4.91%	Standley RC & Handball Ct.	Roof Coverings	Necessary- 2-5 Yrs	District 1	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$165,652
313	3679	Recreation Centers		Jim Howard Hallá (L) Annex	Floor Finishes	Necessary- 2-5 Yrs	District 2	Floor Finishes	Damaged	Replace VCT	\$7,947
313	3679	Recreation Centers		Jim Howard Hallá (L) Annex	Floor Finishes	Necessary- 2-5 Yrs	District 2	Floor Finishes	Damaged	Replace Carpet	\$15,544
313	3680	Recreation Centers		Jim Howard Hallá (L) Annex	Lighting and Branch Wiring	Potentially Critical-12 months	District 2	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$2,070
313	3681	Recreation Centers		Jim Howard Hallá (L) Annex	Wall Finishes	Necessary- 2-5 Yrs	District 2	Wall Finishes	Damaged	Replace Wall Panelling	\$696
313	3682	Recreation Centers		Jim Howard Hallá (L) Annex	Interior Doors	Necessary- 2-5 Yrs	District 2	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$1,676
313	3683	Recreation Centers		Jim Howard Hallá (L) Annex	Roof Coverings	Necessary- 2-5 Yrs	District 2	Roof Covering	Damaged	Replace Clay Tiles	\$4,213
313	3684	Recreation Centers		Jim Howard Hallá (L) Annex	Exterior Doors	Necessary- 2-5 Yrs	District 2	Exterior Doors	Damaged	Repaint exterior metal doors	\$4,412
313	3685	Recreation Centers		Jim Howard Hallá (L) Annex	Site Development	Necessary- 2-5 Yrs	District 2	Other Site Structures	Damaged	Repaint miscellaneous site structures	\$5,953
313	3686	Recreation Centers		Jim Howard Hallá (L) Annex	Interior Windows	Necessary- 2-5 Yrs	District 2	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$20,731
314	3687	PO - Parks / Recreation	4.82%	Ranger Station Kumeyaay	Exterior Doors	Potentially Critical-12 months	District 7	Exterior Doors	Damaged	Install or replace exterior hardware	\$400
314	3687	PO - Parks / Recreation	4.82%	Ranger Station Kumeyaay	Exterior Doors	Necessary- 2-5 Yrs	District 7	Exterior Doors	Failing	Repaint exterior metal doors	\$3,913
314	3688	PO - Parks / Recreation	4.82%	Ranger Station Kumeyaay	Floor Finishes	Potentially Critical-12 months	District 7	Floor Finishes	Damaged	Replace resilient base moulding	\$493
314	3689	PO - Parks / Recreation	4.82%	Ranger Station Kumeyaay	Lighting and Branch Wiring	Potentially Critical-12 months	District 7	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,001
314	3690	PO - Parks / Recreation	4.82%	Ranger Station Kumeyaay	Interior Doors	Necessary- 2-5 Yrs	District 7	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$1,117
314	3691	PO - Parks / Recreation	4.82%	Ranger Station Kumeyaay	Ceiling Finishes	Necessary- 2-5 Yrs	District 7	Ceiling Finishes	Failing	Repaint drywall/plaster ceiling	\$2,131
314	3692	PO - Parks / Recreation	4.82%	Ranger Station Kumeyaay	Exterior Walls	Necessary- 2-5 Yrs	District 7	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
314	3693	PO - Parks / Recreation	4.82%	Ranger Station Kumeyaay	Wall Finishes	Necessary- 2-5 Yrs	District 7	Wall Finishes	Damaged	Repaint wall	\$3,882
314	3694	PO - Parks / Recreation	4.82%	Ranger Station Kumeyaay	Fixed Furnishings	Necessary- 2-5 Yrs	District 7	Fixed Furnishing	Damaged	Replace Fixed Casework Base / Wall Cabinets	\$8,883
315	3695	OS - Operations Services	4.74%	Equip., Acq & Fitting, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Repaint Fascia	\$7,248
315	3695	OS - Operations Services	4.74%	Equip., Acq & Fitting, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Inspection for Mold	\$2,434
315	3695	OS - Operations Services	4.74%	Equip., Acq & Fitting, Chollas	Exterior Walls	Necessary- 2-5 Yrs	District 4	Exterior Walls	Damaged	Repaint Exterior Block Wall	\$5,918
315	3696	OS - Operations Services	4.74%	Equip., Acq & Fitting, Chollas	Domestic Water Distribution	Potentially Critical-12 months	District 4	Water Heaters	Missing	Install or replace insulation on hot water piping	\$310
315	3697	OS - Operations Services	4.74%	Equip., Acq & Fitting, Chollas	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$24,812
315	3698	OS - Operations Services	4.74%	Equip., Acq & Fitting, Chollas	Pedestrian Paving	Necessary- 2-5 Yrs	District 4	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$1,831
315	3699	OS - Operations Services	4.74%	Equip., Acq & Fitting, Chollas	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Wood Doors	\$5,094
315	3700	OS - Operations Services	4.74%	Equip., Acq & Fitting, Chollas	Wall Finishes	Necessary- 2-5 Yrs	District 4	Wall Finishes	Damaged	Repaint wall	\$6,794
315	3701	OS - Operations Services	4.74%	Equip., Acq & Fitting, Chollas	Parking Lots	Necessary- 2-5 Yrs	District 4	Parking Lot	Damaged	Replace Parking Lot - Asphalt	\$15,978
316	3702	Comfort Stations	4.73%	#001406	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Missing	Replace exterior door hardware	\$1,429
316	3702	Comfort Stations	4.73%	#001406	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Repair exterior metal doors	\$1,304
316	3702	Comfort Stations	4.73%	#001406	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Replace Steel Doors	\$2,095
316	3703	Comfort Stations	4.73%	#001406	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Failing	Repair Exterior Block Wall	\$2,277
316	3703	Comfort Stations	4.73%	#001406	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Damaged	Replace CMU Block Wall	\$1,546
316	3704	Comfort Stations	4.73%	#001406	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace Receptacle Covers or Junction Box Covers	\$207
316	3704	Comfort Stations	4.73%	#001406	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$818
316	3705	Comfort Stations	4.73%	#001406	Fittings	Potentially Critical-12 months	District 6	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
316	3706	Comfort Stations	4.73%	#001406	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$3,473
316	3707	Comfort Stations	4.73%	#001406	Plumbing Fixtures	Potentially Critical-12 months	District 6	Plumbing Fixtures	Damaged	Replaces fixture flush valve	\$7,823
317	3710	Comfort Stations	4.60%	#010077	Lighting and Branch Wiring	Potentially Critical-12 months	District 1	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$602
317	3712	Comfort Stations	4.60%	#010077	Fittings	Necessary- 2-5 Yrs	District 1	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
317	3713	Comfort Stations	4.60%	#010077	Wall Finishes	Necessary- 2-5 Yrs	District 1	Wall Finishes	Failing	Repaint wall	\$4,348
317	3714	Comfort Stations	4.60%	#010077	Floor Finishes	Necessary- 2-5 Yrs	District 1	Floor Finishes	Damaged	Epoxy floor	\$8,845
318	3708	Comfort Stations	4.60%	#009934	Lighting and Branch Wiring	Potentially Critical-12 months	District 5	Lighting/Branch Wiring	Beyond Expected Life	Install or replace GFCI outlets	\$1,024

387	4371	PB - Park Balboa	1.65%	Hall Of Champions, Gymnasium	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Damaged	Exterior stucco/plaster wall paint single story	\$9,541
387	4372	PB - Park Balboa	1.65%	Hall Of Champions, Gymnasium	Water Supply	Necessary- 2-5 Yrs	District 3	Water Supply	Beyond Expected Life	Replace domestic water service	\$15,598
387	4373	PB - Park Balboa	1.65%	Hall Of Champions, Gymnasium	Interior Doors	Necessary- 2-5 Yrs	District 3	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$16,183
387	4374	PB - Park Balboa	1.65%	Hall Of Champions, Gymnasium	Roof Coverings	Necessary- 2-5 Yrs	District 3	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$20,085
387	4375	PB - Park Balboa	1.65%	Hall Of Champions, Gymnasium	Sanitary Sewer	Necessary- 2-5 Yrs	District 3	Sanitary Sewer	Beyond Expected Life	Replace sanitary sewer service	\$25,010
387	4376	PB - Park Balboa	1.65%	Hall Of Champions, Gymnasium	Exterior Windows	Necessary- 2-5 Yrs	District 3	Exterior Windows	Damaged	Replace Steel Windows	\$59,473
388	4378	Comfort Stations	1.63%	#010369	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Failing	Replace Receptacle, 20A 120V ASSY/Ea.	\$3,024
388	4378	Comfort Stations	1.63%	#010369	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$919
388	4379	Comfort Stations	1.63%	#010369	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
388	4380	Comfort Stations	1.63%	#010369	Floor Finishes	Necessary- 2-5 Yrs	District 3	Floor Finishes	Failing	Re-paint or Re-Stain Concrete	\$8,385
389	4381	Comfort Stations	1.54%	#010085	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$510
389	4381	Comfort Stations	1.54%	#010085	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Damaged	Replace Ext. HPS Wall Pack Lt. Fix. Ea.	\$2,485
389	4382	Comfort Stations	1.54%	#010085	Fittings	Potentially Critical-12 months	District 6	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
390	4383	Comfort Stations	1.53%	#010261	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 5	Lighting/Branch Wiring	Beyond Expected Life	Replace Receptacle, 20A 120V ASSY/Ea.	\$3,781
390	4383	Comfort Stations	1.53%	#010261	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 5	Lighting/Branch Wiring	Beyond Expected Life	Replace Wall Switch 20A 120/277V ASSY/Ea.	\$2,345
390	4383	Comfort Stations	1.53%	#010261	Lighting and Branch Wiring	Potentially Critical-12 months	District 5	Lighting/Branch Wiring	Missing	Replace Receptacle, 20A 120V ASSY/Ea.	\$3,781
390	4384	Comfort Stations	1.53%	#010261	Fittings	Necessary- 2-5 Yrs	District 5	Fittings	Beyond Useful Life	Replace mirrors	\$84
390	4384	Comfort Stations	1.53%	#010261	Fittings	Necessary- 2-5 Yrs	District 5	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
390	4385	Comfort Stations	1.53%	#010261	Exterior Doors	Necessary- 2-5 Yrs	District 5	Exterior Doors	Failing	Repair exterior metal doors	\$653
391	4386	Comfort Stations	1.52%	#010289	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 7	Lighting/Branch Wiring	Beyond Expected Life	Replace Wall Switch 20A 120/277V ASSY/Ea.	\$468
391	4386	Comfort Stations	1.52%	#010289	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 7	Lighting/Branch Wiring	Beyond Expected Life	Replace Receptacle, 20A 120V ASSY/Ea.	\$756
391	4386	Comfort Stations	1.52%	#010289	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 7	Lighting/Branch Wiring	Damaged	Replace Ext. HPS Wall Pack Lt. Fix. Ea.	\$1,243
391	4386	Comfort Stations	1.52%	#010289	Lighting and Branch Wiring	Potentially Critical-12 months	District 7	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$1,178
391	4387	Comfort Stations	1.52%	#010289	Fittings	Necessary- 2-5 Yrs	District 7	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
391	4388	Comfort Stations	1.52%	#010289	Floor Finishes	Necessary- 2-5 Yrs	District 7	Floor Finishes	Damaged	Re-paint or Re-Stain Concrete	\$4,193
392	4389	Recreation Centers	1.46%	Linda Vista Gymnasium	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Refinish wood floor	\$44,984
392	4389	Recreation Centers	1.46%	Linda Vista Gymnasium	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Replace Ceramic Tile	\$468
392	4389	Recreation Centers	1.46%	Linda Vista Gymnasium	Floor Finishes	Potentially Critical-12 months	District 6	Floor Finishes	Damaged	Replace VCT	\$4,504
392	4390	Recreation Centers	1.46%	Linda Vista Gymnasium	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install or replace GFCI outlets	\$512
392	4390	Recreation Centers	1.46%	Linda Vista Gymnasium	Lighting and Branch Wiring	Potentially Critical-12 months	District 6	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$3,273
392	4391	Recreation Centers	1.46%	Linda Vista Gymnasium	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Replace door hardware	\$9,471
392	4391	Recreation Centers	1.46%	Linda Vista Gymnasium	Interior Doors	Potentially Critical-12 months	District 6	Interior Doors	Damaged	Repair and refinish interior doors - 3-0x7-0	\$5,866
392	4392	Recreation Centers	1.46%	Linda Vista Gymnasium	Terminal & Package Units	Potentially Critical-12 months	District 6	Other Plumbing Systems	Missing	Install or replace flexible fuel connection	\$828
392	4393	Recreation Centers	1.46%	Linda Vista Gymnasium	Other Electrical Systems	Potentially Critical-12 months	District 6	Other Electrical Systems	Missing	Install or replace emergency and/or exit lights	\$7,350
392	4394	Recreation Centers	1.46%	Linda Vista Gymnasium	Wall Finishes	Potentially Critical-12 months	District 6	Wall Finishes	Damaged	Repaint wall	\$2,190
392	4395	Recreation Centers	1.46%	Linda Vista Gymnasium	Plumbing Fixtures	Potentially Critical-12 months	District 6	Plumbing Fixtures	Damaged	Replace Plumbing Fixtures	\$3,364
392	4396	Recreation Centers	1.46%	Linda Vista Gymnasium	Exterior Walls	Potentially Critical-12 months	District 6	Exterior Walls	Damaged	Repaint Fascia	\$7,158
392	4397	Recreation Centers	1.46%	Linda Vista Gymnasium	Exterior Doors	Potentially Critical-12 months	District 6	Exterior Doors	Damaged	Repaint exterior metal doors	\$7,825
393	4398	PB - Park Balboa	1.41%	House Of Pac. Rel. Hungary	Exterior Walls	Necessary- 2-5 Yrs	District 3	Exterior Walls	Damaged	Caulk exterior walls	\$542
393	4399	PB - Park Balboa	1.41%	House Of Pac. Rel. Hungary	Fittings	Necessary- 2-5 Yrs	District 3	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
393	4400	PB - Park Balboa	1.41%	House Of Pac. Rel. Hungary	Terminal & Package Units	Necessary- 2-5 Yrs	District 3	Terminal and Package Units	Beyond Expected Life	Replace Air Cooled Condensing Unit up to 3 Tons	\$5,960
394	4401	OS - Operations Services	1.38%	Equip., Division, Training Ctr	Lighting and Branch Wiring	Potentially Critical-12 months	District 4	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$2,406
394	4401	OS - Operations Services	1.38%	Equip., Division, Training Ctr	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 4	Lighting/Branch Wiring	Failing	Replace exit light fixtures	\$2,117
394	4402	OS - Operations Services	1.38%	Equip., Division, Training Ctr	Domestic Water Distribution	Potentially Critical-12 months	District 4	Water Heaters	Missing	Install or replace insulation on hot water piping	\$373
394	4403	OS - Operations Services	1.38%	Equip., Division, Training Ctr	Pedestrian Paving	Necessary- 2-5 Yrs	District 4	Pedestrian Paving	Damaged	Replace Concrete Sidewalks	\$1,651
394	4404	OS - Operations Services	1.38%	Equip., Division, Training Ctr	Exterior Doors	Necessary- 2-5 Yrs	District 4	Exterior Doors	Damaged	Replace Wood Doors	\$3,317
394	4405	OS - Operations Services	1.38%	Equip., Division, Training Ctr	Site Development	Necessary- 2-5 Yrs	District 4	Fencing	Damaged	Repair Plaster Fencing	\$5,907
394	4406	OS - Operations Services	1.38%	Equip., Division, Training Ctr	Floor Finishes	Necessary- 2-5 Yrs	District 4	Floor Finishes	Damaged	Replace Carpet	\$8,953
395	4407	Recreation Centers	1.37%	Mid City Community Gymnasium	Communications and Security	Potentially Critical-12 months	District 3	Other Electrical Systems	Failing	Install or replace emergency and/or exit lights	\$4,916
395	4408	Recreation Centers	1.37%	Mid City Community Gymnasium	Lighting and Branch Wiring	Potentially Critical-12 months	District 3	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$9,617
395	4409	Recreation Centers	1.37%	Mid City Community Gymnasium	Wall Finishes	Necessary- 2-5 Yrs	District 3	Wall Finishes	Damaged	Repaint wall	\$38,343
395	4410	Recreation Centers	1.37%	Mid City Community Gymnasium	Roof Coverings	Necessary- 2-5 Yrs	District 3	Roof Covering	Damaged	Replace Modified Bitumen Roof Coverings	\$49,565
396	4411	Comfort Stations	1.31%	#010368	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 5	Lighting/Branch Wiring	Beyond Expected Life	Replace Receptacle, 20A 120V ASSY/Ea.	\$756
396	4411	Comfort Stations	1.31%	#010368	Lighting and Branch Wiring	Necessary- 2-5 Yrs	District 5	Lighting/Branch Wiring	Beyond Expected Life	Replace Wall Switch 20A 120/277V ASSY/Ea.	\$1,875
396	4411	Comfort Stations	1.31%	#010368	Lighting and Branch Wiring	Potentially Critical-12 months	District 5	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$545
396	4412	Comfort Stations	1.31%	#010368	Fittings	Necessary- 2-5 Yrs	District 5	Fittings	Inadequate	Replace Facility Number Signage - Cast Aluminum	\$2,567
396	4412	Comfort Stations	1.31%	#010368	Fittings	Necessary- 2-5 Yrs	District 5	Fittings	Failing	Replace Restroom Accessories	\$4,346
397	4413	Comfort Stations	1.29%	#001460	Lighting and Branch Wiring	Critical / Immediate Need	District 5	Lighting/Branch Wiring	Missing	Replace Receptacle Covers or Junction Box Covers	\$621
397	4413	Comfort Stations	1.29%	#001460	Lighting and Branch Wiring	Potentially Critical-12 months	District 5	Lighting/Branch Wiring	Missing	Install circuit label electric outlets and switches	\$913