

Mr. Jeff Petty, Vice-President
American Asphalt South, Inc.
14436 Santa Ana Avenue
Fontana, CA 92337
P: (909) 427-8276 F: (909) 427-8279

City of San Diego

CONTRACTOR'S NAME: _____
ADDRESS: _____
TELEPHONE NO.: _____ FAX NO.: _____
CITY CONTACT: Damian Singleton - Contract Specialist, Email: dsingleton@sandiego.gov
Phone No. (619) 533-3482, Fax No. (619) 533-3633
A.Erikat/RTaleghani/LaD

CONTRACT DOCUMENTS



FOR

ORIGINAL

SLURRY SEAL GROUP 1502

VOLUME 1 OF 2

BID NO.: _____ K-15-1313-DBB-3
SAP NO. (WBS/IO/CC): _____ 21003499
CLIENT DEPARTMENT: _____ 2116
COUNCIL DISTRICT: _____ CITYWIDE
PROJECT TYPE: _____ ID / II

THIS CONTRACT IS SUBJECT TO THE FOLLOWING:

- THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- PREVAILING WAGE RATES: STATE FEDERAL
- APPRENTICESHIP
- THIS IS A PROP. 42 REPLACEMENT FUNDED CONTRACT THROUGH THE STATE CONTROLLERS OFFICE.

BID DUE DATE:

2:00 PM
MARCH 19, 2015
CITY OF SAN DIEGO
PUBLIC WORKS CONTRACTS
1010 SECOND AVENUE, 14th FLOOR, MS 614C
SAN DIEGO, CA 92101

ENGINEER OF WORK

The engineering Specifications and Special Provisions contained herein have been prepared by or under the direction of the following Registered Engineer:

Walter G. Geffrom III 2/4/2015 Seal
For City Engineer / **ORIGINAL** Date




TABLE OF CONTENTS

DESCRIPTION	PAGE NUMBER
1. NOTICE INVITING BIDS.....	4
2. CONTRACT FORMS AGREEMENTS:	
1. Contract Forms.....	19
3. CONTRACT FORMS ATTACHMENTS:	
2. Performance Bond and Labor and Materialmen’s Bond.....	22
3. Drug-Free Workplace.....	24
4. American with Disabilities Act (ADA) Compliance Certification.....	25
5. Contractor Standards - Pledge of Compliance Certificate.....	26
6. Affidavit of Disposal Certificate.....	27
4. ATTACHMENTS:	
A. SCOPE OF WORK.....	29
B. INTENTIONALLY LEFT BLANK.....	31
C. EQUAL OPPORTUNITY CONTRACTING PROGRAM.....	32
D. INTENTIONALLY LEFT BLANK.....	36
E. SUPPLEMENTARY SPECIAL PROVISIONS.....	37
SUPPLEMENTARY SPECIAL PROVISIONS APPENDICES.....	55
1. Appendix A - Fire Hydrant Meter Program.....	56
2. Appendix B - Materials Typically Accepted by Certificate of Compliance.....	70
3. Appendix C - Sample City Invoice.....	72
4. Appendix D - Locations List.....	74
F. INTENTIONALLY LEFT BLANK.....	212

CITY OF SAN DIEGO, CALIFORNIA

NOTICE INVITING BIDS

1. **RECEIPT AND OPENING OF BIDS:** Bids will be received at the Public Works Contracts at the location, time, and date shown on the cover of these specifications for performing work on **Slurry Seal Group 1502** (Project).
2. **SUMMARY OF WORK:** The Work involves furnishing all labor, materials, equipment, services, and other incidental works and appurtenances for the construction of the Project as described in ATTACHMENT A.
3. **BIDS ARE PUBLIC RECORDS:** Upon receipt by the City, Bids shall become public records subject to public disclosure. It is the responsibility of the respondent to clearly identify any confidential, proprietary, trade secret or otherwise legally privileged information contained within the Bid. General references to sections of the California Public Records Act (PRA) will not suffice. If the Contractor does not provide applicable case law that clearly establishes that the requested information is exempt from the disclosure requirements of the PRA, the City shall be free to release the information when required in accordance with the PRA, pursuant to any other applicable law, or by order of any court or government agency, and the Contractor will hold the City harmless for release of this information.
4. **SUBCONTRACTING PARTICIPATION PERCENTAGES:**
 - 4.1. The City has incorporated **mandatory** SLBE-ELBE subcontractor participation percentages to enhance competition and maximize subcontracting opportunities. For the purpose of achieving the mandatory subcontractor participation percentages, a recommended breakdown of the SLBE and ELBE subcontractor participation percentages based upon certified SLBE and ELBE firms has also been provided to achieve the mandatory subcontractor participation percentages:

1. SLBE participation	5.3%
2. ELBE participation	9.8%
3. Total mandatory participation	15.1%
 - 4.2. The Bidders are strongly encouraged to attend the Pre-Bid Meeting to better understand the Good Faith Effort requirements of this contract. See the City's document titled "SLBE Program, Instructions For Bidders Completing The Good Faith Effort Submittal" available at: <http://www.sandiego.gov/eoc/>
 - 4.3. The Bid will be declared **non-responsive** if the Bidder fails the following mandatory conditions:
 - 4.3.1. Bidder's inclusion of SLBE-ELBE certified subcontractors at the overall mandatory participation percentage identified in this document; OR.
 - 4.3.2. Bidder's submission of Good Faith Effort documentation, saved in searchable Portable Document Format (PDF) and stored on Compact Disc (CD) or Digital Video Disc (DVD), demonstrating the Bidder made a good faith effort to outreach to and include SLBE-ELBE Subcontractors required in this document within **3 Working Days** of the Bid opening if the overall mandatory participation percentage is not met.

4.4. For additional Equal Opportunity Contracting Program requirements, see Attachment C.

5. PRE-BID MEETING:

5.1. There will be a Pre-Bid Meeting to discuss the scope of the Project, bidding requirements, pre-qualification process, and Equal Opportunity Contracting Program requirements and reporting procedures in the Public Works Contracts, Conference Room at 1010 Second Avenue, 14th Floor, San Diego, CA 92101 at **10:00 A.M.**, on **March 3, 2015**.

5.2. All potential bidders are encouraged to attend.

5.3. To request a copy of the agenda on an alternative format, or to request a sign language or oral interpreter for this meeting, call the Public Works Contracts at (619) 533-3450 at least 5 Working Days prior to the Pre-Bid Meeting to ensure availability.

6. CONTRACTOR REGISTRATION AND ELECTRONIC REPORTING SYSTEM:

6.1. **Prior** to the Award of the Contract or each Task Order, you and your Subcontractors and Suppliers must register with the City's web-based vendor registration and bid management system, BidsOnline™ hosted by PlanetBids System. For additional information go to:

<http://www.sandiego.gov/purchasing/bids-contracts/vendorreg.shtml>.

6.2. The City may not award the contract until registration of all subcontractors and suppliers is complete. In the event this requirement is not met within the time frame specified in the Notice of Intent to Award letter, the City reserves the right to rescind the Notice of Award / Intent to Award and to make the award to the next responsive and responsible bidder / proposer.

7. **JOINT VENTURE CONTRACTORS:** Provide a copy of the Joint Venture agreement and the Joint Venture license to the City within 10 Working Days after receiving the Contract forms. See 2-1.1.2, "Joint Venture Contractors" in The WHITEBOOK for details.

8. **PREVAILING WAGE RATES:** Pursuant to San Diego Municipal Code section 22.3019, construction, alteration, demolition, repair and maintenance work performed under this Contract is subject to State prevailing wage laws. For construction work performed under this Contract cumulatively exceeding \$25,000 and for alteration, demolition, repair and maintenance work performed under this Contract cumulatively exceeding \$15,000, the Contractor and its subcontractors shall comply with State prevailing wage laws including, but not limited to, the requirements listed below.

8.1. **Compliance with Prevailing Wage Requirements.** Pursuant to sections 1720 through 1861 of the California Labor Code, the Contractor and its subcontractors shall ensure that all workers who perform work under this Contract are paid not less than the prevailing rate of per diem wages as determined by the Director of the California Department of Industrial Relations (DIR). This includes work performed during the design and preconstruction phases of construction including, but not limited to, inspection and land surveying work.

- 8.1.1.** Copies of such prevailing rate of per diem wages are on file at the City and are available for inspection to any interested party on request. Copies of the prevailing rate of per diem wages also may be found at <http://www.dir.ca.gov/OPRL/DPreWageDetermination.htm>. Contractor and its subcontractors shall post a copy of the prevailing rate of per diem wages determination at each job site and shall make them available to any interested party upon request.
- 8.1.2.** The wage rates determined by the DIR refer to expiration dates. If the published wage rate does not refer to a predetermined wage rate to be paid after the expiration date, then the published rate of wage shall be in effect for the life of this Contract. If the published wage rate refers to a predetermined wage rate to become effective upon expiration of the published wage rate and the predetermined wage rate is on file with the DIR, such predetermined wage rate shall become effective on the date following the expiration date and shall apply to this Contract in the same manner as if it had been published in said publication. If the predetermined wage rate refers to one or more additional expiration dates with additional predetermined wage rates, which expiration dates occur during the life of this Contract, each successive predetermined wage rate shall apply to this Contract on the date following the expiration date of the previous wage rate. If the last of such predetermined wage rates expires during the life of this Contract, such wage rate shall apply to the balance of the Contract.
- 8.2. Penalties for Violations.** Contractor and its subcontractors shall comply with California Labor Code section 1775 in the event a worker is paid less than the prevailing wage rate for the work or craft in which the worker is employed.
- 8.3. Payroll Records.** Contractor and its subcontractors shall comply with California Labor Code section 1776, which generally requires keeping accurate payroll records, verifying and certifying payroll records, and making them available for inspection. Contractor shall require its subcontractors to also comply with section 1776. Contractor and its subcontractors shall submit weekly certified payroll records online via the City's web-based Labor Compliance Program. Contractor is responsible for ensuring its subcontractors submit certified payroll records to the City.
- 8.3.1.** For contracts entered into on or after April 1, 2015, Contractor and their subcontractors shall furnish records specified in Labor Code section 1776 directly to the Labor Commissioner in the manner required by Labor Code section 1771.4.
- 8.4. Apprentices.** Contractor and its subcontractors shall comply with California Labor Code sections 1777.5, 1777.6 and 1777.7 concerning the employment and wages of apprentices. Contractor is held responsible for the compliance of their subcontractors with sections 1777.5, 1777.6 and 1777.7.
- 8.5. Working Hours.** Contractor and their subcontractors shall comply with California Labor Code sections 1810 through 1815, including but not limited to: (i) restrict working hours on public works contracts to eight hours a day and forty hours a

week, unless all hours worked in excess of 8 hours per day are compensated at not less than 1½ times the basic rate of pay; and (ii) specify penalties to be imposed on design professionals and subcontractors of \$25 per worker per day for each day the worker works more than 8 hours per day and 40 hours per week in violation of California Labor Code sections 1810 through 1815.

- 8.6. Required Provisions for Subcontracts.** Contractor shall include at a minimum a copy of the following provisions in any contract they enter into with a subcontractor: California Labor Code sections 1771, 1771.1, 1775, 1776, 1777.5, 1810, 1813, 1815, 1860 and 1861.
- 8.7. Labor Code Section 1861 Certification.** Contractor in accordance with California Labor Code section 3700 is required to secure the payment of compensation of its employees and by signing this Contract, Contractor certifies that “I am aware of the provisions of Section 3700 of the California Labor Code which require every employer to be insured against liability for workers’ compensation or to undertake self-insurance in accordance with the provisions of that code, and I will comply with such provisions before commencing the performance of the work of this Contract.”
- 8.8. Labor Compliance Program.** The City has its own Labor Compliance Program authorized in August 2011 by the DIR. The City will withhold contract payments when payroll records are delinquent or deemed inadequate by the City or other governmental entity, or it has been established after an investigation by the City or other governmental entity that underpayment(s) have occurred. For questions or assistance, please contact the City of San Diego’s Equal Opportunity Contracting Department at 619-236-6000.
- 8.9. Contractor and Subcontractor Registration Requirements.** This project is subject to compliance monitoring and enforcement by the DIR. As of March 1, 2015, no contractor or subcontractor may be listed on a bid or proposal for a public works project unless registered with the DIR pursuant to Labor Code section 1725.5. As of April 1, 2015, a contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, or enter into any contract for public work, unless currently registered and qualified to perform public work pursuant to Labor Code section 1725.5. By submitting a bid or proposal to the City, Contractor is certifying that he or she has verified that all subcontractors used on this public work project are registered with the DIR in compliance with Labor Code sections 1771.1 and 1725.5, and Contractor shall provide proof of registration to the City upon request.
- 8.9.1.** A Contractor’s inadvertent error in listing a subcontractor who is not registered pursuant to Labor Code section 1725.5 in response to a solicitation shall not be grounds for filing a bid protest or grounds for considering the bid non-responsive provided that any of the following apply: (1) the subcontractor is registered prior to bid opening; (2) within twenty-four hours after the bid opening, the subcontractor is registered and has paid the penalty registration fee specified in Labor Code section 1725.5; or (3) the subcontractor is replaced by another registered subcontractor pursuant to Public Contract Code section 4107.

9. INSURANCE REQUIREMENTS:

- 9.1. All certificates of insurance and endorsements required by the contract are to be provided upon issuance of the City’s Notice of Intent to Award letter.
- 9.2. Refer to sections 7-3, “LIABILITY INSURANCE”, and 7-4, “WORKERS’ COMPENSATION INSURANCE” of the Supplementary Special Provisions (SSP) for the insurance requirements which must be met.

10. PREQUALIFICATION OF CONTRACTORS:

- 10.1. Contractors submitting Bid must be pre-qualified for the total amount proposed, inclusive of all alternate items prior to the date of submittal. Bids from contractors who have not been pre-qualified as applicable and Bids that exceed the maximum dollar amount at which contractors are pre-qualified will be deemed **non-responsive** and ineligible for award. Complete information and prequalification questionnaires are available at:

<http://www.sandiego.gov/cip/bidopps/prequalification.shtml>

- 10.2. The completed questionnaire, financial statement, and bond letter or a copy of the contractor’s SLBE-ELBE certification and bond letter, must be submitted no later than 2 weeks prior to the bid opening to the Public Works Contracts, Prequalification Program, 1010 Second Avenue, 14th Floor, San Diego, CA 92101. For additional information or the answer to questions about the prequalification program, contact David Stucky at 619-533-3474 or dstucky@sandiego.gov.

- 11. **REFERENCE STANDARDS:** Except as otherwise noted or specified, the Work shall be completed in accordance with the following standards:

Title	Edition	Document Number
Standard Specifications for Public Works Construction (“The GREENBOOK”)	2012	PITS070112-01
City of San Diego Standard Specifications for Public Works Construction (“The WHITEBOOK”)*	2012	PITS070112-02
City of San Diego Standard Drawings*	2012	PITS070112-03
Caltrans Standard Specifications	2010	PITS070112-04
Caltrans Standard Plans	2010	PITS070112-05
California MUTCD	2012	PITS070112-06
City Standard Drawings - Updates Approved For Use (when specified)*	Varies	Varies
Standard Federal Equal Employment Opportunity Construction Contract Specifications and the Equal Opportunity Clause Dated 09-11-84	1984	769023

Title	Edition	Document Number
NOTE: *Available online under Engineering Documents and References at: http://www.sandiego.gov/publicworks/edocref/index.shtml		

12. **CITY'S RESPONSES AND ADDENDA:** The City at its option, may respond to any or all questions submitted in writing, via letter, or FAX in the form of an addendum. No oral comment shall be of any force or effect with respect to this solicitation. The changes to the Contract Documents through addendum are made effective as though originally issued with the Bid. The Bidders shall acknowledge the receipt of Addenda on the form provided for this purpose in the Bid.
13. **CITY'S RIGHTS RESERVED:** The City reserves the right to cancel the Notice Inviting Bids at any time, and further reserves the right to reject submitted Bids, without giving any reason for such action, at its sole discretion and without liability. Costs incurred by the Bidder(s) as a result of preparing Bids under the Notice Inviting Bids shall be the sole responsibility of each bidder. The Notice Inviting Bids creates or imposes no obligation upon the City to enter a contract.
14. **CONTRACT PRICING FORMAT:** This solicitation is for a Lump Sum contract with Unit Price provisions as set forth in the Bid Proposal Form(s), Volume 2.
15. **SUBMITTAL OF "OR EQUAL" ITEMS:** See Section 4-1.6, "Trade Names or Equals" in The WHITEBOOK and as amended in the SSP.
16. **AWARD PROCESS:**
- 16.1. The Award of this contract is contingent upon the Contractor's compliance with all conditions precedent to Award.
 - 16.2. Upon acceptance of a Bid, the City will prepare contract documents for execution within approximately 21 days of the date of the Bid opening and award the Contract approximately within 7 days of receipt of properly executed Contract, bonds, and insurance documents.
 - 16.3. This contract will be deemed executed, and effective, only upon the signing of the Contract by the Mayor or designee of the City.
17. **SUBCONTRACT LIMITATIONS:** The Bidder's attention is directed to Standard Specifications for Public Works Construction, Section 2-3, "SUBCONTRACTS" in The GREENBOOK and as amended in the SSP which requires the Contractor to self-perform not less than the specified amount. Failure to comply with this requirement shall render the bid **non-responsive** and ineligible for award.
18. **AVAILABILITY OF PLANS AND SPECIFICATIONS:** Contract Documents may be obtained by visiting the City's website: <http://www.sandiego.gov/cip/>. Plans and Specifications for this contract are also available for review in the office of the City Clerk or Public Works Contracts.

19. SUBMISSION OF QUESTIONS:

19.1. The Director (or designee), of the Public Works Department is the officer responsible for opening, examining, and evaluating the competitive Bids submitted to the City for the acquisition, construction and completion of any public improvement except when otherwise set forth in these documents. All questions related to this solicitation shall be submitted to:

Public Works Contracts
1010 Second Avenue, 14th Floor
San Diego, California, 92101
Attention: [Contract Specialist listed on the front cover hereof]

OR:

Email address of the Contract Specialist listed on the front cover hereof.

19.2. Questions received less than 14 days prior to the date for opening of Bids may not be considered.

19.3. Clarifications deemed by the City to be material shall be issued by Addenda and uploaded to the City's online bidding service.

19.4. Only questions answered by formal written addenda will be binding. Oral and other interpretations or clarifications will be without legal effect. It is the Bidder's responsibility to become informed of any Addenda that have been issued and to include all such information in its Bid.

20. ELIGIBLE BIDDERS: No person, firm, or corporation shall be allowed to make, file, or be interested in more than one (1) Bid for the same work unless alternate Bids are called for. A person, firm or corporation who has submitted a sub-proposal to a Bidder, or who has quoted prices on materials to a Bidder, is not hereby disqualified from submitting a sub-proposal or quoting prices to other Bidders or from submitting a Bid in its own behalf. Any Bidder who submits more than one bid will result in the rejection of all bids submitted.

21. SAN DIEGO BUSINESS TAX CERTIFICATE: The Contractor and Subcontractors, not already having a City of San Diego Business Tax Certificate for the work contemplated shall secure the appropriate certificate from the City Treasurer, Civic Center Plaza, first floor and submit to the Contract Specialist upon request or as specified in the Contract Documents. Tax Identification numbers for both the Bidder and the listed Subcontractors must be submitted on the City provided forms with the Notice Inviting Bids and Contract forms.

22. PROPOSAL FORMS: Bid shall be made only upon the Bidding Documents i.e., Proposal form attached to and forming a part of the specifications. The signature of each person signing shall be in longhand.

22.1. Bidder shall complete and submit all pages in the "Bidding Document" Section (see Volume 2) as their Bid per the schedule given under "Required Documents Schedule," (see Volume 1). Bidder is requested to retain for their reference other portions of the Contract Documents that are not required to be submitted with the

Bid. The entire specifications for the bid package do not need to be submitted with the bid.

22.2. The City may require any Bidder to furnish a statement of experience, financial responsibility, technical ability, equipment, and references.

22.3. Bids and certain other forms and documents as specified in the Volume 2 of 2 of the Contract Documents shall be enclosed in a sealed envelope and shall bear the title of the work and name of the Bidder and the appropriate State Contractors License designation which the Bidder holds.

22.4. Bids may be withdrawn by the Bidder prior to, but not after, the time fixed for opening of Bids.

23. BIDDER'S GUARANTEE OF GOOD FAITH (BID SECURITY):

23.1. Bidders shall submit Bid Security at bid time. Bid Security shall be in one of the following forms: a cashier's check, or a properly certified check upon some responsible bank; or an approved corporate surety bond payable to the City of San Diego for an amount of not less than 10% of the total bid amount.

23.2. This check or bond, and the monies represented thereby, will be held by the City as a guarantee that the Bidder, if awarded the contract, will in good faith enter into the contract and furnish the required final performance and payment bonds.

23.3. The Bidder agrees that in the event of the Bidder's failure to execute this contract and provide the required final bonds, the money represented by the cashier's or certified check will remain the property of the City; and the Surety agrees that it will pay to the City the damages, not exceeding the sum of 10% of the amount of the Bid, that the City may suffer as a result of such failure.

23.4. A Bid received without the specified bid security may be rejected as **non-responsive**.

24. AWARD OF CONTRACT OR REJECTION OF BIDS:

24.1. This contract may be awarded to the lowest responsible and reliable Bidder.

24.2. Bidders shall complete the entire Bid schedule (also referred to as "schedule of prices" or Proposal form). Incomplete price schedules will be rejected as being non-responsive.

24.3. The City reserves the right to reject any or all Bids, and to waive any informality or technicality in Bids received and any requirements of these specifications as to bidding procedure.

24.4. Bidders will not be released on account of their errors of judgment. Bidders may be released only upon receipt by the City from the Bidder within 3 Working Days,

excluding Saturdays, Sundays, and state holidays, after the opening of Bids, of written notice which includes proof of honest, credible, clerical error of material nature, free from fraud or fraudulent intent, and of evidence that reasonable care was observed in the preparation of the Bid.

- 24.5. A non-selected Bidder may protest award of the Contract to the selected Bidder by submitting a written "Notice of Intent to Protest" including supporting documentation which shall be received by Public Works Contracts no later than 10 days after the City's announcement of the selected Bidder or no later than 10 days from the date that the City issues notice of designation of a Bidder as non-responsible in accordance with San Diego Municipal Code Chapter 2, § 22.3029, "Protests of Contract Award."
- 24.6. The City of San Diego will not discriminate with regard to race, religious creed, color, national origin, ancestry, physical handicap, marital status, sex or age, in the award of contracts.
- 24.7. Each Bid package properly executed as required by these specifications shall constitute a firm offer, which may be accepted by the City within the time specified in the Proposal.
- 24.8. The City reserves the right to evaluate all Bids and determine the lowest Bidder on the basis of any proposed alternates, additive items or options, at its discretion that will be disclosed in the Volume 2 of 2.

25. BID RESULTS:

- 25.1. The Bid opening by the City shall constitute the public announcement of the Apparent Low Bidder. In the event that the Apparent Low Bidder is subsequently deemed non-responsive or non-responsible, a public announcement will be posted in the City's web page <http://www.sandiego.gov/cip/index.shtml>, with the name of the newly designated Apparent Low Bidder.
- 25.2. To obtain Bid results, either attend Bid opening, review the results on the City's web site, or provide a self-addressed, stamped envelope, referencing Bid number, and Bid tabulation will be mailed to you upon verification of extensions. Bid results cannot be given over the telephone.

26. THE CONTRACT:

- 26.1. The Bidder to whom award is made shall execute a written contract with the City of San Diego and furnish good and approved bonds and insurance certificates specified by the City within 14 days after receipt by Bidder of a form of contract for execution unless an extension of time is granted to the Bidder in writing.
- 26.2. If the Bidder takes longer than 14 days to fulfill these requirements, then the additional time taken shall be added to the Bid guarantee. The Contract shall be made in the form adopted by the City, which includes the provision that no claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in

connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.

- 26.3. If the Bidder to whom the award is made fails to enter into the contract as herein provided, the award may be annulled and the Bidder's Guarantee of Good Faith will be subject to forfeiture. An award may be made to the next lowest responsible and reliable Bidder who shall fulfill every stipulation embraced herein as if it were the party to whom the first award was made.
 - 26.4. Pursuant to the San Diego City Charter section 94, the City may only award a public works contract to the lowest responsible and reliable Bidder. The City will require the Apparent Low Bidder to (i) submit information to determine the Bidder's responsibility and reliability, (ii) execute the Contract in form provided by the City, and (iii) furnish good and approved bonds and insurance certificates specified by the City within 14 Days, unless otherwise approved by the City, in writing after the Bidder receives notification from the City, designating the Bidder as the Apparent Low Bidder and formally requesting the above mentioned items.
 - 26.5. The award of the Contract is contingent upon the satisfactory completion of the above mentioned items and becomes effective upon the signing of the Contract by the Mayor or designee. If the Apparent Low Bidder does not execute the Contract or submit required documents and information, the City may award the Contract to the next lowest responsible and reliable Bidder who shall fulfill every condition precedent to award. A corporation designated as the Apparent Low Bidder shall furnish evidence of its corporate existence and evidence that the officer signing the Contract and bond for the corporation is duly authorized to do so.
27. **EXAMINATION OF PLANS, SPECIFICATIONS, AND SITE OF WORK:** The Bidder shall examine carefully the Project Site, the Plans and Specifications, other materials as described in the Special Provisions, Section 2-7, and the proposal forms (e.g., Bidding Documents). The submission of a Bid shall be conclusive evidence that the Bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and scope of Work, the quantities of materials to be furnished, and as to the requirements of the Bidding Documents Proposal, Plans, and Specifications.
28. **CITY STANDARD PROVISIONS:** This contract is subject to the following standard provisions. See The WHITEBOOK for details.
- 28.1. The City of San Diego Resolution No. R-277952 adopted on May 20, 1991 for a Drug-Free Workplace.
 - 28.2. The City of San Diego Resolution No. R-282153 adopted on June 14, 1993 related to the Americans with Disabilities Act.
 - 28.3. The City of San Diego Municipal Code §22.3004 for Pledge of Compliance.

- 28.4. The City of San Diego's Labor Compliance Program and the State of California Labor Code §§1771.5(b) and 1776.
- 28.5. Sections 1777.5, 1777.6, and 1777.7 of the State of California Labor Code concerning the employment of apprentices by contractors and subcontractors performing public works contracts.
- 28.6. The City's Equal Benefits Ordinance (EBO), Chapter 2, Article 2, Division 43 of The San Diego Municipal Code (SDMC).
- 28.7. The City's Information Security Policy (ISP) as defined in the City's Administrative Regulation 90.63.

29. PRE-AWARD ACTIVITIES:

- 29.1. The selected contractor by the City to execute a contract for this Work shall provide the information required within the time specified in "Required Documents," of this bid package. Failure to provide the information within the time specified may result in the Bid being rejected as **non-responsive**.
- 29.2. If the Bid is rejected as non-responsive, the selected contractor by the City to execute a contract for this Work shall forfeit the required Bid. The decision that the selected contractor by the City to execute a contract for this Work is non-responsive for failure to provide the information required within the time specified shall be at the sole discretion of the City.

30. OPTION TO RENEW:

- 30.1. The City of San Diego expects to have additional miles of streets Slurry Coated by contract with additional funding this fiscal year or next fiscal year. The City of San Diego reserves the right to exercise one option to renew this contract at the City's sole discretion under the terms and conditions herein stated, with the work to be performed commencing no later than 180 days after completion of the original contract work. The option to renew must be exercised by the City within 365 days after the date of the bid opening for this project. By submitting this bid, the bidder agrees that it shall not decline the City's option to renew.
- 30.2. The option to renew, if exercised, will be for one or more of the line items noted above as determined by the City, for quantities to be specified by the City that will be within %25 of the quantities listed, with the total price to be adjusted in proportion to the quantities specified. The time for performance of the additional work shall be the same as the time for completion of the original contract work, adjusted proportionately by the amount of the additional work compared to the amount of the original contract work.
- 30.3. The option to renew shall be made at the bid pricing structure of the Bidder's original bid. In the event that the California Statewide Paving Asphalt Price Index (Index)

has changed plus or minus (\pm) 10% between the date of Bid opening (“Bid Opening Date”) and the date the option to renew is exercised by the City (“Option Exercise Date”), the City may, at the Bidder’s request, and at the City’s sole discretion, grant a change to the pricing structure commensurate with the percentage change in the Index.

30.4. If deemed necessary by the City, the option to renew will be exercised in writing by the City within 1 year of the date of the Bid opening for this project. The following conditions apply to the option to renew:

1. The total price of the option to renew shall not exceed the original contract amount. The option to renew will be for one or more of the listed Bid items as determined by the City, for quantities to be specified by the City that will be within twenty five percent (\pm 25%) of the quantities listed in the Bid.
2. The increase in lump sum Bid amounts e.g., bond, mobilization, storm water protection, and traffic control shall be in proportion to the amount of the added quantities. Allowance Bid items have been provided for this purpose where needed.
3. The Contract Time to perform the additional Work will be the same as for the original Work, adjusted proportionately to the amount of the added Work compared to the amount of the original Work.
4. The Retention for both original and added Work will be administered in accordance with 9-3.2, “Partial and Final Payment.”
5. A separate NTP will be issued for the added Work.
6. A separate NOC may be filed for the added Work if the time between completion of the original Work and the commencement of the added Work exceeds 60 days.

30.5. The option to renew may be declined by the Bidder only if the California Statewide Paving Asphalt Price Index has increased by more than 10% from the date of Bid opening to the date the option to renew is exercised by the City.

31. REQUIRED DOCUMENT SCHEDULE:

31.1. The Bidder’s attention is directed to the City’s Municipal Code §22.0807(e), (3)-(5) for important information regarding grounds for debarment for failure to submit required documentation.

31.2. The specified Equal Opportunity Contracting Program (EOCP) forms are available for download from the City’s web site at:

<http://www.sandiego.gov/eoc/forms/index.shtml>

ITEM	WHEN DUE	FROM	DOCUMENT TO BE SUBMITTED
1.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Bid
2.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Bid Bond
3.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Non-collusion Affidavit to be Executed By Bidder and Submitted with Bid under 23 USC 112 and PCC 7106
4.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Contractors Certification of Pending Actions
5.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Equal Benefits Ordinance Certification of Compliance
6.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Form AA35 - List of Subcontractors
7.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Form AA40 - Named Equipment/Material Supplier List
8.	WITHIN 3 WORKING DAYS OF BID OPENING	ALL BIDDERS	SLBE Good Faith Efforts Documentation
9.	WITHIN 3 WORKING DAYS OF BID OPENING WITH GOOD FAITH EFFORT DOCUMENTATION	ALL BIDDERS	Form AA60 – List of Work Made Available
10.	WITHIN 3 WORKING DAYS OF BID OPENING WITH GOOD FAITH EFFORT DOCUMENTATION	ALL BIDDERS	Proof of Valid DBE-MBE-WBE-DVBE Certification Status e.g., Certs.
11.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Names of the principal individual owners of the Apparent Low Bidder
12.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	If the Contractor is a Joint Venture: <ul style="list-style-type: none"> • Joint Venture Agreement • Joint Venture License
13.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Form BB05 - Work Force Report
14.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contract Forms - Agreement

ITEM	WHEN DUE	FROM	DOCUMENT TO BE SUBMITTED
15.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contract Forms - Payment and Performance Bond
16.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Certificates of Insurance and Endorsements
17.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractor Certification - Drug-Free Workplace
18.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractor Certification - American with Disabilities Act
19.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractors Standards - Pledge of Compliance

**CONTRACT FORMS
AGREEMENT**

CONTRACT FORMS

CONSTRUCTION CONTRACT

This contract is made and entered into between THE CITY OF SAN DIEGO, a municipal corporation, herein called "City", and AMERICAN ASPHALT SOUTH, INC., herein called "Contractor" for construction of Slurry Seal Group 1502 Bid No. K-15-1313-DBB-3 in the amount of TWO MILLION SIX HUNDRED FORTY-TWO THOUSAND EIGHT HUNDRED TEN DOLLARS AND 00/100 (\$2,642,810.00), which is comprised of the Base Bid alone.

IN CONSIDERATION of the payments to be made hereunder and the mutual undertakings of the parties hereto, City and Contractor agree as follows:

1. The following are incorporated into this contract as though fully set forth herein:
 - (a) The attached Faithful Performance and Payment Bonds.
 - (b) The attached Proposal included in the Bid documents by the Contractor.
 - (c) Reference Standards listed in the Notice Inviting Bids and the Supplementary Special Provisions (SSP).
 - (d) That certain documents entitled Slurry Seal Group 1502 on file in the office of the Public Works Department as Document No. 21003499 as well as all matters referenced therein.
2. The Contractor shall perform and be bound by all the terms and conditions of this contract and in strict conformity therewith shall perform and complete in a good and workmanlike manner Slurry Seal Group 1502 Bid Number K-15-1313-DBB-3, San Diego, California.
3. For such performances, the City shall pay to Contractor the amounts set forth at the times and in the manner and with such additions or deductions as are provided for in this contract, and the Contractor shall accept such payment in full satisfaction of all claims incident to such performances.
4. No claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.
5. This contract is effective as of the date that the Mayor or designee signs the agreement.


CONTRACT FORMS (continued)

IN WITNESS WHEREOF, this Agreement is signed by the City of San Diego, acting by and through its Mayor or designee, pursuant to Municipal Code §22.3102 authorizing such execution.

THE CITY OF SAN DIEGO

APPROVED AS TO FORM

By 

Jan I. Goldsmith, City Attorney
By 

Print Name: Stephen Samara
Principal Contract Specialist (Acting)

Print Name: RYAN P. GERDITY
Deputy City Attorney

Date: MAY 13, 2015

Date: 5/13/15
PB

CONTRACTOR

By 

Print Name: Lyle Stone

Title: Secretary

Date: April 9th, 2015

City of San Diego License No.: B2002006142

State Contractor's License No.: 784969

CONTRACT FORMS
ATTACHMENTS

**CONTRACT FORMS ATTACHMENTS
PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND**

FAITHFUL PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND:

AMERICAN ASPHALT SOUTH, INC., a corporation, as principal, and
The Guarantee Company of North America USA, a corporation authorized to do business
in the State of California, as Surety, hereby obligate themselves, their successors and assigns, jointly and
severally, to The City of San Diego a municipal corporation in the sum of
TWO MILLION SIX HUNDRED FORTY-TWO THOUSAND EIGHT HUNDRED TEN DOLLARS
AND 00/100 (\$2,642,810.00) for the faithful performance of the annexed contract, and in the sum of
TWO MILLION SIX HUNDRED FORTY-TWO THOUSAND EIGHT HUNDRED TEN DOLLARS
AND 00/100 (\$2,642,810.00) for the benefit of laborers and materialmen designated below.

Conditions:

If the Principal shall faithfully perform the annexed contract Slurry Seal Group 1502
Bid Number K-15-1313-DBB-3, San Diego, California then the obligation herein with respect to a
faithful performance shall be void; otherwise it shall remain in full force.

If the Principal shall promptly pay all persons, firms and corporations furnishing materials for or
performing labor in the execution of this contract, and shall pay all amounts due under the California
Unemployment Insurance Act then the obligation herein with respect to laborers and materialmen shall be
void; otherwise it shall remain in full force.

The obligation herein with respect to laborers and materialmen shall inure to the benefit of all
persons, firms and corporations entitled to file claims under the provisions of Chapter 3 of Division 5 of
Title I of the Government Code of the State of California or under the provisions of Section 3082 et seq.
of the Civil Code of the State of California.

Changes in the terms of the annexed contract or specifications accompanying same or referred to
therein shall not affect the Surety's obligation on this bond, and the Surety hereby waives notice of same.

CONTRACT FORMS ATTACHMENTS (continued)
PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND

The Surety shall pay reasonable attorney's fees should suit be brought to enforce the provisions of this bond.

Dated April 8, 2015

Approved as to Form

American Asphalt South, Inc.

Principal

By 

Lyle Stone, Secretary

Printed Name of Person Signing for Principal

Jan I. Goldsmith, City Attorney


By 
Deputy City Attorney

The Guarantee Company of North America USA

Surety

By 
Bobbie Beeny, Attorney-in-fact

Approved:

By 
Stephen Samara
Principal Contract Specialist (Acting)

1800 Sutter Street, Suite 880

Local Address of Surety

Concord, CA 94520

Local Address (City, State) of Surety

(925) 566-6040

Local Telephone No. of Surety

Premium \$ 14,178.00

Bond No. 12116466

ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California
County of Butte)

On April 8, 2015 before me, Elizabeth Collodi, Notary Public
(insert name and title of the officer)


personally appeared Bobbie Beeny,
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/~~are~~
subscribed to the within instrument and acknowledged to me that ~~he~~/she/~~they~~ executed the same in
~~his~~/her/~~their~~ authorized capacity(~~ies~~), and that by ~~his~~/her/~~their~~ signature(s) on the instrument the
person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature

Elizabeth Collodi





The Guarantee Company of North America USA
Southfield, Michigan

POWER OF ATTORNEY

KNOW ALL BY THESE PRESENTS: That THE GUARANTEE COMPANY OF NORTH AMERICA USA, a corporation organized and existing under the laws of the State of Michigan, having its principal office in Southfield, Michigan, does hereby constitute and appoint

Barbara Midstokke, Renee Ramsey, Richard W. Pratt, John Hopkins, Elizabeth Collodi, Bobbie Beeny, Nancy Luttenbacher Phillip O. Watkins, Keith T. Schuler, Melissa D. Diaz, Shawna Johnson, Patricia M. Simas Interwest Insurance Services, Inc.

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these presents, shall be as binding upon THE GUARANTEE COMPANY OF NORTH AMERICA USA as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

The Power of Attorney is executed and may be certified so, and may be revoked, pursuant to and by authority of Article IX, Section 9.03 of the By-Laws adopted by the Board of Directors of THE GUARANTEE COMPANY OF NORTH AMERICA USA at a meeting held on the 31st day of December, 2003. The President, or any Vice President, acting with any Secretary or Assistant Secretary, shall have power and authority:

- 1. To appoint Attorney(s)-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof; and
2. To revoke, at any time, any such Attorney-in-fact and revoke the authority given, except as provided below
3. In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.
4. In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner - Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of the Company adopted at a meeting duly called and held on the 6th day of December 2011, of which the following is a true excerpt:

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.



IN WITNESS WHEREOF, THE GUARANTEE COMPANY OF NORTH AMERICA USA has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 23rd day of February, 2012.

THE GUARANTEE COMPANY OF NORTH AMERICA USA

[Signature of Stephen C. Ruschak]

[Signature of Randall Musselman]

STATE OF MICHIGAN
County of Oakland

Stephen C. Ruschak, President & Chief Operating Officer

Randall Musselman, Secretary

On this 23rd day of February, 2012 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each is the herein described and authorized officer of The Guarantee Company of North America USA; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of



Cynthia A. Takai
Notary Public, State of Michigan
County of Oakland
My Commission Expires February 27, 2018
Acting in Oakland County

IN WITNESS WHEREOF, I have hereunto set my hand at The Guarantee Company of North America USA offices the day and year above written.

[Signature of Cynthia A. Takai]

I, Randall Musselman, Secretary of THE GUARANTEE COMPANY OF NORTH AMERICA USA, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by THE GUARANTEE COMPANY OF NORTH AMERICA USA, which is still in full force and effect.



IN WITNESS WHEREOF, I have thereunto set my hand and attached the seal of said Company this 8 day of April, 2015

[Signature of Randall Musselman]

Randall Musselman, Secretary

CONTRACTOR CERTIFICATION

DRUG-FREE WORKPLACE

PROJECT TITLE: Slurry Seal Group 1502

I hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-17 regarding Drug-Free Workplace as outlined in the WHITEBOOK, Section 7-13.3, "Drug-Free Workplace", of the project specifications, and that;

American Asphalt South, Inc.
(Name under which business is conducted)

has in place a drug-free workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of subdivisions a) through c) of the policy as outlined.

Signed 
Printed Name Lyle Stone
Title Secretary

CONTRACTOR CERTIFICATION

AMERICAN WITH DISABILITIES ACT (ADA) COMPLIANCE CERTIFICATION

PROJECT TITLE: Slurry Seal Group 1502

I hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-4 regarding the American With Disabilities Act (ADA) outlined in the WHITEBOOK, Section 7-13.2, "American With Disabilities Act", of the project specifications, and that;

American Asphalt South, Inc.

(Name under which business is conducted)

has in place workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of the policy as outlined.

Signed *Lyle Stone*

Printed Name Lyle Stone

Title Secretary

CONTRACTOR CERTIFICATION

CONTRACTOR STANDARDS – PLEDGE OF COMPLIANCE

PROJECT TITLE: Slurry Seal Group 1502

I declare under penalty of perjury that I am authorized to make this certification on behalf of American Asphalt South, Inc., as Contractor, that I am familiar with the requirements of City of San Diego Municipal Code § 22.3224 regarding Contractor Standards as outlined in the WHITEBOOK, Section 7-13.4, ("Contractor Standards"), of the project specifications, and that Contractor has complied with those requirements.

I further certify that each of the Contractor's subcontractors whose subcontracts are greater than \$50,000 in value has completed a Pledge of Compliance attesting under penalty of perjury of having complied with City of San Diego Municipal Code § 22.3224.

Dated this 9th Day of April, 2015.

Signed Lyle Stone

Printed Name Lyle Stone

Title Secretary

AFFIDAVIT OF DISPOSAL

WHEREAS, on the _____ DAY OF _____, 2_____ the undersigned entered into and executed a contract with the City of San Diego, a municipal corporation, for:

Slurry Seal Group 1502

(Name of Project)

as particularly described in said contract and identified as Bid No. **K-15-1313-DBB-3** SAP No. (WBS/IO/CC) **21003499** and **WHEREAS**, the specification of said contract requires the Contractor to affirm that "all brush, trash, debris, and surplus materials resulting from this project have been disposed of in a legal manner"; and **WHEREAS**, said contract has been completed and all surplus materials disposed of:

NOW, THEREFORE, in consideration of the final payment by the City of San Diego to said Contractor under the terms of said contract, the undersigned Contractor, does hereby affirm that all surplus materials as described in said contract have been disposed of at the following location(s)

and that they have been disposed of according to all applicable laws and regulations.

Dated this _____ DAY OF _____, _____.

by _____ Contractor

ATTEST:

State of _____
County of _____

On this _____ DAY OF _____, 2_____, before the undersigned, a Notary Public in and for said County and State, duly commissioned and sworn, personally appeared _____ known to me to be the _____ Contractor named in the foregoing Release, and whose name is subscribed thereto, and acknowledged to me that said Contractor executed the said Release.

Notary Public in and for said County and State

ATTACHMENTS

ATTACHMENT A
SCOPE OF WORK

SCOPE OF WORK

1. **SCOPE OF WORK:** Slurry Seal Group 1502 includes but not limited to, crack sealing, milling various materials, pavement repair, sweeping, application of slurry seal, replacing traffic striping / markings / markers, replacing vehicle detector loops, possible weekend work, traffic control drawings & permits, and storm drain inlet protection on various asphalt streets Citywide.

1.1. The Work shall be performed in accordance with:

1.1.1. The Notice Inviting Bids, inclusive.

2. **CONSTRUCTION COST:** The City's estimated construction cost for this contract is **\$3,750,000.00**

3. **LOCATION OF WORK:** **The location of the Work is as follows:** See Appendix D.

4. **CONTRACT TIME:** The Contract Time for completion of the Work shall be **130 Working Days**.

5. **CONTRACTOR'S LICENSE CLASSIFICATION:** In accordance with the provisions of California Law, the Contractor shall possess valid appropriate license(s) at the time that the Bid is submitted. Failure to possess the specified license(s) shall render the Bid as **non-responsive** and shall act as a bar to award of the Contract to any Bidder not possessing required license(s) at the time of Bid.

5.1. The City has determined the following licensing classifications for this contract:

Option	Classifications
1	CLASS A
2	CLASS C12
3	CLASS C32

5.2. The Bidder shall satisfy the licensing requirement by meeting **at least** one of the listed options.

ATTACHMENT B
INTENTIONALLY LEFT BLANK

ATTACHMENT C
EQUAL OPPORTUNITY CONTRACTING PROGRAM

EQUAL OPPORTUNITY CONTRACTING PROGRAM REQUIREMENTS

1. To The WHITEBOOK, Chapter 10, Sections D and E, DELETE each in its entirety, and SUBSTITUTE with the following:

D. CITY'S EQUAL OPPORTUNITY COMMITMENT.

1. Nondiscrimination in Contracting Ordinance.

1. The Contractor, Subcontractors and Suppliers shall comply with requirements of the City's Nondiscrimination in Contracting Ordinance, San Diego Municipal Code §§22.3501 through 22.3517.

The Contractor shall not discriminate on the basis of race, gender, religion, national origin, ethnicity, sexual orientation, age, or disability in the solicitation, selection, hiring, or treatment of subcontractors, vendors, or suppliers. The Contractor shall provide equal opportunity for subcontractors to participate in subcontracting opportunities. The Contractor understands and agrees that violation of this clause shall be considered a material breach of the contract and may result in contract termination, debarment, or other sanctions.

The Contractor shall include the foregoing clause in all contracts between the Contractor and Subcontractors and Suppliers.

2. Disclosure of Discrimination Complaints. As part of its Bid or Proposal, the Bidder shall provide to the City a list of all instances within the past 10 years where a complaint was filed or pending against Bidder in a legal or administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors, or suppliers, and a description of the status or resolution of that complaint, including any remedial action taken.
3. Upon the City's request, the Contractor agrees to provide to the City, within 60 days, a truthful and complete list of the names of all Subcontractors and Suppliers that the Contractor has used in the past 5 years on any of its contracts that were undertaken within San Diego County, including the total dollar amount paid by the Contractor for each subcontract or supply contract.
4. The Contractor further agrees to fully cooperate in any investigation conducted by the City pursuant to the City's Nondiscrimination in Contracting Ordinance, Municipal Code §§22.3501 through 22.3517. The Contractor understands and agrees that violation of this clause shall be considered a material breach of the Contract and may result in remedies being ordered against the Contractor up to and including contract termination, debarment and other sanctions for violation of the provisions of the Nondiscrimination in Contracting Ordinance. The Contractor further understands and agrees that the procedures, remedies and sanctions provided for in the Nondiscrimination in Contracting Ordinance apply only to violations of the Ordinance.

E. EQUAL EMPLOYMENT OPPORTUNITY OUTREACH PROGRAM.

1. The Contractor, Subcontractors and Suppliers shall comply with the City's Equal Employment Opportunity Outreach Program, San Diego Municipal Code §§22.2701 through 22.2707.

The Contractor shall not discriminate against any employee or applicant for employment on any basis prohibited by law. Contractor shall provide equal opportunity in all employment practices. Prime Contractor shall ensure their subcontractors comply with this program. Nothing in this section shall be interpreted to hold a prime contractor liable for any discriminatory practice of its subcontractors.

The Contractor shall include the foregoing clause in all contracts between the Contractor and Subcontractors and Suppliers.

2. If the Contract is competitively solicited, the selected Bidder shall submit a Work Force Report (Form BB05), within 10 Working Days after receipt by the Bidder of Contract forms to the City for approval as specified in the Notice of Intent to Award letter from the City.
3. If a Work Force Report is submitted, and the City determines there are under-representations when compared to County Labor Force Availability data, the selected Bidder shall submit an Equal Employment Opportunity Plan.
4. If the selected Bidder submits an Equal Employment Opportunity Plan, it shall include the following assurances:
 1. The Contractor shall maintain a working environment free of discrimination, harassment, intimidation and coercion at all sites and in all facilities at which the Contractor's employees are assigned to work.
 2. The Contractor reviews its EEO Policy, at least annually, with all on-site supervisors involved in employment decisions.
 3. The Contractor disseminates and reviews its EEO Policy with all employees at least once a year, posts the policy statement and EEO posters on all company bulletin boards and job sites, and documents every dissemination, review and posting with a written record to identify the time, place, employees present, subject matter, and disposition of meetings.
 4. The Contractor reviews, at least annually, all supervisors' adherence to and performance under the EEO Policy and maintains written documentation of these reviews.
 5. The Contractor discusses its EEO Policy Statement with subcontractors with whom it anticipates doing business, includes the EEO Policy Statement in its subcontracts, and provides such documentation to the City upon request.

6. The Contractor documents and maintains a record of all bid solicitations and outreach efforts to and from subcontractors, contractor associations and other business associations.
7. The Contractor disseminates its EEO Policy externally through various media, including the media of people of color and women, in advertisements to recruit, maintains files documenting these efforts, and provides copies of these advertisements to the City upon request.
8. The Contractor disseminates its EEO Policy to union and community organizations.
9. The Contractor provides immediate written notification to the City when any union referral process has impeded the Contractor's efforts to maintain its EEO Policy.
10. The Contractor maintains a current list of recruitment sources, including those outreaching to people of color and women, and provides written notification of employment opportunities to these recruitment sources with a record of the organizations' responses.
11. The Contractor maintains a current file of names, addresses and phone numbers of each walk-in applicant, including people of color and women, and referrals from unions, recruitment sources, or community organizations with a description of the employment action taken.
12. The Contractor encourages all present employees, including people of color and women employees, to recruit others.
13. The Contractor maintains all employment selection process information with records of all tests and other selection criteria.
14. The Contractor develops and maintains documentation for on-the-job training opportunities, participates in training programs, or both for all of its employees, including people of color and women, and establishes apprenticeship, trainee, and upgrade programs relevant to the Contractor's employment needs.
15. The Contractor conducts, at least annually, an inventory and evaluation of all employees for promotional opportunities and encourages all employees to seek and prepare appropriately for such opportunities.
16. The Contractor ensures the company's working environment and activities are non-segregated except for providing separate or single-user toilets and necessary changing facilities to assure privacy between the sexes.

ATTACHMENT D
INTENTIONALLY LEFT BLANK

ATTACHMENT E
SUPPLEMENTARY SPECIAL PROVISIONS

SUPPLEMENTARY SPECIAL PROVISIONS

The following Supplementary Special Provisions (SSP) modifies the following documents:

- 1) Standard Specifications for Public Works Construction (The GREENBOOK) currently in effect.
 - 2) The City of San Diego Standard Specifications for Public Works Construction (The WHITEBOOK).
-

SECTION 1 – TERMS, DEFINITIONS, ABBREVIATIONS, UNITS OF MEASURE, AND SYMBOLS

1-2 TERMS AND DEFINITIONS.

Normal Working Hours. To the City Supplement, ADD the following:

The Normal Working Hours are 8:30 AM to 3:30 PM.

SECTION 2 - SCOPE AND CONTROL OF WORK

2-3.2 Self Performance. DELETE in its entirety and SUBSTITUTE with the following:

1. You must perform, with your own organization, Contract work amounting to at least 50% of the base bid alone or base bid and any additive or deductive alternate(s) that together when added or deducted form the basis of award.
2. The self performance percentage requirement will be waived for contracts when a “B” License is required or allowed.

2-5.3.1 General. To the City Supplement, ADD the following

7. For products for which an AML is available, products listed in the AML shall be used. A submittal review will be conducted for products not identified on an AML on a case-by-case basis when:
 - a) The product type or category is not in the AML.
 - b) The AML does not list at least two available manufacturers of the product.
 - c) The material or manufacturer listed in the AML is no longer available. Documentation to substantiate the product is no longer available or in production is required as part of the submittal.

In the case of conducting a submittal review when required by the Plans or Special Provisions, or when requested by the Engineer, all submittals shall be accompanied by the City's submittal form.

The Product Submittal Form is available for download at:

<http://www.sandiego.gov/publicworks/edocref/index.shtml>

SECTION 3 – CHANGES IN WORK

3-2.1 General. ADD the following:

The Bid quantities are for estimating purposes only and will vary due to continued deterioration of the streets, such as streets quantified as having no tons of AC required, may in fact need AC repair (see 302-3).

3-2.2.1 General. To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

Unit Bid prices for Crack Seal, Removal of Humps, Traffic Detector Loop, Traffic Conduit Stub, Raise Appurtenance to Grade, and Inlet Markers shall not be subject to adjustment regardless of quantity used or if none are used.

SECTION 4 - CONTROL OF MATERIALS

4-1.3.6 Preapproved Materials. To the City Supplement, ADD the following:

3. You shall submit in writing a list of all products to be incorporated in the Work that are on the AML.

4-1.6 Trade Names or Equals. ADD the following:

You must submit your list of proposed substitutions for “an equal” (“or equal”) item(s) **no later than 5 Working Days after the determination of the Apparent Low Bidder** and on the City's Product Submittal Form available at.

<http://www.sandiego.gov/publicworks/edocref/index.shtml>

SECTION 7 - RESPONSIBILITIES OF THE CONTRACTOR

7-3 LIABILITY INSURANCE. DELETE in its entirety and SUBSTITUTE with the following:

The insurance provisions herein must not be construed to limit your indemnity obligations contained in the Contract.

7-3.1 Policies and Procedures.

1. You must procure the insurance described below, at its sole cost and expense, to provide coverage against claims for loss including injuries to persons or damage to property, which may arise out of or in connection with the performance of the Work by you, your agents, representatives, officers, employees or Subcontractors.
2. Insurance coverage for property damage resulting from your operations is on a replacement cost valuation. The market value will not be accepted.
3. You must maintain this insurance for the duration of this contract and at all times thereafter when you are correcting, removing, or replacing Work in accordance with this contract. Your liabilities under the Contract, e.g., your indemnity obligations, is not deemed limited to the insurance coverage required by this contract.
4. Payment for insurance is included in the various items of Work as bid by you, and except as specifically agreed to by the City in writing, you are not entitled to any additional payment. Do not begin any work under this contract until you have provided and the City has approved all required insurance.
5. Policies of insurance must provide that the City is entitled to 30 days (10 days for cancellation due to non-payment of premium) prior written notice of cancellation or non-renewal of the policy. Maintenance of specified insurance coverage is a material element of the Contract. Your failure to maintain or renew coverage or to provide evidence of renewal during the term of the Contract may be treated by the City as a material breach of the Contract.

7-3.2 Types of Insurance.

7-3.2.1 Commercial General Liability Insurance.

1. Commercial General Liability Insurance must be written on the current version of the ISO Occurrence form CG 00 01 07 98 or an equivalent form providing coverage at least as broad.
2. The policy must cover liability arising from premises and operations, XCU (explosions, underground, and collapse), independent contractors, products/completed operations, personal injury and advertising injury, bodily injury, property damage, and liability assumed under an insured's contract (including the tort liability of another assumed in a business contract).
3. There must be no endorsement or modification limiting the scope of coverage for either "insured vs. insured" claims or contractual liability. You must maintain the same or equivalent insurance for at least 10 years following completion of the Work.
4. All costs of defense must be outside the policy limits. Policy coverage must be in liability limits of not less than the following:

<u>General Annual Aggregate Limit</u>	<u>Limits of Liability</u>
Other than Products/Completed Operations	\$2,000,000
Products/Completed Operations Aggregate Limit	\$2,000,000
Personal Injury Limit	\$1,000,000
Each Occurrence	\$1,000,000

7-3.2.2 Commercial Automobile Liability Insurance.

1. You must provide a policy or policies of Commercial Automobile Liability Insurance written on the current version of the ISO form CA 00 01 12 90 or later version or equivalent form providing coverage at least as broad in the amount of \$1,000,000 combined single limit per accident, covering bodily injury and property damage for owned, non-owned, and hired automobiles (“Any Auto”).
2. All costs of defense must be outside the limits of the policy.

7-3.3 Rating Requirements. Except for the State Compensation Insurance Fund, all insurance required by this contract as described herein must be carried only by responsible insurance companies with a rating of, or equivalent to, at least “A-, VI” by A.M. Best Company, that are authorized by the California Insurance Commissioner to do business in the State, and that have been approved by the City.

7-3.3.1 Non-Admitted Carriers. The City will accept insurance provided by non-admitted, “surplus lines” carriers only if the carrier is authorized to do business in the State and is included on the List of Approved Surplus Lines Insurers (LASLI list).

All policies of insurance carried by non-admitted carriers must be subject to all of the requirements for policies of insurance provided by admitted carriers described herein.

7-3.4 Evidence of Insurance. Furnish to the City documents e.g., certificates of insurance and endorsements evidencing the insurance required herein, and furnish renewal documentation prior to expiration of this insurance. Each required document must be signed by the insurer or a person authorized by the insurer to bind coverage on its behalf. We reserve the right to require complete, certified copies of all insurance policies required herein.

7-3.5 Policy Endorsements.

7-3.5.1 Commercial General Liability Insurance.

7-3.5.1.1 Additional Insured.

- a) You must provide at your expense policy endorsement written on the current version of the ISO Occurrence form CG 20 10 11 85 or an equivalent form providing coverage at least as broad.
- b) To the fullest extent allowed by law e.g., California Insurance Code §11580.04, the policy must be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured.

- c) The additional insured coverage for projects for which the Engineer's Estimate is \$1,000,000 or more must include liability arising out of: (a) Ongoing operations performed by you or on your behalf, (b) your products, (c) your work, e.g., your completed operations performed by you or on your behalf, or (d) premises owned, leased, controlled, or used by you.
- d) The additional insured coverage for projects for which the Engineer's Estimate is less than \$1,000,000 must include liability arising out of: (a) Ongoing operations performed by you or on your behalf, (b) your products, or (c) premises owned, leased, controlled, or used by you.

7-3.5.1.2 Primary and Non-Contributory Coverage. The policy must be endorsed to provide that the coverage with respect to operations, including the completed operations, if appropriate, of the Named Insured is primary to any insurance or self-insurance of the City and its elected officials, officers, employees, agents and representatives. Further, it must provide that any insurance maintained by the City and its elected officials, officers, employees, agents and representatives must be in excess of your insurance and must not contribute to it.

7-3.5.1.3 Project General Aggregate Limit. The policy or policies must be endorsed to provide a Designated Construction Project General Aggregate Limit that will apply only to the Work. Only claims payments which arise from the Work must reduce the Designated Construction Project General Aggregate Limit. The Designated Construction Project General Aggregate Limit must be in addition to the aggregate limit provided for the products-completed operations hazard.

7-3.5.2 Commercial Automobile Liability Insurance.

7-3.5.2.1 Additional Insured. Unless the policy or policies of Commercial Auto Liability Insurance are written on an ISO form CA 00 01 12 90 or a later version of this form or equivalent form providing coverage at least as broad, the policy must be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured, with respect to liability arising out of automobiles owned, leased, hired or borrowed by you or on your behalf. This endorsement is limited to the obligations permitted by California Insurance Code §11580.04.

7-3.6 Deductibles and Self-Insured Retentions. You must pay for all deductibles and self-insured retentions. You must disclose deductibles and self-insured retentions to the City at the time the evidence of insurance is provided.

7-3.7 Reservation of Rights. The City reserves the right, from time to time, to review your insurance coverage, limits, deductibles and self-insured retentions to determine if they are acceptable to the City. The City will reimburse you, without overhead, profit, or any other markup, for the cost of additional premium for any coverage requested by the Engineer but not required by this contract.

7-3.8 Notice of Changes to Insurance. You must notify the City 30 days prior to any material change to the policies of insurance provided under this contract.

7-3.9 **Excess Insurance.** Policies providing excess coverage must follow the form of the primary policy or policies e.g., all endorsements.

7-4 **WORKERS' COMPENSATION INSURANCE.** DELETE in its entirety and SUBSTITUTE with the following:

7-4.1 **Workers' Compensation Insurance and Employers Liability Insurance.**

1. In accordance with the provisions of §3700 of the California Labor Code, you must provide at your expense Workers' Compensation Insurance and Employers Liability Insurance to protect you against all claims under applicable state workers compensation laws. The City, its elected officials, and employees will not be responsible for any claims in law or equity occasioned by your failure to comply with the requirements of this section.

2. Limits for this insurance must be not less than the following:

<u>Workers' Compensation</u>	<u>Statutory Employers Liability</u>
Bodily Injury by Accident	\$1,000,000 each accident
Bodily Injury by Disease	\$1,000,000 each employee
Bodily Injury by Disease	\$1,000,000 policy limit

3. By signing and returning the Contract you certify that you are aware of the provisions of §3700 of the Labor Code which require every employer to be insured against liability for worker's compensation or to undertake self-insurance in accordance with the provisions of that code and you must comply with such provisions before commencing the Work as required by §1861 of the California Labor Code.

7-4.1.1 **Waiver of Subrogation.** The policy or policies must be endorsed to provide that the insurer will waive all rights of subrogation against the City, and its respective elected officials, officers, employees, agents, and representatives for losses paid under the terms of the policy or policies and which arise from work performed by the Named Insured for the City.

7-8.6 **Water Pollution Control.** ADD the following:

1. Based on a preliminary assessment by the City, the Contract is subject to WPCP.

7-9.1 **Video Recording of Existing Conditions.** To the City Supplement, ADD the following:

3. In slurry seal or asphalt overlay contracts, the purpose of the video recording of the pre-existing Site conditions is to document the minimum traffic striping, markings, markers, and traffic control devices (delineators or "safe-hits") for which the Contractor shall be responsible to replace.

7-10.2.2.5 Traffic Control Signs and Notices for Resurfacing and Slurry Sealing. To the City Supplement, item 1, ADD the following:

The “NO PARKING – TOW-AWAY ZONE” shall include “NO DRIVING” on streets that are closed to all traffic during construction. For each street segment, in addition to resurfacing and slurry sealing, the Contractor shall post “NO PARKING” signs for any required preparatory work such as, but not limited to, asphalt pavement repair (mill & pave), crack seal, and tree trimming.

7-10.5.3 Steel Plate Covers. Table 7-10.5.3(A), REVISE the plate thickness for 5’-3” trench width to read 1 ¾”.

7-15 INDEMNIFICATION AND HOLD HARMLESS AGREEMENT. To the City Supplement, fourth paragraph, last sentence, DELETE in its entirety and SUBSTITUTE with the following:

Your duty to indemnify and hold harmless does not include any claims or liability arising from the established active or sole negligence, or willful misconduct of the City, its officers, or employees.

7-16 COMMUNITY LIAISON. To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

ADD:

7-16 COMMUNITY OUTREACH.

7-16.1 General.

1. To ensure consistency with the City’s community outreach plan for the project, the City will work with the Contractor to inform the public (which includes, but is not limited to, property owners, renters, homeowners, business owners, recreational users, and other community members and stakeholders) of construction impacts. Efforts by the Contractor to mitigate construction impacts by communicating with the public require close coordination and cooperation with the City.
2. The Contractor will perform the community outreach activities required throughout the Contract Time.
3. The Contractor shall closely coordinate the Work with the businesses, institutions, residents and property owners impacted by the Project. Example duties of the Contractor include notification to the businesses, institutions and residents of the commencement of construction activities not less than 5 days in advance, coordination of access for vehicular and pedestrian traffic to businesses, institutions and residences impacted by the Project, reporting of Contractor activities at all Project progress meetings scheduled by the Engineer, attendance to the Project Pre-construction Meeting, attendance at 2 community meetings, response to community questions and complaints related to Contractor activities, and written documentation including logging in all inquiries and complaints received into the City’s Public Contact Log located on the City’s SDSshare site:

<http://sdshare/forums/ecp/PITS/picr/Lists/Public%20Contact%20Log/AllItems.aspx>

4. The Contractor shall execute the Information Security Policy Acknowledgement Form - For Non-City Employees within 15 days of the award of the Contract if:
 - a) The contact information for the Contractor is made available on any outreach materials or;
 - b) The Contractor will be the primary point of contact to resolve project related inquiries and complaints.

5. Electronic Communication.

All inquiries and complaints will be logged in to the City's SDSShare site within 24 hours of receipt of inquiries and complaints.

Any updates or a resolution of inquiries, and complaints shall be documented in the City's SDSShare site within 24 hours.

Copies of email communications shall be saved on to the City's SDSShare site as individually as an Outlook Message Format (*.msg).

All graphics, photos, and other electronic files associated with the inquiries and or complaints shall be saved into the individual record.

6. **When specified**, present your Exclusive Community Liaison to the Engineer, in writing, within 15 days of the award of the Contract.

7-16.2

Submittals.

1. The Contractor shall submit to the Resident Engineer, for review and approval, all drafts of letters, notices, postcards, door hangers, signs, mailing lists, proposed addresses for hand-delivery, and any other notices and letters that are to be mailed and or distributed to the public.
 - a. Prior to distributing or mailing, the Contractor shall submit final drafts of letters, notices, postcards, door hangers, signs, and any other notices and letters to the Resident Engineer for final review and approval.
 - b. After distributing or mailing, the Contractor shall submit verification of delivery and any copies of returned notices to the Resident Engineer.

2. The Contractor will use the City's SDSShare site to identify and summarize communications (via phone, in person, and email) with the public the within 24 hours of receipt, even if the Contractor's response to the individual is still incomplete. The Contractor will upload to the City's SDSShare site copies of all written, electronic, and verbal communications and conversations with the public.

7-16.3 Public Notice by Contractor.

1. Furnish and distribute public notices in the form of door hangers using the City's format to all occupants and/or property owners along streets where Work is to be performed at least 5 days before starting the Work as directed by the Resident Engineer.
2. For all Work on private property, contact each owner and occupant individually a minimum of 15 days prior to the Work. If the Work has been delayed, re-notify owners and occupants of the new Work schedule, as directed by the Resident Engineer.

7-16.4 Quality Assurance.

1. During the course of community outreach, the Contractor shall ensure the character of all persons that conduct community outreach (distributing door hangers, attending community meetings, interacting with the public, etc.), on behalf of the Contractor:
 - a. Have the ability to speak and comprehend English and/or Spanish, as appropriate for the community or public they are informing,
 - b. Possess and display easily verifiable and readable personal identification that identifies the person as an employee of the Contractor,
 - c. Have the interpersonal skills to effectively, professionally, and tactfully represent the project, Contractor, and City to the public.

7-16.5 Communications with the Public.

1. The Contractor shall provide updates on construction impacts to the Resident Engineer. The Contractor shall notify the Resident Engineer in advance about time-sensitive construction impacts and may be required to distribute construction impact notices to the public on short notice.
2. The Contractor shall incorporate community outreach activities related to construction impacts in the baseline schedule and update the Resident Engineer with each week's submittal of the Three-Week Look Ahead Schedule.
3. At the request of the Resident Engineer, the Contractor shall attend and participate in project briefings at community meetings.
4. The Contractor shall coordinate with the Resident Engineer on all responses and actions taken to address public inquiries and complaints within 24-hours that they are received.

7-16.6 Communications with Media.

1. The City may allow members of the media access to its construction site(s) on a case-by-case basis only.
2. Occasionally, members of the media may show up at construction sites, uninvited. Members of the media (including, but not limited to newspaper, magazine, radio, television, bloggers, and videographers) do not have the legal right to be in the construction site without the City's permission.
3. In the event media representatives arrive near or on the construction site(s), the Contractor shall keep them off the site(s), in a courteous and professional manner, until a Public Information Officer is available to meet them at an approved location.
4. The Contractor shall report all members of the media visits to the Resident Engineer as quickly as possible, so that the City's Public Information Officer can meet with the members of the media at the construction site(s).
5. If the City allows members of the media to access a construction site, the Contractor shall allow the City to escort the media representatives while they are on the construction site and shall ensure their safety.
6. The Contractor shall require media representatives to sign in and out of the Site Visitor Log and to use Personal Protective Equipment.
7. The Contractor has a right to speak to members of the media about its company and its role on the project. All other questions shall be referred to the City.

7-16.7 Exclusive Community Liaison Services.

If directed to conduct Exclusive Community Liaison Services, the Contractor shall retain an Exclusive Community Liaison for the Project whose sole responsibilities will be as follows:

1. Develop a contact list of community, tenants, property owners, and agencies with a stake in the project.
2. Notify businesses, institutions, property owners, and residents of the commencement of construction activities and utility service interruptions not less than 5 days in advance.
3. Coordinate access for vehicular and pedestrian traffic to businesses, institutions and residences impacted by the Project.
4. Prepare and present of materials in coordination with the Resident Engineer (the City's standards and guidelines for the communication materials are available for review by Bidders by sending a request to the Contract Specialist).

5. Respond to community questions and complaints related to Contractor activities.
6. Write, edit, update, or produce brochures, pamphlets and news releases.
7. Provide standard telephone inquiries and e-mail responses:
 - a) Respond to telephone calls and e-mails from the public.
 - b) Record calls and e-mails on the City's SDSShare site.
8. Report Exclusive Community Liaison activities at all progress meetings scheduled by the Resident Engineer.
9. Attendance at pre-construction, community and stakeholders meetings.

7-16.7.1 Exclusive Community Liaison Work Plan. The Work plan for the Exclusive Community Liaison shall address the items of Work specified in these specifications. Present your Exclusive Community Liaison and submit your exclusive community outreach plan (in writing) as **specified** within 15 days of the Award of the Contract.

7-16.8 Payment. The Payment for the community outreach and public notices is included in the various Bid items. The payment for exclusive community liaison is in the bid item for "Exclusive Community Liaison Services."

7-20 ELECTRONIC COMMUNICATION. ADD the following:

Virtual Project Manager will be used on this contract.

SECTION 9 - MEASUREMENT AND PAYMENT

9-3.2.5 Withholding of Payment. To the City Supplement, item i), DELETE in its entirety and SUBSTITUTE with the following:

- i) Your failure to comply with 7-2.3, "PAYROLL RECORDS" and 2-16, "CONTRACTOR REGISTRATION AND ELECTRONIC REPORTING SYSTEM."

ADD:

9-3.7 Compensation Adjustments for Price Index Fluctuations. This Contract is subject to the provisions of The WHITEBOOK for Compensation Adjustments for Price Index Fluctuations for the paving asphalt.

SECTION 203 – BITUMINOUS MATERIALS

203-15 RUBBER POLYMER MODIFIED SLURRY (RPMS). To the City Supplement, CORRECT section numbering as follows:

OLD SECTION NUMBER	TITLE	NEW SECTION NUMBER
203-15	RUBBER POLYMER MODIFIED SLURRY (RPMS)	203-16
203-15.1	General	203-16.1
203-15.2	Materials	203-16.2
203-15.3	Composition and Grading	203-16.3
203-15.4	Mix Design	203-16.4

ADD the following:

RPMS shall be used on this contract.

SECTION 214 – TRAFFIC STRIPING, CURB AND PAVEMENT MARKINGS, AND PAVEMENT MARKERS

214-1 GENERAL. ADD the following:

Materials for traffic striping, pavement markers, pavement markings, and devices for this contract shall be in accordance with the Standard Specifications, State of California, Business, Transportation and Housing Agency, Department of Transportation, 2010 edition and the current MUTCD. Pertinent SUPPLEMENTARY SPECIAL PROVISIONS can be found in the Contract Appendix.

SECTION 301 – TREATED SOIL, SUBGRADE PREPARATION, AND PLACEMENT OF BASE MATERIALS

301-1.7 Payment. To the City Supplement, ADD the following:

Payment for raising appurtenance to grade, including manholes, valve and monument covers, or monuments, shall be made at the Contract unit price for each appurtenance raised.

SECTION 302 – ROADWAY SURFACING

302-1.1 **General.** ADD the following:

The outside edges of the milled pavement may have a radius transition on the sides parallel to the cutting drum.

The presence of pavement fabric, concrete, rubberized material or steel reinforcement within the depth to be cold milled have not been noted.

302-1.6 **Cold Milling of Composite Pavements.** ADD the following:

The areas and depths of composite pavement to be cold milled, sawn or cut have not been identified.

302-1.9 **Traffic Signal Loop Detectors.** To the City Supplement, item 4, ADD the following:

“Q” loops may be required at bicycle lanes.

302-1.12 **Payment.** To the City Supplements, ADD the following:

4. No additional payment shall be made for milling, grinding, or saw cutting PCC or other material.

302-3 **PREPARATORY REPAIR WORK.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

302-3 **PREPARATORY REPAIR WORK.**

1. Prior to roadway resurfacing or the application of slurry, the Contractor shall complete all necessary preparation and repair work to the road segment e.g., tree trimming, weed spray, weed abatement, crack sealing, asphalt repair, hump removal, miscellaneous asphalt patching, removal of raised pavement markers, removal of pavement markings, etc. and as specified in the Special Provisions.
2. Preparatory work shall include, but not be limited to, tree trimming, weed spray, weed abatement, crack sealing, asphalt repair i.e., mill and pave, hump removal, miscellaneous asphalt patching, removal of raised pavement markers, removal of pavement markings, etc.
3. The Contractor shall repair areas of distressed asphalt concrete pavement by milling or removing damaged areas of pavement to a minimum depth of 2” for Residential streets, and a minimum depth of 3” for all others to expose firm and unyielding pavement. The Contractor shall prepare subgrade as needed and install a minimum of 2” for residential streets, and a minimum of 3” for all others, of compacted asphalt concrete pavement over compacted native material as directed by the Engineer.

4. If, in order to achieve the minimum specified depth, the base material is exposed, the material shall be compacted to 95% relative compaction to a depth 10" below the finished grade (dig out). Compaction tests shall be made to ensure compliance with the specifications. The Engineer will determine when and where the test will occur. The City will pay for the soils testing required by the Engineer, which meets the required compaction. The Contractor shall reimburse the City for the cost of retesting failing compaction tests. If additional base material is required, the Contractor shall use Class 2 Aggregate Base in accordance with 200-2.2, "Crushed Aggregate Base."
5. Recycled base material shall conform to Crushed Miscellaneous Base Material in accordance with 200-2.4, "Crushed Miscellaneous Aggregate Base."
6. Prior to replacing asphalt, the area shall be cleaned by removing all loose and damaged material, moisture, dirt, and other foreign matter and shall be tack coated in accordance with 302-5.4 "Tack Coat."
7. The Contractor shall install new asphalt within the repair area or for patches in accordance with 302-5, "ASPHALT CONCRETE PAVEMENT." Asphalt concrete shall be C2-PG 64-10 in compliance with 400-4, "ASPHALT CONCRETE."
8. No preparatory asphalt work shall be done when the atmospheric temperature is below 50 °F or during unsuitable weather.
9. Following the asphalt placement, the Contractor shall roll the entire area of new asphalt in both directions at least twice. The finished patch shall be level and smooth in compliance with 302-5.6.2 "Density and Smoothness." After placement and compaction of the asphalt patch, the Contractor shall seal all finished edges with a 4" wide continuous band of SS-1H.
10. The minimum dimension for each individual repair shall be 4' x 4' and shall be subject to the following conditions:
 - a) If the base material is exposed to achieve the required minimum removal thickness, the base material shall be prepared conforming to 301-1, "SUBGRADE PREPARATION."
 - b) When additional base material is required, then the contractor shall use Class 2 Aggregate Base in accordance with 200-2.2, "Crushed Aggregate Base." Recycled base material shall conform to Crushed Miscellaneous Base Material in accordance with 200-2.4, "Crushed Miscellaneous Base."
 - c) The Contractor may use grinding as a method for removal of deteriorated pavement when the areas indicated for removal are large enough (a minimum of the machine drum width) and when approved by the Engineer.
 - d) For both scheduled and unscheduled base repairs, failed areas may be removed by milling or by excavation provided that the edges are cut cleanly with a saw. The areas shall be cleaned and tack coated in accordance with 302-5.4, "Tack Coat" before replacing the asphalt. The areas for scheduled repairs have been marked on the street.

302-3.1 Asphalt Patching.

1. Asphalt patching shall consist of patching potholes, gutter-line erosion, and other low spots in the pavement that are deeper than ½" per 302-5.6.2, "Density and Smoothness." These areas are generally smaller and more isolated than those areas in need of mill and pave.
2. The areas requiring patching have been identified in the Contract Documents, marked on the streets, or as directed by the Engineer. The Contractor shall identify any new areas that may require patching prior to slurry work to ensure the smoothness and quality of the finished product.
3. The Contractor shall identify and repair any areas that may require patching, prior to the placement of slurry seal for smooth finished product.
4. Asphalt overlay shall not be applied over deteriorated pavement. Preparatory asphalt work shall be completed and approved by the Engineer before proceeding with asphalt overlay.
5. The Contractor shall remove distressed asphalt pavement either by saw cutting or milling, to expose firm and unyielding pavement; prepare subgrade (as needed); and install compacted asphalt concrete pavement over compacted native material as directed by the Engineer.
6. Prior to replacing asphalt, the area shall be cleaned and tack coated per 302-5.4, "Tack Coat".
7. Following the asphalt placement, the Contractor shall roll the entire patch in both directions covering the patch at least twice.
8. After placement and compaction of the asphalt patch, the Contractor shall seal all finished edges with a 4" wide continuous band of SS-1H.
9. Base repairs shall not exceed 20% RAP in content.

302-3.2 Payment.

1. Payment for replacement of existing pavement when required shall be included in the unit bid price for Asphalt Pavement repair for the total area replaced and no additional payment shall be made regardless of the number of replacements completed. No payment shall be made for areas of over excavation or outside trench areas in utility works unless previously approved by the Engineer. No payment for pavement replacement will be made when the damage is due to the Contractor's failure to protect existing improvements. The Contractor shall reimburse the City for the cost of retesting all failing compaction tests.
2. The areas and quantities shown on the road segments and in appendices are given only for the Contractor's aid in planning the Work and preparing Bids. The Engineer will designate the limits to be removed and these designated areas shall be considered to take precedent over the area shown in an Appendix to the Contract Documents. The quantities shown in the appendices are based on a street assessment survey and may vary.

3. At the end of each day, the Contractor shall submit to the Engineer an itemized list of the asphalt pavement repair work completed. The list shall include the location of the work and the exact square footage of the repair.
4. Preparatory repair work and tack coating will be paid at the Contract unit price per ton for Asphalt Pavement Repair. No payment shall be made for areas of over excavation unless previously approved by the Engineer.
5. Milling shall be included in the Bid item for Asphalt Pavement Repair unless separate Bid item has been provided.
6. Payment for miscellaneous asphalt patching shall be included in the Contract unit price for slurry and no additional payment shall be made therefore.

302-5.1.1 Damaged AC Pavement Replacement. To the City Supplement, DELETE in its entirety.

302-5.1.2 Measurement and Payment. To the City Supplement, DELETE in its entirety.

302-14.5 Measurement and Payment. To the City Supplement, ADD the following:

3. The contract price paid per square foot for 'Type I Over Type III Slurry' shall include full compensation for furnishing all labor, materials, equipment and incidentals, vegetation removal, pre-sweeping, post-sweeping, posting no parking signs, notifying property owners and for doing all the work involved in constructing the 'Type I Over Type III Slurry', complete-in-place, including cleaning of the surface, mixing and applying the emulsion sealer on the pavement and protecting the seal coat until it has set as specified in these specifications and the special provisions, and as directed by the Engineer.

302-14.5 Payment. To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

The payment for Crack Seal shall be paid at the Contract unit price per linear foot as shown on the Bid. The unit price for Crack Seal shall include the removal of vegetation and weeds, cleaning, and sealing.

SECTION 314 – TRAFFIC STRIPING, CURB AND PAVEMENT MARKINGS, AND PAVEMENT MARKERS

314-1 GENERAL. ADD the following:

Methods for traffic striping, pavement markers, pavement markings, and devices for this contract shall be in accordance with the Standard Specifications, State of California, Business, Transportation and Housing Agency, Department of Transportation, 2010 edition and the current MUTCD. Pertinent SUPPLEMENTARY SPECIAL PROVISIONS can be found in the Contract Appendix.

SECTION 701 – WATER POLLUTION CONTROL

701-11 **POST-CONSTRUCTION REQUIREMENTS.** To the City Supplement, second paragraph, ADD the following:

Comply with the following post-construction requirements:

1. Inlet Markers.

SECTION 705 – WATER DISCHARGES

705-2.6.1 **General.** Paragraph (3), CORRECT reference to Section 803 to read “Section 703.”

705-2.6.3 **Community Health and Safety Plan.** To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

705-2.6.3 **Community Health and Safety Plan.** See 703-2, “Community Health and Safety Plan.”

END OF SUPPLEMENTARY SPECIAL PROVISIONS (SSP)

SUPPLEMENTARY SPECIAL PROVISIONS

APPENDICES

APPENDIX A
FIRE HYDRANT METER PROGRAM

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 1 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

1. **PURPOSE**

1.1 To establish a Departmental policy and procedure for issuance, proper usage and charges for fire hydrant meters.

2. **AUTHORITY**

- 2.1 All authorities and references shall be current versions and revisions.
- 2.2 San Diego Municipal Code (NC) Chapter VI, Article 7, Sections 67.14 and 67.15
- 2.3 Code of Federal Regulations, Safe Drinking Water Act of 1986
- 2.4 California Code of Regulations, Titles 17 and 22
- 2.5 California State Penal Code, Section 498B.0
- 2.6 State of California Water Code, Section 110, 500-6, and 520-23
- 2.7 Water Department Director

Reference

- 2.8 State of California Guidance Manual for Cross Connection Programs
- 2.9 American Water Works Association Manual M-14, Recommended Practice for Backflow Prevention
- 2.10 American Water Works Association Standards for Water Meters
- 2.11 U.S.C. Foundation for Cross Connection Control and Hydraulic Research Manual

3. **DEFINITIONS**

3.1 **Fire Hydrant Meter:** A portable water meter which is connected to a fire hydrant for the purpose of temporary use. (These meters are sometimes referred to as Construction Meters.)

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 2 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

- 3.2 **Temporary Water Use:** Water provided to the customer for no longer than twelve (12) months.
- 3.3 **Backflow Preventor:** A Reduced Pressure Principal Assembly connected to the outlet side of a Fire Hydrant Meter.

4. **POLICY**

- 4.1 The Water Department shall collect a deposit from every customer requiring a fire hydrant meter and appurtenances prior to providing the meter and appurtenances (see Section 7.1 regarding the Fees and Deposit Schedule). The deposit is refundable upon the termination of use and return of equipment and appurtenances in good working condition.
- 4.2 Fire hydrant meters will have a 2 ½" swivel connection between the meter and fire hydrant. The meter shall not be connected to the 4" port on the hydrant. All Fire Hydrant Meters issued shall have a Reduced Pressure Principle Assembly (RP) as part of the installation. Spanner wrenches are the only tool allowed to turn on water at the fire hydrant.
- 4.3 The use of private hydrant meters on City hydrants is prohibited, with exceptions as noted below. All private fire hydrant meters are to be phased out of the City of San Diego. All customers who wish to continue to use their own fire hydrant meters must adhere to the following conditions:
- a. Meters shall meet all City specifications and American Water Works Association (AWWA) standards.
 - b. Customers currently using private fire hydrant meters in the City of San Diego water system will be allowed to continue using the meter under the following conditions:
 1. The customer must submit a current certificate of accuracy and calibration results for private meters and private backflows annually to the City of San Diego, Water Department, Meter Shop.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 3 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

2. The meter must be properly identifiable with a clearly labeled serial number on the body of the fire hydrant meter. The serial number shall be plainly stamped on the register lid and the main casing. Serial numbers shall be visible from the top of the meter casing and the numbers shall be stamped on the top of the inlet casing flange.
3. All meters shall be locked to the fire hydrant by the Water Department, Meter Section (see Section 4.7).
4. All meters shall be read by the Water Department, Meter Section (see Section 4.7).
5. All meters shall be relocated by the Water Department, Meter Section (see Section 4.7).
6. These meters shall be tested on the anniversary of the original test date and proof of testing will be submitted to the Water Department, Meter Shop, on a yearly basis. If not tested, the meter will not be allowed for use in the City of San Diego.
7. All private fire hydrant meters shall have backflow devices attached when installed.
8. The customer must maintain and repair their own private meters and private backflows.
9. The customer must provide current test and calibration results to the Water Department, Meter Shop after any repairs.
10. When private meters are damaged beyond repair, these private meters will be replaced by City owned fire hydrant meters.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 4 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

11. When a private meter malfunctions, the customer will be notified and the meter will be removed by the City and returned to the customer for repairs. Testing and calibration results shall be given to the City prior to any re-installation.
 12. The register shall be hermetically sealed straight reading and shall be readable from the inlet side. Registration shall be in hundred cubic feet.
 13. The outlet shall have a 2 ½ "National Standards Tested (NST) fire hydrant male coupling.
 14. Private fire hydrant meters shall not be transferable from one contracting company to another (i.e. if a company goes out of business or is bought out by another company).
- 4.4 All fire hydrant meters and appurtenances shall be installed, relocated and removed by the City of San Diego, Water Department. All City owned fire hydrant meters and appurtenances shall be maintained by the City of San Diego, Water Department, Meter Services.
- 4.5 If any fire hydrant meter is used in violation of this Department Instruction, the violation will be reported to the Code Compliance Section for investigation and appropriate action. Any customer using a fire hydrant meter in violation of the requirements set forth above is subject to fines or penalties pursuant to the Municipal Code, Section 67.15 and Section 67.37.

4.6 Conditions and Processes for Issuance of a Fire Hydrant Meter

Process for Issuance

- a. Fire hydrant meters shall only be used for the following purposes:
 1. Temporary irrigation purposes not to exceed one year.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 5 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

2. Construction and maintenance related activities (see Tab 2).
 - b. No customer inside or outside the boundaries of the City of San Diego Water Department shall resell any portion of the water delivered through a fire hydrant by the City of San Diego Water Department.
 - c. The City of San Diego allows for the issuance of a temporary fire hydrant meter for a period not to exceed 12 months (365 days). An extension can only be granted in writing from the Water Department Director for up to 90 additional days. A written request for an extension by the consumer must be submitted at least 30 days prior to the 12 month period ending. No extension shall be granted to any customer with a delinquent account with the Water Department. No further extensions shall be granted.
 - d. Any customer requesting the issuance of a fire hydrant meter shall file an application with the Meter Section. The customer must complete a "Fire Hydrant Meter Application" (Tab 1) which includes the name of the company, the party responsible for payment, Social Security number and/or California ID, requested location of the meter (a detailed map signifying an exact location), local contact person, local phone number, a contractor's license (or a business license), description of specific water use, duration of use at the site and full name and address of the person responsible for payment.
 - e. At the time of the application the customer will pay their fees according to the schedule set forth in the Rate Book of Fees and Charges, located in the City Clerk's Office. All fees must be paid by check, money order or cashiers check, made payable to the City Treasurer. Cash will not be accepted.
 - f. No fire hydrant meters shall be furnished or relocated for any customer with a delinquent account with the Water Department.
 - g. After the fees have been paid and an account has been created, the

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 6 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

meter shall be installed within 48 hours (by the second business day). For an additional fee, at overtime rates, meters can be installed within 24 hours (within one business day).

4.7 Relocation of Existing Fire Hydrant Meters

- a. The customer shall call the Fire Hydrant Meter Hotline (herein referred to as "Hotline"), a minimum of 24 hours in advance, to request the relocation of a meter. A fee will be charged to the existing account, which must be current before a work order is generated for the meter's relocation.
- b. The customer will supply in writing the address where the meter is to be relocated (map page, cross street, etc). The customer must update the original Fire Hydrant Meter Application with any changes as it applies to the new location.
- c. Fire hydrant meters shall be read on a monthly basis. While fire hydrant meters and backflow devices are in service, commodity, base fee and damage charges, if applicable, will be billed to the customer on a monthly basis. If the account becomes delinquent, the meter will be removed.

4.8 Disconnection of Fire Hydrant Meter

- a. After ten (10) months a "Notice of Discontinuation of Service" (Tab 3) will be issued to the site and the address of record to notify the customer of the date of discontinuance of service. An extension can only be granted in writing from the Water Department Director for up to 90 additional days (as stated in Section 4.6C) and a copy of the extension shall be forwarded to the Meter Shop Supervisor. If an extension has not been approved, the meter will be removed after twelve (12) months of use.
- b. Upon completion of the project the customer will notify the Meter Services office via the Hotline to request the removal of the fire hydrant meter and appurtenances. A work order will be generated

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 7 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

for removal of the meter.

- c. Meter Section staff will remove the meter and backflow prevention assembly and return it to the Meter Shop. Once returned to the Meter Shop the meter and backflow will be tested for accuracy and functionality.
- d. Meter Section Staff will contact and notify Customer Services of the final read and any charges resulting from damages to the meter and backflow or its appurtenance. These charges will be added on the customer's final bill and will be sent to the address of record. Any customer who has an outstanding balance will not receive additional meters.
- e. Outstanding balances due may be deducted from deposits and any balances refunded to the customer. Any outstanding balances will be turned over to the City Treasurer for collection. Outstanding balances may also be transferred to any other existing accounts.

5. **EXCEPTIONS**

- 5.1 Any request for exceptions to this policy shall be presented, in writing, to the Customer Support Deputy Director, or his/her designee for consideration.

6. **MOBILE METER**

- 6.1 Mobile meters will be allowed on a case by case basis. All mobile meters will be protected by an approved backflow assembly and the minimum requirement will be a Reduced Pressure Principal Assembly. The two types of Mobile Meters are vehicle mounted and floating meters. Each style of meters has separate guidelines that shall be followed for the customer to retain service and are described below:

- a) **Vehicle Mounted Meters:** Customer applies for and receives a City owned Fire Hydrant Meter from the Meter Shop. The customer mounts the meter on the vehicle and brings it to the Meter Shop for

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 8 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

inspection. After installation is approved by the Meter Shop the vehicle and meter shall be brought to the Meter Shop on a monthly basis for meter reading and on a quarterly basis for testing of the backflow assembly. Meters mounted at the owner's expense shall have the one year contract expiration waived and shall have meter or backflow changed if either fails.

- b) **Floating Meters:** Floating Meters are meters that are not mounted to a vehicle. **(Note: All floating meters shall have an approved backflow assembly attached.)** The customer shall submit an application and a letter explaining the need for a floating meter to the Meter Shop. The Fire Hydrant Meter Administrator, after a thorough review of the needs of the customer, (i.e. number of jobsites per day, City contract work, lack of mounting area on work vehicle, etc.), may issue a floating meter. At the time of issue, it will be necessary for the customer to complete and sign the "Floating Fire Hydrant Meter Agreement" which states the following:

- 1) The meter will be brought to the Meter Shop at 2797 Caminito Chollas, San Diego on the third week of each month for the monthly read by Meter Shop personnel.
- 2) Every other month the meter will be read and the backflow will be tested. This date will be determined by the start date of the agreement.

If any of the conditions stated above are not met the Meter Shop has the right to cancel the contract for floating meter use and close the account associated with the meter. The Meter Shop will also exercise the right to refuse the issuance of another floating meter to the company in question.

Any Fire Hydrant Meter using reclaimed water shall not be allowed use again with any potable water supply. The customer shall incur the cost of replacing the meter and backflow device in this instance.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 9 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

7. FEE AND DEPOSIT SCHEDULES

- 7.1 **Fees and Deposit Schedules:** The fees and deposits, as listed in the Rate Book of Fees and Charges, on file with the Office of the City Clerk, are based on actual reimbursement of costs of services performed, equipment and materials. These deposits and fees will be amended, as needed, based on actual costs. Deposits, will be refunded at the end of the use of the fire hydrant meter, upon return of equipment in good working condition and all outstanding balances on account are paid. Deposits can also be used to cover outstanding balances.

All fees for equipment, installation, testing, relocation and other costs related to this program are subject to change without prior notification. The Mayor and Council will be notified of any future changes.

8. UNAUTHORIZED USE OF WATER FROM A HYDRANT

- 8.1 Use of water from any fire hydrant without a properly issued and installed fire hydrant meter is theft of City property. Customers who use water for unauthorized purposes or without a City of San Diego issued meter will be prosecuted.
- 8.2 If any unauthorized connection, disconnection or relocation of a fire hydrant meter, or other connection device is made by anyone other than authorized Water Department personnel, the person making the connection will be prosecuted for a violation of San Diego Municipal Code, Section 67.15. In the case of a second offense, the customer's fire hydrant meter shall be confiscated and/or the deposit will be forfeited.
- 8.3 Unauthorized water use shall be billed to the responsible party. Water use charges shall be based on meter readings, or estimates when meter readings are not available.
- 8.4 In case of unauthorized water use, the customer shall be billed for all applicable charges as if proper authorization for the water use had been obtained, including but not limited to bi-monthly service charges, installation charges and removal charges.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 10 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

- 8.5 If damage occurs to Water Department property (i.e. fire hydrant meter, backflow, various appurtenances), the cost of repairs or replacements will be charged to the customer of record (applicant).

**Larry Gardner
Water Department Director**

- Tabs: 1. Fire Hydrant Meter Application
2. Construction & Maintenance Related Activities With No Return To Sewer
3. Notice of Discontinuation of Service

APPENDIX

Administering Division: Customer Support Division

Subject Index: Construction Meters
Fire Hydrant
Fire Hydrant Meter Program
Meters, Floating or Vehicle Mounted
Mobile Meter
Program, Fire Hydrant Meter

Distribution: DI Manual Holders



Application for Fire Hydrant Meter (EXHIBIT A)

(For Office Use Only)

NS REQ	FAC#
DATE	BY

METER SHOP (619) 527-7449

Meter Information

Application Date	Requested Install Date:
------------------	-------------------------

Fire Hydrant Location: (Attach Detailed Map//Thomas Bros. Map Location or Construction drawing.) Zip:	T.B.	G.B. (CITY USE)
Specific Use of Water:		
Any Return to Sewer or Storm Drain, if so, explain:		
Estimated Duration of Meter Use:	<input type="checkbox"/>	Check Box if Reclaimed Water

Company Information

Company Name:			
Mailing Address:			
City:	State:	Zip:	Phone: ()
*Business license#		*Contractor license#	
A Copy of the Contractor's license OR Business License is required at the time of meter issuance.			
Name and Title of Billing Agent: <small>(PERSON IN ACCOUNTS PAYABLE)</small>			Phone: ()
Site Contact Name and Title:			Phone: ()
Responsible Party Name:			Title:
Cal ID#			Phone: ()
Signature:		Date:	
Guarantees Payment of all Charges Resulting from the use of this Meter. Insures that employees of this Organization understand the proper use of Fire Hydrant Meter			

Fire Hydrant Meter Removal Request	Requested Removal Date:
Provide Current Meter Location if Different from Above:	
Signature:	Title: Date:
Phone: ()	Pager: ()

<input type="checkbox"/> City Meter	<input type="checkbox"/> Private Meter
Contract Acct #:	Deposit Amount: \$ 936.00 Fees Amount: \$ 62.00
Meter Serial #	Meter Size: 05 Meter Make and Style: 6-7
Backflow #	Backflow Make and Style:
Name:	Signature: Date:

WATER USES WITHOUT ANTICIPATED CHARGES FOR RETURN TO SEWER

Auto Detailing
Backfilling
Combination Cleaners (Vactors)
Compaction
Concrete Cutters
Construction Trailers
Cross Connection Testing
Dust Control
Flushing Water Mains
Hydro Blasting
Hydro Seeing
Irrigation (for establishing irrigation only; not continuing irrigation)
Mixing Concrete
Mobile Car Washing
Special Events
Street Sweeping
Water Tanks
Water Trucks
Window Washing

Note:

1. If there is any return to sewer or storm drain, then sewer and/or storm drain fees will be charges.

Date

Name of Responsible Party
Company Name and Address
Account Number: _____

Subject: Discontinuation of Fire Hydrant Meter Service

Dear Water Department Customer:

The authorization for use of Fire Hydrant Meter # _____, located at *(Meter Location Address)* ends in 60 days and will be removed on or after *(Date Authorization Expires)*. Extension requests for an additional 90 days must be submitted in writing for consideration 30 days prior to the discontinuation date. If you require an extension, please contact the Water Department, or mail your request for an extension to:

City of San Diego
Water Department
Attention: Meter Services
2797 Caminito Chollas
San Diego, CA 92105-5097

Should you have any questions regarding this matter, please call the Fire Hydrant Hotline at (619) _____ - _____.

Sincerely,

Water Department

APPENDIX B

MATERIALS TYPICALLY ACCEPTED BY CERTIFICATE OF COMPLIANCE

Materials Typically Accepted by Certificate of Compliance

1. Soil amendment
2. Fiber mulch
3. PVC or PE pipe up to 16 inch diameter
4. Stabilizing emulsion
5. Lime
6. Preformed elastomeric joint seal
7. Plain and fabric reinforced elastomeric bearing pads
8. Steel reinforced elastomeric bearing pads
9. Waterstops (Special Condition)
10. Epoxy coated bar reinforcement
11. Plain and reinforcing steel
12. Structural steel
13. Structural timber and lumber
14. Treated timber and lumber
15. Lumber and timber
16. Aluminum pipe and aluminum pipe arch
17. Corrugated steel pipe and corrugated steel pipe arch
18. Structural metal plate pipe arches and pipe arches
19. Perforated steel pipe
20. Aluminum underdrain pipe
21. Aluminum or steel entrance tapers, pipe downdrains, reducers, coupling bands and slip joints
22. Metal target plates
23. Paint (traffic striping)
24. Conductors
25. Painting of electrical equipment
26. Electrical components
27. Engineering fabric
28. Portland Cement
29. PCC admixtures
30. Minor concrete, asphalt
31. Asphalt (oil)
32. Liquid asphalt emulsion
33. Epoxy

APPENDIX C
SAMPLE CITY INVOICE

City of San Diego, Field Engineering Div., 9485 Aero Drive, SD CA 92123						Contractor's Name:					
Project Name:						Contractor's Address:					
Work Order No or Job Order No.											
City Purchase Order No.						Contractor's Phone #:			Invoice No.		
Resident Engineer (RE):						Contractor's Fax #:			Invoice Date:		
RE Phone#:		RE Fax#:				Contact Name:			Billing Period:		
Item #	Item Description	Contract Authorization				Previous Estimate		This Estimate		Totals to Date	
		Unit	Qty	Price	Extension	%/QTY	Amount	% / QTY	Amount	% / QTY	Amount
1	2 Parallel 4" PVC C900	LF	1,380	\$34.00	\$46,920.00						
2	48" Primary Steel Casing	LF	500	\$1,000.00	\$500,000.00						
3	2 Parallel 12" Secondary Steel	LF	1,120	\$53.00	\$59,360.00						
4	Construction and Rehab of PS 49	LS	1	\$150,000.00	\$150,000.00						
5	Demo	LS	1	\$14,000.00	\$14,000.00						
6	Install 6' High Chain Link Fence	LS	1	\$5,600.00	\$5,600.00						
7	General Site Restoration	LS	1	\$3,700.00	\$3,700.00						
8	10" Gravity Sewer	LF	10	\$292.00	\$2,920.00						
9	4" Blow Off Valves	EA	2	\$9,800.00	\$19,600.00						
10	Bonds	LS	1	\$16,000.00	\$16,000.00						
11	Field Orders	AL	1	80,000	\$80,000.00						
11.1	Field Order 1	LS	5,500	\$1.00	\$5,500.00						
11.2	Field Order 2	LS	7,500	\$1.00	\$7,500.00						
11.3	Field Order 3	LS	10,000	\$1.00	\$10,000.00						
11.4	Field Order 4	LS	6,500	\$1.00	\$6,500.00						
12	Certified Payroll	LS	1	\$1,400.00	\$1,400.00						
CHANGE ORDERS											
Change Order 1			4,890								
Items 1-4					\$11,250.00						
Item 5-Deduct Bid Item 3		LF	120	-\$53.00	(\$6,360.00)						
Change Order 2			160,480								
Items 1-3					\$95,000.00						
Item 4 Deduct Bid Item 1		LF	380	-\$340.00	(\$12,920.00)						
Item 5-Increase bid Item 9		LF	8	\$9,800.00	\$78,400.00						
Change Order 3 (Close Out)			-121,500								
Item 1 Deduct Bid Item 3			53	-500.00	(\$26,500.00)						
Item 2 Deduct Bid Item 4		LS	-1	45,000.00	(\$45,000.00)						
Items 3-9			1	-50,500.00	(\$50,500.00)						
SUMMARY								Total This	\$ -	Total Billed	\$0.00
A. Original Contract Amount						Retention and/or Escrow Payment Schedule					
B. Approved Change Order 1 Thru 3						Total Retention Required as of this billing					
C. Total Authorized Amount (A+B)						Previous Retention Withheld in PO or in Escrow					
D. Total Billed to Date						Add'l Amt to Withhold in PO/Transfer in Escrow:					
E. Less Total Retention (5% of D)						Amt to Release to Contractor from PO/Escrow:					
F. Less Total Previous Payments											
G. Payment Due Less Retention						Contractor Signature and Date:					
H. Remaining Authorized Amount											

APPENDIX D

Locations List

APPENDIX D

PROPOSED WORK FOR: S1502

TB Map Page	Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1188-C5	DUNHAM CT	DUNHAM WY	END	1	Residential	362 ft	30 ft	10860 ft ²	
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1086 ft				
	Inlet Marker 1 ea	AC Repair	0 ton						
	Inlet Protection 1 ea								
	Traffic Loops @								
	Comments Type I								
1188-D6	CARMEL KNOLLS DR	CHANDON CT	SEABREEZE FARMS DR	1	Major	771 ft	36 ft	27756 ft ²	
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2776 ft				
	Inlet Marker 1 ea	AC Repair	0 ton						
	Inlet Protection 1 ea								
	Traffic Loops @								
	Comments Type I								
1189-A6	DORMOUSE RD	ECLIPSE RD	DORMOUSE CT	6	Residential	460 ft	33 ft	15180 ft ²	
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1518 ft				
	Inlet Marker	AC Repair	0 ton						
	Inlet Protection								
	Traffic Loops @								
	Comments Type I								

1189-A6 ROAN RD	ROAN WY	END	6	Residential	360 ft	29 ft	10440 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1044 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							
1189-A6 ECLIPSE RD	DORMOUSE RD	ECLIPSE PL	6	Residential	1202 ft	17 ft	20434 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2043 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							
1189-A6 GOLDFISH WY	GOLDFISH CT	ROAN WY	6	Residential	390 ft	27 ft	10530 ft ²
Hump Removal	AC Repair Area	100 ft ²	Crack Seal	1053 ft			
Inlet Marker 1 ea	AC Repair	1 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							
1189-A6 ECLIPSE PL	BEGIN	ECLIPSE RD	6	Residential	370 ft	28 ft	10360 ft ²
Hump Removal	AC Repair Area	100 ft ²	Crack Seal	1036 ft			
Inlet Marker	AC Repair	1 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1189-A6	CICADA CT	DORMOUSE RD	END	6	Residential	403 ft	27 ft	10881 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1088 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1189-A6	ROAN RD	SALVIA WY	ROAN WY	6	Residential	730 ft	29 ft	21170 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2117 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1189-A6	GOLDFISH WY	ROAN WY	END	6	Residential	370 ft	27 ft	9990 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	999 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1189-A6	GOLDFISH WY	SALVIA WY	GOLDFISH CT	6	Residential	225 ft	27 ft	6075 ft ²
	Hump Removal	AC Repair Area	80 ft ²	Crack Seal	608 ft			
	Inlet Marker	AC Repair	1 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1189-A6 DORMOUSE CT	DORMOUSE RD	END	6	Residential	260 ft	27 ft	7020 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 702 ft				
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1189-A6 SALVIA WY	GOLDFISH WY	ROAN RD	6	Residential	240 ft	28 ft	6720 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 672 ft				
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1189-A6 DORMOUSE RD	SALVIA WY	ECLIPSE RD	6	Residential	1100 ft	33 ft	36300 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 3630 ft				
Inlet Marker 2 ea	AC Repair	0 ton					
Inlet Protection 2 ea							
Traffic Loops @							
Comments Type I							

1189-A6 DORMOUSE RD	CICADA CT	RUFUS CT	6	Residential	470 ft	37 ft	17390 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 1739 ft				
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1189-A6	ROAN WY	GOLDFISH WY	ROAN RD	6	Residential	245 ft	29 ft	7105 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	710 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1189-A6	DORMOUSE RD	DORMOUSE CT	CICADA CT	6	Residential	340 ft	37 ft	12580 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1258 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1189-A7	SALIX WY	BEGIN	SALIX PL	6	Residential	380 ft	27 ft	10260 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1026 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1189-A7	LICIA WY	SALIX PL	PARK VILLAGE RD	6	Residential	282 ft	33 ft	9306 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	931 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							

1189-A7 PIPIT PL	PIPIT CT	LICIA WY	6	Residential	502 ft	32 ft	16064 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal		1606 ft		
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1189-A7 SALVIA WY	KATYDID CR	GOLDFISH WY	6	Residential	602 ft	28 ft	16856 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal		1686 ft		
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1189-A7 PIPIT PL	LICIA WY	PIPIT WY	6	Residential	132 ft	27 ft	3564 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal		356 ft		
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1189-A7 SALIX PL	DORMOUSE RD	SALIX CT	6	Residential	520 ft	33 ft	17160 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal		1716 ft		
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1189-A7 DORMOUSE RD	PIPIT PL	SALVIA WY	6	Residential	1700 ft	33 ft	56100 ft ²
Hump Removal	AC Repair Area	150 ft ²	Crack Seal	5610 ft			
Inlet Marker 2 ea	AC Repair	12 ton					
Inlet Protection 2 ea							
Traffic Loops @							
Comments Type I							
1189-A7 LICIA WY	PARK VILLAGE RD	PIPIT PL	6	Residential	211 ft	33 ft	6963 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	696 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							
1189-A7 SALIX PL	LICIA WY	SALIX WY	6	Residential	182 ft	32 ft	5824 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	582 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							
1189-A7 DORMOUSE RD	SALIX PL	PARK VILLAGE RD	6	Residential	320 ft	33 ft	10560 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1056 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1189-A7 PIPIT PL	PIPIT WY	END	6	Residential	386 ft	27 ft	10422 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1042 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1189-A7 DORMOUSE RD	RUFUS CT	CAM DEL SUR	6	Residential	205 ft	37 ft	7585 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	758 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1189-A7 PIPIT CT	PIPIT PL	END	6	Residential	121 ft	27 ft	3267 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	327 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1189-A7 PIPIT PL	DORMOUSE RD	SALVIA WY	6	Residential	311 ft	32 ft	9952 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	995 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1189-A7 SALIX WY	SALIX PL	END	6	Residential	220 ft	27 ft	5940 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	594 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							
1189-A7 DORMOUSE RD	PARK VILLAGE RD	PIPIT PL	6	Residential	190 ft	33 ft	6270 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	627 ft			
Inlet Marker 2 ea	AC Repair	0 ton					
Inlet Protection 2 ea							
Traffic Loops @							
Comments Type I							
1189-A7 RUFUS CT	BEGIN	DORMOUSE RD	6	Residential	160 ft	27 ft	4320 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	432 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							
1189-A7 SALIX CT	BEGIN	SALIX PL	6	Residential	101 ft	27 ft	2727 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	273 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1189-A7 DORMOUSE RD	BEGIN	SALIX PL	6	Residential	215 ft	27 ft	5805 ft ²
Hump Removal		AC Repair Area	0 ft ²		Crack Seal	580 ft	
Inlet Marker		AC Repair	0 ton				
Inlet Protection							
Traffic Loops @							
Comments Type I							
1189-A7 GOLDFISH CT	BEGIN	GOLDFISH WY	6	Residential	205 ft	27 ft	5535 ft ²
Hump Removal		AC Repair Area	40 ft ²		Crack Seal	554 ft	
Inlet Marker		AC Repair	3 ton				
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1189-A7 PIPIT PL	SALVIA WY	PIPIT CT	6	Residential	542 ft	32 ft	17344 ft ²
Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1734 ft	
Inlet Marker		AC Repair	0 ton				
Inlet Protection							
Traffic Loops @							
Comments Type I							
1189-A7 SALVIA WY	PIPIT PL	KATYDID CR	6	Residential	201 ft	28 ft	5628 ft ²
Hump Removal		AC Repair Area	0 ft ²		Crack Seal	563 ft	
Inlet Marker	1 ea	AC Repair	0 ton				
Inlet Protection	1 ea						
Traffic Loops @							
Comments Type I							

1189-A7	PIPIT WY	BEGIN	PIPIT PL	6	Residential	82 ft	27 ft	2214 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	221 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1189-A7	KATYDID CR	SALVIA WY	END	6	Residential	840 ft	28 ft	23520 ft ²
	Hump Removal		AC Repair Area	140 ft ²		Crack Seal	2352 ft	
	Inlet Marker 1 ea		AC Repair	2 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1189-A7	SALIX PL	SALIX CT	LICIA WY	6	Residential	521 ft	32 ft	16672 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1667 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1208-E6	MIRA SORRENTO PL	BEGIN	SCRANTON RD	6	Residential	1707 ft	69 ft	117783 ft ²
	Hump Removal 0 ft		AC Repair Area	0 ft ²		Crack Seal	11778 ft	
	Inlet Marker 0 ea		AC Repair	0 ton				
	Inlet Protection 5 ea							
	Traffic Loops @ 0 ea							
	Comments TYPE I. LIMITS: VISTA SORRENTO PKWY TO SCRANTON RD.							

1208-E6	SCRANTON RD	MOREHOUSE DR	MIRA SORRENTO PL	6	Major	524 ft	65 ft	34060 ft ²	
	Hump Removal 0 ft	AC Repair Area	1,030 ft ²	Crack Seal	3406 ft				
	Inlet Marker 1 ea	AC Repair	82 ton						
	Inlet Protection 1 ea								
	Traffic Loops @ 0 ea								
	Comments Type I over Type III								
1208-G3	PEINADO WY	LOPEZ RIDGE WY	END	6	Prime	689 ft	34 ft	23426 ft ²	Monday
	Hump Removal 0 ft	AC Repair Area	0 ft ²	Crack Seal	2343 ft				
	Inlet Marker 0 ea	AC Repair	0 ton						
	Inlet Protection 0 ea								
	Traffic Loops @ 0 ea								
	Comments TYPE I.								
1228-E6	LODI PL	BEGIN	LODI ST	6	Residential	222 ft	27 ft	5994 ft ²	
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	599 ft				
	Inlet Marker	AC Repair	0 ton						
	Inlet Protection								
	Traffic Loops @								
	Comments Type I								
1228-G5	LAKWOOD ST	CORLITA CT	VIA LAPIZ	1	Residential	320 ft	37 ft	11840 ft ²	
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1184 ft				
	Inlet Marker	AC Repair	0 ton						
	Inlet Protection								
	Traffic Loops @								
	Comments Type I over Type III								

1228-G5 LAKEWOOD ST	LAKWOOD CT	CORLITA CT	1	Residential	511 ft	37 ft	18907 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1891 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1228-G5 VIA REGLA	VIA PAPEL	REGLA CT	1	Residential	199 ft	37 ft	7363 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	736 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							
1228-G5 NANETTE LN	VIA PAPEL	END	1	Residential	106 ft	37 ft	3922 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	392 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							
1228-G5 REGLA CT	VIA REGLA	END	1	Residential	110 ft	27 ft	2970 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	297 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1228-G5 CORLITA CT	BEGIN	LAKWOOD ST	1	Residential	150 ft	27 ft	4050 ft ²
Hump Removal		AC Repair Area	80 ft ²	Crack Seal	405 ft		
Inlet Marker 1 ea		AC Repair	6 ton				
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1228-G5 WOLFSTAR CT	BEGIN	MAYNARD ST	1	Residential	590 ft	33 ft	19470 ft ²
Hump Removal		AC Repair Area	40 ft ²	Crack Seal	1947 ft		
Inlet Marker 1 ea		AC Repair	3 ton				
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1228-G5 VIA REGLA	REGLA CT	DORENA CT	1	Residential	475 ft	37 ft	17575 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1758 ft		
Inlet Marker		AC Repair	0 ton				
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1228-G5 LAKEWOOD ST	VIA LAPIZ	GOVERNOR DR	1	Residential	260 ft	37 ft	9620 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	962 ft		
Inlet Marker		AC Repair	0 ton				
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1228-G5 LAKEWOOD CT	BEGIN	LAKEWOOD ST	1	Residential	121 ft	27 ft	3267 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	327 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							
1228-G5 VIA LAPIZ	VIA REGLA	LAKEWOOD ST	1	Residential	285 ft	36 ft	10260 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1026 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1228-G5 MAYNARD ST	WOLFSTAR CT	END	1	Residential	75 ft	37 ft	2775 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	278 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							
1228-G5 LAKEWOOD ST	VIA PAPEL	LAKEWOOD CT	1	Residential	520 ft	37 ft	19240 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1924 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1228-G5	DORENA CT	VIA REGLA	END	1	Residential	120 ft	27 ft	3240 ft ²
	Hump Removal	AC Repair Area	50 ft ²	Crack Seal	324 ft			
	Inlet Marker	AC Repair	1 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments TYPE 1							
1228-G5	VIA REGLA	DORENA CT	VIA LAPIZ	1	Residential	480 ft	36 ft	17280 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1728 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1228-G6	VIA PAPEL	LAKWOOD ST	NANETTE LN	1	Residential	322 ft	36 ft	11592 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1159 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1228-G6	VIA CINTA	CINTA CT	VIA PAPEL	1	Residential	1186 ft	36 ft	42696 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	4270 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1228-G6	VIA PAPEL	MAYNARD ST	VIA CINTA	1	Residential	242 ft	37 ft	8954 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	895 ft			
Inlet Marker		AC Repair	0 ton					
Inlet Protection								
Traffic Loops @								
Comments Type I over Type III								
1228-G6	VIA PAPEL	NANETTE LN	MAYNARD ST	1	Residential	440 ft	37 ft	16280 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1628 ft			
Inlet Marker	1 ea	AC Repair	0 ton					
Inlet Protection	1 ea							
Traffic Loops @								
Comments Type I over Type III								
1228-G6	MAYNARD ST	VIA REGLA	VIA PAPEL	1	Residential	1177 ft	33 ft	38841 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	3884 ft			
Inlet Marker	1 ea	AC Repair	0 ton					
Inlet Protection	1 ea							
Traffic Loops @								
Comments Type I over Type III								
1228-G6	VIA PAPEL	VIA REGLA	LAKWOOD ST	1	Residential	430 ft	36 ft	15480 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1548 ft			
Inlet Marker		AC Repair	0 ton					
Inlet Protection								
Traffic Loops @								
Comments Type I over Type III								

1228-G6 VIA REGLA	MAYNARD ST	VIA PAPEL	1	Residential	352 ft	36 ft	12672 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1267 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1228-G6 VIA REGLA	CINTA CT	MAYNARD ST	1	Residential	232 ft	36 ft	8352 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	835 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1228-G6 MAYNARD ST	VIA PAPEL	WOLFSTAR CT	1	Residential	752 ft	37 ft	27824 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2782 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1228-G6 CINTA CT	BEGIN	VIA CINTA	1	Residential	116 ft	27 ft	3132 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	313 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1229-G7 LA MORADA CT	BEGIN	LA MORADA DR	7	Residential	165 ft	27 ft	4455 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	446 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							

Traffic Loops @

Comments Type I over Type III

1229-G7 MUCHACHA WY	ROBUSTO RD	AMARO DR	7	Residential	501 ft	33 ft	16533 ft ²
Hump Removal	AC Repair Area		Crack Seal	1653 ft			
Inlet Marker 1 ea	AC Repair						
Inlet Protection 1 ea							

Traffic Loops @

Comments Type I over Type III

1229-G7 MATADOR CT	ANTIGUA BL	END	7	Residential	650 ft	33 ft	21450 ft ²
Hump Removal	AC Repair Area		Crack Seal	2145 ft			
Inlet Marker 1 ea	AC Repair						
Inlet Protection 1 ea							

Traffic Loops @

Comments Type I over Type III

1229-G7 ROBUSTO RD	MUCHACHA WY	PEREZ CT	7	Residential	130 ft	36 ft	4680 ft ²
Hump Removal	AC Repair Area		Crack Seal	468 ft			
Inlet Marker	AC Repair						
Inlet Protection							

Traffic Loops @

Comments Type I over Type III

1229-G7	GUINCHO CT	BEGIN	ANTIGUA BL	7	Residential	250 ft	27 ft	6750 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	675 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1229-G7	GUINCHO RD	ANTIGUA BL	HERMANOS RD	7	Residential	245 ft	33 ft	8085 ft ²
	Hump Removal		AC Repair Area			Crack Seal	808 ft	
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1229-G7	AVNDA CIRCO	OROZCO RD	OROZCO RD	7	Residential	798 ft	33 ft	26334 ft ²
	Hump Removal		AC Repair Area	50		Crack Seal	2633 ft	
	Inlet Marker	1 ea	AC Repair	4				
	Inlet Protection	1 ea						
	Traffic Loops @							
	Comments Type I Over Type III							
1229-G7	LA MORADA DR	BEGIN	LA MORADA CT	7	Residential	301 ft	27 ft	8127 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	813 ft	
	Inlet Marker	1 ea	AC Repair	0 ton				
	Inlet Protection	1 ea						
	Traffic Loops @							
	Comments Type I over Type III							

1229-G7 BRAVO CT	BEGIN	ANTIGUA BL	7	Residential	520 ft	27 ft	14040 ft ²
Hump Removal		AC Repair Area	50	Crack Seal	1404 ft		
Inlet Marker 1 ea		AC Repair	4				
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							
1229-G7 ROBUSTO RD	ANTIGUA BL	MUCHACHA WY	7	Residential	761 ft	36 ft	27396 ft ²
Hump Removal		AC Repair Area		Crack Seal	2740 ft		
Inlet Marker 2 ea		AC Repair					
Inlet Protection 2 ea							
Traffic Loops @							
Comments Type I over Type III							
1229-G7 AMARO CT	BEGIN	AMARO DR	7	Residential	280 ft	28 ft	7840 ft ²
Hump Removal		AC Repair Area		Crack Seal	784 ft		
Inlet Marker		AC Repair					
Inlet Protection							
Traffic Loops @							
Comments Type I Over Type III							
1229-G7 EL HONCHO PL	AMARO DR	END	7	Residential	480 ft	33 ft	15840 ft ²
Hump Removal		AC Repair Area	500 ft ²	Crack Seal	1584 ft		
Inlet Marker 1 ea		AC Repair	7 ton				
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1229-G7	LA DUENA WY	AMARO DR	GUINCHO RD	7	Residential	540 ft	33 ft	17820 ft²
	Hump Removal		AC Repair Area	0 ft²		Crack Seal	1782 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1229-G7	PEREZ CT	BEGIN	ROBUSTO RD	7	Residential	210 ft	27 ft	5670 ft²
	Hump Removal		AC Repair Area			Crack Seal	567 ft	
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1229-G7	ROBUSTO RD	PEREZ CT	AVNDA CIRCO	7	Residential	182 ft	36 ft	6552 ft²
	Hump Removal		AC Repair Area			Crack Seal	655 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1229-G7	LA MORADA DR	LA MORADA CT	AMARO DR	7	Residential	282 ft	27 ft	7614 ft²
	Hump Removal		AC Repair Area	0 ft²		Crack Seal	761 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1229-G7 OROZCO RD	AVNDA CIRCO	AVNDA CIRCO	7	Residential	525 ft	32 ft	16800 ft ²
Hump Removal	AC Repair Area				Crack Seal 1680 ft		
Inlet Marker	AC Repair						
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1229-G7 OROZCO RD	AVNDA CIRCO	AMARO DR	7	Residential	420 ft	32 ft	13440 ft ²
Hump Removal	AC Repair Area	0 ft ²			Crack Seal 1344 ft		
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1229-H7 TORTUGA CT	BEGIN	ANTIGUA BL	7	Residential	986 ft	33 ft	32538 ft ²
Hump Removal	AC Repair Area				Crack Seal 3254 ft		
Inlet Marker 1 ea	AC Repair						
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							
1229-H7 OROZCO RD	TORTUGA RD	AVNDA SANCHEZ	7	Residential	240 ft	32 ft	7680 ft ²
Hump Removal	AC Repair Area				Crack Seal 768 ft		
Inlet Marker	AC Repair						
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III---ADDED TO SLURRY PER DAVID LAMAR							

1229-H7	GUINCHO PL	GUINCHO RD	END	7	Residential	140 ft	37 ft	5180 ft ²
	Hump Removal	AC Repair Area	150 ft ²	Crack Seal	518 ft			
	Inlet Marker 1 ea	AC Repair	2 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1229-H7	SALACOT CT	LA MORADA DR	END	7	Residential	240 ft	27 ft	6480 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	648 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1229-H7	LA MORADA DR	TORCA CT	EL COMAL DR	7	Residential	505 ft	33 ft	16665 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1666 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1229-H7	TORTUGA RD	AVNDA SANCHEZ	OROZCO RD	7	Residential	630 ft	33 ft	20790 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2079 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1229-H7	LA MORADA DR	DESPEJO PL	SALACOT CT	7	Residential	210 ft	33 ft	6930 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	693 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1229-H7	GUINCHO RD	HERMANOS RD	LA DUENA WY	7	Residential	411 ft	33 ft	13563 ft ²
	Hump Removal	AC Repair Area		Crack Seal	1356 ft			
	Inlet Marker 1 ea	AC Repair						
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1229-H7	DESPEJO PL	LA MORADA DR	END	7	Residential	215 ft	27 ft	5805 ft ²
	Hump Removal	AC Repair Area	50 ft ²	Crack Seal	580 ft			
	Inlet Marker 1 ea	AC Repair	4 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1229-H7	HERMANOS CT	HERMANOS RD	END	7	Residential	190 ft	27 ft	5130 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	513 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1229-H7	HERMANOS RD	GUINCHO RD	EL CABO CT	7	Residential	351 ft	33 ft	11583 ft ²
	Hump Removal	AC Repair Area	40 ft ²		Crack Seal	1158 ft		
	Inlet Marker	AC Repair	3 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1229-H7	LA MORADA DR	SALACOT CT	TORCA CT	7	Residential	180 ft	33 ft	5940 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	594 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1229-H7	LA MORADA DR	AMARO DR	DESPEJO PL	7	Residential	880 ft	33 ft	29040 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	2904 ft		
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1229-H7	TORTUGA RD	ANTIGUA BL	HERMANOS CT	7	Residential	261 ft	33 ft	8613 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	861 ft		
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1229-H7 OROZCO RD	GUINCHO RD	TORTUGA RD	7	Residential	502 ft	32 ft	16064 ft ²
Hump Removal	AC Repair Area			Crack Seal 1606 ft			
Inlet Marker	AC Repair						
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1229-H7 TORCA CT	LA MORADA DR	END	7	Residential	190 ft	27 ft	5130 ft ²
Hump Removal	AC Repair Area	0 ft ²		Crack Seal 513 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1229-H7 EL COMAL DR	LA MORADA DR	SANTO RD	7	Residential	220 ft	37 ft	8140 ft ²
Hump Removal	AC Repair Area			Crack Seal 814 ft			
Inlet Marker	AC Repair						
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1229-H7 TORTUGA RD	HERMANOS CT	AVNDA SANCHEZ	7	Residential	241 ft	33 ft	7953 ft ²
Hump Removal	AC Repair Area	0 ft ²		Crack Seal 795 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1229-H7 AVNDA SANCHEZ	TORTUGA RD	OROZCO RD	7	Residential	922 ft	33 ft	30426 ft ²
Hump Removal	AC Repair Area	60	Crack Seal 3043 ft				
Inlet Marker 1 ea	AC Repair	5					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I Over Type III							

1229-H7 EL COMAL DR	AMARO DR	LA MORADA DR	7	Residential	1250 ft	37 ft	46250 ft ²
Hump Removal	AC Repair Area	Crack Seal 4625 ft					
Inlet Marker 1 ea	AC Repair						
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1229-H7 HERMANOS RD	EL CABO CT	HERMANOS CT	7	Residential	235 ft	33 ft	7755 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 776 ft				
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1229-H7 GUINCHO RD	LA DUENA WY	GUINCHO PL	7	Residential	175 ft	33 ft	5775 ft ²
Hump Removal	AC Repair Area	Crack Seal 578 ft					
Inlet Marker 1 ea	AC Repair						
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1229-H7	EL CABO CT	HERMANOS RD	END	7	Residential	220 ft	27 ft	5940 ft ²
	Hump Removal	AC Repair Area	100 ft ²	Crack Seal	594 ft			
	Inlet Marker	AC Repair	1 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1229-H7	OROZCO RD	AMARO DR	GUINCHO RD	7	Residential	422 ft	32 ft	13504 ft ²
	Hump Removal	AC Repair Area		Crack Seal	1350 ft			
	Inlet Marker	AC Repair						
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1229-H7	GUINCHO RD	GUINCHO PL	OROZCO RD	7	Residential	250 ft	33 ft	8250 ft ²
	Hump Removal	AC Repair Area		Crack Seal	825 ft			
	Inlet Marker 1 ea	AC Repair						
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1248-H2	BAKEWELL ST	MT ABERNATHY AV	CHARING PL	6	Residential	245 ft	33 ft	8085 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	808 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							

1248-H2 CHARING PL	CHARING ST	BAKEWELL ST	6	Residential	195 ft	33 ft	6435 ft²
Hump Removal	AC Repair Area	0 ft²	Crack Seal 644 ft				
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1248-H2 BAKEWELL ST	CHARING PL	END	6	Residential	172 ft	33 ft	5676 ft²
Hump Removal	AC Repair Area	0 ft²	Crack Seal 568 ft				
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I Over Type III							

1248-H2 CHARING ST	CHARING PL	CHELFORD ST	6	Residential	450 ft	33 ft	14850 ft²
Hump Removal	AC Repair Area	0 ft²	Crack Seal 1485 ft				
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1248-H2 CHATEAU DR	MT ABERNATHY AV	CHARING ST	6	Residential	1030 ft	30 ft	30900 ft²
Hump Removal	AC Repair Area	Crack Seal 3090 ft					
Inlet Marker 1 ea	AC Repair						
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1248-J1	HANNON CT	CANNINGTON DR	END	6	Residential	180 ft	27 ft	4860 ft ²
	Hump Removal		AC Repair Area					Crack Seal 486 ft
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J1	JAMAR DR	MT ABERNATHY AV	JAMAR CT	6	Residential	240 ft	33 ft	7920 ft ²
	Hump Removal		AC Repair Area					Crack Seal 792 ft
	Inlet Marker		AC Repair	0				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J1	LIEBEL CT	BEGIN	CANNINGTON DR	6	Residential	340 ft	27 ft	9180 ft ²
	Hump Removal		AC Repair Area	0 ft ²				Crack Seal 918 ft
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J1	CANNINGTON DR	PRINTWOOD WY	HANNON CT	6	Residential	240 ft	37 ft	8880 ft ²
	Hump Removal		AC Repair Area					Crack Seal 888 ft
	Inlet Marker 1 ea		AC Repair					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J1	JAMAR DR	JAMAR CT	LANA DR	6	Residential	341 ft	33 ft	11253 ft ²
	Hump Removal		AC Repair Area	40		Crack Seal	1125 ft	
	Inlet Marker		AC Repair	3				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J1	LANA LN	BEGIN	LANA DR	6	Residential	101 ft	27 ft	2727 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	273 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J1	LANA DR	LANA LN	JAMAR DR	6	Residential	101 ft	33 ft	3333 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	333 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J1	CANNINGTON DR	HANNON CT	LIEBEL CT	6	Residential	870 ft	37 ft	32190 ft ²
	Hump Removal		AC Repair Area			Crack Seal	3219 ft	
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J1	HANNON CT	BEGIN	CANNINGTON DR	6	Residential	480 ft	27 ft	12960 ft ²
	Hump Removal		AC Repair Area	40		Crack Seal	1296 ft	
	Inlet Marker 1 ea		AC Repair	3				
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I over Type III								

1248-J1	REDBROOK RD	REDBROOK CT	PRINTWOOD CT	6	Residential	272 ft	32 ft	8704 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	870 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1248-J1	REDBROOK RD	MT ABERNATHY AV	REDBROOK CT	6	Residential	280 ft	32 ft	8960 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	896 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1248-J1	JAMAR CT	BEGIN	JAMAR DR	6	Residential	130 ft	27 ft	3510 ft ²
	Hump Removal		AC Repair Area	60 ft ²		Crack Seal	351 ft	
	Inlet Marker 1 ea		AC Repair	5 ton				
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I over Type III								

1248-J1	CANNINGTON DR	LIEBEL CT	KESLING ST	6	Residential	1185 ft	37 ft	43845 ft ²
	Hump Removal	AC Repair Area	100	Crack Seal	4384 ft			
	Inlet Marker 1 ea	AC Repair	8					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J1	REDBROOK CT	REDBROOK RD	END	6	Residential	172 ft	27 ft	4644 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	464 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J1	LANA DR	MT ABERNATHY AV	LANA LN	6	Residential	441 ft	33 ft	14553 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1455 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	CASTLETON DR	MT ABERNATHY AV	CLAYFORD ST	6	Residential	1040 ft	33 ft	34320 ft ²
	Hump Removal	AC Repair Area	60 ft ²	Crack Seal	3432 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							

1248-J2	CLAYFORD ST	CHELFORD ST	CASTLETON DR	6	Residential	260 ft	27 ft	7020 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	702 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	BAMBURGH PL	BOXFORD DR	BAMBURGH DR	6	Residential	221 ft	27 ft	5967 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	597 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type 1							
1248-J2	CANNINGTON DR	CASTLETON DR	CHANDLER DR	6	Residential	245 ft	37 ft	9065 ft ²
	Hump Removal	AC Repair Area	40 ft ²	Crack Seal	906 ft			
	Inlet Marker	AC Repair	3 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	BERWICK DR	BEADNELL WY	BETTYHILL DR	6	Residential	800 ft	33 ft	26400 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2640 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments TYPE 1							

1248-J2	BERWICK DR	BOXFORD DR	ARUNDEL PL	6	Residential	1005 ft	33 ft	33165 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	3316 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments TYPE I							
1248-J2	CHELFORD ST	CAMBER DR	CLAYFORD ST	6	Residential	270 ft	27 ft	7290 ft ²
	Hump Removal		AC Repair Area	60 ft ²		Crack Seal	729 ft	
	Inlet Marker		AC Repair	5 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments TYPE I							
1248-J2	ECKSTROM AV	AMOROSO ST	MUSTANG ST	6	Prime	240 ft	37 ft	8880 ft ²
	Hump Removal		AC Repair Area	40 ft ²		Crack Seal	888 ft	
	Inlet Marker 1 ea		AC Repair	3 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	CANNINGTON DR	CHARING ST	CASTLETON DR	6	Residential	760 ft	37 ft	28120 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	2812 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	CLAYFORD ST	CHARING ST	CHELFORD ST	6	Residential	520 ft	27 ft	14040 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1404 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	BAMBURGH DR	CHARGER BL	BAMBURGH PL	6	Residential	710 ft	27 ft	19170 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1917 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type 1							
1248-J2	CLEEVE WY	CANNINGTON DR	END	6	Residential	160 ft	27 ft	4320 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	432 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	CANNINGTON DR	ARUNDEL PL	CHEAMES WY	6	Residential	235 ft	37 ft	8695 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	870 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	BAMBURGH DR	CHARING ST	CHARGER BL	6	Residential	572 ft	27 ft	15444 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1544 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type 1							
1248-J2	CAMBER DR	MT ABERNATHY AV	CHELFORD ST	6	Residential	780 ft	27 ft	21060 ft ²
	Hump Removal		AC Repair Area	50 ft ²		Crack Seal	2106 ft	
	Inlet Marker 1 ea		AC Repair	4 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments TYPE I							
1248-J2	CHARING ST	BAMBURGH DR	END	6	Residential	245 ft	27 ft	6615 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	662 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	ECKSTROM AV	COSMO ST	AMOROSO ST	6	Prime	240 ft	37 ft	8880 ft ²
	Hump Removal		AC Repair Area			Crack Seal	888 ft	
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	CANNINGTON DR	CHEAMES WY	CLEEVE WY	6	Residential	230 ft	37 ft	8510 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	851 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	ECKSTROM AV	HATHAWAY ST	COSMO ST	6	Prime	330 ft	37 ft	12210 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1221 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	CANNINGTON DR	CHANDLER DR	FOYLE WY	6	Residential	230 ft	37 ft	8510 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	851 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	CANNINGTON DR	FOYLE WY	ARUNDEL PL	6	Residential	310 ft	37 ft	11470 ft ²
	Hump Removal	AC Repair Area	50 ft ²	Crack Seal	1147 ft			
	Inlet Marker 1 ea	AC Repair	4 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	BARNHURST DR	CHARGER BL	BARNHURST PL	6	Residential	735 ft	27 ft	19845 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1984 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							
1248-J2	BETTYHILL DR	CHARGER BL	BERWICK DR	6	Residential	700 ft	27 ft	18900 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1890 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	CHARING ST	CHELFORD ST	CHATEAU DR	6	Residential	240 ft	33 ft	7920 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	792 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	CHARING ST	CANNINGTON DR	BARNHURST DR	6	Residential	365 ft	33 ft	12045 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1204 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	CANNINGTON DR	CLEEVE WY	PRINTWOOD WY	6	Residential	241 ft	37 ft	8917 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	892 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	BERWICK DR	ARUNDEL PL	PRINTWOOD WY	6	Residential	790 ft	33 ft	26070 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2607 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments TYPE I							
1248-J2	BOXFORD DR	CHARGER BL	BAMBURGH PL	6	Residential	682 ft	33 ft	22506 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2251 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	BARNHURST DR	CHARING ST	CHARGER BL	6	Residential	855 ft	33 ft	28215 ft ²
	Hump Removal	AC Repair Area	60 ft ²	Crack Seal	2822 ft			
	Inlet Marker 1 ea	AC Repair	5 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							

1248-J2	CHEAMES WY	CANNINGTON DR	END	6	Residential	300 ft	27 ft	8100 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	810 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	ARUNDEL PL	CANNINGTON DR	BARNHURST PL	6	Residential	455 ft	33 ft	15015 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1502 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type 1							

1248-J2	CASTLETON DR	CLAYFORD ST	CANNINGTON DR	6	Residential	285 ft	33 ft	9405 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	940 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	ARUNDEL PL	BARNHURST PL	BERWICK DR	6	Residential	218 ft	33 ft	7194 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	719 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type 1							

1248-J2	BERWICK DR	BETTYHILL DR	BOXFORD DR	6	Residential	275 ft	33 ft	9075 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	908 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments TYPE I							
1248-J2	BARNHURST PL	BARNHURST DR	ARUNDEL PL	6	Residential	365 ft	27 ft	9855 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	986 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	FOYLE WY	CANNINGTON DR	END	6	Residential	398 ft	27 ft	10746 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1075 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J2	CHARING ST	CHATEAU DR	CANNINGTON DR	6	Residential	250 ft	33 ft	8250 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	825 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J2	CHELFORD ST	CHARING ST	CAMBER DR	6	Residential	465 ft	27 ft	12555 ft ²
	Hump Removal	AC Repair Area	50 ft ²	Crack Seal	1256 ft			
	Inlet Marker 1 ea	AC Repair	4 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments TYPE I							
1248-J2	BOXFORD DR	BAMBURGH PL	BERWICK DR	6	Residential	190 ft	33 ft	6270 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	627 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J3	ARDMORE DR	ARDMORE CT	COSMO ST	6	Residential	140 ft	27 ft	3780 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	378 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type 1							
1248-J3	COSMO ST	COSMO CT	ECKSTROM AV	6	Residential	275 ft	33 ft	9075 ft ²
	Hump Removal	AC Repair Area	60 ft ²	Crack Seal	908 ft			
	Inlet Marker 1 ea	AC Repair	5 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J3	BIDDLE ST	FORUM ST	BATISTA ST	6	Residential	240 ft	33 ft	7920 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	792 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments	Type I						
1248-J3	ANASTASIA ST	COSMO ST	AMOROSO ST	6	Residential	250 ft	27 ft	6750 ft ²
	Hump Removal	AC Repair Area	50 ft ²	Crack Seal	675 ft			
	Inlet Marker	AC Repair	4 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments	Type 1						
1248-J3	HATTON ST	SALIZAR ST	FORUM ST	6	Residential	240 ft	33 ft	7920 ft ²
	Hump Removal	AC Repair Area	80 ft ²	Crack Seal	792 ft			
	Inlet Marker	AC Repair	1 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments	Type I						
1248-J3	BIDDLE CT	BROADLAWN ST	BIDDLE ST	6	Residential	209 ft	33 ft	6897 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	690 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments	TYPE I						

1248-J3	COSMO ST	ARDMORE DR	ANASTASIA ST	6	Residential	320 ft	27 ft	8640 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	864 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J3	HATHAWAY ST	PETIT ST	ECKSTROM AV	6	Residential	751 ft	37 ft	27787 ft ²
	Hump Removal		AC Repair Area	40 ft ²		Crack Seal	2779 ft	
	Inlet Marker	1 ea	AC Repair	3 ton				
	Inlet Protection	1 ea						
	Traffic Loops @							
	Comments Type I over Type III							

1248-J3	ANASTASIA ST	PETIT ST	COSMO ST	6	Residential	400 ft	33 ft	13200 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1320 ft	
	Inlet Marker	1 ea	AC Repair	0 ton				
	Inlet Protection	1 ea						
	Traffic Loops @							
	Comments Type I Over Type III							

1248-J3	ELCO ST	ROCKGLEN AV	SALIZAR ST	6	Residential	305 ft	33 ft	10065 ft ²
	Hump Removal		AC Repair Area	150 ft ²		Crack Seal	1006 ft	
	Inlet Marker	1 ea	AC Repair	2 ton				
	Inlet Protection	1 ea						
	Traffic Loops @							
	Comments Type I							

1248-J3	BROADLAWN ST	BIDDLE CT	PETIT ST	6	Residential	250 ft	33 ft	8250 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	825 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments TYPE I							

1248-J3	ARDMORE CT	ARDMORE DR	END	6	Residential	70 ft	27 ft	1890 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	189 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							

1248-J3	FORUM ST	AUBURNDALE ST	STRONG DR	6	Residential	860 ft	33 ft	28380 ft ²
	Hump Removal		AC Repair Area	80 ft ²		Crack Seal	2838 ft	
	Inlet Marker 1 ea		AC Repair	1 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							

1248-J3	COSMO ST	ANASTASIA ST	COSMO CT	6	Residential	315 ft	33 ft	10395 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1040 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J3	ARVERNE CT	ARVERNE ST	END	6	Residential	285 ft	27 ft	7695 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	770 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							
1248-J3	HATTON ST	BEGIN	SALIZAR ST	6	Residential	360 ft	33 ft	11880 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1188 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1248-J3	FORUM ST	BIDDLE ST	HATTON ST	6	Residential	640 ft	27 ft	17280 ft ²
	Hump Removal	AC Repair Area	60 ft ²	Crack Seal	1728 ft			
	Inlet Marker	AC Repair	1 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1248-J3	ARDMORE DR	ANASTASIA ST	ARDMORE CT	6	Residential	580 ft	27 ft	15660 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1566 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							

1248-J3	HATTON ST	FORUM ST	BATISTA ST	6	Residential	240 ft	33 ft	7920 ft ²
	Hump Removal	AC Repair Area	100 ft ²	Crack Seal	792 ft			
	Inlet Marker	AC Repair	1 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1248-J3	COSMO CT	BEGIN	COSMO ST	6	Residential	135 ft	27 ft	3645 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	364 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1248-J3	SALIZAR ST	ELCO ST	HATTON ST	6	Residential	430 ft	27 ft	11610 ft ²
	Hump Removal	AC Repair Area		Crack Seal	1161 ft			
	Inlet Marker	AC Repair						
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1248-J4	ROCKGLEN AV	AUBURNDALE ST	TANGLEWOOD WY	6	Residential	920 ft	33 ft	30360 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3036 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1248-J4	ROCKGLEN AV	TANGLEWOOD WY	ELCO ST	6	Residential	180 ft	33 ft	5940 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	594 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1249-A1	ENGINEER RD	RUFFNER ST	CONVOY ST	6	Major	1100 ft	16 ft	17600 ft ²
	Hump Removal	AC Repair Area	120 ft ²	Crack Seal	1760 ft			
	Inlet Marker 2 ea	AC Repair	10 ton					
	Inlet Protection 2 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1249-A1	RUFFNER ST	ENGINEER RD	RONSON RD	6	Major	610 ft	46 ft	28060 ft ²
	Hump Removal	AC Repair Area	150 ft ²	Crack Seal	2806 ft			
	Inlet Marker	AC Repair	2 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1249-A1	CARDIN ST	ENGINEER RD	RONSON RD	6	Prime	650 ft	47 ft	30550 ft ²
	Hump Removal	AC Repair Area	150	Crack Seal	3055 ft			
	Inlet Marker 2 ea	AC Repair	12					
	Inlet Protection 2 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1249-A2	ECKSTROM AV	MUSTANG ST	ASHFORD ST	6	Prime	135 ft	37 ft	4995 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	500 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1249-A2	OPPORTUNITY RD	RUFFNER ST	CONVOY ST	6	Prime	785 ft	46 ft	36110 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3611 ft			
	Inlet Marker 2 ea	AC Repair	0 ton					
	Inlet Protection 2 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1249-A3	ANTIEM ST	SALIZAR ST	BATISTA ST	6	Residential	1020 ft	33 ft	33660 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3366 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type 1							

1249-A3	MARLESTA DR	BEGIN	BATISTA ST	6	Prime	631 ft	37 ft	23347 ft ²
	Hump Removal	AC Repair Area		Crack Seal	2335 ft			
	Inlet Marker	AC Repair						
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1249-A3	MARLESTA DR	BATISTA ST	ASHFORD ST	6	Prime	1421 ft	37 ft	52577 ft ²
	Hump Removal	AC Repair Area	80	Crack Seal	5258 ft			
	Inlet Marker 2 ea	AC Repair	6					
	Inlet Protection 2 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1249-A3	ARMSTRONG ST	BATISTA ST	SALERNO ST	6	Residential	240 ft	37 ft	8880 ft ²
	Hump Removal	AC Repair Area	60 ft ²	Crack Seal	888 ft			
	Inlet Marker	AC Repair	5 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							

1249-A3	SALIZAR ST	ANTIEM ST	CAMTO DE OI VAY	6	Residential	100 ft	27 ft	2700 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	270 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1249-A3	MARLESTA DR	ASHFORD ST	END	6	Residential	320 ft	37 ft	11840 ft ²
	Hump Removal	AC Repair Area		Crack Seal	1184 ft			
	Inlet Marker	AC Repair						
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1249-A3 SALIZAR ST	ASHFORD ST	ANTIEM ST	6	Residential	231 ft	27 ft	6237 ft ²
Hump Removal	AC Repair Area	80 ft ²	Crack Seal 624 ft				
Inlet Marker	AC Repair	1 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1249-A3 ANTIEM ST	BATISTA ST	ARMSTRONG ST	6	Residential	470 ft	33 ft	15510 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 1551 ft				
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type 1							

1249-A3 ARMSTRONG ST	SALERNO ST	ASHFORD ST	6	Residential	975 ft	37 ft	36075 ft ²
Hump Removal	AC Repair Area	80 ft ²	Crack Seal 3608 ft				
Inlet Marker 1 ea	AC Repair	6 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I Over Type III							

1249-G1 CARIOCA CT	VERACRUZ CT	END	7	Residential	642 ft	33 ft	21186 ft ²
Hump Removal	AC Repair Area	40 ft ²	Crack Seal 2119 ft				
Inlet Marker	AC Repair	3 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1249-G1	VERACRUZ CT	BEGIN	CARIOCA CT	7	Residential	1100 ft	33 ft	36300 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	3630 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1249-G1	CARIOCA CT	ANTIGUA BL	VERACRUZ CT	7	Residential	140 ft	33 ft	4620 ft ²
	Hump Removal		AC Repair Area	60 ft ²		Crack Seal	462 ft	
	Inlet Marker		AC Repair	5 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-D2	ROYAL GORGE DR	ROYAL GORGE CT	MISSION GORGE RD	7	Residential	151 ft	33 ft	4983 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	498 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-D3	HEMINGWAY AV	HEMINGWAY CT	CIBOLA RD	7	Residential	510 ft	33 ft	16830 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1683 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-D3 HEMINGWAY AV	CIBOLA RD	END	7	Residential	315 ft	33 ft	10395 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1040 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-D3 ROYAL GORGE CT	BEGIN	ROYAL GORGE DR	7	Residential	190 ft	27 ft	5130 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	513 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-D3 ROYAL GORGE DR	CAFANZARA CT	ROYAL GORGE CT	7	Residential	331 ft	33 ft	10923 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1092 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1250-D3 WINDING CREEK DR	JACKSON DR	BELL BLUFF AV	7	Residential	501 ft	47 ft	23547 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2355 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-D4	OFRIA CT	FORRESTAL RD	END	7	Residential	80 ft	26 ft	2080 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	208 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1250-E3	DICENZA WY	DICENZA LN	EL EXTENSO CT	7	Residential	310 ft	33 ft	10230 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1023 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	MELOTTE ST	ROWENA ST	RUANE ST	7	Residential	411 ft	33 ft	13563 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1356 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	EL EXTENSO CT	BEGIN	DICENZA WY	7	Residential	280 ft	27 ft	7560 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	756 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-E3	WINDING CREEK DR	BELL BLUFF AV	HIGH MEADOW CT	7	Residential	340 ft	33 ft	11220 ft ²
	Hump Removal	AC Repair Area	50 ft ²	Crack Seal	1122 ft			
	Inlet Marker	AC Repair	4 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	EL EXTENSO CT	DICENZA WY	END	7	Residential	220 ft	27 ft	5940 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	594 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	DICENZA LN	SHADY SANDS RD	DICENZA WY	7	Residential	370 ft	33 ft	12210 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1221 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	RUANE ST	GOLFCREST DR	VOLCLAY DR	7	Residential	302 ft	36 ft	10872 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1087 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-E3	EL BANQUERO CT	BEGIN	EL BANQUERO PL	7	Residential	95 ft	29 ft	2755 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	276 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	MELOTTE ST	MONTE VERDE DR	ROWENA ST	7	Residential	1411 ft	33 ft	46563 ft ²
	Hump Removal		AC Repair Area	80 ft ²	Crack Seal	4656 ft		
	Inlet Marker		AC Repair	6 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	ROWENA ST	TUXEDO RD	MONTE VERDE DR	7	Residential	610 ft	33 ft	20130 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	2013 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1250-E3	CAFANZARA CT	ROYAL GORGE DR	END	7	Residential	160 ft	27 ft	4320 ft ²
	Hump Removal		AC Repair Area	100 ft ²	Crack Seal	432 ft		
	Inlet Marker 1 ea		AC Repair	8 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1250-E3	WINDING CREEK DR	HIGH MEADOW CT	ROYAL GORGE DR	7	Residential	180 ft	33 ft	5940 ft ²
	Hump Removal	AC Repair Area	100 ft ²	Crack Seal	594 ft			
	Inlet Marker	AC Repair	8 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	HIGH MEADOW CT	BEGIN	WINDING CREEK DR	7	Residential	170 ft	27 ft	4590 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	459 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	RUANE ST	VOLCLAY DR	JENNITE DR	7	Residential	403 ft	36 ft	14508 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1451 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	ROWENA ST	MONTE VERDE DR	MELOTTE ST	7	Residential	1610 ft	33 ft	53130 ft ²
	Hump Removal	AC Repair Area		Crack Seal	5313 ft			
	Inlet Marker 1 ea	AC Repair						
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							

1250-E3 CALIFA CT	ROYAL GORGE DR	END	7	Residential	250 ft	27 ft	6750 ft ²
Hump Removal	AC Repair Area	60 ft ²	Crack Seal		675 ft		
Inlet Marker	AC Repair	5 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1250-E3 MONTE VERDE DR	TUXEDO RD	ROWENA ST	7	Residential	2182 ft	37 ft	80734 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal		8073 ft		
Inlet Marker 2 ea	AC Repair	0 ton					
Inlet Protection 2 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-E3 SHADY SANDS RD	DICENZA LN	ROYAL GORGE DR	7	Residential	401 ft	33 ft	13233 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal		1323 ft		
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1250-E3 EL BANQUERO PL	EL BANQUERO CT	MISSION GORGE RD	7	Residential	230 ft	33 ft	7590 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal		759 ft		
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-E3	ROYAL GORGE DR	CALIFA CT	CAFANZARA CT	7	Residential	220 ft	33 ft	7260 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	726 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1250-E3	RUANE ST	MELOTTE ST	GOLFCREST DR	7	Residential	265 ft	33 ft	8745 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	874 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1250-E3	MELOTTE ST	RUANE ST	END	7	Residential	441 ft	27 ft	11907 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1191 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I over Type III								

1250-E3	ROYAL GORGE DR	EL BANQUERO PL	CALIFA CT	7	Residential	172 ft	33 ft	5676 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	568 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1250-E3	DICENZA LN	DICENZA WY	END	7	Residential	250 ft	27 ft	6750 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	675 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	EL BANQUERO PL	ROYAL GORGE DR	EL BANQUERO CT	7	Residential	862 ft	33 ft	28446 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	2845 ft		
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E3	MONTE VERDE DR	ROWENA ST	MELLOTTE ST	7	Residential	281 ft	37 ft	10397 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	1040 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E4	PARK RIDGE BL	LAURELRIDGE RD	FORRESTAL RD	7	Prime	240 ft	36 ft	8640 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	864 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-E4	STEVENSON WY	BEGIN	PARK RIDGE BL	7	Residential	550 ft	33 ft	18150 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1815 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E4	FORRESTAL RD	OFRIA AV	OFRIA CT	7	Residential	790 ft	33 ft	26070 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	2607 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E4	PARK RIDGE BL	FORRESTAL RD	JACKSON DR	7	Prime	320 ft	37 ft	11840 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1184 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1250-E4	PARK RIDGE BL	CAMTO DEL GRECO	STEVENSON WY	7	Prime	860 ft	53 ft	45580 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	4558 ft		
	Inlet Marker 2 ea		AC Repair	0 ton				
	Inlet Protection 2 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1250-E4	PARK RIDGE BL	STEVENSON WY	LAURELRIDGE RD	7	Prime	201 ft	36 ft	7236 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	724 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-E4	ARPEGE RD	BIRCHCREEK RD	RONDEL CT	7	Residential	810 ft	33 ft	26730 ft ²
	Hump Removal		AC Repair Area	40 ft ²		Crack Seal	2673 ft	
	Inlet Marker		AC Repair	3 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							

1250-E4	FORRESTAL RD	BEGIN	PARK RIDGE BL	7	Residential	522 ft	33 ft	17226 ft ²
	Hump Removal		AC Repair Area	60 ft ²		Crack Seal	1723 ft	
	Inlet Marker 1 ea		AC Repair	5 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1250-E4	HEMINGWAY AV	OFRIA AV	HEMINGWAY CT	7	Residential	560 ft	33 ft	18480 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1848 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1250-E4 BIRCHCREEK RD	JACKSON DR	ARPEGE RD	7	Residential	670 ft	37 ft	24790 ft ²
Hump Removal	AC Repair Area	80 ft ²	Crack Seal	2479 ft			
Inlet Marker 1 ea	AC Repair	6 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-E4 FORRESTAL CT	FORRESTAL RD	END	7	Residential	198 ft	27 ft	5346 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	535 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-E4 FORRESTAL RD	PARK RIDGE BL	FORRESTAL CT	7	Residential	230 ft	33 ft	7590 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	759 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1250-E4 OFRIA AV	FORRESTAL RD	HEMINGWAY AV	7	Residential	240 ft	33 ft	7920 ft ²
Hump Removal	AC Repair Area	80 ft ²	Crack Seal	792 ft			
Inlet Marker 1 ea	AC Repair	1 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1250-E4 BIRCHCREEK RD	ARPEGE RD	RONDEL CT	7	Residential	245 ft	37 ft	9065 ft ²
Hump Removal	AC Repair Area	50 ft ²	Crack Seal	906 ft			
Inlet Marker	AC Repair	4 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1250-E4 FORRESTAL RD	FORRESTAL CT	OFRIA AV	7	Residential	840 ft	33 ft	27720 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2772 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-E4 OFRIA AV	LAURELRIDGE RD	FORRESTAL RD	7	Residential	280 ft	32 ft	8960 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	896 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1250-E4 HEMINGWAY AV	BEGIN	OFRIA AV	7	Residential	515 ft	33 ft	16995 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1700 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1250-E4	ADIOS CT	BEGIN	RONDEL CT	7	Residential	230 ft	28 ft	6440 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	644 ft			
Inlet Marker		AC Repair	0 ton					
Inlet Protection								
Traffic Loops @								
Comments Type I Over Type III								

1250-F3	MONTE VERDE DR	MELOTTE ST	GOLFCREST DR	7	Residential	280 ft	37 ft	10360 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1036 ft			
Inlet Marker		AC Repair	0 ton					
Inlet Protection								
Traffic Loops @								
Comments Type I over Type III								

1250-F3	JENNITE DR	BEGIN	SANTAR AV	7	Residential	390 ft	33 ft	12870 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1287 ft			
Inlet Marker		AC Repair	0 ton					
Inlet Protection								
Traffic Loops @								
Comments Type I over Type III								

1250-F3	STONEVIEW CT	TUXEDO RD	END	7	Residential	320 ft	27 ft	8640 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	864 ft			
Inlet Marker	1 ea	AC Repair	0 ton					
Inlet Protection	1 ea							
Traffic Loops @								
Comments Type I								

1250-F3	TUXEDO RD	STONEVIEW CT	END	7	Residential	144 ft	36 ft	5184 ft²
	Hump Removal	AC Repair Area	0 ft²		Crack Seal	518 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1250-F3	TUXEDO RD	VOLCLAY DR	STONEVIEW CT	7	Residential	301 ft	36 ft	10836 ft²
	Hump Removal	AC Repair Area	0 ft²		Crack Seal	1084 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1250-F3	JENNITE DR	SANTAR AV	RUANE ST	7	Residential	940 ft	33 ft	31020 ft²
	Hump Removal	AC Repair Area	0 ft²		Crack Seal	3102 ft		
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1250-F3	SANTAR AV	VOLCLAY DR	JENNITE DR	7	Residential	250 ft	33 ft	8250 ft²
	Hump Removal	AC Repair Area	0 ft²		Crack Seal	825 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-F3	RUANE ST	JENNITE DR	END	7	Residential	240 ft	36 ft	8640 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	864 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1250-F3	VOLCLAY DR	SANTAR AV	RUANE ST	7	Residential	1291 ft	33 ft	42603 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	4260 ft			
	Inlet Marker 2 ea	AC Repair	0 ton					
	Inlet Protection 2 ea							
	Traffic Loops @							
	Comments Type I							
1250-F3	MELOTTE ST	TUXEDO RD	MONTE VERDE DR	7	Residential	689 ft	33 ft	22737 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2274 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-F3	VOLCLAY DR	TUXEDO RD	SANTAR AV	7	Residential	1000 ft	33 ft	33000 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3300 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-F4 TUXEDO RD	ROWENA ST	MELOTTE ST	7	Residential	271 ft	33 ft	8943 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	894 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1250-F4 MELOTTE ST	BIRCHCREEK RD	TUXEDO RD	7	Residential	1581 ft	33 ft	52173 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	5217 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-F4 VOLCLAY DR	BEGIN	CROWLEY CT	7	Residential	130 ft	33 ft	4290 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	429 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1250-F4 ADONIS CT	BIRCHCREEK RD	END	7	Residential	90 ft	38 ft	3420 ft ²
Hump Removal	AC Repair Area	100 ft ²	Crack Seal	342 ft			
Inlet Marker	AC Repair	8 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I Over Type III							

1250-F4	VOLCLAY DR	CROWLEY CT	TUXEDO RD	7	Residential	484 ft	33 ft	15972 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1597 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1250-F4	CROWLEY CT	VOLCLAY DR	END	7	Residential	240 ft	27 ft	6480 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	648 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1250-F4	BIRCHCREEK RD	ADONIS CT	BASSO CT	7	Residential	200 ft	37 ft	7400 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	740 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-F4	MELOTTE ST	GOLFCREST DR	BIRCHCREEK RD	7	Residential	289 ft	33 ft	9537 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	954 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-F4	TUXEDO RD	MELOTTE ST	GOLFCREST DR	7	Residential	272 ft	33 ft	8976 ft ²
	Hump Removal	AC Repair Area	0	Crack Seal	898 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1250-F4	BIRCHCREEK RD	BASSO CT	MELOTTE ST	7	Residential	315 ft	37 ft	11655 ft ²
	Hump Removal	AC Repair Area	100 ft ²	Crack Seal	1166 ft			
	Inlet Marker	AC Repair	8 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-F4	BASSO CT	BIRCHCREEK RD	END	7	Residential	130 ft	33 ft	4290 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	429 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-F4	ALLIANCE CT	BEGIN	RONDEL CT	7	Residential	460 ft	27 ft	12420 ft ²
	Hump Removal	AC Repair Area	80 ft ²	Crack Seal	1242 ft			
	Inlet Marker	AC Repair	6 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							

1250-F4	BIRCHCREEK RD	RONDEL CT	ADONIS CT	7	Residential	1860 ft	37 ft	68820 ft ²
Hump Removal		AC Repair Area	100 ft ²	Crack Seal	6882 ft			
Inlet Marker	3 ea	AC Repair	8 ton					
Inlet Protection	3 ea							
Traffic Loops @								
Comments Type I over Type III								

1250-H4	TOMMY DR	COWLES MTN BL	BALLINGER AV	7	Residential	520 ft	33 ft	17160 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1716 ft			
Inlet Marker		AC Repair	0 ton					
Inlet Protection								
Traffic Loops @								
Comments Type I over Type III								

1250-H4	RENKRIB AV	HUDSON DR	WHELAN DR	7	Residential	480 ft	32 ft	15360 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1536 ft			
Inlet Marker		AC Repair	0 ton					
Inlet Protection								
Traffic Loops @								
Comments Type I								

1250-H4	RENKRIB AV	WHELAN DR	BARDONIA ST	7	Residential	230 ft	32 ft	7360 ft ²
Hump Removal		AC Repair Area	80 ft ²	Crack Seal	736 ft			
Inlet Marker	1 ea	AC Repair	1 ton					
Inlet Protection	1 ea							
Traffic Loops @								
Comments Type I								

1250-H4 BALLINGER AV	WILLA WY	WHELAN DR	7	Residential	985 ft	33 ft	32505 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3250 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I Over Type III							
1250-H4 TALISMAN CT	WING SPAN DR	END	7	Residential	240 ft	27 ft	6480 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	648 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1250-H4 COWLES MTN CT	BEGIN	COWLES MTN BL	7	Residential	160 ft	36 ft	5760 ft ²
Hump Removal	AC Repair Area	80 ft ²	Crack Seal	576 ft			
Inlet Marker	AC Repair	6 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III AC PAVED AREA ONLY							
1250-H4 BALLINGER AV	WHELAN DR	BOULDER LAKE AV	7	Residential	742 ft	33 ft	24486 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2449 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I Over Type III							

1250-H4 WING SPAN DR	TALISMAN CT	END	7	Residential	386 ft	29 ft	11194 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1119 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-H4 BARDONIA ST	WHELAN DR	RENKRIB AV	7	Residential	650 ft	33 ft	21450 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2145 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I Over Type III							

1250-H4 WINGFLIGHT CT	TOMMY ST	END	7	Residential	240 ft	28 ft	6720 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	672 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1250-H4 BARDONIA ST	TOMMY DR	HUDSON DR	7	Residential	242 ft	33 ft	7986 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	799 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I Over Type III							

1250-H4 WHELAN DR	COWLES MTN BL	BALLINGER AV	7	Residential	252 ft	33 ft	8316 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 832 ft				
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1250-H4 WING SPAN DR	TOMMY ST	TALISMAN CT	7	Residential	440 ft	29 ft	12760 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 1276 ft				
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1250-H4 WHELAN DR	RENKRIB AV	BARDONIA ST	7	Residential	580 ft	33 ft	19140 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 1914 ft				
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-H4 RENKRIB AV	MINERAL DR	BOULDER LAKE AV	7	Residential	230 ft	32 ft	7360 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 736 ft				
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1250-H4 BANTAM LAKE CR	BANTAM LAKE AV	BANTAM LAKE AV	7	Residential	990 ft	27 ft	26730 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2673 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I Over Type III							

1250-H4 HUDSON PL	HUDSON DR	END	7	Residential	140 ft	27 ft	3780 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	378 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1250-H4 WHELAN DR	BALLINGER AV	RENKRIB AV	7	Residential	261 ft	33 ft	8613 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	861 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1250-H4 HUDSON DR	RENKRIB AV	HUDSON PL	7	Residential	390 ft	33 ft	12870 ft ²
Hump Removal	AC Repair Area	100 ft ²	Crack Seal	1287 ft			
Inlet Marker	AC Repair	1 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1250-H4 HUDSON DR	HUDSON PL	BARDONIA ST	7	Residential	430 ft	33 ft	14190 ft ²
Hump Removal	AC Repair Area	80 ft ²	Crack Seal	1419 ft			
Inlet Marker 1 ea	AC Repair	1 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							
1250-H4 TOMMY ST	WINGFLIGHT CT	TOMMY DR	7	Residential	362 ft	36 ft	13032 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1303 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							
1250-H4 TOMMY DR	TOMMY ST	COWLES MTN BL	7	Residential	340 ft	33 ft	11220 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1122 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1250-H4 RENKRIB AV	BEGIN	HUDSON DR	7	Residential	185 ft	32 ft	5920 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	592 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							

1250-H4	WILLA WY	BEGIN	BALLINGER AV	7	Residential	100 ft	27 ft	2700 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	270 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								
1250-H4	BARDONIA ST	HUDSON DR	WHELAN DR	7	Residential	242 ft	33 ft	7986 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	799 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I Over Type III								
1250-H4	BANTAM LAKE AV	BANTAM LAKE CR	BANTAM LAKE CR	7	Residential	330 ft	27 ft	8910 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	891 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
Traffic Loops @								
Comments Type I Over Type III								
1250-H4	BALLINGER AV	TOMMY DR	WILLA WY	7	Residential	220 ft	33 ft	7260 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	726 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
Traffic Loops @								
Comments Type I Over Type III								

1250-H4	TOMMY ST	WING SPAN DR	WINGFLIGHT CT	7	Residential	690 ft	36 ft	24840 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2484 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-H4	TOMMY DR	BALLINGER AV	BARDONIA ST	7	Residential	1200 ft	33 ft	39600 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3960 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1250-H5	LAKE KATHLEEN AV	JUNE LAKE DR	LAKE CAYUGA DR	7	Residential	311 ft	33 ft	10263 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1026 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-H5	LAKE BADIN AV	LAKE CAYUGA DR	BEAVER LAKE DR	7	Residential	340 ft	37 ft	12580 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1258 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-H5	SAN CARLOS DR	LAKE BADIN AV	BOULDER LAKE AV	7	Prime	1186 ft	36 ft	42696 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	4270 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I over Type III								

1250-H5	BOON LAKE AV	SAN CARLOS DR	END	7	Residential	135 ft	33 ft	4455 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	446 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1250-H5	JUNE LAKE DR	COWLES MTN BL	LAKE KATHLEEN AV	7	Residential	1100 ft	33 ft	36300 ft ²
	Hump Removal	AC Repair Area	200 ft ²	Crack Seal	3630 ft			
	Inlet Marker 1 ea	AC Repair	3 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I								

1250-H5	BEAVER LAKE DR	LAKE BADIN AV	BOULDER LAKE AV	7	Residential	1220 ft	33 ft	40260 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	4026 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I over Type III								

1250-H5	SAN CARLOS DR	BOON LAKE AV	BANTAM LAKE AV	7	Prime	586 ft	36 ft	21096 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	2110 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1250-H5	LAKE BADIN AV	BEAVER LAKE DR	SAN CARLOS DR	7	Residential	261 ft	37 ft	9657 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	966 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1250-H5	BANTAM LAKE AV	SAN CARLOS DR	BANTAM LAKE CR	7	Residential	242 ft	27 ft	6534 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	653 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							

1250-H5	SAN CARLOS DR	BANTAM LAKE AV	LAKE BADIN AV	7	Prime	320 ft	36 ft	11520 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1152 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-H5 LAKE BADIN AV	LAKE ADLON DR	LAKE CAYUGA DR	7	Residential	621 ft	37 ft	22977 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2298 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							
1250-H5 LAKE CAYUGA DR	LAKE KATHLEEN AV	LAKE BADIN AV	7	Residential	240 ft	33 ft	7920 ft ²
Hump Removal	AC Repair Area	60 ft ²	Crack Seal	792 ft			
Inlet Marker 1 ea	AC Repair	1 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							
1250-H5 LAKE CAYUGA DR	COWLES MTN BL	LAKE KATHLEEN AV	7	Residential	1006 ft	33 ft	33198 ft ²
Hump Removal	AC Repair Area	80 ft ²	Crack Seal	3320 ft			
Inlet Marker 1 ea	AC Repair	1 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							
1250-H5 SAN CARLOS DR	COWLES MTN BL	BOON LAKE AV	7	Prime	251 ft	36 ft	9036 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	904 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1250-H5	BEAVER LAKE DR	COWLES MTN BL	LAKE BADIN AV	7	Residential	1220 ft	33 ft	0 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	0 ft	
	Inlet Marker 3 ea		AC Repair	0 ton				
	Inlet Protection 3 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1250-J4	LAKE BEN AV	BOULDER LAKE AV	BISBY LAKE AV	7	Residential	1201 ft	33 ft	0 ft ²
	Hump Removal		AC Repair Area	50 ft ²		Crack Seal	0 ft	
	Inlet Marker 1 ea		AC Repair	4 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1250-J4	MINERAL DR	WHELAN DR	RENKRIB AV	7	Residential	841 ft	33 ft	27753 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	2775 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-J4	WHELAN DR	MINERAL DR	BOULDER LAKE AV	7	Residential	251 ft	33 ft	8283 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	828 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-J4	WHELAN DR	BARDONIA ST	MINERAL DR	7	Residential	241 ft	33 ft	7953 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	795 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1250-J4	HUDSON DR	BARDONIA ST	BOULDER LAKE AV	7	Residential	502 ft	33 ft	16566 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1657 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1250-J4	TOMMY DR	BARDONIA ST	BOULDER LAKE AV	7	Residential	485 ft	33 ft	16005 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1600 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1250-J4	LAKE GABY AV	BOULDER LAKE AV	BISBY LAKE AV	7	Residential	1201 ft	33 ft	39633 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3963 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1250-J5	LAKE BACA DR	BOULDER LAKE AV	LAKE MURRAY (NW FTG) BL	7	Residential	1102 ft	33 ft	36366 ft ²
	Hump Removal	AC Repair Area	70 ft ²		Crack Seal	3637 ft		
	Inlet Marker 1 ea	AC Repair	6 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1250-J5	LAKE ARIANA AV	LAKE ATLIN AV	LAKE ANGELA DR	7	Residential	651 ft	33 ft	21483 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	2148 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-J5	BEAVER LAKE DR	BOULDER LAKE AV	BEAVER LAKE CT	7	Residential	680 ft	33 ft	22440 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	2244 ft		
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1250-J5	LAKE ARAL AV	LAKE ANGELA DR	LAKE MURRAY (SE FTG) BL	7	Residential	801 ft	33 ft	26433 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	2643 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1250-J5	SAN CARLOS DR	BOULDER LAKE AV	BISBY LAKE AV	7	Prime	1111 ft	36 ft	39996 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	4000 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1250-J5	AMBER LAKE AV	LAKE ANGELA DR	LAKE MURRAY (SE FTG) BL	7	Residential	600 ft	33 ft	19800 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1980 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I Over Type III								

1250-J5	BASHAN LAKE AV	BOULDER LAKE AV	BISBY LAKE AV	7	Residential	1220 ft	33 ft	40260 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	4026 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I over Type III								

1250-J5	LAKE ARAGO AV	LAKE ANGELA DR	LAKE MURRAY (SE FTG) BL	7	Residential	860 ft	33 ft	28380 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2838 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I over Type III								

1250-J5	BEAVER LAKE CT	BEAVER LAKE DR	END	7	Residential	130 ft	27 ft	3510 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	351 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-J5	LAKE ARIANA AV	LAKE ANGELA DR	LAKE MURRAY (SE FTG) BL	7	Residential	988 ft	33 ft	32604 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3260 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							
1250-J5	BEAVER LAKE DR	BEAVER LAKE CT	BISBY LAKE AV	7	Residential	240 ft	33 ft	7920 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	792 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-J5	MONO LAKE DR	BOULDER LAKE AV	LAKE MURRAY (NW FTG) BL	7	Residential	986 ft	33 ft	32538 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3254 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							

1250-J5	JUNE LAKE DR	BOULDER LAKE AV	LAKE MURRAY (NW FTG) BL	7	Residential	880 ft	33 ft	29040 ft ²
	Hump Removal	AC Repair Area	100 ft ²		Crack Seal	2904 ft		
	Inlet Marker	AC Repair	1 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1250-J6	LAKE ANGELA DR	AMBER LAKE AV	ANVIL LAKE AV	7	Residential	215 ft	37 ft	7955 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	796 ft		
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1250-J6	LAKE ANGELA DR	ANVIL LAKE AV	LAKE ARAL AV	7	Residential	222 ft	37 ft	8214 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	821 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1250-J6	LAKE ARAL AV	BLUE LAKE DR	LAKE ANGELA DR	7	Residential	1022 ft	33 ft	33726 ft ²
	Hump Removal	AC Repair Area	40 ft ²		Crack Seal	3373 ft		
	Inlet Marker 1 ea	AC Repair	3 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1250-J6	AMBER LAKE AV	BLUE LAKE DR	LAKE ANGELA DR	7	Residential	800 ft	33 ft	26400 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2640 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments	Type I Over Type III						
1250-J6	LAKE ALTURAS AV	BLUE LAKE DR	LAKE MURRAY (SE FTG) BL	7	Residential	960 ft	33 ft	31680 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3168 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments	Type I over Type III						
1250-J6	LAKE ALBANO AV	BLUE LAKE DR	LAKE MURRAY (SE FTG) BL	7	Residential	1170 ft	33 ft	38610 ft ²
	Hump Removal	AC Repair Area		Crack Seal	3861 ft			
	Inlet Marker 1 ea	AC Repair						
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments	Type I over Type III						
1250-J6	LAKE ARIANA AV	BLUE LAKE DR	LAKE ATLIN AV	7	Residential	603 ft	33 ft	19899 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1990 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments	Type I over Type III						

1250-J6	LAKE ARAGO AV	BLUE LAKE DR	LAKE ANGELA DR	7	Residential	1142 ft	33 ft	37686 ft ²
	Hump Removal	AC Repair Area	60 ft ²	Crack Seal	3769 ft			
	Inlet Marker 1 ea	AC Repair	5 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1251-A5	LAKE APOPKA PL	LAKE MERE CT	LAKE ASHMERE DR	7	Residential	890 ft	33 ft	29370 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2937 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1251-A5	LAKE ANGELA DR	SOUTH LAKE CT	EAST LAKE DR	7	Residential	185 ft	36 ft	6660 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	666 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1251-A5	CHATHAM ST	EAST LAKE DR	CITY BOUNDARY	7	Residential	155 ft	33 ft	5115 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	512 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1251-A5 LAKE APOPKA PL	LAKE ANGELA DR	LAKE MERE CT	7	Residential	1003 ft	33 ft	33099 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 3310 ft				
Inlet Marker	AC Repair	0 ton					
Inlet Protection							

Traffic Loops @

Comments Type I over Type III

1251-A5 LAKE ATHABASKA WY	LAKE ASHMERE DR	LAKE ATHABASKA PL	7	Residential	245 ft	33 ft	8085 ft ²
Hump Removal	AC Repair Area	Crack Seal 808 ft					
Inlet Marker 1 ea	AC Repair						
Inlet Protection 1 ea							

Traffic Loops @

Comments Type I over Type III

1251-A5 LAKE ANGELA DR	LAKE APOPKA PL	SOUTH LAKE CT	7	Residential	235 ft	37 ft	8695 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 870 ft				
Inlet Marker	AC Repair	0 ton					
Inlet Protection							

Traffic Loops @

Comments Type I over Type III

1251-A5 LAKE MERE CT	LAKE APOPKA PL	LAKE ASHMERE DR	7	Residential	981 ft	33 ft	32373 ft ²
Hump Removal	AC Repair Area	50 ft ²	Crack Seal 3237 ft				
Inlet Marker	AC Repair	4 ton					
Inlet Protection							

Traffic Loops @

Comments Type I over Type III

1251-A5 LAKE ATHABASKA PL LAKE ANGELA DR	LAKE ATHABASKA WY	7	Residential	1310 ft	33 ft	43230 ft ²
Hump Removal	AC Repair Area	40	Crack Seal	4323 ft		
Inlet Marker 1 ea	AC Repair	3				
Inlet Protection 1 ea						
Traffic Loops @						
Comments Type I over Type III						

1251-A6 LAKE ATHABASKA PL BLUE LAKE DR	LAKE ANGELA DR	7	Residential	1301 ft	33 ft	42933 ft ²
Hump Removal	AC Repair Area	60	Crack Seal	4293 ft		
Inlet Marker 1 ea	AC Repair	5				
Inlet Protection 1 ea						
Traffic Loops @						
Comments Type I over Type III						

1251-A6 LAKE APOPKA PL BLUE LAKE DR	LAKE ANGELA DR	7	Residential	1150 ft	33 ft	37950 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3795 ft		
Inlet Marker 1 ea	AC Repair	0 ton				
Inlet Protection 1 ea						
Traffic Loops @						
Comments Type I over Type III						

1269-A7 QUINCE ST 05TH AV	06TH AV	3	Residential	260 ft	48 ft	12480 ft ²
Hump Removal	AC Repair Area		Crack Seal	1248 ft		
Inlet Marker	AC Repair					
Inlet Protection						
Traffic Loops @						
Comments Type I over Type III						

1269-E7 BURLINGAME DR	BEGIN	SAN MARCOS AV	3	Residential	610 ft	22 ft	13420 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1342 ft		
Inlet Marker		AC Repair	0 ton				
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1269-E7 MAPLE ST	PAMO AV	32ND ST	3	Residential	260 ft	37 ft	9620 ft ²
Hump Removal		AC Repair Area	40 ft ²	Crack Seal	962 ft		
Inlet Marker		AC Repair	3 ton				
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1269-E7 LAUREL ST	SAN MARCOS AV	CAPITAN AV	3	Residential	306 ft	37 ft	11322 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1132 ft		
Inlet Marker		AC Repair	0 ton				
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1269-E7 LAUREL ST	CAPITAN AV	DULZURA AV	3	Residential	240 ft	37 ft	8880 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	888 ft		
Inlet Marker		AC Repair	0 ton				
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1269-E7	NUTMEG ST	32ND ST	BANCROFT ST	3	Collector	240 ft	26 ft	6240 ft ²
	Hump Removal		AC Repair Area		Crack Seal	624 ft		
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1269-E7	MAPLE ST	BURLINGAME DR	PAMO AV	3	Residential	229 ft	37 ft	8473 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	847 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1269-E7	MAPLE ST	32ND ST	BANCROFT ST	3	Residential	222 ft	37 ft	8214 ft ²
	Hump Removal		AC Repair Area	60	Crack Seal	821 ft		
	Inlet Marker		AC Repair	5				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1269-E7	PAMO AV	LAUREL ST	MAPLE ST	3	Residential	239 ft	36 ft	8604 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	860 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1269-E7	BURLINGAME DR	SAN MARCOS AV	MAPLE ST	3	Residential	260 ft	37 ft	9620 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	962 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1269-E7	NUTMEG ST	NUTMEG PL	32ND ST	3	Residential	260 ft	26 ft	6760 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	676 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1269-E7	NUTMEG PL	NUTMEG ST	OLIVE ST	3	Residential	330 ft	26 ft	8580 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	858 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1269-F7	MAPLE ST	BANCROFT ST	33RD ST	3	Residential	261 ft	37 ft	9657 ft ²
	Hump Removal	AC Repair Area		Crack Seal	966 ft			
	Inlet Marker	AC Repair						
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1269-F7	NUTMEG ST	BANCROFT ST	33RD ST	3	Collector	260 ft	46 ft	11960 ft ²
	Hump Removal		AC Repair Area		Crack Seal	1196 ft		
	Inlet Marker		AC Repair					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1269-F7	NUTMEG ST	33RD ST	33RD ST	3	Residential	50 ft	24 ft	1200 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	120 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1270-C3	62ND ST	MADLINE ST	ACORN ST	9	Residential	280 ft	34 ft	9520 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	952 ft		
	Inlet Marker	1 ea	AC Repair	0 ton				
	Inlet Protection	1 ea						
Traffic Loops @								
Comments Type I Over Type III								

1270-C4	62ND ST	ESTELLE ST	MADLINE ST	9	Residential	300 ft	33 ft	9900 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	990 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
Traffic Loops @								
Comments Type I Over Type III								

1270-C4	CARLING DR	ADELAIDE AV	LORCA DR	9	Residential	230 ft	38 ft	8740 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	874 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-C4	ADELAIDE AV	TARRAGONA DR	CARLING DR	9	Residential	480 ft	28 ft	13440 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1344 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							

1270-C4	ESTELLE ST	62ND ST	LACO DR	9	Residential	360 ft	33 ft	11880 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1188 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-C4	TARRAGONA DR	LORCA DR	ADELAIDE AV	9	Residential	120 ft	36 ft	4320 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	432 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-C4	TARRAGONA DR	ADELAIDE AV	ADELAIDE AV	9	Residential	100 ft	36 ft	3600 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	360 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1270-C4	ADELAIDE AV	COLLEGE AV	TARRAGONA DR	9	Residential	230 ft	38 ft	8740 ft ²
	Hump Removal	AC Repair Area	60 ft ²	Crack Seal	874 ft			
	Inlet Marker 1 ea	AC Repair	5 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I Over Type III---DON'T OVERLAY INTERSECTION OF COLLEGE DUE TO GJ 940								

1270-C4	ESTELLE ST	MADELINE ST	62ND ST	9	Residential	260 ft	33 ft	8580 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	858 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I over Type III								

1270-C4	LORCA DR	TARRAGONA DR	CARLING DR	9	Residential	470 ft	27 ft	12690 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1269 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1270-C4	MADELINE ST	ESTELLE ST	62ND ST	9	Residential	460 ft	27 ft	12420 ft ²
	Hump Removal	AC Repair Area	60	Crack Seal	1242 ft			
	Inlet Marker 1 ea	AC Repair	5					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D3	ACORN ST	SEMINOLE DR	CATHERINE AV	9	Residential	330 ft	28 ft	9240 ft ²
	Hump Removal	AC Repair Area	80 ft ²	Crack Seal	924 ft			
	Inlet Marker	AC Repair	6 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III-----DON'T OVERLA INTERSECTION OF SEMINOLE DR GJ 616							

1270-D3	ARAGON DR	ROLANDO BL	MATARO DR	9	Residential	840 ft	27 ft	22680 ft ²
	Hump Removal	AC Repair Area	50 ft ²	Crack Seal	2268 ft			
	Inlet Marker 1 ea	AC Repair	4 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							

1270-D3	ACORN ST	63RD ST	SEMINOLE DR	9	Residential	280 ft	32 ft	8960 ft ²
	Hump Removal	AC Repair Area		Crack Seal	896 ft			
	Inlet Marker	AC Repair						
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							

1270-D3	FILIPO ST	SOLITA AV	EL CAJON BL	9	Residential	1010 ft	27 ft	27270 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2727 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D3	REVILLO DR	REVILLO WY	END	9	Residential	270 ft	27 ft	7290 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	729 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D3	SHANNON AV	VALENCIA DR	LENORE DR	9	Residential	260 ft	36 ft	9360 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	936 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1270-D3	ROLANDO BL	MATARO DR	ALAMO DR	9	Collector	510 ft	27 ft	13770 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1377 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D3	ARAGON DR	MATARO DR	SOLITA AV	9	Residential	660 ft	27 ft	17820 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1782 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							

1270-D3	PATRIA DR	MATARO DR	ALAMO DR	9	Residential	320 ft	27 ft	8640 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	864 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D3	STANLEY AV	63RD ST	63RD ST	9	Residential	95 ft	33 ft	3135 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	314 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D3	STANLEY AV	63RD ST	SEMINOLE DR	9	Residential	314 ft	36 ft	11304 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1130 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D3	ROLANDO BL	ARAGON DR	MATARO DR	9	Collector	701 ft	27 ft	18927 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1893 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D3	SOLITA AV	ROLANDO BL	VALENCIA DR	9	Residential	280 ft	27 ft	7560 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	756 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							

1270-D3	MATARO DR	ARAGON DR	END	9	Residential	530 ft	27 ft	14310 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1431 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D3	STANLEY AV	CATHERINE AV	VIRGINIA AV	9	Residential	201 ft	27 ft	5427 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	543 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D3 ACORN ST	CATHERINE AV	VIRGINIA AV	9	Residential	250 ft	28 ft	7000 ft ²
Hump Removal	AC Repair Area	100	Crack Seal	700 ft			
Inlet Marker	AC Repair	8					
Inlet Protection							
Traffic Loops @							
Comments Type I Over Type III							
1270-D3 VALENCIA DR	SOLITA AV	SHANNON AV	9	Residential	830 ft	27 ft	22410 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2241 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							
1270-D3 SOLITA AV	FILIPO ST	ARAGON DR	9	Collector	340 ft	27 ft	9180 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	918 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1270-D3 STANLEY AV	SEMINOLE DR	CATHERINE AV	9	Residential	320 ft	27 ft	8640 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	864 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III----- DON'T OVERLAY INTERSECTION OF SEMINOLE DR WATER GROUP 616							

1270-D3 ALAMO DR	TOLEDO DR	ROLANDO BL	9	Residential	705 ft	27 ft	19035 ft ²
Hump Removal	AC Repair Area	80 ft ²	Crack Seal	1904 ft			
Inlet Marker 1 ea	AC Repair	6 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I Over Type III							

1270-D3 MATARO DR	ROLANDO BL	ARAGON DR	9	Residential	251 ft	27 ft	6777 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	678 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D3 VIRGINIA AV	ACORN ST	STANLEY AV	9	Residential	510 ft	28 ft	14280 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1428 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D3 ARAGON DR	SERRANO PL	EL CAJON BL	9	Residential	540 ft	27 ft	14580 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1458 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I Over Type III							

1270-D3	ROLANDO BL	SOLITA AV	SERRANO PL	9	Collector	820 ft	40 ft	32800 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	3280 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1270-D3	SOLITA AV	ARAGON DR	ROLANDO BL	9	Residential	271 ft	27 ft	7317 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	732 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1270-D3	MATARO DR	PATRIA DR	ROLANDO BL	9	Residential	690 ft	27 ft	18630 ft ²
	Hump Removal	AC Repair Area		Crack Seal	1863 ft			
	Inlet Marker	AC Repair						
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1270-D3	CATHERINE AV	ACORN ST	STANLEY AV	9	Residential	550 ft	27 ft	14850 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1485 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							

1270-D3 ACORN ST	VIRGINIA AV	END	9	Residential	180 ft	28 ft	5040 ft ²
Hump Removal	AC Repair Area	60	Crack Seal	504 ft			
Inlet Marker	AC Repair	5					
Inlet Protection							
Traffic Loops @							
Comments Type I Over Type III							

1270-D3 VALENCIA DR	LENORE DR	SOLITA AV	9	Residential	650 ft	28 ft	18200 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1820 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D3 SHANNON AV	ROLANDO BL	VALENCIA DR	9	Residential	520 ft	36 ft	18720 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1872 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							

1270-D3 ARAGON DR	SOLITA AV	SERRANO PL	9	Residential	750 ft	27 ft	20250 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2025 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I Over Type III							

1270-D3 SERRANO PL	ARAGON DR	ROLANDO BL	9	Residential	285 ft	27 ft	7695 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	770 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D3 REVILLO WY	REVILLO DR	END	9	Residential	830 ft	27 ft	22410 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2241 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 ARENDO DR	LORCA DR	ESTELLE ST	9	Residential	535 ft	27 ft	14445 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1444 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I Over Type III							

1270-D4 LERIDA DR	BONILLO DR	MARRACO DR	9	Residential	341 ft	27 ft	9207 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	921 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D4	MARRACO DR	MARRACO WY	BRADFORD ST	9	Residential	605 ft	27 ft	16335 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1634 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I over Type III ----- DON'T SLURRY INTERSECTION OF ESTELLE ST GJ 616								

1270-D4	LOGRONO DR	LORCA DR	BONILLO DR	9	Residential	490 ft	27 ft	13230 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1323 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
Traffic Loops @								
Comments Type I over Type III								

1270-D4	TARRAGONA DR	CARTAGENA DR	RODRIGO DR	9	Residential	510 ft	27 ft	13770 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1377 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I over Type III								

1270-D4	ARAGON DR	MALCOLM DR	MATARO DR	9	Residential	250 ft	28 ft	7000 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	700 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
Traffic Loops @								
Comments Type I Over Type III								

1270-D4	MARRACO DR	LERIDA DR	MARRACO WY	9	Residential	520 ft	27 ft	14040 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1404 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1270-D4	LORCA DR	LOGRONO DR	RODRIGO DR	9	Residential	540 ft	28 ft	15120 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1512 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1270-D4	CARTAGENA DR	MALCOLM DR	TARRAGONA DR	9	Residential	390 ft	27 ft	10530 ft ²
	Hump Removal	AC Repair Area	100 ft ²	Crack Seal	1053 ft			
	Inlet Marker 1 ea	AC Repair	8 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1270-D4	BONILLO DR	LERIDA DR	LOGRONO DR	9	Residential	780 ft	27 ft	21060 ft ²
	Hump Removal	AC Repair Area	120 ft ²	Crack Seal	2106 ft			
	Inlet Marker 1 ea	AC Repair	10 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D4 BONILLO DR	MALCOLM DR	TARRAGONA DR	9	Residential	345 ft	27 ft	9315 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	932 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							
1270-D4 LACO DR	LORCA DR	ESTELLE ST	9	Residential	171 ft	27 ft	4617 ft ²
Hump Removal	AC Repair Area	50 ft ²	Crack Seal	462 ft			
Inlet Marker	AC Repair	1 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							
1270-D4 MARRACO WY	MARRACO DR	BONILLO DR	9	Residential	551 ft	27 ft	14877 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1488 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							
1270-D4 REVILLO DR	MALCOLM DR	ROLANDO BL	9	Residential	260 ft	27 ft	7020 ft ²
Hump Removal	AC Repair Area		Crack Seal	702 ft			
Inlet Marker	AC Repair						
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 MALCOLM DR	REVILLO DR	ARAGON DR	9	Residential	652 ft	27 ft	17604 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 1760 ft				
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 LORCA DR	LACO DR	ARENDO DR	9	Residential	515 ft	28 ft	14420 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 1442 ft				
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 ESTELLE ST	LACO DR	ARENDO DR	9	Residential	460 ft	33 ft	15180 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 1518 ft				
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 ROLANDO BL	MALCOLM DR	REVILLO DR	9	Collector	321 ft	27 ft	8667 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal 867 ft				
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 LERIDA DR	MARRACO DR	REVILLO DR	9	Residential	746 ft	28 ft	20888 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2089 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 BONILLO DR	TARRAGONA DR	LERIDA DR	9	Residential	115 ft	27 ft	3105 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	310 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 REVILLO DR	LERIDA DR	REVILLO WY	9	Residential	730 ft	27 ft	19710 ft ²
Hump Removal	AC Repair Area		Crack Seal	1971 ft			
Inlet Marker	AC Repair						
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 LORCA DR	BEGIN	LACO DR	9	Residential	230 ft	28 ft	6440 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	644 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1270-D4	TARRAGONA DR	RODRIGO DR	BONILLO DR	9	Residential	340 ft	27 ft	9180 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	918 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1270-D4	ARENDO DR	ESTELLE ST	ESTELLE ST	9	Residential	140 ft	33 ft	4620 ft ²
	Hump Removal	AC Repair Area		Crack Seal	462 ft			
	Inlet Marker 1 ea	AC Repair						
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III.....DON'T OVERLAY INTERSECTION OF ESTELLE ST GJ 616.							
1270-D4	CARTAGENA DR	TARRAGONA DR	RODRIGO DR	9	Residential	505 ft	27 ft	13635 ft ²
	Hump Removal	AC Repair Area	150	Crack Seal	1364 ft			
	Inlet Marker	AC Repair	12					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1270-D4	RODRIGO DR	LORCA DR	CARTAGENA DR	9	Residential	320 ft	27 ft	8640 ft ²
	Hump Removal	AC Repair Area		Crack Seal	864 ft			
	Inlet Marker	AC Repair						
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-D4 LORCA DR	ARENDO DR	LOGRONO DR	9	Residential	302 ft	28 ft	8456 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	846 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 CARTAGENA DR	RODRIGO DR	END	9	Residential	320 ft	27 ft	8640 ft ²
Hump Removal	AC Repair Area	60	Crack Seal	864 ft			
Inlet Marker	AC Repair	5					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1270-D4 RODRIGO DR	TARRAGONA DR	LORCA DR	9	Residential	280 ft	27 ft	7560 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	756 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I over Type III							

1270-E3 67TH ST	SHANNON AV	AMHERST ST	9	Residential	300 ft	24 ft	7200 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	720 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I Over Type III							

1270-E3	SHANNON AV	67TH ST	END	9	Residential	60 ft	36 ft	2160 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	216 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1270-E3	SOLITA AV	LENORE DR	67TH ST	9	Residential	282 ft	27 ft	7614 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	761 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1270-E3	SHANNON AV	LENORE DR	67TH ST	9	Residential	250 ft	36 ft	9000 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	900 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1270-E3	TOLEDO DR	67TH ST	ALAMO DR	9	Residential	485 ft	27 ft	13095 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1310 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-E3	LENORE DR	SOLITA AV	SHANNON AV	9	Residential	803 ft	27 ft	21681 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2168 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1270-E3	67TH ST	SOLITA AV	ROSEFIELD DR	9	Residential	800 ft	30 ft	24000 ft ²
	Hump Removal	AC Repair Area	50	Crack Seal	2400 ft			
	Inlet Marker 1 ea	AC Repair	4					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							
1270-E3	ALAMO DR	PATRIA DR	TOLEDO DR	9	Residential	545 ft	27 ft	14715 ft ²
	Hump Removal	AC Repair Area	50 ft ²	Crack Seal	1472 ft			
	Inlet Marker	AC Repair	4 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							
1270-E3	PATRIA DR	ALAMO DR	67TH ST	9	Residential	481 ft	32 ft	15392 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1539 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-E3	LENORE DR	VALENCIA DR	SOLITA AV	9	Residential	542 ft	27 ft	14634 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1463 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-E3	SOLITA AV	VALENCIA DR	LENORE DR	9	Residential	260 ft	27 ft	7020 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	702 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1270-E3	67TH ST	ROSEFIELD DR	SHANNON AV	9	Residential	150 ft	28 ft	4200 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	420 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							

1270-E3	SOLITA AV	67TH ST	68TH ST	9	Residential	646 ft	24 ft	15504 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1550 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1270-E3	68TH ST	SOLITA AV	ROSEFIELD DR	9	Residential	810 ft	34 ft	27540 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	2754 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1270-E4	ALAMO DR	UNIVERSITY AV	MALCOLM DR	9	Residential	700 ft	27 ft	18900 ft ²
	Hump Removal		AC Repair Area	150 ft ²	Crack Seal	1890 ft		
	Inlet Marker 1 ea		AC Repair	12 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							
1270-E4	MATARO DR	ARAGON DR	PATRIA DR	9	Residential	907 ft	27 ft	24489 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	2449 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1270-E4	ALAMO WY	ALAMO DR	CITY BOUNDARY	9	Residential	810 ft	27 ft	21870 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	2187 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							

1270-E4	ALAMO DR	ALAMO WY	PATRIA DR	9	Residential	750 ft	27 ft	20250 ft ²
	Hump Removal		AC Repair Area	80 ft ²	Crack Seal	2025 ft		
	Inlet Marker 1 ea		AC Repair	6 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							

1270-E4	MALCOLM DR	ARAGON DR	ALAMO DR	9	Residential	401 ft	27 ft	10827 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1083 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1270-E4	VIGO DR	ALAMO DR	CITY BOUNDARY	9	Residential	135 ft	28 ft	3780 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	378 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1270-E4	ALAMO DR	MALCOLM DR	ALAMO WY	9	Residential	100 ft	27 ft	2700 ft ²
	Hump Removal		AC Repair Area	60 ft ²	Crack Seal	270 ft		
	Inlet Marker		AC Repair	5 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							

1270-E4	ARAGON DR	UNIVERSITY AV	MALCOLM DR	9	Residential	448 ft	28 ft	12544 ft ²
	Hump Removal	AC Repair Area	40 ft ²	Crack Seal	1254 ft			
	Inlet Marker	AC Repair	3 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I Over Type III							

1289-E1	PAMO AV	KALMIA ST	LAUREL ST	3	Residential	0 ft	0 ft	0 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	0 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments							

1289-E1	LAUREL ST	PAMO AV	32ND ST	3	Residential	241 ft	37 ft	8917 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	892 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1289-E1	CAPITAN AV	KALMIA ST	LAUREL ST	3	Residential	622 ft	37 ft	23014 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2301 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1289-E1	DULZURA AV	KALMIA ST	LAUREL ST	3	Residential	505 ft	37 ft	18685 ft ²
	Hump Removal		AC Repair Area	40 ft ²		Crack Seal	1868 ft	
	Inlet Marker	1 ea	AC Repair	3 ton				
	Inlet Protection	1 ea						
	Traffic Loops @							
	Comments Type I over Type III							
1289-E1	KALMIA PL	29TH ST	29TH ST	3	Residential	702 ft	22 ft	15444 ft ²
	Hump Removal		AC Repair Area	400 ft ²		Crack Seal	1544 ft	
	Inlet Marker		AC Repair	6 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1289-E1	LAUREL ST	30TH ST	SAN MARCOS AV	3	Residential	320 ft	37 ft	11840 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1184 ft	
	Inlet Marker	1 ea	AC Repair	0 ton				
	Inlet Protection	1 ea						
	Traffic Loops @							
	Comments Type I over Type III							
1289-E1	LAUREL ST	DULZURA AV	PAMO AV	3	Residential	249 ft	37 ft	9213 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	921 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1290-D2	KLAUBER AV	65TH ST	WREN ST	4	Collector	300 ft	20 ft	6000 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	600 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							
1290-D2	KLAUBER AV	WREN ST	SPARROW ST	4	Collector	530 ft	20 ft	10600 ft ²
	Hump Removal		AC Repair Area		Crack Seal	1060 ft		
	Inlet Marker 1 ea		AC Repair					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							
1290-E2	KLAUBER AV	SPARROW ST	BITTERN ST	4	Collector	360 ft	20 ft	7200 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	720 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							
1330-C6	KAANAPALI WY	BEYER BL	MOLOKAI WY	8	Residential	160 ft	33 ft	5280 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	528 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1330-C6	KAANAPALI WY	MOLOKAI WY	MAKAHA WY	8	Residential	490 ft	33 ft	16170 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1617 ft			
	Inlet Marker 0 ea	AC Repair	0 ton					
	Inlet Protection 0 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1330-C6	BINDAY WY	SUBOL CT	AGNO CT	8	Residential	200 ft	29 ft	5800 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	580 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1330-C6	AGNO CT	BINDAY WY	END	8	Residential	400 ft	27 ft	10800 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1080 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I Over Type III							

1330-C6	CAGAYAN AV	LANAO LN	BINDAY WY	8	Residential	201 ft	37 ft	7437 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	744 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1330-C6	SUBOL CT	BINDAY WY	END	8	Residential	265 ft	27 ft	7155 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	716 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1330-C6	BINDAY WY	AGNO CT	CAGAYAN AV	8	Residential	275 ft	29 ft	7975 ft ²
	Hump Removal		AC Repair Area	100 ft ²		Crack Seal	798 ft	
	Inlet Marker		AC Repair	8 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1330-C6	CAGAYAN AV	BEGIN	LANAO LN	8	Residential	105 ft	37 ft	3885 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	388 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1330-C6	MOLOKAI WY	KAANAPALI WY	MAKAHA WY	8	Residential	452 ft	33 ft	14916 ft ²
	Hump Removal		AC Repair Area	80 ft ²		Crack Seal	1492 ft	
	Inlet Marker		AC Repair	1 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1330-C7	MINDANAO WY	CAGAYAN AV	LUNGOS CT	8	Residential	320 ft	29 ft	9280 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	928 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1330-C7	LUNGOS CT	MINDANAO WY	END	8	Residential	531 ft	29 ft	15399 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1540 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1330-C7	MOLOKAI WY	MAKAHA WY	LEILANI WY	8	Residential	511 ft	33 ft	16863 ft ²
	Hump Removal	AC Repair Area	80 ft ²	Crack Seal	1686 ft			
	Inlet Marker 1 ea	AC Repair	1 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							

1330-C7	CAGAYAN AV	MINDANAO WY	BEYER BL	8	Residential	560 ft	37 ft	20720 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2072 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1330-C7	CAGAYAN AV	BINDAY WY	MINDANAO WY	8	Residential	182 ft	37 ft	6734 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	673 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1330-C7	LANAO LN	CAGAYAN AV	LUNGOS CT	8	Residential	401 ft	28 ft	11228 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1123 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1330-C7	LANAO LN	LUNGOS CT	PALM (SB) AV	8	Residential	170 ft	28 ft	4760 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	476 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1330-C7	LUNGOS CT	LANAO LN	MINDANAO WY	8	Residential	221 ft	29 ft	6409 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	641 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1330-C7	LEILANI WY	MOLOKAI WY	POIPU WY	8	Residential	251 ft	33 ft	8283 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	828 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1330-D6	MABUHAY WY	KAANAPALI WY	POIPU WY	8	Residential	201 ft	33 ft	6633 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	663 ft		
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1330-D6	MAKAHA WY	KAANAPALI WY	MOLOKAI WY	8	Residential	730 ft	29 ft	21170 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	2117 ft		
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1330-D6	POIPU WY	MABUHAY WY	LEILANI WY	8	Residential	1206 ft	28 ft	33768 ft ²
	Hump Removal	AC Repair Area	0 ft ²		Crack Seal	3377 ft		
	Inlet Marker 2 ea	AC Repair	0 ton					
	Inlet Protection 2 ea							
	Traffic Loops @							
	Comments Type I							

1330-D6	WAILEA WY	MABUHAY WY	KAPALUA CT	8	Residential	430 ft	33 ft	14190 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1419 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1330-D6	KAANAPALI WY	MAKAHA WY	MABUHAY WY	8	Residential	610 ft	33 ft	20130 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	2013 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							
1330-D6	MABUHAY WY	POIPU WY	WAILEA WY	8	Residential	232 ft	33 ft	7656 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	766 ft			
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1330-D7	KAPALUA CT	WAILEA WY	END	8	Residential	210 ft	28 ft	5880 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	588 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							

1330-D7	LEILANI WY	POIPU WY	WAILEA WY	8	Residential	222 ft	33 ft	7326 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	733 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1330-D7	MABUHAY WY	WAILEA WY	LEILANI WY	8	Residential	465 ft	33 ft	15345 ft ²
	Hump Removal		AC Repair Area	60 ft ²		Crack Seal	1534 ft	
	Inlet Marker		AC Repair	1 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

1330-D7	WAILEA WY	LEILANI WY	PALM (SB) AV	8	Residential	159 ft	33 ft	5247 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	525 ft	
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1330-D7	LEILANI WY	WAILEA WY	MABUHAY WY	8	Residential	502 ft	33 ft	16566 ft ²
	Hump Removal		AC Repair Area	0 ft ²		Crack Seal	1657 ft	
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I over Type III							

1330-F6	RIOS AV	CITY BOUNDARY	END	8	Residential	720 ft	27 ft	19440 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1944 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1330-J6	SEA HOLLY CT	TOPSIDE LN	END	8	Residential	152 ft	27 ft	4104 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	410 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1330-J6	TOPSIDE LN	DENNERY RD	SEA HOLLY CT	8	Residential	445 ft	27 ft	12015 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	1202 ft		
	Inlet Marker		AC Repair	0 ton				
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1331-A6	WHALERS CT	QUARTERDECK LN	END	8	Residential	251 ft	27 ft	6777 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	678 ft		
	Inlet Marker 1 ea		AC Repair	0 ton				
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							

1331-A6	QUARTERDECK LN	SEA COVE PT	WHALERS CT	8	Residential	192 ft	27 ft	5184 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	518 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1331-A6	SEA COVE PT	QUARTERDECK LN	END	8	Residential	141 ft	27 ft	3807 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	381 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1331-A6	TOPSIDE LN	SEA HOLLY CT	QUARTERDECK LN	8	Residential	500 ft	27 ft	13500 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	1350 ft			
	Inlet Marker 1 ea	AC Repair	0 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1331-A6	TOPSAIL DR	DENNERY RD	QUARTERDECK LN	8	Residential	1590 ft	27 ft	42930 ft ²
	Hump Removal	AC Repair Area	0 ft ²	Crack Seal	4293 ft			
	Inlet Marker 2 ea	AC Repair	0 ton					
	Inlet Protection 2 ea							
	Traffic Loops @							
	Comments Type I							

1331-A6 QUARTERDECK LN	WHALERS CT	TOPSAIL DR	8	Residential	280 ft	27 ft	7560 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	756 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							
1331-A6 QUARTERDECK LN	BEGIN	TOPSIDE LN	8	Residential	100 ft	27 ft	2700 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	270 ft			
Inlet Marker 1 ea	AC Repair	0 ton					
Inlet Protection 1 ea							
Traffic Loops @							
Comments Type I							
1331-A6 QUARTERDECK LN	TOPSIDE LN	SEA COVE PT	8	Residential	262 ft	27 ft	7074 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	707 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I							
1350-C3 INTERNATIONAL RD	ORO VISTA RD	PIKAKE ST	8	Prime	260 ft	37 ft	9620 ft ²
Hump Removal	AC Repair Area	0 ft ²	Crack Seal	962 ft			
Inlet Marker	AC Repair	0 ton					
Inlet Protection							
Traffic Loops @							
Comments Type I over Type III							

1350-C3	INTERNATIONAL RD	PIKAKE ST	DALISAY ST	8	Prime	240 ft	36 ft	8640 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	864 ft			
Inlet Marker		AC Repair	0 ton					
Inlet Protection								
Traffic Loops @								
Comments Type I over Type III								

1350-C3	WARDLOW CT	WARDLOW AV	END	8	Residential	180 ft	27 ft	4860 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	486 ft			
Inlet Marker		AC Repair	0 ton					
Inlet Protection								
Traffic Loops @								
Comments Type I								

1350-C3	INTERNATIONAL RD	DALISAY ST	WARDLOW AV	8	Prime	240 ft	36 ft	8640 ft ²
Hump Removal		AC Repair Area	0 ft ²	Crack Seal	864 ft			
Inlet Marker	1 ea	AC Repair	0 ton					
Inlet Protection	1 ea							
Traffic Loops @								
Comments Type I over Type III								

1350-E2	VIA ENCANTADORAS	BOCA DEL TULE	TEQUILA WY	8	Residential	1003 ft	33 ft	33099 ft ²
Hump Removal		AC Repair Area		Crack Seal	3310 ft			
Inlet Marker		AC Repair	0 ton					
Inlet Protection								
Traffic Loops @								
Comments Type I								

1350-E3	ISLA DEL CAMPANERO	ISLA DE LA GAITA	VISTA (SB) LN	8	Residential	551 ft	33 ft	18183 ft ²
	Hump Removal	AC Repair Area				Crack Seal 1818 ft		
	Inlet Marker	AC Repair	0 ton					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1350-E3	ISLA DE LA GAITA	ISLA DEL CAMPANERO	VISTA (SB) LN	8	Residential	920 ft	33 ft	30360 ft ²
	Hump Removal	AC Repair Area	120 ft ²			Crack Seal 3036 ft		
	Inlet Marker 1 ea	AC Repair	2 ton					
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1350-E3	VISTA (SB) LN	ISLA DE LA GAITA	ISLA DEL CAMPANERO	8	Prime	240 ft	36 ft	8640 ft ²
	Hump Removal	AC Repair Area				Crack Seal 864 ft		
	Inlet Marker 1 ea	AC Repair						
	Inlet Protection 1 ea							
	Traffic Loops @							
	Comments Type I							
1350-E3	VIA LAS TONADAS	CTE LAS TONADAS	VISTA (SB) LN	8	Residential	241 ft	27 ft	6507 ft ²
	Hump Removal	AC Repair Area				Crack Seal 651 ft		
	Inlet Marker	AC Repair						
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1350-E3	VISTA (SB) LN	ISLA DEL CAMPANERO	VIA ENCANTADORAS	8	Prime	260 ft	36 ft	9360 ft ²
	Hump Removal		AC Repair Area		Crack Seal	936 ft		
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1350-E3	VISTA (SB) LN	DAIRY MART RD	ISLA DE LA GAITA	8	Prime	180 ft	36 ft	6480 ft ²
	Hump Removal		AC Repair Area		Crack Seal	648 ft		
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							
1350-E3	VIA LAS TONADAS	BEGIN	CTE LAS TONADAS	8	Residential	204 ft	27 ft	5508 ft ²
	Hump Removal		AC Repair Area		Crack Seal	551 ft		
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							
1350-E3	PEACEFUL CT	BEGIN	VISTA (SB) LN	8	Prime	192 ft	36 ft	6912 ft ²
	Hump Removal		AC Repair Area	0 ft ²	Crack Seal	691 ft		
	Inlet Marker	1 ea	AC Repair	0 ton				
	Inlet Protection	1 ea						
	Traffic Loops @							
	Comments Type I							

1350-E3	CTE LAS TONADAS	VIA LAS TONADAS	END	8	Residential	215 ft	27 ft	5805 ft ²
	Hump Removal		AC Repair Area					Crack Seal 580 ft
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I over Type III							

1350-E3	VISTA (SB) LN	VIA ENCANTADORAS	VIA DEL TANIDO	8	Prime	305 ft	36 ft	10980 ft ²
	Hump Removal		AC Repair Area					Crack Seal 1098 ft
	Inlet Marker		AC Repair					
	Inlet Protection							
	Traffic Loops @							
	Comments Type I							

Total Number of Locations: 545

ATTACHMENT F
INTENTIONALLY LEFT BLANK

ENGINEER OF WORK

The engineering Specifications and Special Provisions contained herein have been prepared by or under the direction of the following Registered Engineer:

Walter C. Gefrom III
For City Engineer

3/11/2015
Date

Seal:



A. CHANGES TO CONTRACT DOCUMENTS

The following changes to the Contract Documents are hereby made effective as though originally issued with the bid package. Bidders are reminded that all previous requirements to this solicitation remain in full force and effect.

B. VOLUME 1




1. To Attachment E, Supplementary Special Provision Appendices, **ADD** Appendix E, Typical Continental Crosswalk Markings, pages 4 through 7 of this Addendum.

James Nagelvoort, Director
Public Works Department

Dated: *March 11, 2015*
San Diego, California

JN/BD/Lad

TYPICAL CONTINENTAL CROSSWALK MARKINGS



- LEGEND**
- CONSTRUCTION LINE
 - CURB & GUTTER
 - █ CROSSWALK BAR (24" WIDE)

GENERAL NOTES:



1. ALL MARKED CROSSWALKS SHALL HAVE CONTINENTAL MARKINGS UNLESS APPROVED OTHERWISE.
2. MARKED CROSSWALK LOCATIONS CONSISTING OF BRICK PAVERS OR OTHER DECORATIVE PAVING SHALL BE PROVIDED WITH A LIMIT LINE ONLY.
3. SIGNALIZED INTERSECTIONS SHALL BE PROVIDED WITH A MARKED CROSSWALK ACROSS EACH LEG WHERE PEDESTRIANS ARE PERMITTED TO CROSS.
4. CONTINENTAL CROSSWALK MARKINGS SHALL BE ALIGNED PARALLEL TO THE DIRECTION OF VEHICULAR TRAVEL.
5. LIMIT LINES SHALL BE INSTALLED A MINIMUM OF 4 FEET IN ADVANCE OF MARKED CROSSWALKS FOR THE APPROACH LANES AT ALL CONTROLLED CROSSINGS.
6. MARKED CROSSWALKS SHOULD BE A MINIMUM OF 10 FEET IN WIDTH. PLACEMENT OF CONTINENTAL CROSSWALKS SHALL COMPLY WITH ACCESSIBILITY REGULATIONS PER THE MOST RECENT VERSION OF AMERICANS WITH DISABILITIES ACT (ADA) STANDARDS.
7. THE CROSSWALK BETWEEN A DUAL RAMP CORNER AND A SINGLE RAMP CORNER SHALL BE AT LEAST 10 FEET WIDE AND SATISFY THE MINIMUM OF 2 FEET BEYOND THE FLARE REQUIREMENT FOR THE SINGLE RAMP.
8. CONTINENTAL CROSSWALK BARS SHALL BE UNIFORM WITHIN THE SAME CROSSING. NO PARTIAL BARS SHALL BE INSTALLED.
9. A CROSSWALK BAR SHALL BE CENTERED IN THE CENTER OF THE CROSSING.
10. CROSSWALK MARKINGS SHALL BE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CA-MUTCD) RETROREFLECTIVITY COMPLIANT AND SKID RESISTANT.

SHEET 1 OF 3

REVISION	BY	APPROVED	DATE	CITY OF SAN DIEGO - STANDARD DRAWING	RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE
ORIGINAL	JF	J. NAGELVOORT	02/15		 COORDINATOR 2/5/2015 <small>R.C.E. 56523</small> DATE
				CONTINENTAL CROSSWALK MARKINGS LAYOUT AND NOTES	DRAWING NUMBER SDM-116



CASE 1 - SINGLE RAMP ORTHOGONAL

CASE 2 - SINGLE RAMP SKEWED



CASE 3 - DUAL RAMP ORTHOGONAL

CASE 4 - DUAL RAMP SKEWED



LEGEND

- CONSTRUCTION LINE
- CURB & GUTTER
- ▬ CROSSWALK BAR (24" WIDE)

SHEET 2 OF 3

REVISION	BY	APPROVED	DATE
ORIGINAL	JF	J. NAGELVOORT	02/15


CITY OF SAN DIEGO - STANDARD DRAWING

CONTINENTAL CROSSWALK
MARKINGS LAYOUT AND NOTES


RECOMMENDED BY THE CITY OF SAN DIEGO
STANDARDS COMMITTEE
CP Dungey
COORDINATOR J.C.E. 66523 2/5/2015 DATE

DRAWING NUMBER **SDM-116**

CASE 5 - DUAL AND SINGLE RAMP ORTHOGONAL



CASE 6 - DUAL AND SINGLE RAMP SKEWED



- LEGEND**
- CONSTRUCTION LINE
 - ==== CURB & GUTTER
 - ▨▨▨▨ CROSSWALK BAR (24" WIDE)

SHEET 3 OF 3

REVISION	BY	APPROVED	DATE
ORIGINAL	JF	J. NAGELVOORT	02/15

CITY OF SAN DIEGO - STANDARD DRAWING

**CONTINENTAL CROSSWALK
MARKINGS LAYOUT AND NOTES**

RECOMMENDED BY THE CITY OF SAN DIEGO
STANDARDS COMMITTEE

Chungia 2/5/2015
COORDINATOR FILE #E. 68523 DATE


DRAWING
NUMBER **SDM-116**

RTR

City of San Diego

CONTRACTOR'S NAME: American Asphalt South, Inc
 ADDRESS: 14496 Santa Ana Avenue, Fontana, CA 92337
 TELEPHONE NO.: (909) 427-8276 FAX NO.: (909) 427-8279
 CITY CONTACT: Damian Singleton - Contract Specialist, Email: DSingleton@sandiego.gov
Phone No. (619) 533-3482, Fax No. (619) 533-3633
A.Erikat /R Taleghani/LaD

CONTRACT DOCUMENTS



FOR

SLURRY SEAL GROUP 1502

VOLUME 2 OF 2

BID NO.: K-15-1313-DBB-3
 SAP NO. (WBS/IO/CC): 21003499
 CLIENT DEPARTMENT: 2116
 COUNCIL DISTRICT: CITYWIDE
 PROJECT TYPE: ID / II

THIS CONTRACT IS SUBJECT TO THE FOLLOWING:

- THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- PREVAILING WAGE RATES: STATE FEDERAL
- APPRENTICESHIP
- THIS IS A PROP. 42 REPLACEMENT FUNDED CONTRACT THROUGH THE STATE CONTROLLERS OFFICE.

THIS BIDDING DOCUMENT TO BE SUBMITTED IN ITS ENTIRETY REFER TO VOLUME 1 COVER PAGE FOR TIME, DATE, AND LOCATION

TABLE OF CONTENTS

DESCRIPTION

PAGE NUMBER

Volume 2 - Bidding Documents

The following forms must be completed in their entirety and submitted with the Bid. Include the form(s) even if the information does not apply. Where the information does not apply write in N/A. Failure to include any of the forms may cause the Bid to be deemed **non-responsive**. If you are uncertain or have any questions about any required information, contact the City no later than 14 days prior to Bid due date.

1. Bid/Proposal.....	3
2. Bid Bond.....	6
3. Non-Collusion Affidavit to be executed by Bidder and Submitted with Bid under 23 USC 112 and PCC 7106	7
4. Contractors Certification of Pending Actions.....	8
5. Equal Benefits Ordinance Certification of Compliance.....	9
6. Proposal (Bid).....	10
7. Form AA35 - List of Subcontractors	14
8. Form AA40 - Named Equipment/Material Supplier List	15

BIDDING DOCUMENTS

PROPOSAL

Bidder's General Information

To the City of San Diego:

Pursuant to "Notice Inviting Bids", specifications, and requirements on file with the City Clerk, and subject to all provisions of the Charter and Ordinances of the City of San Diego and applicable laws and regulations of the United States and the State of California, the undersigned hereby proposes to furnish to the City of San Diego, complete at the prices stated herein, the items or services hereinafter mentioned. The undersigned further warrants that this bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and, further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

The undersigned bidder(s) further warrants that bidder(s) has thoroughly examined and understands the entire Contract Documents (plans and specifications) and the Bidding Documents therefore, and that by submitting said Bidding Documents as its bid proposal, bidder(s) acknowledges and is bound by the entire Contract Documents, including any addenda issued thereto, as such Contract Documents incorporated by reference in the Bidding Documents.

IF A SOLE OWNER OR SOLE CONTRACTOR SIGN HERE:

- (1) Name under which business is conducted _____
- (2) Signature (Given and surname) of proprietor _____
- (3) Place of Business (Street & Number) _____
- (4) City and State _____ Zip Code _____
- (5) Telephone No. _____ Facsimile No. _____
- (6) Email Address _____

BIDDING DOCUMENTS

IF A PARTNERSHIP, SIGN HERE:

(1) Name under which business is conducted _____

(2) Name of each member of partnership, indicate character of each partner, general or special (limited):

(3) Signature (Note: Signature must be made by a general partner)

Full Name and Character of partner

(4) Place of Business (Street & Number) _____

(5) City and State _____ Zip Code _____


(6) Telephone No. _____ Facsimile No. _____

(7) Email Address _____

IF A CORPORATION, SIGN HERE:

(1) Name under which business is conducted American Asphalt South, Inc.

(2) Signature, with official title of officer authorized to sign for the corporation:



(Signature)

Jeff Petty

(Printed Name)

Vice President

(Title of Officer)

(Impress Corporate Seal Here)

(3) Incorporated under the laws of the State of California

BIDDING DOCUMENTS

(4) Place of Business (Street & Number) 14436 Santa Ana Avenue
(5) City and State Fontana, CA Zip Code 92337
(6) Telephone No. (909) 427-8276 Facsimile No. (909) 427-8279
(7) Email Address lyles@americanasphalt.com

THE FOLLOWING SECTIONS MUST BE FILLED IN BY ALL PROPOSERS:

In accordance with the "NOTICE INVITING BIDS", the bidder holds a California State Contractor's license for the following classification(s) to perform the work described in these specifications:

LICENSE CLASSIFICATION A
LICENSE NO. 784969 EXPIRES 09/30/2016

This license classification must also be shown on the front of the bid envelope. Failure to show license classification on the bid envelope may cause return of the bid unopened.

TAX IDENTIFICATION NUMBER (TIN): [REDACTED]
Email Address: lyles@americanasphalt.com

THIS PROPOSAL MUST BE NOTARIZED BELOW:

I certify, under penalty of perjury, that the representations made herein regarding my State Contractor's license number, classification and expiration date are true and correct.

Signature [Signature] Title Vice President

SUBSCRIBED AND SWORN TO BEFORE ME, THIS 18th DAY OF March, 2015.

Notary Public in and for the County of San Bernardino, State of California

[Signature]
(NOTARIAL SEAL)



BIDDING DOCUMENTS

BID BOND

KNOW ALL MEN BY THESE PRESENTS,

That American Asphalt South, Inc. as Principal, and The Guarantee Company of North America USA as Surety, are held and firmly bound unto The City of San Diego hereinafter called "OWNER," in the sum of **10% OF THE TOTAL BID AMOUNT** for the payment of which sum, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these presents.

WHEREAS, said Principal has submitted a Bid to said OWNER to perform the WORK required under the bidding schedule(s) of the OWNER's Contract Documents entitled

Slurry Seal Group 1502

NOW THEREFORE, if said Principal is awarded a contract by said OWNER and, within the time and in the manner required in the "Notice Inviting Bids" enters into a written Agreement on the form of agreement bound with said Contract Documents, furnishes the required certificates of insurance, and furnishes the required Performance Bond and Payment Bond, then this obligation shall be null and void, otherwise it shall remain in full force and effect. In the event suit is brought upon this bond by said OWNER and OWNER prevails, said Surety shall pay all costs incurred by said OWNER in such suit, including a reasonable attorney's fee to be fixed by the court.

SIGNED AND SEALED, this 6 day of March, 2015

American Asphalt South, Inc. (SEAL)
(Principal)

The Guarantee Company of
North America USA (SEAL)
(Surety)

By: Jeff Petty (Signature) Vice President

By: Elizabeth Collodi (Signature)
Elizabeth Collodi, Attorney-in-Fact

(SEAL AND NOTARIAL ACKNOWLEDGEMENT OF SURETY)

ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California
County of Butte)

On March 6, 2015 before me, Derek Gould, Notary Public
(insert name and title of the officer)

personally appeared Elizabeth Collodi,
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/~~are~~
subscribed to the within instrument and acknowledged to me that ~~he~~/she/~~they~~ executed the same in
~~his~~/her/~~their~~ authorized capacity(~~ies~~), and that by ~~his~~/her/~~their~~ signature(s) on the instrument the
person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.


I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature



(Seal)





The Guarantee Company of North America USA
Southfield, Michigan

POWER OF ATTORNEY

KNOW ALL BY THESE PRESENTS: That THE GUARANTEE COMPANY OF NORTH AMERICA USA, a corporation organized and existing under the laws of the State of Michigan, having its principal office in Southfield, Michigan, does hereby constitute and appoint

Barbara Midstokke, Renee Ramsey, Richard W. Pratt, John Hopkins, Elizabeth Collodi, Susan Lee, Barbara Beeny, Nancy Luttenbacher, Phillip O. Watkins, Keith T. Schuler, Melissa D. Diaz, Shawna Johnson, Patricia M. Simas
Interwest Insurance Services, Inc.

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these presents, shall be as binding upon THE GUARANTEE COMPANY OF NORTH AMERICA USA as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

The Power of Attorney is executed and may be certified so, and may be revoked, pursuant to and by authority of Article IX, Section 9.03 of the By-Laws adopted by the Board of Directors of THE GUARANTEE COMPANY OF NORTH AMERICA USA at a meeting held on the 31st day of December, 2003. The President, or any Vice President, acting with any Secretary or Assistant Secretary, shall have power and authority:

- 1. To appoint Attorney(s)-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof; and
2. To revoke, at any time, any such Attorney-in-fact and revoke the authority given, except as provided below
3. In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.
4. In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner - Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of the Company adopted at a meeting duly called and held on the 6th day of December 2011, of which the following is a true excerpt:

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.



IN WITNESS WHEREOF, THE GUARANTEE COMPANY OF NORTH AMERICA USA has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 23rd day of February, 2012.

THE GUARANTEE COMPANY OF NORTH AMERICA USA

[Signature of Stephen C. Ruschak, Sr.]

[Signature of Randall Musselman]

STATE OF MICHIGAN
County of Oakland

Stephen C. Ruschak, Sr. Vice President, COO

Randall Musselman, Secretary

On this 23rd day of February, 2012 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each is the herein described and authorized officer of The Guarantee Company of North America USA; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of



Cynthia A. Takai
Notary Public, State of Michigan
County of Oakland
My Commission Expires February 27, 2018
Acting in Oakland County

IN WITNESS WHEREOF, I have hereunto set my hand at The Guarantee Company of North America USA offices the day and year above written.

[Signature of Cynthia A. Takai]

I, Randall Musselman, Secretary of THE GUARANTEE COMPANY OF NORTH AMERICA USA, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by THE GUARANTEE COMPANY OF NORTH AMERICA USA, which is still in full force and effect.



IN WITNESS WHEREOF, I have thereunto set my hand and attached the seal of said Company this 6 day of March, 2015

[Signature of Randall Musselman]

Randall Musselman, Secretary

BIDDING DOCUMENTS

NON-COLLUSION AFFIDAVIT TO BE EXECUTED BY BIDDER AND SUBMITTED WITH BID UNDER 23 UNITED STATES CODE 112 AND PUBLIC CONTRACT CODE 7106


State of California)
County of San Bernardino)

Jeff Petty, being first duly sworn, deposes and says that he or she is Vice President of the party making the foregoing bid that the bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

Signed: [Signature]
Title: Vice President

Subscribed and sworn to before me this 18th day of March, 2015
[Signature]
Notary Public

(SEAL)



BIDDING DOCUMENTS

CONTRACTORS CERTIFICATION OF PENDING ACTIONS

As part of its bid or proposal (Non-Price Proposal in the case of Design-Build contracts), the Bidder shall provide to the City a list of all instances within the past 10 years where a complaint was filed or pending against the Bidder in a legal or administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers, and a description of the status or resolution of that complaint, including any remedial action taken.

CHECK ONE BOX ONLY.

- The undersigned certifies that within the past 10 years the Bidder has NOT been the subject of a complaint or pending action in a legal administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers.
- The undersigned certifies that within the past 10 years the Bidder has been the subject of a complaint or pending action in a legal administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers. A description of the status or resolution of that complaint, including any remedial action taken and the applicable dates is as follows:

DATE OF CLAIM	LOCATION	DESCRIPTION OF CLAIM	LITIGATION (Y/N)	STATUS	RESOLUTION/REMEDIAL ACTION TAKEN

Contractor Name: American Asphalt South, Inc.

Certified By Jeff Petty Title Vice President
Name

 Date March 18th, 2015
Signature

USE ADDITIONAL FORMS AS NECESSARY

BIDDING DOCUMENTS

**EQUAL BENEFITS ORDINANCE
CERTIFICATION OF COMPLIANCE**



For additional information, contact:
CITY OF SAN DIEGO
EQUAL BENEFITS PROGRAM
 202 C Street, MS 9A, San Diego, CA 92101
 Phone (619) 533-3948 Fax (619) 533-3220

COMPANY INFORMATION

Company Name: <i>American Asphalt South, Inc.</i>	Contact Name: <i>Jeff Petty</i>
Company Address: <i>14436 Santa Ana Avenue Fontana, CA 92337</i>	Contact Phone: <i>(909) 427-8276</i>
	Contact Email: <i>jeffp@americanasphalt.com</i>

CONTRACT INFORMATION

Contract Title: <i>Slurry Seal Group 1502</i>	Start Date: <i>July 2015</i>
Contract Number (if no number, state location): <i>K-15-1313-088-3</i>	End Date: <i>Dec. 2015</i>

SUMMARY OF EQUAL BENEFITS ORDINANCE REQUIREMENTS

The Equal Benefits Ordinance [EBO] requires the City to enter into contracts only with contractors who certify they will provide and maintain equal benefits as defined in SDMC §22.4302 for the duration of the contract. To comply:

- Contractor shall offer equal benefits to employees with spouses and employees with domestic partners.
 - Benefits include health, dental, vision insurance; pension/401(k) plans; bereavement, family, parental leave; discounts, child care; travel/relocation expenses; employee assistance programs; credit union membership; or any other benefit.
 - Any benefit not offer an employee with a spouse, is not required to be offered to an employee with a domestic partner.
- Contractor shall post notice of firm's equal benefits policy in the workplace and notify employees at time of hire and during open enrollment periods.
- Contractor shall allow City access to records, when requested, to confirm compliance with EBO requirements.
- Contractor shall submit *EBO Certification of Compliance*, signed under penalty of perjury, prior to award of contract.

NOTE: This summary is provided for convenience. Full text of the EBO and Rules Implementing the EBO are available at www.sandiego.gov/administration.

CONTRACTOR EQUAL BENEFITS ORDINANCE CERTIFICATION

Please indicate your firm's compliance status with the EBO. The City may request supporting documentation.

- I affirm **compliance** with the EBO because my firm (*contractor must select one reason*):
- Provides equal benefits to spouses and domestic partners.
 - Provides no benefits to spouses or domestic partners.
 - Has no employees.
 - Has collective bargaining agreement(s) in place prior to January 1, 2011, that has not been renewed or expired.
- I request the City's approval to pay affected employees a cash equivalent in lieu of equal benefits and verify my firm made a reasonable effort but is not able to provide equal benefits upon contract award. I agree to notify employees of the availability of a cash equivalent for benefits available to spouses but not domestic partners and to continue to make every reasonable effort to extend all available benefits to domestic partners.

It is unlawful for any contractor to knowingly submit any false information to the City regarding equal benefits or cash equivalent associated with the execution, award, amendment, or administration of any contract. [San Diego Municipal Code §22.4307(a)]

Under penalty of perjury under laws of the State of California, I certify the above information is true and correct. I further certify that my firm understands the requirements of the Equal Benefits Ordinance and will provide and maintain equal benefits for the duration of the contract or pay a cash equivalent if authorized by the City.

<i>Jeff Petty, Vice President</i>		<i>03/18/2015</i>
Name/Title of Signatory	Signature	Date

FOR OFFICIAL CITY USE ONLY

Receipt Date: _____ EBO Analyst: _____ Approved Not Approved – Reason: _____

(Rev 02/15/2011)

BIDDING DOCUMENTS

PROPOSAL (BID)

The Bidder agrees to the construction of **Slurry Seal Group 1502** for the City of San Diego, in accordance with these contract documents for the prices listed below. The Bidder guarantees the Contract Price for a period of 120 days (90 days for federally funded contracts and contracts valued at \$500,000 or less) from the date of Bid opening to Award of the Contract. The duration of the Contract Price guarantee shall be extended by the number of days required for the City to obtain all items necessary to fulfill all conditions precedent e.g., bond and insurance.

Item	Quantity	Unit	NAICS	Payment Reference	Description	Unit Price	Extension
BASE BID							
1	900	TONS	237310	302-3.4	Asphalt Pavement Repair	\$ 104.50	\$ 94,050.00
2	400,000	LF	237310	302-14.5	Crack Seal	\$ 0.30	\$ 120,000.00
3	500	LF	237310	302-1.12	Removal of Humps & Pavement Irregularities	\$ 8.80	\$ 4,400.00
4	5,970,000	SF	237310	302-4.12.4	Rubber Polymer Modified Slurry Type 1 over Rubber Polymer Modified Slurry Type 3	\$ 0.29	\$ 1,731,300.00
5	2,110,000	SF	237310	302-4.12.4	Rubber Polymer Modified Slurry Type I	\$ 0.10	\$ 211,000.00
6	50	EA	237310	301-1.7	Adjust Manhole Frame & Cover	\$ 330.00	\$ 16,500.00
7	40	EA	237310	302-1.12	Replace Vehicle Detectors (Signal Loops)	\$ 330.00	\$ 13,200.00

BIDDING DOCUMENTS

Item	Quantity	Unit	NAICS	Payment Reference	Description	Unit Price	Extension	
8	5	EA	237310	302-1.12	Replace Loop Conduit Stubs	\$ 495.00	\$ 2,475.00	
9	1	LS	237310	314-2.3	Remove/Replace Traffic Striping & Pavement Markings	 	\$ 103,260.00	
10	250	EA	237990	701-13.9.5	Post-Construction Requirements - Inlet Markers	\$ 16.50	\$ 4,125.00	
11	1	LS	541310	701-13.9.5	Water Pollution Control Program Development	 	\$ 1,500.00	
12	1	LS	237310	701-13.9.5	Water Pollution Control Program Implementation	 	\$ 15,000.00	
13	1	LS	237310	7-10.2.6	Traffic Control, Including Permits	 	\$ 101,000.00	
14	1	LS	524126	2-4.1	Bonds (Payment and Performance)	 	\$ 25,000.00	
15	1	AL		9-3.5	Field Order - Type II	 	\$200,000.00	
ESTIMATED TOTAL BASE BID:								\$ 2,642,810.00

BIDDING DOCUMENTS

TOTAL BID PRICE FOR BID (Items 1 through 15 inclusive) amount written in words:

Two Million Six Hundred Forty - Two Thousand Eight Hundred Ten dollars

The Bid shall contain an acknowledgment of receipt of all addenda, the numbers of which shall be filled in on the Bid form. If an addendum or addenda has been issued by the City and not noted as being received by the Bidder, this proposal shall be rejected as being **non-responsive**. The following addenda have been received and are acknowledged in this bid: 1,

The names of all persons interested in the foregoing proposal as principals are as follows:

Allan Henderson - President, Treasurer
Jeff Petty, - Vice President
Lyle Stone, Secretary

IMPORTANT NOTICE: If Bidder or other interested person is a corporation, state secretary, treasurer, and manager thereof; if a co-partnership, state true name of firm, also names of all individual co-partners composing firm; if Bidder or other interested person is an individual, state first and last names in full.

Bidder: American Asphalt South, Inc.

Title: Jeff Petty, Vice President

Business Address: 14436 Santa Ana Avenue, Fontana, CA 92331

Place of Business: Fontana, CA 92331

Place of Residence: _____

Signature: 

BIDDING DOCUMENTS

NOTES:

- A. The City shall determine the low Bid based on the Base Bid alone:
- B. Prices and notations shall be in ink or typewritten. All corrections (which have been initiated by the Bidder using erasures, strike out, line out, or "white-out") shall be typed or written in with ink adjacent thereto, and shall be initialed in ink by the person signing the bid proposal.
- C. Failure to initial all corrections made in the bidding documents may cause the Bid to be rejected as **non-responsive** and ineligible for further consideration.
- D. Blank spaces must be filled in, using figures. Bidder's failure to submit a price for any Bid item that requires the Bidder to submit a price shall render the Bid **non-responsive** and shall be cause for its rejection.
- E. Unit prices shall be entered for all unit price items. Unit prices shall not exceed two (2) decimal places. If the Unit prices entered exceed two (2) decimal places, the City will only use the first two digits after the decimal points without rounding up or down.
- F. All extensions of the unit prices bid will be subject to verification by the City. In the case of inconsistency or conflict between the product of the Quantity x Unit Price and the Extension, the product shall govern.
- G. In the case of inconsistency or conflict, between the sums of the Extensions with the estimated total Bid, the sum of the Extensions shall govern.
- H. Bids shall not contain any recapitulation of the Work. Conditional Bids will be rejected as being **non-responsive**. Alternative proposals will not be considered unless called for.
- I. Subcontractors' License Number must be filled in. Failure to provide the information specified may deem the bidder **non-responsive**.

BIDDING DOCUMENTS

LIST OF SUBCONTRACTORS

In accordance with the requirements provided in the "Subletting and Subcontracting Fair Practices Act", Division 2, Part 1, Chapter 4 of the Public Contract Code, the Bidder shall list below the name and address of each Subcontractor who will perform work, labor, render services or specially fabricates and installs a portion [type] of the work or improvement, in an amount in excess of 0.5% of the Contractor's total Bid. The Bidder shall also list below the portion of the work which will be done by each subcontractor under this Contract. The Contractor shall list only one Subcontractor for each portion of the Work. The DOLLAR VALUE of the total Bid to be performed shall be stated for all subcontractors listed. Failure to comply with this requirement shall result in the Bid being rejected as non-responsive and ineligible for award. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3 Subcontracts, which stipulates the percent of the Work to be performed with the Bidders' own forces. The Bidder shall list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors that Bidders are seeking recognition towards achieving any mandatory, voluntary, or both subcontracting participation percentages.

Subcontractors' License Number must be filled in. Failure to provide the information specified may deem the bidder non-responsive.

NAME, ADDRESS AND TELEPHONE NUMBER OF SUBCONTRACTOR	CONSTRUCTOR OR DESIGNER	SUBCONTRACTOR LICENSE NUMBER	TYPE OF WORK	DOLLAR VALUE OF SUBCONTRACT (MUST BE FILLED OUT)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB	WHERE CERTIFIED	CHECK IF JOINT VENTURE PARTNERSHIP
Name: ATP General Engineering Address: 187 Mace Street City: Chula Vista State: CA Zip: 91911 Phone: 619 271 3445 Email: Frank@PaveItGreen.com	Constructor	902506	Asphalt Pavement repair, removal of humps and irregularities, adjust manholes	\$ 104,500.00	OBE		
Name: CTE Inc. Address: 9991 Passam creek Lane City: El Cajon State: CA Zip: 92021 Phone: 619 561 3633 Email: Chanson@CTE-CA.com	Constructor	786698	Replace vehicle Detector, Replace Loop conduct Stubs	\$ 14,250.00	ELBE	City	

① As appropriate, Bidder shall identify Subcontractor as one of the following and shall include a valid proof of certification (except for OBE, SLBE and ELBE):

- | | | | |
|---|--------|--|---------|
| Certified Minority Business Enterprise | MBE | Certified Woman Business Enterprise | WBE |
| Certified Disadvantaged Business Enterprise | DBE | Certified Disabled Veteran Business Enterprise | DVBE |
| Other Business Enterprise | OBE | Certified Emerging Local Business Enterprise | ELBE |
| Certified Small Local Business Enterprise | SLBE | Small Disadvantaged Business | SDB |
| Woman-Owned Small Business | WoSB | HUBZone Business | HUBZone |
| Service-Disabled Veteran Owned Small Business | SDVOSB | | |

D.0818

② As appropriate, Bidder shall indicate if Subcontractor is certified by:

- | | | | |
|--|--------|--|----------|
| City of San Diego | CITY | State of California Department of Transportation | CALTRANS |
| California Public Utilities Commission | CPUC | San Diego Regional Minority Supplier Diversity Council | SRMSDC |
| State of California's Department of General Services | CADoGS | City of Los Angeles | LA |
| State of California | CA | U.S. Small Business Administration | SBA |

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

BIDDING DOCUMENTS

LIST OF SUBCONTRACTORS

In accordance with the requirements provided in the "Subletting and Subcontracting Fair Practices Act", Division 2, Part 1, Chapter 4 of the Public Contract Code, the Bidder shall list below the name and address of each Subcontractor who will perform work, labor, render services or specially fabricates and installs a portion [type] of the work or improvement, in an amount in excess of 0.5% of the Contractor's total Bid. The Bidder shall also list below the portion of the work which will be done by each subcontractor under this Contract. The Contractor shall list only one Subcontractor for each portion of the Work. The **DOLLAR VALUE** of the total Bid to be performed shall be stated for all subcontractors listed. Failure to comply with this requirement shall result in the Bid being rejected as **non-responsive** and ineligible for award. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3 Subcontracts, which stipulates the percent of the Work to be performed with the Bidders' own forces. The Bidder shall list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors that Bidders are seeking recognition towards achieving any mandatory, voluntary, or both subcontracting participation percentages.

Subcontractors' License Number must be filled in. Failure to provide the information specified may deem the bidder **non-responsive**.

NAME, ADDRESS AND TELEPHONE NUMBER OF SUBCONTRACTOR	CONSTRUCTOR OR DESIGNER	SUBCONTRACTOR LICENSE NUMBER	TYPE OF WORK	DOLLAR VALUE OF SUBCONTRACT (MUST BE FILLED OUT)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB	WHERE CERTIFIED	CHECK IF JOINT VENTURE PARTNERSHIP
Name: <u>LSI Road Marking</u> Address: <u>PO Box 2426</u> City: <u>El Cajon</u> State: <u>CA</u> Zip: <u>92021</u> Phone: <u>619 443 7755</u> Email: <u>Estimating@LSIroadmarking.com</u>	constructor	775886	Remove / Replace traffic signs and pavement markings, inlet markers	\$ 97,622.00	SLBE, ELBE	City	
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____							

① As appropriate, Bidder shall identify Subcontractor as one of the following and shall include a valid proof of certification (except for OBE, SLBE and ELBE):

- | | | | |
|---|--------|--|---------|
| Certified Minority Business Enterprise | MBE | Certified Woman Business Enterprise | WBE |
| Certified Disadvantaged Business Enterprise | DBE | Certified Disabled Veteran Business Enterprise | DVBE |
| Other Business Enterprise | OBE | Certified Emerging Local Business Enterprise | ELBE |
| Certified Small Local Business Enterprise | SLBE | Small Disadvantaged Business | SDB |
| Woman-Owned Small Business | WoSB | HUBZone Business | HUBZone |
| Service-Disabled Veteran Owned Small Business | SDVOSB | | |

② As appropriate, Bidder shall indicate if Subcontractor is certified by:

- | | | | |
|--|--------|--|----------|
| City of San Diego | CITY | State of California Department of Transportation | CALTRANS |
| California Public Utilities Commission | CPUC | San Diego Regional Minority Supplier Diversity Council | SRMSDC |
| State of California's Department of General Services | CADoGS | City of Los Angeles | LA |
| State of California | CA | U.S. Small Business Administration | SBA |

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

BIDDING DOCUMENTS

LIST OF SUBCONTRACTORS

In accordance with the requirements provided in the "Subletting and Subcontracting Fair Practices Act", Division 2, Part 1, Chapter 4 of the Public Contract Code, the Bidder shall list below the name and address of each Subcontractor who will perform work, labor, render services or specially fabricates and installs a portion [type] of the work or improvement, in an amount in excess of 0.5% of the Contractor's total Bid. The Bidder shall also list below the portion of the work which will be done by each subcontractor under this Contract. The Contractor shall list only one Subcontractor for each portion of the Work. The DOLLAR VALUE of the total Bid to be performed shall be stated for all subcontractors listed. Failure to comply with this requirement shall result in the Bid being rejected as **non-responsive** and ineligible for award. The Bidder's attention is directed to the Special Provisions - General: Paragraph 2-3 Subcontracts, which stipulates the percent of the Work to be performed with the Bidders' own forces. The Bidder shall list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVO SB Subcontractors that Bidders are seeking recognition towards achieving any mandatory, voluntary, or both subcontracting participation percentages.

Subcontractors' License Number must be filled in. Failure to provide the information specified may deem the bidder **non-responsive**.

NAME, ADDRESS AND TELEPHONE NUMBER OF SUBCONTRACTOR	CONSTRUCTOR OR DESIGNER	SUBCONTRACTOR LICENSE NUMBER	TYPE OF WORK	DOLLAR VALUE OF SUBCONTRACT (MUST BE FILLED OUT)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVO SB	WHERE CERTIFIED	CHECK IF JOINT VENTURE PARTNERSHIP
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____							
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____							

① As appropriate, Bidder shall identify Subcontractor as one of the following and shall include a valid proof of certification (except for OBE, SLBE and ELBE):

- | | | | |
|---|---------|--|---------|
| Certified Minority Business Enterprise | MBE | Certified Woman Business Enterprise | WBE |
| Certified Disadvantaged Business Enterprise | DBE | Certified Disabled Veteran Business Enterprise | DVBE |
| Other Business Enterprise | OBE | Certified Emerging Local Business Enterprise | ELBE |
| Certified Small Local Business Enterprise | SLBE | Small Disadvantaged Business | SDB |
| Woman-Owned Small Business | WoSB | HUBZone Business | HUBZone |
| Service-Disabled Veteran Owned Small Business | SDVO SB | | |

② As appropriate, Bidder shall indicate if Subcontractor is certified by:

- | | | | |
|--|--------|--|----------|
| City of San Diego | CITY | State of California Department of Transportation | CALTRANS |
| California Public Utilities Commission | CPUC | San Diego Regional Minority Supplier Diversity Council | SRMSDC |
| State of California's Department of General Services | CADoGS | City of Los Angeles | LA |
| State of California | CA | U.S. Small Business Administration | SBA |

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

BIDDING DOCUMENTS

NAMED EQUIPMENT/MATERIAL SUPPLIER LIST

The Bidder seeking the recognition of equipment, materials, or supplies obtained from Suppliers towards achieving any mandatory, voluntary, or both subcontracting participation percentages shall list the Supplier(s) on the Named Equipment/Material Supplier List. The Named Equipment/Material Supplier List, at a minimum, shall have the name, locations (City) and the **DOLLAR VALUE** of the Suppliers. The Bidder will be credited up to 60% of the amount to be paid to the Suppliers for such materials and supplies unless vendor manufactures or substantially alters materials and supplies in which case 100% will be credited. The Bidder is to indicate (Yes/No) whether listed firm is a supplier or manufacturer. In calculating the subcontractor participation percentages, vendors/suppliers will receive 60% credit of the listed **DOLLAR VALUE**, whereas manufacturers will receive 100% credit. If no indication provided, listed firm will be credited at 60% of the listed dollar value for purposes of calculating the Subcontractor Participation Percentage, Suppliers will receive 60% credit of the listed **DOLLAR VALUE**, whereas manufacturers will receive 100% credit. If no indication provided, listed firm will be credited at 60% of the listed **DOLLAR VALUE** for purposes of calculating the subcontractor participation percentages.

NAME, ADDRESS AND TELEPHONE NUMBER OF VENDOR/SUPPLIER	MATERIALS OR SUPPLIES	DOLLAR VALUE OF MATERIAL OR SUPPLIES (MUST BE FILLED OUT)	SUPPLIER (Yes/No)	MANUFACTURER (Yes/No)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB	WHERE CERTIFIED
Name: <u>Native Soils</u> Address: <u>560 Midway Dr</u> City: <u>Alpine</u> State: <u>CA</u> Zip: <u>91901</u> Phone: <u>619 495 4155</u> Email: <u>RE.native soils@gmail.com</u>	Slurry Seal Emulsion	550,000.00	Yes	No	ELBE	City
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____						

① As appropriate, Bidder shall identify Vendor/Supplier as one of the following and shall include a valid proof of certification (except for OBE,SLBE and ELBE):

- | | | | |
|---|--------|--|---------|
| Certified Minority Business Enterprise | MBE | Certified Woman Business Enterprise | WBE |
| Certified Disadvantaged Business Enterprise | DBE | Certified Disabled Veteran Business Enterprise | DVBE |
| Other Business Enterprise | OBE | Certified Emerging Local Business Enterprise | ELBE |
| Certified Small Local Business Enterprise | SLBE | Small Disadvantaged Business | SDB |
| Woman-Owned Small Business | WoSB | HUBZone Business | HUBZone |
| Service-Disabled Veteran Owned Small Business | SDVOSB | | |

② As appropriate, Bidder shall indicate if Vendor/Supplier is certified by:

- | | | | |
|--|--------|--|----------|
| City of San Diego | CITY | State of California Department of Transportation | CALTRANS |
| California Public Utilities Commission | CPUC | San Diego Regional Minority Supplier Diversity Council | SRMSDC |
| State of California's Department of General Services | CADoGS | City of Los Angeles | LA |
| State of California | CA | U.S. Small Business Administration | SBA |

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.