

City of San Diego

ORIGINAL

CONTRACTOR'S NAME: Vailston Company, Inc.
ADDRESS: 774 N. Twin Oaks Valley Rd. Suite C, San Marcos, CA 92069
TELEPHONE NO.: 760-757-3857 FAX NO.: 760-757-3848
CITY CONTACT: Clementina Giordano, Contract Specialist, Email: CGiordano@sandiego.gov
Phone No. (619) 533-3481, Fax No. (619) 533-3633
MAshrafzadeh/RTaleghani/Lad

CONTRACT DOCUMENTS



FOR

Mobley St. (2764) Storm Drain Replacement

VOLUME 1 OF 2

BID NO.: L-15-1200-DBB-1
SAP NO. (WBS/IO/CC): B-12032
CLIENT DEPARTMENT: 2116
COUNCIL DISTRICT: 6
PROJECT TYPE: CA

THIS CONTRACT IS SUBJECT TO THE FOLLOWING:

- THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- COMPETITION RESTRICTED TO: SLBE-ELBE or ELBE FIRMS ONLY .
- PREVAILING WAGE RATES: STATE FEDERAL

BID DUE DATE:

**1:30 PM
DECEMBER 3, 2014
CITY OF SAN DIEGO
PUBLIC WORKS CONTRACTS
1010 SECOND AVENUE, 14th FLOOR, MS 614C
SAN DIEGO, CA 92101**

ENGINEER OF WORK

The engineering Specifications and Special Provisions contained herein have been prepared by or under the direction of the following Registered Engineer:



For City Engineer

10/20/14

Date

Seal



TABLE OF CONTENTS

DESCRIPTION	PAGE NUMBER
1. NOTICE INVITING BIDS	4
2. CONTRACT FORMS.....	15
3. CONTRACT FORMS ATTACHMENTS:	
1. Performance Bond and Labor and Materialmen’s Bond	19
2. Drug-Free Workplace	21
3. American with Disabilities Act (ADA) Compliance Certification.....	22
4. Contractor Standards - Pledge of Compliance Certificate	23
5. Affidavit of Disposal Certificate.....	24
4. ATTACHMENTS:	
A. SCOPE OF WORK.....	26
B. INTENTIONALLY LEFT BLANK	28
C. EQUAL OPPORTUNITY CONTRACTING PROGRAM.....	29
D. INTENTIONALLY LEFT BLANK.....	34
E. SUPPLEMENTARY SPECIAL PROVISIONS	35
SUPPLEMENTARY SPECIAL PROVISIONS APPENDICES	52
1. Appendix A -Notice of Exemption.....	53
2. Appendix B - Fire Hydrant Meter Program.....	57
3. Appendix C - Materials Typically Accepted by Certificate of Compliance.....	71
4. Appendix D - Sample City Invoice	73
5. Appendix E - Location Map	75
6. Appendix F - Adjacent Project	77
7. Appendix G - Long-Term Revegetation Maintenance Contract.....	79
8. Appendix H - Revegetation Plan	96
F. INTENTIONALLY LEFT BLANK.....	98

CITY OF SAN DIEGO, CALIFORNIA

NOTICE INVITING BIDS

1. **LIMITED COMPETITION:** This contract may only be bid by the Contractors on the City's approved SLBE-ELBE Construction Contractors List in accordance with the designation stated on the cover page hereof. For information regarding the SLBE-ELBE Construction Program and registration visit the City's web site: <http://www.sandiego.gov>.
2. **RECEIPT AND OPENING OF BIDS:** Bids will be received at the Public Works Contracts at the location, time, and date shown on the cover of these specifications for performing work on **Mobley St. (2764) Storm Drain Replacement** (Project).
3. **SUMMARY OF WORK:** The Work involves furnishing all labor, materials, equipment, services, and other incidental works and appurtenances for the construction of the Project as described in ATTACHMENT A.
4. **BIDS ARE PUBLIC RECORDS:** Upon receipt by the City, Bids shall become public records subject to public disclosure. It is the responsibility of the respondent to clearly identify any confidential, proprietary, trade secret or otherwise legally privileged information contained within the Bid. General references to sections of the California Public Records Act (PRA) will not suffice. If the Contractor does not provide applicable case law that clearly establishes that the requested information is exempt from the disclosure requirements of the PRA, the City shall be free to release the information when required in accordance with the PRA, pursuant to any other applicable law, or by order of any court or government agency, and the Contractor will hold the City harmless for release of this information.
5. **SUBCONTRACTING PARTICIPATION PERCENTAGES:**
 - 5.1. The City has incorporated voluntary subcontractor participation percentage to enhance competition and maximize subcontracting opportunities as follows.
 - 5.2. The following voluntary subcontractor participation percentage for DBE, DVBE, WBE, MBE, SLBE, and ELBE certified Subcontractors shall apply to this contract:

**Total voluntary subcontractor participation percentage for this project is
22.3%.**
 - 5.3. For additional Equal Opportunity Contracting Program requirements, see Attachment C.
6. **PRE-BID MEETING:**
 - 6.1. There will be a Pre-Bid Meeting to discuss the scope of the Project, bidding requirements, pre-qualification process, and Equal Opportunity Contracting Program requirements and reporting procedures in the Public Works Contracts, Conference Room at 1010 Second Avenue, 14th Floor, San Diego, CA 92101 **at 10:00 AM, on November 19, 2014.**
 - 6.2. All potential bidders are encouraged to attend.

- 6.3. To request a copy of the agenda on an alternative format, or to request a sign language or oral interpreter for this meeting, call the Public Works Contracts at (619) 533-3450 at least 5 Working Days prior to the Pre-Bid Meeting to ensure availability.
7. **CONTRACTOR REGISTRATION AND ELECTRONIC REPORTING SYSTEM:**
- 7.1. **Prior** to the Award of the Contract or each Task Order, you and your Subcontractors and Suppliers must register with the City’s web-based vendor registration and bid management system, BidsOnline™ hosted by PlanetBids System. For additional information go to:
- <http://www.sandiego.gov/purchasing/bids-contracts/vendorreg.shtml>.
- 7.2. The City may not award the contract until registration of all subcontractors and suppliers is complete. In the event this requirement is not met within the time frame specified in the Notice of Intent to Award letter, the City reserves the right to rescind the Notice of Award / Intent to Award and to make the award to the next responsive and responsible bidder / proposer.
8. **JOINT VENTURE CONTRACTORS:** Provide a copy of the Joint Venture agreement and the Joint Venture license to the City within 10 Working Days after receiving the Contract forms. See 2-1.1.2, “Joint Venture Contractors” in The WHITEBOOK for details.
9. **PREVAILING WAGE RATES:** Pursuant to San Diego Municipal Code section 22.3019, construction, alteration, demolition, repair and maintenance work performed under this Contract is subject to State prevailing wage laws. For construction work performed under this Contract cumulatively exceeding \$25,000 and for alteration, demolition, repair and maintenance work performed under this Contract cumulatively exceeding \$15,000, the Contractor and its subcontractors shall comply with State prevailing wage laws including, but not limited to, the requirements listed below.
- 9.1. **Compliance with Prevailing Wage Requirements.** Pursuant to sections 1720 through 1861 of the California Labor Code, the Contractor and its subcontractors shall ensure that all workers who perform work under this Contract are paid not less than the prevailing rate of per diem wages as determined by the Director of the California Department of Industrial Relations (DIR). This includes work performed during the design and preconstruction phases of construction including, but not limited to, inspection and land surveying work.
- 9.1.1. Copies of such prevailing rate of per diem wages are on file at the City and are available for inspection to any interested party on request. Copies of the prevailing rate of per diem wages also may be found at <http://www.dir.ca.gov/OPRL/DPreWageDetermination.htm>. Contractor and its subcontractors shall post a copy of the prevailing rate of per diem wages determination at each job site and shall make them available to any interested party upon request.
- 9.1.2. The wage rates determined by the DIR refer to expiration dates. If the published wage rate does not refer to a predetermined wage rate to be paid after the expiration date, then the published rate of wage shall be in effect for the life of this Contract. If the published wage rate refers to a

predetermined wage rate to become effective upon expiration of the published wage rate and the predetermined wage rate is on file with the DIR, such predetermined wage rate shall become effective on the date following the expiration date and shall apply to this Contract in the same manner as if it had been published in said publication. If the predetermined wage rate refers to one or more additional expiration dates with additional predetermined wage rates, which expiration dates occur during the life of this Contract, each successive predetermined wage rate shall apply to this Contract on the date following the expiration date of the previous wage rate. If the last of such predetermined wage rates expires during the life of this Contract, such wage rate shall apply to the balance of the Contract.

- 9.2. Penalties for Violations.** Contractor and its subcontractors shall comply with California Labor Code section 1775 in the event a worker is paid less than the prevailing wage rate for the work or craft in which the worker is employed.
- 9.3. Payroll Records.** Contractor and its subcontractors shall comply with California Labor Code section 1776, which generally requires keeping accurate payroll records, verifying and certifying payroll records, and making them available for inspection. Contractor shall require its subcontractors to also comply with section 1776. Contractor and its subcontractors shall submit weekly certified payroll records online via the City's web-based Labor Compliance Program. Contractor is responsible for ensuring its subcontractors submit certified payroll records to the City.
- 9.3.1.** For contracts entered into on or after April 1, 2015, Contractor and their subcontractors shall furnish records specified in Labor Code section 1776 directly to the Labor Commissioner in the manner required by Labor Code section 1771.4.
- 9.4. Apprentices.** Contractor and its subcontractors shall comply with California Labor Code sections 1777.5, 1777.6 and 1777.7 concerning the employment and wages of apprentices. Contractor is held responsible for the compliance of their subcontractors with sections 1777.5, 1777.6 and 1777.7.
- 9.5. Working Hours.** Contractor and their subcontractors shall comply with California Labor Code sections 1810 through 1815, including but not limited to: (i) restrict working hours on public works contracts to eight hours a day and forty hours a week, unless all hours worked in excess of 8 hours per day are compensated at not less than 1½ times the basic rate of pay; and (ii) specify penalties to be imposed on design professionals and subcontractors of \$25 per worker per day for each day the worker works more than 8 hours per day and 40 hours per week in violation of California Labor Code sections 1810 through 1815.
- 9.6. Required Provisions for Subcontracts.** Contractor shall include at a minimum a copy of the following provisions in any contract they enter into with a subcontractor: California Labor Code sections 1771, 1771.1, 1775, 1776, 1777.5, 1810, 1813, 1815, 1860 and 1861.
- 9.7. Labor Code Section 1861 Certification.** Contractor in accordance with California

Labor Code section 3700 is required to secure the payment of compensation of its employees and by signing this Contract, Contractor certifies that “I am aware of the provisions of Section 3700 of the California Labor Code which require every employer to be insured against liability for workers’ compensation or to undertake self-insurance in accordance with the provisions of that code, and I will comply with such provisions before commencing the performance of the work of this Contract.”

9.8. Labor Compliance Program. The City has its own Labor Compliance Program authorized in August 2011 by the DIR. The City will withhold contract payments when payroll records are delinquent or deemed inadequate by the City or other governmental entity, or it has been established after an investigation by the City or other governmental entity that underpayment(s) have occurred. For questions or assistance, please contact the City of San Diego’s Equal Opportunity Contracting Department at 619-236-6000.

9.9. Contractor and Subcontractor Registration Requirements. This project is subject to compliance monitoring and enforcement by the DIR. As of March 1, 2015, no contractor or subcontractor may be listed on a bid or proposal for a public works project unless registered with the DIR pursuant to Labor Code section 1725.5. As of April 1, 2015, a contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, or enter into any contract for public work, unless currently registered and qualified to perform public work pursuant to Labor Code section 1725.5. By submitting a bid or proposal to the City, Contractor is certifying that he or she has verified that all subcontractors used on this public work project are registered with the DIR in compliance with Labor Code sections 1771.1 and 1725.5, and Contractor shall provide proof of registration to the City upon request.

9.9.1. A Contractor’s inadvertent error in listing a subcontractor who is not registered pursuant to Labor Code section 1725.5 in response to a solicitation shall not be grounds for filing a bid protest or grounds for considering the bid non-responsive provided that any of the following apply: (1) the subcontractor is registered prior to bid opening; (2) within twenty-four hours after the bid opening, the subcontractor is registered and has paid the penalty registration fee specified in Labor Code section 1725.5; or (3) the subcontractor is replaced by another registered subcontractor pursuant to Public Contract Code section 4107.

10. INSURANCE REQUIREMENTS:

10.1. All certificates of insurance and endorsements required by the contract are to be provided upon issuance of the City’s Notice of Intent to Award letter.

10.2. Refer to sections 7-3, “LIABILITY INSURANCE”, and 7-4, “WORKERS’ COMPENSATION INSURANCE” of the Supplementary Special Provisions (SSP) for the insurance requirements which must be met.

11. PREQUALIFICATION OF CONTRACTORS:

11.1. Contractors submitting Bid must be pre-qualified for the total amount proposed, inclusive of all alternate items prior to the date of submittal. Bids from contractors who have not been pre-qualified as applicable and Bids that exceed the maximum

dollar amount at which contractors are pre-qualified will be deemed **non-responsive** and ineligible for award. Complete information and prequalification questionnaires are available at:

<http://www.sandiego.gov/cip/bidopps/prequalification.shtml>

11.2. The completed questionnaire, financial statement, and bond letter or a copy of the contractor’s SLBE-ELBE certification and bond letter, must be submitted no later than 2 weeks prior to the bid opening to the Public Works Contracts, Prequalification Program, 1010 Second Avenue, 14th Floor, San Diego, CA 92101. For additional information or the answer to questions about the prequalification program, contact David Stucky at 619-533-3474 or dstucky@sandiego.gov.

12. REFERENCE STANDARDS: Except as otherwise noted or specified, the Work shall be completed in accordance with the following standards:

Title	Edition	Document Number
Standard Specifications for Public Works Construction (“The GREENBOOK”)	2012	PITS070112-01
City of San Diego Standard Specifications for Public Works Construction (“The WHITEBOOK”)*	2012	PITS070112-02
City of San Diego Standard Drawings*	2012	PITS070112-03
Caltrans Standard Specifications	2010	PITS070112-04
Caltrans Standard Plans	2010	PITS070112-05
California MUTCD	2012	PITS070112-06
City Standard Drawings - Updates Approved For Use (when specified)*	Varies	Varies
Standard Federal Equal Employment Opportunity Construction Contract Specifications and the Equal Opportunity Clause Dated 09-11-84	1984	769023
NOTE:	*Available online under Engineering Documents and References at: http://www.sandiego.gov/publicworks/edocref/index.shtml	

13. CITY'S RESPONSES AND ADDENDA: The City at its option, may respond to any or all questions submitted in writing, via letter, or FAX in the form of an addendum. No oral comment shall be of any force or effect with respect to this solicitation. The changes to the Contract Documents through addendum are made effective as though originally issued with the Bid. The Bidders shall acknowledge the receipt of Addenda on the form provided for this purpose in the Bid.

14. CITY'S RIGHTS RESERVED: The City reserves the right to cancel the Notice Inviting Bids at any time, and further reserves the right to reject submitted Bids, without giving any reason for such action, at its sole discretion and without liability. Costs incurred by the Bidder(s) as a result of preparing Bids under the Notice Inviting Bids shall be the sole responsibility of each bidder. The Notice Inviting Bids creates or imposes no obligation upon the City to enter a contract.

15. **CONTRACT PRICING FORMAT:** This solicitation is for a Lump Sum contract with Unit Price provisions as set forth in the Bid Proposal Form(s), Volume 2.
16. **SUBMITTAL OF “OR EQUAL” ITEMS:** See Section 4-1.6, “Trade Names or Equals” in The WHITEBOOK and as amended in the SSP.
17. **AWARD PROCESS:**
- 17.1. The Award of this contract is contingent upon the Contractor’s compliance with all conditions precedent to Award.
- 17.2. Upon acceptance of a Bid, the City will prepare contract documents for execution within approximately 21 days of the date of the Bid opening and award the Contract approximately within 7 days of receipt of properly executed Contract, bonds, and insurance documents.
- 17.3. This contract will be deemed executed, and effective, only upon the signing of the Contract by the Mayor or designee of the City.
18. **SUBCONTRACT LIMITATIONS:** The Bidder’s attention is directed to Standard Specifications for Public Works Construction, Section 2-3, “SUBCONTRACTS” in The GREENBOOK and as amended in the SSP which requires the Contractor to self-perform not less than the specified amount. Failure to comply with this requirement shall render the bid **non-responsive** and ineligible for award.
19. **AVAILABILITY OF PLANS AND SPECIFICATIONS:** Contract Documents may be obtained by visiting the City’s website: <http://www.sandiego.gov/cip/>. Plans and Specifications for this contract are also available for review in the office of the City Clerk or Public Works Contracts.
20. **SUBMISSION OF QUESTIONS:**
- 20.1. The Director (or designee), of the Public Works Department is the officer responsible for opening, examining, and evaluating the competitive Bids submitted to the City for the acquisition, construction and completion of any public improvement except when otherwise set forth in these documents. All questions related to this solicitation shall be submitted to:
- Public Works Contracts
1010 Second Avenue, 14th Floor
San Diego, California, 92101
Attention: [Contract Specialist listed on the front cover hereof]
- OR:
- Email address of the Contract Specialist listed on the front cover hereof.
- 20.2. Questions received less than 14 days prior to the date for opening of Bids may not be considered.
- 20.3. Clarifications deemed by the City to be material shall be issued by Addenda and uploaded to the City’s online bidding service.

- 20.4. Only questions answered by formal written addenda will be binding. Oral and other interpretations or clarifications will be without legal effect. It is the Bidder's responsibility to become informed of any Addenda that have been issued and to include all such information in its Bid.
21. **ELIGIBLE BIDDERS:** No person, firm, or corporation shall be allowed to make, file, or be interested in more than one (1) Bid for the same work unless alternate Bids are called for. A person, firm or corporation who has submitted a sub-proposal to a Bidder, or who has quoted prices on materials to a Bidder, is not hereby disqualified from submitting a sub-proposal or quoting prices to other Bidders or from submitting a Bid in its own behalf. Any Bidder who submits more than one bid will result in the rejection of all bids submitted.
22. **SAN DIEGO BUSINESS TAX CERTIFICATE:** The Contractor and Subcontractors, not already having a City of San Diego Business Tax Certificate for the work contemplated shall secure the appropriate certificate from the City Treasurer, Civic Center Plaza, first floor and submit to the Contract Specialist upon request or as specified in the Contract Documents. Tax Identification numbers for both the Bidder and the listed Subcontractors must be submitted on the City provided forms with the Notice Inviting Bids and Contract forms.
23. **PROPOSAL FORMS:** Bid shall be made only upon the Bidding Documents i.e., Proposal form attached to and forming a part of the specifications. The signature of each person signing shall be in longhand.
- 23.1. Bidder shall complete and submit all pages in the "Bidding Document" Section (see Volume 2) as their Bid per the schedule given under "Required Documents Schedule," (see Volume 1). Bidder is requested to retain for their reference other portions of the Contract Documents that are not required to be submitted with the Bid. The entire specifications for the bid package do not need to be submitted with the bid.
- 23.2. The City may require any Bidder to furnish a statement of experience, financial responsibility, technical ability, equipment, and references.
- 23.3. Bids and certain other forms and documents as specified in the Volume 2 of 2 of the Contract Documents shall be enclosed in a sealed envelope and shall bear the title of the work and name of the Bidder and the appropriate State Contractors License designation which the Bidder holds.
- 23.4. Bids may be withdrawn by the Bidder prior to, but not after, the time fixed for opening of Bids.
24. **BIDDER'S GUARANTEE OF GOOD FAITH (BID SECURITY):**
- 24.1. With the exception of the contracts valued \$5,000 or less, JOC and Design-Build contracts, and contracts subject to the Small and Local Business Program of \$250,000 or less e.g., ELBE contracts, each Bidder shall accompany its Bid with either a cashier's check upon some responsible bank, or a check upon such bank properly certified or an approved corporate surety bond payable to the City of San Diego, for an amount of not less than 10% of the aggregate sum of the Bid, which check or bond, and the monies represented thereby shall be held by the City as a

guarantee that the Bidder, if awarded the contract, will in good faith enter into such contract and furnish the required final bonds.

- 24.2. The Bidder agrees that in case of Bidder's refusal or failure to execute this contract and give required final bonds, the money represented by a cashier's or certified check shall remain the property of the City, and if the Bidder shall fail to execute this contract, the Surety agrees that it will pay to the City damages which the City may suffer by reason of such failure, not exceeding the sum of 10% of the amount of the Bid.
- 24.3. A Bid received without the specified bid security will be rejected as being **non-responsive**.

25. AWARD OF CONTRACT OR REJECTION OF BIDS:

- 25.1. This contract may be awarded to the lowest responsible and reliable Bidder.
- 25.2. Bidders shall complete the entire Bid schedule (also referred to as "schedule of prices" or Proposal form). Incomplete price schedules will be rejected as being non-responsive.
- 25.3. The City reserves the right to reject any or all Bids, and to waive any informality or technicality in Bids received and any requirements of these specifications as to bidding procedure.
- 25.4. Bidders will not be released on account of their errors of judgment. Bidders may be released only upon receipt by the City from the Bidder within 3 Working Days, excluding Saturdays, Sundays, and state holidays, after the opening of Bids, of written notice which includes proof of honest, credible, clerical error of material nature, free from fraud or fraudulent intent, and of evidence that reasonable care was observed in the preparation of the Bid.
- 25.5. A non-selected Bidder may protest award of the Contract to the selected Bidder by submitting a written "Notice of Intent to Protest" including supporting documentation which shall be received by Public Works Contracts no later than 10 days after the City's announcement of the selected Bidder or no later than 10 days from the date that the City issues notice of designation of a Bidder as non-responsive in accordance with San Diego Municipal Code Chapter 2, § 22.3029, "Protests of Contract Award."
- 25.6. The City of San Diego will not discriminate with regard to race, religious creed, color, national origin, ancestry, physical handicap, marital status, sex or age, in the award of contracts.
- 25.7. Each Bid package properly executed as required by these specifications shall constitute a firm offer, which may be accepted by the City within the time specified in the Proposal.
- 25.8. The City reserves the right to evaluate all Bids and determine the lowest Bidder on the basis of any proposed alternates, additive items or options, at its discretion that will be disclosed in the Volume 2 of 2.

26. BID RESULTS:

- 26.1.** The Bid opening by the City shall constitute the public announcement of the Apparent Low Bidder. In the event that the Apparent Low Bidder is subsequently deemed non-responsive or non-responsible, a public announcement will be posted in the City's web page <http://www.sandiego.gov/cip/index.shtml>, with the name of the newly designated Apparent Low Bidder.
- 26.2.** To obtain Bid results, either attend Bid opening, review the results on the City's web site, or provide a self-addressed, stamped envelope, referencing Bid number, and Bid tabulation will be mailed to you upon verification of extensions. Bid results cannot be given over the telephone.

27. THE CONTRACT:

- 27.1.** The Bidder to whom award is made shall execute a written contract with the City of San Diego and furnish good and approved bonds and insurance certificates specified by the City within 14 days after receipt by Bidder of a form of contract for execution unless an extension of time is granted to the Bidder in writing.
- 27.2.** If the Bidder takes longer than 14 days to fulfill these requirements, then the additional time taken shall be added to the Bid guarantee. The Contract shall be made in the form adopted by the City, which includes the provision that no claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.
- 27.3.** If the Bidder to whom the award is made fails to enter into the contract as herein provided, the award may be annulled and the Bidder's Guarantee of Good Faith will be subject to forfeiture. An award may be made to the next lowest responsible and reliable Bidder who shall fulfill every stipulation embraced herein as if it were the party to whom the first award was made.
- 27.4.** Pursuant to the San Diego City Charter section 94, the City may only award a public works contract to the lowest responsible and reliable Bidder. The City will require the Apparent Low Bidder to (i) submit information to determine the Bidder's responsibility and reliability, (ii) execute the Contract in form provided by the City, and (iii) furnish good and approved bonds and insurance certificates specified by the City within 14 Days, unless otherwise approved by the City, in writing after the Bidder receives notification from the City, designating the Bidder as the Apparent Low Bidder and formally requesting the above mentioned items.
- 27.5.** The award of the Contract is contingent upon the satisfactory completion of the above mentioned items and becomes effective upon the signing of the Contract by the Mayor or designee. If the Apparent Low Bidder does not execute the Contract or submit required documents and information, the City may award the Contract to the next lowest responsible and reliable Bidder who shall fulfill every condition precedent to award. A corporation designated as the Apparent Low Bidder shall furnish evidence of its corporate existence and evidence that the officer signing the Contract and bond for the corporation is duly authorized to do so.

- 28. EXAMINATION OF PLANS, SPECIFICATIONS, AND SITE OF WORK:** The Bidder shall examine carefully the Project Site, the Plans and Specifications, other materials as described in the Special Provisions, Section 2-7, and the proposal forms (e.g., Bidding Documents). The submission of a Bid shall be conclusive evidence that the Bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and scope of Work, the quantities of materials to be furnished, and as to the requirements of the Bidding Documents Proposal, Plans, and Specifications.
- 29. CITY STANDARD PROVISIONS:** This contract is subject to the following standard provisions. See The WHITEBOOK for details.
- 29.1.** The City of San Diego Resolution No. R-277952 adopted on May 20, 1991 for a Drug-Free Workplace.
 - 29.2.** The City of San Diego Resolution No. R-282153 adopted on June 14, 1993 related to the Americans with Disabilities Act.
 - 29.3.** The City of San Diego Municipal Code §22.3004 for Pledge of Compliance.
 - 29.4.** The City of San Diego’s Labor Compliance Program and the State of California Labor Code §§1771.5(b) and 1776.
 - 29.5.** Sections 1777.5, 1777.6, and 1777.7 of the State of California Labor Code concerning the employment of apprentices by contractors and subcontractors performing public works contracts.
 - 29.6.** The City’s Equal Benefits Ordinance (EBO), Chapter 2, Article 2, Division 43 of The San Diego Municipal Code (SDMC).
 - 29.7.** The City’s Information Security Policy (ISP) as defined in the City’s Administrative Regulation 90.63.
- 30. PRE-AWARD ACTIVITIES:**
- 30.1.** The selected contractor by the City to execute a contract for this Work shall provide the information required within the time specified in “Required Documents,” of this bid package. Failure to provide the information within the time specified may result in the Bid being rejected as **non-responsive**.
 - 30.2.** If the Bid is rejected as non-responsive, the selected contractor by the City to execute a contract for this Work shall forfeit the required Bid. The decision that the selected contractor by the City to execute a contract for this Work is non-responsive for failure to provide the information required within the time specified shall be at the sole discretion of the City.
- 31. SUPPLEMENTAL AGREEMENTS:** Supplemental agreements attached to this contract for the items of Work such as extended revegetation maintenance and monitoring and emulsion aggregate slurry shall be signed by the BIDDER at the time of submission of the primary BID. The signed agreements shall be accompanied by the evidence of a bond (i.e., labor and materials) and insurance as specified in 2-4, “CONTRACT BONDS,” 7-3, “LIABILITY INSURANCE,” and 7-4 WORKERS’ COMPENSATION INSURANCE. Bonds shall be in amount of the Contract Price for the Work included in the supplemental agreements.

31.1. Partial Release of Performance Bond and Labor and Materialmen's Bond: For information regarding partial release of bonds for this Contract, see Supplementary Special Provisions, Appendix G.

32. REQUIRED DOCUMENT SCHEDULE:

32.1. The Bidder's attention is directed to the City's Municipal Code §22.0807(e), (3)-(5) for important information regarding grounds for debarment for failure to submit required documentation.

32.2. The specified Equal Opportunity Contracting Program (EOCP) forms are available for download from the City's web site at:

<http://www.sandiego.gov/eoc/forms/index.shtml>

ITEM	WHEN DUE	FROM	DOCUMENT TO BE SUBMITTED
1.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Bid
2.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Non-collusion Affidavit to be Executed By Bidder and Submitted with Bid under 23 USC 112 and PCC 7106
3.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Contractors Certification of Pending Actions
4.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Equal Benefits Ordinance Certification of Compliance
5.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Form AA35 - List of Subcontractors
6.	BID SUBMITTAL DATE/TIME	ALL BIDDERS	Form AA40 - Named Equipment/Material Supplier List
7.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Names of the principal individual owners of the Apparent Low Bidder
8.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	If the Contractor is a Joint Venture: <ul style="list-style-type: none"> • Joint Venture Agreement • Joint Venture License
9.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Form BB05 - Work Force Report
10.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contract Forms - Agreement
11.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF	APPARENT LOW BIDDER	Contract Forms - Payment and Performance Bond

ITEM	WHEN DUE	FROM	DOCUMENT TO BE SUBMITTED
	CONTRACT FORMS		
12.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Certificates of Insurance and Endorsements
13.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractor Certification - Drug-Free Workplace
14.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractor Certification - American with Disabilities Act
15.	WITHIN 10 WORKING DAYS AFTER RECEIPT BY BIDDER OF CONTRACT FORMS	APPARENT LOW BIDDER	Contractors Standards - Pledge of Compliance

CONTRACT FORMS
AGREEMENT

CONTRACT FORMS

CONSTRUCTION CONTRACT

This contract is made and entered into between THE CITY OF SAN DIEGO, a municipal corporation, herein called "City", and Vailston Company, Inc., herein called "Contractor" for construction of Mobley St. (2764) Storm Drain Replacement; Bid No. L-15-1200-DBB-1 in the amount of One Hundred Seventeen Thousand Seven Hundred Fifty Dollars and .80/100 (\$117,750.80), which is comprised of the Base Bid.

IN CONSIDERATION of the payments to be made hereunder and the mutual undertakings of the parties hereto, City and Contractor agree as follows:

1. The following are incorporated into this contract as though fully set forth herein:
 - (a) The attached Faithful Performance and Payment Bonds.
 - (b) The attached Proposal included in the Bid documents by the Contractor.
 - (c) Reference Standards listed in the Notice Inviting Bids and the Supplementary Special Provisions (SSP).
 - (d) Long-Term Revegetation Maintenance Contract.
 - (e) That certain documents entitled Mobley St. (2764) Storm Drain Replacement on file in the office of the Public Works Department as Document No. B-12032 as well as all matters referenced therein.
2. The Contractor shall perform and be bound by all the terms and conditions of this contract and in strict conformity therewith shall perform and complete in a good and workmanlike manner Mobley St. (2764) Storm Drain Replacement, Bid Number L-15-1200-DBB-1, San Diego, California.
3. For such performances, the City shall pay to Contractor the amounts set forth at the times and in the manner and with such additions or deductions as are provided for in this contract, and the Contractor shall accept such payment in full satisfaction of all claims incident to such performances.
4. No claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.
5. This contract is effective as of the date that the Mayor or designee signs the agreement.

CONTRACT FORMS (continued)

IN WITNESS WHEREOF, this Agreement is signed by the City of San Diego, acting by and through its Mayor or designee, pursuant to Municipal Code 22.3107 authorizing such execution.

THE CITY OF SAN DIEGO

APPROVED AS TO FORM AND LEGALITY

Jan I. Goldsmith, City Attorney

By 

By 

Print Name: Stephen Samara,
Senior Contract Specialist

Print Name: Kathryn Kiozere
Deputy City Attorney

Date: 4-22-15

Date: 4/29/15

CONTRACTOR

By 

Print Name: PAUL KRATKA

Title: OPERATIONS MANAGER

Date: 12/14/14

City of San Diego License No.: 2013062319

State Contractor's License No.: 862611

**CONTRACT FORMS
ATTACHMENTS**

CONTRACT FORMS ATTACHMENTS PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND

FAITHFUL PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND:

Vailston Company, a corporation, as principal, and State National Insurance Company, Inc. administered by: Contractor Managing General Insurance Agency, Inc. 20335 Ventura Blvd. Suite 426, Woodland Hills, CA 91364, a corporation authorized to do

business in the State of California, as Surety, hereby obligate themselves, their successors and assigns, jointly and severally, to The City of San Diego a municipal corporation in the sum of One hundred seventeen seven hundred fifty one and 00/100ths dollars (\$117,751.00) for the faithful performance of the annexed contract, and in the sum of One hundred seventeen seven hundred fifty one and 00/100ths dollars (\$117,751.00) for the benefit of laborers and materialmen designated below.

Conditions:

If the Principal shall faithfully perform the annexed contract **Mobley St. (2764) Storm Drain Replacement**, Bid Number **L-15-1200-DBB-1**, San Diego, California then the obligation herein with respect to a faithful performance shall be void; otherwise it shall remain in full force.

If the Principal shall promptly pay all persons, firms and corporations furnishing materials for or performing labor in the execution of this contract, and shall pay all amounts due under the California Unemployment Insurance Act then the obligation herein with respect to laborers and materialmen shall be void; otherwise it shall remain in full force.

The obligation herein with respect to laborers and materialmen shall inure to the benefit of all persons, firms and corporations entitled to file claims under the provisions of Chapter 3 of Division 5 of Title I of the Government Code of the State of California or under the provisions of Section 3082 et seq. of the Civil Code of the State of California.

Changes in the terms of the annexed contract or specifications accompanying same or referred to therein shall not affect the Surety's obligation on this bond, and the Surety hereby waives notice of same.

CONTRACT FORMS ATTACHMENTS (continued)
PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND

The Surety shall pay reasonable attorney's fees should suit be brought to enforce the provisions of this bond.

Dated December 17th, 2014

Approved as to Form and Legality

Vailston Company

Principal

By




Nate Johnston

Printed Name of Person Signing for Principal

Jan I. Goldsmith, City Attorney

By




Deputy City Attorney

State National Insurance Company, Inc. administered by:
Contractor Managing General Insurance Agency, Inc.

Surety

By



Attorney-in-fact Stephanie Hope Shear

Approved:

By



Mayor or Designee

20335 Ventura Blvd. Suite 426

Local Address of Surety

Woodland Hills, CA 91364

Local Address (City, State) of Surety

866-363-2642

Local Telephone No. of Surety

Premium \$ 2,944.00

Bond No. CDGP101107

State National Insurance Company, Inc. Administered by:
CONTRACTOR MANAGING GENERAL INSURANCE AGENCY, INC.

POWER OF ATTORNEY

KNOW BY ALL THESE PRESENTS That STATE NATIONAL INSURANCE COMPANY, INC. a corporation organized and existing under the laws of the State of Texas, having its principal office in Bedford, Texas does hereby constitute and appoint

Stephanie Hope Shear

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, the following bond described as:

Mobley St. (2764) Storm Drain Replacement; L-15-1200-DBB-1

for: Three Million and 00/100 Dollars (\$3,000,000)

and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these present, shall be as binding upon STATE NATIONAL INSURANCE COMPANY, INC. as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.

IN WITNESS WHEREOF, STATE NATIONAL INSURANCE COMPANY, INC. has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 24th day of March, 2014.

STATE NATIONAL INSURANCE COMPANY, INC.


Terry L. Ledbetter, President

Trace Ledbetter, Secretary

STATE OF TEXAS
County of Tarrant

On this 24th day of March, 2014 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each of the herein described and authorized officer of STATE NATIONAL INSURANCE COMPANY, INC.; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of said Company.

IN WITNESS WHEREOF, I have hereunto set my hand at Bedford, Texas the day and year above written.



[Notary Stamp]

Signature of Notary

I, Trace Ledbetter, Secretary of STATE NATIONAL INSURANCE COMPANY, INC., do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by STATE NATIONAL INSURANCE COMPANY, INC., which is still in full force and effect.

IN WITNESS WHEREOF, I have thereunto set my hand and attested the seal of said Company this 17th day of December, 20 14

Trace Ledbetter, Secretary

CALIFORNIA ALL – PURPOSE ACKNOWLEDGEMENT

State of California

County of Los Angeles


On DEC 17 2014 before me, JAN MICHELLE RIVERA, NOTARY PUBLIC
DATE NAME, TITLE OF OFFICER

Personally appeared STEPHANIE HOPE SHEAR,
NAME(S) OF SIGNER(S)

Who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.


SIGNATURE OF NOTARY



NOTARY SEAL

ACKNOWLEDGMENT


State of California
County of San Diego)

On 19th of December 2014 before me, S. Hall-Vinyard, Notary Public
(insert name and title of the officer)

personally appeared Nate Johnston,
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is are
subscribed to the within instrument and acknowledged to me that he/she/they executed the same in
his/her/their authorized capacity (ies), and that by his/her/their signature(s) on the instrument the
person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing
paragraph is true and correct.

WITNESS my hand and official seal.



Signature S. Hall-Vinyard (Seal)

CONTRACTOR CERTIFICATION

DRUG-FREE WORKPLACE

PROJECT TITLE: Mobley St. (2764) Storm Drain Replacement

I hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-17 regarding Drug-Free Workplace as outlined in the WHITEBOOK, Section 7-13.3, "Drug-Free Workplace", of the project specifications, and that;

VAILSTON COMPANY, INC.

(Name under which business is conducted)

has in place a drug-free workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of subdivisions a) through c) of the policy as outlined.

Signed 

Printed Name PAUL KRATKA

Title OPERATIONS MANAGER

CONTRACTOR CERTIFICATION

AMERICAN WITH DISABILITIES ACT (ADA) COMPLIANCE CERTIFICATION


PROJECT TITLE: Mobley St. (2764) Storm Drain Replacement

I hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-4 regarding the American With Disabilities Act (ADA) outlined in the WHITEBOOK, Section 7-13.2, "American With Disabilities Act", of the project specifications, and that;

VAILSTON COMPANY, INC.

(Name under which business is conducted)

has in place workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of the policy as outlined.

Signed 

Printed Name PAUL KRATKA

Title OPERATIONS MANAGER

CONTRACTOR CERTIFICATION

CONTRACTOR STANDARDS – PLEDGE OF COMPLIANCE

PROJECT TITLE: Mobley St. (2764) Storm Drain Replacement

I declare under penalty of perjury that I am authorized to make this certification on behalf of VAILSTON COMPANY, INC, as Contractor, that I am familiar with the requirements of City of San Diego Municipal Code § 22.3224 regarding Contractor Standards as outlined in the WHITEBOOK, Section 7-13.4, ("Contractor Standards"), of the project specifications, and that Contractor has complied with those requirements.

I further certify that each of the Contractor's subcontractors whose subcontracts are greater than \$50,000 in value has completed a Pledge of Compliance attesting under penalty of perjury of having complied with City of San Diego Municipal Code § 22.3224.

Dated this 16th Day of DEC, 2014.

Signed

PK

Printed Name

PAUL KRATKA

Title

OPERATIONS MANAGER

AFFIDAVIT OF DISPOSAL

WHEREAS, on the _____ DAY OF _____, 2_____ the undersigned entered into and executed a contract with the City of San Diego, a municipal corporation, for:

Mobley St. (2764) Storm Drain Replacement
(Name of Project)

as particularly described in said contract and identified as Bid No. **L-15-1200-DBB-1**; SAP No. (WBS/IO/CC) **B-12032**; and **WHEREAS**, the specification of said contract requires the Contractor to affirm that "all brush, trash, debris, and surplus materials resulting from this project have been disposed of in a legal manner"; and **WHEREAS**, said contract has been completed and all surplus materials disposed of:

NOW, THEREFORE, in consideration of the final payment by the City of San Diego to said Contractor under the terms of said contract, the undersigned Contractor, does hereby affirm that all surplus materials as described in said contract have been disposed of at the following location(s)

and that they have been disposed of according to all applicable laws and regulations.

Dated this _____ DAY OF _____, _____.

Contractor
by

ATTEST:

State of _____
County of _____

On this _____ DAY OF _____, 2_____, before the undersigned, a Notary Public in and for said County and State, duly commissioned and sworn, personally appeared _____ known to me to be the _____ Contractor named in the foregoing Release, and whose name is subscribed thereto, and acknowledged to me that said Contractor executed the said Release.

Notary Public in and for said County and State

ATTACHMENTS

ATTACHMENT A
SCOPE OF WORK

SCOPE OF WORK

1. **SCOPE OF WORK:** Replace in place 60-linear feet of the existing failed 18-inch corrugated metal storm drain pipe with an 18-inch reinforced concrete pipe in the same 10-foot wide City easement located at 2764 Mobley Street. This will also include replacing in place the existing storm drain cleanout, installing reinforced concrete cutoff walls, installation of a new concrete energy dissipater located at existing outfall headwall, and restoration of failed slope area.

1.1. The Work shall be performed in accordance with:

- 1.1.1. The Notice Inviting Bids and Plans numbered **37471-1-D** through **37471-2-D**, inclusive.

2. **CONSTRUCTION COST:** The City's estimated construction cost for this contract is **\$130,285.00**.
3. **LOCATION OF WORK:** The location of the Work is as follows: 2764 Mobley Street, San Diego, CA 92123. See the Location Map Attached E.
4. **CONTRACT TIME:** The Contract Time for completion of the Work, including the 120-day Plant Establishment Period, shall be **155 Working Days**.
5. **CONTRACTOR'S LICENSE CLASSIFICATION:** In accordance with the provisions of California Law, the Contractor shall possess valid appropriate license(s) at the time that the Bid is submitted. Failure to possess the specified license(s) shall render the Bid as **non-responsive** and shall act as a bar to award of the Contract to any Bidder not possessing required license(s) at the time of Bid.

5.1. The City has determined the following licensing classification for this contract:

- CLASS A

ATTACHMENT B
INTENTIONALLY LEFT BLANK

ATTACHMENT C
EQUAL OPPORTUNITY CONTRACTING PROGRAM

EQUAL OPPORTUNITY CONTRACTING PROGRAM

1. To The WHITEBOOK, Chapter 10, Sections D and E, DELETE each in its entirety, and SUBSTITUTE with the following:

D. CITY'S EQUAL OPPORTUNITY COMMITMENT.

1. Nondiscrimination in Contracting Ordinance.

1. The Contractor, Subcontractors and Suppliers shall comply with requirements of the City's Nondiscrimination in Contracting Ordinance, San Diego Municipal Code §§22.3501 through 22.3517.

The Contractor shall not discriminate on the basis of race, gender, religion, national origin, ethnicity, sexual orientation, age, or disability in the solicitation, selection, hiring, or treatment of subcontractors, vendors, or suppliers. The Contractor shall provide equal opportunity for subcontractors to participate in subcontracting opportunities. The Contractor understands and agrees that violation of this clause shall be considered a material breach of the contract and may result in contract termination, debarment, or other sanctions.

The Contractor shall include the foregoing clause in all contracts between the Contractor and Subcontractors and Suppliers.

2. Disclosure of Discrimination Complaints. As part of its Bid or Proposal, the Bidder shall provide to the City a list of all instances within the past 10 years where a complaint was filed or pending against Bidder in a legal or administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors, or suppliers, and a description of the status or resolution of that complaint, including any remedial action taken.
3. Upon the City's request, the Contractor agrees to provide to the City, within 60 days, a truthful and complete list of the names of all Subcontractors and Suppliers that the Contractor has used in the past 5 years on any of its contracts that were undertaken within San Diego County, including the total dollar amount paid by the Contractor for each subcontract or supply contract.
4. The Contractor further agrees to fully cooperate in any investigation conducted by the City pursuant to the City's Nondiscrimination in Contracting Ordinance, Municipal Code §§22.3501 through 22.3517. The Contractor understands and agrees that violation of this clause shall be considered a material breach of the Contract and may result in remedies being ordered against the Contractor up to and including contract termination, debarment and other sanctions for violation of the provisions of the Nondiscrimination in Contracting Ordinance. The Contractor further understands and agrees that the procedures, remedies and sanctions provided for in the Nondiscrimination in Contracting Ordinance apply only to violations of the Ordinance.

E. EQUAL EMPLOYMENT OPPORTUNITY OUTREACH PROGRAM.

1. The Contractor, Subcontractors and Suppliers shall comply with the City's Equal Employment Opportunity Outreach Program, San Diego Municipal Code §§22.2701 through 22.2707.

The Contractor shall not discriminate against any employee or applicant for employment on any basis prohibited by law. Contractor shall provide equal opportunity in all employment practices. Prime Contractor shall ensure their subcontractors comply with this program. Nothing in this section shall be interpreted to hold a prime contractor liable for any discriminatory practice of its subcontractors.

The Contractor shall include the foregoing clause in all contracts between the Contractor and Subcontractors and Suppliers.

2. If the Contract is competitively solicited, the selected Bidder shall submit a Work Force Report (Form BB05), within 10 Working Days after receipt by the Bidder of Contract forms to the City for approval as specified in the Notice of Intent to Award letter from the City.
3. If a Work Force Report is submitted, and the City determines there are under-representations when compared to County Labor Force Availability data, the selected Bidder shall submit an Equal Employment Opportunity Plan.
4. If the selected Bidder submits an Equal Employment Opportunity Plan, it shall include the following assurances:
 1. The Contractor shall maintain a working environment free of discrimination, harassment, intimidation and coercion at all sites and in all facilities at which the Contractor's employees are assigned to work.
 2. The Contractor reviews its EEO Policy, at least annually, with all on-site supervisors involved in employment decisions.
 3. The Contractor disseminates and reviews its EEO Policy with all employees at least once a year, posts the policy statement and EEO posters on all company bulletin boards and job sites, and documents every dissemination, review and posting with a written record to identify the time, place, employees present, subject matter, and disposition of meetings.
 4. The Contractor reviews, at least annually, all supervisors' adherence to and performance under the EEO Policy and maintains written documentation of these reviews.
 5. The Contractor discusses its EEO Policy Statement with subcontractors with whom it anticipates doing business, includes the EEO Policy Statement in its subcontracts, and provides such documentation to the City upon request.

6. The Contractor documents and maintains a record of all bid solicitations and outreach efforts to and from subcontractors, contractor associations and other business associations.
7. The Contractor disseminates its EEO Policy externally through various media, including the media of people of color and women, in advertisements to recruit, maintains files documenting these efforts, and provides copies of these advertisements to the City upon request.
8. The Contractor disseminates its EEO Policy to union and community organizations.
9. The Contractor provides immediate written notification to the City when any union referral process has impeded the Contractor's efforts to maintain its EEO Policy.
10. The Contractor maintains a current list of recruitment sources, including those outreaching to people of color and women, and provides written notification of employment opportunities to these recruitment sources with a record of the organizations' responses.
11. The Contractor maintains a current file of names, addresses and phone numbers of each walk-in applicant, including people of color and women, and referrals from unions, recruitment sources, or community organizations with a description of the employment action taken.
12. The Contractor encourages all present employees, including people of color and women employees, to recruit others.
13. The Contractor maintains all employment selection process information with records of all tests and other selection criteria.
14. The Contractor develops and maintains documentation for on-the-job training opportunities, participates in training programs, or both for all of its employees, including people of color and women, and establishes apprenticeship, trainee, and upgrade programs relevant to the Contractor's employment needs.
15. The Contractor conducts, at least annually, an inventory and evaluation of all employees for promotional opportunities and encourages all employees to seek and prepare appropriately for such opportunities.
16. The Contractor ensures the company's working environment and activities are non-segregated except for providing separate or single-user toilets and necessary changing facilities to assure privacy between the sexes.

ATTACHMENT D
INTENTIONALLY LEFT BLANK

ATTACHMENT E
SUPPLEMENTARY SPECIAL PROVISIONS

SUPPLEMENTARY SPECIAL PROVISIONS

The following Supplementary Special Provisions (SSP) modifies the following documents:

- 1) Standard Specifications for Public Works Construction (The GREENBOOK) currently in effect.
 - 2) The City of San Diego Standard Specifications for Public Works Construction (The WHITEBOOK).
-

SECTION 1 – TERMS, DEFINITIONS, ABBREVIATIONS, UNITS OF MEASURE, AND SYMBOLS

1-2 TERMS AND DEFINITIONS.

Normal Working Hours. To the City Supplement, ADD the following:

The Normal Working Hours are 8:30 AM to 3:30 PM.

SECTION 2 - SCOPE AND CONTROL OF WORK

2-3.2 Self Performance. DELETE in its entirety and SUBSTITUTE with the following:

1. You must perform, with your own organization, Contract work amounting to at least 50% of the base bid alone or base bid and any additive or deductive alternate(s) that together when added or deducted form the basis of award.
2. The self performance percentage requirement will be waived for contracts when a “B” License is required or allowed.

2-5.3.1 General. To the City Supplement, ADD the following

7. For products for which an AML is available, products listed in the AML shall be used. A submittal review will be conducted for products not identified on an AML on a case-by-case basis when:
 - a) The product type or category is not in the AML.
 - b) The AML does not list at least two available manufacturers of the product.
 - c) The material or manufacturer listed in the AML is no longer available. Documentation to substantiate the product is no longer available or in production is required as part of the submittal.

In the case of conducting a submittal review when required by the Plans or Special Provisions, or when requested by the Engineer, all submittals shall be accompanied by the City's submittal form.

The Product Submittal Form is available for download at:

<http://www.sandiego.gov/publicworks/edocref/index.shtml>

2-7 SUBSURFACE DATA. ADD the following:

4. In preparation of the Contract Documents, the designer has relied upon the following reports of explorations and tests of subsurface conditions at the Work Site:
 1. Report of Geotechnical Evaluation dated July 26, 2013 by Ninyo & Moore and Associates.
5. The report(s) listed above is(are) available for review by contacting the Contract Specialist or visiting:

<ftp://ftp.sannet.gov/OUT/ECP/ROWD/Storm%20Drain/Mobley/>

2-14.3 Coordination. To the City Supplement, ADD the following:

Coordinate the Work with the adjacent project as listed below:

- a) Pipeline Rehabilitation Phase "F-2", Parita Ammerlahn (619) 533-4162

2-15 TECHNICAL STUDIES AND DATA. To the City Supplement, ADD the following:

5. In preparation of the Contract Documents, the designer has relied upon the following reports of explorations and tests at the Work Site:
 1. Report of Biological Survey Technical Report dated February 10, 2014 by Merkel & Associates, Inc.
6. The report(s) listed above is(are) available for review by contacting the Contract Specialist or visiting:

<ftp://ftp.sannet.gov/OUT/ECP/ROWD/Storm%20Drain/Mobley/>

SECTION 4 - CONTROL OF MATERIALS

4-1.3.6 Preapproved Materials. To the City Supplement, ADD the following:

3. You shall submit in writing a list of all products to be incorporated in the Work that are on the AML.

4-1.6 Trade Names or Equals. ADD the following:

You must submit your list of proposed substitutions for “an equal” (“or equal”) item(s) **no later than 5 Working Days after the determination of the Apparent Low Bidder** and on the City’s Product Submittal Form available at.

<http://www.sandiego.gov/publicworks/edocref/index.shtml>

SECTION 6 - PROSECUTION, PROGRESS AND ACCEPTANCE OF WORK

6-2.1 Moratoriums. To the City Supplement, ADD the following:

Do not work in the areas where there is currently a moratorium issued by the City. The areas subject to moratorium are listed here:

- a) No work shall occur during the general avian breeding season of January 15th to September 15th (inclusive) to avoid impacts to nesting bird species.

SECTION 7 - RESPONSIBILITIES OF THE CONTRACTOR

7-3 LIABILITY INSURANCE. DELETE in its entirety and SUBSTITUTE with the following:

The insurance provisions herein must not be construed to limit your indemnity obligations contained in the Contract.

7-3.1 Policies and Procedures.

1. You must procure the insurance described below, at its sole cost and expense, to provide coverage against claims for loss including injuries to persons or damage to property, which may arise out of or in connection with the performance of the Work by you, your agents, representatives, officers, employees or Subcontractors.
2. Insurance coverage for property damage resulting from your operations is on a replacement cost valuation. The market value will not be accepted.
3. You must maintain this insurance for the duration of this contract and at all times thereafter when you are correcting, removing, or replacing Work in accordance with this contract. Your liabilities under the Contract, e.g., your indemnity obligations, is not deemed limited to the insurance coverage required by this contract.
4. Payment for insurance is included in the various items of Work as bid by you, and except as specifically agreed to by the City in writing, you are not entitled to any additional payment. Do not begin any work under this contract until you have provided and the City has approved all required insurance.

5. Policies of insurance must provide that the City is entitled to 30 days (10 days for cancellation due to non-payment of premium) prior written notice of cancellation or non-renewal of the policy. Maintenance of specified insurance coverage is a material element of the Contract. Your failure to maintain or renew coverage or to provide evidence of renewal during the term of the Contract may be treated by the City as a material breach of the Contract.

7-3.2 Types of Insurance.

7-3.2.1 Commercial General Liability Insurance.

1. Commercial General Liability Insurance must be written on the current version of the ISO Occurrence form CG 00 01 07 98 or an equivalent form providing coverage at least as broad.
2. The policy must cover liability arising from premises and operations, XCU (explosions, underground, and collapse), independent contractors, products/completed operations, personal injury and advertising injury, bodily injury, property damage, and liability assumed under an insured’s contract (including the tort liability of another assumed in a business contract).
3. There must be no endorsement or modification limiting the scope of coverage for either “insured vs. insured” claims or contractual liability. You must maintain the same or equivalent insurance for at least 10 years following completion of the Work.
4. All costs of defense must be outside the policy limits. Policy coverage must be in liability limits of not less than the following:

<u>General Annual Aggregate Limit</u>	<u>Limits of Liability</u>
Other than Products/Completed Operations	\$2,000,000
Products/Completed Operations Aggregate Limit	\$2,000,000
Personal Injury Limit	\$1,000,000
Each Occurrence	\$1,000,000

7-3.2.2 Commercial Automobile Liability Insurance.

1. You must provide a policy or policies of Commercial Automobile Liability Insurance written on the current version of the ISO form CA 00 01 12 90 or later version or equivalent form providing coverage at least as broad in the amount of \$1,000,000 combined single limit per accident, covering bodily injury and property damage for owned, non-owned, and hired automobiles (“Any Auto”).
2. All costs of defense must be outside the limits of the policy.

7-3.3 Rating Requirements. Except for the State Compensation Insurance Fund, all insurance required by this contract as described herein must be carried only by responsible insurance companies with a rating of, or equivalent to, at least “A-, VI” by A.M. Best Company, that are authorized by the California Insurance Commissioner to do business in the State, and that have been approved by the City.

7-3.3.1 Non-Admitted Carriers. The City will accept insurance provided by non-admitted, “surplus lines” carriers only if the carrier is authorized to do business in the State and is included on the List of Approved Surplus Lines Insurers (LASLI list).

All policies of insurance carried by non-admitted carriers must be subject to all of the requirements for policies of insurance provided by admitted carriers described herein.

7-3.4 Evidence of Insurance. Furnish to the City documents e.g., certificates of insurance and endorsements evidencing the insurance required herein, and furnish renewal documentation prior to expiration of this insurance. Each required document must be signed by the insurer or a person authorized by the insurer to bind coverage on its behalf. We reserve the right to require complete, certified copies of all insurance policies required herein.

7-3.5 Policy Endorsements.

7-3.5.1 Commercial General Liability Insurance.

7-3.5.1.1 Additional Insured.

- a) You must provide at your expense policy endorsement written on the current version of the ISO Occurrence form CG 20 10 11 85 or an equivalent form providing coverage at least as broad.
- b) To the fullest extent allowed by law e.g., California Insurance Code §11580.04, the policy must be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured.
- c) The additional insured coverage for projects for which the Engineer’s Estimate is \$1,000,000 or more must include liability arising out of: (a) Ongoing operations performed by you or on your behalf, (b) your products, (c) your work, e.g., your completed operations performed by you or on your behalf, or (d) premises owned, leased, controlled, or used by you.
- d) The additional insured coverage for projects for which the Engineer’s Estimate is less than \$1,000,000 must include liability arising out of: (a) Ongoing operations performed by you or on your behalf, (b) your products, or (c) premises owned, leased, controlled, or used by you.

7-3.5.1.2 Primary and Non-Contributory Coverage. The policy must be endorsed to provide that the coverage with respect to operations, including the completed operations, if appropriate, of the Named Insured is primary to any insurance or self-insurance of the City and its elected officials, officers, employees, agents and representatives. Further, it must provide that any insurance maintained by the City and its elected officials, officers, employees, agents and representatives must be in excess of your insurance and must not contribute to it.

7-3.5.1.3 Project General Aggregate Limit. The policy or policies must be endorsed to provide a Designated Construction Project General Aggregate Limit that will apply only to the Work. Only claims payments which arise from the Work must reduce the

Designated Construction Project General Aggregate Limit. The Designated Construction Project General Aggregate Limit must be in addition to the aggregate limit provided for the products-completed operations hazard.

7-3.5.2 Commercial Automobile Liability Insurance.

7-3.5.2.1 Additional Insured. Unless the policy or policies of Commercial Auto Liability Insurance are written on an ISO form CA 00 01 12 90 or a later version of this form or equivalent form providing coverage at least as broad, the policy must be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured, with respect to liability arising out of automobiles owned, leased, hired or borrowed by you or on your behalf. This endorsement is limited to the obligations permitted by California Insurance Code §11580.04.

7-3.6 Deductibles and Self-Insured Retentions. You must pay for all deductibles and self-insured retentions. You must disclose deductibles and self-insured retentions to the City at the time the evidence of insurance is provided.

7-3.7 Reservation of Rights. The City reserves the right, from time to time, to review your insurance coverage, limits, deductibles and self-insured retentions to determine if they are acceptable to the City. The City will reimburse you, without overhead, profit, or any other markup, for the cost of additional premium for any coverage requested by the Engineer but not required by this contract.

7-3.8 Notice of Changes to Insurance. You must notify the City 30 days prior to any material change to the policies of insurance provided under this contract.

7-3.9 Excess Insurance. Policies providing excess coverage must follow the form of the primary policy or policies e.g., all endorsements.

7-4 WORKERS' COMPENSATION INSURANCE. DELETE in its entirety and SUBSTITUTE with the following:

7-4.1 Workers' Compensation Insurance and Employers Liability Insurance.

1. In accordance with the provisions of §3700 of the California Labor Code, you must provide at your expense Workers' Compensation Insurance and Employers Liability Insurance to protect you against all claims under applicable state workers compensation laws. The City, its elected officials, and employees will not be responsible for any claims in law or equity occasioned by your failure to comply with the requirements of this section.

2. Limits for this insurance must be not less than the following:

<u>Workers' Compensation</u>	<u>Statutory Employers Liability</u>
Bodily Injury by Accident	\$1,000,000 each accident
Bodily Injury by Disease	\$1,000,000 each employee
Bodily Injury by Disease	\$1,000,000 policy limit

3. By signing and returning the Contract you certify that you are aware of the provisions of §3700 of the Labor Code which require every employer to be insured against liability for worker's compensation or to undertake self-insurance in accordance with the provisions of that code and you must comply with such provisions before commencing the Work as required by §1861 of the California Labor Code.

7-4.1.1 Waiver of Subrogation. The policy or policies must be endorsed to provide that the insurer will waive all rights of subrogation against the City, and its respective elected officials, officers, employees, agents, and representatives for losses paid under the terms of the policy or policies and which arise from work performed by the Named Insured for the City.

7-10.5.3 Steel Plate Covers. Table 7-10.5.3(A), REVISE the plate thickness for 5'-3" trench width to read 1 3/4".

7-15 INDEMNIFICATION AND HOLD HARMLESS AGREEMENT. To the City Supplement, fourth paragraph, last sentence, DELETE in its entirety and SUBSTITUTE with the following:

Your duty to indemnify and hold harmless does not include any claims or liability arising from the established active or sole negligence, or willful misconduct of the City, its officers, or employees.

7-16 COMMUNITY LIASON. To the City Supplement, DELETE in its entirety and SUSBTITUTE with the following:

ADD:

7-16 COMMUNITY OUTREACH.

7-16.1 General.

1. To ensure consistency with the City's community outreach plan for the project, the City will work with the Contractor to inform the public (which includes, but is not limited to, property owners, renters, homeowners, business owners, recreational users, and other community members and stakeholders) of construction impacts. Efforts by the Contractor to mitigate construction impacts by communicating with the public require close coordination and cooperation with the City.
2. The Contractor will perform the community outreach activities required throughout the Contract Time.
3. The Contractor shall closely coordinate the Work with the businesses, institutions, residents and property owners impacted by the Project. Example duties of the Contractor include notification to the businesses, institutions and residents of the commencement of construction activities not less than 5 days in advance, coordination of access for vehicular and pedestrian traffic to businesses, institutions and residences impacted by the Project, reporting of Contractor activities at all Project progress meetings scheduled by the Engineer, attendance to

the Project Pre-construction Meeting, attendance at 2 community meetings, response to community questions and complaints related to Contractor activities, and written documentation including logging in all inquiries and complaints received into the City's Public Contact Log located on the City's SDSShare site:

<http://sdshare/forums/ecp/PITS/picr/Lists/Public%20Contact%20Log/AllItems.aspx>

4. The Contractor shall execute the Information Security Policy Acknowledgement Form - For Non-City Employees within 15 days of the award of the Contract if:
 - a) The contact information for the Contractor is made available on any outreach materials or;
 - b) The Contractor will be the primary point of contact to resolve project related inquiries and complaints.

5. Electronic Communication.

All inquiries and complaints will be logged in to the City's SDSShare site within 24 hours of receipt of inquiries and complaints.

Any updates or a resolution of inquiries, and complaints shall be documented in the City's SDSShare site within 24 hours.

Copies of email communications shall be saved on to the City's SDSShare site as individually as an Outlook Message Format (*.msg).

All graphics, photos, and other electronic files associated with the inquiries and or complaints shall be saved into the individual record.

6. **When specified**, present your Exclusive Community Liaison to the Engineer, in writing, within 15 days of the award of the Contract.

7-16.2 Submittals.

1. The Contractor shall submit to the Resident Engineer, for review and approval, all drafts of letters, notices, postcards, door hangers, signs, mailing lists, proposed addresses for hand-delivery, and any other notices and letters that are to be mailed and or distributed to the public.
 - a. Prior to distributing or mailing, the Contractor shall submit final drafts of letters, notices, postcards, door hangers, signs, and any other notices and letters to the Resident Engineer for final review and approval.
 - b. After distributing or mailing, the Contractor shall submit verification of delivery and any copies of returned notices to the Resident Engineer.
2. The Contractor will use the City's SDSShare site to identify and summarize communications (via phone, in person, and email) with the public the within 24 hours of receipt, even if the Contractor's response to the individual is still

incomplete. The Contractor will upload to the City's SDShare site copies of all written, electronic, and verbal communications and conversations with the public.

7-16.3 Public Notice by Contractor.

1. Furnish and distribute public notices in the form of door hangers using the City's format to all occupants and/or property owners along streets where Work is to be performed at least 5 days before starting the Work as directed by the Resident Engineer.
2. For all Work on private property, contact each owner and occupant individually a minimum of 15 days prior to the Work. If the Work has been delayed, re-notify owners and occupants of the new Work schedule, as directed by the Resident Engineer.

7-16.4 Quality Assurance.

1. During the course of community outreach, the Contractor shall ensure the character of all persons that conduct community outreach (distributing door hangers, attending community meetings, interacting with the public, etc.), on behalf of the Contractor:
 - a. Have the ability to speak and comprehend English and/or Spanish, as appropriate for the community or public they are informing,
 - b. Possess and display easily verifiable and readable personal identification that identifies the person as an employee of the Contractor,
 - c. Have the interpersonal skills to effectively, professionally, and tactfully represent the project, Contractor, and City to the public.

7-16.5 Communications with the Public.

1. The Contractor shall provide updates on construction impacts to the Resident Engineer. The Contractor shall notify the Resident Engineer in advance about time-sensitive construction impacts and may be required to distribute construction impact notices to the public on short notice.
2. The Contractor shall incorporate community outreach activities related to construction impacts in the baseline schedule and update the Resident Engineer with each week's submittal of the Three-Week Look Ahead Schedule.
3. At the request of the Resident Engineer, the Contractor shall attend and participate in project briefings at community meetings.
4. The Contractor shall coordinate with the Resident Engineer on all responses and actions taken to address public inquiries and complaints within 24-hours that they are received.

7-16.6 Communications with Media.

1. The City may allow members of the media access to its construction site(s) on a case-by-case basis only.
2. Occasionally, members of the media may show up at construction sites, uninvited. Members of the media (including, but not limited to newspaper, magazine, radio, television, bloggers, and videographers) do not have the legal right to be in the construction site without the City's permission.
3. In the event media representatives arrive near or on the construction site(s), the Contractor shall keep them off the site(s), in a courteous and professional manner, until a Public Information Officer is available to meet them at an approved location.
4. The Contractor shall report all members of the media visits to the Resident Engineer as quickly as possible, so that the City's Public Information Officer can meet with the members of the media at the construction site(s).
5. If the City allows members of the media to access a construction site, the Contractor shall allow the City to escort the media representatives while they are on the construction site and shall ensure their safety.
6. The Contractor shall require media representatives to sign in and out of the Site Visitor Log and to use Personal Protective Equipment.
7. The Contractor has a right to speak to members of the media about its company and its role on the project. All other questions shall be referred to the City.

7-16.7 Exclusive Community Liaison Services.

If directed to conduct Exclusive Community Liaison Services, the Contractor shall retain an Exclusive Community Liaison for the Project whose sole responsibilities will be as follows:

1. Develop a contact list of community, tenants, property owners, and agencies with a stake in the project.
2. Notify businesses, institutions, property owners, and residents of the commencement of construction activities and utility service interruptions not less than 5 days in advance.
3. Coordinate access for vehicular and pedestrian traffic to businesses, institutions and residences impacted by the Project.
4. Prepare and present of materials in coordination with the Resident Engineer (the City's standards and guidelines for the communication materials are available for review by Bidders by sending a request to the Contract Specialist).

5. Respond to community questions and complaints related to Contractor activities.
6. Write, edit, update, or produce brochures, pamphlets and news releases.
7. Provide standard telephone inquiries and e-mail responses:
 - a) Respond to telephone calls and e-mails from the public.
 - b) Record calls and e-mails on the City's SDSShare site.
8. Report Exclusive Community Liaison activities at all progress meetings scheduled by the Resident Engineer.
9. Attendance at pre-construction, community and stakeholders meetings.

7-16.7.1 Exclusive Community Liaison Work Plan. The Work plan for the Exclusive Community Liaison shall address the items of Work specified in these specifications. Present your Exclusive Community Liaison and submit your exclusive community outreach plan (in writing) **as specified** within 15 days of the Award of the Contract.

7-16.8 Payment. The Payment for the community outreach and public notices is included in the various Bid items. The payment for exclusive community liaison is in the bid item for "Exclusive Community Liaison Services" when provided as a separate Bid item." If no Bid item has been provided the payment is included in the various Bid items.

7-20 ELECTRONIC COMMUNICATION. ADD the following:

Virtual Project Manager will be used on this contract.

SECTION 8 - FACILITIES FOR AGENCY PERSONNEL

8-2 FIELD OFFICE FACILITIES. To the City Supplement, DELETE in its entirety.

SECTION 9 - MEASUREMENT AND PAYMENT

9-3.2.5 Withholding of Payment. To the City Supplement, item i), DELETE in its entirety and SUBSTITUTE with the following:

- i) Your failure to comply with 7-2.3, "PAYROLL RECORDS" and 2-16, "CONTRACTOR REGISTRATION AND ELECTRONIC REPORTING SYSTEM."

ADD:

9-3.7 Compensation Adjustments for Price Index Fluctuations. This Contract is not subject to the provisions of The WHITEBOOK for Compensation Adjustments for Price Index Fluctuations for the paving asphalt.

SECTION 203 – BITUMINOUS MATERIALS

203-15 RUBBER POLYMER MODIFIED SLURRY (RPMS). To the City Supplement, CORRECT section numbering as follows:

OLD SECTION NUMBER	TITLE	NEW SECTION NUMBER
203-15	RUBBER POLYMER MODIFIED SLURRY (RPMS)	203-16
203-15.1	General	203-16.1
203-15.2	Materials	203-16.2
203-15.3	Composition and Grading	203-16.3
203-15.4	Mix Design	203-16.4

ADD the following:

RPMS shall be used on this contract.

SECTION 207 – PIPE

207-27 FUSIBLE NON-PRESSURE POLYVINYLCHLORIDE PIPE. DELETE in its entirety.

SECTION 300 – EARTHWORK

300-1.4 Payment. To the City Supplement, paragraph (2), DELETE in its entirety and SUBSTITUTE with the following:

2. Payment for existing pavement removal and disposal of up to 12” thick, within the excavation e.g., trench limits, shall be included in the Bid item for installation of the mains or the Work item that requires pavement removal.

SECTION 302 – ROADWAY SURFACING

302-3 PREPARATORY REPAIR WORK. To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

302-3 PREPARATORY REPAIR WORK.

1. Prior to roadway resurfacing or the application of slurry, the Contractor shall complete all necessary preparation and repair work to the road segment e.g., tree trimming, weed spray, weed abatement, crack sealing, asphalt repair, hump removal, miscellaneous asphalt patching, removal of raised pavement markers, removal of pavement markings, etc. and as specified in the Special Provisions.

2. Preparatory work shall include, but not be limited to, tree trimming, weed spray, weed abatement, crack sealing, asphalt repair i.e., mill and pave, hump removal, miscellaneous asphalt patching, removal of raised pavement markers, removal of pavement markings, etc.
3. The Contractor shall repair areas of distressed asphalt concrete pavement by milling or removing damaged areas of pavement to a minimum depth of 2” for Residential streets, and a minimum depth of 3” for all others to expose firm and unyielding pavement. The Contractor shall prepare subgrade as needed and install a minimum of 2” for residential streets, and a minimum of 3” for all others, of compacted asphalt concrete pavement over compacted native material as directed by the Engineer.
4. If, in order to achieve the minimum specified depth, the base material is exposed, the material shall be compacted to 95% relative compaction to a depth 10” below the finished grade (dig out). Compaction tests shall be made to ensure compliance with the specifications. The Engineer will determine when and where the test will occur. The City will pay for the soils testing required by the Engineer, which meets the required compaction. The Contractor shall reimburse the City for the cost of retesting failing compaction tests. If additional base material is required, the Contractor shall use Class 2 Aggregate Base in accordance with 200-2.2, “Crushed Aggregate Base.”
5. Recycled base material shall conform to Crushed Miscellaneous Base Material in accordance with 200-2.4, “Crushed Miscellaneous Aggregate Base.”
6. Prior to replacing asphalt, the area shall be cleaned by removing all loose and damaged material, moisture, dirt, and other foreign matter and shall be tack coated in accordance with 302-5.4 “Tack Coat.”
7. The Contractor shall install new asphalt within the repair area or for patches in accordance with 302-5, “ASPHALT CONCRETE PAVEMENT.” Asphalt concrete shall be C2-PG 64-10 in compliance with 400-4, “ASPHALT CONCRETE.”
8. No preparatory asphalt work shall be done when the atmospheric temperature is below 50 °F or during unsuitable weather.
9. Following the asphalt placement, the Contractor shall roll the entire area of new asphalt in both directions at least twice. The finished patch shall be level and smooth in compliance with 302-5.6.2 “Density and Smoothness.” After placement and compaction of the asphalt patch, the Contractor shall seal all finished edges with a 4” wide continuous band of SS-1H.
10. The minimum dimension for each individual repair shall be 4’ x 4’ and shall be subject to the following conditions:
 - a) If the base material is exposed to achieve the required minimum removal thickness, the base material shall be prepared conforming to 301-1, “SUBGRADE PREPARATION.”

- b) When additional base material is required, then the contractor shall use Class 2 Aggregate Base in accordance with 200-2.2, “Crushed Aggregate Base.” Recycled base material shall conform to Crushed Miscellaneous Base Material in accordance with 200-2.4, “Crushed Miscellaneous Base.”
- c) The Contractor may use grinding as a method for removal of deteriorated pavement when the areas indicated for removal are large enough (a minimum of the machine drum width) and when approved by the Engineer.
- d) For both scheduled and unscheduled base repairs, failed areas may be removed by milling or by excavation provided that the edges are cut cleanly with a saw. The areas shall be cleaned and tack coated in accordance with 302-5.4, “Tack Coat” before replacing the asphalt. The areas for scheduled repairs have been marked on the street.

302-3.1 Asphalt Patching.

- 1. Asphalt patching shall consist of patching potholes, gutter-line erosion, and other low spots in the pavement that are deeper than ½” per 302-5.6.2, “Density and Smoothness.” These areas are generally smaller and more isolated than those areas in need of mill and pave.
- 2. The areas requiring patching have been identified in the Contract Documents, marked on the streets, or as directed by the Engineer. The Contractor shall identify any new areas that may require patching prior to slurry work to ensure the smoothness and quality of the finished product.
- 3. The Contractor shall identify and repair any areas that may require patching, prior to the placement of slurry seal for smooth finished product.
- 4. Asphalt overlay shall not be applied over deteriorated pavement. Preparatory asphalt work shall be completed and approved by the Engineer before proceeding with asphalt overlay.
- 5. The Contractor shall remove distressed asphalt pavement either by saw cutting or milling, to expose firm and unyielding pavement; prepare subgrade (as needed); and install compacted asphalt concrete pavement over compacted native material as directed by the Engineer.
- 6. Prior to replacing asphalt, the area shall be cleaned and tack coated per 302-5.4, “Tack Coat”.
- 7. Following the asphalt placement, the Contractor shall roll the entire patch in both directions covering the patch at least twice.
- 8. After placement and compaction of the asphalt patch, the Contractor shall seal all finished edges with a 4” wide continuous band of SS-1H.
- 9. Base repairs shall not exceed 20% RAP in content.

302-3.2 Payment.

1. Payment for replacement of existing pavement when required shall be included in the unit bid price for Asphalt Pavement repair for the total area replaced and no additional payment shall be made regardless of the number of replacements completed. No payment shall be made for areas of over excavation or outside trench areas in utility works unless previously approved by the Engineer. No payment for pavement replacement will be made when the damage is due to the Contractor's failure to protect existing improvements. The Contractor shall reimburse the City for the cost of retesting all failing compaction tests.
2. The areas and quantities shown on the road segments and in appendices are given only for the Contractor's aid in planning the Work and preparing Bids. The Engineer will designate the limits to be removed and these designated areas shall be considered to take precedent over the area shown in an Appendix to the Contract Documents. The quantities shown in the appendices are based on a street assessment survey and may vary.
3. At the end of each day, the Contractor shall submit to the Engineer an itemized list of the asphalt pavement repair work completed. The list shall include the location of the work and the exact square footage of the repair.
4. Preparatory repair work and tack coating will be paid at the Contract unit price per ton for Asphalt Pavement Repair. No payment shall be made for areas of over excavation unless previously approved by the Engineer.
5. Milling shall be included in the Bid item for Asphalt Pavement Repair unless separate Bid item has been provided.
6. Payment for miscellaneous asphalt patching shall be included in the Contract unit price for slurry and no additional payment shall be made therefore.

302-5.1.1 Damaged AC Pavement Replacement. To the City Supplement, DELETE in its entirety.

302-5.1.2 Measurement and Payment. To the City Supplement, DELETE in its entirety.

302-5.2.1 Measurement and Payment. To the City Supplement, item c), ADD the following:

Imported Subgrade material shall be paid per bid item "Imported Backfill".

SECTION 306 – UNDERGROUND CONDUIT CONSTRUCTION

306-1 OPEN TRENCH OPERATIONS. To the City Supplement, CORRECT certain section numbering as follows:

OLD SECTION NUMBER	TITLE	NEW SECTION NUMBER
306-1.8	House Connection Sewer (Laterals) and Cleanouts	306-1.9

OLD SECTION NUMBER	TITLE	NEW SECTION NUMBER
306-1.7.1	Payment	306-1.9.1
306-1.7.2	Sewer Lateral with Private Replumbing	306-1.9.2
306-1.7.2.1	Location	306-1.9.2.1
306-1.7.2.2	Permits	306-1.9.2.2
306-1.7.2.3	Submittals	306-1.9.2.3
306-1.7.2.4	Trenchless Construction	306-1.9.2.4
306-1.7.2.5	Payment	306-1.9.2.5
306-1.7.3.6	Private Pump Installation	306-1.9.2.6
306-1.7.3.7	Payment	306-1.9.2.7

ADD:

306-1.4.8 Television Sewer Mains and Storm Drains.

The Contractor, in cooperation with the Engineer, shall televise the new sewer mains and storm drains. New sewer mains and storm drains shall be inspected by closed circuit television after completion of trench backfill and finished grading.

306-1.6 Basis of Payment for Open Trench Installations. ADD the following:

Payment for imported backfill when the Contractor elects to import material from a source outside the project limits and when authorized by the Engineer shall be included in the Bid unit price for Imported Backfill. The price shall include the removal and disposal of unsuitable materials.

SECTION 308 – LANDSCAPE AND IRRIGATION INSTALLATION

308-7 PAYMENT. ADD the following:

Work related to tree maintenance shall be included in the Bid items as follows:

- Tree Trimming (EA)
- Root Pruning (EA)
- Root Barrier (EA)

308-8 PAYMENT. To the City Supplement, DELETE in its entirety.

SECTION 700 – EXTENDED REVEGETATION, MAINTENANCE, AND MONITORING

700-1.7.2 Project Biologist. To the City Supplement, ADD the following:

1. **Unless specified otherwise,** the Contractor shall retain a qualified Project Biologist to perform Biological Monitoring work. The Contractor shall submit copies of the Biologist qualifications as noted in section 700.1.1 and obtain the Engineer’s approval prior to the Pre-construction Meeting and provide references for at least 1 successfully completed project of similar size and complexity in Southern California. If the proposed Project biologist is not approved the Contractor shall submit and obtain approval of an alternate Project Biologist at no additional cost to the City prior to the start of the Construction Work subject to the process under Public Contract Code Section 4107. Once approved, the Project Biologist shall attend the Pre-construction Meeting to coordinate the biological impact and revegetation portion of the Project.

SECTION 705 – WATER DISCHARGES

705-2.6.1 General. Paragraph (3), CORRECT reference to Section 803 to read “Section 703.”

705-2.6.3 Community Health and Safety Plan. To the City Supplement, DELETE in its entirety and SUBSTITUTE with the following:

705-2.6.3 Community Health and Safety Plan. See 703-2, “Community Health and Safety Plan.”

SECTION 707 – RESOURCE DISCOVERIES

ADD:

707-1.1 Environmental Document. The City of San Diego Environmental Analysis Section (EAS) of the Development Services Department has prepared a **Notice of Exemption** for **Mobley St. (2764) Storm Drain Replacement**, as referenced in the Contract Appendix. You must comply with all requirements of the Notice of Exemption as set forth in the Contract Appendix A.

Compliance with the City’s environmental document is included in the various Bid items, unless a bid item has been provided.

END OF SUPPLEMENTARY SPECIAL PROVISIONS (SSP)

SUPPLEMENTARY SPECIAL PROVISIONS

APPENDICES

APPENDIX A
NOTICE OF EXEMPTION

NOTICE OF EXEMPTION

(Check one or both)

TO: X RECORDER/COUNTY CLERK
P.O. BOX 1750, MS A-33
1600 PACIFIC HWY, ROOM 260
SAN DIEGO, CA 92101-2422
OFFICE OF PLANNING AND RESEARCH
1400 TENTH STREET, ROOM 121
SACRAMENTO, CA 95814

FROM: CITY OF SAN DIEGO
DEVELOPMENT SERVICES DEPARTMENT
1222 FIRST AVENUE, MS 501
SAN DIEGO, CA 92101

PROJECT NO.: WBS# B-12032.02.06

PROJECT TITLE: MOBLEY ST (2764) STORM DRAIN REPLACEMENT

PROJECT LOCATION-SPECIFIC: In the back yards of the properties at 2764 and 2754 Mobley Street, San Diego, CA 92123, in the Serra Mesa Community Plan area, in Council District 7.

PROJECT LOCATION-CITY/COUNTY: San Diego/San Diego

DESCRIPTION OF NATURE AND PURPOSE OF THE PROJECT: The project will consist of the removal of 75 linear feet of 18" wide corrugated metal pipe, a cleanout, and an existing headwall, and replacement in-place with new 18" reinforced concrete piping, a concrete energy dissipater, rip-rap, and a new cleanout. The rip-rap will be located at or slightly uphill from the location of the existing headwall, to avoid impacting any jurisdictional resources that may be located below the current outfall. The ground to be disturbed is eroded earth which is considered Type IV habitat by the biological resources report which studied this project. The project will require the clearing and grubbing of non-native invasive vegetation in the project area, and will only employ hand tools and small machinery. Access to the project will be through the side yard of the residence at 2754 Mobley Street within an existing 10-foot access easement. The construction corridor will be 25 feet wide, 12.5 feet horizontally from the centerline of the existing pipeline alignment, with the exception of an area that will bulb out 23 feet to the north, near the downhill extent of the project.

The existing pipeline has failed, resulting in erosion of the backyards of the properties located at 2754 and 2764 Mobley Street. All staging activities would occur within the developed public right-of-way on Mobley Street. Construction will only occur outside of the general avian breeding season (which runs from January 15 through September 15, annually). Within 90 days of the completion of construction, the project will revegetate exposed graded, disturbed and eroded soils within the project area. This project will implement best management practices required in sections 7-10.7.2, 700-1.2-4, and 701-13.9.1 of the city's White Book: http://www.sandiego.gov/publicworks/pdf/whitebook120627.pdf

NAME OF PUBLIC AGENCY APPROVING PROJECT: City of San Diego

NAME OF PERSON OR AGENCY CARRYING OUT PROJECT: City of San Diego, E&CP Dept/Mastaneh Ashrafzadeh
525 B Street, Suite 750 (MS 908A)
San Diego, CA 92101
(619) 533- 5457

EXEMPT STATUS: (CHECK ONE)

- () MINISTERIAL (SEC. 21080(b)(1); 15268);
(X) CATEGORICAL EXEMPTION: §15301(B) [EXISTING FACILITIES], &15302(C) [REPLACEMENT or RECONSTRUCTION]
() STATUTORY EXEMPTIONS:

REASONS WHY PROJECT IS EXEMPT: The City of San Diego conducted an environmental review and determined the project meets the categorical exemption criteria set forth in the CEQA State Guidelines §15301(B) [EXISTING FACILITIES] which allows for the repair, maintenance, and alteration of existing public facilities, including those of publicly owned utilities, involving negligible or no expansion of use beyond that existing at the time of the lead agency's determination; and §15302(C) [Replacement or Reconstruction] which allows for the replacement of existing structures and facilities where the new structure will be located on the same site as the structure replaced and will have substantially the same purpose and capacity as the structure being replaced. The project does not trigger any of the exceptions to categorical exemptions found in State CEQA Guideline §15300.2.

LEAD AGENCY CONTACT PERSON: ANNA L. MCPHERSON AICP

TELEPHONE: (619) 446-5276

IF FILED BY APPLICANT:

- 1. ATTACH CERTIFIED DOCUMENT OF EXEMPTION FINDING.
2. HAS A NOTICE OF EXEMPTION BEEN FILED BY THE PUBLIC AGENCY APPROVING THE PROJECT?

() YES () NO

IT IS HEREBY CERTIFIED THAT THE CITY OF SAN DIEGO HAS DETERMINED THE ABOVE ACTIVITY TO BE EXEMPT FROM CEQA

Amah. McMuraw / Senior Planner

FEBRUARY 19, 2014

SIGNATURE/TITLE

DATE

CHECK ONE:

(X) SIGNED BY LEAD AGENCY

DATE RECEIVED FOR FILING WITH COUNTY CLERK OR OPR:

APPENDIX A (PAGE 3)

“MHPA Land Use Agency Guidelines”

The contractor shall ensure that construction activities will avoid impacts to the adjacent Multi-Habitat Planning Area (MHPA). The following project features as identified in the Land Use Adjacency Guidelines of the Multi-Habitat Planning Area (MHPA) under the San Diego Multi-species Conservation Program shall be adhered to in order to avoid potential impacts to migratory birds, federal ESA-listed species, and water quality, as follows:

1. The Contractor shall avoid night time work that would require using lighting equipment.
2. The Contractor shall implement appropriate Storm Water Best Management Practices to control erosion and sediment and direct drainage away from the MHPA.
3. Staging areas for work occurring in paved right-of-ways shall be located in those right-of-ways and not on unpaved or natural areas.
4. Staging areas for work occurring in private property shall be located on adjacent City streets.

APPENDIX B
FIRE HYDRANT METER PROGRAM

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 1 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

1. **PURPOSE**

- 1.1 To establish a Departmental policy and procedure for issuance, proper usage and charges for fire hydrant meters.

2. **AUTHORITY**

- 2.1 All authorities and references shall be current versions and revisions.
- 2.2 San Diego Municipal Code (NC) Chapter VI, Article 7, Sections 67.14 and 67.15
- 2.3 Code of Federal Regulations, Safe Drinking Water Act of 1986
- 2.4 California Code of Regulations, Titles 17 and 22
- 2.5 California State Penal Code, Section 498B.0
- 2.6 State of California Water Code, Section 110, 500-6, and 520-23
- 2.7 Water Department Director

Reference

- 2.8 State of California Guidance Manual for Cross Connection Programs
- 2.9 American Water Works Association Manual M-14, Recommended Practice for Backflow Prevention
- 2.10 American Water Works Association Standards for Water Meters
- 2.11 U.S.C. Foundation for Cross Connection Control and Hydraulic Research Manual

3. **DEFINITIONS**

- 3.1 **Fire Hydrant Meter:** A portable water meter which is connected to a fire hydrant for the purpose of temporary use. (These meters are sometimes referred to as Construction Meters.)

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 2 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

- 3.2 **Temporary Water Use:** Water provided to the customer for no longer than twelve (12) months.
- 3.3 **Backflow Preventor:** A Reduced Pressure Principal Assembly connected to the outlet side of a Fire Hydrant Meter.

4. **POLICY**

- 4.1 The Water Department shall collect a deposit from every customer requiring a fire hydrant meter and appurtenances prior to providing the meter and appurtenances (see Section 7.1 regarding the Fees and Deposit Schedule). The deposit is refundable upon the termination of use and return of equipment and appurtenances in good working condition.
- 4.2 Fire hydrant meters will have a 2 ½" swivel connection between the meter and fire hydrant. The meter shall not be connected to the 4" port on the hydrant. All Fire Hydrant Meters issued shall have a Reduced Pressure Principle Assembly (RP) as part of the installation. Spanner wrenches are the only tool allowed to turn on water at the fire hydrant.
- 4.3 The use of private hydrant meters on City hydrants is prohibited, with exceptions as noted below. All private fire hydrant meters are to be phased out of the City of San Diego. All customers who wish to continue to use their own fire hydrant meters must adhere to the following conditions:
 - a. Meters shall meet all City specifications and American Water Works Association (AWWA) standards.
 - b. Customers currently using private fire hydrant meters in the City of San Diego water system will be allowed to continue using the meter under the following conditions:
 - 1. The customer must submit a current certificate of accuracy and calibration results for private meters and private backflows annually to the City of San Diego, Water Department, Meter Shop.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 3 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

2. The meter must be properly identifiable with a clearly labeled serial number on the body of the fire hydrant meter. The serial number shall be plainly stamped on the register lid and the main casing. Serial numbers shall be visible from the top of the meter casing and the numbers shall be stamped on the top of the inlet casing flange.
3. All meters shall be locked to the fire hydrant by the Water Department, Meter Section (see Section 4.7).
4. All meters shall be read by the Water Department, Meter Section (see Section 4.7).
5. All meters shall be relocated by the Water Department, Meter Section (see Section 4.7).
6. These meters shall be tested on the anniversary of the original test date and proof of testing will be submitted to the Water Department, Meter Shop, on a yearly basis. If not tested, the meter will not be allowed for use in the City of San Diego.
7. All private fire hydrant meters shall have backflow devices attached when installed.
8. The customer must maintain and repair their own private meters and private backflows.
9. The customer must provide current test and calibration results to the Water Department, Meter Shop after any repairs.
10. When private meters are damaged beyond repair, these private meters will be replaced by City owned fire hydrant meters.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 4 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

11. When a private meter malfunctions, the customer will be notified and the meter will be removed by the City and returned to the customer for repairs. Testing and calibration results shall be given to the City prior to any re-installation.
 12. The register shall be hermetically sealed straight reading and shall be readable from the inlet side. Registration shall be in hundred cubic feet.
 13. The outlet shall have a 2 ½ “National Standards Tested (NST) fire hydrant male coupling.
 14. Private fire hydrant meters shall not be transferable from one contracting company to another (i.e. if a company goes out of business or is bought out by another company).
- 4.4 All fire hydrant meters and appurtenances shall be installed, relocated and removed by the City of San Diego, Water Department. All City owned fire hydrant meters and appurtenances shall be maintained by the City of San Diego, Water Department, Meter Services.
- 4.5 If any fire hydrant meter is used in violation of this Department Instruction, the violation will be reported to the Code Compliance Section for investigation and appropriate action. Any customer using a fire hydrant meter in violation of the requirements set forth above is subject to fines or penalties pursuant to the Municipal Code, Section 67.15 and Section 67.37.

4.6 Conditions and Processes for Issuance of a Fire Hydrant Meter

Process for Issuance

- a. Fire hydrant meters shall only be used for the following purposes:
 1. Temporary irrigation purposes not to exceed one year.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 5 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

2. Construction and maintenance related activities (see Tab 2).
 - b. No customer inside or outside the boundaries of the City of San Diego Water Department shall resell any portion of the water delivered through a fire hydrant by the City of San Diego Water Department.
 - c. The City of San Diego allows for the issuance of a temporary fire hydrant meter for a period not to exceed 12 months (365 days). An extension can only be granted in writing from the Water Department Director for up to 90 additional days. A written request for an extension by the consumer must be submitted at least 30 days prior to the 12 month period ending. No extension shall be granted to any customer with a delinquent account with the Water Department. No further extensions shall be granted.
 - d. Any customer requesting the issuance of a fire hydrant meter shall file an application with the Meter Section. The customer must complete a "Fire Hydrant Meter Application" (Tab 1) which includes the name of the company, the party responsible for payment, Social Security number and/or California ID, requested location of the meter (a detailed map signifying an exact location), local contact person, local phone number, a contractor's license (or a business license), description of specific water use, duration of use at the site and full name and address of the person responsible for payment.
 - e. At the time of the application the customer will pay their fees according to the schedule set forth in the Rate Book of Fees and Charges, located in the City Clerk's Office. All fees must be paid by check, money order or cashiers check, made payable to the City Treasurer. Cash will not be accepted.
 - f. No fire hydrant meters shall be furnished or relocated for any customer with a delinquent account with the Water Department.
 - g. After the fees have been paid and an account has been created, the

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 6 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

meter shall be installed within 48 hours (by the second business day). For an additional fee, at overtime rates, meters can be installed within 24 hours (within one business day).

4.7 Relocation of Existing Fire Hydrant Meters

- a. The customer shall call the Fire Hydrant Meter Hotline (herein referred to as “Hotline”), a minimum of 24 hours in advance, to request the relocation of a meter. A fee will be charged to the existing account, which must be current before a work order is generated for the meter’s relocation.
- b. The customer will supply in writing the address where the meter is to be relocated (map page, cross street, etc). The customer must update the original Fire Hydrant Meter Application with any changes as it applies to the new location.
- c. Fire hydrant meters shall be read on a monthly basis. While fire hydrant meters and backflow devices are in service, commodity, base fee and damage charges, if applicable, will be billed to the customer on a monthly basis. If the account becomes delinquent, the meter will be removed.

4.8 Disconnection of Fire Hydrant Meter

- a. After ten (10) months a “Notice of Discontinuation of Service” (Tab 3) will be issued to the site and the address of record to notify the customer of the date of discontinuance of service. An extension can only be granted in writing from the Water Department Director for up to 90 additional days (as stated in Section 4.6C) and a copy of the extension shall be forwarded to the Meter Shop Supervisor. If an extension has not been approved, the meter will be removed after twelve (12) months of use.
- b. Upon completion of the project the customer will notify the Meter Services office via the Hotline to request the removal of the fire hydrant meter and appurtenances. A work order will be generated

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 7 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

for removal of the meter.

- c. Meter Section staff will remove the meter and backflow prevention assembly and return it to the Meter Shop. Once returned to the Meter Shop the meter and backflow will be tested for accuracy and functionality.
- d. Meter Section Staff will contact and notify Customer Services of the final read and any charges resulting from damages to the meter and backflow or its appurtenance. These charges will be added on the customer's final bill and will be sent to the address of record. Any customer who has an outstanding balance will not receive additional meters.
- e. Outstanding balances due may be deducted from deposits and any balances refunded to the customer. Any outstanding balances will be turned over to the City Treasurer for collection. Outstanding balances may also be transferred to any other existing accounts.

5. **EXCEPTIONS**

- 5.1 Any request for exceptions to this policy shall be presented, in writing, to the Customer Support Deputy Director, or his/her designee for consideration.

6. **MOBILE METER**

- 6.1 Mobile meters will be allowed on a case by case basis. All mobile meters will be protected by an approved backflow assembly and the minimum requirement will be a Reduced Pressure Principal Assembly. The two types of Mobile Meters are vehicle mounted and floating meters. Each style of meters has separate guidelines that shall be followed for the customer to retain service and are described below:

- a) **Vehicle Mounted Meters:** Customer applies for and receives a City owned Fire Hydrant Meter from the Meter Shop. The customer mounts the meter on the vehicle and brings it to the Meter Shop for

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 8 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

inspection. After installation is approved by the Meter Shop the vehicle and meter shall be brought to the Meter Shop on a monthly basis for meter reading and on a quarterly basis for testing of the backflow assembly. Meters mounted at the owner's expense shall have the one year contract expiration waived and shall have meter or backflow changed if either fails.

b) **Floating Meters:** Floating Meters are meters that are not mounted to a vehicle. **(Note: All floating meters shall have an approved backflow assembly attached.)** The customer shall submit an application and a letter explaining the need for a floating meter to the Meter Shop. The Fire Hydrant Meter Administrator, after a thorough review of the needs of the customer, (i.e. number of jobsites per day, City contract work, lack of mounting area on work vehicle, etc.), may issue a floating meter. At the time of issue, it will be necessary for the customer to complete and sign the "Floating Fire Hydrant Meter Agreement" which states the following:

- 1) The meter will be brought to the Meter Shop at 2797 Caminito Chollas, San Diego on the third week of each month for the monthly read by Meter Shop personnel.
- 2) Every other month the meter will be read and the backflow will be tested. This date will be determined by the start date of the agreement.

If any of the conditions stated above are not met the Meter Shop has the right to cancel the contract for floating meter use and close the account associated with the meter. The Meter Shop will also exercise the right to refuse the issuance of another floating meter to the company in question.

Any Fire Hydrant Meter using reclaimed water shall not be allowed use again with any potable water supply. The customer shall incur the cost of replacing the meter and backflow device in this instance.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 9 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

7. **FEE AND DEPOSIT SCHEDULES**

7.1 **Fees and Deposit Schedules:** The fees and deposits, as listed in the Rate Book of Fees and Charges, on file with the Office of the City Clerk, are based on actual reimbursement of costs of services performed, equipment and materials. These deposits and fees will be amended, as needed, based on actual costs. Deposits, will be refunded at the end of the use of the fire hydrant meter, upon return of equipment in good working condition and all outstanding balances on account are paid. Deposits can also be used to cover outstanding balances.

All fees for equipment, installation, testing, relocation and other costs related to this program are subject to change without prior notification. The Mayor and Council will be notified of any future changes.

8. **UNAUTHORIZED USE OF WATER FROM A HYDRANT**

8.1 Use of water from any fire hydrant without a properly issued and installed fire hydrant meter is theft of City property. Customers who use water for unauthorized purposes or without a City of San Diego issued meter will be prosecuted.

8.2 If any unauthorized connection, disconnection or relocation of a fire hydrant meter, or other connection device is made by anyone other than authorized Water Department personnel, the person making the connection will be prosecuted for a violation of San Diego Municipal Code, Section 67.15. In the case of a second offense, the customer's fire hydrant meter shall be confiscated and/or the deposit will be forfeited.

8.3 Unauthorized water use shall be billed to the responsible party. Water use charges shall be based on meter readings, or estimates when meter readings are not available.

8.4 In case of unauthorized water use, the customer shall be billed for all applicable charges as if proper authorization for the water use had been obtained, including but not limited to bi-monthly service charges, installation charges and removal charges.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 10 OF 10	EFFECTIVE DATE October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

- 8.5 If damage occurs to Water Department property (i.e. fire hydrant meter, backflow, various appurtenances), the cost of repairs or replacements will be charged to the customer of record (applicant).

**Larry Gardner
Water Department Director**

- Tabs: 1. Fire Hydrant Meter Application
2. Construction & Maintenance Related Activities With No Return To Sewer
3. Notice of Discontinuation of Service

APPENDIX

Administering Division: Customer Support Division

Subject Index: Construction Meters
Fire Hydrant
Fire Hydrant Meter Program
Meters, Floating or Vehicle Mounted
Mobile Meter
Program, Fire Hydrant Meter

Distribution: DI Manual Holders



Application for Fire Hydrant Meter (EXHIBIT A)

(For Office Use Only)

NS REQ	FAC#
DATE	BY

METER SHOP (619) 527-7449

Meter Information

Application Date	Requested Install Date:
------------------	-------------------------

Fire Hydrant Location: (Attach Detailed Map//Thomas Bros. Map Location or Construction drawing.) <u>Zip:</u>	T.B.	G.B. (CITY USE)
Specific Use of Water:		
Any Return to Sewer or Storm Drain, if so, explain:		
Estimated Duration of Meter Use: <input type="text"/>	<input type="checkbox"/>	Check Box if Reclaimed Water

Company Information

Company Name:			
Mailing Address:			
City:	State:	Zip:	Phone: ()
*Business license#		*Contractor license#	
A Copy of the Contractor's license OR Business License is required at the time of meter issuance.			
Name and Title of Billing Agent: <small>(PERSON IN ACCOUNTS PAYABLE)</small>			Phone: ()
Site Contact Name and Title:			Phone: ()
Responsible Party Name:			Title:
Cal ID#			Phone: ()
Signature:		Date:	
<small>Guarantees Payment of all Charges Resulting from the use of this Meter. Insures that employees of this Organization understand the proper use of Fire Hydrant Meter</small>			

Fire Hydrant Meter Removal Request	Requested Removal Date:
Provide Current Meter Location if Different from Above:	
Signature:	Title: Date:
Phone: ()	Pager: ()

<input type="checkbox"/>	City Meter	<input type="checkbox"/>	Private Meter
Contract Acct #:		Deposit Amount: \$ 936.00	Fees Amount: \$ 62.00
Meter Serial #		Meter Size: 05	Meter Make and Style: 6-7
Backflow #		Backflow Size:	Backflow Make and Style:
Name:		Signature:	Date:

WATER USES WITHOUT ANTICIPATED CHARGES FOR RETURN TO SEWER

Auto Detailing
Backfilling
Combination Cleaners (Vactors)
Compaction
Concrete Cutters
Construction Trailers
Cross Connection Testing
Dust Control
Flushing Water Mains
Hydro Blasting
Hydro Seeing
Irrigation (for establishing irrigation only; not continuing irrigation)
Mixing Concrete
Mobile Car Washing
Special Events
Street Sweeping
Water Tanks
Water Trucks
Window Washing

Note:

1. If there is any return to sewer or storm drain, then sewer and/or storm drain fees will be charges.

Date

Name of Responsible Party
Company Name and Address
Account Number: _____

Subject: Discontinuation of Fire Hydrant Meter Service

Dear Water Department Customer:

The authorization for use of Fire Hydrant Meter # _____, located at (*Meter Location Address*) ends in 60 days and will be removed on or after (*Date Authorization Expires*). Extension requests for an additional 90 days must be submitted in writing for consideration 30 days prior to the discontinuation date. If you require an extension, please contact the Water Department, or mail your request for an extension to:

City of San Diego
Water Department
Attention: Meter Services
2797 Caminito Chollas
San Diego, CA 92105-5097

Should you have any questions regarding this matter, please call the Fire Hydrant Hotline at (619) _____ - _____.

Sincerely,

Water Department

APPENDIX C

MATERIALS TYPICALLY ACCEPTED BY CERTIFICATE OF COMPLIANCE

Materials Typically Accepted by Certificate of Compliance

1. Soil amendment
2. Fiber mulch
3. PVC or PE pipe up to 16 inch diameter
4. Stabilizing emulsion
5. Lime
6. Preformed elastomeric joint seal
7. Plain and fabric reinforced elastomeric bearing pads
8. Steel reinforced elastomeric bearing pads
9. Waterstops (Special Condition)
10. Epoxy coated bar reinforcement
11. Plain and reinforcing steel
12. Structural steel
13. Structural timber and lumber
14. Treated timber and lumber
15. Lumber and timber
16. Aluminum pipe and aluminum pipe arch
17. Corrugated steel pipe and corrugated steel pipe arch
18. Structural metal plate pipe arches and pipe arches
19. Perforated steel pipe
20. Aluminum underdrain pipe
21. Aluminum or steel entrance tapers, pipe downdrains, reducers, coupling bands and slip joints
22. Metal target plates
23. Paint (traffic striping)
24. Conductors
25. Painting of electrical equipment
26. Electrical components
27. Engineering fabric
28. Portland Cement
29. PCC admixtures
30. Minor concrete, asphalt
31. Asphalt (oil)
32. Liquid asphalt emulsion
33. Epoxy


APPENDIX D
SAMPLE CITY INVOICE

City of San Diego, Field Engineering Div., 9485 Aero Drive, SD CA 92123						Contractor's Name:					
Project Name:						Contractor's Address:					
Work Order No or Job Order No.											
City Purchase Order No.						Contractor's Phone #:			Invoice No.		
Resident Engineer (RE):						Contractor's Fax #:			Invoice Date:		
RE Phone#:			RE Fax#:			Contact Name:			Billing Period:		
Item #	Item Description	Contract Authorization				Previous Estimate		This Estimate		Totals to Date	
		Unit	Qty	Price	Extension	%/QTY	Amount	% / QTY	Amount	% / QTY	Amount
1	2 Parallel 4" PVC C900	LF	1,380	\$34.00	\$46,920.00						
2	48" Primary Steel Casing	LF	500	\$1,000.00	\$500,000.00						
3	2 Parallel 12" Secondary Steel	LF	1,120	\$53.00	\$59,360.00						
4	Construction and Rehab of PS 49	LS	1	\$150,000.00	\$150,000.00						
5	Demo	LS	1	\$14,000.00	\$14,000.00						
6	Install 6' High Chain Link Fence	LS	1	\$5,600.00	\$5,600.00						
7	General Site Restoration	LS	1	\$3,700.00	\$3,700.00						
8	10" Gravity Sewer	LF	10	\$292.00	\$2,920.00						
9	4" Blow Off Valves	EA	2	\$9,800.00	\$19,600.00						
10	Bonds	LS	1	\$16,000.00	\$16,000.00						
11	Field Orders	AL	1	80,000	\$80,000.00						
11.1	Field Order 1	LS	5,500	\$1.00	\$5,500.00						
11.2	Field Order 2	LS	7,500	\$1.00	\$7,500.00						
11.3	Field Order 3	LS	10,000	\$1.00	\$10,000.00						
11.4	Field Order 4	LS	6,500	\$1.00	\$6,500.00						
12	Certified Payroll	LS	1	\$1,400.00	\$1,400.00						
CHANGE ORDERS											
Change Order 1			4,890								
Items 1-4					\$11,250.00						
Item 5-Deduct Bid Item 3		LF	120	-\$53.00	(\$6,360.00)						
Change Order 2			160,480								
Items 1-3					\$95,000.00						
Item 4 Deduct Bid Item 1		LF	380	-\$340.00	(\$12,920.00)						
Item 5-Encrease bid Item 9		LF	8	\$9,800.00	\$78,400.00						
Change Order 3 (Close Out)			-121,500								
Item 1 Deduct Bid Item 3			53	-500.00	(\$26,500.00)						
Item 2 Deduct Bid Item 4		LS	-1	45,000.00	(\$45,000.00)						
Items 3-9			1	-50,500.00	(\$50,500.00)						
SUMMARY								Total This	\$ -	Total Billed	\$0.00
A. Original Contract Amount						Retention and/or Escrow Payment Schedule					
B. Approved Change Order 1 Thru 3						Total Retention Required as of this billing					
C. Total Authorized Amount (A+B)						Previous Retention Withheld in PO or in Escrow					
D. Total Billed to Date						Add'l Amt to Withhold in PO/Transfer in Escrow:					
E. Less Total Retention (5% of D)						Amt to Release to Contractor from PO/Escrow:					
F. Less Total Previous Payments											
G. Payment Due Less Retention						Contractor Signature and Date:					
H. Remaining Authorized Amount											

APPENDIX E
LOCATION MAP

APPENDIX F
ADJACENT PROJECT

MOBLEY ST (2764) STORM DRAIN REPLACEMENT



Legend

- Mobley St Storm Drain Replacement
- Pipeline Rehab - Phase G-2 (Laterals)
- Pipeline Rehabilitation Phase "F-1"
- Sewer Main Rehab Phase J-1C
- ▲ Block 6Z Serra Mesa - Street Light Design (133 Lights)



THIS MAP/DATA IS PROVIDED WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Note: This product may contain information reproduced with permission granted by RAND MCNALLY & COMPANY to SanGIS. This map is copyrighted by RAND MCNALLY & COMPANY. It is unlawful to copy or reproduce all or any part thereof, whether for personal use or resale, without the prior, written permission of RAND MCNALLY & COMPANY.

APPENDIX G

LONG-TERM REVEGETATION MAINTENANCE AGREEMENT

LONG-TERM REVEGETATION MAINTENANCE AGREEMENT

This Long-Term Revegetation Maintenance Contract (LTRMC) is made and entered into by and between the City of San Diego (City), a municipal corporation, and **INSERT NAME OF CONTRACTOR - TO BE IDENTIFIED AFTER AWARD** (Contractor), who may be individually or collectively referred to herein as a “Party” or the “Parties.”

RECITALS

- A. Concurrent with execution of this LTRMC, the Parties entered into a general contract (Construction Contract) for the construction of **MOBLEY ST. (2764) STORM DRAIN REPLACEMENT** (Project), SAP Number (WBS/IO/CC) **B-12032**, Bid No. **L-15-1200-DBB-1**.
- B. In accordance with the Construction Contract, the Contractor shall enter into this contract with the City for the purpose of implementing and fulfilling long-term revegetation maintenance and monitoring requirements in accordance with the City of San Diego Municipal Code and the Contract Documents for the specified elopement(s) of **MOBLEY ST. (2764) STORM DRAIN REPLACEMENT** (Maintenance Requirements). The performance of the terms of this LTRMC shall commence immediately upon completion of performance of the Construction Contract.
- C. The Contractor is ready and willing to fulfill its maintenance requirements in accordance with the terms of this LTRMC.

NOW, THEREFORE, in consideration of the above recitals and the mutual covenants and conditions set forth herein, and for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby set forth their mutual covenants and understandings as follows:

INTRODUCTORY PROVISIONS

- A. **Recitals Incorporated.** The above referenced Recitals are true and correct and are incorporated into this LTRMC by this reference.
- B. **Exhibits Incorporated.** All Exhibits and Attachments referenced in this LTRMC are incorporated into this LTRMC by this reference.
- C. **Contract Term.** This LTRMC shall be effective upon completion of the Plant Establishment Period as described in SECTION 700 of the Construction Contract, and it shall be effective until completion of the Work, described in Section 1.1 below.
- D. **Terms and Conditions.** This LTRMC is subject to the terms and conditions of the Construction Contract included in The GREENBOOK and The WHITEBOOK i.e., Part 1, Sections 212, 308, and 700 through Section 708 and The WHITEBOOK EOCP Section except as follows.

E. Partial Release of Payment Bond and Performance Bond

- 1. Performance of Contract in Two Phases.** There are two separate phases of work to be performed by the Contractor under this Contract. The first phase covers the work involved in the original agreement as described in this agreement (“Phase 1 Work”). The second phase covers the work involved in the long-term maintenance of the plants contained within the Revegetation Area after Phase 1 Work has been completed (“Phase 2 Work”).
- 2. Bond Handling for Contract Phases.** The Payment Bond and the Performance Bond covering Phase 1 Work on this Contract shall remain in full force and effort until completion of that phase is certified. The original Payment Bond and the original Performance Bond covering Phase 1 Work on this Contract shall continue in full force and effort for Phase 2 Work, however the value of each bond may be reduced as follows:
 - i. Completion by the Contractor of all Phase 1 Work shall be evidenced solely by the City Engineer affirming in writing that to the best of their knowledge that all Phase 1 Work has been completed by the Contractor in strict conformity with all City-approved plans and revisions, and that the Phase 1 Work completed by the Contractor meets all applicable standards (“Notice of Completion”).
 - ii. Upon issuance by the City Engineer of the Notice of Completion for Phase 1 Work, the Payment guarantee provided under the Payment Bond for this Project, and the Performance guarantee provided under the Performance Bond for this Project, may be partially released, and thereby reduced, to an amount sufficient to cover all Phase 2 Work on this Project, with the remaining value of each bond type to be set and maintained through the date of completion of Phase 2 Work at a value not less than _____ Percent (_____%) of the Project's highest bond value for each bond type, but under no circumstances to be reduced to less than the actual cost of completion of all Phase 2 Work for this Project, whichever is higher (“Partial Bond Release”).
- 3. No Partial Release Upon Default.** No Partial Performance Bond Release and Reduction shall be given to the Contractor if the Performance Bond and/or this Agreement is in default.

SECTION 1: MAINTENANCE CONTRACT SUMMARY

- 1.1. General.** The Contractor shall fulfill the Project's Maintenance Requirements (Work) as identified in the scope of work attached as Exhibit A in a manner satisfactory to the City.

The Contractor shall provide all equipment, labor, and materials necessary to perform the **Work** as described in the written in Exhibit A, at the direction of the City.

- 1.2. Work Schedule.** After receiving notification from the City, the Contractor shall create a comprehensive schedule of Work for performance of this LTRMC (Schedule) for the City's approval. The Schedule shall include routine work and inspection and infrequent operations such as repairs, fertilization, aerification, watering, and pruning.

The City will approve the Schedule prior to the commencement of the Work. The City may require the Contractor to revise the Schedule. The Contractor shall not revise the Schedule unless the revisions have received the prior written approval of the City.

- 1.3. Commencement of Work & Maintenance Period.** This LTRMC shall commence when the City approves of the Plant Establishment Period and sends notice of the approval to the Contractor in accordance with SECTION 700 of the Construction Contract and shall continue for 25 months. A copy of the approval form is attached as Exhibit B.

- 1.4. Performance of Work.** The Work shall be performed in accordance with the manufacturer's **recommendations** for each piece of equipment used in performance by the Contractor of this LTRMC.

- 1.5. License.** The Contractor shall hold the following licenses in good standing:

- a) C-27 State Contractor's License. Alternatively, the Contractor shall retain the services of a Subcontractor with a C-27 State Contractor's License.
- b) Pest Control Advisor's License. Alternatively, the Contractor shall retain the services of a licensed Pest Control Advisor.
- c) Registration with the County Agriculture Commission.
- d) Qualified Applicator's Certificate for Category B. This shall apply to any person supervising the use of pesticides, herbicides, or rodenticides.
- e) City of San Diego Business License.

Prior to performing the Work, the Contractor shall complete and submit to the City the License Data Sheet. See Exhibit C.

- 1.6. Hours of Performance.** The Contractor shall perform the Work between the hours of 6:00 a.m. and 6:00 p.m., Monday through Friday (Working Hours). The City may, in its sole discretion, grant permission to Contractor to perform Work during non-Working Hours. Maintenance functions that generate excess noise, e.g., operations of power equipment which would cause annoyance to area residents, shall not begin before 7:00 a.m.

SECTION 2: ADMINISTRATION

- 2.1 Contract Administrator.** The Public Works Department-Engineering and Capital Projects/Right of Way Design Division is the Contract Administrator for the LTRMC. The Contractor shall perform the Work under the direction of a designated representative of the Public Works Department. The City will communicate with the Contractor on all matters related to the administration of this LTRMC and the Contractor's performance of the Work rendered hereunder. When this LTRMC refers to communications to or with City, those communications shall be with the City, unless the City or this LTRMC specifies otherwise. Further, when this LTRMC requires an act or approval by City, that act or approval will be performed by the City.
- 2.2 Local Office.** The Contractor shall maintain a local office with a competent company representative who can be reached during Normal Working Hours and who is authorized to discuss matters pertaining to this LTRMC with the City. A local office is one located in San Diego County that can be reached by telephone and facsimile. An answering service in conjunction with a company email address for the designated company representative would fulfill this requirement. A mobile telephone shall not fulfill the requirement for a local office. All calls to the Contractor from the City shall be returned within a 1-hour period.
- 2.3 Emergency Calls.** The Contractor shall have the capability to receive and to respond immediately to calls of an emergency nature. The City shall refer emergency calls to Contractor for immediate disposition. The Contractor shall provide City with a 24 hour emergency telephone number for this purpose.
- 2.4 Staffing.** The Contractor shall furnish sufficient supervisory and working personnel capable of promptly accomplishing on schedule, and to the satisfaction of City, all Work required under this LTRMC.
- 2.5 Contractor Inspections.** The Contractor shall perform inspections of the Work site and prepare and submit to the City a Punchlist and dates of correction. The Punchlist shall include a comprehensive report of Work performed at the Work site to ensure 100% cover.

PART 3: WORK SITE MAINTENANCE

- 3.1 Use of Chemicals.** The Contractor shall submit to City for approval sample labels and MSDS for all chemical herbicides, rodenticides and pesticides proposed for use under this LTRMC. Materials included shall be limited to chemicals approved by the State of California Department of Agriculture.

The use of any chemical shall be based on the recommendations of a licensed pest control advisor. Annual PCA Pesticide Recommendations are required for each pesticide proposed to be used for the Work site covered by this LTRMC. The use of chemicals shall conform to the current San Diego County Department of Agriculture regulations.

No chemical herbicide, rodenticide, or pesticide shall be applied until its use is approved, in writing, by City as appropriate for the purpose and area proposed.

The Contractor shall submit a monthly pesticide use report to City along with Contractor's invoices for payment. This report shall include a statement of all applications of herbicides, rodenticides, and pesticides, detailing the chemical used, undiluted quantity, rate of application, applicator's name, and the date and purpose of the application. For months in which no pesticides are applied, state "No Pesticide Used" on the report.

- 3.2 Irrigation Water.** The Contractor shall diligently practice water conservation, including minimizing run-off or other waste. The Contractor shall turn off irrigation systems, if any, during periods of rainfall and at such other times when suspension of irrigation is desirable to conserve water and to remain within the guidelines of good horticultural landscape maintenance practices in accordance with instructions from the Project Biologist. The Contractor's failure to properly manage and conserve water may result in deductions from the monthly payment to be made to the Contractor under this LTRMC, or other penalties.

If Contractor causes excessive use or waste of irrigation water, the estimated cost of that water shall be deducted from the monthly payment. Further, any monetary fines or other damages assessed to City for Contractor's failure to follow water conservation regulations imposed by the City, the Public Utilities Department of the City of San Diego, and where appropriate the State of California, the County Water Authority, or other legal entity shall be solely the responsibility of the Contractor, and may be deducted from the monthly payment to be made to the Contractor under this LTRMC.

- 3.3 Payment for Water.** The Contractor shall pay for the water used in the maintenance of the Work site and this cost is included in the price of this LTRMC.
- 3.4 Satisfactory Progression.** If the Revegetation Area is not progressing towards the required 100% Cover, as defined in the Scope of Work, in accordance with the Work Schedule, as determined by City, City may adjust monthly payments to Contractor accordingly.

SECTION 4: COMPENSATION

- 4.1 Maximum Compensation.** The compensation for this LTRMC shall not exceed **\$CONTRACTOR'S LUMP SUM BID AMOUNT FOR THIS LONG-TERM REVEGETATION MAINTENANCE CONTRACT – TO BE ESTABLISHED DURING THE AWARD PROCESS. SEE 2012 WHITEBOOK, SECTION 700-2.15.5** (Contract Price).
- 4.2 Wage Rates.** Refer to the Construction Contract for Prevailing wages requirements for this LTRMC.
- 4.3 Method of Payment and Reports.** The payments will be made monthly in direct proportion that each month bears to the total value of the Contract Price. As conditions precedent to payment, the Contractor shall submit every month a detailed invoice and report of maintenance work performed. The Contractor's failure to submit the required reports or certified payrolls as described in the Construction Contract shall constitute a basis for withholding of payment by the City.
- 4.4 Final Payment.** The Contractor shall not receive the final payment until the following conditions have been completed to the City's satisfaction:

The item(s) of the work subject to this maintenance coverage as specified in Exhibit A (Maintenance Items) have been determined to be in compliance with the Construction Contract and this LTRMC.

The Contractor has provided to the City a signed and notarized Affidavit of Disposal, a copy of which is attached to the Construction Contract, stating that all brush, trash, debris, and surplus materials resulting from the Work have been disposed of in a legal manner.

The Contractor has performed comprehensive and successful testing and checks of the Maintenance Items.

SECTION 5: BONDS AND INSURANCE

5.1 Contract Bonds. Prior to commencement of the Work, Contractor, at its sole cost and expense, shall provide to City the following bonds issued by a surety authorized to issue bonds in California and otherwise satisfactory to City:

A Payment Bond (Material and Labor Bond) in an amount not less than the Contract Price, to satisfy claims of material suppliers and mechanics and laborers employed by it on the Work. The Payment Bond shall be maintained by the Contractor in full force and effect until the Work is accepted by City and until all claims for materials and labor are paid, and shall otherwise comply with the California Civil Code.

A Performance Bond in an amount not less than the Contract Price to guarantee faithful performance of all Work, within the time prescribed, in a manner satisfactory to the City, and that all materials and workmanship will be free from original or developed defects. The Performance Bond shall remain in full force and effect until performance of the Work is completed as set forth in this LTRMC.

5.2 Insurance. At all times during the term of this LTRMC, the Contractor shall maintain insurance coverage as specified in the Construction Contract, Section 7-3, "LIABILITY INSURANCE."

The Contractor shall not begin the Work under this LTRMC until it has complied with the following:

- a) Obtain insurance certificates reflecting evidence of insurance as specified in the Construction Contract, Section 7-3, "LIABILITY INSURANCE" for:
 1. Commercial General Liability
 2. Commercial Automobile Liability
 3. Worker's Compensation
- b) Confirm that all policies contain the specific provisions required in Section 7-3, "LIABILITY INSURANCE."

The Contractor shall submit copies of any policy upon request by the City.

The Contractor shall not modify any policy or endorsement thereto which increases the City's exposure to loss for the duration of this LTRMC.

SECTION 6: MISCELLANEOUS

- 6.1** **Illness and Injury Prevention Program.** The Contractor shall comply with all the mandates of Senate Bill 198 and specifically shall have a written Injury Prevention Program on file with the City in accordance with all applicable standards, orders, or requirements of California Labor Code, Section 6401.7. This Program shall be on file prior to performance of any Work.
- 6.2** **City Standard Provisions.** This LTRMC is subject to the following standard provisions:
1. **WHITEBOOK, Section 7-13.3, Drug-Free Workplace** (As adopted pursuant to City of San Diego Resolution No. R-277952 adopted on May 20, 1991 for a Drug-Free Workplace).
 2. **WHITEBOOK, Section 7-13.2, Americans with Disabilities** (As adopted pursuant to City of San Diego Resolution No. R-282153 adopted on June 14, 1993 related to the Americans with Disabilities Act).
 3. **WHITEBOOK, Section 7-13.4, Contractor Standards and Pledge of Compliance** (As adopted pursuant to City of San Diego Municipal Code §22.3224 as amended 11/24/08 by ordinance O-19808 for Pledge of Compliance).
 4. **WHITEBOOK, Section 7-13.7, Notice of Labor Compliance Program Approval** (As adopted pursuant to the City of San Diego's Labor Compliance Program and the State of California Labor Code §§1771.5(b) and 1776 (Stats. 1978, Ch. 1249)).
 5. **WHITEBOOK, Section, 7-13.8, Apprentices on Public Works** (As adopted pursuant to Sections 1777.5, 1777.6, and 1777.7 of the State of California Labor Code concerning the employment of apprentices by contractors and subcontractors performing public works contracts).
 6. **WHITEBOOK, Section 7-13.5, Equal Benefits** (As adopted pursuant to the City's Equal Benefits Ordinance (EBO), Chapter 2, Article 2, Division 43 of The San Diego Municipal Code).
 7. **WHITEBOOK, Section 2-17, Information Security Policy** (As adopted pursuant to the City's Information Security Policy (ISP) as defined in the City's Administrative Regulation 90.63).
- 6.3** **Taxpayer Identification Number.** I.R.S. regulations require the City to have the correct name, address, and Taxpayer Identification Number (TIN) or Social Security Number (SSN) on file for businesses or persons who provide services or products to the City. This information is necessary to complete Form 1099 at the end of each tax year. As such, the Contractor shall provide the City with a Form W-9 upon execution of this LTRMC.
- 6.4** **Assignment.** The Contractor shall not assign the obligations under this LTRMC, whether by express assignment or by sale of the company, nor any monies due or to become due, without

City's prior written approval. Any assignment in violation of this Section shall constitute a Default and is grounds for immediate termination of this LTRMC, at the sole discretion of City. In no event shall any putative assignment create a contractual relationship between City and any putative assignee.

- 6.5 Independent Contractors.** The Contractor and any Subcontractors employed by Contractor shall be independent contractors and not agents of City. Any provisions of this LTRMC that may appear to give City any right to direct Contractor concerning the details of performing the Work, or to exercise any control over such performance, shall mean only that Contractor shall follow the direction of City concerning the end results of the performance.
- 6.6 Covenants and Conditions.** All provisions of this LTRMC expressed as either covenants or conditions on the part of the City or the Contractor shall be deemed to be both covenants and conditions.
- 6.7 Jurisdiction, Venue, and Attorney's Fees.** The jurisdiction and venue for any suit or proceeding arising out of or concerning this LTRMC, the interpretation or application of any of its terms, or any related disputes shall be the County of San Diego, State of California.
- 6.8 Successors in Interest.** This LTRMC and all rights and obligations created by this LTRMC shall be in force and effect whether or not any Parties to this LTRMC have been succeeded by another entity, and all rights and obligations created by this LTRMC shall be vested and binding on any Party's successor in interest.
- 6.9 Integration.** This LTRMC and the exhibits, attachments, and references incorporated into this LTRMC fully express all understandings of the Parties concerning the matters covered in this LTRMC. No change, alteration, or modification of the terms or conditions of this LTRMC, and no verbal understanding of the Parties, their officers, agents, or employees shall be valid unless made in the form of a written change agreed to in writing by both Parties or an amendment to this LTRMC agreed to by both Parties. All prior negotiations and agreements are merged into this LTRMC.
- 6.10 Counterparts.** This LTRMC may be executed in counterparts, which when taken together shall constitute a single signed original as though all Parties had executed the same page.
- 6.11 No Waiver.** No failure of either the City or the Contractor to insist upon the strict performance by the other of any covenant, term or condition of this LTRMC, nor any failure to exercise any right or remedy consequent upon a breach of any covenant, term, or condition of this LTRMC, shall constitute a waiver of any such breach or of such covenant, term or condition. No waiver of any breach shall affect or alter this LTRMC, and each and every covenant, condition, and term hereof shall continue in full force and effect to any existing or subsequent breach.
- 6.12 Severability.** The unenforceability, invalidity, or illegality of any provision of this LTRMC shall not render any other provision of this LTRMC unenforceable, invalid, or illegal.

AT LEAST 1 PARAGRAPH OF THIS LTRMC MUST BE ON SAME PAGE SIGNATURES.

6.13 Signing Authority. The representative for each Party signing on behalf of a corporation, partnership, joint venture or governmental entity hereby declares that authority has been obtained to sign on behalf of the corporation, partnership, joint venture, or entity and agrees to hold the other Party or Parties hereto harmless if it is later determined that such authority does not exist.

IN WITNESS WHEREOF, this Contract is executed by the City of San Diego, acting by and through its Public Works Department Director and by Contractor.

Dated this _____ day of _____, **INSERT YEAR.**

THE CITY OF SAN DIEGO

By: _____
Mayor or designee

I HEREBY CERTIFY I can legally bind **NAME OF CONTRACTOR TO BE DETERMINED DURING AWARD PROCESS** and that I have read this entire contract, this _____ day of _____, **INSERT YEAR.**

By: _____

Printed Name: _____

Title: _____

I HEREBY APPROVE the form and legality of the foregoing Contract this

_____ day _____ of **INSERT YEAR.**

Jan I. Goldsmith, City Attorney

By: _____

Printed Name: _____
Deputy City Attorney

EXHIBIT A

SCOPE OF WORK

NOTE TO PM: INSERT SPECIFICATIONS THAT APPLY TO THIS PROJECT

- I. Location of Work.** The location of the Work to be performed (Revegetation Area) is shown on those Specifications for Bid No. **L-15-1200-DBB-1** and Drawings **numbered 37471-1-D through 37471-2-D** and **Appendix H “Revegetation Plan”** (Specifications), which are incorporated into this contract by this reference as though fully set forth herein.
- II. Description of Work.** The Contractor shall maintain and monitor the Revegetation Area during the Monitoring Program in accordance with this contract and the Specifications such that the Revegetation Area meets the success criteria specified in the Revegetation Plan at each of the milestones listed and on the last date of the Monitoring Program as set forth in the Work Schedule. The Work includes complete landscape maintenance consisting of irrigation, pruning, shaping and training of trees, shrubs, and ground cover plants; fertilization; weed control; control of all plant diseases and pests; and trash removal, and all other maintenance listed in this contract and as required to maintain the Revegetation Area in a useable condition and to maintain the plant material in a healthy and viable state.

The work also includes biological monitoring of the Revegetation Area according to the schedule and methods specified in the Revegetation Plan. The monitoring work shall include all reporting tasks specified in the Revegetation plan.

III. Method of Performing Work.

A. SUPPLEMENTAL IRRIGATION SYSTEM:

1. Hydroseed shall be installed prior to February 1 during rainy season to decrease dependency on supplemental irrigation. Project biologist shall recommend temporary irrigation measures as needed and depending on seasonal precipitation.
2. Under the direction of the project biologist, a temporary, above-grade irrigation system will be installed as follows:
3. Prior to hydroseeding, contractor shall provide all irrigation lines, point of connection (poc), and water source via truck or tank in accordance with the temporary irrigation plan. Temporary irrigation system shall be tested in the presence of project biologist and/or city representative to ensure full irrigation coverage and proper operation by the system and contractor. Water trucks shall stay on the permanent access routes or paved roads and shall not irrigate beyond the revegetation boundary.
4. Any adjustments or modifications to the plan that are necessary to meet the success criteria must be approved by the project biologist and/or city representative prior to implementation.

5. Temporary irrigation via irrigation lines (or alternate method approved by re and project biologist) shall be provided by the contractor for a period sufficient to establish plant material and to provide vegetative cover that prevents soil erosion. The amount of irrigation must be adjusted when warranted by site conditions. Project biologist and contractor shall monitor soil moisture to determine success and any added requirements or modifications for temporary irrigation. Irrigation may be required up to 3 times per week until plant materials naturalize to native site conditions.
 6. Irrigation shall be performed in a low volume, varying spray pattern that avoids runoff, seepage, and overspray onto adjacent properties, non-irrigated areas, or adjacent native or non-native vegetation.
 7. The water delivery rate shall be matched to the slope gradient and the percolation rate of the soil.
 8. Irrigation shall deliver water sufficiently and uniformly and shall be appropriate to the needs of the plant materials. Overwatering as evidenced by soggy soils, standing water, runoff, or other similar conditions shall be managed and prevented by the landscape contractor.
 9. After final 25-month success criteria are met and the mitigation and monitoring program has been signed off, all above-grade components of the irrigation system shall be carefully removed from the site without adversely impacting adjacent native vegetation.
- B. Pruning Shrubs and Ground Cover Plants. The Contractor shall prune all shrubs and ground cover plants growing in the Revegetation Area as required to:
- 1) Maintain plant growth viability and health, and to encourage deep rooting, in accordance with instructions from the Project Biologist.
 - 2) Prevent encroachment of passage ways, walks, streets, or view of signs; and
 - 3) Prevent encroachment in any manner deemed objectionable by City.

The Contractor shall remove dead or damaged limbs with sharp pruning tools, with no stubs remaining. The Contractor shall seal any pruning cut which exceeds 2” in diameter with an approved pruning paint when required by City. The Contractor shall perform pruning to permit plants to grow naturally in accordance with their normal growth characteristics except where box hedging is required by City. The Contractor shall not shear, hedge, or severely prune plants, unless authorized by City. The Contractor shall not use growth regulators.

- C. Tree Maintenance. Contractor shall maintain all trees and container plants in the revegetation area in accordance with instructions from the Project Biologist. The Contractor shall perform pruning to promote the best growth habits, appearance, and health of all trees and container plants, and to prevent encroachment which is in any manner deemed undesirable by City, in accordance with instructions from the Project Biologist. The Contractor is responsible for tree pruning that can be accomplished with a 12’ pole saw by a worker standing on the ground. The Contractor shall not top trees.

- 1) Potential Hazards. The Contractor shall notify City within 24 hours of any tree that shows signs of root heaving or leaning, or is in any manner a potential safety hazard. The Contractor shall immediately reestablish trees and shrubs that are uprooted due to storms, if possible. If trees or shrubs cannot be reestablished, Contractor shall remove them immediately (including roots) and fill the holes until replacement planting is complete.
 - 2) Replacement. The Contractor shall completely remove and replace trees lost due to Contractor's faulty maintenance or negligence, as determined by City. The Contractor shall replace trees in kind and size as determined by City. If there is a difference in value between the tree lost and the replacement tree, City will deduct the difference from payment to be made under this LTRMC. The City shall determine the value of the tree lost using the latest International Society of Arboriculture (I.S.A.) guidelines for value determination.
 - 3) Staking. The Contractor shall securely stake any newly planted trees and other trees needing support with 2 "lodge pole" type stakes placed on opposite sides of the tree outside the root ball and secured to the tree with at least two flexible rubber tree ties. The Contractor shall regularly inspect tree ties and stakes and reposition them as necessary to ensure against girdling and abrasion.
- D. Fertilization. Contractor shall fertilize the Revegetation Area as necessary in accordance with instructions from the Project Biologist to meet the success criteria specified in the Revegetation Plan at each of the milestones listed and on the last date of the Monitoring Program as set forth in the Work Schedule Prior to any fertilization, Contractor shall submit to City Material Safety Data Sheets and a schedule of application showing the site, date, and approximate time of fertilizer application (Fertilizer Schedule). The Fertilization Schedule, regardless of its intensity, timing, or the number of sites covered daily or weekly, shall not excuse Contractor from performing any other Work regularly required under this LTRMC. All fertilization shall first be approved by the Project Biologist.
- 1) Contractor shall notify City at least 48 hours before beginning any fertilization. Fertilizer shall be delivered to the site only in the original unopened containers bearing the manufacturer's guaranteed analysis. Damaged packages shall not be accepted. The Contractor shall furnish City with duplicate signed, legible copies of all certificates and invoices for all fertilizer to be used for this LTRMC. The invoices shall state the grade, amount and quantity received. Both the copy to be retained by City and Contractor's copy shall be signed by City, on site, before any fertilizer may be used.
 - 2) Fertilizers, if necessary, shall be applied at the direction of the Project Biologist and according to manufacturer's product specifications.
 - 3) If deemed necessary by City to achieve required results, Contractor shall apply other materials as directed by City, including:
 - a) iron chelate;
 - b) soil sulfur;
 - c) gypsum; or

- d) surfactant enzymes such as Sarvon or Naiad.
 - 4) Contractor shall adequately irrigate the fertilized area(s) immediately following the application of fertilizers and/or amendments to force fertilizer material to rest directly on the soil surface. Drip irrigated areas shall be adequately hand watered using quick coupler valves and hoses to dissolve fertilizer.
- E. Weed Removal. Contractor shall completely remove weeds from the Revegetation Area, including all turf grass areas, shrub and ground cover areas, planters, tree wells, and cracks in paved areas, including sidewalks, parking lot, gutters and curbs, as shown on the Work Schedule. For the purposes of this Section, “Weed” means any undesirable or misplaced plant. The Contractor shall control Weeds by manual, mechanical, or chemical methods. The City or Project Biologist may restrict the use of chemical weed control in certain areas.

Weeding and/or herbicide application shall be done regularly by the contractor within the erosion repair area and an appropriate buffer where existing invasive plant species occur adjacent to the revegetation area. Weeding shall be done at a minimum of biweekly until the end of the 120 day pep, and monthly throughout the 25 months of maintenance. Contractor shall obtain a pesticide recommendation from a ca licensed pesticide advisor prior to application. Herbicide shall be used only for hard to control weeds including, but not limited to tamarisk (tamarix spp.), artichoke thistle (cynara cardunculus), fennel (foeniculum vulgare), bristly ox-tongue (helminthotheca echioides), and pampas grass (cortaderia selloana). Contractor shall control weeds as identified by the project biologist such that no weed cover exceeds 5% of the project site, before they exceed twelve inches (12”) in height, and before they set seed. In addition, there will be 0% non-native invasive weed cover throughout the duration of the project. Invasive weeds are identified in the city landscape guidelines as invasive plant species or rated by the California invasive plant council (cal-ipc) as highly invasive.

- F. Disease and Pest Control. The Contractor shall regularly inspect the Revegetation Area for the presence of disease and insect or rodent infestation. The Contractor shall notify City within 4 days if disease or insect or rodent infestation is discovered. In its notice to City, Contractor shall identify the disease, insect, or rodent and specify the control measures to be taken. Upon approval of City, Contractor shall implement the approved control measures, exercising extreme caution in the application of all sprays, dusts, or other materials utilized. The Contractor shall continue the approved control measures until the disease, insect, or rodent is controlled to the satisfaction of City.
- 1) All individuals who supervise the mixing and application of herbicides, pesticides, and rodenticides on behalf of Contractor shall possess valid Qualified Applicators Certificate for Category B issued to them by the State Department of Food and Agriculture.
 - 2) Contractor shall utilize all safeguards necessary during disease, insect or rodent control operations to ensure safety of the public and the employees of Contractor, in accordance with current standard practices accepted by the State of California Department of Food and Agriculture. If Contractor is unable to control the pest or

disease, a pest control company will be hired and the cost shall be deducted from Contractor's monthly payment.

- G. Plant Replacement. Except as provided in Section H below, Contractor shall notify City within 4 days of the loss of plant material due to any cause.
- 1) Contractor shall at no cost to City replace any tree, shrub, ground cover, or other plant which is damaged or lost as a result of Contractor's faulty maintenance or negligence. The size and species of replacement plant materials shall be as directed by City.
 - 2) If so directed by City, Contractor shall replace any plant damaged or lost that is not a result of Contractor's faulty maintenance or negligence. The size and species of replacement plant materials shall be as directed by City. The City will pay for materials and labor.
 - 3) City may determine that certain plants should be replaced in order to ensure maximum ecological health and overall aesthetic appearance of planting in the Revegetation Area. When City determines such replacement should occur, Contractor shall replace the plants as directed by City. City will pay for materials and labor.
- H. Damage Reports. The Contractor shall notify City within 24 hours of any damage to the Work Area caused by accident, vandalism or theft.
- I. Litter. The Contractor shall promptly dispose of all trash and debris at an appropriate City disposal site. The Contractor shall pay any and all fees associated with the disposal of debris or trash accumulated under the terms of this LTRMC. The Contractor understands that disposal of refuse at City landfills is subject to a fee and that the Refuse Disposal Division can be contacted at (619) 573-1418 for fee information.
- 1) Contractor Generated Litter. The Contractor shall promptly remove all debris generated by Contractor's pruning, trimming, weeding, edging and other Work required by this LTRMC. Immediately after working in streets, park walks, gutters, driveways, and paved areas, Contractor shall clean them in accordance with all applicable laws.
 - 2) Third Party Generated Litter. Upon discovery Contractor shall remove all litter, including bottles, glass, cans, paper, cardboard, fecal matter, leaves, branches, metallic items, and other debris, from the Work site.
- J. Monitoring: The Project Biologist will oversee all maintenance operations and conduct qualitative and quantitative biological monitoring of the revegetation area according to the schedule and methods described in the Revegetation Plan. The Project Biologist will be responsible for preparing and submitting monitoring reports according to the schedule and instructions in the Revegetation Plan. The Project Biologist will be an individual or team of individuals with 4-year degree(s) in botany, ecology, landscape architecture or a related field, and demonstrated experience in upland and riparian community restoration.

EXHIBIT B

INSERT A COPY OF THE ENGINEER'S FIELD NOTIFICATION WHICH ESTABLISHES THE COMMENCEMENT DATE OF THE MONITORING PROGRAM, SEE CITY SUPPLEMENT, SECTION 700-2.12

EXHIBIT C

LICENSE DATA SHEET

State Contractor License Classification and Number: _____

Name of License Holder: _____

Expiration Date: _____

Pest Control Applicator's Name: _____

License Number: _____

Expiration Date: _____

Pest Control Advisor's Name: _____

License Number: _____

Expiration Date: _____

City of San Diego Business License Number: _____

Expiration Date: _____

APPENDIX H
REVEGETATION PLAN

Project Activities

-  revegetation area
-  urban/developed
-  2 foot contour lines
-  fiber rolls

Fiber rolls installed 10ft apart on a 2:1 slope, 20ft apart on a 4:1 slope and shall extend at least 18" into adjacent vegetation.

NOTES COMMON TO PLANTING AREAS

- * SEED TAGS SHALL BE SUBMITTED TO THE PROJECT BIOLOGIST PRIOR TO APPLICATION OF SEED.
- * THE SEED MIX IS COMPRISED OF NATIVE PLANT SPECIES. ANY POTENTIAL SUBSTITUTIONS MUST BE APPROVED BY THE PROJECT BIOLOGIST PRIOR TO APPLICATION OF SEED.
- * % PLS IS THE MINIMUM PERCENT PURE LIVE SEED PER POUND OF SEED. THE PERCENTAGE IS CALCULATED BY MULTIPLYING THE PERCENT SEED PURITY BY PERCENT SEED GERMINATION, WHICH SHALL BE THE METHOD USED BY THE PROJECT BIOLOGIST TO DETERMINE SEED QUALITY, UNLESS THE BIOLOGIST SPECIFICALLY REQUEST THE %PLS METHOD TO BE USED.

HYDROSEED SEED PALETTE (0.04 ACRE)


Species	Common Name	Density Lbs./Acre	Minimum % PLS*	Lbs. PLS/Acre	Total Lbs. PLS for 0.04 Acre
<i>Acmispon glaber var. glaber</i>	coastal deerweed	4	54	2.16	0.09
<i>Artemisia californica</i>	California sagebrush	2	7.5	0.15	0.01
<i>Baccharis sarothroides</i>	broom baccharis	2	0.8	0.02	0.00
<i>Bromus carinatus "Cucamonga"</i>	Cucamonga brome	5	85	4.25	0.17
<i>Encelia fasciculata</i>	California encelia	4	24	0.96	0.04
<i>Eriogonum fasciculatum</i>	flat-top buckwheat	8	6.5	0.52	0.02
<i>Vulpia microstachys</i>	small fescue	4	85	3.40	0.14
		29 Lbs./Acre		11.46 Lbs./Acre	0.46 Lbs./Acre

CONTAINER PLANT MATERIALS


Species	Common Name	Unit Size	Quantity
<i>Artemisia californica</i>	California sagebrush	1-gallon	10
<i>Baccharis sarothroides</i>	broom baccharis	1-gallon	5
<i>Bahiopsis laciniata</i>	San Diego County viciquera	1-gallon	5
<i>Eriogonum fasciculatum</i>	flat-top buckwheat	1-gallon	10
<i>Heteromeles arbutifolia</i>	toyon	1-gallon	3
<i>Malosma laurina</i>	laurel sumac	1-gallon	3
<i>Optuna littoralis</i>	coast prickly-pear	1-gallon	10
<i>Rhus integrifolia</i>	lemonadeberry	1-gallon	5
Total:			51

HYDROSEED SLURRY COMPONENTS

Product	Lbs./Acre
Hydropost Compost	2,000
Humate Tri-C Organic Soil Conditioner	500
Cellulose Fiber Mulch	2,500
Super Tack	200



Mobley Street



Irrigation Legend

-  POC for potential water truck, City, or residential source
-  1" irrigation control valve, battery operated clock
-  Hunter MP1000-360 irrigation nozzles
-  Hunter MP1000-180 irrigation nozzles
-  pressure supply main line SCH40 PVC 1"

GENERAL REVEGETATION NOTES:

- REVEGETATION OF THE PROJECT AREA SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF THE CITY OF SAN DIEGO LANDSCAPE STANDARDS.
- REVEGETATION OF THE SITE IS TO BE PERFORMED WITH AN APPLICATION OF A NATIVE SEED MIX HYDROSEED SLURRY AND INSTALLATION OF NATIVE CONTAINER PLANTINGS.
- THESE PLANS ARE TO BE USED AS A GENERAL GUIDE WITH THE FINAL LAYOUT TO BE DETERMINED ON-SITE BY THE PROJECT BIOLOGIST.
- SEED MIX USED FOR EROSION CONTROL SHALL ACHIEVE 100 PERCENT (OR AS APPROVED BY THE PROJECT BIOLOGIST AND CITY REPRESENTATIVE BASED ON SITE CONDITIONS IF LESSER % COVERAGE) SOIL COVERAGE WITHIN 25 MONTHS OF BEING INSTALLED AFTER THE 120 DAY PLANT ESTABLISHMENT PERIOD (PEP). AT THE END OF YEAR 1, PLANT COVERAGE SHALL MEET 50 PERCENT COVERAGE, AS VERIFIED BY THE PROJECT BIOLOGIST (TABLE 1).
- INVASIVE PLANT SPECIES INCLUDING BUT NOT LIMITED TO THOSE LISTED IN THE CITY'S LANDSCAPE STANDARDS ARE PROHIBITED; AND NATIVE PLANT SPECIES SHALL BE USED IN NATURALIZED AREAS.
- REVEGETATION AND EROSION CONTROL TIMING - ALL REQUIRED REVEGETATION AND EROSION CONTROL SHALL BE COMPLETED WITHIN 90 DAYS OF THE COMPLETION OF GRADING OR DISTURBANCE TO AVOID POTENTIAL IMPACTS TO NESTING BIRD SPECIES AND TO TAKE ADVANTAGE OF COOLER SEASONAL TEMPERATURES AND INCREASED PRECIPITATION.
- CONTRACTOR SHALL REPAIR AND/OR REPLACE ALL ABOVE GROUND EROSION CONTROL BMP'S DAMAGED DURING THE 120 PEP AND 25 MONTH MAINTENANCE AND MONITORING PERIOD. ANY ABOVE GRADE EROSION CONTROL MEASURES SUCH AS BUT NOT LIMITED TO SILT FENCING, GRAVEL BAGS AND/OR FIBER ROLLS SHALL BE REMOVED BY THE CONTRACTOR AND AS DIRECTED BY THE PROJECT BIOLOGIST FOLLOWING ACCEPTANCE OF THE 25 MONTH MAINTENANCE AND MONITORING PERIOD BY CITY REPRESENTATIVE AND PROJECT BIOLOGIST.
- CONTRACTOR SHALL REMOVE ALL TRASH AND/OR DEBRIS FROM THE REVEGETATION SITE PRIOR TO AND FOLLOWING THE REVEGETATION INSTALLATION, AND UNTIL THE END OF THE 25 MONTH MAINTENANCE AND MONITORING PERIOD.

SITE PREPARATION:

- NON-NATIVE HERBACEOUS SHRUB SPECIES CURRENTLY OCCUPYING AREAS OF THE PROJECT IMPACT AREA, SHALL BE REMOVED OR TREATED WITH HERBICIDE PRIOR TO ANY GRADING ACTIVITIES REQUIRED FOR THE PROJECT. NON-NATIVE SPECIES TO BE REMOVED SHOULD INCLUDE, BUT NOT BE LIMITED TO, SPECIES IDENTIFIED IN THE BIOLOGICAL SURVEY TECHNICAL REPORT FOR THE MOBLEY STREET STORM DRAIN REPAIR PROJECT (MERKEL & ASSOCIATES, 2014).
- ALL NON-NATIVE SPECIES TO BE TREATED, REMOVED, TRIMMED, OR PRUNED WILL BE FLAGGED IN ADVANCE BY THE PROJECT BIOLOGIST. THE APPLICANT'S LANDSCAPE CONTRACTOR SHALL COORDINATE WITH THE PROJECT BIOLOGIST REGARDING IDENTIFICATION OF EXOTIC WEED SPECIES TO BE REMOVED/TREATED.
- IF EROSION CONTROL MATERIALS SUCH AS SILT FENCING AND FIBER ROLLS REMAIN ON SITE PRIOR TO PLANTING, THEY MUST BE IN A SERVICEABLE CONDITION PRIOR TO THE RESTORATION IMPLEMENTATION AND SHOULD REMAIN IN PLACE. IF THEY ARE DEGRADED HOWEVER, THEY SHOULD BE REPLACED PRIOR TO PLANTING AND HYDROSEEDING THE AREA, AND SHALL REMAIN UNTIL VEGETATION HAS BEEN ESTABLISHED.

SUPPLEMENTAL IRRIGATION SYSTEM:

- HYDROSEED SHALL BE INSTALLED PRIOR TO FEBRUARY 1 DURING RAINY SEASON TO DECREASE DEPENDENCY ON SUPPLEMENTAL IRRIGATION. PROJECT BIOLOGIST SHALL RECOMMEND TEMPORARY IRRIGATION MEASURES AS NEEDED AND DEPENDING ON SEASONAL PRECIPITATION.
- UNDER THE DIRECTION OF THE PROJECT BIOLOGIST, A TEMPORARY, ABOVE-GRADE IRRIGATION SYSTEM WILL BE INSTALLED AS FOLLOWS:
- PRIOR TO HYDROSEEDING, CONTRACTOR SHALL PROVIDE ALL IRRIGATION LINES, POINT OF CONNECTION (POC), AND WATER SOURCE VIA TRUCK OR TANK IN ACCORDANCE WITH THE TEMPORARY IRRIGATION PLAN. TEMPORARY IRRIGATION SYSTEM SHALL BE TESTED IN THE PRESENCE OF PROJECT BIOLOGIST AND/OR CITY REPRESENTATIVE TO ENSURE FULL IRRIGATION COVERAGE AND PROPER OPERATION BY THE SYSTEM AND CONTRACTOR. WATER TRUCKS SHALL STAY ON THE PERMANENT ACCESS ROUTES OR PAVED ROADS AND SHALL NOT IRRIGATE BEYOND THE REVEGETATION BOUNDARY.
- ANY ADJUSTMENTS OR MODIFICATIONS TO THE PLAN THAT ARE NECESSARY TO MEET THE SUCCESS CRITERIA MUST BE APPROVED BY THE PROJECT BIOLOGIST AND/OR CITY REPRESENTATIVE PRIOR TO IMPLEMENTATION.
- TEMPORARY IRRIGATION VIA IRRIGATION LINES (OR ALTERNATE METHOD APPROVED BY RE AND PROJECT BIOLOGIST) SHALL BE PROVIDED BY THE CONTRACTOR FOR A PERIOD SUFFICIENT TO ESTABLISH PLANT MATERIAL AND TO PROVIDE VEGETATIVE COVER THAT PREVENTS SOIL EROSION. THE AMOUNT OF IRRIGATION MUST BE ADJUSTED WHEN WARRANTED BY SITE CONDITIONS. PROJECT BIOLOGIST AND CONTRACTOR SHALL MONITOR SOIL MOISTURE TO DETERMINE SUCCESS AND ANY ADDED REQUIREMENTS OR MODIFICATIONS FOR TEMPORARY IRRIGATION. IRRIGATION MAY BE REQUIRED UP TO 3 TIMES PER WEEK UNTIL PLANT MATERIALS NATURALIZE TO NATIVE SITE CONDITIONS.
- IRRIGATION SHALL BE PERFORMED IN A LOW VOLUME, VARYING SPRAY PATTERN THAT AVOIDS RUNOFF, SEEPAGE, AND OVERSPRAY ONTO ADJACENT PROPERTIES, NON-IRRIGATED AREAS, OR ADJACENT NATIVE OR NON-NATIVE VEGETATION.
- THE WATER DELIVERY RATE SHALL BE MATCHED TO THE SLOPE GRADIENT AND THE PERCOLATION RATE OF THE SOIL.
- IRRIGATION SHALL DELIVER WATER SUFFICIENTLY AND UNIFORMLY AND SHALL BE APPROPRIATE TO THE NEEDS OF THE PLANT MATERIALS. OVERWATERING AS EVIDENCED BY SOGGY SOILS, STANDING WATER, RUNOFF, OR OTHER SIMILAR CONDITIONS SHALL BE MANAGED AND PREVENTED BY THE LANDSCAPE CONTRACTOR.
- AFTER FINAL 25-MONTH SUCCESS CRITERIA ARE MET AND THE MITIGATION AND MONITORING PROGRAM HAS BEEN SIGNED OFF, ALL ABOVE-GRADE COMPONENTS OF THE IRRIGATION SYSTEM SHALL BE CAREFULLY REMOVED FROM THE SITE WITHOUT ADVERSLY IMPACTING ADJACENT NATIVE VEGETATION.

SEED MIXES:

- THE SEED MIX IN TABLES IDENTIFIED SHALL BE APPLIED IN ALL NON HARDSCAPED AREAS DISTURBED BY THE PROJECT. THE SEED SHALL BE INSTALLED VIA HYDROSEED METHODS, UNLESS OTHERWISE DIRECTED BY THE PROJECT BIOLOGIST.
- ALL SEEDS SHALL MEET THE MINIMUM % PURE LIVE SEED AS NOTED IN TABLES. IF MINIMUM % PURE LIVE SEED COUNT CANNOT BE MET CONTRACTOR TO COORDINATE AND OBTAIN WRITTEN APPROVAL FROM THE PROJECT BIOLOGIST FOR ALTERNATIVE COMPLIANCE.
- ALL SEEDS SHALL ORIGINATE FROM WITHIN A 25 MILE RADIUS OF THE COAST AND PROJECT SITE OR CONTRACTOR TO PROVIDE EVIDENCE THAT THE SEED IS NOT AVAILABLE AND NOTIFY THE CITY REPRESENTATIVE AND THE PROJECT BIOLOGIST FOR ALTERNATIVE COMPLIANCE.

HYDROSEEDING PROCEDURES:

- AREAS TO BE HYDROSEED SHALL INCLUDE ALL AREAS OF BARE GROUND WITHIN THE EROSION REPAIR AREA THAT ARE DEVOID OF VEGETATION. AN AREA APPROXIMATELY 0.04-ACRE IN SIZE HAS BEEN IDENTIFIED FOR HYDROSEEDING.
- SEEDING SHALL OCCUR ONLY AFTER THE PROJECT BIOLOGIST HAS OBSERVED AND APPROVED THAT THE SITE HAS BEEN PROPERLY PREPARED.
- CELLULOSE FIBER MULCH SHALL BE APPLIED AT THE MINIMUM RATE OF 2,500 POUNDS PER ACRE OR AS DIRECTED BY THE PROJECT BIOLOGIST.
- HYDROPOST COMPOST SHALL BE APPLIED AT THE MINIMUM RATE OF 2,000 POUNDS PER ACRE, OR AS DIRECTED BY THE PROJECT BIOLOGIST.
- HUMATE TRI-C ORGANIC SOIL CONDITIONER SHALL BE APPLIED AT THE MINIMUM RATE OF 500 POUNDS PER ACRE, OR AS DIRECTED BY THE PROJECT BIOLOGIST.
- SUPER TACK SHALL BE APPLIED AT THE MINIMUM RATE OF 200 POUNDS PER ACRE OR AS DIRECTED BY THE PROJECT BIOLOGIST.
- EQUIPMENT USED FOR THE APPLICATION OF SLURRY SHALL HAVE A BUILT-IN AGITATION SYSTEM TO SUSPEND AND HOMOGENEOUSLY MIX THE SLURRY. THE SLURRY MIX SHALL BE DYED GREEN. THE EQUIPMENT MUST HAVE A PUMP CAPABLE OF APPLYING SLURRY UNIFORMLY.
- HYDROSEED SHALL BE APPLIED BEFORE FEBRUARY 1 DURING THE RAINY SEASON.

CONTAINER PLANT PROCEDURES:

- IN ADDITION TO HYDROSEED IN THE TABLES, CONTRACTOR SHALL SUPPLY AND PLANT A MINIMUM OF 51 (1) GALLON NATIVE CONTAINER PLANTINGS AS SHOWN IN THE CONTAINER PLANT TABLE AT THE RECOMMENDATION AND UNDER THE DIRECTION OF THE PROJECT BIOLOGIST.
- CONTAINER PLANTS SHALL BE PROCURED FROM A NURSERY QUALIFIED TO PROPAGATE AND CARE FOR PLANT SPECIES. SOURCE FOR ANY NATIVE CONTAINER PLANT MATERIALS SHALL ORIGINATE WITHIN A 25-MILE RADIUS OF THE SAN DIEGO COAST AND/OR PROJECT SITE, OR AS DETERMINED BY THE PROJECT BIOLOGIST.
- CONTAINER PLANT MATERIAL MUST BE DELIVERED TO THE PROJECT SITE AT THE APPROPRIATE TIME AND IN A HEALTHY AND VIGOROUS CONDITION. THE PROJECT BIOLOGIST WILL REJECT PLANT MATERIAL DELIVERED PRIOR TO ITS PLANTING DATE. SPECIMENS SHOWING EVIDENCE OF DISEASE, MISHANDLING, DEFECTS OR DAMAGE, OVER OR UNDER WATERING, OR OTHER DEFICIENCY AT THE TIME OF DELIVERY WILL BE REJECTED.
- CONTAINER PLANTS WILL BE PLACED FOR PLANTING BY THE PROJECT BIOLOGIST IN THE REVEGETATION AREAS. THE SUGGESTED CONTAINER PLANT INSTALLATION PROCEDURE SHALL BE AS DIRECTED BY THE PROJECT BIOLOGIST.
- EACH PLANTING HOLE WILL BE EXCAVATED TO A WIDTH THAT IS TWICE THE SIZE OF THE CONTAINER. THE DEPTH OF EACH HOLE SHALL BE EQUAL TO THE DEPTH OF THE ROOTBALL. APPROXIMATELY ONE GALLON OF WEED-FREE TOPSOIL SHOULD BE DEPOSITED INTO THE PIT, FOLLOWED BY A THOROUGH PRE-WATERING, AND FINALLY THE CONTAINER PLANTING. THE PLANT SHALL BE POSITIONED SO THAT THE SURFACE OF THE ROOTBALL IS AT GROUND LEVEL.
- THE HOLE SHALL BE BACKFILLED WITH AN EQUAL COMBINATION OF NATIVE SOIL AND WEED-FREE TOPSOIL, AND AN EARTHEN WATERING BASIN SHALL BE CREATED IN A TWO FOOT DIAMETER AROUND EACH ROOTBALL. THE PLANT SHALL THEN BE WATERED IN BY HAND IMMEDIATELY AFTER PLANTING.

MAINTENANCE REQUIREMENTS:


- THE 120 PEP FOLLOWS HYDROSEED APPLICATION. THE PEP AND START OF 25 MONTHS MAINTENANCE AS WELL AS ACCEPTANCE FOLLOWING THE MAINTENANCE PERIOD IS DETERMINED BY CITY REPRESENTATIVE IN CONSULTATION WITH PROJECT BIOLOGIST.
- REVEGETATION AREA CONSISTING OF THE EROSION REPAIR AREA AND THE VEGETATION TRAMPLED AREA SHALL BE MAINTAINED FOR A PERIOD OF NOT LESS THAN 25 MONTHS (TABLE 2). ALL REVEGETATED AREAS SHALL BE MAINTAINED BY THE PERMITTEE UNTIL FINAL APPROVAL BY THE CITY. THE MAINTENANCE PERIOD BEGINS ON THE FIRST DAY FOLLOWING ACCEPTANCE (AT END OF 120 DAY PEP) AND MAY BE EXTENDED AT THE DETERMINATION OF THE CITY REPRESENTATIVE.
- PRIOR TO FINAL APPROVAL, THE CITY REPRESENTATIVE MAY REQUIRE CORRECTIVE ACTION INCLUDING BUT NOT LIMITED TO RE-SEEDING AND THE REPAIR OF ANY SOIL EROSION OR SLOPE SLIPPAGE, IN CONSULTATION WITH THE PROJECT BIOLOGIST.
- WEEDING AND/OR HERBICIDE APPLICATION SHALL BE DONE REGULARLY BY THE CONTRACTOR WITHIN THE EROSION REPAIR AREA AND AN APPROPRIATE BUFFER WHERE EXISTING INVASIVE PLANT SPECIES OCCUR ADJACENT TO THE REVEGETATION AREA. WEEDING SHALL BE DONE AT A MINIMUM OF BIWEEKLY UNTIL THE END OF THE 120 DAY PEP, AND MONTHLY THROUGHOUT THE 25 MONTHS OF MAINTENANCE. CONTRACTOR SHALL OBTAIN A PESTICIDE RECOMMENDATION FROM A CA LICENSED PESTICIDE ADVISOR PRIOR TO APPLICATION. HERBICIDE SHALL BE USED ONLY FOR HARD TO CONTROL WEEDS INCLUDING, BUT NOT LIMITED TO TAMARISK (*TAMARIX SPP.*), ARTICHOKE THISTLE (*CYNARA CARDUNCULUS*), FENNEL (*FOENICULUM VULGARE*), BRISTLY OX-TONGUE (*HELMINTHOTHeca ECHINOIDES*), AND PAMPAS GRASS (*CORTADERIA SELLOANA*).
- CONTRACTOR SHALL CONTROL WEEDS AS IDENTIFIED BY THE PROJECT BIOLOGIST SUCH THAT NO WEED COVER EXCEEDS 5% OF THE PROJECT SITE, BEFORE THEY EXCEED TWELVE INCHES (12") IN HEIGHT, AND BEFORE THEY SET SEED. IN ADDITION, THERE WILL BE 0% NON-NATIVE INVASIVE WEED COVER THROUGHOUT THE DURATION OF THE PROJECT. INVASIVE WEEDS ARE IDENTIFIED IN THE CITY LANDSCAPE GUIDELINES AS INVASIVE PLANT SPECIES OR RATED BY THE CALIFORNIA INVASIVE PLANT COUNCIL (CAL-IPC) AS HIGHLY INVASIVE.

MILESTONE	SUCCESS CRITERIA	REMEDIAL MEASURES
INSTALLATION	ALL BARE WORK AREAS SEED. NO EVIDENCE OF EROSION ON SITE AND BMP'S IN PLACE AND INTACT, AS REQUIRED	RESEED, REPAIR EROSION, INSTALL BMP'S AS REQUIRED
120 DAY PEP	EVIDENCE OF SUCCESSFUL HYDROSEED GERMINATION. 100% SURVIVAL OF CONTAINER PLANTS. NO INVASIVE EXOTIC WEED GROWTH. NO EROSION.	RESEED BARE OR THIN AREAS, INTENSIFY WEED CONTROL, REPAIR EROSION
YEAR 1 (12 MONTHS)	A MINIMUM OF 50%** VEGETATIVE COVER FROM PLANTED AND/OR VOLUNTEER SPECIES. 100% SURVIVAL OF CONTAINER PLANTS. NO INVASIVE EXOTIC WEED GROWTH. NO EROSION.	SAME AS ABOVE.
YEAR 2 (25 MONTHS)	A MINIMUM OF 100%** VEGETATIVE COVER FROM PLANTED AND/OR VOLUNTEER SPECIES. 80% SURVIVAL OF CONTAINER PLANTS. NO INVASIVE EXOTIC WEED GROWTH. NO EROSION.	SAME AS ABOVE.

* SEE GENERAL REVEGETATION NOTE #4 IF LOWER PERCENT APPROVED BY PROJECT BIOLOGIST
 ** PERCENT COVER INCLUDES COVERAGE BY SEEDED SPECIES PLUS ACCEPTABLE VOLUNTEER GROWTH (NON-NATIVE GRASSES).

PERIOD	ACTIVITY FOR PROJECT BIOLOGIST/CONTRACTOR	BIOLOGIST SITE VISIT FREQUENCY	SUBMITTALS/ CHECKLIST	REPORTING FREQUENCY
REVEGETATION INSTALLATION	PROJECT BIOLOGIST WILL BE RESPONSIBLE FOR MONITORING/ LANDSCAPE CONTRACTOR WILL BE RESPONSIBLE FOR INSTALLATION AND MAINTENANCE.	AS NEEDED OR AT LEAST ONCE EVERY TWO WEEKS.	SITE OBSERVATION REPORTS (S.O.R.) PREPARED BY THE BIOLOGIST (BASED ON THE REVEGETATION PLAN CRITERIA)	AT SUCCESSFUL INSTALLATION (AS DETERMINED BY THE PROJECT BIOLOGIST)
120 DAY PEP	PROJECT BIOLOGIST WILL BE RESPONSIBLE FOR MONITORING/ LANDSCAPE CONTRACTOR WILL BE RESPONSIBLE FOR MAINTENANCE.	MONTHS 1 & 2 - BIWEEKLY, MONTHS 3 & 4 - AT LEAST ONCE A MONTH	S.O.R.'S PREPARED BY THE BIOLOGIST (BASED ON THE REVEGETATION PLAN CRITERIA)	AT THE END OF PEP**
25-MONTH LONG TERM MAINTENANCE & MONITORING	PROJECT BIOLOGIST WILL BE RESPONSIBLE FOR MONITORING/ LANDSCAPE CONTRACTOR WILL BE RESPONSIBLE FOR MAINTENANCE.	EVERY 3 MONTHS	S.O.R.'S PREPARED BY THE BIOLOGIST (BASED ON THE REVEGETATION PLAN CRITERIA)	EVERY 3 MONTHS YEAR 1** 25 MONTHS**

NOTE: IF 25 MONTH SUCCESS CRITERIA ARE NOT MET, THE M&M PROGRAM WILL BE EXTENDED AS REQUIRED, QUARTERLY MAINTENANCE AND MONITORING WITH YEARLY REPORTING SHALL CONTINUE AS NEEDED.
 ** PEP, 1 YEAR AND 25 MONTH FINAL REPORT(S) REQUIRED TO INCLUDE ABOVE INFORMATION.


 Adam Behle - Revegetation Biologist

ATTACHMENT F
INTENTIONALLY LEFT BLANK

12/10/14 DW
Valid



Purchasing and Contracting Department
Contracting Division
1200 Third Avenue, Suite 200
San Diego, CA 92101
(619) 236-6000

THE CITY OF SAN DIEGO

FAX TRANSMITTAL

Date: December 9, 2014

The following 3 pages (including this cover) are intended for:

To:	Estimator	From:	Celia Navarro
Company:	Vailston Company, Inc.	Division:	Contracting Group
Email #	nate@vailstoncompany.com	FAX #	619-533-3633
Phone #	(760) 757-3857	Phone #	619-533-3431

RE: Bid # L-15-1200-DBB-1 – Mobley St. Storm Drain Replacement

COMMENTS:

In tabulating the bid results of subject project, we have found that the ESTIMATED TOTAL BASE BID is **\$117,750.80** NOT **\$117,751.00** as per your bid.

NV

Please FAX or Email acknowledgement/concurrence of the correct amount, by 4:00pm today.

If there are any problems with receiving this FAX transmission (such as missing pages), please contact the Sender at the "From" phone number given above.

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED, AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW, RECEIPT BY AN UNINTENDED RECIPIENT DOES NOT CONSTITUTE A WAIVER OF ANY APPLICABLE PRIVILEGE.

If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone, and return the original message to us at the above address via the U.S. Postal Service.

City of San Diego

CONTRACTOR'S NAME: Vailston Company Inc.
ADDRESS: 774 N. Twin Oaks Valley Rd Suite C San Marcos, CA 92069
TELEPHONE NO.: 760 757-7857 FAX NO.: 760 757-3842
CITY CONTACT: Clementina Giordano, Contract Specialist, Email: Cgiordano@sandiego.gov
Phone No. (619) 533-3481, Fax No. (619) 533-3633
MAshrafzadeh/R Taleghani/Lad

CONTRACT DOCUMENTS



FOR

Mobley St. (2764) Storm Drain Replacement

VOLUME 2 OF 2

BID NO.: L-15-1200-DBB-1
SAP NO. (WBS/IO/CC): B-12032
CLIENT DEPARTMENT: 2116
COUNCIL DISTRICT: 6
PROJECT TYPE: CA

THIS CONTRACT IS SUBJECT TO THE FOLLOWING:

- THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- COMPETITION RESTRICTED TO: SLBE-ELBE or ELBE FIRMS ONLY .
- PREVAILING WAGE RATES: STATE FEDERAL

THIS BIDDING DOCUMENT TO BE SUBMITTED IN ITS ENTIRETY
REFER TO VOLUME 1 COVER PAGE FOR TIME, DATE, AND LOCATION

TABLE OF CONTENTS

DESCRIPTION

PAGE NUMBER

Volume 2 - Bidding Documents

The following forms must be completed in their entirety and submitted with the Bid. Include the form(s) even if the information does not apply. Where the information does not apply write in N/A. Failure to include any of the forms may cause the Bid to be deemed **non-responsive**. If you are uncertain or have any questions about any required information, contact the City no later than 14 days prior to Bid due date.

- 1. Bid/Proposal..... 3
- 2. Non-Collusion Affidavit to be executed by Bidder and Submitted with Bid under 23 USC 112 and PCC 7106 6
- 3. Contractors Certification of Pending Actions..... 7
- 4. Equal Benefits Ordinance Certification of Compliance..... 8
- 5. Proposal (Bid)..... 9
- 6. Form AA35 - List of Subcontractors 12
- 7. Form AA40 - Named Equipment/Material Supplier List 13

BIDDING DOCUMENTS

PROPOSAL

Bidder's General Information

To the City of San Diego:

Pursuant to "Notice Inviting Bids", specifications, and requirements on file with the City Clerk, and subject to all provisions of the Charter and Ordinances of the City of San Diego and applicable laws and regulations of the United States and the State of California, the undersigned hereby proposes to furnish to the City of San Diego, complete at the prices stated herein, the items or services hereinafter mentioned. The undersigned further warrants that this bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and, further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

The undersigned bidder(s) further warrants that bidder(s) has thoroughly examined and understands the entire Contract Documents (plans and specifications) and the Bidding Documents therefore, and that by submitting said Bidding Documents as its bid proposal, bidder(s) acknowledges and is bound by the entire Contract Documents, including any addenda issued thereto, as such Contract Documents incorporated by reference in the Bidding Documents.

IF A SOLE OWNER OR SOLE CONTRACTOR SIGN HERE:

- (1) Name under which business is conducted _____
- (2) Signature (Given and surname) of proprietor _____
- (3) Place of Business (Street & Number) _____
- (4) City and State _____ Zip Code _____
- (5) Telephone No. _____ Facsimile No. _____
- (6) Email Address _____

IF A PARTNERSHIP, SIGN HERE:

- (1) Name under which business is conducted _____

BIDDING DOCUMENTS

(2) Name of each member of partnership, indicate character of each partner, general or special (limited):

(3) Signature (Note: Signature must be made by a general partner)

Full Name and Character of partner

(4) Place of Business (Street & Number) _____

(5) City and State _____ Zip Code _____

(6) Telephone No. _____ Facsimile No. _____

(7) Email Address _____

IF A CORPORATION, SIGN HERE:

(1) Name under which business is conducted Vailston Company Inc.

(2) Signature, with official title of officer authorized to sign for the corporation:



(Signature)

Nate Johnston

(Printed Name)

President

(Title of Officer)

(Impress Corporate Seal Here)

(3) Incorporated under the laws of the State of California

(4) Place of Business (Street & Number) 774 N. Twin Oaks Valley Rd suite C

(5) City and State San Marcos, CA Zip Code 92069

(6) Telephone No. (760) 757-3857 Facsimile No. (760) 757-3848

(7) Email Address Nate@VailstonCompany.com

BIDDING DOCUMENTS

**NON-COLLUSION AFFIDAVIT TO BE EXECUTED BY BIDDER AND
SUBMITTED WITH BID UNDER 23 UNITED STATES CODE 112 AND
PUBLIC CONTRACT CODE 7106**

State of California)

) ss.

County of San Diego)

Nate Johnston, being first duly sworn, deposes and says that he or she is President of the party making the foregoing bid that the bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

Signed: [Signature]

Title: President



Subscribed and sworn to before me this 3rd day of December, 2014

Farideh Mansoor
Notary Public

(SEAL)

BIDDING DOCUMENTS

CONTRACTORS CERTIFICATION OF PENDING ACTIONS

As part of its bid or proposal (Non-Price Proposal in the case of Design-Build contracts), the Bidder shall provide to the City a list of all instances within the past 10 years where a complaint was filed or pending against the Bidder in a legal or administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers, and a description of the status or resolution of that complaint, including any remedial action taken.


CHECK ONE BOX ONLY.

- The undersigned certifies that within the past 10 years the Bidder has NOT been the subject of a complaint or pending action in a legal administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers.
- The undersigned certifies that within the past 10 years the Bidder has been the subject of a complaint or pending action in a legal administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers. A description of the status or resolution of that complaint, including any remedial action taken and the applicable dates is as follows:

DATE OF CLAIM	LOCATION	DESCRIPTION OF CLAIM	LITIGATION (Y/N)	STATUS	RESOLUTION/REMEDIAL ACTION TAKEN

Contractor Name: Vailston Company Inc.

Certified By Nate Johnston Title president
Name

 Date 12/3/14
Signature

USE ADDITIONAL FORMS AS NECESSARY

BIDDING DOCUMENTS

**EQUAL BENEFITS ORDINANCE
CERTIFICATION OF COMPLIANCE**



For additional information, contact:
CITY OF SAN DIEGO
EQUAL BENEFITS PROGRAM
 202 C Street, MS 9A, San Diego, CA 92101
 Phone (619) 533-3948 Fax (619) 533-3220

COMPANY INFORMATION

Company Name: <u>Vailston Company Inc.</u>	Contact Name: <u>Nate Johnston</u>
Company Address: <u>774 N. Twin Oaks Valley Rd. suite c</u>	Contact Phone: <u>(760) 757-3857</u>
<u>San Marcos, CA 92069</u>	Contact Email: <u>Nate@vailstoncompany.com</u>

CONTRACT INFORMATION

Contract Title:	Start Date:
Contract Number (if no number, state location):	End Date:

SUMMARY OF EQUAL BENEFITS ORDINANCE REQUIREMENTS

The Equal Benefits Ordinance [EBO] requires the City to enter into contracts only with contractors who certify they will provide and maintain equal benefits as defined in SDMC §22.4302 for the duration of the contract. To comply:

- Contractor shall offer equal benefits to employees with spouses and employees with domestic partners.
 - Benefits include health, dental, vision insurance; pension/401(k) plans; bereavement, family, parental leave; discounts, child care; travel/relocation expenses; employee assistance programs; credit union membership; or any other benefit.
 - Any benefit not offer an employee with a spouse, is not required to be offered to an employee with a domestic partner.
- Contractor shall post notice of firm's equal benefits policy in the workplace and notify employees at time of hire and during open enrollment periods.
- Contractor shall allow City access to records, when requested, to confirm compliance with EBO requirements.
- Contractor shall submit *EBO Certification of Compliance*, signed under penalty of perjury, prior to award of contract.

NOTE: This summary is provided for convenience. Full text of the EBO and Rules Implementing the EBO are available at www.sandiego.gov/administration.

CONTRACTOR EQUAL BENEFITS ORDINANCE CERTIFICATION

Please indicate your firm's compliance status with the EBO. The City may request supporting documentation.



I affirm **compliance** with the EBO because my firm (*contractor must select one reason*):

- Provides equal benefits to spouses and domestic partners.
- Provides no benefits to spouses or domestic partners.
- Has no employees.
- Has collective bargaining agreement(s) in place prior to January 1, 2011, that has not been renewed or expired.



I request the City's approval to pay affected employees a cash equivalent in lieu of equal benefits and verify my firm made a reasonable effort but is not able to provide equal benefits upon contract award. I agree to notify employees of the availability of a cash equivalent for benefits available to spouses but not domestic partners and to continue to make every reasonable effort to extend all available benefits to domestic partners.

It is unlawful for any contractor to knowingly submit any false information to the City regarding equal benefits or cash equivalent associated with the execution, award, amendment, or administration of any contract. [San Diego Municipal Code §22.4307(a)]

Under penalty of perjury under laws of the State of California, I certify the above information is true and correct. I further certify that my firm understands the requirements of the Equal Benefits Ordinance and will provide and maintain equal benefits for the duration of the contract or pay a cash equivalent if authorized by the City.

Nate Johnston / president

12/3/14

Name/Title of Signatory

Signature

Date

FOR OFFICIAL CITY USE ONLY

Receipt Date: _____ EBO Analyst: _____ Approved Not Approved – Reason: _____

(Rev 02/15/2011)

BIDDING DOCUMENTS

PROPOSAL (BID)

The Bidder agrees to the construction of **Mobley St. (2764) Storm Drain Replacement**, for the City of San Diego, in accordance with these contract documents for the prices listed below. The Bidder guarantees the Contract Price for a period of 120 days (90 days for federally funded contracts and contracts valued at \$500,000 or less) from the date of Bid opening to Award of the Contract. The duration of the Contract Price guarantee shall be extended by the number of days required for the City to obtain all items necessary to fulfill all conditions precedent e.g., bond and insurance.

Item	Quantity	Unit	NAICS	Payment Reference	Description	Unit Price	Extension
BASE BID							
1	1	LS	524126	2-4.1	Bonds (Payment and Performance)	 	\$ 2907
2	1	LS	237310	7-10.2.6	Traffic Control	 	\$ 1729
3	1	LS	237110	9-3.4.1	Mobilization	 	\$ 4985
4	1	AL		9-3.5	Field Orders - Type II	 	\$5,000.00
5	1	LS	238910	300-1.4	Clearing & Grubbing	 	\$ 4954
6	1	EA	237110	303-1.11	Clean Out Type A	\$ 6911	\$ 6911
7	1	EA	237110	303-1.11	Concrete Energy Dissipator Per SDD-105	\$ 17,277	\$ 17,277
8	2	EA	237110	303.1.11	Cutoff Wall	\$ 1294.5	\$ 2589
9	1	LS	237110	306-1.1.6	Bracing Excavations	 	3730
10	60	LF	237110	306-1.6	18-Inch RCP Storm Drain	\$ 120.383	\$ 7223
11	1	LS	238990	306-5.3	Demolition and Disposal of Existing Cleanout & Headwall	 	\$ 2178
12	100	CY	237310	300-4.9	Unclassified Fill	\$ 25	\$ 2500
13	1,800	SF	238910	300-9.1.2	Geotextiles for Slope Restoration	\$ 4.6	\$ 8280

17,222.80
W

BIDDING DOCUMENTS

Item	Quantity	Unit	NAICS	Payment Reference	Description	Unit Price	Extension	
14	1	LS	238990	7-9.1.1	CCTV Inspection (Post-construction)	 	\$ 2882	
15	1	LS	561730	700-2.15	Re-vegetation and Erosion Control	 	\$ 6167	
16	1	LS	541330	700-2.15	Monitoring and Reporting	 	\$ 10,533	
17	1	LS	541330	700-2.15	Re-vegetation Maintenance and Monitoring Program	 	\$ 25,359	
18	1	LS	541330	701-13.9.5	Water Pollution Control Program Development	 	\$ 605	
19	1	LS	237990	701-13.9.5	Water Pollution Control Program Implementation	 	\$ 1942	
ESTIMATED TOTAL BASE BID:							 	\$ 117,751 ⁰⁰

TOTAL BID PRICE FOR BID (Items 1 through 19 inclusive) amount written in words:

\$117,750.80 ⁰⁰

one Hundred Seventeen thousand Seven hundred fifty one and ^{no}/₁₀₀

The Bid shall contain an acknowledgment of receipt of all addenda, the numbers of which shall be filled in on the Bid form. If an addendum or addenda has been issued by the City and not noted as being received by the Bidder, this proposal shall be rejected as being **non-responsive**. The following addenda have been received and are acknowledged in this bid: Addendum A acknowledgment

The names of all persons interested in the foregoing proposal as principals are as follows:

Nate Johnston

BIDDING DOCUMENTS

IMPORTANT NOTICE: If Bidder or other interested person is a corporation, state secretary, treasurer, and manager thereof; if a co-partnership, state true name of firm, also names of all individual co-partners composing firm; if Bidder or other interested person is an individual, state first and last names in full.

Bidder: Vailston Company Inc. / Nate Johnston

Title: President

Business Address: 774 N. Twin Oaks Valley Rd suite C San Marcos, CA 92069

Place of Business: Same

Place of Residence: 1245 Grandview rd Vista, CA 92084

Signature: 

NOTES:

- A. The City shall determine the low Bid based on the Base Bid alone.
- B. Prices and notations shall be in ink or typewritten. All corrections (which have been initiated by the Bidder using erasures, strike out, line out, or "white-out") shall be typed or written in with ink adjacent thereto, and shall be initialed in ink by the person signing the bid proposal.
- C. Failure to initial all corrections made in the bidding documents may cause the Bid to be rejected as **non-responsive** and ineligible for further consideration.
- D. Blank spaces must be filled in, using figures. Bidder's failure to submit a price for any Bid item that requires the Bidder to submit a price shall render the Bid **non-responsive** and shall be cause for its rejection.
- E. Unit prices shall be entered for all unit price items. Unit prices shall not exceed two (2) decimal places. If the Unit prices entered exceed two (2) decimal places, the City will only use the first two digits after the decimal points without rounding up or down.
- F. All extensions of the unit prices bid will be subject to verification by the City. In the case of inconsistency or conflict between the product of the Quantity x Unit Price and the Extension, the product shall govern.
- G. In the case of inconsistency or conflict, between the sums of the Extensions with the estimated total Bid, the sum of the Extensions shall govern.
- H. Bids shall not contain any recapitulation of the Work. Conditional Bids will be rejected as being **non-responsive**. Alternative proposals will not be considered unless called for.
- I. Subcontractors' License Number must be filled in. Failure to provide the information specified may deem the bidder **non-responsive**.

BIDDING DOCUMENTS

LIST OF SUBCONTRACTORS

In accordance with the requirements provided in the "Subletting and Subcontracting Fair Practices Act", Division 2, Part 1, Chapter 4 of the Public Contract Code, the Bidder shall list below the name and address of each Subcontractor who will perform work, labor, render services or specially fabricates and installs a portion [type] of the work or improvement, in an amount in excess of 0.5% of the Contractor's total Bid. The Bidder shall also list below the portion of the work which will be done by each subcontractor under this Contract. The Contractor shall list only one Subcontractor for each portion of the Work. The **DOLLAR VALUE** of the total Bid to be performed shall be stated for all subcontractors listed. Failure to comply with this requirement shall result in the Bid being rejected as **non-responsive** and ineligible for award. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3 Subcontracts, which stipulates the percent of the Work to be performed with the Bidders' own forces. The Bidder shall list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors that Bidders are seeking recognition towards achieving any mandatory, voluntary, or both subcontracting participation percentages.

Subcontractors' License Number must be filled in. Failure to provide the information specified may deem the bidder **non-responsive**.

NAME, ADDRESS AND TELEPHONE NUMBER OF SUBCONTRACTOR	CONSTRUCTOR OR DESIGNER	SUBCONTRACTOR LICENSE NUMBER	TYPE OF WORK	DOLLAR VALUE OF SUBCONTRACT (MUST BE FILLED OUT)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB	WHERE CERTIFIED ②	CHECK IF JOINT VENTURE PARTNERSHIP
Name: <u>Rocks Biological Consulting Inc</u> Address: <u>5101 September st.</u> City: <u>San Diego</u> State: <u>CA</u> Zip: <u>92110</u> Phone: <u>619-643-6560</u> Email: <u>Melanie@rocksbid.com</u>	monitor/ design.	Bus Lic # B200403589	Biologist monitor report/ plan	\$22,010	SLBE, ELBE 11RB0323	San Diego	
Name: <u>Amigos landscape</u> Address: <u>771 Jamacha rd #372</u> City: <u>El Cajon, CA</u> State: <u>CA</u> Zip: <u>92019</u> Phone: <u>619-749-9530</u> Email: <u>Doug@amigoslandscapes.com</u>	construct	983054	Landscape maintenance Erosion Control re-veg	\$14,488	SLBE, ELBE	San Diego	

① As appropriate, Bidder shall identify Subcontractor as one of the following and shall include a valid proof of certification (except for OBE, SLBE and ELBE):

Certified Minority Business Enterprise	MBE	Certified Woman Business Enterprise	WBE
Certified Disadvantaged Business Enterprise	DBE	Certified Disabled Veteran Business Enterprise	DVBE
Other Business Enterprise	OBE	Certified Emerging Local Business Enterprise	ELBE
Certified Small Local Business Enterprise	SLBE	Small Disadvantaged Business	SDB
Woman-Owned Small Business	WoSB	HUBZone Business	HUBZone
Service-Disabled Veteran Owned Small Business	SDVOSB		

② As appropriate, Bidder shall indicate if Subcontractor is certified by:

City of San Diego	CITY	State of California Department of Transportation	CALTRANS
California Public Utilities Commission	CPUC	San Diego Regional Minority Supplier Diversity Council	SRMSDC
State of California's Department of General Services	CADoGS	City of Los Angeles	LA
State of California	CA	U.S. Small Business Administration	SBA

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

0.3099
CW

BIDDING DOCUMENTS

NAMED EQUIPMENT/MATERIAL SUPPLIER LIST

The Bidder seeking the recognition of equipment, materials, or supplies obtained from Suppliers towards achieving any mandatory, voluntary, or both subcontracting participation percentages shall list the Supplier(s) on the Named Equipment/Material Supplier List. The Named Equipment/Material Supplier List, at a minimum, shall have the name, locations (City) and the **DOLLAR VALUE** of the Suppliers. The Bidder will be credited up to 60% of the amount to be paid to the Suppliers for such materials and supplies unless vendor manufactures or substantially alters materials and supplies in which case 100% will be credited. The Bidder is to indicate (Yes/No) whether listed firm is a supplier or manufacturer. In calculating the subcontractor participation percentages, vendors/suppliers will receive 60% credit of the listed **DOLLAR VALUE**, whereas manufacturers will receive 100% credit. If no indication provided, listed firm will be credited at 60% of the listed dollar value for purposes of calculating the Subcontractor Participation Percentage, Suppliers will receive 60% credit of the listed **DOLLAR VALUE**, whereas manufacturers will receive 100% credit. If no indication provided, listed firm will be credited at 60% of the listed **DOLLAR VALUE** for purposes of calculating the subcontractor participation percentages.

NAME, ADDRESS AND TELEPHONE NUMBER OF VENDOR/SUPPLIER	MATERIALS OR SUPPLIES	DOLLAR VALUE OF MATERIAL OR SUPPLIES (MUST BE FILLED OUT)	SUPPLIER (Yes/No)	MANUFACTURER (Yes/No)	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB [ⓐ]	WHERE CERTIFIED [ⓑ]
Name: <u>Precor products</u> Address: <u>PO. Box 940669</u> City: <u>Simi Valley CA</u> State: <u>CA</u> Zip: <u>93094</u> Phone: <u>805-527-0841</u> Email: _____	RCP	2,139.60	Yes	Yes	NO	
Name: _____ Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____						

ⓐ As appropriate, Bidder shall identify Vendor/Supplier as one of the following and shall include a valid proof of certification (except for OBE,SLBE and ELBE):

Certified Minority Business Enterprise	MBE	Certified Woman Business Enterprise	WBE
Certified Disadvantaged Business Enterprise	DBE	Certified Disabled Veteran Business Enterprise	DVBE
Other Business Enterprise	OBE	Certified Emerging Local Business Enterprise	ELBE
Certified Small Local Business Enterprise	SLBE	Small Disadvantaged Business	SDB
Woman-Owned Small Business	WoSB	HUBZone Business	HUBZone
Service-Disabled Veteran Owned Small Business	SDVOSB		

ⓑ As appropriate, Bidder shall indicate if Vendor/Supplier is certified by:

City of San Diego	CITY	State of California Department of Transportation	CALTRANS
California Public Utilities Commission	CPUC	San Diego Regional Minority Supplier Diversity Council	SRMSDC
State of California's Department of General Services	CADoGS	City of Los Angeles	LA
State of California	CA	U.S. Small Business Administration	SBA

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

UNDERGROUND UTILITIES

PURSUANT TO SECTION 4216 OF THE GOVERNMENT CODE, AT LEAST 2 WORKING DAYS PRIOR TO COMMENCING ANY EXCAVATION, THE CONTRACTOR SHALL CONTACT THE REGIONAL NOTIFICATION CENTER (UNDERGROUND SERVICE ALERT OF SOUTHERN CALIFORNIA) AND OBTAIN AN INQUIRY IDENTIFICATION NUMBER.

UNDERGROUND SERVICE ALERT (U.S.A.) 1-800-422-4133

THE CONTRACTOR SHALL NOTIFY SDG&E AT LEAST 10 WORKING DAYS PRIOR TO EXCAVATING WITHIN 10' OF SDG&E UNDERGROUND HIGH VOLTAGE TRANSMISSION POWER LINES. (I.E. 69KV & HIGHER) SAN DIEGO GAS & ELECTRIC CO. 1-800-227-2600

MONUMENTATION NOTE

THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY MONUMENTATIONS AND /OR BENCHMARKS WHICH WILL BE DISTURBED OR DESTROYED BY CONSTRUCTION. SUCH POINTS SHALL BE REFERENCED AND REPLACED WITH APPROPRIATE MONUMENTATION BY A LICENSED LAND SURVEYOR OR A REGISTERED CIVIL ENGINEER AUTHORIZED TO PRACTICE LAND SURVEYING. A CORNER RECORD OR RECORD SURVEY, AS APPROPRIATE, SHALL BE FILLED BY THE LICENSED LAND SURVEYOR OR THE REGISTERED CIVIL ENGINEER AS REQUIRED BY THE LAND SURVEYOR'S ACT (BUSINESS AND PROFESSIONS CODE 8771).

SPECIAL NOTES:

1. THE CONTRACTOR SHALL ENFORCE ALL SAFETY MEASURES. THE CONTRACTOR SHALL DESIGN, CONSTRUCT AND MAINTAIN ALL SAFETY DEVICES, INCLUDING SHORING AND SHALL BE SOLELY RESPONSIBLE FOR CONFORMING TO ALL LOCAL, STATE, AND FEDERAL SAFETY AND HEALTH STANDARDS, LAWS AND REGULATIONS.
2. CONTRACTOR SHALL ASSUME SOLE AND COMPLETE RESPONSIBILITY FOR JOBSITE CONDITIONS DURING THE COURSE OF CONSTRUCTION, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY. THIS REQUIREMENT SHALL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS.
3. LOCATION AND ELEVATION OF IMPROVEMENTS TO BE MET BY WORK TO BE DONE SHALL BE CONFIRMED BY FIELD MEASUREMENTS PRIOR TO CONSTRUCTION OF NEW WORK.
4. BEFORE EXCAVATING FOR THIS CONTRACT, THE CONTRACTOR SHALL VERIFY LOCATION OF ALL UNDERGROUND UTILITIES AND COORDINATE WITH THE QUALIFIED GEOTECHNICAL ENGINEERS FROM NINYO & MOORE CONSULTANTS PER GEOTECHNICAL EVALUATION DATED JULY 26, 2013, TO BE PRESENT DURING SLOPE EXCAVATION, TESTING AND REPAIR ACTIVITIES.
5. THE LOCATIONS OF EXISTING BUILDINGS AS SHOWN ON THE PLAN ARE APPROXIMATE.
6. IF THERE IS ANY QUESTION REGARDING THESE PLANS OR FIELD STAKES, THE CONTRACTOR SHALL REQUEST AN INTERPRETATION BEFORE DOING ANY WORK BY CALLING THE CITY RESIDENT ENGINEER. THE CONTRACTOR SHALL ALSO TAKE THE NECESSARY STEPS TO PROTECT THE PROJECT AND ADJACENT PROPERTY FROM ANY EROSION OR SILTATION THAT RESULT FROM HIS OPERATIONS BY APPROPRIATE MEANS (SAND BAGS, HAY BALES, DIKES, SHORING, ETC.) UNTIL SUCH TIME THAT THE PROJECT IS COMPLETED AND ACCEPTED FOR MAINTENANCE BY WHATEVER OWNER, AGENCY OR ASSOCIATION IS TO BE ULTIMATELY RESPONSIBLE FOR MAINTENANCE.
7. CONTRACTOR IS REQUIRED TO TAKE PRECAUTIONARY MEASURES TO PROTECT THE UTILITY LINES SHOWN HEREON AND ANY OTHER EXISTING LINES NOT OF RECORD OR NOT SHOWN ON THESE PLANS.

WATER POLLUTION CONTROL NOTES

THE CONTRACTOR SHALL COMPLY WITH THE REQUIREMENTS NOTED IN THE GREENBOOK 2012 CITY SUPPLEMENT SEC 701- WATER POLLUTION CONTROL. CONSTRUCTION SITE STORM WATER PRIORITY (INSPECTION FREQUENCY): LOW.

STORM WATER PROTECTION

THIS PROJECT IS SUBJECT TO MUNICIPAL STORM WATER PERMIT ORDER NO. R9-2007-0001 AND WATER POLLUTION CONTROL PLAN.

CONSTRUCTION NOTES

1. CONTRACTOR SHALL PROTECT EXISTING PRIVATE PROPERTY AND PLANTINGS AS NECESSARY.
2. CONTRACTOR SHALL SECURE ACCESS TO PRIVATE BUSINESSES DURING CONSTRUCTION.

MOBLEY STREET (2764) STORM DRAIN PROJECT

WORK TO BE DONE

THE IMPROVEMENTS CONSIST OF THE FOLLOWING WORK TO BE DONE ACCORDING TO THESE PLANS AND THE SPECIFICATIONS AND STANDARD DRAWINGS OF THE CITY OF SAN DIEGO

LEGEND



IMPROVEMENTS	STANDARD DRAWINGS	SYMBOL
RCP STORM DRAIN	D-62, D-61, SDD-110	
TYPE A (A-4) CLEANOUT	D-9, SDD-114	
CONCRETE ANCHOR (CUT-OFF WALL)	SDS-115	
ENERGY DISSIPATOR WITH RIP RAP	SDD-105, D-42	
FOOT ACCESS		
CONSTRUCTION AREA		

EXISTING STRUCTURES

EX WATER MAIN & VALVES	
EX WATER METER	
EX FIRE HYDRANT	
EX SEWER MAIN & MANHOLES	
EX DRAINS	
EX PAVEMENT (PROFILE)	
EX GROUND LINE (PROFILE)	
GAS MAIN	
ELEC. COND., TEL. COND., CATV	

ABBREVIATIONS

ABAND	ABANDON	ELEC	ELECTRIC	PVC	POLYVINYL CHLORIDE
ABAND'D	ABANDONED	EX, EXIST	EXISTING	PROP	PROPOSED
AC	ASBESTOS CEMENT PIPE	E/O	EAST OF	RCP	REINFORCED CONCRETE PIPE
AHD	AHEAD	F	FLANGE	RED	REDUCER
APPROX.	APPROXIMATE	FL	FLOW LINE	RT	RIGHT
ASSY	ASSEMBLY	FPS	FEET PER SECOND	R/W	RIGHT OF WAY
BK	BACK	GB	GATE VALVE	SD	STORM DRAIN
BTWN	BETWEEN	GV	GRADE BREAK	SL	SURVEY LINE
CATV	CABLE TV	HDPE	HIGH-DENSITY POLYETHYLENE	SO	STUB OUT
CFS	CUBIC FEET PER SECOND	HP	HIGH PRESSURE	STA	STATION
CI	CAST IRON PIPE	IE	INVERT ELEVATION	S/E	SOUTH EAST
CIPP	CAST IN PLACE PIPE	L	LENGTH	S/O	SOUTH OF
CL	CENTER LINE	LAT	LATERAL	S/W	SOUTH WEST
CMP	CORRUGATED METAL PIPE	LF	LINEAR FEET	SWR	SEWER
CP	CONCRETE PIPE	LT	LEFT	TC	TOP OF CURB
COND	CONDUIT	MJ	MECHANICAL JOINT	TEL	TELEPHONE
CONT	CONTINUED	MTD	MULTIPLE TELEPHONE DUCT	UNK	UNKNOWN
CONTR	CONTRACTOR	N/E	NORTH EAST	VC	VITRIFIED CLAY PIPE
DB	DIRECT BURIED	N/O	NORTH OF	WM	WATER METER
EB	ENCASED BURIED	N/W	NORTH WEST	WTR	WATER
EL, ELEV	ELEVATION	OH	OVER HEAD	W/O	WEST OF



KEY MAP
NO SCALE



SURVEY NOTES

CITY OF SAN DIEGO SURVEY FIELD NOTES:
2764 MOBLEY ST. MIN: 228-1728, MAX: 230-1731, 8/3/2012, W.O. B-12032, C. DOWLING; D. McGRATH; M. KHALILI

BENCH:
NEBP DOLLY PLACE AND MOBLEY STREET, ELEV. 348.21' MSL DATUM, BASED ON NGVD 29 FEET AS SHOWN IN THE CITY OF SAN DIEGO BENCH BOOK.

BASIS OF BEARINGS/COORDINATES:
THE BASIS OF BEARINGS FOR THIS PROJECT WAS DERIVED FROM A PREVIOUS STATIC GPS SURVEY USING GPS 982 (PT. 982) AND GPS 17 (PT. 17) AS SHOWN ON R. OF S. 14492 (I.E. N25°10'17"W, NAD 83 FEET, ZONE 6 (EPOCH 91.35), UTILIZING RTK/GPS FIELD PROCEDURES WITH A CALVRS BASE LOCATED AT KMSA AND CONSTRAINING TO GPS 982 (PT. 982), GPS 17 (PT. 17) AND CHECKING GPS 2982 (PT. 2982).

REFERENCE DRAWINGS

MAPS: 330, 4436, 4486
CORNER RECORDS: 27496, 29060, 30908
CITY DRAWING: 14232-L

SHEET INDEX

SHEET NO.	DISCIPLINE CODE	TITLE
1	G-1	COVER SHEET & GENERAL NOTES
2	C-1	DESIGN AND PROFILE

G-1


PLANS FOR THE CONSTRUCTION OF MOBLEY STREET (2764) STORM DRAIN PROJECT

SPEC No. 1200		CITY OF SAN DIEGO, CALIFORNIA		PUBLIC WORKS DEPARTMENT		SHEET 1 OF 2 SHEETS		WBS B-12032	
APPROVED		DATE		DATE		DATE		DATE	
FOR CITY ENGINEER		10-6-14		DATE		DATE		DATE	
DESCRIPTION		BY		APPROVED		DATE		FILMED	
ORIGINAL		RSG							
CONTRACTOR		DATE STARTED		DATE COMPLETED		DATE COMPLETED		DATE COMPLETED	
INSPECTOR								37471-1-D	

CONSTRUCTION CHANGE / ADDENDUM			
CHANGE	DATE	AFFECTED OR ADDED SHEET NUMBERS	APPROVAL NO.

WARNING
0 1
IF THIS BAR DOES NOT MEASURE 1" THEN DRAWING IS NOT TO SCALE.


CITY OF SAN DIEGO PUBLIC WORKS PROJECT



MOBLEY STREET (2764) STORM DRAIN

CONSTRUCTION NOTES:

1. LOCATE, REMOVE, AND PROPERLY DISPOSE EXISTING STRAIGHT HEADWALL AND 18" CMP.
2. CONTRACTOR TO INSTALL CONCRETE ENERGY DISSIPATOR PER SDD-105 AND D-42. GROUDED RIP RAP SHALL BE 1TON CLASS. AGGREGATE SUBBASE BOTTOM AND SIDES FOR RIP RAP SHALL BE LIGHT CLASS WITH MINIMUM THICKNESS OF 9". AGGREGATE CUT OFF WALL REQUIRED AT THE END OF APRON. DISSIPATOR SHALL INCLUDE INLET BOX PER SDD-105.
3. CONTRACTOR SHALL NOT DISTURB ANY SOIL OUTSIDE THE CONSTRUCTION AREA AND FOOT ACCESS AREA.
4. NO TREES/SHRUBS ARE TO BE REMOVED UNLESS DEEMED NECESSARY FOR CONSTRUCTION AREA ACTIVITIES AND FOOT ACCESS.
5. CONSTRUCTION AREA IS FOR HAND TOOLS AND SMALL MACHINERY ONLY. ALTERNATE ACCESS WILL NOT BE ALLOWED.
6. CONTRACTOR SHALL CLEAR AND GRUB NON-NATIVE INVASIVE VEGETATION AND ROOT SYSTEM WITHIN PROPOSED CONSTRUCTION AREA.
7. THIS PROJECT REQUIRES A REVEGETATION PLAN AFTER STORM DRAIN CONSTRUCTION ACTIVITIES ARE COMPLETE. REFER TO THE APPENDIX IN THE CONTRACT SPECIFICATIONS.
8. IN AREAS WHERE FINISHED SLOPE WILL POSSESS AN INCLINATION STEEPER THAN 2:1, THE COMPACTED FILL SOILS SHOULD BE REINFORCED WITH GEOGRID MATERIALS PER DIRECTION OF QUALIFIED GEOTECHNICAL ENGINEERS.
9. TYPE V CONCRETE TO BE USED.
10. PER THE DIRECTION OF THE RESIDENT ENGINEER, THE EXISTING PRIVATE IMPROVEMENTS ARE TO BE TEMPORARILY REMOVED FOR SITE ACCESS, SALVAGED, AND REINSTALLED FOLLOWING WORK.






BEARING TABLE				
NO.	Δ/BEARING	RADIUS	LENGTH	REMARKS
①	N82° 9'45"E	---	55.15'	NEW 18" RCP
②	N82° 45'38"E	---	103.47'	EXISTING 18" RCP TO REMAIN IN PLACE

DATA TABLE				
NO.	NORTHING	EASTING	LENGTH	REMARKS
①	1869682.16	6289624.25	---	PROPOSED SDD-105 ENERGY DISSIPATOR
②	1869686.28	6289654.46	---	PROPOSED SDS-115 CUT-OFF WALL
③	1869690.38	6289683.76	---	PROPOSED A-4 CLEANOUT

SDD-105	
PIPE DIA (in)	18
AREA (sq-ft)	1.77
MAX O (cfs)	21
W	5'-6"
H	4'-3"
L	7'-4"
a	3'-3"
b	4'-1"
c	2'-4"
d	0'-11"
e	0'-6"
f	1'-6"
g	2'-1"
Tf	8"
Tb	7"
Tw	7"
Ta	7"

CONSTRUCTION/DISTURBED AREA (HATCH AREA) - COORDINATE WITH THE QUALIFIED GEOTECHNICAL ENGINEERS FROM NINYO & MOORE CONSULTANTS PER GEOTECHNICAL EVALUATION DATED JULY 26, 2013, TO BE PRESENT DURING SLOPE EXCAVATION, TESTING AND REPAIR ACTIVITIES.

CONTRACTOR'S NOTE:
USE EXTREME CAUTION WHEN WORKING AROUND RESIDENTIAL BUILDINGS.



PLANS FOR THE CONSTRUCTION OF:

MOBLEY STREET (2764) STORM DRAIN REPLACEMENT PROJECT

CITY OF SAN DIEGO, CALIFORNIA
PUBLIC WORKS DEPARTMENT
SHEET 2 OF 2 SHEETS

WBS# B-12032

FOR CITY ENGINEER: *Jamal S. Batta* 10-6-14
DATE: 10-6-14

DESCRIPTION	DRAWN BY	APPROVED	DATE	FILMED
ORIGINAL	RSG			

PROJECT MANAGER: **RON FOX**

PROJECT ENGINEER: **RON FOX**

228-1728
CCS27 COORDINATE
1868-6288
CCS83 COORDINATE

CONTRACTOR: _____ DATE STARTED: _____
INSPECTOR: _____ DATE COMPLETED: _____

37471- 2 -D