

**CITY COUNCIL OF THE CITY OF SAN DIEGO
CLOSED SESSION DOCKET
FOR
MONDAY, MAY 12, 2014
CITY ADMINISTRATION BUILDING
COMMITTEE ROOM – 12TH FLOOR
202 “C” STREET
SAN DIEGO, CA 92101**

NOTE: In accordance with the San Diego City Council Permanent Rules for Noticing and Conduct of Closed Session Meetings, adopted on February 28, 2005, a portion of the regular open meeting agenda of the City Council has been reserved for City Attorney comment, public comment, and City Council discussion of the content of this Closed Session Docket. **Public testimony for this Closed Session Agenda will be taken today during the 2:00 p.m. Council meeting.**

Conference with Legal Counsel - existing litigation, pursuant to California Government Code Section 54956.9(d)(1):

**CS-1 San Diego Regional Water Quality Control Board
Notice of Violation R9-2010-0135**

DCA Assigned: H. Stroud

This matter involves Notice of Violation R9-2010-0135, issued by the San Diego Regional Water Quality Control Board (Regional Board) on October 1, 2010. The Notice of Violation alleges failure to implement storm water mitigation requirements and failure to install treatment control best management practices. The City Attorney’s Office will update the Mayor and City Council on the status of the proceeding and seek direction.