


NON-CONTIGUOUS



CONTIGUOUS

NOTES:

1. CONCRETE SHALL BE 520-C-2500.
2. SEE JOINT DETAIL DRAWING, G-10.
3. SIDEWALK SHALL MAINTAIN A MINIMUM CLEAR WIDTH OF 4' OF TRAVEL FROM ANY OBSTRUCTION.
4. ALL HISTORICAL STAMPS / IMPRESSIONS (STREET NAME, CONTRACTOR NAME, AND/OR DATE) SHALL BE PRESERVED.
5. FOR DESIGNATED URBANIZED COMMUNITIES, SIDEWALK DESIGN (SCORING PATTERN, COLOR, TEXTURE) SHALL BE IN CONFORMANCE WITH HISTORIC DESIGN ON ADJACENT PROPERTIES.

LEGEND ON PLANS



REVISION	BY	APPROVED	DATE
ORIGINAL*	KA	J. NAGELVOORT	01/12
UPDATED	RB	J. NAGELVOORT	10/15

CITY OF SAN DIEGO - STANDARD DRAWING

SIDEWALK - TYPICAL SECTIONS

RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE

C. Aronson 10/5/15
COORDINATOR R.C.E. 56523 DATE

DRAWING NUMBER **SDG-155**