

NOTES

1. LETTER STYLE: FUTURA BOLD CONDENSED
2. LETTER SIZE: 6" 5" 2 1/2"
3. CITY SEAL: 4"
4. BACKGROUND: TYPE IV PRISMATIC SHEETING
5. ELECTRO CUT BLUE OVER WHITE
6. .065 ALUMINUM
7. MOUNTED TO TELSPAR WITH 3/8" DRIVE RIVETS
8. 4" TALL BY 1 1/4" SQ. CHANNEL SPACER HELD WITH VHB 4950 TAPE
9. CONTACT CITY OF SAN DIEGO SIGN SHOP, (619) 527-7528 FOR A LIST OF APPROVED VENDORS FOR CITY SEAL.

SHEET 1 OF 4

REVISION	BY	APPROVED	DATE	CITY OF SAN DIEGO - STANDARD DRAWING	RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE	
ORIGINAL		J. CASEY	11/88		<i>J. Hadli</i>	1/31/2012
UPDATED	KA	J. NAGELVOORT	01/12	STREET NAME SIGN	COORDINATOR R.C.E. 65271 DATE	
					DRAWING NUMBER	SDM-102

PERMANENT STREET NAME SIGNS

GENERAL:

STREET NAME SIGN ASSEMBLY FOR POST TOP MOUNTING SHALL CONSIST OF NAME BLADE UNITS, 24" LONG 1 1/2" SQUARE TELES PAR EXTENSION AND DRIVE RIVETS. ALL AS INDICATED ON THE STANDARD DRAWINGS AND/OR SPECIFIED IN THESE NOTES. ASSEMBLIES SHALL BE MOUNTED TO 1 3/4" SQUARE TELES PAR POSTS.

NAME BLADE UNITS:

NAME BLADE UNITS SHALL BE SINGLE FACED AND MADE FROM 10" WIDE (TOP TO BOTTOM) ALUMINUM SHEET STOCK, MILL FLAT, 6061-T6 OR 5052 ALLOY, .063 THICK. ENDS OF BLADE SHALL BE PERPENDICULAR TO TOP BOTTOM EDGES. EDGES SHALL BE FREE OF SHARP BURRS. EACH BLADE SHALL BE DRILLED WITH TWO 7/16" HOLES, ONE AT TOP AND AT BOTTOM EDGE OF SIGN. HOLES TO BE CENTERED ON BLADE AND 1/2" FROM EDGE. BLADE SHALL BE COVERED WITH TYPE IV PRISMATIC WHITE REFLECTIVE SHEETING.

LETTERING:

STREET NAME SHALL BE CUT FROM BLUE E.C. FILM MATERIAL AND APPLIED OVER THE WHITE BACKGROUND, CREATING A SIGN WITH A BLUE BACKGROUND AND WHITE LETTERING. TYPE FONT SHALL BE FUTURA BOLD CONDENSED. LETTERING HEIGHT OF STREET NAME SHALL BE 6" FOR FIRST LETTER AND 5" FOR THE REST OF THE NAME. STREET AND BLOCK NUMBER SUFFIX SHALL BE 2 1/2" FUTURA BOLD CONDENSED. LAYOUT TO BE AS SHOWN ON SHEET 1 OF 4 ON THE STANDARD DRAWING.

MOUNTING OF SIGN:

EACH NAME BLADE SHALL BE MOUNTED TO THE 1 1/2" TELES PAR EXTENSION WITH A 3/8" DRIVE RIVET. EACH STREET NAME SHALL BE MOUNTED BACK TO BACK WITH THE TELES PAR SANDWICHED IN BETWEEN AND THE ENDS FASTENED TOGETHER WITH VHB DOUBLE STICK TAPE. A SQUARE CHANNEL SPACER IS REQUIRED ON BLADES SHORTER THAN 36". THE EXTENSION IS TO BE PLACED INSIDE THE 1 3/4" TELES PAR POST AND FASTENED WITH A DRIVE RIVET.

SHEET 2 OF 4

REVISION	BY	APPROVED	DATE	CITY OF SAN DIEGO - STANDARD DRAWING	RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE	
ORIGINAL		J. CASEY	11/88		<i>J. Hadli</i>	1/31/2012
UPDATED	KA	J. NAGELVOORT	01/12	STREET NAME SIGN	COORDINATOR R.C.E. 65271 DATE	
					DRAWING NUMBER	SDM-102

STREET NAME SIGN STANDARDS

SUFFIX AND PREFIX ABBREVIATIONS:

AVENUE	AVE
STREET	ST
COURT	CT
DRIVE	DR
ROAD	RD
BOULDEVARD	BLVD
TERRACE	TER
MOUNTAIN	MTN
MOUNT	MT
POINT	PT
CAMINITO	CMTO
CAMINO	CAM
RANCHO	RCHO

SPELL OUT "FIRST AVE THROUGH TWELFTH AVE"


THEN: 13TH ST – 14TH ST ETC.

NOTE:
FOR A COMPLETE LIST OF SUFFIX AND PREFIX ABBREVIATIONS REFER
TO THE OFFICIAL USPS ABBREVIATION.

SHEET 3 OF 4

REVISION	BY	APPROVED	DATE	CITY OF SAN DIEGO – STANDARD DRAWING	RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE
ORIGINAL	XX	J.P. CASEY	11/88		
REV. - 1	TH		700	STREET NAME SIGN	1/31/2012
UPDATED	KA	J. NAGELVOORT	01/12		COORDINATOR R.C.E. 65271
					DATE
					DRAWING NUMBER SDM-102


CURB & SIDEWALK	SIDEWALK WIDTH	SETBACK
CONTIGUOUS	6' OR LESS	SIDEWALK WIDTH
CONTIGUOUS	MORE THAN 6'	2' - 6"
SEPARATE	_____	2' - 6"



LOCATION NOTES

1. ALONG MAJOR OR PRIMARY STREETS THERE SHALL BE 2 SIGN INSTALLATIONS PER INTERSECTION PLACED ON OPPOSITE CORNERS
2. ALONG A COLLECTOR OR LOCAL STREETS THERE SHALL BE ONE SIGN INSTALLATION PER INTERSECTION

LEGEND ON PLAN



STREET NAME SIGN LOCATION

(NUMBERS INDICATE PRIORITY OF LOCATION SELECTION WHEN THERE IS A CONFLICT WITH OTHER IMPROVEMENTS)

REVISION	BY	APPROVED	DATE
ORIGINAL		J.P. CASEY	11/88
REV. - 1	TH		700
UPDATED	KA	J. NAGELVOORT	01/12

CITY OF SAN DIEGO - STANDARD DRAWING

STREET NAME SIGN

RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE

H. Hadli 1/31/2012
COORDINATOR R.C.E. 65271 DATE

DRAWING NUMBER **SDM-102**