


PLAN



ISOMETRIC VIEW

NOTES:

1. UNLESS LOCATED IN AN ALCOVE, WING WALLS OR PROTECTIVE RAILINGS ARE REQUIRED ON BOTH SIDES OF DRINKING FOUNTAINS THAT PROJECT INTO THE PATH OF TRAVEL.
2. HANDRAILS AND GUARDRAILS MATERIAL & FINISH:
  - A. PIPE RAILINGS SHALL BE HOT DIPPED GALVANIZED OR AUSTENITIC (NON-CORROSIVE) STAINLESS STEEL.
  - B. PIPE RAILINGS SHALL BE SEAMLESS STEEL, ASTM A53 GRADE B.
3. THE LANDING SHALL BE PAVED WITH A SOLID AND STABLE MATERIAL WITH A SLIP-RESISTANT FINISH.

LEGEND ON PLANS



REVISION	BY	APPROVED	DATE
ORIGINAL	SS	A. OSKOUI	12/03
UPDATE	FC	A. OSKOUI	12/06
UPDATE	FC	A. OSKOUI	12/08
UPDATE	KA	J. NAGELVOORT	01/12

CITY OF SAN DIEGO - STANDARD DRAWING

**DUAL HEIGHT DRINKING FOUNTAIN  
NON-ALCOVE (FOR EXISTING STRUCTURES)**

RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE

*H. Hadli* 1/31/2012  
COORDINATOR R.C.E. 65271 DATE

DRAWING NUMBER **SDM-108**