Cross-Sections of "B" St.
From 22ND to 30TH
Page - 1 - to 72.

Cross-Sections of
"Front" St. Fir to Grape.
Page - 73 to 74.

Cross-Sections of
"17TH" St. "G" to "N"
Page 75 to 130.

Levels on State St.
From S. line of Beach
to 150' S. of Ash.
Page 131 to 133.

Levels on Ash from
Union to Columbia.
Page 134 to 136.

Pueblo Lot 1300.
Page 137 - 138.

Property of San Diego City Engineers Office
202 C St., San Diego, Cal.

F.B. 136

Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

Minutes	Lks.	Minutes	Lks.	Minutes	Lks.
1	2 1/3	21	49	41	95 2/3
2	4 2/3	22	51 1/3	42	98
3	7	23	53 2/3	43	100 1/3
4	9 1/3	24	56	44	102 2/3
5	11 2/3	25	58 1/3	45	105
6	14	26	60 2/3	46	107 1/3
7	16 1/3	27	63	47	109 2/3
8	18 2/3	28	65 1/3	48	112
9	21	29	67 2/3	49	114 1/3
10	23 1/3	30	70	50	116 2/3
11	25 2/3	31	72 1/3	51	119
12	28	32	74 2/3	52	121 1/3
13	30 1/3	33	77	53	123 2/3
14	32 2/3	34	79 1/3	54	126
15	35	35	81 2/3	55	128 1/3
16	37 1/3	36	84	56	130 2/3
17	39 2/3	37	86 1/3	57	133
18	42	38	88 2/3	58	135 1/3
19	44 1/3	39	91	59	137 2/3
20	46 2/3	40	93 1/3	60	140

Return to City Engineers Office
City Hall, San Diego, Cal.

MICROFILMED

TABLE FOR RUNNING ON SLOPES.

DEC 1964

In the following table the first column shows the angle, the second the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement.

Angle	Cor. in Links	Angle	Cor. in Links	Angle	Cor. in Links	Angle	Cor. in Links
o		o		o		o	
4	0.24	11	1.88	18	5.14	25	10.54
5	0.38	12	2.24	19	5.76	26	11.26
6	0.55	13	2.63	20	6.42	27	12.24
7	0.76	14	3.06	21	7.11	28	13.37
8	0.98	15	3.53	22	7.85	29	14.34
9	1.24	16	4.02	23	8.64	30	15.47
10	1.55	17	4.56	24	9.47	35	22.07

136

Return to City Engineers Office
City Hall, San Diego, Cal.

12/20/02. (1)

1

d Homecourt
Cornell
Fairview
Downs

Cross-sections of "B" street, from 22d to 30th, —

B.M.	6.35		144.90	138.55
T.P.	10.05	1.33	153.62	143.57

West line of 22d. Dt,

So. line B.	8.2	145.42
" cent	9.8	143.82
1/4	12.6	141.02
Center	13.0	140.62

East line W. side 22d,

Center	11.8	141.82
1/4	11.1	142.52
So. cent	9.8	143.82
" line	8.3	145.32

1/4 line W. side 22d,

So. line	8.2	145.42
" cent	8.6	145.02
1/4	10.4	143.22

(2)

2

Center	11.2	153.62	142.42

Center line 22d.

Center B.	9.8	143.82
1/4	9.0	144.62
So. cent	7.9	145.72
" line B.	7.7	145.92

1/4 line E. side of 22d.

So. line B.	7.6	146.02
" cent	7.3	146.32
1/4	7.6	146.02
Center	8.5	145.12

Cent line E. side of 22d.

Center B.	7.6	146.02
1/4	6.6	147.02
So. cent	6.6	147.02
" line	7.3	146.32

East line 22d.

So. line	6.2	147.42

So. line		3.2	153.62	150.42
So. curb		4.8		148.82
" "		3.6		150.02
1/4		5.2		148.42
Center		5.4		148.22
	25 ft. East of 22d.			
Center		2.1		151.52
1/4		1.7		151.92
So. curb		0.7		152.92
" line B.		0.5		153.12
T.P.	11.20	0.94	163.88	152.68
	50 ft. East of 22d.			
So. line B.		8.4		155.48
" curb		8.7		155.18
1/4		9.5		154.38
Center		14.1		149.78
	75 ft. E. of 22d.			
Center		12.8		151.08

1/4	7.5	163.88	156.38
So. curb	6.1		157.78
So. line B.	5.9		157.98
	100 ft. East of 22d.		
So. line B	3.4		160.48
" curb	3.9		159.98
1/4	5.0		158.88
Center	9.2		154.68
	125 ft. East of 22d.		
Center	8.3		155.58
1/4	5.3		158.58
So. curb	3.1		160.78
" line "B"	1.9		161.98
	150 ft. East of 22d.		
So. line B.	1.8		162.08
" curb	3.2		160.68
1/4	4.6		159.28
Center	6.7		157.18

175 ft. E. of 22d.

Center	4.4	163.88	159.48
1/4	2.7		161.18
So. cent	2.4		161.48
" line B.	1.1		162.78

West line of 23d. St.

So. line B.	0.1		163.78
" cent	0.4		163.48
1/4	0.8		163.08
Center	0.6		163.28
1/4	0.2		163.68
No. cent	1.4		162.48
" line B.	2.6		161.28
T.P. "XZ"	0.47	163.41	

175 ft. E. of 22d.

No. line B.	5.2		158.68
" cent	5.7		158.18
1/4	5.3		158.58

150 ft. E. of 22d.

1/4	8.9	163.88	154.98
No. cent	9.6		154.28
No. line B.	8.7		155.18

125 ft. E. of 22d.

No. line B.	13.8			150.08
" cent	15.8			148.08
1/4	14.7			149.18
	11.6			152.28
T.P.	1.66	12.83	152.71	151.05

100 ft. E. of 22d.

1/4	3.3		149.41
No. cent	9.6		143.11
No. line "B"	8.4		144.31

75 ft. E. of 22d.

No. line "B"	14.1		138.61
" cent	11.4		141.31
1/4	7.8		144.91

50 ft. East of 22d.

1/4	8.8	152.71	143.91
No. cent	15.5		137.21
" line "B"	16.9		135.81

25 ft. East of 22d.

No. line "B"	15.9		136.81
" cent	10.5		142.21
1/4	5.5		137.21

East line of 22d.

1/4	6.2		146.51
No. cent	8.3		144.41
" line "B"	11.8		140.91

Cent line E. side of 22d.

No. line B.	10.7		142.01
" cent	9.3		143.41
1/4	7.7		145.01

1/4 line E. side of 22d.

1/4	8.5		144.21

No. cent	9.8	152.71	142.91
" line "B"	10.7		142.01

Center line of 22d.

No. line B	11.7		141.01
" cent	10.8		141.91
1/4	9.5		143.21

1/4 line W. side of 22d.

1/4	11.1		141.61
No. cent	11.5		141.21
" line "B"	12.3		140.41

Cent line W. side of 22d.

No. line "B"	12.6		140.11
" cent	12.1		140.61
1/4	11.8		140.91

West line of 22d.

1/4	12.4		140.31
No. cent	13.0		139.71
" line B.	12.6		140.11

T.P. "XZ"	11.72	175.13	163.41
Curb line W. side of 23d.			
So. line "B"	10.7		164.43
" curb	10.8		164.33
1/4	11.0		164.13
Center	11.3		163.83
1/4	11.6		163.53
No. curb	11.7		163.43
" line "B"	12.7		162.43
Center line of 23d.			
No. line "B"	12.4		162.73
" curb	11.2		163.93
1/4	10.7		164.43
Center	10.5		164.63
1/4	10.7		164.43
So. curb	10.6		164.53
" line B.	10.4		164.73

Curb East side 23d.			
So. line B	10.4	175.13	164.73
" curb	10.0		165.13
1/4	9.8		165.33
Center	9.9		165.23
1/4	9.9		165.23
No. curb	10.4		164.73
" line "B"	10.3		164.83
East line of 23d.			
No. line "B"	9.5		165.63
" curb	9.3		165.83
1/4	9.3		165.83
Center	9.2		165.93
1/4	9.3		165.83
Curb So. side	9.3		165.83
50 ft. East of 23d.			
So. gutter	5.4		169.73
1/4	5.3		169.83

Center		4.8	175.13	170.33
1/4		4.7		170.43
No. cent		5.0		170.13
" line "B"		5.6		169.53
	100 ft. E. of 23d,			
No. line B		2.3		172.83
" cent		1.3		173.83
1/4		0.9		174.23
Center		0.6		174.53
1/4		0.8		174.33
So. cent		0.7		174.43
T.P.	12.60	0.17	187.56	174.96
	West line of 24th.			
B.M.		7.31	180.25	
So. line "B"		7.4		180.16
" Cent		7.5		180.06
1/4		8.2		179.36
Center		8.6		178.96

1/4	8.8	187.56	178.76
No. cent	9.1		178.46
So. line "B"	9.1		178.46
	Cent line W. side 24th		
No. line "B"	8.0		179.56
" cent	8.0		179.56
1/4	7.9		179.66
Center	7.7		179.86
1/4	7.5		180.06
So. cent	7.5		180.06
So. line "B"	7.2		180.36
	Center line of 24th.		
So. line B	6.9		180.66
" cent	7.0		180.56
1/4	7.1		180.46
Center	7.1		180.46
1/4	7.2		180.36
No. cent.	7.2		180.36

No line B.	7.3	187.56	1-	180.26

Cent line East side 24th

No. line "B"	7.2			180.36
" cent	7.1			180.46
1/4	6.6			180.96
Center	6.4			181.16
1/4	6.2			181.36
So cent	6.1			181.46
So. line "B"	6.2			181.36

East line of 24th

No. line B.	5.8			181.76
No. cent	66			180.96
1/4	6.6			180.96
Center	6.1			181.46
1/4	5.4			182.16
So. cent	5.3			182.26
So. line B.	3.9			183.66

25 ft. E. of 24th

So. line B.	1.4	187.56		186.16
" cent	2.9			184.66
1/4	2.8			184.76
8'	3.0			184.56
Center	4.7			182.86
1/4	5.2			182.36
No. cent	5.4			182.16
10'	4.9			182.66
No. line B.	3.4			184.16

50 ft. East of 24th

No. line B.	3.1			184.46
" cent	4.0			183.56
1/4	3.9			183.66
Center	3.1			184.46
9'	0.5			187.06
1/4	0.4			187.16
So. cent	0.8			186.76

So. line "B"		-0.5	187.56	188.06
T.P.	13.03	1.13	199.46	186.43

75 ft. East of 24th.

So. line B.	9.4		190.06
So. curb	10.6		188.86
1/4	9.7		189.76
10.	13.2		186.26
C.	13.9		185.56
1/4	14.2		185.26
No. curb	14.0		185.46
10	13.7		185.76
No. line "B"	12.2		187.26

100 ft. East of 24th,

No. line B.	10.8		188.66
" curb	11.8		187.66
1/4	10.9		188.56
Center	10.9		188.56
7.	8.2		191.26

1/4	8.0	199.46	191.46
So. curb	8.4		191.06
" line B.	7.4		192.06

112 ft. East of 24th

So. line B.	6.3		193.16
So. curb	7.3		192.16
1/4	7.7		191.76
Center	7.6		191.86
1/4	8.5		190.96
No. curb	7.5		191.96
No. line "B"	6.8		192.66

125 ft. East of 24th.

No. line B"	6.0		193.46
" curb	6.9		192.56
1/4	7.0		192.46
Center	6.9		192.56
1/4	7.0		192.46
So. curb	5.7		193.76

So. line "B"		4.5	199.46	194.96

150 ft. East of 24th.

So. line "B"		2.9		196.56
" curb		4.7		194.76
1/4		5.4		194.06
Center		5.5		193.96
1/4		5.6		193.86
No. curb		5.6		193.86
No. line B.		4.6		194.86

200 ft. East of 24th.

No. line B.		2.4		197.06
" curb		3.5		195.96
1/4		3.1		196.36
Center		2.8		196.66
1/4		2.7		196.76
So. curb		2.1		197.36
" line "B"		0.6		198.86
T.P.	8.62	1.51	206.57	197.95

250 ft. East of 24th.

So. line B.		6.0	206.57	200.57
" curb		7.2		199.37
1/4		7.7		198.87
Center		7.8		198.77
1/4		8.1		198.47
No. curb		8.7		197.87
" line "B"		7.5		199.07

300 ft. East of 24th.

No. line B.		4.2		202.37
" curb		6.2		200.37
1/4		6.5		200.07
Center		6.1		200.47
1/4		6.1		200.47
So. curb		5.2		201.37
So. line B		5.8		200.77

350 ft. East of 24th.

So. line "B"		4.2		202.37

So. curb	5.3	206.57	201.27
1/4	5.1		201.47
Center	4.8		201.77
1/4	4.6		201.97
No. curb	4.3		202.27
No. line "B"	3.8		202.77
400 ft. East of 24th.			
No. line "B"	4.5		202.07
" curb	4.7		201.87
1/4	5.4		201.17
Center	5.6		200.97
1/4	6.0		200.57
So. curb	6.2		200.37
" line "B"	5.7		200.87
450 ft. E. of 24th.			
So. line B.	7.3		199.27
" curb	8.6		197.97
1/4	8.1		198.47

Center	7.8	206.57	198.77
1/4	7.4		199.17
No. curb	7.0		199.57
" line "B"	6.2		200.37
500 ft. East of 24th.			
No. line "B"	8.7		197.87
" curb	8.8		197.77
1/4	9.1		197.47
Center	8.7		197.87
1/4	8.9		197.67
So. curb	9.3		197.27
" line "B"	9.2		197.37
550 ft. East of 24th.			
So. line "B"	10.8		195.77
" curb	10.6		195.97
1/4	10.4		196.17
Center	10.4		196.17
1/4	10.4		196.17

No. curb	9.5	206.57	197.07
" line "B"	9.6		196.97

West line of 25th.

No. line "B"	10.0		196.67
" curb	10.2		196.87
1/4	10.4		196.17
Center	10.2		196.37
1/4	10.4		196.17
So. curb	10.6		195.97
" line B.	10.6		195.97
T.P.	7.98	10.29	204.26 196.28

Curb line W. side of 25th.

So. line B.	8.7		195.56
" Curb	8.3		195.96
1/4	8.5		195.76
Center	8.4		195.86
1/4	8.2		196.06
Curb	7.9		196.36

No. line B.	7.6	204.26	196.66

1/4 West side of 25th

No. line B.	7.9		196.36
" curb	8.1		196.16
1/4	8.3		195.96
Center	8.5		195.76
1/4	8.6		195.66
So. curb	8.8		195.46
" line B	9.0		195.26

Center line of 25th

So. line B.	8.1		196.16
" curb	8.3		195.96
1/4	8.1		196.16
Center	7.7		196.56
1/4	7.5		196.76
No. curb	7.5		196.76
"No. line "B"	7.7		197.06

1/4 - East side 25th

No. line "B"	7.7	204.26	196.56
" curb	8.0		196.26
1/4	8.2		196.06
Center	8.3		195.96
1/4	8.6		195.66
So. curb	8.7		195.56
" line "B"	9.0		195.26

Curb line E. side 25th.

So. line B.	8.5		195.76
" curb	8.6		195.66
1/4	8.4		195.86
Center	8.2		196.06
1/4	7.8		196.46
No. curb	7.7		196.56
No. line "B"	7.6		196.66

East line of 25th.

No. line B.	7.1		197.16

No. curb	7.4	204.26	196.86
1/4	7.5		196.76
C.	7.7		196.56
1/4	7.8		196.46
So. curb	8.1		196.16
So. line "B"	8.3		195.96

50 ft. East of 25th.

So. line "B"	7.3		196.96
" curb	7.0		197.26
1/4	7.3		196.96
Center	7.0		197.26
1/4	6.7		197.56
No. curb	6.4		197.86
" line "B"	5.5		198.76

100 ft. East of 25th.

No. line "B"	3.9		200.36
" curb	4.9		199.36
1/4	4.9		19.9.36

Center	5.0	204.26	199.26
1/4	5.2		199.06
So. curb	5.7		198.56
So. line B,	6.0		198.26
140 ft. E. of 25th = W. line of alley			
So. line B.	4.8		199.46
" curb	4.6		199.66
1/4	3.9		200.36
Center	3.9		200.36
1/4	3.5		200.76
No. curb	2.6		201.66
No. line B,	3.1		201.16
160 ft. E. of 25th. = E. line of alley			
No. line B,	2.0		202.26
" curb	2.8		201.46
1/4	3.2		201.06
Center	3.6		200.66
1/4	3.8		200.46

So. curb	3.6	204.26	200.66
" line "B"	3.2		201.06
210 ft. E. of 25th			
So. line B	2.7		201.56
" curb	2.5		201.76
1/4	2.0		202.26
Center	1.6		202.66
1/4	1.4		202.86
No. curb	1.2		203.06
" line "B"	0.7		203.56
T.P. 10.98	0.83	214.38	203.43
260 ft. E. of 25th.			
No. line B.	8.7		205.68
" curb	9.9		204.48
1/4	10.1		204.28
Center	9.2		205.18
1/4	9.3		205.08
So. curb	10.8		203.58

So. line B	11.3	214.38	203.08
310 ft. E. of 25th,			
So. line B		9.3	205.08
" curb		8.5	205.88
1/4		8.0	206.38
Center		7.9	206.48
1/4		7.8	206.58
No. curb		7.2	207.18
" line "B"		6.9	207.48
360 ft. E. of 25th,			
No. line B		4.4	209.98
" curb		4.9	209.48
1/4		5.2	209.18
Center		5.7	208.68
1/4		6.0	208.38
So. curb		6.3	208.08
" line "B"		7.3	207.08

410 ft. E. of 25th,			
So. line B,	5.2	214.38	209.18
" curb	4.9		209.48
1/4	4.8		209.58
Center	4.8		209.58
1/4	4.7		209.68
No. curb	4.5		209.88
" line B.	4.0		210.38
435 ft. E. of 25th,			
No. line of B.	6.2		208.18
No. curb	6.5		207.88
1/4	6.4		207.98
Center	6.2		208.18
1/4	5.9		208.48
So. curb	5.8		208.58
South line "B"	6.2		208.18
460 ft. East of 25th,			
So. line "B"	10.0		204.38

So. curb		10.3	214.38	204.08
1/4		9.7		204.68
Center		10.1		204.28
1/4		10.6		203.78
No. curb		10.5		203.88
" line "B"		10.4		203.98
T.P.	1.64	13.03	202.99	201.35
	510 ft. East of 25th.			
No. line "B"		4.5		198.49
" curb		4.5		198.49
1/4		5.0		197.99
Center		5.0		197.99
1/4		5.3		197.69
So. curb		4.6		198.39
" line B.		3.8		199.19
	West line of 26th.			
So. line B		11.5		191.49
So. curb		11.2		191.79

1/4	10.5	202.99	192.49
Center	9.6		193.39
1/4	9.1		193.89
No. curb	9.0		193.99
" line "B"	8.4		194.59
	Cent line West side 26th.		
No. line B.	9.3		193.69
" curb	9.7		193.29
1/4	9.7		193.29
Center	10.4		192.59
1/4	11.1		191.89
So curb	12.2		190.79
" line B.	12.9		190.09
	Center line of 26th		
So. line B.	13.9		189.09
" curb	13.2		189.79
1/4	12.1		190.89
Center	11.2		191.79

1/4	10.6	202.99	192.39
No. cent	10.3		192.69
" line B.	9.7		193.29

Curb line East side of 26th.

No. line "B"	9.2		193.79
" cent	10.1		192.89
1/4	10.6		192.39
Center	11.2		191.79
1/4	12.3		190.69
So. cent	13.3		189.69
" line B.	13.8		189.19

East line of 26th.

So. line "B"	13.3		189.69
" cent	12.4		190.59
1/4	11.6		191.39
Center	10.5		192.49
1/4	9.8		193.19
No. cent	9.8		193.19

No. line "B"	9.1	202.99	193.89
B.M.	10.32	192.67	

50 ft. East of 26th.

No. line B.	7.2		195.29
No. cent	7.8		196.19
1/4	8.3		194.69
Center	8.4		194.59
1/4	8.8		194.19
So. cent	9.6		193.39
" line "B"	9.8		193.19

100 ft. East of 26th.

So. line B.	8.4		194.59
" cent	7.9		195.09
1/4	7.3		195.69
Center	6.8		196.19
1/4	6.6		196.39
No. cent	6.2		196.79
No. line B.	5.8		197.69

150 ft. East of 26th.

No. line B.	4.3	202.99	198.69
" curb	4.9		198.09
1/4	4.9		198.09
Center	5.2		197.79
1/4	5.6		197.39
So. curb	6.3		196.69
" line "B"	7.0		195.99

200 ft. East of 26th.

So. line "B"	6.5		196.49
" curb	5.9		197.09
1/4	5.4		197.59
Center	4.9		198.09
1/4	4.5		198.49
No. curb	4.3		198.69
" line "B"	3.6		199.39
T.P.	3.84	3.85	202.98 199.14

250 ft. East of 26th.

No. line B.	4.2	202.98	198.78
" curb	5.2		197.78
1/4	5.9		197.08
Center	6.8		196.18
1/4	7.3		195.68
So. curb	8.0		194.98
So. line B.	8.5		194.48

300 ft. East of 26th.

So. line "B"	9.8		193.18
" curb	8.5		194.48
1/4	7.9		195.08
Center	7.0		195.98
1/4	5.9		197.08
No. curb	5.5		197.48
" line B	4.3		198.68

350 ft. E. of 26th

No. line B.	2.4	20298	200.58
" cent	3.8		199.18
1/4	4.0		198.98
Center	4.3		198.68
1/4	4.9		198.08
So. cent	5.4		197.58
" line B.	6.3		196.68

400 ft. E. of 26th.

So. line B.	7.4		195.68
" cent	6.6		196.38
1/4	5.4		197.58
Center	4.2		198.78
1/4	3.2		199.78
No. cent	2.6		200.38
No. line B.	1.2		201.78

450 ft. E. of 26 th

No. line B	1.8		201.18
" cent	2.7		200.28

1/4	3.2	20298	199.78
Center	3.9		199.08
1/4	4.4		198.58
So. cent	5.0		197.98
" line "B"	6.1		196.88

500 ft. E. of 26th.

So. line "B"	4.0		198.98
" cent	3.4		199.58
1/4	3.0		199.98
Center	2.7		200.28
1/4	2.3		200.68
No. cent	2.0		200.98
" line "B"	1.4		201.58

550 ft. E. of 26th.

No line B.	1.5		201.48
" cent	3.2		199.78
1/4	3.6		199.38
Center	4.3		198.68

1/4		4.9	202.98	198.08
So. curb		5.2		197.78
" line B.		5.4		197.58
	West line of 27th.			
So. line "B"		5.9		197.08
" curb		5.2		197.78
1/4		4.4		198.58
Center		9.8		199.18
1/4		2.9		200.08
No. curb		2.6		200.38
" line B.		1.8		201.68
T.P.	7.00	1.02	208.96	201.96
1/7/03		Curb West side 27th		
N line B		7.8		201.16
Curb		8.7		200.26
1/4		8.7		200.26
Center		9.7		199.26
1/4		10.3		198.66

Curb	11.0	208.96	197.96
S. line B	11.7		197.26
	Center 27th		
S. line B.	10.2		198.76
Curb	9.9		199.06
1/4	9.5		199.46
Center	8.8		200.16
1/4	8.3		200.66
Curb	7.8		201.16
N line B"	7.1		201.86
	Curb East side 27th.		
N line B"	6.5		202.46
Curb	7.3		201.66
1/4	7.7		201.26
Center	8.0		200.96
1/4	8.0		200.96
Curb	8.5		200.46
S. line B	8.7		200.26

59

East line 27th

N. line B.	5.8	208.96	203.16
Curb	6.7		202.26
1/4	7.1		201.86
Center	7.3		201.66
1/4	7.6		201.36
Curb	7.8		201.16
S. line B.	7.9		201.06
	50 ft East of East line 27th		
S. line B	4.2		204.76
Curb	4.3		204.66
1/4	4.2		204.76
Center	4.1		204.86
1/4	4.1		204.86
Curb	4.1		204.86
N. line B.	3.5		205.46
	100' East of East line 27th		
N. line B	1.5		207.46
Curb	1.7		207.26

40

1/4	1.9	208.96	207.06
Center	1.6		207.36
1/4	1.8		207.16
Curb	2.0		206.96
S. line B	2.1		206.86
	125' East of East line 27th		
S. line B.	1.6		207.36
Curb	1.5		207.46
1/4	1.4		207.56
Center	1.5		207.46
1/4	1.5		207.46
Curb	1.7		207.26
N. line B	1.8		207.16
	150' East of 27th		
N. line B	3.9		205.06
Curb	3.4		205.56
1/4	3.1		205.86
Center	2.5		206.46

41

1/4	2.1	208.96	206.86
Curb	1.6		207.36
S. line B.	1.3		207.66
	200' East of 27th		
S. line B.	4.2		204.76
Curb	4.7		204.26
1/4	6.3		202.66
Center	6.3		202.66
1/4	6.7		202.26
Curb	7.0		201.96
N. line B.	7.0		201.96
T. P.	5.88	10.64 (204.20)	198.32
	225' East of 27th		
N. line B	6.7		197.50
Curb	5.7		198.50
1/4	4.3		199.90
Center	3.6		200.60
1/4	2.7		201.50

42

Curb	2.1	204.20	202.10
S. line B	1.8		202.40
	250' East of 27th		
S. line B	3.9		200.30
Curb	4.8		199.40
1/4	6.1		198.10
Center	7.4		196.80
1/4	8.5		195.70
Curb	10.0		194.20
N. line B	11.4		192.80
	275' East of 27th		
N. line B	16.4		187.80
Curb	15.0		189.20
1/4	13.4		190.80
Center	12.0		192.20
1/4	10.7		193.50
Curb	9.5		194.70
S. line B	8.3		195.90

43

T. P.	1.21	11.02	(194.09)	192.88
		300' East of 27th		
S. line B.		2.6		191.49
Curb		3.6		190.49
1/4		5.7		188.39
Center		7.6		186.49
1/4		8.5		185.59
Curb		10.2		183.89
N. line B		11.7		182.39
		325' East of 27th		
30' North		18.0		176.1
N. line B.		15.7		178.39
Curb		14.6		179.49
1/4		13.0		181.09
Center		11.8		182.29
1/4		10.5		183.59
Curb		9.3		184.79
S. line B.		8.0		186.09
T. P.	0.42	11.02	(183.49)	183.07

44

		350' East of 27th		
S. line B		3.5		179.99
Curb		5.3		178.19
1/4		6.7		176.79
Center		8.0		175.49
1/4		8.6		174.89
Curb		11.0		172.49
N. line B.		13.2		170.29
30' North		14.1		169.4
T. P.	1.57	11.96	(173.10)	171.53
		375' East of 27th		
30' North		11.7		161.4
N. line B		11.2		161.90
Curb		9.9		163.20
1/4		5.6		167.50
Center		4.2		168.90
1/4		3.2		169.90
Curb		2.8		170.30
S. line		1.1		172.00
20' South				174.0
		393' East of 27th		
30' South		3.1		170.0
S. line		9.2		163.90

Curb		10.2	162.90
1/4		11.0	162.10
Center		12.0	161.10
1/4		12.7	160.40
Curb		13.8	159.30
N. line B.		13.9	159.20
30' North		13.1	160.0
T. P.	3.01	8.15	(167.96) 164.95

400' East 27th

30' North		5.9	162.1
N. line B		7.1	160.86
Curb		8.3	159.66
1/4		8.7	159.26
Center		7.6	160.36
1/4		6.7	161.26
Curb		6.6	161.36
S. line B.		6.1	161.86
30' South		1.9	166.1

425' East 27th

30' South		9.8	158.2
S. line B		9.3	158.66
Curb		9.3	158.66

1/4		9.4	158.56
Curb		8.6	159.36
1/4		7.7	160.26
Curb		6.0	161.96
N. line B.		3.3	164.66
30' North		0.8	167.2

450' East 27th

30' North			171.8
N. line B.		0.3	167.66
Curb		4.3	163.66
1/4		5.2	162.76
Center		6.0	161.96
1/4		6.3	161.66
Curb		9.1	158.86
S. line B.		10.6	157.36
30' South		10.8	157.2
T. P.	11.45	2.48	(176.93) 165.48

475' East of 27th

30' North		5.8	171.13
N. line B		11.6	165.33
Curb		10.3	166.63

347

1/4		8.8	168.13
Center		8.1	168.83
1/4		7.7	169.23
Curb		8.7	168.23
S. line R.		10.8	166.13
20' South		12.0	164.93
	500' East of 27th		
20' South		8.0	168.93
S. line R.		5.5	171.43
Curb		4.6	172.33
1/4		3.4	173.53
Center		2.6	174.33
1/4		2.2	174.73
Curb		1.6	175.33
N. line R.		2.2	174.73
20' North		3.0	173.93
T. P.	10.90	0.84	(186.99) 176.09
	525' East of 27th		
N. line R.		5.2	181.79

348

Curb		5.5	181.49
1/4		6.5	180.49
Center		8.5	178.49
1/4		9.8	177.19
Curb		11.4	175.59
S. line R.		13.9	173.09
20' South		15.4	171.59
T. P.	10.14	0.42	(196.71) 186.57
	550' East of 27th		
S. line R.		18.2	178.51
Curb		16.3	180.41
1/4		14.9	181.81
Center		13.1	183.61
1/4		12.2	184.51
Curb		11.2	185.51
N. line R.		11.1	185.61
	575' East of 27th		
N. line R.		4.9	191.81

049

Curb	5.3	196.71	191.41
1/4	6.3		190.41
Center	9.2		187.51
1/4	10.5		186.21
Curb	12.2		184.51
S. line B.	14.3		182.41
	West line 28th		
S. line B.	10.6		186.11
Curb	9.4		187.31
1/4	5.8		190.91
Center	4.6		192.11
1/4	3.8		192.91
Curb	3.1		193.61
N. line	2.7		194.01
	Curb West side 28th		
N. line B.	1.5		195.21
Curb	2.0		194.71
1/4	3.0		193.71

050

Center	3.7	196.71	193.01
1/4	4.7		192.01
Curb	5.8		190.91
S. line B	6.2		190.51
	1/4 West side 28th		
S. line B	4.8		191.91
Curb	4.3		192.41
1/4	3.2		193.51
Center	2.2		194.51
1/4	1.6		195.11
Curb	0.8		195.91
N. line B.	0.0		196.71
T. P.	11.13	0.78 (207.06)	195.93
	Center 28th		
N. line B.	10.1		196.96
Curb	10.7		196.36
1/4	11.6		195.46
Center	12.4		194.66

1/4	12.9	207.06	194.16
Curb	13.5		193.56
S. line B	14.6		192.46
	1/4 East side 28th		
S line B	12.9		194.16
Curb	11.8		195.26
1/4	11.2		195.86
Center	10.6		196.46
1/4	9.9		197.16
Curb	9.3		197.76
N. line B.	8.7		198.36
	Curb East side 28th		
N. line B	7.8		199.26
Curb	8.3		198.76
1/4	8.6		198.46
Center	9.0		198.06
1/4	9.5		197.56
Curb	10.0		197.06

S. line B	10.5	207.06	196.56
	East side 28th		
S line B	8.9		198.16
Curb	8.6		198.46
1/4	8.2		198.86
Center	7.8		199.26
1/4	6.5		200.56
Curb	6.5		200.56
N. line B	6.1		200.96
	50' East of 28th		
N. line B	3.5		203.56
Curb	3.7		203.36
1/4	3.9		203.16
Center	4.0		203.06
1/4	3.9		203.16
Curb	4.1		202.96
S line B	4.5		202.56
	100' East of 28th		
S. line B	3.7		203.36

Curb	3.4	207.06	203.66
1/4	3.1		203.96
Center	2.8		204.26
1/4	2.6		204.46
Curb	2.4		204.66
N line B	2.1		204.96
150' East of 28th			
N. line B	2.6		204.46
Curb	2.9		204.16
1/4	3.2		203.86
Center	3.5		203.56
1/4	3.7		203.36
Curb	3.8		203.26
S. line B.	4.2		202.86
200' East 28th			
S. line B	6.0		201.06
Curb	5.1		201.96
1/4	4.6		202.46

Center	4.8	207.06	202.26
1/4	4.5		202.56
Curb	4.4		202.66
N. line	4.3		202.76
250' East of 28th			
N line B	5.7		201.36
Curb	5.8		201.26
1/4	6.0		201.06
Center	6.1		200.96
1/4	6.7		200.36
Curb	7.1		199.96
S. line B	7.5		199.56
300' East of 28th			
S line B	8.4		198.66
Curb	8.2		198.86
1/4	8.3		198.76
Center	8.1		198.96
1/4	7.6		199.46

Curb	8.0		199.06
N. line B.	8.1		198.96
T. P.	4.13	11.23	(199.96) 195.83
	325' East of 28th		
N. line B.	2.7		197.26
Curb	2.5		197.46
1/4	2.3		197.66
Center	2.5		197.46
1/4	2.2		197.76
Curb	2.3		197.66
S. line B.	2.3		197.66
	350' East of 28th		
S. line B	4.7		195.26
Curb	4.8		195.16
1/4	4.9		195.06
Center	5.2		194.76
1/4	5.3		194.66
Curb	5.7		194.26

N. line B.	5.9		194.06
	375 East of 28th		
N. line B	11.6		188.36
Curb	11.0		188.96
1/4	10.3		189.66
Center	10.2		189.76
1/4	9.8		190.16
Curb	9.1		190.86
S. line B.	9.4		190.56
T. P.	0.38	10.62	(189.72) 189.34
	400' East of 28th		
S. line B	4.7		185.02
Curb	4.7		185.02
1/4	5.4		184.32
Center	5.4		184.32
1/4	6.5		183.22
Curb	7.7		182.02
N. line B.	8.2		181.52

425' East of 28th

20' North		15.3	174.42
N. line B		14.6	175.12
Curb		14.3	175.42
1/4		13.8	175.92
Center		13.0	176.72
1/4		12.7	177.02
Curb		13.0	176.72
S. line B		13.0	176.72
20' South		12.3	177.42
T. P.	0.50	11.35 (178.87)	178.37

450' East of 28th

20' South		6.3	172.57
S. line B.		8.7	170.17
Curb		10.6	168.77
1/4		10.7	168.17
Center		11.0	167.87
1/4		11.0	167.87
Curb		11.0	167.87

N. line B		11.8	167.07
30' North		13.4	165.47
T. P.	4.18	11.60 (171.45)	167.27

475' East of 28th

30' North		7.0	164.45
N. line B		7.9	163.55
Curb		8.7	162.75
1/4		8.3	163.15
Center		8.2	163.25
1/4		7.8	163.65
Curb		7.6	163.85
S. line B		7.8	163.65
30' South		6.1	165.35

500' East of 28th

30' South		11.1	160.35
S. line B.		10.2	161.25
Curb		9.9	161.55
1/4		9.9	161.55

Center	9.4	162.05
1/4	8.3	163.15
Curb	7.2	164.25
N. line B.	6.1	165.35
20' North	3.9	167.55
515' East of 28th		
15' North	0.0	171.45
N. line B	2.4	169.05
Curb	4.3	167.15
1/4	5.3	166.15
Center	6.6	164.85
1/4	8.4	163.05
Curb	9.5	161.95
S. line B	10.5	160.95
30' South	11.2	160.25
530' East of 28th		
30' South	8.7	162.75
20' "	9.3	162.15

S. line B.		5.1		166.35
Curb		2.0		169.45
1/4		0.6		170.85
T. P.	8.35	0.65	(179.15)	170.80
Center		8.2		170.95
1/4		7.2		171.95
Curb		6.2		172.95
N. line B.		4.1		175.05
20' North		1.7		177.45
(520' East of 28th) West line 29th				
30' South		11.4		167.75
24' "		13.0		166.15
S. line B		7.8		171.85
Curb		3.7		175.45
1/4		1.2		177.95
T. P.	9.14	0.85	(187.44)	178.30
Center		8.0		179.44
1/4		6.5		180.94

Curb		4.5			182.94
N. line B.		2.1			185.34
		Curb West side 29th			
N. line B		0.0			187.44
Curb		0.8			186.64
1/4		3.3			184.14
Center		6.7			181.74
1/4		7.3			180.14
Curb		9.9			177.54
T. P.	6.20	11.55	182.09	175.89	
S. line B.		8.8			173.29
24' South		14.9			167.19
30' "		13.9			168.19
		Center 29th			
30' South		12.0			170.09
25' "		12.9			169.19
S. line B		6.3			175.79
Curb		2.2			179.89

T. P.	11.31	0.64	192.76	181.45	
1/4		10.80			181.96
Center		6.8			185.96
1/4		4.6			188.16
Curb		2.2			190.56
N. line B.		0.0			192.76
T. P.	3.94	0.27	(196.43)	192.49	
		Curb East side 29th			
N. line B.		0.0			196.43
Curb		2.1			194.33
1/4		4.6			191.83
Center		6.7			189.73
1/4		10.1			186.33
T. P.	3.12	11.61	187.94	184.82	
Curb		6.1			181.84
S. line B.		10.3			177.64
18' South		16.6			171.34
30' "		14.3			173.64

East line 29th

30' South		12.8		175.14
20' "		15.7		172.24
S. line B		8.8		179.14
Curb		4.6		183.34
T. P.	11.80	0.77	198.97	187.17
1/4		11.5		187.47
Center		7.8		191.17
1/4		5.4		193.57
Curb		3.3		195.67
N. line B		1.5		197.47
		25' East of 29th		
N. line B		0.1		198.87
Curb		1.3		197.67
1/4		3.1		196.87
Center		5.5		193.47
1/4		8.2		190.77
Curb		11.7		187.27
T. P.	5.18	11.24	(192.91)	187.73

S. line B		10.8	192.91	182.11
12' South		15.0		177.91
30' "		12.2		180.71
		50' East of 29th		
20' South		7.7		185.21
5' "		11.4		181.51
S. line B.		10.5		182.41
Curb		4.7		188.21
1/4		1.2		191.71
T. P.	8.77	0.53	201.15	192.38
Center		6.7		194.45
1/4		4.7		196.45
Curb		2.8		198.35
N. line		0.8		200.35
		75' East of 29th		
N. line		0.2		200.95
Curb		2.0		199.15
1/4		4.2		196.95

Cent	6.0	201.15	195.15
1/4	8.6		192.55
Curb	13.8		187.35
7'	15.4		185.75
S. line	13.4		187.75
10' South	12.0		189.15
	100' East of 29th		
S. line B	9.5		191.65
Curb	11.0		190.15
1/4	10.0		191.15
Center	5.8		195.35
1/4	3.3		197.85
Curb	1.7		199.45
T. P. 6.65	1.72	(206.58)	199.93
N. line B	5.0		201.58
	125' East of 29th		
N. line B	3.7		202.88
Curb	5.2		201.38

1/4	6.7		199.88
Center	9.4		197.18
1/4	13.1		193.48
Curb	13.7		192.88
S. line B	10.8		195.78
	150' East of 29th		
S. line B.	5.6		200.98
Curb	6.7		199.88
1/4	7.0		199.58
Center	5.1		201.48
1/4	4.1		202.48
Curb	2.7		203.88
N. line	1.8		204.78
T. P. 10.48	0.21	216.85	206.37
	200' East of 29th		
N. line B	8.3		208.55
Curb	8.9		207.95
1/4	9.6		207.25

Center	10.0	206.85
1/4	10.0	206.85
Curb	10.2	206.65
S. line B.	10.2	206.65
	250' East of 29th	
S. line B.	6.7	210.15
Curb	6.4	210.45
1/4	6.2	210.65
Center	6.0	210.85
1/4	5.7	211.15
Curb	5.4	211.45
N. line B	5.0	211.85
	300' East of 29th	
N. line B	2.2	214.65
Curb	2.4	214.45
1/4	2.7	214.15
Center	3.0	213.85
1/4	3.3	213.55

Curb	3.4	213.45
S. line B.	3.6	213.25
T. P. 9.83	1.21 (225.47)	215.64
	350' East of 29th	
S. line B	9.6	215.87
Curb	9.3	216.17
1/4	8.8	216.67
Center	8.6	216.87
1/4	8.3	217.17
Curb	8.0	217.47
N. line B	7.6	217.87
	400' East of 29th	
N. line B.	6.0	219.47
Curb	6.4	219.07
1/4	6.8	218.67
Center	7.1	218.37
1/4	7.4	218.07
Curb	7.8	217.67

S. line B	8.1	217.37
	450' East of 29th	
S. line B	7.0	218.47
Curb	7.0	218.47
1/4	6.7	218.77
Center	6.4	219.07
1/4	5.9	219.57
Curb	5.8	219.67
N. line B	5.4	220.07
	500' East of 29th	
N. line B	4.8	220.67
Curb	5.1	220.37
1/4	5.2	220.27
Center	5.9	219.57
1/4	6.2	219.27
Curb	6.3	219.17
S. line B	6.8	218.67

	550' East of 29th	
S. line	6.8	218.67
Curb	6.4	219.07
1/4	6.2	219.27
Center	5.7	219.77
1/4	5.5	219.97
Curb	5.1	220.37
N. line B	4.8	220.67
	West Line 30th	
N. line B	6.0	219.47
Curb	6.5	218.97
1/4	7.0	218.47
Center	7.4	218.07
1/4	7.8	217.67
Curb	8.5	216.97
S. line B	9.9	215.57
	Curb West side 30th	
S. line B	7.8	217.67
Curb	7.4	218.07

1/4	7.2	218.27
Center	6.8	218.67
1/4	6.4	219.07
Curb	6.1	219.37
N. line B	5.6	219.87
Center 30th		
N. line B.	4.5	220.97
Curb	4.8	220.67
1/4	5.1	220.37
Center	5.7	219.77
1/4	5.9	219.57
Curb	6.5	218.97
S. line B	6.6	218.87
Curb East side 30th		
S. line B	5.7	219.77
Curb	5.3	220.17
1/4	5.1	220.37
Center	4.7	220.77

1/4	4.3		221.17
Curb	3.9		221.57
N. line B.	3.6		221.87
East line 30th			
N. line B	3.5		221.97
Curb	3.7		221.77
1/4	4.1		221.37
Center	4.6		220.87
1/4	4.9		220.57
Curb	5.3		220.17
S. line B.	5.5		219.77
T. P.	6.80	2.95 (229.32)	222.52
B.M.		2.29	227.03

Spike in Post N.W. Cor. 30th and A St (226.85)

2/5/03

71

Lawler on Front St. bet. Fir and Grape

Thompson
Lambert
Fir and Union

B.M.	+4.32		99.26	94.94
T.P.	+8.00	-0.18	107.08	99.08

North Line of Fir

W. line Front	6.7	100.4
Center "	5.5	101.6
E. line Front	3.7	103.9

50' North of Fir

E. line Front	3.4	103.7
Center "	4.9	102.2
W. line "	5.8	101.3

100' North of Fir

W. line Front	4.2	102.9
Center "	4.2	102.9
E. line "	2.6	104.5

150' North of Fir

E. line Front	1.0	106.1
Center "	2.8	104.3

72

Fir and Grape

W. line Front		2.0		105.1
T.P.	12.00	1.09	117.99 ✓	105.99 ✓

200' North of Fir

W. line Front	10.4	107.6
Center "	10.7	107.3
E. line "	10.5	107.5

250' North of Fir

E. line Front	5.8	112.2
Center "	5.2	112.8
W. line "	5.3	112.7

South line of Grape

W. line Front	1.5	116.5
Center "	0.9	117.1
E. line "	0.8	117.2

2/9/03

173

Cross-section of 17th St from S to N

	+	−	○	Elev.
B.M.			46.58	37.61
South line of G				
West line 17th		0.8		45.8
Curb		1.4		45.2
1/4		0.8		45.8
Center		0.7		45.9
1/4		0.4		46.2
Curb		0.9		45.7
E. line 17th		0.4		46.2
25' South of G.				
E. line 17th		1.8		44.8
Curb		2.0		44.6
1/4		2.9		43.7
Center		3.4		43.2
1/4		3.5		43.1
Curb		3.1		43.5
W. line 17th		1.6		45.0

174

50' South of G		
W. line 17th	1.3	44.3
Curb	3.9	42.7
1/4	4.8	41.8
Center	4.5	42.1
1/4	3.9	42.7
Curb	3.3	43.3
E. line 17th	2.5	44.1
75' South of G.		
E. line 17th	3.1	43.5
Curb	3.6	43.0
1/4	4.2	42.4
Center	4.7	41.9
1/4	4.7	41.9
Curb	4.3	42.3
W. line 17th	3.4	43.2
100' South of G		
W. line 17th	4.5	42.1
Curb	5.1	41.5

1/4	5.3	41.3
Centa	4.8	41.8
1/4	4.7	41.9
Curb	3.7	42.9
E. line 17th	3.0	43.6
125' South of G		
E. line 17th	3.0	43.6
Curb	3.8	42.8
1/4	4.8	41.8
Centa	5.0	41.6
1/4	5.6	41.0
Curb	5.7	40.9
W. line 17th	5.4	41.2
150' South of G		
W. line 17th	6.0	40.6
Curb	5.9	40.7
1/4	5.8	40.8
Centa	5.6	41.0

1/4	5.2	41.4
Curb	4.3	42.3
E. line 17th	3.2	43.4
175' South of G		
E. line 17th	2.6	44.0
Curb	4.6	42.0
1/4	5.3	41.3
Centa	5.9	40.7
1/4	6.0	40.6
Curb	6.0	40.6
W. line 17th	6.5	40.1
200' South of G		
W. line 17th	6.7	39.9
Curb	6.4	40.2
↓ 2'	6.8	39.8
1/4	6.2	40.4
Centa	5.8	40.8
1/4	5.1	41.5

Curb	4.0	42.6
E. line 17th	2.5	44.1
	225 South of G	
E. line 17th	3.2	43.4
Curb	4.2	42.4
1/4	5.1	41.5
Centa	6.0	40.6
1/4	6.7	39.9
3'	7.0	39.6
↓ Curb	6.2	40.4
W. line 17th	7.2	39.4
	250' South of G	
W. line 17th	7.6	39.6
Curb	6.2	40.0
↑ 3	7.1	39.5
1/4	7.0	39.6
Centa	6.7	39.9
1/4	5.9	40.7

1/4	4.7	41.9
E. line 17th	3.7	42.9
	275' South of G	
E. line 17th	5.9	40.7
Curb	6.5	40.1
1/4	7.1	39.5
Centa	7.3	39.3
1/4	7.3	39.3
Curb	7.4	39.2
W. line 17th	8.0	38.6
	300' South of G	
W. line 17th	8.0	38.6
Curb	7.7	38.9
1/4	7.4	39.2
Centa	7.2	39.4
1/4	7.2	39.4
Curb	7.1	39.5
E. line 17th	6.5	40.1

310 South of G. = N. line H

E. line 17th	6.4	40.2
Curb	6.9	39.7
1/4	6.9	39.7
Center	7.1	39.5
1/4	7.4	39.2
Curb	7.8	38.8
W. line 17th	8.0	38.6
	Curb N Side of H	
W. line 17th	8.3	38.3
Curb	8.0	38.6
1/4	7.4	39.2
Center	7.1	39.5
1/4	6.8	39.8
Curb	6.3	40.3
E. line 17th	5.6	41.0
	1/4 N. Side of H	
E. line 17th	5.7	40.9
Curb	6.2	40.4

1/4	6.6	40.0
Center	6.9	39.7
1/4	7.1	39.5
Curb	7.5	39.1
W. line 17th	7.9	38.7
	Center of H	
W. line 17th	7.8	38.8
Curb	7.4	39.2
1/4	7.1	39.5
Center	6.8	39.8
1/4	6.5	40.1
Curb	6.2	40.4
E. line 17th	5.7	40.9
	1/4 S. Side of H	
E. line 17th	5.5	41.1
Curb	5.9	40.7
1/4	6.3	40.3
Center	6.9	39.7

1/4	7.3	39.3
Curb	7.6	39.0
N. line 17th	8.2	38.4
Curb, S. side of H		
N. line 17th	8.3	38.3
Curb	7.6	39.0
1/4	7.2	39.4
Center	6.6	40.0
1/4	6.2	40.4
Curb	5.4	41.2
E. line 17th	5.2	41.4
South line H		
E. line 17th	6.0	40.6
Curb	6.4	40.2
1/4	7.1	39.5
Center	7.3	39.3
1/4	7.5	39.1
7	7.2	39.4
Curb		

3'	8.2	38.4
Curb	7.6	39.0
2'	7.2	39.4
N. line 17th	7.8	38.8
25' South of H		
N. line 17th	7.7	38.9
2'	7.6	39.0
Curb	8.1	38.5
3'	7.9	38.7
1/4	7.7	38.9
Center	7.7	38.9
1/4	7.6	39.0
Curb	6.9	39.7
E. line 17th	6.1	40.5
50' South of H		
E. line 17th	4.5	42.1
Curb	6.1	40.5
1/4	7.2	39.4

Center	7.8	38.8
1/4	8.0	38.6
Curb	8.0	38.6
W. line 17th	8.0	38.6
	75' South of H	
W. line 17th	7.4	39.2
Curb	7.7	38.9
↑ 3	7.3	39.3
5'	6.9	39.7
1/4	6.7	39.9
Center	6.4	40.2
1/4	4.8	41.8
4'	5.7	40.9
↓ Curb	5.5	41.1
↑ 3'	4.1	42.5
E. line 17th	2.1	44.5
	100' South of H	
E. line 17th	4.5	42.1

Curb	5.6	41.0
1/4	5.4	41.2
Center	5.8	40.8
1/4	5.7	40.9
4'	6.3	40.3
↑ 1'	7.5	39.1
↓ Curb	7.6	39.0
↑ 1'	6.4	40.2
W. line 17th	7.0	39.6
	125' South of H	
W. line 17th	6.3	40.3
3'	5.8	40.8
↓ curb	7.4	39.2
↑ 4	6.5	40.1
1/4	6.5	40.1
Center	6.7	39.9
1/4	6.6	40.0
Curb	6.0	40.6

E. line 17th		4.9		41.7
	150' South of H			
E. line 17th		5.1		41.5
Curb		6.4		40.2
1/4		6.7		39.9
Center		6.8		39.8
1/4		6.8		39.8
3'		6.9		39.7
Curb		7.5		39.1
3'		6.4		40.2
W. line 17th		6.7		39.9
T. P.	5.26	6.16	45.68	40.42
	175' South of H			
W. line 17th		5.6		40.1
Curb		6.5		39.2
1/4		6.0		39.7
Center		5.8		39.9
1/4		5.6		40.1

Curb	4.4	41.3
E. line 17th	3.9	41.8
200' South of H		
E. line 17th	3.2	42.5
Curb	4.5	41.2
1/4	4.3	41.4
Center	4.8	40.9
1/4	5.5	40.2
Curb	6.3	39.4
W. line 17th	5.9	39.8
225' South of H		
W. line 17th	5.7	40.0
Curb	5.6	40.1
1/4	5.2	40.5
Center	4.4	41.3
1/4	4.1	41.6
Curb	4.6	41.1
E. line 17th	3.2	42.5

250' South of H

E. line 17th	3.3	42.4
7'	4.5	41.2
Curb	4.3	41.4
1/4	5.0	40.7
Center	5.2	40.5
1/4	5.7	40.0
Curb	5.7	40.0
W. line 17th	6.0	39.7 ✓

275' South of H

W. line 17th	6.2	39.5
Curb	6.3	39.4
1/4	6.1	39.6
Center	5.8	39.9
1/4	5.5	40.2
Curb	5.3	40.4
E. line 17th	4.1	41.4

North line of J

E. line 17th	4.0	41.7

Curb	5.2	40.5
1/4	5.4	40.3
Center	5.7	40.0
1/4	6.3	39.4
Curb	6.6	39.1
12'	6.8	38.9
5'	5.9	39.8
W. line 17th	6.5	39.2

Curb, N. side of J

W. line 17th	6.8	38.9
Curb	7.1	38.6
1/4	6.0	39.7
Center	5.3	40.4
1/4	5.0	40.7
Curb	5.0	40.7
E. line 17th	4.2	41.5

1/4, N. side of J

E. line 17th	4.0	41.7

Curb	4.3	41.4
1/4	4.6	41.1
Centa	5.0	40.7
1/4	5.5	40.2
Curb	5.9	39.8
N. line 17th	6.3	39.4
Centa of ⓓ		
N. line 17th	6.1	39.6
Curb	5.9	39.8
1/4	5.5	40.2
Centa	5.2	40.5
1/4	4.6	41.1
Curb	4.2	41.5
E. line 17th	3.7	42.0
1/4 S. side of ⓓ		
E. line 17th	3.9	41.8
Curb	4.0	41.7
1/4	4.2	41.5

Centa	4.8	40.9
1/4	5.3	40.4
Curb	5.9	39.8
N. line 17th	6.2	39.5
Curb, S. side of ⓓ		
N. line 17th	6.7	39.0
Curb	6.6	39.1
1/4	5.4	40.3
Centa	4.7	41.0
1/4	4.7	41.0
Curb	4.6	41.1
S. line 17th	4.2	41.5
South line of ⓓ		
E. line 17th	3.8	41.9
Curb	4.4	41.3
1/4	4.6	41.1
Centa	5.0	40.7
1/4	5.8	39.9

Curb	6.6	39.1
W. line 17th	6.9	38.8
25' South of C		
W. line 17th	7.1	38.6
Curb	6.6	39.1
1/4	5.6	40.1
Center	4.6	41.1
1/4	4.4	41.3
Curb	3.7	42.0
E. line 17th	2.9	42.8
50' South of C		
E. line 17th	3.0	42.7
Curb	3.4	42.3
1/4	4.3	41.4
Center	4.7	41.0
1/4	5.3	40.4
Curb	5.8	39.9
W. line 17th	6.3	39.4

75' South of C		
W. line 17th	5.8	39.9
Curb	5.8	39.9
1/4	5.1	40.6
Center	4.3	41.4
1/4	3.8	41.9
Curb	3.1	42.6
E. line 17th	2.5	43.2
100' South of C		
E. line 17th	2.0	43.7
Curb	3.1	42.6
1/4	3.2	42.5
Center	3.9	41.8
1/4	4.8	40.9
Curb	5.2	40.5
W. line 17th	5.5	40.2
125' South of C		
W. line 17th	4.9	40.8
Curb	4.5	41.2

1/4		4.1		41.6
Centa		3.3		42.4
1/4		2.7		43.0
Curb		1.9		43.8
E. line 17th		1.1		44.6
	150' South of Ø			
E. line 17th		0.5		45.2
Curb		1.5		44.2
1/4		2.2		43.5
Centa		2.4		43.3
1/4		3.2		42.5
Curb		3.8		41.9
W. line 17th		3.9		41.8
T. P.	5.65	3.27	48.06	42.41
	175' South of Ø			
W. line 17th		5.6		42.5
Curb		4.5		43.6
1/4		4.2		43.9

Centa	3.9	44.2
1/4	3.7	44.4
Cent	3.3	44.8
E. line 17th	2.6	45.5
	200' South of Ø	
E. line 17th	2.1	46.0
Curb	2.8	45.3
1/4	2.7	45.4
Centa	3.3	44.8
1/4	3.8	44.3
Curb	4.5	43.6
W. line 17th	5.5	42.6
	225' South of Ø	
W. line 17th	5.4	42.7
Curb	4.9	43.2
1/4	4.3	43.8
Center	3.6	44.5
1/4	2.6	45.5

Curb	2.1	46.0
E. line 17th	1.5	46.6
250' South of ②		
E. line 17th	2.0	46.1
Curb	2.6	45.5
1/4	2.8	45.3
Center	3.8	44.3
1/4	4.5	43.6
Curb	5.0	43.1
W. line 17th	5.3	42.8
275' South of ②		
W. line 17th	5.8	42.3
Curb	5.5	42.6
1/4	5.2	42.9
Center	4.5	43.6
1/4	3.9	44.2
Curb	3.5	44.6
E. line 17th	2.4	45.7

North line of J

E. line 17th	3.4	44.7
Curb	4.5	43.6
1/4	4.4	43.7
Center	5.2	42.9
1/4	6.0	42.1
Curb	6.9	41.2
W. line 17th	6.7	41.4
Curb, N. side of J		
W. line 17th	7.3	40.8
Curb	7.1	41.0
1/4	6.8	41.3
Center	6.4	41.7
1/4	5.9	42.2
Curb	5.6	42.5
E. line 17th	4.7	43.4
1/4, N. side of J		
E. line 17th	4.0	44.1
Curb	4.8	43.8

1/4	4.9	43.2
Center	5.3	42.8
1/4	5.9	42.2
Curb	6.3	41.8
W. line 17th	6.9	41.2
Center of A		
W. line 17th	6.7	41.4
Curb	6.0	42.1
1/4	5.7	42.4
Center	5.4	42.7
1/4	4.7	43.4
Curb	4.4	43.7
E. line 17th	3.8	44.3
1/4, South side of A		
E. line 17th	3.9	44.2
Curb	4.5	43.6
1/4	5.0	43.1
Center	5.4	42.7

1/4	5.8	42.3
Curb	6.2	41.9
W. line 17th	7.0	41.1
Curb, South side of A		
W. line 17th	7.4	40.7
Curb	7.4	40.7
1/4	6.7	41.4
Center	6.5	41.6
1/4	5.8	42.3
Curb	5.5	42.6
E. line 17th	5.1	43.0
South line of A		
E. line 17th	4.4	43.7
Curb	5.4	42.7
1/4	5.6	42.5
Center	5.7	42.4
1/4	6.6	41.5
Curb	7.0	41.1

W. line 17th	7.3	40.8
25' South of J		
W. line 17th	7.4	40.7
Curb	7.0	41.1
1/4	6.5	41.6
Center	5.6	42.5
1/4	5.2	42.9
Curb	4.8	43.3
E. line 17th	4.2	43.9
50' South of J		
E. line 17th	3.6	44.5
Curb	5.1	43.0
1/4	5.5	42.6
Center	6.1	42.0
1/4	6.8	41.3
Curb	7.0	41.1
W. line 17th	7.5	40.6

75' South of J		
W. line 17th	7.9	40.2
Curb	7.3	40.8
1/4	7.0	41.1
Center	5.8	42.3
1/4	5.6	42.5
Curb	5.2	42.9
E. line 17th	4.3	43.8
100' South of J		
E. line 17th	4.8	43.3
Curb	5.5	42.6
1/4	6.1	42.0
Center	5.8	42.3
1/4	7.1	41.0
Curb	7.6	40.5
W. line 17th	8.0	40.1
125' South of J		
W. line 17th	8.2	39.9
Curb	7.7	40.4

1/4	7.6	40.5
Center	6.8	41.3
1/4	6.5	41.6
Curb	5.9	42.2
E. line 17th	5.0	43.1
150' South of J		
E. line 17th	5.3	42.8
Curb	6.2	41.9
1/4	6.4	41.7
Center	6.7	41.4
1/4	7.4	40.7
Curb	Pvt. {7.7 / 7.4}	40.4 / 40.7
W. line 17th	7.5	40.6
175' South of J		
W. line 17th	7.3	40.8
Curb	Pvt. {7.3 / 7.7}	40.8 / 40.4
1/4	7.4	40.7
Center	6.7	41.4

1/4	6.3	41.8
Curb	5.8	42.3
E. line 17th	5.5	42.6
200' South of J		
E. line 17th	5.5	42.6
Curb	5.9	42.2
1/4	6.3	41.8
Center	6.6	41.5
1/4	7.3	40.8
Curb	Pvt. {8.0 / 7.5}	40.1 / 40.6
W. line 17th	7.5	40.6
225' South of J		
W. line 17th	7.6	40.5
Curb	{7.6 / 8.2}	40.5 / 39.9
1/4	7.6	40.5
Center	6.8	41.3
1/4	6.4	41.7
Curb	6.1	42.0

E. line 17ft	5.5	42.6
250' South of J		
E. line 17ft	5.1	43.0
Curb	5.8	42.3
1/4	6.3	41.8
Center	6.8	41.3
1/4	7.6	40.5
Curb	Pav. 8.3 / 7.6	39.8 / 40.5
W. line 17ft	7.6	40.5
275' South of J		
W. Gutter	8.3	39.8
1/4	7.6	40.5
Center	6.8	41.3
1/4	6.5	41.6
Curb	6.0	42.1
E. line 17ft	5.0	43.1
North line of K		
E. line 17ft	5.5	42.6

Curb		6.2			41.9
1/4		6.7			41.4
Center		7.1			41.0
1/4		7.8			40.3
W. Gutter		8.4			39.7
T. P.	4.57	7.86	~~44.77~~	40.20	
17ft of K				(40.38)	
B. M.	4.26	4.26	44.64	40.51	
Curb, N. side of K					
W. line 17ft		5.6			39.0
Curb		5.3			39.3
1/4		4.6			40.0
Center		4.0			40.6
1/4		3.6			41.0
Curb		3.1			41.5
E. line 17ft		2.5			42.1
1/4, N. side of K					
E line 17ft		2.1			42.5
Curb		2.5			42.1

1/4	2.9	41.7
Center	3.5	41.1
1/4	4.2	40.4
Curb	4.5	40.1
W. line 17th	5.1	39.5
Center of K		
W. line 17th	4.8	39.8
Curb	4.2	40.4
1/4	3.9	40.7
Center	3.5	41.1
1/4	3.2	41.4
Curb	2.8	41.8
E. line 17th	2.4	42.2
1/4, S. Side of K		
E. line 17th	2.3	42.3
Curb	2.8	41.8
1/4	3.2	41.4
Center	3.7	40.9

1/4	4.1	40.5
Curb	4.6	40.0
W. line 17th	5.2	39.4
Curb, S. Side of K		
W. line 17th	5.5	39.1
Curb	5.2	39.4
1/4	4.7	39.9
Center	4.0	40.6
1/4	3.5	41.1
Curb	3.0	41.6
E. line 17th	2.8	41.8
South line of K		
E. line 17th	3.1	41.5
Curb	3.7	40.9
1/4	4.3	40.3
Center	4.3	40.3
1/4	5.3	39.3
Curb	5.4	39.2

W. line 17th	5.3	39.3
25' South of A		
W. line 17th	5.9	38.7
Curb	6.0	38.6
1/4	6.0	38.6
Center	5.5	39.1
1/4	4.9	39.7
Curb	3.9	40.7
E. line 17th	3.3	41.3
50' South of A		
E. line 17th	3.4	41.2
Curb	4.2	40.4
1/4	4.9	39.7
Center	5.5	39.1
1/4	6.0	38.6
Curb	6.6	38.6
W. line 17th	6.6	38.6

75' South of A		
W. line 17th	6.9	37.7
Curb	6.9	37.7
1/4	6.2	38.4
Center	5.2	39.4
1/4	5.1	39.5
Curb	4.6	40.0
E. line 17th	3.6	41.0
100' South of A		
E. line 17th	3.8	40.8
Curb	4.9	39.7
1/4	5.5	39.1
Center	5.6	39.0
1/4	6.8	37.8
Curb	7.1	37.5
W. line 17th	7.1	37.5
125' South of A		
W. line 17th	7.1	37.5
Curb	7.0	37.6

1/4	6.9	37.7
Center	6.3	38.3
1/4	5.9	38.7
Curb	5.2	39.4
B. line 17th	4.3	40.3
150' South of K		
B. line 17th	4.4	40.2
Curb	5.5	39.1
1/4	5.9	38.7
Center	5.9	38.7
1/4	6.5	38.1
Curb	6.9	37.7
W. line 17th	6.5	38.1
175' South of K		
W. line 17th	5.9	38.7
Curb	5.8	38.8
1/4	5.8	38.8
Center	5.0	39.6

1/4	4.9	39.7
Curb	5.0	39.6
B. line 17th	4.2	40.4
200' South of K		
B. line 17th	3.0	41.6
Curb	3.4	41.2
1/4	4.1	40.5
Center	4.6	40.0
1/4	5.0	39.6
Curb	5.8	38.8
W. line 17th	6.1	38.5
225' South of K		
W. line 17th	6.8	37.8
Curb	6.3	38.3
1/4	5.1	39.5
Center	4.5	40.1
1/4	4.0	40.6
Curb	3.6	41.0

E. line 17 ft	3.0	41.6
550' South of K		
E. line 17 ft	3.4	41.2
Curb	3.7	40.9
1/4	4.9	39.7
Center	4.9	39.7
1/4	6.2	38.4
Curb	7.4	37.2
W. line 17 ft	7.8	36.8
275' South of K		
W. line 17 ft	8.2	36.4
Curb	8.0	36.6
1/4	7.5	37.1
Center	6.4	38.2
1/4	5.6	39.0
Curb	3.9	40.7
E. line 17 ft	3.6	41.0

North line of L

E. line 17 ft	3.7			40.9
Curb	4.9			39.7
1/4	6.5			38.1
Center	7.3			37.3
1/4	8.0			36.6
Curb	8.8			35.8
W. line 17 ft	9.3			35.3
17 ft W of L B. M.	5.87	9.63	40.88	35.01

Curb, N. side of L

W. line 17 ft	6.0	34.9
Curb	5.2	35.7
1/4	4.5	36.4
Center	3.8	37.1
1/4	3.1	37.8
Curb	2.1	38.8
E. line 17 ft	1.0	39.9
1/4, N side of L		
E. line 17 ft	1.5	39.4

Curb	2.3	38.6
1/4	3.3	37.6
Center	3.9	37.0
1/4	4.4	36.5
Curb	5.3	35.6
W. line 17th	6.0	34.9
Center of L		
W. line 17th	5.9	35.0
Curb	5.5	35.4
1/4	5.1	35.8
Center	4.6	36.3
1/4	3.9	37.0
Curb	2.8	38.1
E. line 17th	1.9	39.0
1/4, South Side of L		
E. line 17th	1.6	39.3
Curb	2.7	38.2
1/4	3.7	37.2

Center	4.7	36.2
1/4	5.4	35.5
Curb	6.2	34.7
W. line 17th	6.8	34.1
Curb, South Side L		
W. line 17th	6.6	34.3
Curb	6.5	34.4
1/4	5.5	35.4
Center	4.7	36.2
1/4	3.8	37.1
Curb	3.1	37.8
E. line 17th	2.4	38.5
South line of L		
E. line 17th	2.2	38.7
Curb	3.2	37.7
1/4	3.5	37.4
Center	4.7	36.2
1/4	5.9	35.0

Curb	6.4	34.5
W. line 17th	6.0	34.9
25' South of L		
W. line 17th	5.9	35.0
Curb	6.2	34.7
1/4	6.1	34.8
Center	5.3	35.6
7	4.9	36.0
1/4	3.6	37.3
Curb	2.7	38.2
E. line 17th	2.0	38.9
50' South of L		
E. line 17th	2.6	38.3
Curb	3.5	37.4
1/4	3.9	37.0
Center	5.5	35.4
1/4	6.1	34.8
Curb	6.3	34.6

W. line 17th	6.2	34.7
75' South of L		
W. line 17th	8.2	32.7
7'	7.7	33.2
Curb	6.0	34.9
1/4	5.3	35.6
4'	5.0	35.9
Center	5.8	35.1
8'	3.1	37.8
1/4	3.4	37.5
Curb	2.9	38.0
E. line 17th	2.6	38.3
100' South of L		
E. line 17th	3.0	37.9
Curb	3.5	37.4
1/4	3.6	37.3
9'	3.8	37.1
Center	5.3	35.6

1/4	5.6	35.3
Curb	6.8	34.1
W. line 17th	5.7	35.2
125' South of L		
W. line 17th	5.6	35.3
Curb	6.7	34.7
1/4	5.8	35.1
Center	5.3	35.6
1/4	3.8	37.1
Curb	3.5	37.4
E. line 17th	3.0	37.9
150' South of L		
E. line 17th	3.4	37.5
Curb	3.6	37.3
1/4	3.8	37.1
Center	5.1	35.8
1/4	5.7	35.2
Curb	5.9	35.0

W. line 17th	5.9	35.0
175' South of L		
W. line 17th	5.8	35.1
Curb	5.8	35.1
1/4	5.7	35.2
Center	5.3	35.6
1/4	4.1	36.8
Curb	3.6	37.3
E. line 17th	3.3	37.6
200' South of L		
E. line 17th	3.4	37.5
Curb	4.0	36.9
1/4	4.5	36.4
Center	5.3	35.6
1/4	5.7	35.2
Curb	5.6	35.3
W. line 17th	5.7	35.2

225' South of L

W. line 17th	6.4	34.5
Curb	6.1	34.8
1/4	5.8	35.1
Center	5.4	35.5
1/4	4.8	36.1
Curb	4.3	36.6
E. line 17th	3.8	37.1

250' South of L

E. line 17th	3.8	37.1
Curb	4.2	36.7
1/4	4.9	36.0
Center	5.4	35.5
1/4	5.4	35.4
Curb	5.9	35.0
W. line 17th	6.3	34.6

275' South of L

W. line 17th	6.2	34.7
Curb	6.1	34.8

1/4	6.0	34.9
Center	5.3	35.6
1/4	4.9	36.0
Curb	4.4	36.5
E. line 17th	4.0	36.9

North line of M.

E. line 17th	4.2	36.7
Curb	4.6	36.3
1/4	5.2	35.7
Center	5.5	35.4
1/4	5.8	35.1
Curb	6.1	34.8
W. line 17th	6.4	34.5

T. P.	2.51	5.60	37.79	35.28

Curb, North side of M

W. line 17th	3.6	34.2
Curb	3.3	34.5
1/4	2.8	35.0

Center	2.8	35.0
1/4	2.5	35.3
Curb	2.1	35.7
E. line 17th	1.6	36.2
1/4, North side of M		
E. line 17th	1.7	36.1
Curb	2.2	35.6
1/4	2.7	35.1
Center	3.3	34.5
1/4	3.2	34.6
Curb	3.4	34.4
W. line 17th	4.0	33.8
Center of M		
W. line 17th	4.1	33.7
Curb	3.6	34.2
1/4	3.5	34.3
Center	3.4	34.4
1/4	2.8	35.0

Curb	2.4	35.4
E. line 17th	1.7	36.1
1/4, South side of M.		
E. line 17th	2.5	35.13
Curb	3.0	34.8
1/4	3.4	34.4
Center	3.9	33.9
1/4	4.1	33.7
Curb	4.4	33.4
W. line 17th	4.7	33.1
Curb, South side of M.		
W. line 17th	5.3	32.5
Curb	4.9	32.9
1/4	4.4	33.4
Center	4.0	33.8
1/4	3.4	33.4
Curb	3.2	34.6
E. line 17th	2.6	35.2

South line of M

E. line 17th	2.8	35.0
Curb	3.4	34.4
1/4	3.6	34.2
Center	4.5	33.3
1/4	4.9	32.9
Curb	5.4	32.4
W. line 17th	5.5	32.3

25' South of M.

W. line 17th	6.0	31.8
Curb	6.0	31.8
1/4	5.5	32.3
Center	5.0	32.8
1/4	4.6	33.2
Curb	3.6	34.2
E. line 17th	3.5	34.3

50' South of M

E. line 17th	4.2	33.6
Curb	4.7	33.1

1/4	5.2	32.6
Center	5.7	32.1
1/4	6.2	31.6
Curb	6.5	31.3
W. line 17th	6.8	31.0

75' South of M

W. line 17th	7.1	30.7
Curb	7.2	30.6
1/4	7.0	30.8
Center	6.6	31.2
1/4	6.0	31.8
Curb	5.3	32.5
E. line 17th	4.6	33.2

100' South of M

E. line 17th	5.0	32.8
Curb	5.4	32.4
1/4	5.9	31.9
Center	6.6	31.2

1/4	7.0	30.8
Curb	7.2	30.6
W. line 17th	7.4	30.4
	125' South of M	
W. line 17th	7.3	30.5
Curb	7.4	30.4
1/4	7.1	30.7
Center	6.6	31.2
1/4	6.0	31.8
Curb	5.3	32.5
E. line 17th	5.1	32.7
	150' South of M	
E. line 17th	5.7	32.1
Curb	5.9	31.9
1/4	6.2	31.6
Center	6.6	31.2
1/4	7.0	30.8
Curb	7.3	30.5

W. line 17th	7.3	30.5
	175' South of M	
W. line 17th	7.3	30.5
Curb	7.3	30.5
1/4	6.7	31.1
Center	6.6	31.2
1/4	6.4	31.4
Curb	6.2	31.6
E. line 17th	6.5	31.3
	200' South of M.	
E. line 17th	7.2	30.6
Curb	7.0	30.8
1/4	7.0	30.8
Center	6.8	31.0
1/4	7.2	30.6
Curb	7.6	30.2
W. line 17th	7.7	30.1

225' South of M

W. line 17th	8.3	29.5
Curb	8.0	29.8
1/4	8.1	29.7
Center	7.6	30.2
1/4	8.0	29.8
Curb	8.1	29.7
E. line 17th	8.4	29.4

250' South of M

E. line 17th	9.8	28.0
Curb	9.1	28.7
1/4	9.2	28.6
Center	9.6	28.2
1/4	9.0	28.8
Curb	9.0	28.8
W. line 17th	9.0	28.8

275' South of M

W. line 17th	9.3	28.5
Curb	9.4	28.4

1/4	9.4	28.4
Center	9.6	28.2
1/4	10.4	27.4
Curb	10.2	27.6
E. line 17th	10.5	27.3

North line of M

E. line 17th	12.3	25.5
Curb	11.9	25.9
1/4	10.5	27.3
Center	9.9	27.9
1/4	9.9	27.9
Curb	9.7	28.1
W. line 17th	9.9	27.9

T. P.	5.01	1.41	41.39	36.38
Mt. of L				
B. M.		6.38		35.01

2/26/03 Levels at State from the South line of Beech to 150' (South of Ash St.

Ramsey Milchor Lambert

B.M. 5.53 46.42 40.89

South line Beech

W. line State	2.4	✓ 44.02
Center	1.6	✓ 44.82
E. line State	2.5	✓ 43.92

50' South of Beech

E. line State	3.3	✓ 43.12
Center	3.0	✓ 43.42
W. line State	3.2	✓ 43.22

100' South of Beech

W. line State	4.7	✓ 41.72
Center	4.7	✓ 42.72
E. line State	4.7	✓ 42.72

150' South of Beech

E. line State	4.7	✓ 41.72
Center	4.7	✓ 41.72
W. line State	5.7	✓ 40.72

200' South of Beech

W. line State	6.5	✓ 39.92
Center	5.4	✓ 41.02
E. line State	5.0	✓ 41.42

280' South of Beech

E. line State	5.7	✓ 40.72
Center	6.1	✓ 40.32
W. line State	7.3	✓ 39.12

North line of Ash

W. line State	8.5	✓ 37.92
Center	7.0	✓ 39.42
E. line State	7.0	✓ 39.42

Center of Ash

E. line State	7.3	✓ 39.12
Center	7.7	✓ 38.72
W. line State	8.7	✓ 37.72

South line of Ash

W. line State	9.5	✓ 36.92

Center	8.6	✓ 37.82
E. line State	8.1	✓ 38.32
	50' South of Ash	
E. line State	7.9	✓ 38.52
Center	8.9	✓ 37.52
W. line State	10.1	✓ 36.32
T. P. 6.22	8.57 44.07	37.85
	100' South of Ash	
W. line State	7.6	✓ 36.47
Center	6.2	✓ 37.87
E. line State	5.5	✓ 38.57
	150' South of Ash	
E line State	5.8	✓ 38.27
Center	6.3	✓ 37.77
W. line State	7.1	✓ 36.97

Levels on Ash St. from Union to Columbia

(West line of Union (44.07)

S. line ash	2.9	✓ 41.17
Center	3.2	✓ 40.87
N. line ash	3.0	✓ 41.07
	50' West of Union	
N line ash	3.5	✓ 40.57
Center	3.8	✓ 40.27
S. line ash	4.4	✓ 39.67
	100' South of Union	
S line ash	5.1	✓ 38.97
Center	4.2	✓ 39.87
N. line ash	4.3	✓ 39.77
	150' South of Union	
N. line ash	4.4	✓ 39.67
Center	4.5	✓ 39.57
S. line ash	5.5	✓ 38.57
	E. line of State	
S. line ash	5.7	✓ 38.37

Center	5.0	✓ 39.07
N. line ash	4.7	✓ 39.37
West line of State		
N. line ash	6.1	✓ 37.97
Center	6.4	✓ 37.67
S. line ash	7.2	✓ 36.87
T. P. 5.59	8.12 41.54 35.95	
50' West of State		
S. line ash	6.1	✓ 35.44
Center	5.3	✓ 36.24
N. line ash	4.4	✓ 37.14
100' West of State		
N. line ash	6.1	✓ 35.44
Center	6.7	✓ 34.84
S. line ash	7.3	✓ 34.24
150' West of State		
S. line ash	8.8	✓ 32.74
Center	8.1	✓ 33.44

N. line ash	7.3	✓ 34.24
East line of Columbia		
N. line ash	8.3	✓ 33.24
Center	9.1	✓ 32.44
S. line ash	10.5	✓ 31.04

137

Alverson
Torrence
Conly

2/29/04

The West Bdy line of P.L. 1800 was measured by myself 2/29/04 under instruction from the City Engr & found to be 2660.7 in length between existing corners

From the S E Cor P.L. 1800 it is 1287.3 to a point 60' Easterly from the N E Cor Blk 9 Fontana Add & it is 1611.8 to intersection of Transit line run from N W Cor P.L. 1800

See Diagram on opposite Page

3/1/04

Alverson
Torrence

Measured the angle 137°58'

138

Measurement of the Angles & Boundary lines of P.L. 1800



159

B. M. Spike in Post N.W.
30th and A. (726.85)

136
Return to City Engineers Office
City Hall, San Diego, Cal.

TRAVERSE TABLE FOR TRANSIT BOOK.

From 1° to 90° for a distance of 100.

Return to City Engineers Office
City Hall, San Diego, Cal.

Degrees	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
0			100.00	0.44	100.00	0.87	99.99	1.31	89
1	99.98	1.75	99.98	2.18	99.97	2.62	99.95	3.05	88
2	99.94	3.49	99.92	3.93	99.91	4.36	99.88	4.80	87
3	99.86	5.23	99.84	5.67	99.81	6.10	99.79	6.54	86
4	99.76	6.98	99.73	7.41	99.69	7.85	99.66	8.28	85
5	99.62	8.72	99.58	9.15	99.54	9.58	99.50	10.02	84
6	99.45	10.45	99.41	10.89	99.36	11.32	99.31	11.75	83
7	99.25	12.19	99.20	12.62	99.14	13.05	99.09	13.49	82
8	99.03	13.92	98.97	14.35	98.90	14.78	98.84	15.21	81
9	98.77	15.64	98.70	16.07	98.63	16.50	98.56	16.93	80
10	98.48	17.36	98.40	17.79	98.33	18.22	98.25	18.65	79
11	98.16	19.08	98.08	19.51	97.99	19.94	97.90	20.36	78
12	97.81	20.79	97.72	21.22	97.63	21.64	97.53	22.07	77
13	97.44	22.50	97.34	22.92	97.24	23.34	97.13	23.77	76
14	97.03	24.19	96.92	24.62	96.81	25.04	96.70	25.46	75
15	96.59	25.88	96.48	26.30	96.36	26.72	96.25	27.14	74
16	96.13	27.56	96.00	27.98	95.88	28.40	95.76	28.82	73
17	95.63	29.24	95.50	29.65	95.37	30.07	95.24	30.49	72
18	95.11	30.90	94.97	31.32	94.83	31.73	94.69	32.14	71
19	94.55	32.56	94.41	32.97	94.26	33.38	94.12	33.79	70
20	93.97	34.20	93.82	34.61	93.67	35.02	93.51	35.43	69
21	93.36	35.84	93.20	36.24	93.04	36.65	92.88	37.06	68
22	92.72	37.46	92.55	37.86	92.39	38.27	92.22	38.67	67
23	92.05	39.07	91.88	39.47	91.71	39.87	91.53	40.27	66
24	91.35	40.67	91.18	41.07	91.00	41.47	90.81	41.87	65
25	90.63	42.26	90.45	42.66	90.26	43.05	90.07	43.44	64
26	89.88	43.84	89.69	44.23	89.49	44.62	89.30	45.01	63
27	89.10	45.40	88.90	45.79	88.70	46.17	88.50	46.56	62
28	88.29	46.95	88.09	47.33	87.88	47.72	87.67	48.10	61
29	87.46	48.48	87.25	48.86	87.04	49.24	86.82	49.62	60
30	86.60	50.00	86.38	50.38	86.16	50.75	85.94	51.13	59
31	85.72	51.50	85.49	51.88	85.26	52.25	85.04	52.62	58
32	84.80	52.99	84.57	53.36	84.34	53.73	84.10	54.10	57
33	83.87	54.46	83.63	54.83	83.39	55.19	83.15	55.56	56
34	82.90	55.92	82.66	56.28	82.41	56.64	82.16	57.00	55
35	81.92	57.36	81.66	57.71	81.41	58.07	81.16	58.42	54
36	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	53
37	79.86	60.18	79.60	60 53	79.34	60.88	79.07	61.22	52
38	78.80	61.57	78.53	61.91	78.26	62.25	77.99	62.59	51
39	77.71	62.93	77.44	63.27	77.16	63.61	76.88	63.94	50
40	76.60	64.28	76.32	64.61	76.04	64.94	75.76	65.28	49
41	75.47	65.61	75.18	65.93	74.90	66.26	74.61	66.59	48
42	74.31	66.91	74.02	67.24	73.73	67.56	73.43	67.88	47
43	73.14	68.20	72.84	68.52	72.54	68.84	72.24	69.15	46
44	71.93	69.47	71.63	69.78	71.33	70.09	71.02	70.40	45
45	70.71	70.71							
Degrees.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Degrees.
	DEGREES.		¾ DEGREE.		½ DEGREE.		¼ DEGREE.		

Published by H. S. Crocker Company, Stationers, Drawing Materials, Mathematical Instruments, etc., San Francisco.