1432

POST

LEVEL BOOK

[illegible]

MICROFILMED

DEC 23 1964

Our Leather Bound Engineers Note Books are carried in the following rulings:

No. 380 LEVEL BOOK. Left and Right Hand Page the same as Left Hand Page of this Book.

No. 382 FIELD BOOK. Left Hand Page as in this Book, Right Hand Page 4 x 4 to the inch, Center Line Red.

No. 384 MINING TRANSIT BOOK. Left Hand Page as in this Book, Right Hand Page 8x8 to the inch, Center Line Red.

No. 385 FIELD BOOK. Left Hand Page as in this Book, Right Hand Page 8 vertical and 4 horizontal lines to the inch, Center Line Red.

We also carry the Note Books listed above, bound in extra strong Fabri-Hide (otherwise the same quality of book), which can be furnished at a somewhat lower price.

In ordering Fabri-Hide covered books, add the letter *"F"* to catalog number.

THE FREDERICK POST CO.

ENGINEERING and DRAFTING SUPPLIES

IRVING PARK STATION

CHICAGO, ILL.

C. St. Bench Marks. 8-29-31.

Miller
Walker
B. Bliss

B.M. B.P. gone	3.06	59.58		56.52	N.W. 6th & C. Sts
T.P. B.M. B.P.	2.21	54.92	6.87	52.71 = 52.76	N.W. 5th & C. Sts.
T.P. B.M. B.P.	2.06	50.00	6.98	47.94 = 47.93	N.W. 4th & C. Sts
T.P. B.M. B.P.	3.63	45.40	8.23	41.77 =	N.W. 3rd & C. Sts
Top F.H.			3.09	42.31	S.E. Pnd & C Sts.
T.P.	3.87	41.99	7.28	38.12	
T.P. B.M. B.P.	3.65	38.39	7.25	34.74 = 34.94 34.73	N.W. 1st & C. Sts
cut off T.P. Nail in Top A	3.62	34.94	7.07	31.32	N.W. C & Front
T.P. B.M. B.P.	3.04	30.75	7.23	27.71 = 28.00	N.W. C & Union
T.P. B.M. B.P.	3.51	27.40	6.86	23.89 = 23.97	N.W. C & State
T.P. B.M. B.P.	4.01	24.18	7.23	20.17 = 20.40	N.W. C & Columbia
B.M. B.P.			7.38	16.80 = 16.90	N.E. C & India

16.80
7.38
24.18
4.01
20.17
7.31
27.48
3.59
23.89
6.90
30.79
3.08
27.71
7.38
35.09
3.77
31.32
7.14
38.46
3.73
34.73
7.40
42.13
4.01
38.12
7.53
45.65
3.88
41.77
8.44
50.21
2.27
47.94
6.70
54.64
1.94
52.70


C. St.
14'
52
14'
Granite Block gutter
Granite Block Gutter
W. End Rails
Gas. Co. M.H. 36" Diam
End Rail
Sewer M.H. 28" Diam
Sewer M.H. 28" Diam
India St.
S. Rail
S. Track
N. Rail
N. Track
Granite Block gutter
Granite Block
Gutter
End Rails
E. Line
W. Line
India
Columbia
E. 2nd Rails
0+00
0+20
0+40
0+60
0+80
1+00
1+20
1+26
1+34
1+54
1+88
0+64
0+78
1+37
Drive
S. Track Rails gone
N. Track Rails gone
200'
14'
52'
14'


C. St.
Columbia St.
Sewer M.H.s. 28" Diam.
Headwall
Outlet
Box Culvert
Headwall
Inlet
S. Track Rails Removed
N. Track Rails Removed
Return N.G.
Box Culverts
Headwall
Outlet
Inlet
Headwall
14'
52'
14'
E. Line
W. Line
Columbia
State
200'
OK
Drive
Curb
0+00
0+52
0+65
1+15
1+37
1+66
40 hc.
1+69
S. Track Rails Removed
N. Track Rails Removed
0+00
0+20
0+21.5
Drive
Walk N.G.
0+33
0+33
1+86
1+86
Drive
Walk N.G.
1+99
2+00


C St.
E Line
State
Union
W Line
Headwall
outlet
Inlet
Headwall
Box Culverts
W. Rail
W. Track Not used.
E. Rail
Sewer M.H. 26" Diam.
E. Track
Rails covered with asphalt
Sewer M.H. 26" Diam.
Box Culvert
S. Track Rails Removed
N. Track Rails Removed
Drive Not Used
Drive
Curb N.G.
0+00
0+8
0+90
0+99
0+87
1+17
133
1+06
1+16
1+53
1+65
200
14'
52'
14'

C. ST.



℄
Union
Headwall
outlet
Box culvert
Inlet
Headwall
Sewer M.H 28" Diam
℄ S. Track Rails Removed
℄ N. Track Rails Removed
Box culverts
Headwall
outlet
Inlet
Headwall
Headwall
Inlet
Headwall
Inlet
34.5
47.
52.
14'
14'



E Line
Union
0+00
52.0
0+00
102'
Gas & Elec M.H 36" Diam
15.5
0+87
Drive
0+99
201'
201'
1+30
Drive
1+46
℄ S. Track Rails Removed
℄ N. Track Rails Removed
51.8
2+01
W. Line
Front


C. ST.
Front
Box culverts
Headwall outlet
Headwall inlet
Box culvert
Rails Removed
Sewer M.H. 28" Diam
Steam M.H. 38" Diam
Gas M.H. 38" Diam & Elec.
S. Track
N. Track
E. Line
W. Line
Front
1 St
Drive
Not Used
S. Track Rails Removed
N. Track Rails Removed
Gas & Elec. M.H. 36" Diam
200'
102'.0
51'.8
0+00
0+20
0+40
0+60
0+80
1+00
1+20
1+40
0+10
0+61
0+39
0+62
0+82
0+94
1+00
1+12
1+50
1+62
26'.0
25'.8
17'.5
15'
19'
14'
52'
15'.5



e St
℄
26'
6'
25.8
Headwall outlet
2.0
4'
14'
Gas+Elec Co M.H. 36" Diam
17.3
17.5
Sewer M.H. 28" Diam
Track Rails Removed
W. end Rails
Box Culverts
Inlet Headwall
1 St
Sewer M.H. 28" Diam
1.0
2.5
4.9
W. Rail
Track
E. Rail
Not in Use
3.5
4.9
4'
S. Rails
N. Rails
E. End Rails
Track Rails Removed
Headwall outlet
1.5
5'
Box Culvert
4'
1.5
Inlet Headwall
14'
52'
grating
2.0
5'
Headwall inlet
1.0
5'
14'



℄
E. Line
0+00
0+08
Drive
0+59
1+15
Cl. out.
1+16
1+26
Drive
1+33
6'
Rails Removed
℄ Track
0+00
0+18
Drive
0+41
0+88
Drive
1+13
1+33
Drive
1+93
Curb gone
200.5
1 St St
E Line
2nd St


C. St
℄
2nd
℄
Sewer M.H.
Sewer M.H.
Box culverts
℄ Track Rails Removed.
Tel. M.H. 30" Diam
21.5'
21.5'
Box culvert
6'
6'
2'
4'
5'
1'
1.5
5'
1.5
2.0
5'
14'
52'
14'
14'
52'


℄
E. Line
W. Line
2nd
3rd
6'
6'
200'
100'
9'
1+24
4.5
1+35
Drive Not In Use
Gas & Elec M.H. 28"x30"
℄ Track Rails Removed.


C. St
℄
3rd
℄ W. Track
Sewer M.Hs
℄ E. Track
Cleanout
Box culvert
Gas & Elec M.H. 36'x36'
Steam M.H 38" Diam.
Sewer M.H
Box Culvert
℄ Track Rails Removed
Tel. M.H. 31" Diam.
H. wall outlet
H. wall inlet
21'
17.5
18.5
14.5
10.3
18.8
31'
14'
52'
14'


℄
E. Line
3rd
W. Line
4th St
0+00
0+20
0+31. W. End. Rails
0+40
0+60
0+80
1+00
1+20
1+40
1+60
1+80
E. End Rails 1+95.
Gas & Elec M.H 28'x30'
101'0
200'0
5' approx Rails covered.

C. St.

9

4th Ave Intersection Repaved.




C. ST
℄
℄ S. Track
℄ N. Track
Sewer M.H
S.D.E.R.M.H. 40" Diam
catch Basin & grating
Sewer M.H. 26" Diam
Gas & Elec Co M.H. 36"x36"
E. End Rails
℄ W. Track
Sewer M.H.s
℄ E. Track
Steam M.H. 38" Diam
Tel. M.H 32" Diam
Tel. conc Box M.H
E. 1/2 Intersection Paved.
ch. inlet. 2' inlet.
14'
52'
14'
22'
30'
18'
19'
14'
16'
18'
5'
5'
5'
5'
14'
14'
5th


℄
Rails Covered in E. 1/2 5th Ave intersection
E Line
5th
6'
6'
6'
6'
0+20
5.3
6.7
0+40
4.4
7.7
0+60
3'
8.6
0+80
2.3
9.5
1+00
1.4
10'
1+20
00
12'
1+40
0.3
12.7
1+60
2.8
10'
1+80
2+00
11.0
3.2
W. Line
6th
℄ S. Track
Gas & Elec M.H 28"x30"
101.7
10'
7.5
E. End. Rails

C. St X Sec.
India To 6th

BM. B.P.	4.06	20.86		16.80
	N. Line India on New. Pavmt.			
N. el			4.74	16.12
G			5.35	15.51
+6			5.15	15.71
+16			5.01	15.85
+26 = ℄			4.98	15.88
+36			4.98	15.88
+46			5.19	15.67
+52 = G			5.41	15.45
S. el			4.82	16.04
	12'E. of W. Line = W. el. Line = E. End New Pavmt.			
S - 40 el			5.28	15.58
S - 40 G.			5.70	15.16
S - 20			5.56	15.30
S. Line el			4.95	15.91
S. " G.			5.24	15.58
S. el. Line			5.15	15.71
+6			5.04	15.82
+16			4.94	15.92
+26 = ℄			4.90	15.96
+36			4.91	15.95
+46			5.05	15.81
+52 = N. el. Line			5.21	15.65
N. Line el.			4.93	15.93
" " G			5.31	15.55

8-31-31
Miller
Walker
131 SS.
N.E. C. St.
+ India

		20.86		
+20 el			5.02	15.84
+20 G			5.40	15.46
+30. G			5.47	15.39
+40 el			5.01	15.85
+40 G			5.39	15.47
		6'E. of W. el		
N. -40			5.04	15.80
N. -20			5.02	15.84
N. Line			5.05	15.81
N. el "			5.10	15.76
+6			5.04	15.82
+16			4.96	15.90
+26 = ℄			4.83	16.03
+36			4.82	16.04
+46			4.88	15.98
+52 = S. el. Line			4.95	15.91
S. Line			5.05	15.81
+20			5.22	15.64
+40			5.36	15.50
		4'E. of W. el. Line		
12.1 S. of ℄ = W. end N. Rail - S. Track			4.93	15.93
5.1 S. of ℄ = W. end S. Rail - N. Track			4.90	15.96
0.2 S. of ℄ = W. End. N. Rail N. "			4.96	15.90
		7'E. of W. el		
18'S. of ℄ = Gas. Co M.H. 36" Diam			4.82	16.04

20.86

12'E. of W. el. Line

16'.6 S. of ℄ = W. end S. Rail S. Track. 4.82

15'.75 E. of W. el. Line

S - 40	5.01	15.85
S - 20	4.83	16.03
S. Line	4.64	16.20
S. el Line	4.67	16.19
+ 6.	4.75	16.11
+ 16	4.81	16.05
+ 26 = ℄	4.77	16.09
+ 36	4.84	16.02
+ 46	4.92	15.94
+ 52 = el. Line	4.97	15.89
N. Line	4.84	16.02
+ 20	4.58	16.28
+ 40	4.51	16.35

25'.5 E. of E. el = ℄ India

N - 40	4.17	16.69
N - 20	4.30	16.56
N. Line	4.63	16.23
N. el Line	4.78	16.08
+ 6	4.81	16.05
+ 16	4.73	16.15
+ 26 = ℄ parmt.	4.61	16.25
℄ on sewer MH	4.58	16.28
+ 36	4.67	16.19
+ 46	4.62	16.24
+ 52 = S. el. Line	4.49	16.37

20.86

S. Line on sewer MH	4.35	16.57
S + 20	4.55	16.37
S + 40	4.73	16.13

9'.75 E. of ℄

S - 40	4.71	16.15
S - 20	4.53	16.33
S. Line	4.37	16.49
S. el "	4.47	16.39
+ 6	4.51	16.35
+ 16	4.49	16.37
+ 26 = ℄	4.54	16.32
+ 36	4.64	16.22
+ 46	4.73	16.13
+ 52 = N. el. Line	4.72	16.14
N. Line	4.53	16.33
+ 20	4.18	16.68
+ 40	4.15	16.71

19'.50 E. of ℄

N - 40	4.22	16.64
N - 20	4.26	16.60
N. Line	4.42	16.44
N. el Line	4.63	16.23
+ 6	4.60	16.26
+ 16	4.49	16.37
+ 26 = ℄	4.38	16.48
+ 36	4.44	16.42

20.86

+46		4.41	16.45
+52 = S. el		4.42	16.44
S. Line		4.50	16.36
+20		4.68	16.28
+40		4.85	16.01
	25.5 E. of ℄ = E. el. Line.		
S-40 el.		4.32	16.54
S-40 G		5.02	15.84
S-20 el		4.16	16.70
S-20 G		4.85	16.01
S. Line el		3.92	16.94
S. " G		4.62	16.24
S. el "		4.38	16.48
+6		4.38	16.48
+16		4.29	16.57
+26 = ℄		4.29	16.57
+36		4.33	16.53
+46		4.46	16.40
+52 = N el line		4.56	16.30
N line el		3.90	16.96
" " G		4.46	16.40
+20 el		3.89	16.97
+20 G		4.48	16.38
+40 el		3.93	16.93
+40 G		4.45	16.41

20.86

C St.

14

00 = E. Line India St.

N. el.	3.98	16.58
G	4.41	16.45
+6	4.14	16.91
+14	3.90	16.96
+26 = ℄	4.11	16.75
+36	4.11	16.75
+46	4.16	16.70
+52 = G	4.47	16.39
+52 = S. el	3.94	16.92
1' E. of E. Line India		
13'4 S. of ℄ = E. End - S. Rail S. Track	4.21	16.65
8,5 S. of ℄ = E. End. - N. Rail S. Track	4.21	16.65
1,5 S. of ℄ = E. End - S Rail N. Track	4.19	16.67
3,4 N of ℄ = E. End. N. Rail N. Track.	4.12	16.74
20' E.		
N. el	3.71	17.15
G	4.18	16.68
+6	3.83	17.06
+16	3.67	17.19
+26 = ℄	3.83	17.03
+36	3.75	17.11
+46	3.80	17.06
+52 = G	4.09	16.77
S. el	3.60	17.26

		20.86		
		40'E.		
S. el.			3.26	17.60
G			3.76	17.10
+6			3.48	17.38
+16			3.37	17.48
+23			3.35	17.51
+26=℄			3.49	17.37
T.P.	7.69	24.47	4.06	16.80
+32			7.05	17.42
+36			6.95	17.52
+46			7.13	17.34
G			7.54	16.93
N el.			7.01	17.37
		60'E		
N. el.			6.71	17.26
G			7.25	17.22
+6			6.76	17.71
+16			6.58	17.89
+20			6.70	17.77
+26=℄			4.69	17.78
+28			6.60	17.87
+36			6.67	17.80
+46			6.74	17.73
G			7.01	17.36
S. el.			4.47	18.00

		24.47		E. St.
		80'E.		
S. el.			6.14	18.33
G			6.70	17.77
+6			6.41	18.06
+16			6.27	18.20
+22			6.29	18.18
+26=℄			6.26	18.21
+28			6.36	18.11
+32			6.33	18.14
+36			6.30	18.17
+46			6.42	18.05
+50			4.71	17.76
G			6.96	17.51
N el.			6.34	18.13
		100'E		
N el.			5.96	18.51
G			6.57	17.90
+3			6.27	18.20
+6			6.06	18.41
+16			5.95	18.52
+23			5.97	18.50
+26=℄			5.83	18.64
+36			5.91	18.56
+46			6.05	18.42
G			6.39	18.08
S. el.			5.77	18.70

		24.47	120'E					24.47		e. st	
S.G No eb.			5.98	18.49		+16			4.95	19.52	
+6			5.66	18.81		+23			5.01	19.46	
+16			5.53	18.94		+26 = ℄			4.84	19.63	
+26 = ℄			5.49	18.98		+29			4.96	19.51	
+29			5.59	18.88		+36			4.91	19.56	
+36			5.57	18.90		+40			4.84	19.63	
+46			5.71	18.76		+46			5.02	19.45	
G			6.19	18.28		+48			5.20	19.27	
N. eb			5.60	18.87		N G. no eb.			5.67	18.80	
			140'E					180'E			
N. eb			5.30	19.17		N G. No. eb.			5.43	19.04	
G			5.90	18.57		+3			5.42	19.05	
+3			5.60	18.87		+6			4.73	19.74	
+6			5.38	19.09		+16			4.56	19.91	
+16			5.29	19.18		+26 = ℄			4.52	19.95	
+23			5.30	19.17		+29			4.72	19.75	
+26 = ℄			5.22	19.25		+36			4.64	19.83	
+30			5.35	19.12		+41			4.55	19.92	
+36			5.29	19.18		+46			4.73	19.74	
+46			5.43	19.04		G			5.10	19.37	
G			5.70	18.77		S. eb			4.39	20.08	
S. eb			5.08	19.39		T.P.	5.11	25.28	4.30	20.17	N.W. C & Columbia
			160'E					194'E.			
S. eb			4.77	19.70		N. eb			5.25	20.03	
G			5.36	19.11		G			6.01	19.27	
+6			5.02	19.45		+2.5 = S.W. cor. outlet			5.94	19.34	

194'E.

N.el + 6		5.37	19.91
+ 8		5.14	20.14
+ 16		5.08	20.20

199'E.

N. el. & Top Headwall		5.11	20.17
G at Headwall		5.99	19.29
+ 2.5		5.95	19.33
+ 2.5 Top wall		5.06	20.22
+ 6		5.01	20.27
+ 16		4.96	20.32

W. Line Columbia

N. el & Pav		5.10	20.18
+ 6		4.94	20.34
+ 16		4.95	20.33
+ 23		5.01	20.27
+ 26 = ℄		4.93	20.35
+ 30		5.11	20.17
+ 36		5.14	20.14
+ 41		5.02	20.26
+ 46		5.18	20.10
G		5.41	19.87
S. el.		4.91	20.37

12'E. = W. el.

S-40	el	5.26	20.02
S-40	G	5.73	19.55
S-20	el	5.04	20.24
S-20	G	5.44	19.80

S. Line el		4.74	20.52
" G		5.36	19.96
S. el.		5.15	20.13
+ 6		4.96	20.32
+ 11		4.87	20.41
+ 16		4.97	20.31
+ 22		4.93	20.35
+ 26 = ℄		4.80	20.48
+ 29		4.83	20.45
+ 34		4.76	20.52
+ 46		4.70	20.56
N. el		4.87	20.41
N. Line el & Pavmt.		5.00	20.28
" " G		6.08	19.20
+ 5 el		4.88	20.40
+ 5 G		5.47	19.81
+ 20 G		5.36	19.92
+ 40 G		5.32	19.96

1'E. of N. el.

N. -5		5.40	19.88
N. Line		6.08	19.20
N " Top Wall		4.94	20.34

6'E. of N. el.

- 40		4.99	20.29
- 20		4.96	20.32
- 5		4.96	20.32

25.28

6' E. of W. el.

N. Line	4.67	20.61
N. el	4.68	20.60
+6	4.61	20.67
+16	4.68	20.60
+23	4.76	20.52
+26 = ℄	4.70	20.58
+29	4.83	20.45
+36	4.85	20.43
+41	4.79	20.49
+46	4.85	20.43
S. el	5.00	20.28
S. Line	5.02	20.26
+20	5.26	20.02
+40	5.39	19.89

15.75 E. of W. el.

-40	4.95	20.33
-20	4.77	20.51
S. Line	4.54	20.74
S el	4.80	20.48
+6	4.69	20.59
+11	4.68	20.60
+16	4.77	20.51
+23	4.70	20.58
+26 = ℄	4.57	20.71
+29	4.61	20.67
+36	4.55	20.73
+46	4.46	20.82

25.28

N. el	4.40	20.86
N Line	4.46	20.82
+20	4.49	20.79
+40	4.55	20.73

25.5 E. of W. el. = ℄ ✓

-40	4.27	21.01
-20	4.21	21.06
N	4.21	21.06
N. el	4.23	21.05
+4	4.25	21.03
+16	4.43	20.85
+26 = ℄ on M.H. Rim	4.46	20.82
+29	4.59	20.69
+36	4.61	20.67
+41	4.52	20.76
+46	4.55	20.73
S. el	4.65	20.63
S on M.H Rim	4.21	21.07
+20	4.53	20.75
+40	4.77	20.51

9.75 E. of ℄

-40	4.77	20.51
-20	4.51	20.77
-5	4.16	21.12
+5.	4.15	21.13
el	4.46	20.82

25.28

9.75 E. of ℄

+6	4.43	20.85
+16	4.45	20.83
+23	4.45	20.83
+26 = ℄	4.34	20.94
+36	4.28	21.00
+46	4.14	21.14
1 el.	4.11	21.17
N	4.09	21.19
+20	4.16	21.12
+40	4.18	21.10

19.5 E. of ℄

−40	4.22	21.06
−20	4.27	21.01
−5	4.24	21.04
N	4.01	21.27
el.	4.00	21.28
+6	3.96	21.32
+13	4.10	21.18
+16	4.11	21.17
+23	4.18	21.10
+26 = ℄	4.14	21.04
+29	4.25	21.03
+36	4.31	20.97
+41	4.21	21.07
+46	4.23	21.05
el.	4.21	21.03

25.28

E St

S.		3.98	21.30
+4		4.21	21.07
+10		4.52	20.76
+20		4.65	20.63
+40		4.85	20.43
	1.5 W. of E. el.		
4.5. of S. Line		4.60	20.68
S. Line F.L.		4.64	20.64
S "	Top Wall + pavmt	3.85	21.43
	1' W. of E. el.		
N. Line	pav.	4.04	21.24
N "	F.L.	5.06	20.22
+5	pav	4.53	20.75
	E. el. Line		
−40	G	5.02	20.26
−20	G	4.84	20.44
−10		4.76	20.52
−4	G	4.64	20.64
S.	G	4.61	20.67
S. el. + pav		3.86	21.46
+10		3.91	21.39
el.		4.07	21.23
+6		4.11	21.19
+11		4.08	21.22
+16		4.18	21.12
+22		4.23	21.07
+24 = ℄		4.27	21.03

25.28

E. eb. Line

+36	4.05	21.23
+46	3.89	21.39
eb	3.97	21.31
N. eb + pav	4.01	21.27
N G	5.06	20.22
+5 G	4.52	2076
+20 G	4.46	20.82
+40 G	4.45	20.83

E. Line Columbia.

N. eb. + pav	3.82	21.46
G	5.09	20.19
+2.5 FL	4.96	20.32
+2.5 Wall + pav.	3.80	21.48
+6	3.83	21.45
+16	4.00	21.28
+23	3.99	21.29
+24 = ℄	3.91	21.37
+29	4.01	21.27
+36	4.04	21.28
+41	3.95	21.33
+46	3.98	21.30
+50.5 wall + pav.	3.87	21.41
+50.5 F.L.	4.55	2073
G	7.52	20.76
S. eb.	3.83	21.45

25.28

5' E

S. eb	3.81	2147
G	4.43	2085
+1.5	4.49	20.79
+3	4.31	20.97
+4	4.09	21.19
+11	3.91	21.37
+16	4.00	21.28
+22	3.99	21.29
+26 = ℄	3.84	21.44
+36	3.95	21.33
+41	3.89	21.39
+46	4.05	21.23
+49.5	4.40	20.88
G	4.56	20.72
N. eb.	3.90	21.38
T.P. BM	5.11	20.17 ✓

E. St

BM.	8.13	28.30		20.17	N.W. C & Columbia
	20' E. E. Line Columbia				
N.G. in drive			7.31	20.99	
+3			7.01	21.29	
+6			6.83	21.47	
+16			6.79	21.51	
+23			6.79	21.51	
+26 = ℄			6.65	21.65	
+29			6.82	21.48	
+36			6.84	21.46	
+46			6.90	21.40	
G			7.27	21.03	
S. cb			6.65	21.65	
		40' E.			
S. cb			6.34	21.96	
G			7.02	21.28	
+6			6.68	21.62	
+16			6.59	21.71	
+23			6.60	21.70	
+26 = ℄			6.43	21.87	
+29			6.57	21.73	
+36			6.57	21.73	
+46			6.55	21.75	
+49			6.68	21.62	
G			6.94	21.34	
N. cb			6.40	21.90	

		28.30			C. St
		0+60 E ✓			
N. cb			6.16	22.14	
G			6.48	21.62	
+3			6.44	21.86	
+6			6.31	21.99	
+16			6.34	21.96	
+23			6.30	22.00	
+26 = ℄			6.14	22.16	
+29			6.34	21.96	
+36			6.38	21.92	
+41			6.27	22.03	
+46			6.43	21.87	
S.G no cb			6.79	21.51	
		0+80 E			
S. cb			5.88	22.42	
G			6.51	21.79	
+6			6.17	22.13	
+11			6.00	22.30	
+16			6.08	22.22	
+23			6.07	22.23	
+26 = ℄			5.88	22.42	
+29			6.03	22.27	
+36			6.05	22.25	
+46			6.11	22.19	
G			6.41	21.89	
N. cb			5.97	22.33	

28.30

100' E

N. el		5.70	22.60
G		6.27	22.03
+3		6.04	22.26
+6		5.85	22.45
+16		5.79	22.51
+23		5.82	22.48
+26 = ℄		5.67	22.63
+29		5.85	22.45
+36		5.84	22.46
+41		5.73	22.57
+46		5.93	22.37
G		6.23	22.07
S. el.		5.54	22.74
	120' E.		
S. G no el.		5.97	22.33
+6		5.67	22.63
+11		5.51	22.79
+16		5.62	22.68
+23		5.60	22.70
+26 = ℄		5.40	22.90
+29		5.57	22.73
+36		5.55	22.75
+46		5.64	22.68
G		6.00	22.30
N. el		5.43	22.87

28.30

140' E.

N. el		5.11	23.19
G		5.68	22.62
+6		5.33	22.97
+16		5.30	23.00
+23		5.33	22.97
+26 = ℄		5.17	23.13
+29		5.37	22.93
+36		5.40	22.90
+41		5.28	23.02
+46		5.41	22.89
G		5.71	22.59
S. el		5.11	23.19
	160' E		
S. el		4.87	23.43
G		5.47	22.83
+6		5.17	23.13
+11		5.00	23.30
+16		5.13	23.17
+23		5.12	23.18
+26 = ℄		4.93	23.37
+29		5.10	23.20
+36		5.05	23.25
+46		5.15	23.15
G		5.60	22.70
N. el		4.92	23.38

e.s.t

		28.30			
		180' C			
N. el			4.74	23.56	
G			5.62	22.68	
+3			5.17	23.13	
+6			4.91	23.39	
+16			4.79	23.51	
+23			4.76	23.54	
+26 = ℄			4.64	23.64	
+29			4.83	23.47	
+36			4.87	23.43	
+41			4.78	23.52	
+46			4.94	23.36	
G			5.21	23.09	
S. el.			4.60	23.70	
T.P. BM.	5.69	29.58	4.41	23.89	N.W. c & state
		194' E.			
N. el			5.83	23.75	
G			6.75	22.83	
+2			6.72	22.86	
+6			6.12	23.46	
+8			5.86	23.72	
+16			5.86	23.72	
		W. line state		✓	
S. el			5.41	23.97	
G			6.18	23.40	
+6			5.97	23.61	
+11			5.81	23.77	

		29.58			E. ST.
+14			5.91	23.67	
+22			5.94	23.64	
+26 = ℄			5.69	23.89	
+29			5.82	23.76	
+36			5.79	23.79	
+46			5.69	23.89	
+50. HW all & pav			5.65	23.93	
+50 F.L			6.65	22.93	
G			6.47	22.91	
ch. & pav.			5.60	23.98	
			W. ch. Line		
-40			5.85	23.73	
-20			6.05	23.53	
-5			6.15	23.43	
N. G			6.76	22.82	
N. el & pav			5.60	23.98	
N. el			5.53	24.05	
+6			5.57	24.01	
+16			5.76	23.82	
+22			5.72	23.88	
+26 = ℄			5.60	23.98	
+30			5.79	23.79	
+36			5.75	23.83	
+41			5.72	23.86	
+46			5.84	23.74	
S. el			6.03	23.55	

29.58

W. ch. Line (cont)

S. Line	G	6.20	23.38
A 11	ch.	5.63	23.95
+ 28	G	6.43	23.15
+ 40	G	6.56	23.02
	1½ E. of W. ch		
N. Line	H. Wall & pav	5.60	23.98
11 - 11	FL	6.72	23.86
+ 5	pav.	6.12	23.46
	1½ E. of W. ch		
- 40.		6.17	23.41
- 28		6.08	23.50
S		5.88	23.70
ch		5.87	23.71
+ 6		5.77	23.81
+ 16		5.73	23.85
+ 22		5.70	23.88
+ 24		5.57	24.01
+ 29		5.64	23.94
+ 36		5.69	23.89
+ 46		5.53	24.05
ch		5.52	24.06
N.		5.51	24.07
+ 5		5.70	23.88
+ 20		5.72	23.86
+ 40		5.42	24.16

- 40			
- 20			
- 5			
N			
ch			
+ 6			
+ 16			
+ 23			
+ 26 = ℄			
+ 36			
+ 46			
+ ch			
S. Line			
+ 28			
+ 40			
- 40			
- 28			
S on M.H. Rim			
ch			
+ 6			
+ 16			
+ 26 = ℄ on M.H. Rim			
+ 36			
+ 46			
ch			

29.58

15.75 E. of W. ch.

C. SF

	5.05	24.53
	5.28	24.30
	5.42	24.16
	5.44	24.14
	5.45	24.13
	5.46	24.12
	5.58	24.00
	5.65	23.93
	5.61	23.97
	5.64	23.94
	5.67	23.91
	5.70	23.88
	5.61	23.97
	5.72	23.86
	5.78	23.80
25.5 E. of W. ch = ℄		
	5.67	23.91
	5.63	23.95
	5.45	24.13
	5.52	24.06
	5.53	24.05
	5.55	24.03
	5.51	24.07
	5.48	24.10
	5.41	24.17
	5.36	24.22

29.58

℄ State

N.	5.36	24.22
+20	5.14	24.44
+40	4.89	24.69
9'75 E. of ℄		
-40	4.86	24.72
-20	5.08	24.50
N	5.28	24.30
eb	5.39	24.19
+6	5.43	24.15
+16	5.48	24.10
+26 = ℄	5.44	24.14
+36	5.55	24.03
+46	5.52	24.06
eb	5.48	24.10
S	5.38	24.20
+6	5.44	24.14
+28	5.61	23.97
+40	5.67	23.91
19'50 E. of ℄		
-40	5.79	23.79
-28	5.75	23.83
-6	5.64	23.94
S	5.21	24.37
eb	5.20	24.38
+6	5.27	24.31
+16	5.40	24.18

29.58

C. St

+23	5.26	24.32
+26	5.27	24.31
+36	5.29	24.29
+46	5.29	24.29
eb	5.24	24.34
N	5.09	24.49
+5	5.35	24.13
+20	5.22	24.36
+40	5.00	24.56
1'5 W. of E. eb.		
S. Line H. Wall & pav	5.11	24.47
" " F.L.	5.885	23.73
+6	5.84	23.74
1'0 W. of E. eb.		
N. Line H Wall & pav	5.06	24.52
" " F.L.	6.28	23.30
+5	5.62	23.96
E. eb. Line		
-40. G.	5.22	24.36
-20. G.	5.48	24.10
-5, G.	5.63	23.95
N. G.	6.27	23.31
N. eb & pav.	5.04	24.54
eb	5.18	24.40
+6	5.17	24.41

29.58

E. el. con

+16	5.22	24.36
+23	5.19	24.39
+26 = ℄	5.14	24.44
+30	5.33	24.25
+36	5.34	24.28
+46	5.20	2438
el	5.14	24.42
+4	5.03	24.55
S. el + pav	5.15	24.43
S. G	5.85	23.93
+6	5.82	23.76
+28	5.99	23.59
+40	6.06	23.52
00 = E. Line State St		
S. el + pav	5.00	24.58
+6	5.04	24.54
+11	5.06	24.52
+16	5.19	24.39
+23	5.16	24.42
+26 = ℄	5.00	24.58
+29	5.10	24.48
+36	5.09	24.49
+46	5.07	24.51
N. el Line on parmt.	4.99	2459
" " el	5.07	24.51

29.58

C. St.

0.6 E. of E. Line

N. el	5.07	24.51
G	6.26	23.32
+2. F.L.	6.22	23.36
+2 H. wall + pav.	4.99	24.59
20 E.		
S. el. + pav	5.00	24.58
G	5.68	23.96
+1.5 F.L.	5.68	23.90
+1.5 H. wall + pav.	5.01	24.57
6. E.		
N. el	4.97	24.61
G	5.70	23.88
+2.	5.70	23.88
+6	5.23	24.35
+9	5.05	24.53
+16	5.07	24.51
+23	5.04	24.54
+26 = ℄	4.93	24.65
+29	5.10	24.48
+36	5.11	24.47
+41	5.09	24.49
+46	5.29	2429
+50.5	5.59	23.99
G	5.65	23.93
S. el.	4.95	24.63
chk. B.M.	5.69	23.89

Con. Page 29.

C. St.

28

BM. BP	7.65	31.54		23.89 ✓	N.W. 9 State & C Sts ✓
		20'E. of E. line State St.		31.54 HI	
N. el.			6.74	24.80	
G			7.39	24.15	
+6			7.06	24.48	
+16			6.89	24.65	
+23			6.81	24.73	
+26 = ℄			6.71	24.83	
+29			6.85	24.69	
+36			6.88	24.66	
+41			6.88	24.66	
+46			7.07	24.47	
G			7.34	24.20	
S. el			6.69	24.85	
		40'E.			
S. el			6.34	25.20	
G.			7.03	24.51	
+6			6.70	24.84	
+11			6.51	25.03	
+16			6.60	24.94	
+23			6.57	24.97	
+26 = ℄			6.41	25.13	
+29			6.45	25.09	
+36			6.49	25.05	
+46			6.70	24.84	
G			7.09	24.45	
N. el			6.50	25.04	

C. St

31.54
60'E

N. el		6.09	25.45
G		6.70	24.84
+6		6.33	25.21
+16		6.18	25.36
+23		6.13	25.41
+26 = ℄		6.09	25.45
+29		6.27	25.27
+36		6.27	25.27
+41		6.17	25.37
+46		6.31	25.23
G		6.67	24.87
S. el		6.02	25.52
80'E.			
S. el		5.63	25.91
G		6.29	25.25
+6		5.93	25.61
+11		5.81	25.73
+16		5.92	25.62
+23		5.91	25.63
+26 = ℄		5.74	25.80
+36		5.81	25.73
+46		5.93	25.61
+49		6.08	25.46
G		6.41	25.13
N. el		5.90	25.64

		31.54		
		100' E		
N. el			5.36	26.18
G			5.99	25.55
+3			5.71	25.83
+6			5.53	26.01
+16			5.45	26.09
+26 = ℄			5.35	26.19
+29			5.50	26.04
+36			5.57	25.97
+41			5.51	26.03
+46			5.65	25.89
G			5.93	25.61
S. el			5.25	26.29
		120' E		
SG no el			5.55	25.99
+6			5.25	26.29
+11			5.13	26.41
+16			5.21	26.33
+23			5.15	26.39
+26 = ℄			4.99	26.55
+29			5.03	26.51
+36			5.08	26.46
+46			5.18	26.36
+49			5.37	26.17
G			5.68	25.86
N. el			5.05	26.49

		31.54		
		140' E		
N. el			4.67	26.87
G			5.30	26.24
+3			4.99	26.55
+6			4.82	26.72
+16			4.67	26.87
+23			4.67	26.87
+26 = ℄			4.64	26.90
+29			4.79	26.75
+36			4.84	26.70
+41			4.78	26.76
+46			4.93	26.63
G			5.24	26.30
S. el			4.60	26.94
		160' E		
SG no el.			4.85	26.69
+6			4.54	27.00
+11			4.39	27.15
+16			4.43	27.11
+23			4.43	27.11
+26 = ℄			4.24	27.28
+29			4.36	27.18
+36			4.37	27.17
+46			4.53	27.01
+49			4.76	26.78
G			5.08	26.46
N. el.			4.33	27.21

31.54

180' E

N. el	4.14	27.40	
G	5.04	26.48	
+1	4.96	26.58	
+4	4.43	27.11	
+6	4.27	27.27	
+11	4.02	27.52	
+16	4.03	27.51	
+23	4.01	27.53	
+26 = ℄	3.92	27.62	
+29	4.04	27.48	
+35	4.10	27.44	
+41	4.08	27.46	
+46	4.19	27.35	
+48	4.29	27.25	
G	4.54	27.00	
S. el.	3.95	27.59	
T.P. 5.42	3.83	27.71	N.W. est. & Union

33.13

194' E.

N. el	5.54	27.59
G	6.39	26.94
+2	6.37	26.96
+4	6.02	27.11
+6	5.79	27.34
+9	5.43	27.70
+16	5.37	27.76

33.13

E. St.

200' E of W. Line Union

N. el. + pav to E.	5.29	27.84
G. F.L. outlet	6.36	26.77
+2 " "	6.31	26.82
+2 Top Head wall + pav	5.36	27.77
+6	5.22	27.91
+16	5.29	27.84
+23	5.29	27.84
+26 = ℄	5.16	27.97
+29	5.28	27.85
+36	5.30	27.83
+41	5.29	27.84
+46	5.50	27.63
G	5.72	27.41
S. el.	5.13	28.00

W. el. Line Union.

−40. G	5.89	27.24
−20. G	5.77	27.36
S. Line G	5.71	27.41
" " el	5.11	28.02
S. el. Line	5.49	27.64
+6	5.22	27.91
+11	5.10	28.03
+16	5.13	28.00
+23	5.09	28.04
+26 = ℄	4.95	28.18
+29	5.16	27.97

33.13

W. el. Line Union

+36		5.14	27.99
+46		4.99	28.14
+52 ℄ N el Line		5.09	28.04
N. line el. & pav		5.09	28.04
N. Line G		6.29	26.84
+5 G		5.67	27.46
+20 G		5.45	27.68
+40 G		5.18	27.95
	1' E. of W. el.		
N. Line Top Wall & Pav.		5.09	28.04
" " F.L.		6.29	26.84
+5' N.		5.67	27.46
	6' E. of W. el. Lines		
- 40		4.90	28.23
- 20		5.07	28.06
- 5		5.12	28.01
N.		5.07	28.06
N. el.		4.92	28.21
+6		4.90	28.23
+16		5.06	28.07
+23		5.01	28.12
+26		4.86	28.27
+29		5.01	28.12
+36		5.05	28.08
+41		5.00	28.13
+46		5.09	28.04

C. St

℄ C. St.



33.13

6' E. of W. cb

S. cb.	5.29	27.84
S. Line	5.37	27.76
+20	5.27	27.86
+40	5.45	27.68
W. ¼		
-40	5.06	28.07
-20	4.98	28.15
S	5.00	28.13
+8	5.10	28.03
cb	5.07	28.06
+6	4.91	28.22
+11	4.87	28.26
+16	4.95	28.18
+23	4.91	28.22
+26 = ℄	4.80	28.33
+29	4.93	28.20
+36	5.00	28.13
+46	4.80	28.33
cb	4.73	28.40
N	4.82	28.31
+20	4.63	28.50
+40	4.38	28.75
℄ Union		
-40	4.13	29.00
-20	4.42	28.71
N.	4.56	28.57
cb	4.61	28.52

C. St.

33.13

+6	4.66	28.47
+16	4.81	28.32
+23	4.82	28.31
+26 = ℄	4.71	28.42
+29	4.79	28.34
+36	4.82	28.31
+41	4.73	28.40
+46	4.77	28.36
cb	4.84	28.29
+6	4.83	28.30
S.	4.47	28.47
+20	4.69	28.44
+40	4.82	28.31
1.3 E. of ℄		
℄ C. St. M. H. Rim	4.71	28.42
H. E. of ℄		
2.5 S. of S. Line E. M. H. Rim	4.57	28.56
E. ¼		
-40	4.74	28.39
-20	4.62	28.51
S	4.45	28.68
+8	4.60	28.53
cb	4.62	28.51
+6	4.61	28.52
+11	4.61	28.52
+16	4.78	28.35
+23	4.71	28.42
+26 = ℄	4.54	28.55
+29	4.74	28.39

33.13 E.1/4 (con).			
+36	4.69	28.44	
+46	4.51	28.62	
cl	4.43	28.70	
N.	4.46	28.67	
+20	4.31	28.82	
+40	4.07	29.06	
6' W. of E. cl.			
-40	4.12	29.01	
-20	4.34	28.79	
-5	4.39	28.74	
N.	4.34	28.79	
cl	4.31	28.82	
+6	4.39	28.74	
+16	4.57	28.56	
+23	4.61	28.52	
+26 = ℄	4.53	28.60	
+29	4.59	28.54	
+36	4.62	28.51	
+41	4.43	28.70	
+46	4.47	28.66	
S. cl	4.40	28.73	
+6	4.36	28.77	
S	4.30	28.83	
+6	4.51	28.62	
+20	4.73	28.40	
+40	4.85	28.28	

33.13 1.5 W. of E. cl.			C. St
S-5	4.93	28.20	
S. FL outlet	4.86	28.27	
S. H. wall + pav	4.08	29.05	
1' W. of E. cl.			
N. Line H. Wall + pav	4.09	29.04	
N " F.L. inlet.	5.24	27.85	
+5	4.63	28.50	
E. cl. Line 9			✓
S-40 G	5.03	28.10	
S-20 G	4.95	28.18	
S-5 G	4.88	28.25	
S. G	4.85	28.28	
S. cl. + pav	4.08	29.05	
+7	4.11	29.02	
cl	4.21	28.92	
+6	4.28	28.85	
+11	4.29	28.84	
+16	4.52	28.61	
+23	4.51	28.62	
+26 = ℄	4.34	28.79	
+28	4.42	28.71	
+36	4.43	28.70	
+46	4.28	28.85	
cl	4.27	28.86	
N. cl + pav	4.12	29.01	
N. G	5.28	27.85	
+5	4.61	28.52	
+20 G	4.47	28.66	
+40 G	4.31	28.82	

33.13

6+00 = E. Line Union

N. el + pav	4.05	28.08
G	5.33	27.80
+2 F.L.	5.31	27.82
+2 H. Wall & pav	4.15	28.98
+6	4.20	28.93
+16	4.24	28.89
+24	4.24	28.89
+26 = ℄	4.15	28.98
+29	4.33	28.80
+36	4.39	28.74
+41	4.17	28.96
+46	4.26	28.91
+50.5 H. Wall + pav	4.11	29.02
+50.5 F.L.	4.78	28.35
+52 G	4.78	28.35
S. el + pav.	4.19	28.94

5' E. of E. Line ✓

S. el	4.19	28.94
G	4.71	28.42
+1.5	4.74	28.39
+6	4.35	28.78
+11	4.21	28.92
+16	4.30	28.83
+23	4.27	28.86
+26 = ℄	4.08	29.05
+28	4.15	28.98

33.13

C. 57

+36	4.20	28.93
+41	4.19	28.94
+46	4.36	28.77
+50'	4.77	28.36
+52 = G	4.75	28.38
N. el.	4.03	29.10
chk BM.	5.42	27.71 ✓

B.M. B.P.	7.43	35.14		27.71	N.W. C & Union
		20' E. of E. Line Union			
N. el.			5.93	29.21	
G			6.57	28.57	
+ 2			6.33	28.81	
+ 6			6.18	28.96	
+ 16			6.03	29.13	
+ 23			5.98	29.15	
+ 26 = ℄			5.90	29.24	
+ 29			6.10	29.04	
+ 36			6.12	29.02	
+ 41			6.11	29.03	
+ 46			6.31	28.83	
+ 48			6.41	28.73	
G			6.64	28.50	
S. el			6.09	29.05	
		40' E			
S. el			5.84	29.30	
G			6.42	28.72	
+ 3			6.17	28.97	
+ 6			5.97	29.17	
+ 11			5.80	29.34	
+ 16			5.91	29.23	
+ 23			5.86	29.28	
+ 26 = ℄			5.62	29.52	
+ 29			5.49	29.45	

		35.14			C St.
+ 36			5.74	29.40	
+ 46			5.93	29.21	
+ 49			6.10	29.04	
G			6.36	28.78	
N. el			5.74	29.40	
		60' E.			
N. el			5.47	29.67	
G			6.10	29.04	
+ 3			5.85	29.29	
+ 6			5.71	29.43	
+ 16			5.54	29.60	
+ 23			5.62	29.52	
+ 26 = ℄			5.39	29.75	
+ 29			5.56	29.58	
+ 36			5.60	29.54	
+ 41			5.57	29.57	
+ 46			5.74	29.40	
G			6.12	29.02	
S. el			5.49	29.65	
		80' E			
S. el			5.27	29.87	
G			5.83	29.31	
+ 6			5.51	29.63	
+ 11			5.29	29.85	
+ 16			5.35	29.79	
+ 23			5.23	29.91	

35.14

80' E. (con)

+26 = ℄	5.19	29.95
+29	5.35	29.79
+36	5.32	29.82
+46	5.46	29.65
G	5.78	29.36
N. el	5.22	29.92

100' E.

N. el	5.06	30.08
G	5.63	29.51
+3	5.39	29.75
+6	5.21	29.93
+16	5.08	30.06
+23	5.13	30.01
+24 = ℄	4.92	30.22
+29	5.09	30.05
+36	5.11	30.03
+41	5.03	30.11
+46	5.26	29.88
+49	5.39	29.75
G	5.58	29.56
S. el.	4.98	30.16

120' E.

S. el	4.79	30.35
G	5.31	29.83
+3	5.05	30.09
+6	4.93	30.21

35.14

+11	4.74	30.36
+16	4.90	30.24
+23	4.44	30.30
+26 = ℄	4.72	30.42
+29	4.77	30.37
+36	4.83	30.31
+46	4.99	30.15
+49	5.13	30.01
G	5.39	29.75
N. el	4.65	30.49

140' E ✓

N. el	4.45	30.69
G	5.05	30.09
+3	4.82	30.32
+6	4.64	30.50
+16	4.55	30.59
+23	4.55	30.59
+24 = ℄	4.43	30.71
+29	4.55	30.59
+36	4.64	30.50
+41	4.59	30.55
+46	4.77	30.37
SG no el	4.98	30.16

35.14

140' E

S. el.	4.24	30.86	
G	4.83	30.31	
+3	4.62	30.52	
+6	4.52	30.62	
+11	4.32	30.82	
+16	4.36	30.78	
+23	4.27	30.87	
+24 = ℄	4.15	30.99	
+29	4.23	30.91	
+36	4.30	30.84	
+46	4.52	30.62	
+49	4.71	30.43	
G	4.90	30.24	
N. el	4.21	30.93	

180' E.

N. el	4.03	31.11	
G	4.89	30.25	
+3	4.53	30.61	
+6	4.30	30.84	
+11	4.05	31.09	
+16	4.03	31.11	
+23	3.99	31.15	
+26 = ℄	3.91	31.23	
+29	4.07	31.07	
+36	4.19	30.95	
+41	4.08	31.06	

35.14

+46		4.07	31.07	
+49		4.39	30.75	
G		4.53	30.61	
S. el.		4.00	31.14	
T.P. Nail	6.39	3.82	31.32	N.W. ℄ & Front
37.69		HI = 37.69		
197' E.				
N. el		6.51	31.14	
G		7.34	30.35	
+2.5		7.25	30.44	
+6.5		6.58	31.11	
+10 5		6.40	31.29	
+16 5.		6.39	31.32	
201' E. = W. Line Front St.				
N. el. + pav.		6.45	31.24	
G F.L. outlet		7.24	30.43	
+2 " "		7.31	30.38	
+2 H. wall + pav		6.40	31.29	
+6		6.31	31.38	
+16		6.30	31.39	
+24		6.31	31.38	
+26 = ℄		6.22	31.47	
+29		6.37	31.32	
+36		6.39	31.30	
+41		6.33	31.36	
+46		6.53	31.16	
G		6.81	30.88	
S. el.		6.23	31.46	

		37.69		
		W. el. Line Front St		
S-40 G			7.02	30.67
-20 G			6.88	30.81
S. G			6.76	30.93
S. el.			6.27	31.42
el			6.60	31.09
+6			6.33	31.36
+11			6.19	31.50
+16			6.21	31.48
+23			6.17	31.52
+26=℄			6.03	31.66
+32			6.12	31.57
+36			6.07	31.62
+46			6.17	31.52
el			6.28	31.41
N. el + pav			6.28	31.41
N. G			7.29	30.40
+5 G			6.75	30.94
+20 G			6.55	31.14
+40 G			6.32	31.37
		1' E. of W. el		
N. H. Wall + Pav			6.34	31.35
N. FL			7.29	30.40
+5' N			6.70	30.99
		6' E. of W. el.		
N-40			5.89	31.80
N-20			6.05	31.64

		37.69		C. St
N-5			6.16	31.53
N.			6.10	31.59
el			6.22	31.47
+6			6.16	31.53
+11			6.04	31.65
+16			6.07	31.62
+22			6.06	31.63
+26=℄			5.99	31.70
+29			6.13	31.56
+36			6.07	31.62
+42			6.12	31.57
+46			6.15	31.54
el			6.43	31.26
S			6.42	31.27
+20			6.48	31.21
+40			6.59	31.10
		8.5' E. of W. el.		
17.5' S. of ℄ C. Gas + Elec M.H. Rim			6.10	31.59
		16' E of W. el.		
S-40			6.12	31.57
-20			6.00	31.69
S			5.98	31.71
el.			6.15	31.54
+6			5.99	31.70
+10			5.96	31.73
+16			5.99	31.70

37.69

16'E. of N. el

S. el +23	5.97	31.72
+26 = ℄	5.93	31.76
+28.	5.98	31.71
+36	5.94	31.75
+46	5.91	31.78
el	5.98	31.71
N	5.88	31.81
+20	5.62	32.07
+40	5.44	32.25

℄ Front

-40	5.24	32.45
-20	5.42	32.27
N	5.63	32.06
el	5.82	31.87
+6	5.81	31.88
+16	5.89	31.80
+24	5.88	31.81
+26 = ℄ M.H. Rim	5.84	31.85
+29	5.86	31.83
+36	5.83	31.86
+42	5.81	31.88
+46	5.82	31.87
el	5.89	31.80
+13.5 = M.H. Rim	5.64	32.05
	5.61	32.08
+20	5.77	31.92
+40	5.90	31.79

37.69

10'E. of ℄

-40	5.85	31.84
-20	5.70	31.99
S. el	5.51	32.18
	5.65	32.04
+6	5.62	32.07
+10	5.61	32.08
+16	5.71	31.98
+23	5.70	31.99
+26 = ℄	5.62	32.07
+28	5.68	32.01
+36	5.69	32.00
+46	5.61	32.08
el	5.63	32.06
N	5.54	32.15
+20	5.33	32.36
+40	5.17	32.52

19'E. of ℄

15'N. of ℄ C. St. M.H. Rim 5.35 32.34

20'E. of ℄ Front.

-40	5.27	32.42
-20	5.34	32.35
-5	5.33	32.36
N	5.27	32.42
el	5.47	32.22
+6	5.50	32.19
+11	5.35	32.34
+16	5.53	32.16

37.69

20'E. of ℄ Front (con)

N. el + 24	5.52	32.17
+ 26 = ℄	5.48	32.21
+ 29	5.59	32.10
+ 36	5.63	32.06
+ 42	5.47	32.22
+ 46	5.43	32.26
el	5.38	32.31
S	5.39	32.30
+ 5	5.60	32.09
+ 20	5.82	31.88
+ 40	5.96	31.73

1.5 N. of E. el. Line

S. Line H. wall + pav	5.18	32.51
" " F.L outlet	5.95	31.74
+ 5' S	5.99	31.70

1' W. of E. el. Line

N. Line H. wall + pav	5.18	32.51
" " F.L. Inlet	6.25	31.44
+ 5' N.	5.76	30.93

E. el. Line

- 40' G	6.16	31.53
- 20 G	6.01	31.68
- 5 G	5.92	31.77
S. G	5.95	31.74
S. el. + pav	5.25	32.44
el	5.29	32.40

37.69

C. 9+

+ 6.	5.33	32.36
+ 10	5.34	32.35
+ 16	5.51	32.18
+ 23	5.53	32.16
+ 26 = ℄	5.36	32.33
+ 28	5.47	32.22
+ 36	5.48	32.21
+ 41	5.39	32.30
+ 46	5.38	32.31
el	5.37	32.32
+ 7	5.25	32.44
N. el. + pav	5.21	32.48
N. = G	6.25	31.44
+ 5' G.	5.75	31.94
+ 20' G	5.58	32.11
+ 40 G.	5.42	32.27

0+00 = E. Line Front St.

N. edge N. el on walk + pav	5.16	32.53
N. el. subs.	5.49	32.20
G	6.51	31.14
+ 2' F.L. Inlet.	6.50	31.19
+ 2' H. Wall + pav	5.27	32.42
+ 6.	5.31	32.38
+ 11	5.25	32.44
+ 16	5.24	32.41
+ 24	5.28	32.41

E. Line Front. (con)

+26 = ℄		5.21	32.46
+29.		5.35	32.34
+36.		5.35	32.34
+41		5.19	32.50
+46		5.22	32.47
+50'.5	H wall + p.	5.15	32.54
+50'.5	F.L. Inl. t.	5.82	31.87
G	" " "	5.75	31.94
S. dr + pav.		5.15	32.54
	5' E. of E. Line Front.		
S. dr		5.09	32.60
G		5.75	31.94
+1.5		5.78	31.91
+6		5.41	32.28
+10		5.19	32.50
+16		5.29	32.46
+23		5.33	32.36
+26 = ℄		5.16	32.53
+28		5.23	32.46
+36		5.21	32.48
+41		5.28	32.41
+44		5.53	32.16
+50' = H wall + pav.		6.10	31.59
+G' F.L. Inlet		6.12	31.57
N. dr + walk Lowered toward drive		5.69	32.00
B.M.		6.37	31.32 ✓	NW. C & Front St.

BM. Nail	6.88	38.20		31.32	N.W. ℄ & Front.
		20' E. of	E. Line	Front.	✓
Noch.					
N.G.			6.15	32.05	
+3			6.13	32.07	
+6			5.82	32.38	
+16			5.54	32.66	
+23			5.51	32.69	
+26 = ℄			5.49	32.71	
+29			5.65	32.55	
+34			5.65	32.55	
+41			5.54	32.64	
+44			5.71	32.49	
+49			5.88	32.32	
G			6.04	32.16	
S. el			5.43	32.77	
		40' E			
S.G. noch.			5.75	32.48	
+3			5.61	32.59	
+6			5.45	32.75	
+11			5.33	32.87	
+16			5.34	32.86	
+23			5.36	32.84	
+26 = ℄			5.22	32.98	
+29			5.30	32.90	
+34			5.31	32.89	

		38.20		C.S.F.
+42			5.42	32.78
+46			5.61	32.53
+49			5.88	32.32
N.G. noch.			6.15	32.05
		60' E.		
N.G. noch.			5.83	32.37
+3			5.64	32.56
+6			5.40	32.80
+10			5.15	33.05
+16			5.03	33.17
+26 = ℄			5.09	33.11
+34			5.12	33.08
+41			5.12	33.08
+46			5.30	32.90
S.G. noch.			5.54	32.66
		80' E.		✓
S. el			4.71	33.49
G			5.31	32.89
+6			5.05	33.15
+11			4.86	33.34
+16			4.82	33.38
+24 = ℄			4.90	33.30
+36			4.79	33.41
+41			4.80	33.40
+42			5.02	33.18
+49			5.23	32.97
G			5.59	32.61
N. el			4.92	33.28

38.20

100' E. ✓

N. el	4.62	33.58
G	5.35	32.85
+ 2	5.07	33.13
+ 6	4.80	33.40
+ 11	4.63	33.57
+ 16	4.54	33.66
+ 26 = ℄	4.59	33.61
+ 36	4.57	33.63
+ 41	4.59	33.61
+ 46	4.78	33.42
G	5.07	33.13
S. el	4.48	33.72

120', E, ✓

S. el	4.21	33.99
G	4.84	33.36
+ 6	4.53	33.67
+ 11	4.36	33.84
+ 16	4.27	33.93
+ 26 = ℄	4.34	33.86
+ 36	4.36	33.84
+ 39	4.35	33.85
+ 46	4.51	33.69
+ 49	4.74	33.46
G	4.99	33.21
N. el.	4.50	33.70

38.20

140' E ✓

N. el	4.11	34.09
G	4.79	33.41
+ 1	4.70	33.50
+ 3	4.44	33.76
+ 6	4.21	33.99
+ 16	4.11	34.09
+ 26 = ℄	4.03	34.17
+ 31	3.94	34.26
+ 36	4.00	34.20
+ 41	4.14	34.06
+ 46	4.30	33.90
G	4.59	33.61
S. el.	3.98	34.22

160', E ✓

S. G no el	4.36	33.84
+ 6	4.03	34.17
+ 11	3.81	34.39
+ 16	3.73	34.47
+ 21	3.67	34.53
+ 26 = ℄	3.75	34.45
+ 36	3.86	34.34
+ 39	3.81	34.39
+ 46	4.05	34.15
+ 49	4.24	33.96
+ 51	4.54	33.66
G	4.44	33.56
N. el.	3.83	34.37

		38.20			
		180'E ✓			
N. el			3.60	34.60	
G			4.41	33.79	
+1			4.32	33.88	
+3			4.04	34.16	
+6			3.77	34.43	
+11			3.56	34.64	
+16			3.55	34.65	
+26 = ℄			3.50	34.70	
+31			3.47	34.73	
+36			3.51	34.69	
+41			3.61	34.59	
+46			3.77	34.43	
C			4.11	34.09	
S. el,			3.49	34.71	
T.P. B.P.	6.48	41.21	3.47	34.73	NW. ℄ 1st
		196'E	H.I. = 41.21	✓	
N. el			6.57	34.64	
G. F.L. outlet			7.35	33.86	
↓ 2'.... ,,			7.32	33.89	
+6'			6.64	34.53	
+10			6.45	34.76	
+16			6.35	34.86	
		200'E = N. Line 1st St		✓	
S. el.			6.23	34.98	
G			6.83	34.38	
+6			6.53	34.68	

		41.21			C. St
+16			6.27	34.94	
+26 = ℄			6.25	34.96	
+36			6.28	34.93	
+41			6.26	34.95	
+46			6.39	34.82	
+50. H. Wall + Pav			6.53	34.68	
+50. F.L. outlet			7.35	33.86	
G " "			7.31	33.90	
N. el + pav.			6.48 ✓	34.73	
		N. el. Line			✓
-40	G		6.61	34.60	
-20	G		6.78 ✓	3443	
-5	G		6.89	3432	
N. Line	G inlet		7.29	33.92	
" "	el + pav		6.21	35.00	
N. el			6.16	35.05	
+6			6.13	35.08	
+16			6.04	35.17	
+26 = ℄			6.05	35.16	
+36			6.09	35.12	
+46			6.23	34.98	
el.			6.42	34.79	
S. Line el.			6.78	34 43	
" " G			6.31	34 88	
+20 G			7.01	34.20	
+40 G			7.23	33.98	
17.5 S. of ℄ C. M.H		17.5 W. of ℄ 1st Ave	5.87		

41.21

6' E. of W. el Line

-40	6.64	34.57
-20	6.45	34.76
S. Line	6.42	34.79
el	6.13	35.08
+6	5.97	35.24
+16	5.95	35.26
+26 = ℄	5.92	35.29
+36	5.91	35.30
+46	6.00	35.21
el	5.87	35.34
N	6.11	35.10
+5'	6.22	34.99
+20'	6.19	35.02
+40'	6.16	35.05

1' E. of W. el

N. Line H. Wall + pav	6.19	35.02
" " F.L.	7.28	33.93
+5' N.	6.84	34.37

14' E of W. el

-40	5.55	35.66
-20	5.56	35.65
N	5.89	35.32
el	5.86	35.35
+6	5.81	35.40
+16	5.72	35.49
+26 = ℄	5.77	35.44
+36	5.76	35.45

41.21

C, St

+46	5.78	35.43
el	5.84	35.37
S.	5.97	35.24
+20	5.97	35.24
+40	6.20	35.01

℄ 1st Ave.

-40	6.12	35.09
-20	5.91	35.30
-1' on M.H. above pav.	5.65	35.56
S. on Pav.	5.65	35.56
el	5.65	35.56
+6	5.65	35.56
+16	5.65	35.56
+26 = ℄ on MH.	5.68	35.53
+36	5.61	35.60
+46	5.61	35.60
el.	5.62	35.59
N	5.59	35.62
+20	5.48	35.73
+40	5.41	35.80

2.5 E. of ℄ - W. Rail

N	5.62	35.59
℄	5.65	35.56
S.	5.78	35.43

7.4 E. of ℄ - E. Rail

S	5.69	35.52
℄	5.52	35.69
N.	5.47	35.74

10'. E. of ℄

-40	5.33	3588
-20	5.36	35.86
N	5.39	35.82
el	5.50	35.71
+6	5.50	35.71
+16	5.49	35.72
+26=℄	5.52	35.69
+36	5.53	35.68
+46	5.50	35.71
el.	5.51	35.70
S.	5.56	35.65
+20	5.77	35.44
+40	5.97	35.24

20'. E. of ℄

-40'	6.09	35.12
-20'	5.90	35.30
-6'	5.67	35.54
S	5.38	35.83
el	5.37	35.84
+6	5.38	35.83
+16	5.38	35.83
+26=℄	5.46	35.75
+36	5.47	35.74
+46	5.41	35.80
el	5.43	35.78
N.	5.23	35.98

+5	5.42	35.79
+20	5.46	35.75
+40	5.42	35.79

1.5 W. of E. el.

S. H. wall + pav	5.33	3588
S. F.L Outlet.	6.03	35.18
+6's	6.08	35.13

1'. W. of E. el

N. line H. wall + pav	5.13	36.08
" " F.L. Inlet.	6.35	34.86
+5'. N.	5.89	3532

E. el Line

-40 G	5.71	35.50
-20 G	5.79	35.42
-5 G	5.90	35.30
N. G. F.L Inlet	6.37	3484
N. el + pav	5.20	3601
el	5.34	35.87
+6	5.37	35.84
+16	5.47	35.74
+26=℄	5.43	35.78
+36	5.32	35.89
+46	5.32	35.89
el	5.39	35.82
S. Line el. + pav	5.32	35.89
" " G.F.L. outlet	6.02	35.19

41.21
E. el Line (con)

S. + 6. G	6.06	35.15
S + 20. G	6.15	35.06
S + 40. G	6.36	34.85
00 = E. Line 1st Ave.		
S. el + pav	5.44	35.77
G F.L. inlet	6.11	35.16
+1.5 " "	6.08	35.13
+1.5 H. wall + pav.	5.50	35.71
+6	5.34	35.84
+16	5.21	36.00
+26 = ℄	5.28	35.93
+29	5.41	35.80
+36	5.39	35.82
+46	5.31	35.90
+50. H. wall + pav	5.22	35.99
+50. F.L. inlet.	6.49	34.72
+52. G. " "	6.43	34.78
N. el + pav	5.19	36.02
5' E.		
N. el	5.20	36.01
G	5.75	35.46
+2	5.77	35.44
+6	5.47	35.74
+11	5.27	35.94
+16	5.36	35.85
+23	5.39	35.82
+26 = ℄	5.24	35.97
+36	5.21	36.00

41.21

+41	5.33	35.88
+46	5.54	35.67
+50.5 H wall + pav	5.55	35.66
+50.5 F.L. inlet.	6.01	35.20
+52 = G. " "	6.05	35.16
S. el.	5.37	35.84
BM	6.48	34.73.

N.M. C.41st

con. Page 50.

BM.BP.	7.78	42.51		34.73	NW. ℄ 1st St
	20' E. of E. Line 1st St.				
Nod					
N.G.			6.95	35.56	
+3			6.83	35.68	
+6			6.64	35.87	
+11			6.39	36.12	
+16			6.47	36.04	
+23			6.47	36.04	
+26 = ℄			6.35	36.26	
+36			6.39	36.12	
+41			6.46	36.05	
+46			6.44	35.87	
S.G.			6.96	35.55	
		40' E			
S.G			6.74	35.77	
+6			6.40	36.11	
+16			6.13	36.38	
+26 = ℄			6.09	36.42	
+29			6.20	36.31	
+34			6.24	36.27	
+39			6.17	36.34	
+44			6.33	36.18	
+49			6.55	35.96	
NG			6.78	35.73	

		42.51			C, St
		60' E			
N. el			5.83	36.68	
G			6.54	35.97	
+3			6.31	36.20	
+6			6.15	36.36	
+11			5.97	36.54	
+16			5.97	36.54	
+23			5.97	36.54	
+24			5.89	36.62	
+36			5.87	36.64	
+41			5.97	36.54	
+46			6.19	36.32	
G			6.55	35.96	
S. el			5.83	36.68	
		80' E.			
S. el			5.53	36.98	
G			6.20	36.31	
+4			5.91	36.80	
+11			5.69	36.82	
+14			5.59	36.92	
+24 = ℄			5.59	36.92	
+29			5.71	36.80	
+36			5.70	36.81	
+41			5.66	36.85	
+46			5.83	36.68	
+49			6.09	36.42	
G			6.38	36.13	
Nel			5.44	36.87	

42.51

100' E

N. G.	6.07	36.44
+3	5.94	36.57
+6	5.71	36.80
+11	5.48	37.03
+16	5.45	37.06
+23	5.44	37.05
+26 = ℄	5.41	37.11
+36	5.37	37.14
+41	5.45	37.06
+44	5.61	36.90
G	5.94	36.55
S. el	5.31	37.20

120' E

S. el	5.03	37.48
G	5.72	36.79
+3	5.51	37.00
+6	5.38	37.13
+11	5.21	37.30
+16	5.11	37.40
+24 = ℄	5.12	37.39
+36	5.26	37.25
+41	5.20	37.31
+46	5.40	37.11
G	5.81	36.70
N. el	5.12	37.39

42.51

E. St.

140' E

N G.	5.57	36.94
+3	5.38	37.13
+6	5.18	37.33
+11	4.99	37.52
+16	5.01	37.50
+23	4.94	37.55
+24 = ℄	4.89	37.62
+34	4.90	37.61
+41	4.95	37.56
+46	5.15	37.36
G	5.41	37.10
S. el	4.74	37.77

160' E

S. el	4.52	37.99
G	5.14	37.35
+3	4.93	37.58
+6	4.81	37.70
+11	4.65	37.86
+16	4.58	37.93
+21	4.55	37.96
+26 = ℄	4.61	37.90
+29	4.71	37.80
+36	4.78	37.73
+41	4.67	37.84
+44	4.81	37.64
+46	4.98	37.63
+49 N. G.	5.23 5.41	37.18 37.10

		42.51			
		180' E			
N.G.			5.36	37.15	
+3			5.05	37.46	
+6			4.78	37.73	
+9			4.51	38.00	
+11			4.47	38.04	
+16			4.47	38.04	
+26 = ℄			4.42	38.09	
+36			4.39	38.12	
+41			4.48	38.03	
+46			4.47	37.84	
+49			4.76	37.75	
G			4.95	37.56	
S.eb.			4.26	38.15	
T.P. F.H	2.20	44.51	0.20	42.31	S.E.C +2nd
		196' E.			
N.eb			6.40	38.11	
G			7.22	37.29	
+2			7.31	37.20	
+4			7.13	37.38	
+6			6.80	37.71	
+10			6.36	38.15	
+16			6.28	38.13	
		200. E = N. Line 2nd Ave			
N.eb + pav			6.22	38.29	
G F.L. outlet			7.17	37.34	
+2 " "			7.17	37.34	
+2 H.wall + pav.			6.33	38.18	

		44.51			C.St.
					52
+6			6.34	38.17	
+11			6.17	38.34	
+16			6.22	38.29	
+22			6.24	38.25	
+26 = ℄			6.17	38.34	
+36			6.15	38.36	
+46			6.39	38.12	
℄			6.62	37.89	
S.eb			6.06	38.45	
		W.eb.			
-40 G			6.83	37.68	
-20 G			6.74	37.77	
S. G			6.59	37.92	
S.on eb			6.13	38.38	
eb.			6.37	38.14	
+6			6.19	38.32	
+16			5.99	38.52	
+26 = ℄			5.97	38.54	
+30			6.11	38.40	
+36			6.03	38.48	
+41			5.99	38.52	
+46			6.09	38.42	
eb.			6.15	38.36	
+7			6.14	38.35	
N. Line eb. + pav			6.32	38.19	
" " G. inlet.			7.43	37.08	
+5 G			6.83	37.68	
+20 G			6.61	37.90	
+40 G			6.46	38.05	

	44.51	
	1' E. of W. el	
N-5.	6.76	37.75
N.F.L. Inlet.	7.40	37.11
N. H. wall & pav.	6.37	38.14
	6' E. of W el	
-40	6.08	38.43
-20	6.11	38.40
-5	6.07	38.44
N	6.08	38.43
el	5.97	38.54
+6	5.95	38.56
+16	5.98	38.53
+22	6.02	38.49
+26=℄	5.94	38.57
+36	5.91	38.60
+46	6.08	38.43
el	6.21	38.30
S.	6.25	38.26
+20	6.36	38.15
+40	6.43	38.08
	16' E. of W. el.	
-40	6.00	38.51
-20	5.93	38.58
S.	5.92	38.59
el	6.02	38.49
+6	5.95	38.56
+16	5.85	38.66

	44.51	
+26=℄	5.87	38.64
+30	5.91	38.60
+36	5.93	38.58
+46	5.81	38.70
el	5.80	38.71
N.	5.77	38.74
+20	5.62	38.89
+40	5.58	38.93
	℄ 2nd Ave	
-40	5.21	39.30
-20	5.30	39.21
N	5.44	39.07
el	5.60	38.91
+4	5.60	38.91
+16	5.77	38.74
+22	5.71	38.80
+26=℄=M.H. above pav	5.56	38.95
+27 on pav	5.61	38.90
+34	5.70	38.81
+46	5.78	38.73
el	5.84	38.67
S or M.H	5.50	39.01
+20	5.61	38.90
+40	5.72	38.79

	44.51		
	10' E. of ℄		
-40	5.71	38.80	
-20	5.51	39.00	
S	5.36	39.15	
cl	5.61	38.90	
+6	5.61	38.90	
+16	5.52	38.99	
+26	5.56	38.95	
+30	5.57	38.94	
+36	5.64	38.85	
+46	5.49	39.02	
cl	5.46	39.05	
N	5.30	39.21	
+20	5.22	39.29	
+40	5.17	39.34	
	20' E. of ℄		
-40	5.27	39.24	
-20	5.26	39.25	
-5	5.26	39.25	
N	5.10	39.41	
cl.	5.37	39.14	
+6. M.H.Rim	5.40	39.11	
+16	5.52	38.99	
+22	5.52	38.99	
+26 = ℄	5.40	39.11	
+36	5.38	39.13	
+46	5.41	39.10	

	44.51		E.St
cl.	5.37	39.14	
+7	5.29	39.22	
S.	5.29	39.22	
+6	5.48	39.03	
+20	5.63	38.88	
+40	5.89	38.62	
	1.5 W. of E. cl.		
S-6	5.77	38.74	
S. Line F.L. outlet	5.78	38.73	
" " H. Wall & pav.	5.09	39.42	
	1' W. of E. cl.		
N-5	5.67	38.84	
N. Line F. L. Inlet.	5.15	39.36	
" " H. Wall & pav.	5.00	39.51	
	E. cl. Line		
-40 G	6.03	38.48	
-20 G	5.85	38.66	
-6 G	5.78	38.73	
S. Line G	5.77	38.74	
" " cl. & pav	5.11	39.40	
7	5.10	39.41	
cl	5.19	39.32	
+6.	5.25	39.26	
+16	5.26	39.25	
+26 = ℄	5.31	39.30	
+30	5.33	39.18	

44.51

E. el Line (con)

+3.6	5.32	39.19
+46	5.27	39.24
el	5.25	39.26
+7	5.18	39.33
N. Line el. & pav.	5.00	39.51
" " G.F.L. Inlet	5.16	39.35
+5 G	5.70	38.81
+20, G	5.57	38.94
+40 G.	5.41	39.10
00 = E. Line 2nd Ave.		
N. el + pav	5.07	39.44
G. F.L. Inlet	6.28	38.23
+2, " "	6.31	38.20
+2 H. wall & pav.	5.08	39.43
+6	5.15	39.36
+16	5.23	39.28
+26	5.13	39.38
+36	5.08	39.43
+46	5.15	39.36
+50'5 H. Wall + pav.	5.16	39.35
+50.5 F.L. Inlet	5.89	38.62
+52. G. " "	5.89	38.62
S. el. + pav.	5.19	39.32

44.51

5' E.

e. st.

S. el.	5.05	39.46	
G	5.79	38.72	
+1.5	5.79	38.72	
+6	5.31	39.30	
+11	5.15	39.36	
+16	5.06	39.45	
+26 = ℄	5.05	39.46	
+36	5.10	39.41	
+41	5.14	39.37	
+46	5.29	39.22	
+50	5.80	38.71	
G	5.84	38.67	
N. el.	5.10	39.41	
BM, FH	2.20	42.31	S.E. 2nd & E. Sts.

E. St 56

B.M. F.P.	3.36	45.67		42.31	
		20' E. of E. line 2nd HI-45.67			✓
S. eb			5.90	39.77	
G			6.65	39.02	
+3			6.49	39.18	
+6			6.36	39.31	
11			6.20	39.47	
+16			6.10	39.57	
+26			6.07	39.60	
+36			6.09	39.58	
+41			6.13	39.54	
+46			6.29	39.38	
+49			6.44	39.23	
G			6.67	39.00	
N. eb			6.06	39.61	
		40' E			
N eb			5.84	39.83	
			6.44	39.23	
+3			6.26	39.41	
+6			6.07	39.60	
+11			5.87	39.80	
+16			5.93	39.74	
+26			5.82	39.85	
+36			5.85	39.82	
+46			6.11	39.56	
+49			6.27	39.40	

		45.67			
G			6.43	39.24	
S eb			5.68	39.99	
		60' E.			
S. eb			5.49	40.18	
G			6.17	39.50	
+3			5.95	39.72	
+6			5.84	39.83	
+16			5.58	40.09	
+26			5.57	40.10	
+36			5.60	40.07	
+46			5.83	39.84	
+49			5.97	39.70	
G			6.24	39.43	
N. eb			5.70	39.97	
		80' E.			✓
N. eb.			5.33	40.34	
G			5.97	39.70	
+3			5.67	40.00	
+6			5.54	40.13	
+16			5.34	40.33	
+26 = ℄			5.33	40.34	
+36			5.32	40.35	
+46			5.55	40.12	
+49			5.69	39.98	
G			5.91	39.76	
S. eb			5.23	40.44	

		45.67		
		100' E.		
S. el.			5.18	40.49
C			5.77	39.90
+3			5.57	40.10
+6			5.36	40.31
+9. M.H			5.20	40.47
+16			5.07	40.60
+24			5.05	40.62
+36			5.09	40.58
+41			5.11	40.56
+46			5.36	40.31
+49			5.60	40.07
C			5.77	39.90
N. el			5.10	40.57
		120' E		
N. el			4.72	40.95
C			5.43	40.24
+3			5.14	40.53
+6			4.98	40.69
+11			4.82	40.85
+16			4.83	40.84
+24 =			4.79	40.88
+36			4.79	40.88
+46			5.09	40.58
+49			5.20	40.47
C			5.38	40.29
S. el.			4.72	40.95

		45.67		
		140' E.		
S. el.			4.50	41.17
C			5.14	40.53
+3			4.96	40.71
+6			4.84	40.83
+16			4.57	41.10
+24			4.55	41.12
+36			4.50	41.17
41			4.60	41.07
+46			4.77	40.90
+49			5.04	40.63
C			5.20	40.47
N. el			4.50	41.17
		160' E.		
N. el			4.75	41.42
C			5.10	40.57
+3			4.91	40.76
+6			4.63	41.04
+11			4.43	41.24
+16			4.33	41.34
+24			4.35	41.32
+36			4.33	41.34
+46			4.56	41.11
+49			4.69	40.98
C			4.86	40.81
S. el.			4.23	41.44

		45.67			
		180' E			
S. G.			4.64	41.03	
+6			4.32	41.35	
+16			4.07	41.60	
+26			4.07	41.60	
+36			4.09	41.58	
+41			4.16	41.51	
+46			4.40	41.27	
+49			4.69	40.98	
G			4.89	40.78	
N. eb.			4.06	41.61	
T.P. BM	6.25	48.02	3.90	41.77	N.W. 3rd & E. St's
		195' E.			
N. eb			6.28	41.74	
G			7.20	40.82	
+2			7.02	41.00	
+6			6.55	41.47	
+11			6.28	41.74	
+16			6.28	41.74	
		200' E. = N. line 3rd Ave.		✓	
N. eb + pav			6.23	41.79	
G F.L. outlet			7.11	40.91	
+2 " "			7.04	40.98	
+2 H. wall + pav.			6.22	41.80	
+6			6.19	41.83	
+16			6.28	41.74	
+26 = ℄			6.18	41.84	

		48.02			
+36			4.20	41.82	
+41			6.31	41.71	
+46			6.46	41.56	
G			6.69	41.33	
S. eb.			6.15	41.87	
			W. eb. line		
-40' S. G			6.75	41.27	
-20' S. G			6.72	41.30	
S. eb			6.19	41.83	
S G			6.70	41.32	
+7			6.63	41.39	
eb			6.27	41.75	
+6			6.09	41.93	
+11			6.00	42.02	
+16			5.91	42.11	
+26 = ℄			5.98	42.04	
+36			6.09	41.93	
+46			5.96	42.06	
cb, cleanout			6.01	42.01	
N. on eb. + pav			6.07	41.95	
N. G. F.L. inlet			6.94	41.08	
+5, G			6.81	41.21	
+20 G			6.55	41.47	
+40 G.			6.41	41.61	

48.02

	1' E. of W. el	
N-5' N	6.76	41.26
N. Ft. Inlet	6.93	41.09
N HWall & pav	5.07	42.95
	6' E. of W. el	
-40	5.78	42.24
-20	5.94	42.08
-5	6.12	41.90
N	5.92	42.10
el.	5.94	42.08
+6	5.90	42.12
+16	5.99	42.03
+26=℄	5.91	42.11
+36.	5.83	42.19
+46.	5.87	42.15
el	5.94	42.08
S	6.11	41.91
+20'	6.10	41.92
+40'	6.13	41.89
	7' E. of W. el.	
19' S. of ℄ M.H.	5.75	42.27
	12.3 E. of W. el	
S-40	5.79	42.23
-20	5.77	42.25
S	5.83	42.19
el	5.78	42.24
+6	5.71	42.31

48.02

+16	5.78	42.24
+26=℄	5.87	42.15
+36	5.85	42.17
+46	5.79	42.23
el	5.78	42.24
+12	5.81	42.21
N.	5.67	42.35
+20.	5.56	42.46
+40.	5.39	42.63
	18.6 E. of W. el. = W. Rail W. Track.	
-40	5.33	42.69
-20	5.51	42.51
N	5.65	42.37
el	5.68	42.34
+6	5.71	42.31
+16	5.75	42.27
+26=℄	5.79	42.23
+36	5.80	42.22
+44	5.77	42.25
el	5.74	42.24
S	5.73	42.29
+20	5.73	42.29
+40	5.77	42.25
	23.3 E. of W. el. = E. Rail W. Track	
-40	5.77	42.25
-20	5.71	42.31
S	5.74	42.28

48.02

E. Rail W. Track (con)

S. cl	5.74	42.28
+4	5.74	42.28
+16	5.77	42.25
+26 = ℄	5.74	42.28
+36	5.69	42.33
+46	5.66	42.36
cl	5.64	42.38
N	5.62	42.40
+20	5.47	42.55
+40	5.31	42.71
	℄ 3rd Ave	
-40	5.34	42.68
-20	5.51	42.81
N.	5.54	42.48
cl on clearout.	5.63	42.39
+6	5.64	42.38
+16	5.66	42.36
+24	5.66	42.36
+26 = ℄ on M.H	5.60	42.42
+28	5.65	42.37
+36	5.69	42.33
+46	5.66	42.36
cl	5.67	42.35
+13	5.65	42.37
S. on M.H	5.60	42.42
+3	5.61	42.41

48.02

E. St.

+20	5.63 42.39
+40	5.67 42.35
2.7 E. of ℄ = W. Rail E. Track. ✓	
-40	5.68 42.34
-20	5.65 42.37
S	5.71 42.31
cl	5.71 42.31
+6	5.67 42.35
+16	5.67 42.35
+26 = ℄	5.63 42.39
+36	5.65 42.37
+46	5.65 42.37
cl	5.66 42.36
N	5.68 42.34
+20	5.55 42.47
+40	5.42 42.60
7.4 E. of ℄ = E. Rail E. Track. ✓	
-40	5.45 42.57
-20	5.55 42.47
N.	5.68 42.34
cl	5.66 42.36
+6	5.65 42.37
+16	5.64 42.38
+26 = ℄	5.62 42.40
+36	5.67 42.35
+46	5.68 42.34
S. cl	5.72 42.30

E. Rail E. Track (Con)

S.		5.72	42.30
+20		5.68	42.34
+40		5.49	42.33
	12.3 W of E. el.		
-40		5.67	42.35
-20		5.58	42.44
S		5.54	42.48
el		5.50	42.52
+4		5.52	42.50
+16		5.57	42.45
+26=℄		5.65	42.37
+36		5.55	42.47
+46		5.55	42.47
el		5.59	42.43
N.		5.50	42.52
+5		5.57	42.45
+20		5.53	42.49
+40		5.46	42.56
	15.7 W. of E. el		
14.5 N. of ℄ C.St. = M.H.		5.52	42.50
	7.2 W. of E. el		
		Ctr 5.45	42.57
18.5 N. of ℄ C. = M.H.		Rim 5.48	42.54
	6' W. of E. el.		
-40		5.44	42.58
-20		5.48	42.54
-5		5.49	42.53
N.		5.26	42.76

el.		5.49	42.53
+4		5.50	42.52
+16		5.55	42.47
+26=℄		5.47	42.55
+36		5.41	42.61
+46		5.36	42.66
el		5.33	42.69
S		5.30	42.72
+4		5.58	42.44
+20		5.63	42.39
+40		5.73	42.29
	4.5 W. of E. el.		
17.5 N. of S. Line = M.H.		5.28	42.74
	1.5 W. of E. el		
S-4		5.85	42.17
S. Line F.L. outlet		5.79	42.23
" " H wall & pav.		5.20	42.82
	1' W. of E. el.		
N-5		5.75	42.27
N Line F.L. Inlet		6.21	42.81
" " H. wall & pav.		5.07	42.95
	E. el. Line		
-40 G		5.76	42.26
-20 G		5.73	42.29
-6. G		5.83	42.19
S. Line G		5.90	42.12

48.02

E. el Line (con)

S. Line el + par	5.20	42.82
el	5.28	42.74
+4	5.26	42.76
+16	5.30	42.72
+26 = ℄	5.33	42.69
+29	5.48	42.54
+36	5.42	42.60
+46	5.41	42.61
el	5.28	42.74
+7	5.10	42.92
N. el + par	5.04	42.98
N. G	6.16	41.86
+5. G	5.76	42.26
+20 G	5.62	42.40
+40 G.	5.57	42.45

00 = E. Line 3rd Ave

N. el + par	5.01	42.91
G	6.00	42.02
+2' F.L. inlet.	5.97	42.05
+2 H. wall + par	5.05	42.97
+6	5.18	42.84
+16	5.20	42.82
+23	5.20	42.82
+26	5.10	42.92
+36	5.07	42.95
+46	5.16	42.86

48.02

+50.5 H. Wall + par.	4.96	43.06
+50.5 F.L. inlet.	5.68	42.34
+52. G	5.76	42.26
S. el + par.	5.10	42.92

5' E.

S. el	5.04	42.98	
G	5.67	42.35	
+1.5	5.59	42.43	
+6	5.31	42.71	
+11	5.08	42.94	
+16	5.00	43.02	
+26 = ℄	5.00	43.02	
+36	5.11	42.91	
+41	5.13	42.89	
+46	5.28	42.74	
+50	5.61	42.41	
G	5.60	42.42	
N. el.	4.96	43.06	N.W. 3rd & E.
B.M.	6.25	41.77	

B.M.	8.63	50.40		41.77	N.W. 3rd 4 C.
		20'E. of E. Line 3rd St.		HI 50.40	
N.eb			7.00	43.40	
G			7.62	42.78	
+3			7.45	42.95	
+6			7.34	43.06	
+11			7.24	43.16	
+16			7.20	43.20	
+24			7.10	43.30	
+36			7.13	43.27	
+46			7.33	43.07	
+49			7.43	42.97	
G			7.69	42.91	
S.eb			7.01	43.39	
		40'E.			
S.eb			6.47	43.93	
G			7.23	43.17	
+6			6.93	43.47	
+16			6.90	43.70	
+26			6.70	43.70	
+36			6.75	43.65	
+41			6.78	43.62	
+44			6.85	43.55	
+49			7.03	43.37	
G			7.18	43.22	
N.eb			6.45	43.95	

		50.40		
		60'E.		
N.eb			5.97	44.43
G			6.59	43.81
+4			6.34	44.01
+11			6.23	44.17
+16			6.24	44.16
+26			6.21	44.19
+36			6.21	44.19
+46			6.46	43.94
G			6.83	43.57
S.eb			5.98	44.42
		80'E		
S.eb			5.60	44.80
G			6.23	44.17
+6			6.01	44.39
+16			5.77	44.63
+26 = d			5.75	44.65
+36			5.80	44.60
+41			5.80	44.60
+46			5.91	44.49
G			6.14	44.26
N.eb			5.50	44.90

50.40

N.eb	5.07	45.37	✓
G	5.67	44.73	
+6	5.40	45.00	
+11	5.35	45.05	
+16	5.41	44.99	
+26	5.37	45.03	
+36	5.30	45.10	
+44	5.42	44.98	
+46	5.54	44.86	
+49	5.68	44.72	
G	5.87	44.53	
S.eb	5.24	45.16	

120' E.

S.eb	4.76	45.64
G	5.41	44.99
+6	5.08	45.32
+16	4.81	45.59
+26	4.90	45.50
+36	4.97	45.43
+41	4.90	45.50
+46	4.93	45.47
G	5.14	45.26
N.eb.	4.53	45.87

50.40

140' E.

N.eb	3.98	46.42	✓
G	4.47	45.93	
+6	4.49	45.91	
+11	4.49	45.91	
+16	4.51	45.89	
+26	4.46	45.94	
+34	4.42	45.98	
+46	4.63	45.77	
G	4.98	45.42	
S.eb.	4.39	46.01	

160' E.

S.eb	4.01	46.39
G	4.49	45.91
+6	4.16	46.24
+16	4.04	46.36
+24	4.01	46.39
+36	4.01	46.39
+41	3.96	46.44
+44	3.98	46.42
G	4.20	4620
N.eb	3.51	46.89

		50.40			
		180' E.			
N.eb			3.02	47.38	
G			3.75	46.65	
+6			3.50	46.90	
+11			3.45	46.95	
+16			3.49	46.91	
+26			3.71	46.69	
+36			3.80	46.60	
+46			3.80	46.60	
G			4.05	46.35	
S.eb			3.63	46.77	
			= W. Line 4th		
S.eb			3.24	47.16	
G			3.66	46.74	
+6			3.52	46.88	
+16			3.43	46.97	
+26			3.27	47.13	
+36			3.20	47.20	
+46			3.10	47.30	
G			3.35	47.05	
N.eb			2.49	47.91	
T.P.BM.	8.08	56.02	2.46	47.94	N.W. 4th & E.
	4th St Intersection Repaved.				

		56.02			C.St
		00 = E. Line 4th St.			
N.eb			8.17	47.85	
G			8.70	47.32	
+6			8.66	47.36	
+16			8.52	47.50	
+26			8.41	47.51	
+36			8.66	47.36	
+41			8.76	47.26	
+46			8.92	47.10	
G			9.05	46.97	
S.eb.			8.56	47.46	
		20' E.			
S.eb.			8.09	47.93	
G			8.62	47.40	
+3			8.55	47.47	
+6			8.49	47.53	
+11			8.51	47.51	
+16			8.29	47.73	
+26			8.19	47.83	
+36			8.24	47.78	
+41			8.27	47.75	
+46			8.21	47.81	
+49			8.17	47.85	
G			8.20	47.82	
N.eb			7.65	48.37	

	56.02	
	40'.8	
N.el	7.14	48.88
G	7.73	48.29
+3	7.64	48.36
+4	7.72	48.30
+16	7.77	48.25
+26	7.77	48.25
+34	7.83	48.19
+41	8.10	47.92
+46	8.08	47.94
+49	8.07	47.95
G	8.13	47.89
S.el	7.57	48.45
	60'.E.	
S.el	7.06	48.96
G	7.63	48.39
+3	7.55	48.47
+4	7.59	48.43
+16	7.35	48.67
+18	7.23	48.79
+26	7.22	48.80
+36	7.24	48.78
+41	7.36	48.64
+46	7.33	48.69
+49	7.28	48.74
G	7.33	48.69
N.el	6.65	49.37

	56.02	
	80'.E.	
N.el	6.17	49.85
G	6.82	49.20
+4	6.67	49.35
+6	6.76	49.26
+16	6.70	49.32
+26	6.68	49.34
+34	6.71	49.31
+36	6.87	49.15
+41	7.08	48.94
+46	7.10	48.92
G	7.18	48.84
S.el	6.68	49.34
	100'.E.	
S.el	6.16	49.86
G	6.64	49.38
+6	6.59	49.43
+11	6.50	49.52
+16	6.30	49.72
+18	6.18	49.84
+26	6.16	49.86
+36	6.18	49.84
+41	6.27	49.75
+46	6.25	49.77
+49	6.19	49.83
G	6.34	49.64
N.el	5.67	50.35

		56.02		
		120' E		
N. el			5.18	50.84
G			5.81	50.21
+3			5.76	50.26
+4			5.75	50.27
+11			5.86	50.16
+16			5.71	50.31
+26			5.71	50.31
+34			5.73	50.29
+36			5.86	50.16
+41			6.03	49.99
+46			6.08	49.94
G			6.06	49.96
S. el			5.67	50.35
		140' E		
S. el			5.17	50.85
G			5.62	50.40
+6			5.65	50.37
+11			5.54	50.48
+16			5.41	50.61
+18			5.22	50.80
+24			5.23	50.79
+36			5.19	50.83
+41			5.32	50.70
+46			5.22	50.80
+46			5.29	50.73
G			5.39	50.63
N. el			4.80	51.22

		56.02		C. 91
		160' E.		
N. el			4.32	51.70
G			4.85	51.17
+3			4.79	51.23
+4			479	51.23
+11			482	51.20
+16			4.72	51.30
+26			4.75	51.27
+34			4.79	51.23
+36			4.93	51.09
+41			5.14	50.88
+46			5.18	50.84
G			5.10	50.92
S. el			4.70	51.32
		180' E		
S. el			4.18	51.84
G			4.60	51.42
+6			4.69	51.33
+11			4.64	51.38
+16			4.50	51.52
+18			4.42	51.60
+24			4.39	51.63
+36			4.34	51.68
+41			4.43	51.59
+46			4.39	51.63
+49			4.33	51.69
G			4.49	51.53
N. el			3.84	52.18

	56.02		
	W. Line 5th		
N. el		3.23	52.79
G		3.89	52.13
+4		3.95	52.07
+11		4.07	51.95
+16		4.13	51.89
+24		4.03	51.99
+34		4.10	51.92
+36		4.15	51.87
+41 M.H 2.5 W.		4.20	51.82
+46		4.17	51.85
G		4.17	51.85
S. el.		3.66	52.36
	7' E.		
N. el Line		3.92	52.10
+6		3.97	52.05
+16		4.06	51.96
+24		3.93	52.09
+34		3.99	52.03
+36		4.05	51.97
+46		4.12	51.90
S. el, Line		4.13	51.89
	W. el Line		✓
−10		4.45	51.57
S. el		3.77	52.25
S. IG		4.28	51.77
S. el		4.11	51.91

	56.02		C. St
+6		4.02	52.00
+16		3.95	52.07
+26		3.84	52.18
+34		3.90	52.12
+36		3.93	52.09
+46		3.95	52.07
N. el. N. end Catch Basin grating		3.98	52.04
+7'		3.85	52.17
N. Line G		3.90	52.12
+3' N G		3.91	52.11
+6' N G		3.86	52.16
	6' E of W. el		✓
N-6		3.59	52.43
N		3.65	52.37
el		3.79	52.23
+6		3.81	52.21
+16		3.88	52.14
+26 = ℄		3.79	52.23
+36		3.87	52.15
+46		3.99	52.03
S. el		4.05	51.97
S. Line		4.18	51.94
+10		4.31	51.71
	12' E		
−10		4.19	51.83
S		4.04	51.98
el		3.95	52.07
+6		3.89	52.13
+16		3.85	52.17

		56.02		
+26		3.74	52.23	
+36		3.73	52.29	
+46		3.67	52.35	
N. el		3.63	52.39	
N. Line		3.54	52.48	
		18.5 E. of N. el.		
N. Line	W. Rail W. Track	3.53	52.49	
+40 = ℄	" " "	3.75	52.27	
S. Line	W. " " "	3.96	52.06	
		11.8 W. of ℄		
Sewer M.H. 10' N. of ℄		3.79	52.23	
		℄ 5th		
℄ Sew. M.H		3.74	52.28	
		15' E. of W. Line 5th		
14' S. of ℄ C.St. Gas & Elec Co ☐ M.H.		3.91	52.11	
		22' E. of W. Line 5th		
18' S. of ℄ C St. O M.H. S.D.E.R.		3.94	52.08	
		℄ 5th		
S. Line. Sewer M.H		4.03	51.99	
T.P.	4.47	59.33	3.165	52.86
chk BM.			6.62	52.71

NW 5th & G

		59.33		
		E. Line 5th		
N. el		6.52	52.81	
G		7.11	52.22	
+6		7.08	52.25	
+16		7.05	52.28	
+26		6.99	52.34	
+34		6.98	52.35	
+36		7.04	52.29	
+46		7.27	52.06	
G		7.44	51.89	
S. el		6.96	52.37	
		20' E.		
S. el		4.63	52.70	
G		7.15	52.18	
+6		7.04	52.29	
+16		6.83	52.50	
+18		6.73	52.60	
+26		6.71	52.62	
+36		6.75	52.58	
+46		6.80	52.53	
G		6.85	52.48	
N. el		4.14	53.17	

	59.33		
	40' E.		
W. el	5.82	53.51	
G	6.39	52.94	
+6	6.42	52.91	
+12	6.49	52.84	
+16	6.40	52.93	
+26	6.35	52.98	
+36	6.46	52.87	
+46	6.75	52.58	
G	6.90	52.43	
S. el	6.26	53.07	
	60' E		
S. el	5.93	53.40	
G	6.55	52.78	
+6	6.41	52.92	
+11	6.33	53.00	
+16	6.11	53.22	
+26	5.91	53.42	
+36	5.94	53.39	
+39	6.04	53.29	
+46	6.04	53.29	
G	6.13	53.20	
N. el	5.46	53.87	
	80' E		
N. el	5.09	54.24	
G	5.77	53.56	
+4	5.69	53.64	

	59.33			C.St
+12		5.64	53.69	
+16		5.53	53.80	
+26		5.57	53.76	
+36		5.79	53.54	
+46		6.09	53.24	
G		6.21	53.12	
S. el		5.54	53.79	
	100' E.			
S. el		5.15	54.18	
G		5.79	53.54	
+6		5.69	53.64	
+8	98.5 E. of W. Line 5TH 1.5 E. Bas Co M.H	5.58	53.75	93.5 E. of E. line 5th Ave
+10	4.5 W. Sewer M.H	5.63	53.70	
+16		5.41	53.92	
+19		5.24	54.09	
+26		5.21	54.12	
+34		5.21	54.12	
+38		5.18	54.15	
+40		5.31	54.02	
+46		5.40	53.93	
G		5.43	53.90	
N. el		4.72	54.61	

59.33

120' E

N. el		4.25	55.08
G		5.07	54.26
+6		5.01	54.32
+11		4.95	54.38
+13		4.85	54.48
+14		4.89	54.44
+26		4.81	54.52
+33		5.00	54.33
+36		5.10	54.23
+42		5.22	54.11
+44		5.28	54.03
+49		5.31	54.02
G		5.44	53.89
S. el		4.79	54.54
	140' E		
S. el		4.43	54.90
G		5.10	54.23
+6		5.05	54.28
+16		4.81	54.52
+20		4.59	54.74
+24		4.50	54.83
+36		4.53	54.80
+41		4.57	54.76
+46		4.70	54.63
G		4.70	54.63
N. el		3.95	55.38

59.33

160' E.

N. el			3.59	55.74
G			4.31	55.02
+6			4.36	54.97
+11			4.20	55.13
+14			4.17	55.16
+26			4.21	55.12
+32			4.33	55.00
+34			4.52	54.81
+46			4.71	54.62
G			4.79	54.54
S. el			4.10	55.23
TP	5.01	61.54	2.80	56.53
	180' E	HI-6154		
S. el			5.94	55.60
G			6.65	54.89
+6			6.57	54.97
+11			6.51	55.03
+16			6.39	55.15
+26			6.16	55.38
+36			6.21	55.33
+46			6.16	55.38
+49			6.01	55.53
G			6.11	55.43
N. el			5.41	56.13

61.54

200'E = W. Line 6th St.

N. el	5.01	5653
G	5.76	5578
+6	5.92	55.62
+16	5.96	55.58
+26	5.97	5557
+36	6.04	55.48
+46	6.16	55.38
G	6.15	5539
S. el	5.56	5598

W. el Line 6th

S. Line el	5.64	53.90
" " G	6.20	55.34
S. el Line	6.07	5547
+6	5.99	5565
+16	5.85	5569
+24=ϕ	5.72	5582
+34	5.69	55.85
+44	5.66	5586
N. el Line	5.67	5587
N. Line G	5.60	5594
" " el.	5.04	56.50
chk	5.02	56.52

Xsections Plotted REB Sept 29/31
Profile plotted REB Oct 15/31

N.W. 6th + C.

X Sec E. 1/2 Intersection 5th & C

12-2-31
Miller
Walker
Bliss

NW. 5th & C.

BM.	4.85	57.56		52.71
	18.4 E. of E. cl = E. Rail C Tracks			
40' N			4.79	52.77
20' N			4.90	52.66
5' N			5.05	52.51
N			5.10	52.46
N. cl			5.14	52.42
+6			5.16	52.40
+16			5.20	52.36
+26 = ℄			5.28	52.28
+36			5.33	52.23
+46			5.40	52.16
cl			5.39	52.17
+7			5.43	52.13
S			5.49	52.07
+50			5.55	52.01
+20			5.76	51.80
+40			6.06	51.50
		12' W. of E. cl.		
40' S			6.14	51.42
20' S			5.83	51.73
5' S			5.61	51.95
S			5.53	52.03
+7			5.49	52.07
cl			5.43	52.13
+6			5.39	52.17

57.56

+16	5.36	52.20
+24 = ℄	5.26	52.30
+36	5.23	52.33
+46	5.17	52.39
cl	5.13	52.43
+7	5.13	52.43
N	5.09	52.47
+5	5.05	52.51
+20	4.97	52.59
+40	4.83	52.73
	6' W. of E. cl.	
40' N	5.05	52.51
20' N	5.13	52.43
5' N	5.20	52.36
N	5.27	52.29
+7	5.30	52.26
+11	5.30	52.26
cl	5.27	52.29
+6	5.23	52.33
+16	5.24	52.32
+26 = ℄	5.27	52.29
+36	5.33	52.23
+46	5.43	52.13
cl	5.56	52.00
+7	5.65	51.91
S	5.69	51.87

		57.54		
+5			5.78	51.78
+20			6.02	51.54
+40			6.33	51.23
		E. el		
40's	gutter		6.54	51.02
40'	el		5.84	51.72
20's	gutter		6.25	51.31
20's	el		5.48	52.08
5's	gutter		6.01	51.55
5's	el		5.30	52.26
S.	gutter		5.93	51.63
S.	el		5.27	52.29
+7			5.83	51.73
el			5.69	51.93
+6			5.47	52.09
+12			5.29	52.27
+26=4			5.30	52.26
+36			5.26	52.30
+46			5.24	52.28
el			5.37	52.19
+3			5.43	52.13
+7			5.42	52.14
N. gutter			5.42	52.14
N el			4.71	52.85
+5	gutter		5.40	52.16
+20	gutter		5.38	52.18

		57.56		
+40	gutter		5.37	52.19
+40	el.		4.58	52.98
		3' E of E. el.		
N. el. line			5.38	52.18
1' N. of N. el. on iron e.B.			5.55	52.01
3' N " " " " e.B. at el. Ret			5.71	51.85
		7' E. of E. el		
N. el			5.40	52.16
+6			5.28	52.28
+14			5.27	52.29
+26=4			5.27	52.29
+36			5.28	52.28
+46			5.51	52.05
S. el.			5.68	51.88

11-23-32
Miller
Walker
Bl. 36

Sewer Levels from D.E. & Benton.

300.08 N. of M.H. in Mt. View Dr to House on Lot 9. Blk B. Sub of Villa Lots 117 to 127 Normal Hts.

Indexed C.S.K.

B.M. B.P.	4.14	399.56 ✓		395.42	S.W. 35th + Mt. View. Dr.
0+00 = D.E. 300.08 N. of M.H. in Mt. View. Dr.			5.41	394.15 ✓	Roadway + Stub
0+00 = D.E. Top of 6" Pipe			7.60	391.96 ✓ .56 = 391.40 F.L.	Map ✓ = 391.40 Flowline
0+66.5 ℄ E+W. st. △90°00' Lt.			5.75	393.81	Roadway + stub
T.P.	4.00	397.81 ✓	5.75	393.81 ✓	
1+16.5			4.4	393.4	Roadway
1+66.5	P.I. ℄s Benton & E+W. st.		4.84	392.97 ✓	Roadway + stub
1+81.5	W. Gutter Benton		5.5	392.3 ✓	
1+81.6	" curb "		4.83	392.98	
~~2+62.5~~ 2+47.5 ? ~~2+46.6~~	Top of Ex 4" C.I. Sewer outlet House on Lot 9.		3.87	393.94 ✓ .34 = 393.60	(393.56)
	ground		3.4	394.4	
Top 4" C.I Sewer outlet at S.W. cor House on Lot 10. # {8' W. of ℄ Benton Pl. {25.3 N. of S. Line Lot 10.			4.31	393.50 ✓ .35 = 393.15 ✓	(393.1)
ground " " " " "			3.5	394.3	
T.P.	6.04	400.43	3.42	394.39 ✓	
Chk. original B.M.			5.01	395.42 ✓	



Indexed
No

Mission Bay Motorboat Race Course
see Bk 1907

Moore
Sisson
Northern
8/18/33




30' to nail
6'
~~nail~~
nail
14+00
14.01
3'
28'
7'
11'-12'
Culvert
Edge Pavement

6th St.

C.N.W. 56.42 = 56.52 Book 1318 P. 8

3.06
6.87
54.92
6.98
47.94
2.06
50.00
2.06

51
12
39
9.75
39.00

5.
3.35
26
7.35
18.65
6
12.6
6 3

26
18.6
7.4
5.

37.5
21.5
160
37.5
13.5
24.0

255
9 75
3525
4500

3.4 N
1.5 S
8.5 S
13.4

26.
12.3
13 7

43
12
4|31
7.75

47
12
4|35
8.75

~~14~~
4.4
18
10

11 12

26
10.3
15 7

26
18.8
7.2

47
10

45 43
11 12

47
12
4|35
8.75

8.25

4|31
7.75

400.43
395.42
5.01

27.47
24.47
20.17
430
52.71
5.24
57.95
5.52
52.43

5.44
52.51