1736

MICROFILMED
DEC 29 1964
1736

1736

CITY ENGINEER'S OFFICE

Rose & Ly Hon B.P. S.W. Cor
& of curve 41.75

MADE IN U.S.A.

Our Leather Bound Engineers Note Books are carried in the following rulings:

No. 380 LEVEL BOOK.	Left and Right Hand Page the same as Left Hand Page of this Book.
No. 382 FIELD BOOK.	Left Hand Page as in this Book, Right Hand Page 4x4 to the inch, Center Line Red.
No. 384 MINING TRANSIT BOOK.	Left Hand Page as in this Book, Right Hand Page 8x8 to the inch, Center Line Red.
No. 385 FIELD BOOK.	Left Hand Page as in this Book, Right Hand Page 8 vertical and 4 horizontal lines to the inch, Center Line Red.

We also carry the Note Books listed above, bound in extra strong Fabri-Hide (otherwise the same quality of book,) which can be furnished at a somewhat lower price.

In ordering Fabri-Hide covered books, add the letter "F" to catalog number.

THE FREDERICK POST CO.
ENGINEERING and DRAFTING SUPPLIES
P. O. Box 803 **CHICAGO**

Birth {& Levels / Pluto to Rigel}

: Cross Section Alley Block 107
Amended Map of City Hts.
Thorn to Myrtle Between 41st & Marlborough

Plotted on new Profile.
9/20/46
A.M.

Indexed
C.S.K.

Sept. 13-46
S. Scott
McCoy
Riddel
Allen

1

Myrtle St

Fd Hub

6+71.61

Ave

A.C. Rd.

2

5

1

5+98.6

Block 107

41st St

Marlborough

+10 +10 <

Fd Lt

46'

Tacked

0+0

157.04'

157.04'

Fd Lt

Thorn St

					Lt-M		Rt-E	
+50	12.4 Rt of Δ = Sty Board Fence 10.8 Lt of Δ = Sty Picket "				09.9			
+43					5.6 14.4=Rt Edge Bitt Floor			
+38					09.7 5.8 10	08.9 6.8 4	8.80 6.7	09.7 6.3 10
TP	6.66	315.48	2.94	308.82			315.48	
+24	11.4 Lt of Δ = Wty Picket Fence							
+15								
+10					09.0 7.8 10	07.1 4.7 6	07.6 5.2 4	07.4 4.4 4
0+0	= N.L. Thorn 11.7 Lt of Δ = Sty Picket Fence				5.4 9.9=CL Ground	5.9 5.9	6.0 5.9	5.8 10=Base Cone Wall
0-14	= N Cb Line Thorn 8				06.83 4.93 30=Cb	06.30 5.46 11=Cb	05.4 6.4 10 Ground	6.7 6.7 Ground 7.1 10 Ground
B.M	9.94	311.76		301.82	NW BF Thorn & Marlborough		311.76	

					Lt-M		Rt-E	
+50					09.9			
+43					5.6 14.4=Rt Edge Bitt Floor			
+38					09.7 5.8 10	08.9 6.8 4	8.80 6.7	8.41 6.07 19.8=NW Hub Walk

		Lt.	℄	Rt.
2+0	9.1 Lt of ℄ = Wly Power + Tel Pole	12.2	11.8	11.4
+97	10.9 Rt of ℄ = Wly Board + Sly Wire Fence	05.6	11.5	11.8
+76	11.3 Rt of ℄ = Wly Wire + Sly Board Fence	06.2	11.4	
+60	11.4 Rt of ℄ = Sly Wire Fence	9.9 Wly Picket Fence	9.8 = Sly Picket Fence	
+54				11.21
				11.4 = ℄ Garage & Conc Floor
+50			11.3	11.0
			4.2	4.5
			10	10.8
				4.7
				10
+49	10.2 Lt of ℄ = Sly Picket Fence	10.8	10.5	10.4
		4.7	5.0	5.1
		25	10	10
1+0				10.4
				09.9
				5.6
				25
+99	10.4 Lt of ℄ = Wly Picket Fence			10.08
+89				5.10
				12 = ℄ Dr Garage & Conc Floor
+81	11.9 Rt of ℄ = Wly Board Fence			
+71	10.2 Lt of ℄ = Wly Power + Tel Pole		10.3	10.1
			5.2	5.4
0+70			10	10.4
				5.4
				10

3/15/48

3/15/48

					Lt	Δ	Rt
							13.54
+74							5.77
							13.9 = NNW Dr Garage Conc Floor
							13.48
+51					13.6	13.3	5.83
							14.1 = SW Garage Conc Floor
							13.6
+50					5.7/10	6.0	5.7/10
					13.79	13.63	
+99	12.5 Lt of Δ = SW Picket Fence						
+41					5.52/10	5.68/10	
+34	10.3 Lt of Δ = NW Picket Fence				13.8 = SW Garage Conc Floor	16.9 = NW Garage Conc Floor	
+27	8.1 Lt of Δ = NW Row						
+24	10.4 Lt of Δ = SW Picket Fence				13.69		
+13					5.62/10		
					23.7 = NW Garage Conc Floor		
TP	6.56	319.31	2.73	312.75		319.31	
+02	11.8 Rt of Δ = NW Shed				13.0	12.5	12.8
3+0	9.9 Lt of Δ = SW 5' N+S Picket Fence				2.5/25	3.0/10	3.0/10
						13.0	
+67	11.8 Rt of Δ = NW Wire Fence + SW Shed				12.4		11.8
2+50	10.2 Lt of Δ = NW Picket Fence				3.1/10	3.5	3.7/10
		315.48				315.48	

			Lt.	℄	Rt.
					14.9
					2.8 Z
					16.7 ℄ Garage Conc Floor
+88			15.9	15.6	15.3
+50			3.6/10	3.7	4.0/10
					15.0
+49	10 Lt of ℄ = Sly Picket Fence				
+44					4.3/3.4 = ℄ Garage Dirt Floor
					14.92
+30					4.39/15.2 = ℄ Garage Conc Floor
					15.01
+12					4.20/11.4 = ℄ Entry & Conc Landing
					60.5/4.42 = F.Y. Conc Landing
			14.4	14.4	14.4
4+0			4.9/25	4.9/10	4.8
			14.3		4.9/10
+91			4.68		
3+76	12 Lt of ℄ = Sly Picket Fence		17 = ℄ F.Y. Conc Garage Conc Floor		
		319.31			319.31

+80				
+78	10.5 Lt of ℄ = N½ Picket Fence + S½ Hedge			
+50				
+31	10' Rt of ℄ = S½ Picket Fence			
+22				
+18	10.8 Lt of ℄ = S½ Picket Fence			
+14	10.5 Rt of ℄ = N½ Picket Fence			
+08				
TP	5.59	322.71	2.19	317.12
5+0				
+99	10.4 Lt of ℄ = N½ Picket Fence 8.2 Lt of ℄ = W½ Power Pole			
4+97	10.4 Rt of ℄ = S½ Picket Fence			
		319.31		

Lt ℄ Rt

	18.5	17.0	16.9	17.2	17.6
	4.2/10	5.7	5.8	5.5	5.1/10
		18.0	18.0	17.8	
		4.7/10	4.7	4.9/10	
				17.10	
				5.61	
				13.6 + Concrete Cost Footing	
		17.60			
		5.11/14 + Concrete Cost Footing			
			322.71		
	17.1	17.3	16.8	17.0	16.5
	2.6/25	2.0/10	2.5	2.8/10	2.8/25
			319.31		

					Lt.	℄	Rt
BM		1.23	321.48	N.W. BP Myrtle +4.67 321.52			
					15.42	15.05	14.8	14.3	14.60
6+12.61 = SCb Line Myrtle					7.29 10 SCb	7.66 10 on ℄ Brk.	7.9 Ground	8.1 10 Ground	8.11 10 SCb
						15.53	15.4	14.85
5+98.61 = S.L. Myrtle 10℄ Lt of ℄ of Hedge						7.18 9.9 SCb+ Ground	7.3	7.86 9.9 SCb+ Ground
					18.5	15.9	15.9	15.7	16.7
5+95					4.7 10	6.8 4	6.8	7.0 6	6.0 10
		322.71				322.71			

Cross Section Fillers Blocks 70 - 79
Amended Map of City Hts.
Levels Page 9 - 21

Sept 17-46
F.S. 5507
McCoy X
Waddell
Filler

Plotted on Profile 2733
9/30/46
C.W.

Index
C.S.K.



Cross Section Alley Block 79
Amended Map of City Hts
From Dwight to Landis Bet 41st & Marlborough
Sketch Page 8

+96	10.7 Lt of ℄ = Sly Board Fence				
+88					
TP	7.39	340.36	2.90	332.97	
+82	10.4 Lt of ℄ = Nly Board Fence				
+72	11.1 Rt of ℄ = Sly Picket Fence				
+65					
+64	9.8 Lt of ℄ = Nly Power Pole				
+56	11.3 Rt of ℄ = Nly Picket Fence				
+50	10 Lt of ℄ = Nly Picket & Sly Board Fence				
+45	11.3 Rt of ℄ = Sly Picket Fence				
0+0	= NL Dwight 9.9 Lt of ℄ = Sly Picket Fence				
0-14	= NCb Line Dwight				
BM	4.88	335.87		330.99	NW BP Dwight & Marlborough

L = N

34.35	33.4				
5.98	7.6				
16.7 = Sly Edge Pvt Roll	10.9 Ground				
	3.80				
	37.7 = Gen Conc Floor	340.36			
			33.00	33.20	
			2.87	2.87	
			11.4 Conc Floor	10 = Garage Conc Floor	
	31.5	32.3	31.4	32.9	
	34	36	35	35	
	10		10	20	
	30.68	30.5	30.62		
	5.19	5.4	5.25		
	9.8 = Cb & Ground		9.0 = Cb & Ground		
30.45	30.60	30.2	30.2	30.50	
5.42	5.9	5.7	5.7	5.37	
10 = Top Cb	10 Ground		10 Ground	10 = Top Cb	
		335.87			

		Lt	℄	Rt
+32	9.8 Lt of ℄ = N ly Board Fence			
	9.5 Lt of ℄ = N ly Power Pole 10' Lt of ℄ = S ly Board Fence		35.5	35.4 35.5
2+0	11.0 Rt of ℄ = S ly Lath Fence		4.9 5.3 10	5.0 4.9 10 20
				35.42
+90				4.94 16
				℄ Do. Garage Conc. Floor
+80	10.7 Rt of ℄ = N ly Lath + Board Fence		34.53	34.2 34.1
	10.9 Rt of ℄ = S ly Lath + Board Fence		5.83 6.1 10	6.3 34.6 5.8 10
+50	10.4 Lt of ℄ = N ly Board Fence		10.4 N ly of Conc. Wall	
				34.34
+32				10.2 ℄ Garage Conc. Floor
				34.22
+18				6.14 11' ℄ Garage Conc. Floor
			33.8	33.0 33.4
+13	11.5 Rt of ℄ = N ly Picket Fence		7.1 10	7.4 7.0 10
1+0				

3.40 36

3.40 36

		Lt.	℄	Rt.
+07	11.3 Rt. of ℄ = N'ly Lath Fence			
	10.1 Lt. of ℄ = N'ly Board Fence	37.8	37.24	37.6
3+10	9.0 Lt. of ℄ = N'ly Power Pole	2.6	3.17	2.8
		10	20 Steps N'ly Rise	10
				37.5
				2.9
				50
	11.1 Rt. of ℄ = S'ly Picket Fence			37.01
+79	10' Lt. of ℄ = S'ly Board Fence			3.33
				13.7 - N'ly Doc Gar. Conc. Floor
		36.59	36.54	
+65		3.77	3.84	
		30.9 Dog Garage Conc. Floor	18.5 = Conc. Apron	
				36.04
+51				3.59
				12.6 - S'ly Garage Conc. Floor
		36.3	36.22	36.1
+50		4.1	4.2	3.7
		10		10
		36.12		
+11		4.24		
		13.9 - Garage Conc. Floor		
2+33	11.3 Rt. of ℄ = N'ly Lath Fence			
	340.36			

+27					
+12	11.7 Lt of ℄ = N'ly Board Fence				
470	11.9 Lt of ℄ = S'ly Board Fence				
+85	6.5 Rt of ℄ = ℄ 18" Elm Stump				
+96	8.9 Lt of ℄ = W'ly Power Pole				
+50					
TP	7.13	345.35	2.14	338.22	
+93					
+26					
3+24					
		340.36			

Lt.	℄	Rt	
		40.4	
		5.34 / 11.5 = N'ly Edge 5165	
		40.00	
		5.35 / 11.3 = S'ly Edge 5165	
39.3	39.4	39.8	39.3 / 39.6
6.1 / 20	4.0 / 10	6.2	6.1 / 10 — 5.8 / 25
38.21	38.24	38.3	38.5
7.2 / 10		7.1	4.9 / 10
		345.35	
38.21	38.16		
2.15 / 11.2 = ℄ Garage Dirt Floor	2.20 / 10.1 = E'ly Edge Harbor		
	37.96		
	2.5 / 11.4 = ℄ Garage Dirt Floor		
		37.8	
		2.6 / 11.8 = ℄ Garage Dirt Floor	
		340.36	

5+0	11.4 Lt of ℄ - N'ly Sbed+ Fence	
+99	10.1 Lt of ℄ - N'ly Power Pole	
+82		
+68		
+50	11.9 Lt of S'ly - S'ly Sbed+ Board Fence	
+47		
+35		
4+27		

345.35

Lt.

40.7
41.2
40.4
40.3
40.4
40.2
40.3
40.55
40.29
40.04

4.7 / 4.7 / 4.4 / 4.6 / 4.5 / 4.9 / 5.0 / 5.2 / 5.1 / 4.8 / 5.06 / 5.35

11.4 = ℄ Garage Conc Floor

11.5 = N'ly 20.5 Garage Conc Floor

11.5 = S'ly 20.5 Garage Conc Floor

Rt

2.1
1.4
10.14
10.04

4.9 / 4.9 / 4.4 / 4.9 / 4.9 / 5.0

15.9 = ℄ Conc Floor

4.9 = ℄ Garage Dirt Floor

345.35

BM			4.99	343.07	NWBP Landis + Marlborough 348.08
TP	8.17	348.06	5.76	339.59	

+14.23 = NCb Line Landis

L + 00.22 = S.L. Landis 10 Rt of L = NL Board Fence

+96

+75

+51 10.7' Rt of L = SL Board Fence

+50

5+42

345.35

Lt		Rt	
39.56	39.2	39.9	40.10
5.79 11:26	6.5 11: Ground	5.5 10 Ground	5.36 10: Cb
	40.00	40.3	40.29
	5.35 9.8: Cb + Ground	5.1	5.06 10: Cb + Ground
41.9	40.7	40.6	41.3
3.5 10	4.7 6	4.8	4.1 10
	42.0	41.8	42.0
	3.4 10	3.6	3.4 10
	41.4	41.6	41.7
	4.0 10	3.8	4.7 10
			41.54
			3.81 10.1: Cone Apron
			41.74
			3.61 11.6: Cb George Co. Ft. Floor

345.35

Cross Section Alley Block 70
Amended Map of City Hts.
From Landis to Wightman Rel 41st & Marlborough

Sketch Page 8

+40				
+21	99 Rt of ℄ = N'ly Picket Fence			
+20				
+13				
+02				
0+0	= N.L. Landis 16' Rt of ℄ = S'ly Picket Fence			
0-14	= N Cb Line of Landis St			
BM	4.99	348.07	343.08	HWBP Landis & Marlborough

Indexed
c.s.k.

Lt = M ℄ Rt = E

43.9 43.5 43.90 43.97
4.7/10 4.6 4.47/10 = S'ly Conc. Retg. 9.6 H.S. 4.10/14 = S'ly Garage Conc Floor
43.44
4.43/33 = S'ly Garage Conc Drive
43.47 42.8 41.8 41.6 41.7 43.7
4.60/11.9 = E'ly Conc Drive 7.5 Wide 5.3/10 6.3/7 6.5 6.5/5 5.0/10
40.72 40.7 40.6 41.0 42.9
7.35/10.2 = E'ly Conc Dr. 14' 7.1/10 7.5 7.1/5 5.5/10
40.30 40.5 40.47 42.91
7.68/10.1 = Ground & Curb 7.6 7.40/9.6 = Ground & Curb 5.6/10.1 Top Conc Wall E & W
40.11 39.6 40.0 40.0 40.46
7.96/11 = Cb 8.5/11 = Ground 8.1 8.1/11 = Ground 7.64/11 = Cb
348.07

+38					
+21	8.6 Rt of ℄ = N½ Board Fence				
+08					
	8.4 Rt of ℄ = N½ Wire + St½ Board Fence				
1+0	9.6 Lt of ℄ = N½ Power Pole 10.2 Lt = N½ Picket Fence				
+86	8.6' Rt of ℄ = S½ Wire Fence				
+82	10.1 Lt of ℄ = S½ Picket Fence				
+70					
+ 6.5					
TP	5.60	349.50	4.17	343.90	
0+55					
		348.07			

Lt	℄	Rt
44.87		44.8
4.63		4.7
159 = S½ Do. Gar Conc. Floor		151 = ℄ Do. Garage Dirt Floor
44.54		
496		
533 = ℄ Garage Conc. Floor		
44.3	44.5	44.4
5.2	5.0	5.1
20	10	10
	44.5	
	5.0	
	10	
44.2	44.2	44.1
5.3	5.3	5.4
10		10
44.23		
5.27		
255 = ℄ Walk Conc.		
	349.50	
		44.32
		3.75
		10.5 = ℄ Fdc. Apron
	348.07	

Lt	℄	Rt
44.3		44.3
5.3		5.3
20		2
	44.5	
	5.0	
	10	
	44.5	
	5.3	
	10	
44.2	44.2	44.15
5.3	5.3	5.035
10		10.5 = S½ Conc. Strip
		44.37
		3.70
		14 = ℄ Garage Conc. Floor

			Lt.	℄	Rt.	
			45.3	45.3	45.2	
+50			4.2 / 10	4.2	4.2 / 10	
+49	10.6 Rt of ℄ = NH Picket Fence		45.19			
+25	11.4 Lt of ℄ = SH Picket Fence		4.31 / 17.5 = ℄ Garage Conc. floor			
+11						
+01	11.3 Rt of ℄ = SH Picket Fence		44.7	45.0	45.0	45.2	45.2
2+70			4.8 / 20	4.5 / 10	4.5	4.3 / 10	4.3 / 20
+98	10.4 Lt of ℄ = NH Power Pole		45.00				
+90			4.50 / 15.9 = ℄ Garage Conc. floor				
+75	10.5 Lt of ℄ = NH Picket Fence				44.63		44.79
+62					4.37 / 10.2 = ℄ Conc. Approx		4.31 / 15.1 = ℄ Garage Conc. floor
+58	10.6 Lt of ℄ = SH Picket		44.86				
			4.64 / 15.9 = NH Do. Gar. Conc. floor				
1+50			44.9	44.7	45.0		
			4.6 / 10	4.8	4.5 / 10		
		349.50		349.50			

+30	9.7 Rt of ℄ = Sly Picket Fence				
+24	12.7 Lt of ℄ = Sly Picket Fence				
+18	9.2 Rt of ℄ = Wly Conc Steps				
+10					
3+0					
+97	10.3 Lt of ℄ = Wly Power Pole				
+78					
TP	6.22	350.84	4.88	344.62	
+71	10.8 Lt of ℄ = Wly Shed + Picket Fence				
+62					
2+57					
		349.50			

Lt.	℄	Rt.
45.23	45.20	
5.4	5.64	
3.8 = Lt Garage Conc Floor	15.1 = Lt Ft. Conc Drive & Ribbon	
		45.62
		5.22
		9.8 = Wly 3.2' Conc walk & 5 Conc Steps
45.3	45.3	45.1
5.5	5.5	5.7
2.0	7.0	
		45.50
		5.34
		9.9 = Wly 3.2' Conc Walk
		45.47
		5.37
		10.1 = Sly Conc Step & 3' Conc Walk & Porch
		45.50
		5.34
		12.8 = Sly Garage Conc Floor
	350.84	
		45.8
		4.3
		17.3 = Lt Garage Dirt Floor
45.66	45.90	
3.84	3.60	
11.3 = Lt 3.5' Conc Walk	11.8 = Lt 4.6 Conc Pad & Conc Slab	
	349.50	

		Lt.		Rt	
		45.8	46.0	46.0	
+60		5.0	4.8	4.8	
+48	118 Lt of ℄: Sly Woven Wire Fence			46.13	46.42
+42		47.12		4.71	4.42
				9-ft Conc Apron	12.5-ft Garage Conc Floor
+12	12.6 Lt of ℄ = N½ Picket Fence	3.72 12.5 = N½ Top Conc Wall			
		45.91	45.8	45.2	45.6	45.6
9+0		4.93	5.0	5.1	5.2	5.2
		12.5-ft Top Conc Wall Cut For Drive				
+97	11.8 Lt of ℄ = W½ Power Pole	47.16				
		45.5				
+74		3.68 12.5-ft Slope Conc Wall	5.3 12.5-ft Ground			
					45.96	
+64					4.88 12.5-ft Garage Conc Floor	
+55	97 Rt of ℄ = N½ Picket Fence	45.2	45.2		45.5	
3+50		5.6	5.6		5.3	
	350.84		350.84			

		Lt.	℄	Rt
		44.3		
		6.4		
		10=St. 0.3 Concrete		
+94	8' Rt of ℄ = Wly + Nly 10 Euc. Trees Large	45.5	45.2	45.8
		5.3	5.4	5.0
+81	9.8' Rt of ℄ = Nly Picket Fence	10		10
+65				
		45.0	45.7	45.8
+51	7.8 Rt of ℄ = Wly + Sly 10 Euc. Trees	5.8	5.7	5.0
+50	10.5' Lt of ℄ = Nly Wire Fence	30	10	10
				47.4
+23	16' Rt of ℄ = Sly Picket Fence			1.5
				1.2 = ± Garage Double
+14				Dirt Floor
	III Lt of ℄ = Wire Fence	45.9	46.1	46.0
5+70	10.8 Lt of ℄ = Wly Power Pole	4.9	4.7	4.8
		20	10	
		45.68		
		5.16		
4+89		30.5 = ± Garage Conc. Floor		
	350.84		350.84	

BM			2.15	347.04	NW BP 31 95th Ave Marlborough 347.09
6+18.35 = S.Cb. Line Wightman					
5+99.35 = S.L. Wightman					
TP	8.07	349.19	9.72	341.12	
+98					
5+97					

350.84

Lt

42.57	42.0	42.6
8.37 11=Cb	8.8 11=Ground	8.2
42.76		43.1
8.08 10=Cb & Ground		7.4
44.1	42.1	42.0
6.7 10=Top Wall	8.7 10=Bottom Wall	8.8

Rt

42.8	43.56	43.54
8.0 11=Ground	7.98 11=Cb	7.30 9.7=Cb & Ground
42.0	42.9	45.6
8.8	7.9	5.3 10.0=Cobble Wall
45.60		
5.34 8.7=Cobble Wall		

350.84

Sept. 26 1946
Hendricks
Becker
Greer

Cross Sections Imperial Ave.
63rd. to 65th. St.

W.O.# 262

Station	+	H.I	−	Elev.	B.M.

Indexed
C.S.K.



℄ Imperial = Base Line

Station	+	H.I.	−	Elev.	B.M.
1+05	End of Curb				
0+70	Beg. Driveway 31' wide				
0+36	End Driveway				
0+06	Beg. Driveway				
0+00					
0−10					
0−15.15					
	1.68	214.45/30			212.77/62

09.14	09.05	09.00	10.33	09.65	
5.21	5.40	5.45	5.12	4.80	
10.30	10	196	196	28.7	
10	10.34	09.14	Cb	Edge S.W.	
5.15	5.11	5.34	4.82	4.59	
09.45	10	20	29	29	
10	09.37	Cut.	Cb	Edge S.W.	
5.00	5.08	5.00	4.53	4.33	
	10	20	20	29	
		Cut.	Cb	Edge Walk	
		09.53	10.19		
		4.82	4.26		
09.50	09.25	20	20		
		Cut	Top Cb.		
		05.56	10.05		
5.15	5.20	4.80	4.25	3.90	
09.20	10	20	20	30	
	09.25	Cut.	Cb	10.53	
		09.59	04.91		
5.25	5.20	4.86	4.54	3.92	3.93
09.14	10	20	29	29	30
	09.25	09.65	Cut	Curb B.C.	
			09.93	11.91	
5.29	5.20	4.80	4.50	2.54	
	10	20	30	50	

214.45/30

Station	+	H.I.	−	Elev.	B.M.
	10.75	220.~~04~~ 16			
T.P.			5.04	209.26 41	
3+80	Sidewalk narrows to 22.5 & 26.5				
3+55	End Curb				
3+30	Sidewalk Full Width cb to P.L.				
3+13	Beg. Curb				
2+85	End Curb				
2+54	Beg. Curb				
2+45	Beg. Sidewalk (Poor Condition)				
2+00					
1+50					
		214.~~30~~ 45			

Imperial

09.37	09.27	09.19	09.52	09.60	10.09
5.08	5.18	5.16	4.93	4.85	4.36
06.79	10	19.5 Cut	19.5 Cb	22 Edge SW.	30 Edge SW.
	08.71	06.77	09.13	08.86	08.95 04.32
5.66	5.73	5.68	5.32	5.59	5.50 5.30
08.44	10	19 Gut	19 Cb	22.5 Edge SW	26.5 Edge SW
	08.43	08.51	08.96	08.56	08.64
6.01	6.02	5.94	5.49	5.89	5.81
08.03	10	19 Cut	19 Cb	22.5 Edge SW	26.5 Edge SW
	08.19	08.34	08.82	08.42	08.45
6.42	6.26	6.11	5.83	6.03	6.00 5.90
	10	19 Gut	19 Cb	22.5 Edge SW.	26.5 30 Edge SW.
08.09	08.21	08.5	08.9		
6.36	6.24	5.9	5.5		
08.61	10 Edge of Par. 08.45	20 Oil & Gravel Parking 09.0	30 08.5		
5.84	5.80	5.4	4.9		
	10 Edge of Par.	20 Oil & Gravel Parking	30		

Station	+	H.I.	−	Elev.	B.M.
6+54.2	Sidewalk Narrows to 22.4 & 26.4'				
6+28.8	Sidewalk Full width. Cb to P.I.				
6+07	Sidewalk narrows to 22.5 & 26.5				
6+00					
5+50					
5+00					
4+70					
4+32	Sidewalks widens to 31.4				
4+07	Beg. Curb				

220.16

Imperial

16.46 16.07 16.27 16.91 17.35 17.47 17.62

4.00 4.09 3.59 3.25 2.81 2.69 2.54
17 18.1 18.1 22.4 26.4 30
Gut 15.66 Cb 14.30 Edge S.W. Edge S.W.

4.59 4.54 4.50 3.86 3.39 3.18
12 18.1 18.1 26.5 30
Gut Cb

14.92 14.70 14.98 15.62 15.95

5.24 5.46 5.18 4.54 4.31
17 18.3 18.3 30
Gut Cb

13.73 13.64 14.03 14.76

6.43 6.52 6.13 5.40
18.4
Gut Line

12.56 12.47 12.97 13.40

7.60 7.69 7.60 7.19 6.74
10 18.5 18.5 30
Gut

11.73 11.66 11.71 12.38 12.77 12.66

8.43 8.50 8.45 7.86 7.79 7.50
10 18.5 18.5 26.5 30
Gut Cb

10.80 10.71 10.91 11.47 11.76

9.36 9.45 9.35 8.99 8.69 8.40
10 18.7 18.7 26.6 31.4
Gut Cb Edge S.W. Edge S.W.
Bl. Line

10.21 10.12 10.15 10.59 10.76 10.86 10.9

9.95 10.04 10.01 9.57 9.40 9.31 9.2
10 18.8 18.8 22.5 26.5 30
Gut Cb Edge S.W. Edge S.W.

Station	+	H.I.	−	Elev.	B.M.
9+61	End new sidewalk				
9+00					
8+62	Pole out 19.5				
8+50					
8+46	30" Evg. Tree out 20.0				
8+09.4	End Curb Sidewalk Narrows to 218 Back				
8+01	30" Evg. Tree out 20'				
8+00					
7+50					
	7.64	227.41 26			
T.P.			0.39	219.62 77	
7+00					
		220.16 ~~01~~			

Station	Imperial								
	8.06	20.99		21.6		22.5	22.79	22.92	23.31
635	6.42	5.8		4.9			4.62	4.49	4.10
		16		20			21.9	26.2	30
	20.42	Edge of Paving		21.8			Edge SW	SW	
		20.35		21.0			22.00	22.04	22.5
699	7.16	6.4		5.6		5.41	5.32		4.7
		17		19			21.9	26.0	30
	19.99	Edge of Paving					Edge SW	Edge SW	
		19.85		20.6			21.73	21.71	21.9
742	7.46	6.8				5.7	5.68	5.70	5.5
		15				19	22.2	26.3	30
	19.59	Edge of Paving		20.96			20.92	Edge SW	
		19.41		19.95			20.19	21.18	21.49
782	7.60	7.05		6.49		6.31		6.12	5.9
		12		175		175	218	26.2	30
	19.45	19.41		Gut		Cb	Edge SW	Edge SW	
				19.95			20.19	21.19	21.45
796	8.00	7.46		6.64			6.22		5.96
				175		175	26.2		30
	18.38	18.42		Gut		Cb		19.96	20.29
				18.71		19.41			
903	8.99	8.70		7.80		7.45		7.12	
		6		177		177	26	30	
				Gut		Cb.			
	17.22								
		17.24		17.48		18.20	18.56	18.61	18.8
289	2.92	2.68		1.96		1.60		1.55	1.3
		12		179		179	22.4	26.4	30
				Gut		Cb	Edge SW	SW	

Station	+	H.I.	−	Elev.	B.M.
			25.95		
12+17					
12+13	Beg. Curb			4.18	21.77
12+00					
11+64	Pole Out 19				
11+50					
11+35	12" Tree Out 20.3				
11+00					
10+70					
	4.70	228.70 (.85)			
TP			3.26	224.00 (.15)	
10+37					
10+12	Pole Out 19.5				
10+00					
		227.26 (.41)			

21.45	21.45	21.47	21.88	23.1	23.49	23.55	23.6		
7.40	7.40	7.38	6.98	5.7	5.36	5.30	5.3		
	7	16.9	16.9	20	219	259	30		
21.57	21.52	21.40 Gut	Cb.		Edge SW	SW			
		7.45 7.02		23.40		23.55	23.6		
		16.9 Gut 16.9 Curb	23.1						
7.28	7.33	7.9	5.5	5.45	5.30	5.2			
	7	15	17	218.	258	29			
22.00	Edge of Paving	22.5	23.4	Edge SW	SW				
	21.87			23.70	23.91	24.3			
6.85	6.98	6.4	5.4	5.15	4.94	4.4			
	7	16	18	218	26	30			
22.33	Edge of Paving	22.9	23.8	Edge SW	SW				
	22.24			24.02	24.21	24.5			
6.52	6.59	5.7	5.0	4.82	4.58	4.1			
	7	16	18	21.7	25.8	29			
22.23	Edge of Paving	22.8	23.5	Edge of SW	SW				
	22.31			23.81	23.97	24.05			
6.62	6.64	6.0	5.1	5.04	4.88	4.80			
	7	16	19	21.9	26	30			
21.91	Edge of Paving	22.1	23.1	Edge of SW	SW				
	22.89			23.60	23.68	23.82			
5.50	5.52	5.1	4.3	3.81	3.73	3.59			
	7	17	18	219	258	30			
21.51	Edge of Paving	21.9	23.24	Edge SW	SW				
	21.51								
5.90	5.90	5.5	4.17		3.82				
	6	12	21.5						
	Edge of Paving		Edge of SW						

Station	+	H.I	−	Elev	B.M.
					S.E. Cor. 65th. & Imperial Top Fire Hydt.
			4.98	223.72	223.64
					2.50
					221.14
13+32.60	℄ 65th St	6.13	25.95		221.30
13+17	℄ Line 65th St.				
13+07.60	P.L.			4.61	21.34
12+76	Guy Pole	Out 18.5		4.38	21.57
12+59	Sidewalk widens	Curb to P.L.			
12+26		85 228.70			

B.M. B.P.						21.37	
S.E. Cor 65TH	20.99	20.93	20.82				
	7.86	7.92	7.93		7.48		
	20.98	21.04	21.01		21.00	21.49	
	7.87	7.61	7.84		7.65	7.36	
			16		2.98	2.98	
					Gut	Back of Return	
	21.43	21.05	21.05	21.40	21.62		
	7.82	7.80	7.80	7.45	7.23		
		7	16.7	16.7	30		
			Gut	Cb			
	21.17	21.03	21.22	21.62	21.80	21.93	
	7.68	7.62	7.63	7.23	7.05	6.92	
			16.8	16.8	21.3	30	
			Gut	Cb	Edge SW		
	21.41	21.35	21.42	21.82	22.09	22.23	22.3
	7.44	7.50	7.43	7.03	6.76	6.62	6.5
		7	16.9	16.9	22	25.8	30
			Gut	Cb	Edge SW	SW	

Cross Section Alley Block 10
College Park

Levels next page

Indexed
C.S.R.

Sct 41-46
Sisson
McCoy
Waddel
Allen



+76					
+50					
+70					
+50					
0+0	= NL Linda				
0-14	= NCB Line Linda Paseo				
IP	3.56	454.49	1.76	450.93	
BM	3.18	455.69		452.51	SE Top F Hyd. Montezuma Road at College Way

Lt = M

Rt = E

47.31
5.8
9 = 4.3 Top
Without Rim
49.1
1.8
10

48.7
5.8
6

48.2
6
48.2
10

50.14
4.32
9 = Top Edge Foundation
49.5
5.0
10

46.9
5.6
7

48.9
5.6

48.6
5.9
6

49.3
5.2
10

48.8
5.7
25

50.53
3.96
19.8 = SF Curb Gutter Side
50.2
4.3
98 Ground

49.9
4.6

49.5
5.0
10

51.93
3.56
9.9 = CB Fnd
51.2
3.3
99 Ground

50.4
4.1

50.7
5.8
10

51.80
2.62
15 = CB Bot
51.2
3.3
15 Ground

51.1
3.4
10

50.8
3.7

50.8
3.7
10

454.49

4+0					
+50					
TP	3.89	451.85	6.83	447.96	
5+03.79	=Δ 40°40'	Lt	Taken on split of Hook		
+50					
+40					
2+0					
		454.49			

Lt Rt

	47.3	46.8	46.5			
	45 10	50	53 10			
	47.8	47.3	46.8	45.6		
	40 10	46	50 10	53 50		
		451.85				
	47.99	47.32	47.1	46.4	44.2	36.5
	51 10	67 66 on Hub	71 66	81 19	102 23	180 80
	48.3	48.1	47.5			
	63 10	64	70 10			
	48.19					
	130 10					
48.9	48.6	48.8	48.1	48.0		
54	59 10	65	69 10	74 25		
		454.49				

BM			2.81	452.50	SET TOP OF FHyd Woodland & College 452.51
TP	4.04	455.31	4.62	451.27	
TP	7.32	455.89	3.28	448.57	
47 21.03 =	CL Line				
47 11.03 =	EL				

	47	2	47					
	46.86	46.25	46.23	46.10	45.93	45.77	46.29	
	4.99	5.10	5.12	5.23	5.92	6.08	5.56	
	16-CL	16-Gutter	10		10	15-Gutter	15-CL	
	47.04	46.99	46.61	46.91	47.00			
	4.81	4.86	5.24	4.91	4.85			
	10-CL	10-Gutter		9.9-Gutter	9.7-CL			

10-31-46
Osborne

indexed
c.r.k.

Location of Exist 6" CI Sewer under Bldg. for Easement. Tied in Regard to Bldg. only. + New clinic offices on Cadiz st

BM.	2.99	44.74		41.75	B.P. SW Cor Lytton + Rosecrans
	0.22	32.81	12.15	32.59	
	3.73	24.53	120.1	20.80	

Top of pipe at End # 1 - with 4" Dead end
Top end 6" pipe 3.5 out from Bldg. 7.47

T.P	5.19	22.44	7.28	17.25

End # 2 - Straight end.
Top end 6" pipe 4.1 out from Bldg. 6.64

Top Conc. foundn + Bottom of Conc. Brick = about Level of floor - for check at Cor "A"





X-Sect. 20' Alley in Block 65 - Ocean Beach Map. 279

634

W.O. 1204

11-19-46

Osborne
Hardin
Worrell
Smith

indexed C.S.K.



X-Sect. 20' Alley in Block 65 - Ocean Beach - Map 279

0+38 - 10.8 Lt. = ℄ 3.7 Brick chimney - Conc. base

0+37 - 11.8 Lt. = Cor. House

0+32 - 9.6 Lt. = end S. side of Hedge

0+25

0+19 - 10.6 Rt. = end Conc. wall

0+13 - 9.1 Lt. = ℄ P. pole

0+10

0+01 - 11.5 Lt. = beg. S. side of low 3' Hedge

0+01 - 5.4 Lt. = ℄ 13 dia. Gate cap for Gas Line

0+00.7 = 10.5 Rt. = begin 8" Conc. wall along House

0+07 See page 40

0+00 = P.L. of Bacon St. - edge of A.C. pave

0 - 12 = E. cb. Bacon St.

B.M. 12.83 41.72 28.89 N.W. B.P. Bacon & Santa Cruz

Lt = N. ℄ Rt. = S.

36.97
4.85
10.8
Cone. base

37.3 37.8 36.6 36.6 36.9 40.0 40.1 40.3
4.4 3.9 5.1 5.1 4.8 1.7 1.6 1.4
15 10 8 5 8 10 11.9 = ground at House

42.07
+0.35
10.6
Top wall

37.2 38.2 37.6 36.9 36.8 37.0 40.0 40.1 40.1
4.5 3.5 4.1 4.8 4.9 4.7 1.7 1.6 1.6
5 11 10 8 8 9 10 10.6
Base wall

37.16
4.56
5.4
Top cap.

38.7
3.0
10.5
ground
base of wall

42.07
+0.35
10.5
Top wall

37.50 37.36 37.20 37.89 38.61
4.22 4.36 4.52 3.83 3.11
9.9 9.9 9.9 9.9
Top cb. end Ret. gut. gut. Top cb.

34.03
7.69
60
gut.

37.17 36.68 37.14 37.72 38.35 40.20
4.55 5.04 4.58 4.00 3.37 1.52
10 90 10 60
Top cb. 2 Rad. Ret gut gut Top cb. gut.

41.72

1+33 - Sing. Gar. on Rt. - Conc. floor + apron

1+32 - 31' Lt. = ℄ Sing. Gar. - Dirt floor

1+25

1+24 - 16' Rt. = ℄ 2' Tile walk

1+19 - 11.4 Lt. = ℄ Small frame House

1+00

0+87 - 27.2 Rt. = ℄ Doub. Gar. - dirt floor

0+75

T.P. 2.27 37.92 6.07 35.65

0+72 - 10.8 Lt. = end House - Conc. foundation

0+68 - 9.5 Rt. = ℄ P. pole

0+58 - 10.7 Lt. = House

0+58 - 8.8 Lt. = end jog in House + Conc. slab

0+52 - 7.9 Lt. = beg. Rough Conc. Slab along foundation

0+52 - 8.8 Lt. = beg. jog in House

0+50

0+43 - 10.9 Lt. = beg jog in House

Lt. ℄ Rt.

30.3
7.6
31 - floor

34.52
5.40
11.4
Floor.

36.91
4.91
10.8
Top Conc. found.

31.7
6.2
11.3
along House

31.7
6.2
10

31.8
6.1

32.1
5.8
8

32.4
5.5
10

32.9
5.0
15

38.07
4.85
17
apron

33.29
4.63
19
floor.

33.05
4.87
16
Top walk

34.0
3.9
10

33.2
4.7
4

33.3
4.6

33.4
4.5
4

34.6
3.3
10

35.0
2.1
15

36.0
1.1
22.2
Floor

35.6
2.3
10

34.5
3.4
2

34.9
3.0

36.1
1.8
10

36.6
1.3
15

37.92

notes for wall

36.8
4.9
10.7
along House

36.0
4.9
10

35.8
5.9
3

36.0
5.7

36.2
5.5
5

38.4
3.3
7

38.6
3.1
10

38.9
2.8
11.8 - along House

41.72

I.P. 4.20 32.49 9.63 28.29

B+63 - 10.1 Lt. = Beg. board fence

2+63 = End of Apron + Grar. on Lt.

2+50

2+49 - 10.6 Lt. = Jog in apron - 12.7' Lt. = apron ahead

2+35 - W side 3 car Gar. in bldg. below

2+25 - 10.1' Lt. = Beg. Conc. apron for Comb. Gar. + Apts.

2+04 - 9.6 Rt. = ℄ P pole

2+00

1+93 - 9.6' Rt. = ℄ Sing. Grar. - Conc. floor

1+84 - 9.8' Rt. = ℄ Sing Grar - Conc. floor

1+78 - 10.5' Rt = ℄ 2' Conc. walk

1+64 - 8.5' Lt. = ℄ P. pole

1+64 = 18.8' Rt. = ℄ Doub. Gar. - Conc. floor.

1+51 - 15.4' Rt = ℄ 1' Conc. walk

1+50

Lt. ℄ Rt.

32.49

27.82
10.10
15.6
floor.

27.74
10.18
12.7 apron

27.6
10.3
10

27.9
10.0
7

27.9
10.0

28.0
9.9
10

27.76
10.16
12.7
apron

28.18
9.74
walk 10.1 = edge apron

27.56
10.36
10.6
apron

27.91
10.0.1
15.7
floor Gar.

27.76
10.16
10.7
apron

28.4
9.5
30

28.9
9.0
10

28.9
9.0

29.5
8.4
10

29.97
7.95
9.8
floor

30.47
7.45
10.5
walk

29.58
8.34
9.6
floor

31.06
6.86
18.8 - floor

29.8
8.1
30

30.6
7.3
10

30.7
7.2

31.1
6.8
10

31.8
6.1
15

31.23
6.09
15.4
walk

37.92

	Lt.		℄		Rt.	
4+08 - 15' Lt. = end 4 car Gar.	27.81 4.68 15 Floor					
4+03 - 9.9 Rt = ℄ P. pole			27.4 5.1 10	27.2 5.3	27.8 4.7 10	27.9 4.6 20
4+00						
3+86 - 17.1 Rt = end 4 car Gar.	27.89 4.60 14.6 = floor					27.94 4.55 17.1
3+75 - 14.6 Lt = Beg. 4 car Gar. - Conc. floor						
3+50 = ℄ 8.2 Conc. Slab for porch	27.96 4.53 14.8 slab at edge of House	27.58 4.91 11.8 edge slab	27.5 5.0 10	27.3 5.2	27.6 4.9 10	27.89 4.60 17.2 floor.
3+49 - 17.2 Rt. = Beg 4 Car. Gar. - Conc. floor						
3+37 - end 4 Car. Gar. on Lt.	27.99 4.56 14.6 floor		27.77 4.72 12.6 apron			
3+24 - end 4 Car. Gar. on Rt.					27.98 4.51 14.3 apron	28.18 4.31 17.3 floor
3+03 - Beg. 4 Car Gar. on Lt. - Conc. floor + apron	27.89 4.60 14.6 Floor.	27.71 4.78 12.6 apron				
3+01 - 8.1 Lt. = ℄ P. pole			27.7 4.8 10	27.61 4.88 Rim MH	27.7 4.8 10	
3+00						
2+99.2 = ℄ M.H. (sewer) on ℄ Alley.	27.6 4.9 15.5 floor					
2+93 = 15.5 Lt. = ℄ Sing. Gar. Dirt floor					27.93 4.56 14.4 = apron	28.17 4.32 17.4 = Floor
2+88 = Beg. 4 car Gar. on Rt. - Conc floor + apron						
2+87 - 10' Lt. = end fence						
2+77 - 9.2' Rt. = ℄ P. pole						
2+72 - 10.4' Rt. = ℄ 3' Conc. steps to House					28.46 4.03 10.4 Top of bot. step	29.78 2.71 12.5 Floor House

32 49

5+82 - 8.4 Lt = ℄ P. pole

5+75

5+50

5+37 - 20.2 Rt. = ℄ Doub. Gar. Conc. floor

5+36 - 9.8 Lt. = Beg picket fence

5+31 = 14.8 Lt. = ℄ Sing. Gar. Conc. floor

5+15 = ℄ Sing. Gar. on Lt. - Conc. floor + apron

T.P.	5.73	33.44	4.78	27.71

5+03 - 9' Rt. = ℄ P. pole

5+00

4+88 - 16.8 Rt. = ℄ Sing. Gar. Conc. floor

4+50

4+43 - 8.4 Lt = ℄ P. pole

4+25 - Water standing in alley Here

Lt.		℄		Rt.
		27.8 5.6 10	27.5 5.9	27.6 5.8 7
		27.9 5.5 10	27.9 5.5	28.0 5.4 10
28.35 5.09 22.9 floor	28.16 5.28 14.6 apron	28.16 5.28 14.8 floor		
		33.44		
28.1 4.4 20		28.0 4.5 10	27.7 4.8	28.1 4.4 10
		27.4 5.1 10	27.4 5.1	27.7 4.8 10
27.3 5.2 20		27.4 5.1 10	27.0 5.5	27.9 4.6 10
		32.49		

28.77
4.67
20.2
floor.

28.60
3.89
16.8
Floor.

Additional notes Alley Blk. 65. O.B. Sommerneyer 3/25/47

NE. B.P. Coronado & Bacon.		1.97	45.42	(45.51)
	7.28	47.39	2.71	40.11

0+22.65 = 10± Rt. End 4" x 1± Brick chimney

10± Rt. = Start Brick chimney

0+18.5 = 10± Rt. = End 8" Conc. wall

0+00.7 = 10± Rt. = Start 8" Conc. wall

	5.43	42.82	2.05	37.39
N.W. B.P. Bacon & Santa Cruz	10.55	39.44	—	28.89

Continued from page 35 sta. 0+00.7

check B.M. B.P. - S.E.	Cable + Coronado	4.94	28.50 ✓	28.50 ✓

6+12.10 = W. cb. of Cable

= edge A.C. pave

6+00.10 = W.L. Cable St. - 9.8 Lt. - end fence

Lt.

Does not check or q. B.M. But is data used in O.R. in notes by F.C.

C.H.S.

Rt.

39.92 — 2.90 — 10.4 — Bot. 4.5" x 1± chimney

40.4 — 2.4 — 10.4 — Ground

39.2 — 3.5 — 10.4 — Bot. wall

41.99 — 0.83 — 10.4 — Top wall

39.9 — 3.9 — 10.4 — Bot. wall

42.07 — 0.75 — 10.4 — Top wall

26.23 — 7.21 — 50 — gut.

27.05 — 6.39 — 10 — Top cb. 3' Rad. Ret.

26.37 — 7.07 — 10 — gut

26.42 — 7.02

26.45 — 6.99 — 10 — gut

27.06 — 6.38 — 10 — Top cb.

26.49 — 6.95 — 50 — gut.

27.23 — 6.21 — 9.9 — Top cb. end Ret.

26.95 — 6.49 — 9.9 — gut

26.60 — 6.84

26.98 — 6.46 — 9.9 — gut

27.38 — 6.06 — 9.9 — Top cb.

33.44

Curb Levels East Side Van Dyke Ave
Orange Ave to El Cajon Blvd

Dec. 3-46
Simon
McCoy
Waddell
Allen
HO 2310

BM	3.12	366.68		363.56	SWBP El Cajon & Van Dyke
		0+00 = N.L. Orange			
E Cb	Top		5.43	361.25	
Gutter on Paving			5.75	360.93	
		0+50			
E Cb	Top		5.33	361.35	
Gutter			5.72	360.96	
		1+0			
E Cb	Top		5.10	361.58	
Gutter			5.50	361.18	
		1+50			
E Cb	Top		4.89	361.79	
Gutter			5.36	361.32	
		2+0			
E Cb	Top		4.79	361.89	
Gutter			5.25	361.43	
		2+50			
E Cb	Top		4.49	362.19	
Gutter			5.03	361.65	
		3+0			
E Cb	Top		4.43	362.25	
Gutter			4.96	361.72	
		3+50			
E Cb	Top		4.22	362.96	
Gutter			4.87	361.81	

		366.68		
		4+0		
E Cb	Top		4.27	362.41
Gutter on Paving			4.81	361.87
		4+50		
E Cb	Top		4.12	362.56
Gutter			4.70	361.98
		5+0 = N.L. Curb		
E Cb	Top		4.07	362.61
Gutter			4.64	362.04
		5+50		
Gutter			4.57	362.11
		6+0		
Gutter			4.41	362.27
		6+08.5 = S.L. El Cajon		
E Cb	Top		3.62	363.06
Gutter			4.28	362.40

Notes Reduced
12-4-46 C.A. Smith

Curb Levels South Side El Cajon Blvd.
Van Dyke Ave to 43rd St

BM	4+10	367.66		363.56	S17 B.P. El Cajon & Van Dyke
		0+00 = El Van Dyke			
SCb	Top		4.64	363.02	
Gutter	on Paving		4.97	362.69	
		0+50			
SCb	Top		4.42	363.24	
Gutter			4.89	362.77	
		1+00			
SCb			4.03	363.63	
Gutter			4.54	363.12	
		1+25 = N.L. Alley			
SCb	Top		4.32	363.34	
Gutter			4.85	362.81	
20' S of SCb	+ Paving	End Alley Rad	4.06	363.60	
		1+40			
SCb	Top		4.55	363.11	
Gutter			5.17	362.49	
20' S of SCb	+ Paving	End Alley Radius	4.41	363.25	
		1+50			
SCb	Top		4.85	362.81	
Gutter			5.43	362.23	
		1+78			
SCb	Top		5.93	361.73	
Gutter			6.52	361.14	

		367.66		
	2+00			
SCb	Top		6.97	360.69
Gutter			7.60	360.06
	2+50			
SCb			9.28	358.38
Gutter			9.92	357.74
	2+65.2 = N.L. 43rd St			
SCb			10.00	357.66
Gutter			10.64	357.02

Notes Reduced 12-4-46 C.A. Smith

Cross Section Alley Block 3
La Mesa Colony From 67½ St. to 68½ St.
Between El Cajon Blvd & Amherst St.

Levels next page

Work Order 210

Indexed
C.S.R.

Dec. 13-46
Sisson
McCoy
Waddel
Allen



1403					
+81					
+57					
+40					
+31	95 Rt of ℄ = Sly Power Pole				
0+0	= E.L. 67.75 St.		Taken on Diag		
0-01	103 Rt of ℄ = Wly 0.7 Cobble Wall				
0-22.5	+ Ely Conc Strip Paving		Taken on Diag		
B.M.	2.18	455.88		453.70	SW RP E/Culvert 67.75 St

Lt = M	℄	Rt = S
451.18 4.7 45	450.88 5.0 10	451.08 4.8 451.28 4.6 10 451.49 4.39 11.3 = Wly Conc wall Ely metal Bldg Wly Picket Fence
451.38 4.5 30	450.78 5.1 10	451.18 4.7 451.28 4.6 10 451.78 4.10 10.7 = Ely Conc wall Ely Wire Fence Wly Mobil Bldg
		451.55 4.33 11.2 = Wly Conc wall Ely Wire Fence
452.88 3.0 25 = Top Filled 250'	451.08 4.8 20	450.98 4.9 10 450.68 5.2 451.18 4.7 10 451.28 4.6 10.7 = Ely Cobble wall 450.36 5.53 11.4 = Ely Conc Garage Conc Filler wall Wly Fence
452.38 3.5 27 = Top Filled 260'	450.98 4.9 12	450.88 5.0 10.5 450.82 5.06 0 = Stub 451.18 4.7 10.5 451.24 4.18 10.5 Top Cobble wall 450.08 5.7 35
451.93 4.95 40	451.53 5.35 11	451.31 5.57 451.13 5.75 11 450.29 6.59 40
		455.88

3+00				
2+80	11.4 Rt of ℄ = Ely Picket Fence			
2+40				
TP	2.98	458.08	1.78	454.10
2+00	11' Rt of ℄ = Picket Fence			
+86	9.9 Lt of ℄ = Ely Woven Wire Fence			
+81	9.6 Rt of ℄ = Sly Power Pole			
+65				
+50	9.3 Lt of ℄ = Ely Shed Also Wly Woven Wire Fence			
+30	10.5' Rt of ℄ = Wly Picket Fence			
+20	10' Rt of ℄ = Sly Power Pole			
1+75	9.5' Lt of ℄ = Wly Shed			
	455.88			

Lt	℄	Rt
454.18 3.9 25	454.18 3.9 10	454.08 4.0 10 / 453.88 4.2 10 / 452.78 5.3 25
454.48 3.6 10	454.38 3.8 10 / 453.78 4.3 10	
455.08 3.0 25	454.88 3.2 10 / 454.48 3.6 10 / 454.08 4.0 10 / 453.28 4.8 25	
	458.08	
453.58 4.3 10	453.58 4.3 10 / 453.38 4.5 10 / 453.08 4.8 25	
453.28 4.6 10	452.88 5.0 10 / 452.88 5.0 10 / 451.68 6.2 25	
451.88 6.5 9.9 = Shed	451.38 7.0 10 / 451.98 6.9 10 / 451.60 7.3 11.4 = Concrete Wall Also Ely Picket Fence	
	455.88	

		Lt	℄	Rt
4+32	9.8 Rt of ℄ = Sly Power Pole			
4+11	11' Rt of ℄ = Picket Fence	453.62 / 1.46 / 121 = F.L. 9' Door Conc. Floor	452.98 / 5.1 / 10	452.58 / 5.5	452.48 / 5.6
3+82		453.86 / 1.23 / 119 = V.L. 9' Door Conc. Floor			
3+70		453.08 / 5.0 / 112 = S.L. 18" Pipe	452.98 / 5.1 / 10	452.98 / 5.5	452.68 / 5.4 / 10	452.28 / 5.8 / 25
3+55		453.30 / 4.78 / 120 = L.L. 3' Door Hdg. Conc. Floor			
3+31	9.9 Rt of ℄ = Sly Power 11' " " " = Wly Picket Fence		453.38 / 4.7 / 10	453.36 / 4.7	453.58 / 4.5 / 10
3+25			454.18 / 3.9 / 10	454.18 / 3.9	453.98 / 4.1 / 10
		458.08		458.08

BM			2.68	457.38	5/8" BP Elev 457.38 Blue Stake 457.40
6+41.25	= W.L. 68 1/2 St.				
6+18					
6+0	10.4 Rt of ℄ = Ely Picket Fence				
TP	5.94	460.04	3.98	454.10	
+81	10.1 Lt of ℄ = Ely Wire Fence				
5+50					
+30	10.3 Lt of ℄ = W/y Woven Wire Fence 9.2' Rt of ℄ = Sly				
5+0					
4+81	10.3 Rt of ℄ = Ely 14' Garage N Entrance				
4+54					
		458.08			

Lt.	℄	Rt
454.64 5.4 /10	454.54 5.5	454.54 5.5 /10
		454.47 5.57 11.4 = N Cor Garage E Entrance Conc. Floor
454.44 5.6 /25	454.44 5.6 /10	454.54 5.5
454.44 5.6 /10	454.14 5.9 /25	
	460.04	
453.68 4.4 /10	453.48 5.6	453.28 5.8 /10
453.68 4.4 /25	453.58 5.5 /10	453.18 5.9
453.28 5.8 /10	452.88 5.4 /25	
453.91 4.17 10.3 = W/y 14' Conc	453.08 5.0 /10	452.78 5.3
452.88 5.2 /10	452.48 5.6 /25	
	458.08	

Cross Section Myrtle Ave.
47th St to Euclid Ave.
Levels next Page

SE Return L=34.9

0+00	505	326.20	5.05	321.85
0+07			4.95	321.95
0+14			4.80	322.10
0+21			4.75	322.15
0+28			4.65	322.25
0+34.9			4.51	322.39

NE Return L=34.9

0+00	443	328.27	4.43	324.49
0+07			4.43	324.49
0+14			4.43	324.49
0+21			4.50	324.42
0+28			4.47	324.45
0+34.9			4.47	324.45

Indexed
C.S.K.

Dec. 31-46
Sinsin
Mac Coy
Waddell
Filler
W.O. #230

48



0+60					
0+35					
0+10	= Curb + Walk Ends on Rt + Lt				
0+0	= East Line 47th St				
0-12	= East Curb Line 47th St.				
TP	8.85	333.39	9.46	324.54	NE ∠ Lt 47th & East
TP	0.37	334.00	8.55	333.63	
BM	2.31	342.18		339.97	NW ∠ Dr 9.64 ± 47th St.

Lt=N ∠ Rt=S

327.81	327.56	327.34	325.69	325.59	325.29	324.09	324.09	324.93
5.58	5.83	6.05	7.7	7.8	8.1	9.3	8.5	8.46
116-Z 54 Gorge Conc. Floor	40 Conc.	37-SL Conc.	18		18	34	40	40 Conc. 15 Conc. SL 06
326.69	326.09	324.79	324.89	324.49	323.49	324.29		
6.7	7.3	8.6	8.5	8.9	9.9	9.1		
40	27	18		18	34	40		
325.79	324.47	323.79	323.49	323.09	321.99	322.42	322.59	322.3
7.6	8.98	9.6	9.9	10.3	11.4	10.97	10.8	11.00
40	18-Cb	18		9	18.2	18.2-Cb	32	40
324.69	324.41	323.67	323.32	322.88	322.39	321.81	322.27	322.09
8.5	8.98	9.72	10.07	10.51	11.00	11.58	11.13	11.3
40	20.2-Cb	20.2-Gutter	9		9	20.6-Gutter	20.6-Cb	40
324.49	323.9[illegible]	323.31	322.73	322.00	321.25	321.05		
8.90	9.44	10.08	10.66	11.39	12.14	11.54		
40-Cb	40-Gutter	18		18	40-Gutter	40-Cb		

333.39

		Lt.	℄	Rt.
2+10		332.09 / 1.5 / 10	331.09 / 2.3 / 18	330.29 / 3.1 / 9	329.89 / 3.5	329.39 / 4.0 / 18	328.39 / 5.0 / 40	327.79 / 6.2 / 65
1+70		331.19 / 2.2 / 40	329.79 / 3.6 / 18	329.19 / 4.2 / 9	328.79 / 4.6	328.49 / 4.9 / 18	327.59 / 5.8 / 40	326.59 / 6.8 / 65
+62	27.78 Rt of ℄ = Sly. Anchor Pole							
1+52		330.72 / 2.67 / 41.2 = Sly Garage One Floor	330.57 / 2.82 / 39.7 = Sly Cone Apron					
1+35	= ℄ N.M.S. Alley	330.59 / 2.8 / 65	329.39 / 4.0 / 40	328.89 / 4.5 / 18	327.79 / 5.6	327.39 / 6.0 / 18	326.29 / 7.1 / 40	324.99 / 8.4 / 65
1+26	36 Rt of ℄ = Sly Power + Tel. Pole							
1+20							326.29 / 7.0 / 40.3 = Garage One Floor	
	Rt of ℄ =							
140		328.39 / 5.0 / 40	327.59 / 5.8 / 18	326.69 / 6.7	326.39 / 7.0 / 18	325.89 / 7.5 / 40		

333339 333339

BM			1.02	339.97	MW 8" Dr 947 x 947 Fac 1.0 339.97
BM	8.32	340.99	1.44	332.67	MW 8" Dr 947 x Fac 1.0 332.81
TP	5.28	337.11	4.73	331.83	
2+90.65	= West Edge Conc. Paving				
2+80					
2+70.45	= West Line Face of Pole				
2+55					
TP	4.73	336.56	1.66	331.83	
2+35					
		333.39			

Lt		℄		Rt	
332.27	4.30 / 65	332.00	4.56 / 40	331.69	4.87 / 18	331.63	4.93	331.50	5.06 / 18	331.26	5.30 / 40	330.63	5.93 / 65
334.26	2.2 / 40	332.26	4.2 / 18	331.96	4.6	331.56	5.0 / 18	331.26	5.3 / 40				
334.06	2.5 / 40	332.06	4.5 / 18	331.96	4.6	331.36	5.2 / 18	331.26	5.3 / 40	330.26	6.3 / 65		
333.59	2.97 / 40	333.29	Conc. 3.67	336.56									
333.29	0.1 / 40	332.29	1.1 / 18	331.49	1.9 / 7	331.19	2.2	330.49	2.9 / 18	330.09	3.3 / 40	328.99	4.4 / 65
				333.39									

Cross Section
Monmouth Dr.
W.L. Congress Hts. to Collingwood

C.Moore
Surveyor
Wildcove
E Bogg

W.O. #230

1-14-47


2.5
2.5
5
5
5
10
5
5
5

Bench Levels for Levels on Monmouth Dr.

BM B.P. S.E. Cor. School Porch	5.21	83.32		78.11	= Miller BM.
T.P.	6.84	89.77	0.39	82.93	
BM #1 Check to Ld C.T. & Diamond + E.L. Ingraham			6.25	83.52	Flood 83.59 / 0.07 / 83.45 Corr
T.P.	11.90	99.70	1.97	87.80	
T.P.	10.91	109.81	0.80	98.90	
T.P.	12.81	120.93	1.72	108.09	
T.P.	12.53	133.27	0.19	120.74	
BM #2 Check to	S.W. 7' C.T. Beryl and Ingraham	8.20	125.07 / 0.12		Rec. 125.08 / 125.19 = Corr
Same		8.20	133.28		125.08 = Record
T.P.	12.66	145.39	0.55	132.73	
T.P.	12.95	158.32	0.02	145.37	
T.P.	12.88	171.16	0.04	158.28	

171.16

T.P.	12.18	182.93	0.41	170.75	
T.P.	11.27	194.07	0.13	182.80	
BM #3 B.M. B.P. Nly cb. on Monmouth Set Dr. & W.L. Congress Hts.			7.82	186.25	Corr. 186.36
Corr. Beg. here →				0.11	
T.P.	2.46	196.16	0.37	193.70	
T.P.	12.66	204.69	4.13	192.03	
T.P. 3/4" Pipe L.S. 2341	1.57	203.01	3.25	201.xx / 0.11 / 201.55 = Corr	S.W. Cor. Monmouth Collingwood
T.P.	10.37	204.32	12.06	190.95	
BM #4 Set B.M. on Con. Mon. St. Cor. Monmouth & Collingwood			12.52	188.80 / 0.11 / 188.91	
T.P.	1.85	194.22	8.95	192.37	
← added 0.12 to this pt					
Corr T.P.	9.06	195.03	8.25	185.97	186et
Check to B.M. S.E. 7' C.T. on Return at Lamont & Willow.			8.90	186.13 / 0.11 / 186.24	186.29 / 0.05 dif.
? → derived from Look up Book			Walker VSC+G of City =	186.19	0.16
				186.06	0.07 / 0.18 dif.

From USGS 7.5'

Bench levels on Ingraham

Garnet to B.M. at School on Emerald.

S.E. B.P.	7.95	70.55		62.60	Ingraham Garnet = old City datum
T.P.	11.94	79.49	3.00	67.55	
check to BM School Porch N.W. Ingraham and Emerald		1.26		78.23	78.11 = +0.12

Correction on B.M.'s

B.M. B.P. S.E. Cor of P.B. School Porch at N.W. Cor Ingraham and Emerald 78.23

B.M. #1 Ld. C.T. E Diamond and E.L. Ingraham 83.64

B.M. #2 Ld C.T. S.W. 7' Pt. Ingraham and Beryl 125.19

B.M. #3 B.P. on curb N. Side Monmouth + W.L. Congress Hts. 186.36

T.P. on 3/4" Pipe S.W. Cor. of Monmouth + Collingwood 201.55 ✓ T.P.

B.M. #4 B.M. Con Mon. S.E. Cor. of Monmouth + Collingwood. 188.91 ✓

Set 6x 11,1100

Cross Sec. Monmouth Dr. 60' wide
W.L. Congress Hts.
to Collingwood 1-22-47.

Lt. S.L. Rt. Baseline

0+21.20
℄ Monmouth ℄ W.L. Congress Hts

0+11

0+07.06
0+06.9

0+00

00-50 Pav.

BM #3 6.9X 193.30 186.34 Corr. P. 5X P. 53

186.91
6.39
30
Pav. edge

194.3	189.5	186.3	186.20
+1.0	3.X	7.0	7.02
60	50	45	30
N.L. dirt	dirt	dirt	Pav.

186.9	186.66	185.96	186.00	185.15	185.70
6.X	6.2X	7.3X	7.30	8.15	7.60
60	50	50	30	10	10
dirt	C6 end				C6

Plug in Pav. = D.E.

186.03	185.37	185.51	184.67	185.20
7.27	7.93	7.79	8.63	8.02
50	50	30	10	10 C6

181.65	180.72	181.26	180.50	181.14
11.65	12.38	12.0V	12.80	12.16
50	50	30	10	10 C6
N. C6	9T	Pav. E	9T	

193.30



T.P. 5.92 198.22 1.00 197.30

0+80

0+65

35.23
0+35.8

197.30

Lt. Sk. Rt.

198.22

196.1	193.3	191.7	189.1	189.1	185.3	184.2	180.5
+ 2.8	0.0	1.6	2.6	4.2	8.0	9.1	12.8
60	48	45	30	13	5		15

	196.9	193.7	190.5	190.2	188.8	186.3	180.4
+	3.6	+0.4	2.8	3.1	4.6		12.9
	60	44	40	30	10	70	15

196.3	194.2	192.7	188.8	187.11	187.68	187.2	182.2
+ 3.0	0.9	4.6	5.0	6.19	5.62	9.1	11.1
60	44	40	30	10	10		10
nt					curb end		

197.30

| | | |

Lt. Sta. Rt.

4+00

T.P. 0.30 191.74 6.78 191.44

3+50

3+00 P.O.C.

10.58
+6.42
17.00

Nat. grid
1700, 181,200 = Fb.

2+50

2+25

2+00

198.00

Lt.	Sta.	Rt.
	4+00	
		190.5 / 1.2 / 20 — 185.7 / 6.0 / 0 — 180.5 / 11.2 — 178.0 / 13.7 / 15
	T.P. 0.30 191.74 6.78 191.44	
194.2 / 4.0 / 60 — 190.4 / 2.8 / 45 — 188.6 / 8.6 / 35 — 188.1 / 10.1 / 30 — 183.0 / 15.2 — 180.9 / 17.3 / 15	3+50	
195.7 / 2.5 / 60 — 193.4 / 4.8 / 45 — 191.4 / 6.8 / 41 — 190.3 / 7.9 / 27 — 184.2 / 14.0 — 181.5 / 16.7 / 15	3+00 P.O.C.	
196.1 / 2.1 / 60 — 192.2 / 6.0 / 41 — 191.6 / 6.4 / 33 — 189.4 / 8.8 / 28 — 187.64 / 10.58 / 20.5 / Fd. Rim M.H. #31X — 188.1 / 10.1 / 18 — 183.4 / 14.8 — 179.8 / 18.4 / 15	2+50	
194.2 / 4.0 / 45 — 192.0 / 6.2 / 40 — 191.6 / 6.4 / 32 — 189.2 / 9.0 / 30 — 186.6 / 9.6 / 20 — 186.2 / 12.0 / 15 — 183.0 / 15.2 — 179.1 / 19.1 / 15	2+25	
192.7 / 5.5 / 45 — 191.9 / 7.3 / 40 — 190.5 / 7.7 / 34 — 188.6 / 9.7 / 31 — 188.0 / 10.2 / 23 — 186.3 / 11.9 / 19 — 182.6 / 15.6 — 179.0 / 19.2 / 15	2+00	
	198.00	

6+07.3 W/L Jewell Sec. @ 90° also end Cobble wall on S.L.

6+00

6+57.5 Beg. Cobble wall on line

5+50

T.P. 6.39 188.08 10.05 181.69

5

4+43

191.74

	186.8	184.5	183.6	182.8	180.9	177.2	175.0		173.4	
	1.3	3.6	4.5	5.3	7.2	10.9	13.1		14.7	
	60	48	40	35	30	Top wall			15	
	186.5	184.8	183.5	182.4	180.5	176.1	174.0		172.9	
	1.6	3.3	4.6	5.7	7.6	12.0	13.3		15.2	
	60	50	40	35	30	Top wall on S.L.			15	
					176.0		174.0			
					12.1		14.1			
					Top wall		grd			
		185.0	183.1	181.6	180.4	178.1	173.8		171.8	
		3.1	5.0	6.5	7.7	10.0	14.3		16.3	
		60	52	50	37	30			15	
	185.0	183.1	182.1	181.6	180.4	179.2	174.4		172.2	
	6.7	8.6	9.6	10.1	11.3	12.5	17.3		19.5	
	60	52	50	40	37	30			15	
187.8	185.5	184.2	183.44	183.4	181.2	178.1		176.0		
3.9	6.2	7.5	8.30	8.3	10.5	13.6		15.7		
60	48	40	39.5 R.M.	30	19			15		
		184.2	177.72							
		7.5	14.07							
		39.5 grd	39.5 F.L.							

191.74

8+50

8+12.47

8

7+50

T.P. 8.71 194.68 2.11 185.97

6+193.0 = E.C.

M.H. #13 7.3 gr. 8.6 Rim 14.37 F.C.

6+50 See Sta 90 MH #308 In alley 3' Rt. of 3' S of S.L. 188.08 ~~191.74~~ Mon. Rim 12.73 Rim F.L. See plan

		195.1	194.3	191.1	190.0		185.3			
		+0.7	0.4	3.6	4.7		8.2	8.6		
		60	50	38	30			9.4		
								15		
		193.5P	192.5	190.3	189.4	186.3		184.5		
		1.10	2.2	4.4	5.3	8.4		10.2		
		60	50	30	23			15		
		193.1	190.7	189.2	187.9	185.6		183.7		
		1.6	4.0	5.5	6.8	9.1		11.0		
		60	50	30	15			15		
192.1	185.3	180.2	186.3	186.3	185.4	184.0	183.0	181.2		
2.6	5.4	7.5	8.4	8.4	9.3	10.7	11.7	13.5		
50	50	39	34	30	11	7		15		
189.1	189.1	186.2	185.8	194.68		180.2	179.3	177.8		
+1.0	+1.0	1.9	2.3	5.4		7.9	8.8	10.3		
60	55	47	40	34		5		15		
188.3	186.7	185.1	182.8	181.2		177.1	176.0			
0.3	1.4	3.0	5.3	6.9		11.0	12.1			
60	54	50	36	30			15			

188.08
~~191.74~~

| | | |

Indexed
C.S.K.

LOCATION of Ex. M.H.'s
on MONMOUTH DR.
See Level NOTES
for Elev.'s





X sec Jewell & Bicycle to Monmouth

Sketch P. 57 & 62

Moore
Bragg
Roberts
Johnson

2-5-47 W.O. # 230

0+25				
0+18	℄ 3' Con.			
0+00				
0+00 — 3.5				
T.P.	4.74	174.95	12.80	170.21
T.P.	0.57	182.31	12.08	181.74
B.M. Mon. P.C.O.	0.24	193.82		193.58

LT = WEST ℄ Pt

167.7 — 7.3/40 Lawn

168.1 — C.9/21.5 fence

168.1 — C.9

168.7 — 6.3/2

168.5 — 6.5/20

168.2 — 5.8/40

167.59 — 7.3 × 5 on wt

167.46 — 7.4 × 9/40

166.8	166.6	166.6	165.7	165.7	166.0	166.7	167.7	168.6	168.6
8.2/40	8.4/22	8.0/19	9.3/16	9.3/2	9.0	8.3/20	7.3/35	6.4/37	C.4/40

Beg. Pitch Edge of Hedge

Beg. Pitch Edge of Hedge

Beg. Hedge

168.9 — C.1/38.3 Top Rock Wall

174.95

0+83 40' Lt. Beg. Picket fence

0+80.5

0+72

0+65

0+62.3 ℄ edge → 2' Con apron Line do. grn.

0+61.3

℄ 54 38.5 Ft N. end Cypress to edge

+49 21.5 Lt End picket fence

0+47 ?

17x.95

Lt 171.24 / 37 / x0 N end Con apron

171.27 / 1.68 / 42 ↑ ℄ do. grn. Con. Fl.

171.25 / 3.70 / 40 apron

171.8 / 3.7

122.5 / 2.5 / 37.8 Sw. Con. Wall 4.2 High

122.2 / 2.8 / 48.2 End wall against grn.

172.1 / 1.9 / 40

171.9 / 3.1 / 48.2 ↑ ℄ Sw. grn 1 in Ft.

171.15 / 3.80 / 42 → edge Top steps +1.7

171.15 / 3.80 / x0 Con. apron

171.5 / 3.5 / 21 Con. Rock

171.5 / 3.5

170.07 / 4.68 / x0 N end 2' Con walk Bot steps

170.2 / 4.8 / 23

171.5 / 3.5 / 21

171.4 / 3.6

171.3 / 3.7 / 20

171.7 / 3.3 / x0

168.56 / 6.39 / x0 Con. 2' Con. Walk

169.4 / 5.6 / 21

169.7 / 5.3 / 16

169.9 / 5.1

168.9 / 5.1 / 20

170.6 / 4.4 / x0

17x.95

check to Starting BM	224	193.58		
T.P.	10.45	195.84	1.09	185.19
Sec. 1+24.8 ± to 1+54.83 = S.C. Monmouth				
1+24.8 ±				
1+12.8	38' Rt	SwCor Stucco Bldg		
1+12.5	37.8	Rt. N. end Stucco Wall		
T.P.	12.29	186.28	0.96	173.99
1+00				
		174.95		

| Lt | | | |

Indexed
C.S.I.R.

Xsec Collingwood
Jewell to Kendal



Mount
Berg
Roberts

XVO = 230



	* see Collingwood			
1 + 60				
1 + 20				
T.P.	1.94	201.93	11.21	199.99
0 + 80				
0 + 50	E.C. Jewell			
0 + 25	E. Jewell			
0 + 00	W.L. Jewell			
T.P. 3/4 Pipe S.W. Cor. Monmouth & Collingwood	9.65	211.20		201.55

P. 54

	Lt			BL				Rt			
3+24.6	200.33	199.9	198.3	196.9		196.2		194.7		193.9	
	16.0	2.0	3.6	5.0		5.7		7.2		8.0	
	28.9	25	19			20		35		45	
2+83	194.2	197.1	195.1	195.1		194.9		194.3	193.1		191.7
	3.7	4.8	4.8	4.8		7.0		7.6	8.8		10.2
	25	9	5			14		20	35		45
2+50		197.5	194.4	194.1		194.1		192.4	190.4		189.4
		4.4	7.5	7.8		7.8		9.5	11.5		12.5
		25	14			11		18	35		45
2+32	196.5	194.7	194.3	193.9		193.9		192.7	189.4	187.3	185.9
	5.4	7.2	7.6	8.0		8.0		9.2	12.5	14.6	16.0
	25	15	10			9		14	28	35	45 P.S.
2+13.4	196.8	195.1	194.5	194.1		192.5		189.9	188.9	188.9	187.9
	5.1	6.8	7.4	7.8		9.4		13.0	13.0	13.0	14.0
	25	17	13			20		35	35	40	45
2+00	196.9	195.5	194.6	194.4		193.9		192.6	192.4	191.0	190.0	188.7
	5.0	6.5	7.3	7.5		8.0		9.3	9.5	10.9	11.9	13.2
	25	19	13			7		12	20	29	35	45

201.04
0.89
38.9
10' Co

201.93

201.93

Lt | B.L | Rt

Long Shot

Check to Con Mon 2.77 20153 20555 9.02
Starting B.M.

4 + 19.8 W.L Kendall

3 + 98

3 + 79.5 ℄ 8.2 Con drive

3 + 70.5 Beg. Picket

3 + 55

T.P. L 89 204.30 4.5 = 199.41

201.93

Lt	B.L	Rt
199.5		197.7
4.8 / 25	5.3	6.6 / 35 — Fence Cor. / 34
199.7	199.0	199.2
4.6 / 14		6.1 / 22
199.3	198.3	198.2
5.0 / 11	6.0 / 18	
202.1	199.6	198.5
2.2 / 25	4.7	5.8 / 35
200.9	199.2	197.9
3.4 / 7	5.1 / 20	6.4 / 45
201.6	199.7	198.45
2.7 / 25	4.6 / 4	5.85 / 33.9 Con. dr.
200.1	199.9	194.79
4.2 / 5	5.0 / 3	6.51 / 45 dr.
	199.1	Fence 33.9
200.7	5.7	
3.6 / 25	198.9	196.6
	5.4 / 6	7.7 / 35
	197.9	195.8
	6.4	8.5 / 45
	197.6	
	6.7 / 20	

204.30

℄ Levels Birch - Pluto to Rigel

V.V.O. # 31194 5-15-47

National ⊥ 34th	1.79	8.61	—	6.82	S.E.B.P.
T.P.	7.21	10.71	5.11	3.50	Sammermeyer W Moore Melton
T.P	11.49	21.74	0.46	10.25	
0-30 = ℄ Rigel			3.8	17.94	
0 ← 15			3.5	18.24	
0+00 W.L. Rigel			3.1	18.64	
+25			2.4	19.34	
+50			1.8	19.94	
+75			1.7	20.04	
1+00			1.7	20.04	
+50			2.2	19.54	
2+00			3.1	18.64	
+50			3.3	18.44	
+75			3.4	18.34	
3+00			4.0	17.74	
+25			5.1	16.64	
+50			6.3	15.44	
+75			7.5	14.24	
4+00			8.7	13.04	
+30			10.9	10.84	
T.P.	0.94	10.56	12.12	7.62	

℄ Levels

10.56

Indexed C.S.K.

Sammermeyer W Moore L Melton

4+49			3.9	6.66	
5+00			4.7	5.86	
+20			5.0	5.56	
+40			4.4	6.16	
+70			4.9	5.66	
6+00	E.L. Pluto		5.2	5.36	
+25			5.4	5.16	
+50			5.7	4.86	
7+00			6.5	4.06	
T.P.	4.72	8.37	6.91	3.65	
Orig B.M.			1.55	6.82	

Oct 31, 1947 Check Elev. S. W. Curb Return
50th & El Cajon

Hendricks
Johnson

Sta.	+	H.I	-	Elev	B.M.
			Cb		
EC	on 50th St.		4.81	83.39	
#2			4.82	83.38	
#1			4.92	83.28	
BC	on El Cajon		5.04	83.16	
B.M.	2.10	388.20			386.10

INDEXED
JPB



S.E. Top of Hydt. 50th & El Cajon.

Alley in Block 65 - Ocean Beach
Stake for Construction
(See Page 34)

6-22-48
Roberts
Greer
Raver

W.O.# 31338
Map, Dwg. No. 6868 & 6870-A-L

0+40					
0+32.65	Step in wall				
0+22.65	End Gravity wall				
0+20					
0+18.50	Begin Gravity Wall				
0+00	Begin Retaining Wall		End Blacktop pavim		
T.P.	7.92	42.45	2.55	34.53	
	8.19	37.08			

B.M. B.B. on curb N.W. Cor. Bacon and Santa Cruz 28.89

Lt. ℄ Rt.

(1' Back Prop.) 36.66 / 5.79 / 3.58 / C-0.21

36.79 Top Sub
5.66
2.18
C-3.48
(1.72 Back Prop.)

Top Wall 40.65 / 1.80 / 1.96 / F 0.16
Top Wall 39.85 / 2.60 / 1.96 / C-0.64

37.15 Top Sub
5.30
0.82
C-4.48
(1.80 Back Prop.)

40.65 Top Wall
1.80
0.82
C 0.98

37.44

(3' Back Prop.) 37.15 / 5.30 / 4.85 / C-0.45

37.19 Top Sub.
5.26
0.30
C-4.96
(1.81 Back Prop.)

42.19 Top Wall
0.26
0.30
F-0.04

37.36
5.89
5.89
0

42.45

37.89
4.56
4.54
0

42.19 Top Wall
0.26
3.82
F-3.56 on Curb

2+00				
T.P.	3.56	32.45	9.78	28.89
1+80				
1+60				
1+40				
1+10				
0+80				
0+60				
T.P.	1.41	38.67	5.19	37.26
0+52.65	End of Retaining Wall			
0+42.65	Step in wall			
		42.45		

Lt.

2+00 — 28.73 − 3.72 − 3.56 = C-0.16 (3' Back Prop.)

T.P. — 32.45

1+80 — 29.43 − 9.24 − 9.30 = F 0.06 (3' Back Prop.)

1+60 — 30.32 − 8.35 − 8.59 = F-0.24 (3' Back Prop.)

1+40 — 31.39 − 7.28 − 7.84 = F-0.56 (3' Back Prop.)

1+10 — 33.13 − 5.54 − 5.83 = F0.29 (3' Back Prop.)

0+80 — 34.87 − 3.80 − 3.80 = 0 (3' Back Prop.)

0+60 — 35.91 − 2.76 − 2.31 = C0.55 (0.3' Back Prop.)

T.P. — 38.67

0+52.65 — 36.05 Par. Sur. − 6.40 − 3.00 = C-3.40 (1.72' Back Prop.)

0+42.65 — 42.45

Rt.

2+00 — 29.73 − 3.72 − 2.76 = C-0.76 (3' Back Prop.)

T.P. — 32.45

1+80 — 29.43 − 9.24 − 8.43 = C-0.81 (3' Back Prop.)

1+60 — 30.32 − 8.35 − 9.81 = C-0.84 (3' Back Prop.)

1+40 — 31.39 − 7.28 − 6.29 = C-0.99 (3' Back Prop.)

1+10 — 33.13 − 5.54 − 4.72 = C-1.12 (3' Back Prop.)

0+80 — 34.87 − 3.80 − 2.41 = C-1.39 (3' Back Prop.)

0+60 — 35.94 − 2.73 − 0.53 = C-2.20 (3' Back Prop.)

T.P. — 38.67

0+52.65 — 39.25 Top Wall − 3.20 − 3.00 = C-0.20 (1.72' Back Prop.)

0+42.65 — 42.45

Top Wall: 39.85 − 2.60 − 2.22 = C-0.98 (1.72' Back Prop.)

Top Wall: 39.25 − 3.20 − 3.00 = C-0.95 (1.72' Back Prop.)

						Lt.			℄			Rt.
T.P.	4.78	32.90	4.33	28.12	Power Pole							
3+80									32.90			
						(3' Back Prop.)	27.45 5.00 4.44 C-0.56		27.45 5.00 4.52 C-0.48	(3' Back Prop.)		
3+55						(3' Back Prop.)	27.51 4.94 4.72 C-0.23		27.51 4.94 4.64 C-0.30	(3' Back Prop.)		
3+30						(3' Back Prop.)	27.58 4.87 4.63 C-0.24		27.58 4.87 4.53 C-0.34	(3' Back Prop.)		
3+05						(3' Back Prop.)	27.64 4.81 4.69 C-0.12		27.64 4.81 4.48 C-0.33	(5' Back Prop.)		
2+80						(3' Back Prop.)	27.70 4.75 4.66 C-0.09		27.70 4.75 4.52 C-0.23	(3' Back Prop.)		
2+60						(3' Back Prop.)	27.73 4.80 4.70 C-0.10		27.75 4.70 2.68 C-2.02	(2.5' Back Prop.)		
2+40						(3' Back Prop.)	27.79 4.66 4.64 C-0.02		27.89 4.56 4.44 C-0.12	(3' Back Prop.)		
2+20						(5' Back Prop.)	28.22 4.23 4.05 C-0.18		28.22 4.23 3.31 C-0.92	(3' Back Prop.)		
		32.45						32.45				

	Lt.		Rt.	
5+80	26.95	3' Back Prop.	26.95	3' Back Prop.
	5.95		5.95	
	4.70		4.59	
	C-1.25		C-1.36	
5+55	27.02	3' Back Prop.	27.02	3' Back Prop.
	5.88		5.88	
	4.68		4.63	
	C-1.20		C-1.25	
5+30	27.08	3' Back Prop.	27.08	3' Back Prop.
	5.82		5.82	
	4.78		4.67	
	C-1.04		C-1.15	
5+05	27.14	3' Back Prop.	27.14	3' Back Prop.
	5.76		5.76	
	4.76		4.63	
	C-1.00		C-1.13	
4+80	27.20	3' Back Prop.	27.20	3' Back Prop.
	5.70		5.70	
	5.02		4.53	
	C-0.68		C-1.17	
4+55	27.27	3' Back Prop.	27.27	3' Back Prop.
	5.63		5.63	
	5.41		5.17	
	C-0.22		C-0.46	
4+30	27.33	3' Back Prop.	27.33	3' Back Prop.
	5.57		5.57	
	5.45		5.16	
	C-0.12		C-0.41	
4+05	27.39	3' Back Prop.	27.39	3' Back Prop.
	5.51		5.51	
	5.29		5.05	
	C-0.22		C-0.46	

32.90

32.90

Lt. ℄ Rt

See page 40 this book - BM BP at Cable and Coronado given as 28.50

Check			4.10	28.50	= 28.58
T.P.	5.94	32.60	6.24	26.66	
6+00.1	Begin Blacktop paving				

Cable + Coronado BM BP

32.90

Gutter 26.95 5.95

32.90

26.98 5.92 Gutter 5.92

8°46

Fx 9-4808

21.20
4.45
25.75
.215
2360

4.65
2.15
2.50

41103
30379
107.24

10354
370
107.24

403345
0615
404000

228.70
4.98
223.72

15.1
11.7
76.8

15.1
1.05
13.45

5.72
8.30
14.02