192
Sewers

Front Street.
Wal. st "
Alley bet. Albatross 1st

LEVEL

F.B. 192

192

*Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.*

| Minutes | Lks. | Minutes | Lks. | Minutes | Lks. |
|---|---|---|---|---|---|
| 1 | 2 1/3 | 21 | 49 | 41 | 95 2/3 |
| 2 | 4 2/3 | 22 | 51 1/3 | 42 | 98 |
| 3 | 7 | 23 | 53 2/3 | 43 | 100 1/3 |
| 4 | 9 1/3 | 24 | 56 | 44 | 102 2/3 |
| 5 | 11 2/3 | 25 | 58 1/3 | 45 | 105 |
| 6 | 14 | 26 | 60 2/3 | 46 | 107 1/3 |
| 7 | 16 1/3 | 27 | 63 | 47 | 109 2/3 |
| 8 | 18 2/3 | 28 | 65 1/3 | 48 | 112 |
| 9 | 21 | 29 | 67 2/3 | 49 | 114 1/3 |
| 10 | 23 1/3 | 30 | 70 | 50 | 116 2/3 |
| 11 | 25 2/3 | 31 | 72 1/3 | 51 | 119 |
| 12 | 28 | 32 | 74 2/3 | 52 | 121 1/3 |
| 13 | 30 1/3 | 33 | 77 | 53 | 123 2/3 |
| 14 | 32 2/3 | 34 | 79 1/3 | 54 | 126 |
| 15 | 35 | 35 | 81 2/3 | 55 | 128 1/3 |
| 16 | 37 1/3 | 36 | 84 | 56 | 130 1/3 |
| 17 | 39 2/3 | 37 | 86 1/3 | 57 | 133 |
| 18 | 42 | 38 | 88 2/3 | 58 | 135 1/3 |
| 19 | 44 1/3 | 39 | 91 | 59 | 137 2/3 |
| 20 | 46 2/3 | 40 | 93 1/3 | 60 | 140 |

MICROFILMED DEC 8 1964

*Return to City Engineers Office*
*City Hall, San Diego, Cal.*

## TABLE FOR RUNNING ON SLOPES.

*In the following table the first column shows the angle, the second the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement.*

| Angle | Cor. in Links | Angle | Cor. in Links | Angle | Cor. in Links | Angle | Cor. in Links |
|---|---|---|---|---|---|---|---|
| o | | o | | o | | o | |
| 4 | 0.24 | 11 | 1.88 | 18 | 5.14 | 25 | 10.54 |
| 5 | 0.38 | 12 | 2.24 | 19 | 5.76 | 26 | 11.26 |
| 6 | 0.55 | 13 | 2.63 | 20 | 6.42 | 27 | 12.24 |
| 7 | 0.76 | 14 | 3.06 | 21 | 7.11 | 28 | 13.37 |
| 8 | 0.98 | 15 | 3.53 | 22 | 7.85 | 29 | 14.34 |
| 9 | 1.24 | 16 | 4.02 | 23 | 8.64 | 30 | 15.47 |
| 10 | 1.55 | 17 | 4.56 | 24 | 9.47 | 35 | 22.07 |

192

N.E. 252.83

W.W. 250.92

*Return to City Engineers Office*
*City Hall, San Diego, Cal.*

# Index


Page 1 – 9 Front St. from Laurel to Walnut

" 11. Walnut St "L" Lots

" 13 "J" Lots in Alley but Albatross + 1 St "

# B.M.

263.14 Spk in Tel. Pole N.E. Cor. of Alley Bet. 1st + 2nd + Thornton

259.17 Spk in Elec. Pole in Alley 10' West of Stat. 15+15 "J" Line 300' So. of Robinson Bet. Albatross + 1st

253.95 Spk. in Elec. Pole S.W. Cor. of 1st + Brookes.

250.81 Spk in Elec. Pole S.W. Cor. 1st + Walnut

239.16 Hub 25' East of Stat. 82' of Front St. Sewer

237.21 Spk in Tel. Pole N E Cor. Spruce + Front.

230.84 Hub 10' East of Stat 21+60 Front St. Sewerline

217.84 Hub 20' East of Stat. 17+00 " " " "

220.17 " 30' " " " 14+25 " " " "

139.78 " 15' " " " 10+45 " " " "

214.84 Spk in Tel. Pole N.E. Cor. Maple + Front.

Front Street Profile No 8.

Stakes set 2' East of Ct. Line

4.85 / 209.43 B.M. Front Laurel

6/15/04 Hutchinson Evans Sawyer

| | | | | Grade | Cut. |
|---|---|---|---|---|---|
| | C.I.2 21.438 | | 208.26 | | |
| 0 | Ct of Laurel | 7.40 | 207.0 | 196.50 | 10.5 |
| +50 | | 6.50 | 207.9 | 197.09 | 10.8 |
| 1 | | 5.96 | 208.4 | 197.68 | 10.7 |
| +50 | | 6.0 | 208.4 | 198.28 | 10.1 |
| 2 | | 4.9 | 209.5 | 198.87 | 10.6 |
| +50 | | 5.62 | 208.73 | 199.46 | 9.3 |
| 3 | | 5.80 | 208.6 | 200.05 | 8.6 |
| +40.8 | So. L. of Maple MH. 161. 215.76 | 7.50 | 208.26 | 200.53 | 7.7 |
| | 0.92 215.76 | | 214.84 | | |
| +80.8 | | | | | |
| 4 | | 5.84 | 210.4 | 201.24 | 9.2 |
| +50 | | 3.55 | 212.2 | 201.83 | 10.4 |
| 5 | | 3.97 | 211.8 | 202.42 | 9.4 |
| +50 | | 3.49 | 212.3 | 203.01 | 9.3 |
| 6 | | 4.76 | 211.0 | 203.60 | 7.5 |
| +44 | B.I. of Trestle | 11.17 | 204.6 | 204.12 | 0.5 |

Front St Sewer.

Stakes Set 2' East of Center Line

| | | | | | Grade | Cut | | |
|---|---|---|---|---|---|---|---|---|
| B.M. | 8.19 | 228.36 | | 220.17 | | | | |
| 14+14 B.S. | | | | | 213.24 | | | |
| +6.4 | | | 6.7 | 221.4 | 213.66 | 7.8 | | |
| 14+83.2 M.H. 160 Manhole | | | 5.3 | 223.1 | 214.06 | 9.0 | | |
| 15+05 | | | 5.0 | 223.4 | 214.32 | 9.1 | | |
| +23.2 | | | | | 214.33 | | | |
| +50 | | | 4.8 | 223.6 | 214.85 | 8.8 | | |
| 16 | | | 5.85 | 222.51 | 215.44 | 7.0 | | |
| +50 | 1.23 | 221.64 | 7.95 | 220.41 | 216.03 | 4.0 | | |
| 17 Bent 1. | | | 7.26 | 214.4 | 216.63 | - 2.2 | | |
| 17 | | | 7.51 | 214.13 | | | | |

1.83
3.41
1.92

35

# Front Street Sewer.

Stakes Set 2' East of Line

| | | | | |
|---|---|---|---|---|
| | 3.24 | 233.84 | | 230.10 |
| B.M. | | | 2.49 | 230.85 |
| 20+30 BT. | | | 13.04 | 220.3 |
| +50 | | | 9.75 | 223.6 |
| 21 | | | 4.90 | 228.4 |
| +60 | | | 3.05 | 230.3 |
| | 0.93 | | 11.55 | 221.75 T.P. |
| 22 | | 222.68 | | |
| 22+02 | B.I. | | 12.80 | 209.8 |
| | | | 13.00 | 209.68 |

12.5 / 220.82

Grade Cut

HUB 10' East of 21+60 R.P.

| | |
|---|---|
| 220.54 | − 0.2 |
| 220.78 | + 2.8 |
| 221.37 | 7.0 |
| 222.08 | 8.2 |
| 222.55 ✓ | |
| 222.57 | − 12.8 |

# Front St Sewer

6/19/05

Stake set 3' East of line

| | | | | Elevations | Grades Cuts |
|---|---|---|---|---|---|
| 24+22 | B.S | 5 | | 220.51 | 22.5.17 |
| 24+50 | | | | 227.33 | 2 2 5.7 0 |
| | 2.87 | 240.08 | | 237.21 | 1.8 |
| 25 | | | 7.67 | 232.4 | |
| +50 | | | | | |
| 26 | | | 7.0 | 233.1 | 226.09 6.3 |
| | | | 6.5 | 233.6 | 226.68 6.4 |
| +25 | M.H. 159 | | 6.26 | 233.8 | 227.28 6.3 |
| +65 | | | 6.46 | 233.6 | 227.58 6.2 |
| 27 | | | 4.32 | 235.7 | 228.05 5.6 |
| | 4.86 | 242.07 | | 237.21 | 228.46 7.2 |
| +50 | | | 4.7 | 237.4 | |
| 28 | | | 4.44 | 237.6 | 229.05 8.3 |
| +50 | | | 4.86 | 237.2 | 229.64 8.0 |
| 29 | | | 5.77 | 236.3 | 230.24 7.0 |
| +35 | 6.27 | 240.32 | 8.0 | 234.05 | 230.83 5.5 |
| | | | | | 231.24 7.8 |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| +85 | | 240.32 | 12.2 | 228.1 | 231.42 | −3.3 | |
| +80 | | | 20.0 | 220.3 | | | |
| 30 | | | 12.1 | 228.2 | 232.01 | −3.8 | |
| +35 | | | 6.2 | 234.1 | 232.42 | 1.7 | |
| +50 | | | 5.4 | 234.9 | 232.60 | 1.3 | |
| 30-85 | N.H. 1/8 | | 3.3 | 237.0 | 232.02 | 4.0 | |
| 31 | | | 3.9 | 236.4 | 233.19 | 3.2 | |
| +53 | | | 3.5 | 236.8 | 233.79 | 3.0 | |
| 32 | | | 3.9 | 236.4 | 234.38 | 1.0 | |
| +19 | B.I. | | 11.9 | 228.4 | 234.60 | −1.2 | |
| B.M. | 6.58 | 245.74 | 1.16 | 239.16 | Hub 2½' East of Sta. 32 | | |

Continued on Page 8

Front Street.

Trestle #4

22+02 Bent 1.

22+57 " 2

23+12 -

23+67

24+22 Bent 5

24+50

25

+50

26

+25.5 M.H. #69

+50

27

+50

28

+50

29

+50

30

+50

31

+50

32

Trestle #

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 32+19 | Bent #1 | | | | | | |
| 32+37.33 | B #2 | | | | | | |
| 32+55.67 | " #3 | | | | | | |
| 32+74 | " #4 | | | | | | |
| 32+92.33 | " #5 | | | | | | |
| 33+10.67 | " #6 | | | | | | |
| 33+29 | " 7 | 24574 | 15.34 | 230.4 | 23591 | -5.5 | |
| +50 | | | 8.7 | 237.5 | 23616 | 1.3 | |
| +86.5 | M.H. #157 | | 5.24 | 240.5 | 23657 | +3.9 | |
| 34 | | | 2.64 | 242.1 | 23675 | 5.3 | |

36474
83429
345
7.1814
1950
2760
3
4.08480

45774
3160
42.14

11.84
1.10
11.842
11.842
1.30240

285.44 B.M. 8
4.03
289.41
7.50
281.91 T.P.
1.02
280.33 H.I.
12.23
271.10
0.45
271.55
12.88
258.67
0.19
258.86
11.63
247.23 T.P.
0.10
247.33

23595
1302
236.497

3386
80

Note. Stakes set 2' East of line

4/17/05
6/19/05

## Front Street.

| | | | Elevation | | Grade | Cut | |
|---|---|---|---|---|---|---|---|
| +68 | | 245.74 | 5.5 | 240.2 | 237.51 | 2.7 | |
| 85 | 12.62 | 253.38 | 4.98 | 240.76 | 237.92 | 2.9 | |
| +53 | | | 12.0 | 241.4 | 238.51 | 2.9 | 3877 3886 288 |
| 86 | | | 10.6 | 242.8 | 239.10 | 3.7 | |
| +50 | | | 3.2 | 250.2 | 239.69 | 10.5 | |
| 86+38.8 | M.H. | | 2.85 | 250.5 | 240.00 | 10.5 | |
| Center of Walnut | | | | | | | |
| B.M. | | | 2.57 | 250.81 | | | 2 Small nails in Elec Pole S.W. Cor. 14th & Walnut |

# Walnut Street

Note Stakes 2' North of Line

| 36+73.8 of Front Street Line = Sta. 0 of Walnut | | Grade | H.I. | | 6" "L" Elev. | Cut |
|---|---|---|---|---|---|---|
| 0 | | 240.0 | 253.39 | 2.8 | 250.6 | 10.6 |
| +50 | | 240.56 | | 3.4 | 250.0 | 9.4 |
| 1 | | 241.12 | | 3.6 | 249.8 | 8.7 |
| +50 | | 241.68 | | 4.7 | 248.7 | 7.0 |
| 1+77.9 | M.H. #76 | 242.0 | | 5.0 | 248.4 | 6.4 |


Robinson
F.T.
Thornton
Ave.
Albatross St.
Brookes.
"J"
1st Street.
2nd Street.
Walnut Ave.
"I"
Front St.

Alley bet. 1st + Albatross

"J" Line

B.M. 250.81

Note- Stakes 2' East of Line

1+77.9 of "L" Line = Stat 0 of "J" Line. M.H.#76.

0

+50

1

+50

2

+50

3

+50

+65 M.H.#77

4

+50

5

+50

6

6+50

+70.2 M.H.#80.

C/L of Brooks

4/17/05. P.W. Tech 800

+75 246.74
+96 246.9
1+77 249.34

1024
245.50

25 x 90
1 61
255.54
4 50
249.9

| Grade | H.I. | Rod | Elev. | Cut |
|---|---|---|---|---|
| | | 246.5 | | |
| 242.00 | 253.39 | 5.0 | 248.4 | 6.4 |
| 242.22 | | 4.2 | 249.2 | 7.0 |
| 242.45 | | 3.0 | 250.4 | 8.0 |
| 242.67 | | 3.1 | 250.3 | 7.6 |
| 242.90 | | 2.9 | 250.5 | 7.6 |
| 243.12 | | 3.4 | 250.0 | 6.9 |
| 243.34 | | 4.0 | 249.4 | 6.1 |
| 243.57 | | 3.9 | 249.5 | 5.9 |
| 243.64 | | 3.9 | 249.5 | 5.9 |
| 243.79 | | 3.9 | 249.5 | 5.7 |
| | turn. | | | |
| 244.01 | | 2.20 | 251.19 | 7.2 |
| 244.24 | | 2.8 | 250.6 | 6.4 |
| 244.46 | | 3.9 | 249.5 | 5.0 |
| 244.69 | | 4.1 | 249.3 | 4.6 |
| 244.91 | | 3.3 | 250.1 | 5.2 |
| 245.00 | | 3.2 | 250.2 | 5.2 |

"J" Line. 4/18/05

| | | | | | Elevation |
|---|---|---|---|---|---|
| | | | 4.1 | | |
| | 3.48 | 257.43 | Rod | | 253.95 |
| 7 | | | 7.2 | | |
| +10 | | | 5.8 | | |
| +50 | | | ~~5.7~~ 1 | | |
| 8 | | | 5.9 | | |
| +50 | 0.39 | 246.24 | 11.58 | | 245.85 |
| | | | 0.0 | | |

Trestle #5

| | | | | | |
|---|---|---|---|---|---|
| 8+78 | Bent 1 | | 5.84 | | 240.40 |
| 9 | | | 9.4 | | 236.8 |
| 9+33 | " 2 | 227.46 | 2.39 | | 220.07 |
| +75 | | 211.21 | 2.5 | | 208.7 |
| 9+88 | " 3 | | 7.6 | | 203.61 |
| 10+23 | " 4 | 199.90 | 8.53 | | 191.37 |
| +70 | | 191.27 | 5.3 | | 186.0 |
| +85 | | | 1.43 | | 177.5 |
| 10+98 | " 5 | | 9.01 | | 182.26 |
| 11+53 | " 6 | 202.42 | 2.31 | | 200.11 |
| 12+08 | " 7 | 214.74 | 0.43 | | 214.31 |
| 12+63 | " 8 | 225.16 | 5.94 | | 219.74 |
| 13+18 | " 9 | | 5.87 | | 219.31 |
| +40 | | | 2.0 | | 223.2 |
| 13+73 | " 10 | 236.80 | 1.70 | | 235.10 |
| 14+28 | " 11 | | 0.83 | | 235.97 |
| +50 | | 247.65 | 6.6 | | 241.1 |
| 14+83 | " 12 | | 0.54 | | 247.11 |

| H.I. | Rod | Elev. | Grade | |
|---|---|---|---|---|
| 254.97 | 4.7 | 250.3 | 245.34 | |
| | 2.8 | 252.2 | 245.93 | |
| | 3.6 | 251.4 | 246.63 | T.P. |
| | 7.7 | 247.3 | 247.12 | |

13+30 ℄ Penn. Grade 252.81

| | | |
|---|---|---|
| 246.24 | | |
| 12.25 | | |
| 233.76 | | |
| 0.35 | | |
| 234.31 | | |
| 12.61 | | |
| 221.70 | | 5.0 |
| 0.76 | | |
| 222.46 | | |
| 12.60 | | 6.3 |
| 209.86 | | |
| 1.85 | | |
| 211.21 | H.I. | 4.9 |
| 12.71 | | |
| 198.50 | | |
| 1.40 | | 0.2 |
| 199.90 | H.I. | |
| 12.18 | | |
| 187.72 | | |
| 3.55 | | |
| 191.27 | | |
| 0.17 | | |
| 191.10 | | |
| 11.32 | | |
| 202.42 | | |
| 0.48 | | |
| 201.94 | | |
| 12.80 | | |
| 214.74 | T.P. | |
| 0.43 | | |
| 214.31 | | |
| 10.85 | | |
| 225.16 | | |
| 1.25 | | |
| 223.91 | | |
| 17.89 | | |
| 236.80 | | |
| 0.83 | | |
| 235.97 | | |
| 11.68 | | |
| 247.65 | | |
| 0.54 | | |
| 247.11 | | |
| 10.21 | | |
| 257.32 | | |

4/24/05 Hutchison E+S.

| | | | | |
|---|---|---|---|---|
| 15 | | 257.32 | 4.3 | 253.0 |
| +75 | 7.07 | 264.02 | 0.37 | 256.95 TP. |
| +50 | | | 5.3 | |
| | | | 4.5 | |
| B.M. | | | 4.87 | 259.15 |
| | May 20. 1905 | H.I. | 2.93 | 261.09 Rod |
| 15+20 | | 271.00 | | 11.7 |
| +50 | | | | 11.1 |
| 16 | | | | 10.4 |
| +50 | | | | 9.5 |
| +85 | M.H.#81 | | | 9.2 |
| 17 | | | | 8.9 |
| +50 | | | | 7.5 |
| 18 | | | | 5.9 |
| +50 | | | | 4.9 |
| 19 | | | | 4.1 |
| +35 | F.J.#24 | | | 3.4 |

Grade

Childs
Gunn
Gunnison

Soft [illegible] Sand Elect Pole Soft Rotmuse

| Elev | Grade | Cut |
|---|---|---|
| 259.3 | 255.06 | 4.2 |
| 259.9 | 255.42 | 4.5 |
| 260.6 | 256.01 | 4.6 |
| 261.5 | 256.61 | 4.9 |
| 261.8 | 257.03 | 4.8 |
| 262.1 | 257.20 | 4.9 |
| 263.5 | 257.79 | 5.7 |
| 265.1 | 258.38 | 6.7 |
| 266.1 | 258.98 | 7.1 |
| 266.9 | 259.58 | 7.3 |
| 267.6 | 260.00 | 7.6 |

4/24/05 Hutchinson

(From I (1st) Line Sewer in alley bet I & J + 2nd Streets from Brookes to University Ave

| | | M.H. | Rod. | Elevations | Grade | Cut |
|---|---|---|---|---|---|---|
| Sta 0 | | 264.40 | 5.26 | 259.14 | 253.00 | 6.2 |
| +50 | | | 5.21 | 259.19 | 253.29 | 5.9 |
| +60 | | | 6.1 | 253 | | |
| | Trestle #14 | | | | | |
| +70 | | | 11.0 | 253.4 | | |
| +92 | Bent 1 | 252.23 | 5.22 | 247.01 | 253.53 | |
| 1+47 | " 2 | 239.82 | 8.07 | 231.75 | | |
| 2+02 | " 3 | 227.83 | 3.27 | 224.56 | | |
| 2+57 | " 4 | 216.85 | 3.68 | 213.17 | | |
| 2+95 | | | 13.5 | 203.3 | | |
| 3+12 | " 5 | | 10.03 | 206.82 | | |
| 3+67 | " 6 | 229.30 | 7.67 | 221.63 | | |
| 4+22 | " 7 | 250.73 | 7.72 | 243.01 | | |
| 4+40.33 | " 8 | | 0.65 | 250.0 8 | | |
| 4+58.67 | " 9 | 262.88 | 7.98 | 254.90 | | |
| 5 | | | 3.8 | 259.1 | 255.90 | 3.2 |
| +50 | | | 4.86 | 260.04 | 256.19 | 3.8 |
| 6. | B.M. on Hunt | | 1.76 | 261.14 | 256.48 | 4.6 |
| +50 | | | | 261.7 | 256.77 | 4.9 |
| 6+90.1 | No Mr. Thornton | | 0.88 | 262.50 | 257.00 | 5.5 |

5/3/05 Hutchinson leave station

Cont. in Book 191 pg 89

# Front Street Levels

| | | | | | |
|---|---|---|---|---|---|
| 34+00 | | | 247.33 | 5.15 | 242.18 |
| +50 | | 1.35 | 238.76 | 9.92 | 237.41 |
| | | Trestle #5 | | | |
| 33+29 | B7 | | | 8.38 | 230.38 |
| | | 0.95 | 227.84 | 11.87 | 216.97 |
| 33+10.67 | B#6 | | | 4.49 | 223.35 |
| 32+97.33 | B#5 | | | 12.54 | 210.80 |
| 32+82 | | | | | 210.6 |
| 32+74 | B4 | | | | 212.85 |
| 32+57.67 | B#3 | | | 10.24 | 217.60 |
| 32+37.33 | B2 | | | 5.88 | 221.96 |
| | | 12.54 | 239.85 | 0.53 | 227.81 |
| 32+19 | Bent 1 | | | 11.34 | 228.51 |
| +04 | | | | 4.3 | 235.76 |
| 31 | | | | 3.6 | 236.2 |
| | | 2.43 | 239.84 | | 237.41 |
| 31 | | | | 3.43 | 236.41 |
| +50 | | | | 5.1 | 234.7 |

5/4/05 Hutchinson Evans Service

| | | |
|---|---|---|
| FF 6 | 6.84 212.85 | 227.84 12.11 215.73 3.76 219.69 M.L. |

First Street

| | | | | | |
|---|---|---|---|---|---|
| 30+75 | | | 239.84 | 6.52 | 233.32 |
| 30+60 | | | | 9.6 | 230.2 |
| 29+90 | | | | 21.0 | 218.8 |
| 29+35 | | | | 6.3 | |
| 29 | | 6.11 | 242.34 | 8.61 | 236.23 |
| 28 | | | | 4.92 | 237.42 |
| +50 | | | | 5.2 | 237.14 |
| B.M. | | | | 5.10 | 237.24 |
| 27 | | | | 6.64 | 235.70 |
| | | | | ~~7.2~~ | |
| +75 | 50 Feet of Spruce | | | 8.57 | 233.77 |
| 26 | | | | 8.84 | 233.50 |
| +50 | | | | 9.25 | |
| 25 | | 0.86 | 233.20 | 10.00 | 232.34 |
| 24+65 | | | | 2.2 | 231.0 |
| +60 | | | | 6.4 | |
| +50 | | | | 6.90 | 226.3 |

5ft in tel pole N.E. Cor. Spruce & First

| | | | | | |
|---|---|---|---|---|---|
| | | Trestle #4 | | | |
| 24+22 | Bent #5 | | 233.20 | 12.64 | 220.56 |
| | | 0.495 | 221.055 | | |
| | | 0.53 | 209.02 | 12.585 | 208.49 |
| 23+85 | | | | 1.7 | 207.3 |
| 23+67 | B#4 | | | 10.93 | 198.09 |
| | | 0.57 | 197.50 | 12.09 | 196.93 |
| | | 0.475 | 185.445 | 12.53 | 184.97 |
| 23+12 | B#3 | | | 8.065 | 177.38 |
| 22+80 | | | | 15.4 | 170.0 |
| 22+57 | B#2 | | | 1.96 | 183.48 |
| | 12.11 | | 197.44 | 0.11 | 185.335 |
| | | 12.47 | 209.74 | 0.17 | 197.27 |
| | | 12.75 | 222.13 | 0.36 | 209.38 |
| 22+02 | Bent #1 | | | 13.44 | 209.69 |
| 21+80 | | 12.51 | 234.24 | 0.40 | 221.73 |
| 21+65 | | | | 5.1 | 229.1 |
| +60 | | | | 11.4 | 230.19 |

232.34
1.91
232.25

Front Street

| | | | | | |
|---|---|---|---|---|---|
| 21 | | | 234.25 | 5.96 | 228.29 |
| | | 0.46 | 221.81 | 12.90 | 221.35 |
| | | Trestle | 3 | | |
| 20+30 | Bent 7 | | | 0.99 | 220.82 |
| | | 0.28 | 209.25 | 12.82 5 | 208.97.5 |
| 19+75 | B 6 | | | 9.55 | 199.70 |
| | | 0.96 | 197.34 | 12.87 | 196.38 |
| | | 0.91 | 185.98 | 12.27 | 185.07 |
| 19+20 | B 5 | | | 10.62 | 175.86 |
| 19 | | | | 18.4 | 167.6 |
| 18+75 | | | | 11.4 | 175.6 |
| 18+65 | B 4 | | | 8.03 | 177.95 |
| | | 12.35 | 197.82 | 0.50 | 185.48 |
| 18+10 | B 3 | | | 7.42 | 190.40 |
| | | 12.48 | 210.23 | 0.07 | 197.75 |
| 17+55 | B#2 | | | 2.78 | 207.45 |
| 17 | B 1 | | | | 214.13 |

Hutchison
Evans
Scriven

# Front Street 5/6/05

## Trestle No. 2.

| | | | |
|---|---|---|---|
| | 3.06 S | 255.10 | 252.05 S |
| | 1.73 | 250.72 S | 6.10 S 248.99 S |
| | 0.16 S | 238.025 S | 12.86 S 237.86 |
| | 0.27 | 226.12 | 12.17 S 225.85 S |
| B.M. | 4.43 | 219.27 | 11.28 214.84 |
| 6 | | | 9.21 210.06 |
| | 1.26 S | 207.67 S | 12.86 206.41 |
| 6+44 B.1. | | | 8.50 204.18 |
| | 0.66 S | 195.91 | 12.43 195.245 S |
| | 0.99 | 184.35 S | 12.55 S 183.36 |
| 6+99 B.2. | | | 3.82 180.53 |
| | 0.71 S | 172.315 S | 12.75 171.60 |
| | 0.45 | 160.16 | 12.405 159.91 |
| 7+54 B.3 | | | 12.565 147.595 S |
| 8+09 B.4 | | | 10.77 149.39 |
| 8+64 B.5 | 1.16 | 162.43 | 8.89 151.27 |
| 9+19 B.6 | | | 5.11 147.32 |

N.E. Cor Maple + Front Spk in Tel Pole

# Front Street

## Trestle #2

| | | | | |
|---|---|---|---|---|
| 9+74 | B.7 | 152.43 | 4.72 | 147.71 |
| 10+29 | B8 | | 10.79 | 141.64 | HUB 15' East of 10+45 |
| B.M. | 0.86 | 140.64 | 12.65 | 139.78 |
| 10+84 | B9 | | 7.68 | 132.96 |
| | 7.75 | 136.13 | 12.26 | 128.38 |
| 11+39 | B10 | | 11.24 | 124.89 |
| | 12.65 | 148.73 | 0.55 | 135.58 |
| 11+94 | B11 | | 10.70 | 137.53 |
| | 12.71 | 160.56 ~~149.86~~ | 0.38 | 147.85 |
| 12+49 | B12 | | 12.35 | 148.21 |
| | 12.915 | 173.305 | 0.17 | 160.39 ~~160.39~~ |
| 13+04 | B13 | | 9.165 | 164.14 |
| | 12.725 | 185.53 | 0.50 | 172.805 |
| | 12.70 | 197.93 | 0.30 | 185.23 |
| 13+59 | B14 | | 6.73 | 191.20 |
| | 17.765 | 209.66 | 0.595 | 197.395 |
| | 12.56 | 221.41 | 0.81 | 208.85 |

Front St.

| | | | | | |
|---|---|---|---|---|---|
| 144+14 | B.S. | 221.41 | 7.68 | 213.73 | |
| B.M. | 7.58 | 227.75 | 1.24 | 220.17 | Hub 30' East of 144+25 |
| | 1.13 | 217.53 | 11.35 | 216.40 | |
| | | | 2.40 | 214.13 | |
| | | | 10.12 | 207.41 | |

Outfall Sewer at foot of 72nd St.

& Soundings.

Bents 0 = Bent 63

| | Depth of Water | | | 5/21/05 Soundings from Datum | Elevation of Bottom of Bay |
|---|---|---|---|---|---|
| | | 3.41 | H.I. | | |
| | | | 7,59 | | |
| | 4.0 | 2,71 | - 2.01 | 12,31 | - 11,4 |
| 1 | 4.2 | | | 5,4 | - 11,6 |
| 2 | 4,5 | | | 5,4 | - 11,9 |
| 3 | 4,6 | | | 5,4 | - 12,0 |
| 4 | 5,2 | | | 5,5 | - 12,7 |
| 5 | 5,3 | | | 5,5 | - 12,8 |
| 6 | 6,0 | | | 5,5 | - 13,5 |
| 7 | 7,5 | | | 5,5 | - 15,0 |
| 8 | 8,0 | | | 5,2 | - 15,6 |
| 9 | 8,8 | | | 5,2 | - 16,4 |
| 10 | 9,4 | | | 5,6 | - 17,0 |
| 11 | 10,5 | | | 5,7 | - 18,2 |
| 12 | 11,2 | | | 5,7 | - 18,9 |
| 13 | 12,2 | | | 5,7 | - 19,9 |
| 14 | 12,8 | | | 5,7 | - 20,5 |
| 15 | 13,2 | | | 5,7 | - 20,9 |
| 16 | 14,0 | | | 5,8 | - 21,8 |

| | | | | | | |
|---|---|---|---|---|---|---|
| 17 | | 15 | -20.1 | V 9 | -7.9 | 22.9 |
| 18 | | 15 | | V 9 | -7.9 | 22.9 |
| 19 | | 15 | | V 9 | -7.9 | 22.9 |
| 20 | | 15 | | V 9 | -7.9 | 22.9 |
| 21 | | 15.4 | | V 9 | -7.9 | 18.3 |

Note.

75' from Bent 21.

150' from Bent 21

Grade of Bent 11

| | | |
|---|---|---|
| | | 24.9 |
| | | 30.9 |
| 7.2 | -4.2 | |

# Front St.

## Trestle #2. Tie Points

6+44 B.1.




6+99 B 2




7+54 B 3

8+09 B#4

8+64 B#5




9+19 B#6




6/10/05 Schutchins Evans Sawyer

9+74 B#7




10+29 B#8




10+84 B#9




11+39 B#10




11+94 B#11



Front St.

Truth # 2 Tie Points

12+49 B#12




13+04 B#13




13+59 B#14




14+14 B#15



# Trestle No 3
## Front Street.
## Tie Points 6/12/05

17 B.1.




17+55 B#2




18+10' B#3




18+65 B#4




19+70 B#5




19+75 B6




20+30' B7



# Trestle No. 4.

6/17/07

## Front Street

22+02 B.1




22+57 B#2




23+12 B#3




23+67 B#4




24+22 B#5



# Trestle No 5
# Front Street.

6/13/05





"J"

Trestle No 15

Alley bet 1st & Albatross

8+78 B#1.




9+33. B#2




9+88 B#3

10+43 B#4




10+98 B#5




T.i.e Points 6/14/15

32

11+53 B#6




12+08 B#7

12+63 B#8

13+18 B#9

13+73 B#10




14+28 B#11



Trestle No 15



33

14+83 B#2

15+20.

I Line.

Sewer in Alley Bet 1st & 2nd

Trestle #4

4+58.67 B#9




4+40.33 B#8




4+22 B#7




3+67 B#6




3+12 B#5




2+57 B#4




6/14/05

Hutchison
Evans
Sewer.

34



2+02 B#3




1+47 B#2




0+92 B.1.



Childs
Brodes
Hawkins

Jan 27, 1906

Proposed Sewer on
Quince Street. Bk. 334





| Sta. | | Grade | H.I. | Rod | Elev. | cut |
|---|---|---|---|---|---|---|
| 0+00 | M.H. | | 250.30 | 5.7 | 244.6 | |
| 0+50 | | | 243.18 | 3.4 | 239.8 | |
| 1 | | | | 11.8 | 231.4 | |
| +32 | M.H. | | 230.45 | 3.5 | 227.0 | |
| +50 | | | | 4.4 | 226.1 | |
| 2 | | | | 5.4 | 225.1 | |
| +50 | | | | 6.0 | 224.5 | |
| 3 | | | | 9.7 | 220.8 | |
| +50 | | | | 12.7 | 217.8 | |
| +88.9 | M.H. | | | 12.7 | 217.8 | |




276
272194
430 / 3.060.71
3010
500

288.2 288.19
6.9 7.21
281.3 * 280.98
5.27
286.25
5.8
280.4

10.35
570
245.0
175
1,995.0

280.28
280.0
1.2
278.8
279.25
274.3
4.5

279.28
277.28
274.28
1.2
275.5

91
.35
45.5
273
318.5

No. 71
39
639
213
.2769

391
281
5.72

128'
214
342
3.35
191.0
1026
1.197.0

8th St. University ave

| Sta | | H.I. | | Elev. | |
|---|---|---|---|---|---|
| | 4.99 | 289.24 | | 284.25 | BM |
| 0+00 | | | 4.8 | 284.4 | |
| +50 | | | 5.6 | 283.6 | |
| 1+00 | | | 5.3 | 283.9 | |
| +50 | | | 5.4 | 283.8 | |
| +89 | ~~M.N.~~ | | 5.20 | 284.04 | |
| | 4.15 | 288.19 | | | |
| 0+00 = | M.N. = 1+89 | | | 284.0 | |
| +50 | | | 4.1 | 284.1 | |
| 1+00 | | | 4.1 | 284.1 | |
| +50 | | | 4.2 | 284.0 | |
| 2+00 | | | 4.2 | 284.0 | |
| +50 | | | 4.8 | 283.4 | |
| 3+00 | | | 4.9 | 283.3 | |
| +50 | | | 5.5 | 282.7 | |
| +91 | | | 5.4 | 282.8 | |

north to Sisters. 39

Nov. 8 1906 Childs Evans Bell

39

POSTED

| Grade | Cut | |
|---|---|---|
| 272.94 | 11.5 | |
| 273.30 | 10.3 | |
| 273.65 | 10.2 | |
| 274.0 | 9.8 | |
| 274.28 | 9.7 | |
| | | → drop M.N. |
| 274.28 | 9.7 | |
| 278.80 | 5.2 | |
| 278.97 | 5.1 | |
| 279.15 | 5.0 | |
| 279.32 | 4.7 | |
| 279.50 | 4.5 | 2+14 |
| 279.67 | 3.7 | |
| 279.85 | 3.4 | |
| 280.02 | 2.7 | |
| 280.34 | 2.5 | |

Maple Street Front

POSTED

| | | H.I. | Grnd | | Grade | Cut |
|---|---|---|---|---|---|---|
| Sta | 6.22 | 215.81 | 209.59 | B.M. | | |
| 0+00 | Ct. Front | | | | 201.0 | |
| +43 | East line Front | | 6.65 | 209.16 | 204.0 | 5.2 |
| +93 | | | 3.25 | 212.56 | 207.5 | 5.1 |
| JP 3 | 7.29 | H.I. 219.85 | | | | |
| 1+43 | | | 3.26 | 216.59 | 211.0 | 5.6 |

143' East

Schildts
Evans
Bell

8.1906



40

For outlet pipe at 6th & Schields & Evans Bell
University ave,
0.5-4 H.I 284.08 Nov. 24. 1906 283.54

Grade N. H. 39 270.86
Distance on Nissen Valley
Road to same grade is 245.7

Sewer in walnut alley

bet. 1st + albatross to albatross.

| | West rim of M.H. 248.42 B.M. | Grade |
|---|---|---|
| 0+00 | M. H. center alley | 242.30 |
| +50 | | 242.50 |
| 1+00 | | 242.70 |
| +67.5 | E. line albatross center walnut | 242.85 |
| +67.5 | | 242.97 |
| +97 | N. line walnut. 2½' west of center of albatross | 243.09 |

POSTED

POSTED

## Sewer Levels in Center Street,

| Sta | 3.24 | H.I. 310.24 | Grade | Rod 30697 | Elev. B.M. |
|---|---|---|---|---|---|
| 0 | Center of Remi. ave & center street | 299.50 | | 5.5 | 304.7 |
| 15' | gutter | | | 6.4 | 303.8 |
| 26 | curb | | | 5.6 | 304.6 |
| 40' | Pro. line Remi ave. | | | 5.4 | 304.8 |
| 43' | | | | 7.4 | 302.8 |
| 50' | | | | 7.2 | 303.0 |
| 100 | | | | 5.7 | 304.5 |
| 150 | | | | 4.3 | 305.9 |
| 200 | | | | 4.4 | 305.8 |
| 250 | | | | 5.3 | 304.9 |
| 300 | | | | 5.8 | 304.4 |
| 350 | | | | 5.7 | 304.5 |
| 400 | | | | 7.1 | 303.1 |
| 450 | | | | 8.8 | 301.4 |
| 500 | | | | 9.2 | 301.0 |
| 550 | | | | 11.0 | 299.2 |
| 600 | | | | 13.2 | 297.0 |

POSTED




POSTED

| Sta | H.I. 3107 | Grade | Rod | Grand |
|---|---|---|---|---|
| 650 | | | 15.2 | 295.0 |
| 675 | | | 15.6 | 291.6 |
| 700 | POSTED | | 15.0 | 295.2 |

Alley let 2 ms + 3 rd

Work done by Stabler Measure 4/6/05

Hutchinson
Evans
Sawyer

Cut

| | | |
|---|---|---|
| 12+76 | 12+87 | 2.7 |
| 12+67 | 12+76 | 3.5 |
| 12+35 | 12+67 | 2.5 |
| 12+24 | 12+35 | 0.6 |
| 12+13 | 12+24 | 2.0 |

Alley bet 2nd & 3rd

Work done by Statler.

| | | | |
|---|---|---|---|
| 12+09 | 12+13 | | 1.0 |
| 11+99 | 12+09 | | 3.4 |
| 11+80 | 11+99 | | 2.0 |
| 11+59 | 11+80 | | 1.1 |
| 11+45 | 11+59 | | 2.8 |
| 11+19 | 11+45 | | 0.5 |
| 11+08 | 11+19 | | 0.0 |
| 10+66 | 11+08 | | 1.1 |
| 10+49 | 10+66 | | 4.4 |
| 10+44 | 10+49 | | 00 |
| 10+23 | 10+44 | | 4.2 |
| 10+20 | M.H. #68 | 3.6' x 4' x 5' | |
| | | | |
| 9+74 | 10+18. | | 2.2 |
| 9+33 | 9+74 | | 4.8 |
| 9+05 | 9+33 | | 1.9 |
| 8+80 | 9+05 | | 1.0 |

C47,

| | | |
|---|---|---|
| 8+72 | 8+80 | 0.0 |
| 8+57 | 8+72 | 2.5 |
| 8+47 | 8+57 | 3.8 |
| 8+28 | 8+47 | 2.8 |
| 8+07 | 8+28 | 1.6 |
| 7+80 | 8+07 | 3.8 |
| 7+45 | 7+80 | 3.4 |
| 7+15 | 7+45 | 3.7 |
| C+93 | to 7+15 | 1.7 |

C490 MH.67. No 4. of Thornton 4 x 5 x 0.9

So Fork of Thornton,

| | | |
|---|---|---|
| 6+03 | C+27 | 4.6 |
| 5+49 | 6+17 | 3.0 |
| 5+35 | 5+49 | 2.8 |
| 4+92 | 5+35 | 2.6 |

Alley bet 2nd & 3rd



| | | Cut. |
|---|---|---|
| 4+59 | To 4+92 | V:0 |
| 4+49 | 4+59 | 2.9 |
| 4+12 | 4+49 | 3.5 |
| 4+10 | 4+12 | 00 |
| 4 | 4+10 | 3.9 |
| 3+95 | 4+00 | 00 |
| 3+85 | 3+95 | V:2 |
| 3+79 | To 3+85 | 00 |
| 3+69 | To 3+79 | 7' |
| 3+63 | 3+69 | 00 |
| 3+60 | M.H. 66 | 3.5' x 4.5' x 7.5' |
| ~~3+57~~ | | |
| 3+47 | 3+57 | 00 |
| 3+37 | 3+47 | 6.0 |
| 3+28 | 3+37 | 00 |
| 3+19 | To 3+28 | 6.0 |
| 3+04 | To 3+19 | 00 |

Alley but
2nd 43rd

| | | | |
|---|---|---|---|
| | | | No pipe Laid |
| | | Cut | |
| 3+04 to 2+94 | 10' x 6.5' | | |
| 2+94 to 2+88 | 6 x 00 | | |
| 2+88 to 2+80 | 8 x 5.7 | | |
| 2+80 to 2+76 | 4 x 00 | | |
| 2+76 to 2+68 | 8' x 8.2 | | |
| 2+68 to 2+47 | 21 x 4.6 | | |
| 2+47 to 2+22 | 25 x 6.6 | | |
| 2+22 " 2+00 | 22 x 4.5 | | |
| 2+00 1+85 | 15 x 1.7 | | |
| 1+85 to 1+08 | Canon | | |
| 1+08 to 0+96. | | 2.6 | Down to grade |
| 0+96 to 0+86 | | 5.6 | |
| 0+86 to 0+82 | | 5.3 | |
| 0+82 to 0+80 | | 5.2 | |
| 0+80 to 0+30 | | 6.0 | |
| 0+80 to 0+20 | | 4.0 | |

Cut

0+20 to 0+00 3.3

Star of M.H. 5 x 6 x 4.3

Center of Brooks North

Note to from Ct of Brooks

105' of Pipe in place and Back filled

8". M.H. Excavated

# Alley bet 3rd & 4th

Work done by Station. 6/17/05

| | | | Cut |
|---|---|---|---|
| M.H. on Brooks | | | 2 x 3' x 4' |
| 0+10 | to | 0+19 | = 9 x 2. |
| 0+19 | to | 33 | = 14' x 9.7 |
| 0+33 | to | 0+75 | = 42 x 4.1 |
| 0+75 | to | 1+04 | 29 x 2.5 |
| 1+04 | to | 1+39 | 35 x 2.6 |
| 1+89 | to | 1+60 | 21' x 7.5 |
| 1+60 | to | 2+00 | 40' x 8.3 |
| 2 | | 2+50 | 50' x 7.8 |
| 2+50 | to | 3+00 | 50 x 6.0 |
| 3 | " | 3+17 | 17 x 6.1 |
| 3+20 | | M.H. Exc. | |
| 3+78 | | End of Pipe | Pipe in and Backfilled |
| 6+03 | | " " " | 1.400' |
| 6+05 | | M.H. Excavated | |

Excavation and Back filling done by Stables 4/14/05 Hutchison.

74




University Ave
Robinson
Ave
Thornton
11th
331.
327.
331.3

223'
M.H.
252.5'
325'
334.7'
11th

Evans

4" Sewer Line from MH #80 (page 14 this book)
to 75 West end of Brookes
AD

| | | | | Grade | Cut. |
|---|---|---|---|---|---|
| 0+00 = MH #80 | | 255.54 | | 245.30 | |
| 0+50 | | | 6.41 | 249.13 | 245.80 | 3.33 |
| 0+75 | | | 6.81 | 248.73 | 246.05 | 2.68 |

8/19/05 Hutchison Evans Lawyer

B.M. 1863
071
19.34 H.I.
811
11.23
208
13.31 H.I.
6.05
7.23
3.34
10.57 H.I.

7.10
12.24
7.30
0.74
V-14
F.17
V-13
F.14
V-35
7.93
V-30
7.81
V-86
7.44
4.07
V-70
4.87
4.20

"B" St.
E

West Line of India St.

23.73
7.44
12.24 Elevation Top of Rail
Center Line LaSalle Ry.
12.24
23.72
8.21
Ch. of R.R.
8.17
14.18
8.25
Ch. of R.R. Main Line
8.14
St. Fe.
14.11
8.05
Ch. of R.R.
7.93
12.
7.91
7.81
12
7.61
7.45
12
7.51
7.31
12
7.34
7.24
12
4.87
Ch. of R.R.
4.37

Chk. levels from 5+75

| | | | | | |
|---|---|---|---|---|---|
| | 5.97 | 288.41 | | 282.44 | |
| | 2.07 | 287.41 | 3.07 | 285.34 | |
| | 0.58 | 279.65 | 8.34 | 279.07 | |
| | 1.13 | 270.52 | 10.24 | 269.41 | |
| | | | 9.42 | 261.13 | |
| B.M. | 0.30 | 263.44 | 7.40 | 263.14 | Spk in Tel. Pole N.E. Cor. of Alley bet. 1st + 2nd, + Thornton. |
| | 2.17 | 261.31 | 4.80 | 259.14 | |
| B.M. | | | 2.14 | 259.17 | Spk in Elec. Pole in Alley. 10' west of Stat. 15+15 "J" Line |

| | | | | | |
|---|---|---|---|---|---|
| | 3.53 | 276.71 | | 273.18 | |
| | 3.17 | 279.22 | 0.66 | 276.05 | |
| | 0.90 | 271.88 | 8.24 | 270.98 | |
| | 0.65 | 260.11 | 12.42 | 259.46 | |
| | 1.53 | 250.90 | 10.74 | 249.37 | |
| | 2.42 | 243.30 | 10.02 | 240.88 | |
| BM. | | | 6.10 | 237.71 | Spruce + Front. |
| | 3.90 | 236.20 | 11.00 | 232.30 | |

264.39 ✓
10.44 ✓
253.95 B.M.

S.W. Cor. of 1/4 & Brookes
Apt in Eighth Ave.

240.36 ✓
0.30 ✓
240.06
10.67 ✓
~~9.38 ✓~~
250.73 ✓ H.I.
0.43 ✓
250.30
12.58
262.88 H.I.
3.70
259.18

279.39
6.52
285.91
2.58
283.33
1.49
284.82
8.72
276.10
0.37
276.47
12.37
264.10
0.29 ✓
264.39 ✓
12.37 ✓
252.02
0.21
252.23
12.58
239.80
0.02
239.82
12.07 ✓
227.75 ✓
1.09
228.83 ✓
12.30 ✓
216.53
0.32
216.85 ✓
0.31
216.54
12.76
229.30
0.91 ✓
228.39
11.98
240.36 ✓

236.20

| | | | | | |
|---|---|---|---|---|---|
| B.M. | 2.15 ✓ | 232.98 ✓ | 12.37 | 230.83 ✓ | Hub 10' East of 2160. |
| | 2.11 ✓ | 222.90 | 12.20 | 220.78 ✓ | |
| B.M. | 9.89 | 227.72 | 10.37 | 217.84 ✓ | 20' East of Sta 7 |
| | | | 10.52 | 220.16 | |

| | | | | | |
|---|---|---|---|---|---|
| | | H.1. | | | |
| | V.93 | 260.03 | | 25410 | |
| 0490 | Bent 1 | | 11.8 | 248,2 | + 0,7 |
| | 0.17 | 247,63 | 12,53 | 247,50 | |
| | 0.28 | 235,52 | 12,43 | 235,24 | |
| 1+45 | B2 | | 3,4 | 232.1 | - 0,7 |
| 2 | B3 | | 9,8 | 225,6 | +0,4 |
| | 0,14 | 233,50 | 12,16 | 223,36 | |
| 2+55 | B4 | | 9,2 | 214,3 | + 7,5 |
| 3+10 | B5 | | 17,0 | 206,5 | 00 |
| 3+65 | B6 | | 2,4 | 221,1 | 00 |
| | 12,76 | 235,68 | 0,58 | 222,92 | |
| | 12,21 | 247,63 | 0,27 | 235,41 | |
| 4+20 | B7 | | 5,4 | 242,2 | +18 |
| | 10,52 | 256,86 | 1,26 | 246,36 | |
| 4+34 | B8 | | 7,7 | 249,2 | +2,7 |
| | B9 | | 1,9 | 255,0 | +3,4 |

82

81

690

| | | | | |
|---|---|---|---|---|
| B | 1 | 253,52 | -6, | 247,5 |
| | 2 | 253,84 | -21, | 232,8 |
| | 3 | 254,16 | -29, | 225,2 |
| | 4 | 254,48 | -47, | 207,5 |
| | 5 | 254,80 | -48, | 206,8 |
| | 6 | 255,12 | -34, | 221,1 |
| | 7 | 255,44 | -15, | 240,4 |
| | 8 | 255,54 | -9 | 246,5 |
| | 9 | 255,65 | -4, | 251,6 |

| | | | | | |
|---|---|---|---|---|---|
| | 4,11 | 258,21 | | 254,10 | |
| | 0,65 | 247,78 | 11,08 | 247,13 | |
| 8+70 | B.1 | | 5,0 | 242,8 | + 2,4 |
| | 0,29 | 235,56 | 12,51 | 235,27 | |
| 9+25 | B.2 | | 11,4 | 224,3 | + 3,3 |
| | 0,56 | 223,57 | 12,55 | 223,01 | |
| | 0,35 | 211,66 | 12,26 | 211,31 | |
| 9+80 | B3 | | 2,3 | 207,4 | + 3,7 |
| | 0,10 | 199,18 | 12,58 | 199,08 | |
| 10+35 | B4 | | 4,4 | 194,8 | + 4,5 |
| 10+90 | B5 | | 18,8 | 180,4 | - 0,6 |
| 11+45 | B6 | | 1,2 | 198,0 | + 0,4 |
| | 17,55 | 210,99 | 0,74 | 198,44 | |
| | 17,17 | 211,50 | 1,66 | 209,33 | |
| 12 | B7 | | 8,5 | 213,0 | - 0,3 |
| 12+55 | B8 | | 7,4 | 219,1 | + 0,2 |
| | 17,47 | 237,14 | 18,3 | 219,67 | |

| | | | | | |
|---|---|---|---|---|---|
| 13+10 | B9 | 232,14 | 13,3 | 218,8 | - 2,8 |
| 13+65 | B10 | | 7,4 | 224,7 | - 1,5 |
| | 12,12 | 243,32 | 0,74 | 231,20 | |
| 14+20 | 11 | | 8,6 | 234,7 | + 0,8 |
| 14+75 | 12 | | + 0,5 | 248,8 | - 4,7 |

192

Return to City Engineers Office
City Hall, San Diego, Cal.

# TRAVERSE TABLE FOR TRANSIT BOOK.

From 1° to 90° for a distance of 100.

| Degrees. | DEGREES. | | ¼ DEGREE. | | ½ DEGREE. | | ¾ DEGREE. | | Degrees. |
|---|---|---|---|---|---|---|---|---|---|
| | Lat. | Dep. | Lat. | Dep. | Lat. | Dep. | Lat. | Dep. | |
| 0 | | | 100.00 | 0.44 | 100.00 | 0.87 | 99.99 | 1.31 | 89 |
| 1 | 99.98 | 1.75 | 99.98 | 2.18 | 99.97 | 2.62 | 99.95 | 3.05 | 88 |
| 2 | 99.94 | 3.49 | 99.92 | 3.93 | 99.91 | 4.36 | 99.88 | 4.80 | 87 |
| 3 | 99.86 | 5.23 | 99.84 | 5.67 | 99.81 | 6.10 | 99.79 | 6.54 | 86 |
| 4 | 99.76 | 6.98 | 99.73 | 7.41 | 99.69 | 7.85 | 99.66 | 8.28 | 85 |
| 5 | 99.62 | 8.72 | 99.58 | 9.15 | 99.54 | 9.58 | 99.50 | 10.02 | 84 |
| 6 | 99.45 | 10.45 | 99.41 | 10.89 | 99.36 | 11.32 | 99.31 | 11.75 | 83 |
| 7 | 99.25 | 12.19 | 99.20 | 12.62 | 99.14 | 13.05 | 99.09 | 13.49 | 82 |
| 8 | 99.03 | 13.92 | 98.97 | 14.35 | 98.90 | 14.78 | 98.84 | 15.21 | 81 |
| 9 | 98.77 | 15.64 | 98.70 | 16.07 | 98.63 | 16.50 | 98.56 | 16.93 | 80 |
| 0 | 98.48 | 17.36 | 98.40 | 17.79 | 98.33 | 18.22 | 98.25 | 18.65 | 79 |
| 11 | 98.16 | 19.08 | 98.08 | 19.51 | 97.99 | 19.94 | 97.90 | 20.36 | 78 |
| 12 | 97.81 | 20.79 | 97.72 | 21.22 | 97.63 | 21.64 | 97.53 | 22.07 | 77 |
| 13 | 97.44 | 22.50 | 97.34 | 22.92 | 97.24 | 23.34 | 97.13 | 23.77 | 76 |
| 14 | 97.03 | 24.19 | 96.92 | 24 62 | 96.81 | 25.04 | 96.70 | 25.46 | 75 |
| 15 | 96.59 | 25.88 | 96.48 | 26.30 | 96.36 | 26.72 | 96.25 | 27.14 | 74 |
| 16 | 96.13 | 27.56 | 96.00 | 27.98 | 95.88 | 28 40 | 95.76 | 28.82 | 73 |
| 17 | 95.63 | 29.24 | 95.50 | 29.65 | 95.37 | 30.07 | 95.24 | 30.49 | 72 |
| 18 | 95.11 | 30.90 | 94.97 | 31.32 | 94.83 | 31.73 | 94.69 | 32.14 | 71 |
| 19 | 94.55 | 32.56 | 94.41 | 32.97 | 94.26 | 33.38 | 94.12 | 33.79 | 70 |
| 20 | 93.97 | 34.20 | 93.82 | 34.61 | 93.67 | 35.02 | 93.51 | 35.43 | 69 |
| 21 | 93.36 | 35.84 | 93.20 | 36.24 | 93.04 | 36.65 | 92.88 | 37.06 | 68 |
| 22 | 92.72 | 37.46 | 92.55 | 37.86 | 92.39 | 38.27 | 92.22 | 38 67 | 67 |
| 23 | 92.05 | 39.07 | 91.88 | 39 47 | 91.71 | 39.87 | 91.53 | 40.27 | 66 |
| 24 | 91.35 | 40.67 | 91.18 | 41.07 | 91.00 | 41.47 | 90.81 | 41.87 | 65 |
| 25 | 90.63 | 42.26 | 90.45 | 42.66 | 90.26 | 43.05 | 90.07 | 43.44 | 64 |
| 26 | 89.88 | 43.84 | 89 69 | 44.23 | 89.49 | 44.62 | 89.30 | 45.01 | 63 |
| 27 | 89.10 | 45.40 | 88.90 | 45.79 | 88.70 | 46.17 | 88.50 | 46.56 | 62 |
| 28 | 88.29 | 46.95 | 88.09 | 47.33 | 87.88 | 47.72 | 87.67 | 48.10 | 61 |
| 29 | 87.46 | 48.48 | 87.25 | 48.86 | 87.04 | 49.24 | 86.82 | 49.62 | 60 |
| 30 | 86.60 | 50.00 | 86.38 | 50.38 | 86.16 | 50.75 | 85.94 | 51.13 | 59 |
| 31 | 85.72 | 51.50 | 85.49 | 51.88 | 85.26 | 52.25 | 85.04 | 52.62 | 58 |
| 32 | 84.80 | 52 99 | 84.57 | 53.36 | 84.34 | 53.73 | 84.10 | 54.10 | 57 |
| 33 | 83.87 | 54.46 | 83.63 | 54.83 | 83.39 | 55.19 | 83.15 | 55.56 | 56 |
| 34 | 82.90 | 55.92 | 82.66 | 56.28 | 82.41 | 56.64 | 82.16 | 57.00 | 55 |
| 35 | 81.92 | 57.36 | 81.66 | 57.71 | 81.41 | 58.07 | 81.16 | 58.42 | 54 |
| 36 | 80.90 | 58.78 | 80.64 | 59.13 | 80.39 | 59.48 | 80.13 | 59.83 | 53 |
| 37 | 79.86 | 60.18 | 79.60 | 60 53 | 79.34 | 60.88 | 79.07 | 61.22 | 52 |
| 38 | 78.80 | 61.57 | 78.53 | 61.91 | 78.26 | 62.25 | 77.99 | 62.59 | 51 |
| 39 | 77.71 | 62.93 | 77.44 | 63.27 | 77.16 | 63.61 | 76.88 | 63.94 | 50 |
| 40 | 76.60 | 64.28 | 76.32 | 64.61 | 76.04 | 64.94 | 75.76 | 65.28 | 49 |
| 41 | 75.47 | 65.61 | 75.18 | 65.93 | 74.90 | 66.26 | 74.61 | 66.59 | 48 |
| 42 | 74.31 | 66.91 | 74.02 | 67.24 | 73.73 | 67.56 | 73.43 | 67.88 | 47 |
| 43 | 73.14 | 68.20 | 72.84 | 68.52 | 72.54 | 68.84 | 72.24 | 69.15 | 46 |
| 44 | 71.93 | 69.47 | 71.63 | 69.78 | 71.33 | 70.09 | 71.02 | 70.40 | 45 |
| 45 | 70.71 | 70.71 | | | | | | | |
| Degrees. | Dep. | Lat. | Dep. | Lat. | Dep. | Lat. | Dep. | Lat. | Degrees. |
| | DEGREES. | | ¾ DEGREE. | | ½ DEGREE. | | ¼ DEGREE. | | |

Return to City Engineers Office
City Hall, San Diego, Cal.

Published by H. S. Crocker Company, Stationers, Drawing Materials, Mathematical Instruments, etc., San Francisco.