
versity Heights
Sewer System
195
35
400
LEVEL
F.B. 195

195

Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

Minutes	Lks.	Minutes	Lks.	Minutes	Lks.
1	2⅓	21	49	41	95⅔
2	4⅔	22	51⅓	42	98
3	7	23	53⅔	43	100¼
4	9⅓	24	56	44	102⅔
5	11⅔	25	58⅓	45	105
6	14	26	60⅔	46	107⅓
7	16⅓	27	63	47	109⅔
8	18⅔	28	65⅓	48	112
9	21	29	67⅔	49	114⅓
10	23⅓	30	70	50	116⅔
11	25⅔	31	72⅓	51	119
12	28	32	74⅔	52	121⅓
13	30⅓	33	77	53	123⅔
14	32⅔	34	79⅓	54	126
15	35	35	81⅔	55	128⅓
16	37⅓	36	84	56	130⅓
17	39⅔	37	86⅓	57	133
18	42	38	88⅔	58	135⅓
19	44⅓	39	91	59	137⅔
20	46⅔	40	93⅓	60	140

MICROFILMED
DEC 81964

Return to City Engineers Office
City Hall, San Diego, Cal.

TABLE FOR RUNNING ON SLOPES.

In the following table the first column shows the angle, the second the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement.

Angle	Cor. in Links	Angle	Cor. in Links	Angle	Cor. in Links	Angle	Cor. in Links
o		o		o		o	
4	0.24	11	1.88	18	5.14	25	10.54
5	0.38	12	2.24	19	5.76	26	11.26
6	0.55	13	2.63	20	6.42	27	12.24
7	0.76	14	3.06	21	7.11	28	13.37
8	0.98	15	3.53	22	7.85	29	14.34
9	1.24	16	4.02	23	8.64	30	15.47
10	1.55	17	4.56	24	9.47	35	22.07

307.47 ✓ 282.44
296.0 9.02
11.47 291.46
3.70
25.16

286.29
3.70
289.99

283.54
5.64
289.18 ✓
21.97
277.21

.89
12.86
6.01
283.17
270.96
12.21

301.96
5.34
307.30
295.28
12.02
307.29 ✓
296.57
10.72
297.14
10.15
297.71
9.58
298.28
9.01
270.86
307.29 ✓
298.85
8.44
299.42
7.87
6.35
3.46
.89

5.27
283.91
271.12
12.79

5.56
283.68
271.28
12.38

5.00.75 500000 .998
45 0675
493250
45 0675
42575

.42.25

317.42
.998
318.418
319.416
320.414
321.412
.995
907

330.56
4.45
376.11 ✓
5.54
331.65
5.92
332.03

.249
.499
9.68
305.84
315.52
5.85

294.32
3.13
293.45 ✓
3.87
289.58
270.20
19.38
3.40
290.05
270.07
19.98

307.4
296.0
11.

B.M. 16.47 24 th/ft & Pine
Spk in Cor Fence Post

20.85 25 th/ft & Pine M.E. Cor.
Spk in Base of Fence

22.18 26 th/ft & Pine
Spk in Cor. of Fence

Pierce & R.R.
Ct of Alley

22 nd/ft 27. 3.E. .190

about 5 & 24

1947	16.47	5.55/5	
	2.32		
	18.79 H.I.		
-150	4.42	5,6	13.18
	14.37		
	3.75		
+	18.12 H.I.		13.09
19		5,80	12,99
	Hackham Evans Wetmore 2/27/05		12,90
+50		5,99	12,80
	Stakes from 1947 to 1425		12,70
18		6,18	12,61
			12,51
-150		6,87	12,42
			11.65
17		6,56	11.56
+82,5		6.625	11,495
+50		6,75	11.37
			11.27½
16		6.94	11.18
			11.09½

+50	18,12	7,13	10.99
	221		
	15,91		
	677		
	22,68		
	1 83		
15	20.85	7,81	10.81
			10.78½
+50		7,50	10.62
			10.52½
14		7,69	10.43
+50		7,88	
13		8,07	
+50		8,26	
12		8,45	
+50		8,64	

11	8,83
+50	9,02
10	9,21
+50	9,40
9	
+50	
18	
7	

2/27/05 Hutchinson Patterson Evans. E. S. 10.70

H.I.

0	7.15	11.326	4.176	0.50	10.825
+25				0.555	10.77
+50				0.61	10.715
+75					10.665
1				0.71	10.615
+25					10.56
+50				0.82	10.505
+75					10.45
2				0.93	

Note,

Hub Set 80' ahead of Manhole 21 Sta

Spk on Stn on R.R. at 14

0.00

Ax of 5.77 7th Street

18.00 M.H.


7th St.
64.85
20
Hub
0+22.
M.H. #
6th St.
2+67.8
4+44.6
M.H. #39
C of alley
4+45.6
M.H. #40
Center of alley
8+11.7
M.H. #41.
Center of 9th St.
12+56.5
M.H. #42
C of North 10th
15+67.
M.H. #43
Hub RP
Hub RP
Hub RP
Hub RP
Vermont Ave
68'
Sakt.
Sakt.
Sakt.
Track
18+20
M.H. #44
24+50
M.H. #46
68'
Nail in post
27+89.9
M.H. #47
Hub RP.
Richmond Ave.
32+62.5
M.H.
Hub
RP

University Ave.
5½ Studs to 10th

		Grade	H.I.	Rod	Elevation	
0		270.00	290.32 / 293.44	3.9	289.5	19.5
+11	M.H.	270.07		3.6	289.8	19.7
+58		270.18		3.8	289.5	19.3
1		270.87		5.0	288.4	18.1
+50		270.48		6.95	286.5	16.0
2		270.64 / 270.80		8.5	284.9	14.3
+50						
+67.8	M.H. #39	270.86		9.8	283.6	12.8
3		270.96	9.90 / 283.86 / 4.86 / 287.90	4.9	283.0	12.
~~+47.6 M.H. #40~~						
+50		271.12		4.8	283.1	12.
4		271.28		4.5	283.4	12.
+45.6	MH #40					
+50		271.44		4.5	283.4	12.
5		271.60		4.3	283.6	12.
+50		271.76		4.1	283.8	12.
6		271.92		4.1	283.8	11.9

3/4/05 Hutchison
Evans
Wetmore

3/30/05

Graded Cut from St 4 to Sta 8

		Grade	287.90			
6+50		272.08	4.00 / 283.90 / 5.42 / 289.32	4.0	283.9	11.8
7 ~~+00~~		272.24		5.1	284.2	12.
+50		272.40		5.0	284.3	11.9
		272.55			284.5	12.0
8+00		272.57		4.8		
8+11.7	M.H. #41	272.71		4.7	284.4	11.7
+50						
9		272.87		5.0	284.3	11.6
+50		273.03		5.1	284.2	11.0
10		273.19		5.1	284.2	11.0
+50		273.35	5.07 / 284.25 / 3.56 / 287.81	3.8	284.0	10.7
11		273.51		4.2	283.6	10.1
+50		273.67		4.4	283.4	9.7
12		273.83		4.6	283.2	9.4
+50		273.99				
+56.5	M.H. #42	274.01		4.9	282.9	8.9
13		274.15		4.9	282.9	8.7
+50		274.31		4.9	282.9	8.6
14		274.47		5.1	282.7	8.2
+50		274.63		5.1	282.7	8.1

University

		H.I	Rod		
15	27479	28781	5.4	282.4	7.6
+50	27495		5.4	282.4	7.4
+6			5.3		

27500

15+67 M.H. #43

Cont on Pg 11 - THIS BOOK

16

+50

+50

18

+30 M.H. #44

+50

21450
320
1830
260
15470

21450
15467
583

260
320
580

340
28425
287.65 H.I.

27491
13.6
27
8.7

96
75
21

2700
1265
53
7.85

19

32462.5
15467
1695.5

+50

71000 | 1.2855
16955
40450
38910
65400
50865
145350
135620
97100

124
30
3720

20

1.285
83

124
83
372
372
4072

1.24
6.2

+50

21

+497 M.H. #45

+50

22

124
120
62
248
124
1488

23

+50

24

+50

+50 M.H. #46

25

+50

+50

26

+50

+50

27

126
240
496 0

27+89.9 MH 47

28

+50

29

+50

30

+50

31

275.41
62
276,03
62
276,65
62
277,27
62
277,89
62
278,51
62
279,13
62
279,75
62
280,37
62
80,99
62
81,61
62
82,23
62
82,85
62
83,47
62
84,09
62
84,70
62
85,32
62
85,94
62
86,56
62
87,18
62
87,80
62
88,42
62
89,04
62
89,66
62
90,28
62
90.90

90,90
62
91,52
62
92,14
62
92,76
62
93,38
62
94,00
62
94,62
62
95,24
62
95,86
62
96,00

+ 50

32

+ 50

$97.62\frac{5}{8}$ N.H. #48

283
270

University Ave. S-7½ to Water Boulevard

Main Sewer. Profile #6

0

+22 MH #38

2700

+55

+75

2

+25

+50

+678

3

+25

+350

4

+458

+50

5

+50

6

Univ. Ave.

+ 0.0

7

+ 0.0

8

+ 11,7

+ 0.0

9

+ 0.0

10

+ 0.0

11

+ 0.0

12

+ 0.0

+ 52,5

13

+ 0.0

Cont from Pg 6 THIS BOOK Univ Ave.

		Sewer Grade		H.I.	B.M.	Elev.	Cut
14							
+50							
15							
+50		276.95		x	6.7	282.4	7.4
+67	N.H. #43	275.00	6.85	289.09	282.24		
16		275.45			6.6	282.5	7.0
+50		276.14			6.3	282.8	6.7
17		276.82	5		5.7	283.4	6.6
+50		277.51			4.9	284.2	6.7
18		278.21			3.8	285.3	7.1
+80	N.H. #44	278.62					
+50		278.88			2.8	286.3	7.4
19		279.57			2.3	286.8	7.2
+50		280.25			1.7	287.4	7.2
20		280.94	8.06	296.17	0.98	288.11	7.2
+50		281.62			7.15	289.0	7.4
21		282.31			6.63	289.5	7.2

282.74
4.60
287.34 H.I.

275 = 12.34

4/3/05
Hutchison
Berison
Evans

+49.7	MH #45	283.0		296.17	6.07	290.1	7.1	296.46 290.71 5.75
22		283.59			5.66	290.5	6.9	
+50		284.17			4.95	291.2	7.0	
23		284.76			4.37	291.8	7.0	
+50		285.34			3.70	292.5	7.2	
24		285.93			3.1	293.1	7.2	
+50	MH #46	286.51			2.62	293.5	7.0	
25		287.10	6.83	301.06	1.54	294.23	7.1	
+50		287.68			6.46	294.6	6.9	
26		288.26			5.90	295.2	7.0	301.12 288.81 12.27
+50		288.85			5.40	295.7	6.8	
27		289.43			4.80	296.3	6.9	301.12 289.43 11.69
+50		290.02			4.29	296.8	6.8	301.12 290.02 11.10
+49.9	MH #47	290.48			4.1	297.0	6.5	301.12 290.48 10.64
28		290.60			4.06	297.0	6.4	
+50		291.19			3.57	297.5	6.3	
29		291.77	6.47	304.78	2.95	298.11	6.3	

		Elev	HI	Rod
+50	~~9+17~~	299.36	304.78	4.87
30		299.94		4.0
+50		299.52		5.50
31		299.11		4.90
+50		299.69		4.60
32		299.28		4.20
+50		299.86		3.50
+62.5	MH48	296.00		3.50
				2.82

Elev	Cut
299.4	6.0
299.8	5.9
299.3	5.8
299.9	5.8
300.4	5.5
300.6	5.3
301.3	5.4
301.3	5.3
301.96	

University Boulev



University Boulevard

Main Sewer from M.H. #48 to F.T. #4

Map #7 8/18/05

32+62.5 Main Sewer University Ave.				Rod.	Elev	Cut.
					from 5" to Univ. Boul. = Stat 0. of Univ. Boulevard	
					301.96 B.M.	
0	296.00		308.67	7.87	301.3	5.3
+50	296.57			6.87	302.3	5.7
1	297.14	6		6.83	302.8	5.7
+50	297.71			6.03	303.6	5.9
2	298.28			4.67	304.0	5.7 5.3
+50	298.85	8"		4.47	304.4	5.4
3	299.42			3.97	304.7	5.3
+38	M.H. #49 299.85			3.47	305.2	5.3
+50	299.99			3.47	305.2	5.2
4	300.56			2.97	306.1	5.5
+50	301.13	7.05	313.57	2.15	306.52	5.4
5	301.70			6.80	306.8	5.1
+50	302.27			6.04	307.5	5.3
6	302.84			5.68	307.9	5.1
+						
+50	303.41			5.40	308.2	4.8
+68	M.H. #50 303.62					

		Stadia		H.I.	Rod	Elevation	
7		303.98		313.57	4.8	308.7	4.7
+50		304.55			4.3	309.2	4.6
8		305.12			3.97	309.6	4.5
+50		305.69			3.30	310.3	4.6
9		306.26			2.6	311.0	4.7
+50		306.83	11.14	323.45	1.86	311.71	4.9
10		307.40			10.3	313.2	5.8
+17.8	MH #1	307.60			9.8	313.7	6.1
+50		308.61			8.9	314.6	6.0
11		310.19			6.6	316.9	6.7
+50		311.77			4.26	319.2	7.4
12		313.35	12.52	334.25	1.72	321.73	8.4
+50		314.93			10.4	322.9	9.0
13		316.51			8.0	326.3	9.8
+50		318.08			5.4	328.9	10.8
+58	MH #2	318.33					
14		319.66	11.90	343.32	11.3	331.42	11.8

Grades set upto 14+37

			Chainage	Levels	Gauge		
	+80		321.24	348.32	8.9	334.4	13.2
	15		322.82		6.6	336.7	13.9
	+80		324.40		4.7	338.6	14.2
(15+52)	last grade		325.98		2.3	341.0	15.0
	16						
	+80		327.56	6.84 349.60	0.56	342.76	15.2
+90.8	MH.53		329.0		6.0	343.6	14.6
	17		329.02				
	+80		329.26		5.1	344.5	15.3
	18		329.80		4.8	344.8	15.3
	+80		329.24		4.8	344.8	15.1
+86	last grade						
	19		329.98		4.7	344.9	14.9
	+80		330.72		4.8	344.8	14.6
	20		330.46		4.7	344.9	14.4
+04	MH.54		330.5				
	+80		330.70		4.7	344.9	14.2
	21		330.94	4.76 349.20	4.84	344.76	13.8
	+80		331.18		4.72	344.9	13.7

Grades set to MH. 53

University Boulevard

		Grade	H.I.	Rod		
V7		331.42	349.02	4.6	344.4	13.0
V8		331.66		4.5	344.5	12.8
9/3		331.90		4.6	344.4	12.5
+14	M.H. * 5					
V						
+53		332.14		4.8	344.2	12.1
24		332.38		4.7	344.3	11.9
+50	8"	332.62		4.7	344.3	11.7
25		332.86		4.7	344.3	11.4
+50		333.10		4.5	344.5	11.4
26		333.34		5.0	344.0	10.7
26+37	F.T. * 4	333.5		5.02	344.0	10.5


Front Street
Olive
Nutmeg
Maple
Laurel
Ct. of Laurel
Thorn
Spruce
Redwood
Quince
Palm


Walnut.
4/pas
Front.

Front Street Sewer.

0

+50

1

+50

2

+50

3

+50

4

+50

5

+50

6

Trestle No. 2

+44 Bent 1.

6+99 Bent 2

7+54 " 3

8+09	Bant. 4
8+64	" 5
9+19	" 6
9+74	7
10+29	8
10+84	9
11+39	10
11+94	11
12+49	12
13+04	13
13+59	14
14+14	" 15

+ 50

15

+ 50

16

3/27/05 Hutchison Evans Scriven

+50

Trestle No. 3.

17+00	Bent 1.	50 Left
+55	" 2	
18+10	" 3	
18+65	" 4	
19+20	" 5	
19+75	" 6	
20+30.	" 7	70 Left
+50		
21		
+50		
22		
+50		
23		

Trestle #4

23+02 Bent 1.

23+57 " 2

24+12 " 3

24+67 " 4

25+22 " 5

#1/22 Gregory Moore Miller Shaw — Levels for change of Sewer Univ. Ave bet Center & Park Blvd.

	6.87	310.75		303.88	B.P. NW Center & Univ.
	8.05	312.64	6.16	304.59	
M.H #130 page 663			6.55	306.09	= Flow M.H
0+00			1.70	310.9	= ground
0+50			2.8	309.8	
1			5.2	307.4	
+50			6.5	306.1	
2			8.8	303.8	present pipe 6' west
+50			12.2	300.4	
+66	crosses present trestle				
+93.4	△		12.60	300.04	on stub
3			12.8	299.8	
T.P.	10.60	310.94	12.30	300.34	
+50			13.0	297.9	
+87			14.0	296.9	
+94.7	△ 84°02' L		14.51	296.4	on stub
4+20			14.4	296.5	
+40			12.3	308.6	
+50			12.6	308.3	
5			3.8	307.1	



310.9 ✓

5+28	3.8	307.1	
+37.2	6.00	304.9	Top of F.T.
Chk B.M.	7.05	303.89	



April 7, 1905

Schields
Geuis
Gunn

"Y" Line See Pg 26.

Station	Grade	H.I.	Rod	Elev. cut	
0 = 1+65 "Z" line M.H.# 78	279.20	289.62	5.2	284.4	5.2
+50	279.42		5.0	284.6	5.2
1	279.63		5.0	284.6	5.0
1 +50	279.85		4.9	284.7	4.8
2	280.06		4.7	284.9	4.8
+15 M.H. # 134	280.12		4.4	285.2	5.1
+50	280.28		4.4	285.2	4.9
3	280.48		3.6	286.0	5.5
+50	280.70		3.3	286.3	5.6
4	280.91		4.1	285.5	4.6
+20 H.T. #17	281.00		4.7	284.9	3.9

X

April 7. 1905

"X" Line

See Pg 26

Childs
Lewis
Gunn

Sta.		Grade	H.I.	Rod	Elev.	cut
0	= 1+65 "X" Line	279.20	289.45	5.5	284.0	4.8
+50		279.42		4.0	285.5	6.1
1		279.63		5.8	283.7	4.1
+50		279.85		6.7	282.8	2.9
+85	M.H. # 132	280.0		6.9	282.6	2.6

b

5.5
282.74
288.29
279.42
8.87

279.85
8.44

279.63
8.66

April 7. 1905

Childs
Lewis
Gunn

"Z" Line see page 30.

Sta.		Grade	H.I.	Rod	Elev.	cut
0	M.H. #133	278.0	289.45	5.2	284.3	6.3
+50		278.36		5.1	284.4	6.0
1		278.78		5.1	284.4	5.6
+50		279.09		5.1	284.4	5.3
+65	M.H. #78	279.20		5.1	284.4	5.2
2		279.45		5.3	284.2	4.7
+50		279.81		5.9	283.6	3.8
+75	F.I #16	280.0		6.1	283.4	3.4

"A" Line & "Z" Line



april 7. 1905

Childs
Lewis
Gunn

"A" Line See p 30.

Sta.		Grade	H.I.	Rod	Elev.	cut
0	M.H.# 133	278.0	289.45	5.2	284.3	6.3
+50		278.36		5.4	284.1	5.7
1		278.73		5.9	283.6	4.9
+50		279.09		5.9	283.6	4.5
2		279.45		5.0	284.5	5.0
+50		279.81		5.0	284.5	4.7
+75	F.J. # 18	280.0		4.6	284.9	4.9



"B" Line

9th St.

Old Hub R.P.

M.H. #33
1+87.8

B Line

35'

35'

12+56.5 = Sta 0.

University Ave

M.H. #42

"B" Line

9th St. from University Ave. North.

		H.I.	Rod	Elev.	Cut
0	M.H.#2	274.01	287.80		
+50					
		275.07	4.76	283.04	8.0
1		276.13	4.04	283.76	7.6
+50		277.20	3.99	283.80	6.6
1+878	M.H.133	278.00	3.73	284.27	6.3

284.25
4.27
288.52 H.I.
5.72
282.94
4.86
287.80 H.I.

21.2
1.06

21.2
87.8
169.6
149.4
20.26
.79236

74.01
13.77

1878
39901
8756
31145
29.40
1878
44.20
37.25
86.40

(2.1)


Vermont St.
Cleveland
16+19.P.
1+84
#93
University Ave
21+49.7 = 0
#88
Lincoln
Blaine
10+95.3
#90
RP
Richmond
8+97.2
#91
Cleveland

Cleveland Ave

april 5 1905

Childs Lewis Gunn

21+49.7 of Univ Ave = Sta 0

		Grade	H.I.	Rod	Elev.	cut
0		283.00	297.40			
+50		283.43		8.3	289.1	5.7
1		283.87		7.8	289.6	5.7
+50		284.30		7.9	289.5	5.2
+84	M.H.#93	284.60	297.57	7.86	289.54	4.9
2		284.74	297.59	8.1	289.5	4.8
+50		285.17		7.7	289.9	4.7
3		285.61		7.0	290.6	5.0
+50		286.04		6.5	291.1	5.1
4		286.48		5.7	291.9	5.4
+50		286.91		4.9	292.7	5.8
5		287.34		3.9	293.7	6.4
+30	MH #92	287.60		3.7	293.9	6.3
+50		287.77		3.6	294.0	6.2
6		288.21		2.2	295.4	7.2
+50		288.64		2.0	295.6	7.0

april 5th 1905

Sta		Grade	H.I.	Rod	Elev.	cut
7		289.08	297.59	6.6	291.0	1.9
+50		289.57		3.3	294.3	4.8
8		289.95		0.37	297.22	7.2
+50		290.38	305.46	7.5	298.0	7.6
+97.2	M.H. # 91	290.78		6.5	299.0	8.2
9		290.81		6.5	299.0	8.2
+50		291.24		6.1	299.4	8.2
10		291.68		5.8	299.7	8.0
+50		292.11		5.2	300.3	8.2
+95.3	M.H. # 90	292.50		4.9	300.6	8.1

Cont on Next Pg.

Grades set To Blair M.H. 90

Childs
Lewis
Gunn

april 6 1905

Sta.	Grade	H.I.	Rod	Elev.	cut
11+50	292.75	306.44	5.9	300.5	7.8
12	292.98		4.9	301.5	8.5
+50	293.22		4.3	302.1	8.9
13	293.45		4.3	302.1	8.7
+50	293.69		5.6	300.8	7.1
14	293.92		6.8	299.6	5.7
+15 M.H #89	293.99		5.5	300.9	6.9
+50	294.15		3.9	302.5	8.4
15	294.38		2.1	304.3	9.9
+50	294.62		2.7	303.7	9.1
16	294.85		2.0	304.4	9.6
+50	295.09		2.0	304.4	9.3
17	295.32		3.5	302.9	7.6
+50	295.55		2.2	304.2	8.7
18	295.78		1.8	304.6	8.8
+44.8 M.H. #88	296.0		0.8	305.6	9.6

Cont on Pg 52 This Book

℄ 10th St. line North — April 7, 1905 — Schilds, Lewis, Gunn

Sta		Grade	H. I.	Rod	elev.	cut
0	M.H. #43	275.00	288.22			
+50		275.81		5.8	282.4	6.6
1		276.63		5.0	283.2	6.6
+50		277.44		4.1	284.1	6.7
2		278.26		3.7	284.5	6.2
+38.1	M.H. #79	278.50		3.5	284.7	6.2
+50		278.62		3.5	284.7	6.1
3		279.12		3.32	284.90	5.8
+50		279.62	289.77	4.6	285.2	5.6
4		280.12		4.1	285.7	5.6
+50		280.63		4.1	285.7	5.1
5		281.13		3.3	286.5	5.4
+40	M.H. # 131	281.53		3.4	286.4	4.9
+50		281.63		2.9	286.9	5.3
6		282.13		3.2	286.6	4.5
+50		282.64		5.3	284.5	1.9

Sta.	Grade	H.I.	Rod	Elev.	Cut.	
7+00	283.14	283.75	14.3	269.5	13.6	Fill
+50	283.64	289.77	2.8	287.0	3.4	
+85 F.T.#15	284.00		1.5	288.3	4.3	

6th Street Sewer Line



April 8 1905

Childs Lewis Gunn

Penna Ave

6th Street line from University Ave. to 135' So. [illegible]

Sta.		Grade H.I. 289.99	Rod	Elev.	Cut
0		270.86			
+50		271.29	5.7	284.3	13.0
1		271.72	4.9	285.1	13.4
+50		272.15	4.6	285.4	13.3
2		272.58	4.7	285.3	12.7
+25	M.H. #137	272.80	4.3	285.7	12.9
+50		273.01	4.5	285.49	12.5
3		273.45	4.0	286.0	12.6
+50		273.88	4.6	285.4	11.5
4		274.31	4.9	285.1	10.8
+50		274.74	5.0	285.0	10.3
+80	M.H. #138	275.0	5.4	284.6	9.6
5		275.12	5.3	284.65	9.6
+50		275.41	3.9	286.1	10.7
6		275.69	3.3	286.7	11.0

April 8 1905

Sta.		Grade	H.I.	Rod	Elev.	cut
	+50	275.98	289.99	3.4	286.6	10.6
7		276.27		3.4	286.6	10.3
	+50	276.56	291.46	5.17	286.29	9.7
	+90 M.H.#139	276.79		5.2	286.3	9.5
8		276.85		5.4	286.1	9.3
	+50	277.14		5.1	286.4	9.3
9		277.43		4.5	287.0	9.6
	+50	277.72		3.3	288.2	10.5
10		278.01		4.0	287.5	9.5
	+50	278.30		4.1	287.4	9.1
11		278.59		4.7	286.8	8.2
	+40.8 North line Thendara	278.83		4.7	286.8	8.0
	+70.8 M.H.#140	279.0		4.3	287.2	8.2
12		279.23		4.4	287.11	7.9
	+50	279.62		6.0	285.5	5.9
13		280.02		6.2	285.3	5.3
	+35.8 H.J.#21	280.30		5.7	285.8	5.5

April 8. 1905

Childs
Lewis
Gunn.

Thornton Line from 6th Street 170' East.

Sta		Grade	H.I.	Rod	Elev.	cut
0	M.H. # 140.	279.0	291.46	4.3	287.2	8.2
+50		279.25		4.5	287.0	7.7
1		279.51		5.8	285.7	6.2
+50		279.76		7.0	284.5	4.7
+97.5	M.H. # 141	280.0		8.3	283.2	3.2

I

April 10 1905

Childs
Lewis
Gunn

10th Street South from University ave

Sta		Grade	H.I.	Rod	Elev.	cut	
+0	M.H. #146 on ℄ Alley South of Robinson	278.0	290.31	9.1	281.2	3.2	
+50		277.84		9.2	281.1	3.3	
1 +00		277.68		9.0	281.3	3.6	
+50	5	277.53		10.0	280.3	2.8	4+59 3+79.9 3+09.6
2		277.37		8.6	281.7	4.3	
+50		277.21		7.5	282.8	5.6	275.75 1.92
3		277.05		8.0	282.3	5.2	285.08 276.8
+50		276.89		6.7	283.6	6.7	11.28
+79.4	M.H. #144	276.8		6.8	283.5	6.7	
4		276.73		6.2	284.1	7.4	
+50		276.56		6.5	283.8	7.2	
5		276.39		5.7	284.6	8.2	
+50		276.22		6.2	284.1	7.9	
6		276.05		7.0	283.3	7.2	
+50		275.88		8.9	281.4	5.5	
+89		275.75	281.89	6.3	275.6	-0.2 Fill	

Sta.		Grade	H.I.	Rod	Elev.	cut
7+25	Og line Ft	275.63	281.89			
8+74.8		275.12		6.6	275.3	0.2
9+10.3	M.H# in Univ Ave	275.0				



April 11 1905

Childs
Lewis
Lunn

Alley line bet. Cleveland & Campus North from Lincoln

Sta.		Grade	H.I.	Rod	Elev.	cut
0	M.H.#88 E of Lincoln & Cleveland	296.0	318.20	12.6	305.6	9.6
+30		298.93		10.7	307.5	8.6
1		301.87		8.5	309.7	7.8
+50		304.80		6.7	311.5	6.7
2		307.74		5.1	313.1	5.4
+50		310.67		2.06	316.14	5.4
3		313.61	328.27	8.1	320.2	6.6
+50		316.54		3.5	324.8	8.3
+57.75	M.H.#87	317.0		2.8	325.5	8.5
4		317.42		3.6	324.7	7.3
+50		317.92		2.6	325.7	7.8
5		318.42		2.3	326.0	7.6
+50		318.92		1.7	326.6	7.7
6		319.42		1.01	327.26	7.9
+50		319.92	330.56	3.6	327.0	7.1
7		320.41		2.8	327.8	7.4

April 11 1903

Childs
Lewis
Gunn

Sta.		Grade	H.I.	Rod	Elev.	cut	
+50		320.91	330.56	2.1	328.5	7.6	
8		321.41		3.2	327.4	6.0	
+50		321.91		4.7	325.9	4.0	
+59.0	M.H. #86 N.L. TYLER	322.00	332.03	6.5	325.5	3.5	
9		322.89		5.7	326.3	3.4	
+50		323.97		5.5	326.5	2.5	
10		325.06		4.4	327.6	2.5	
+50		326.14		4.4	327.6	1.5	
11		327.23		9.9	322.1	5.1	Fill
+50		328.31		0.99	331.04	2.7	
+59	M.H. #85	328.50	343.56	10.5	333.1	4.6	
12		329.40		7.5	336.1	6.7	
+50		330.48		5.6	338.0	7.5	
13		331.56		4.4	339.2	7.6	
+50		332.64		3.8	339.8	7.2	
14		333.73		3.0	340.6	6.9	

April 12 1905

Childs
Lewis
Gunn

Sta.		Grade	H.I.	Rod	Elev.	cut
+50		334.81	343.56	2.2	341.4	6.6
+58.5	M.H.#84	333.50		1.82	341.74	6.7
	+96.8 = ℄ S.L. Van Buren	335.18				
15		335.19	350.78	8.3	342.5	7.3
+50		335.42		8.0	342.8	7.4
16		335.65		7.5	343.3	7.6
+50		335.88		6.6	344.2	8.3
17		336.11		5.7	345.1	9.0
+50		336.34		4.9	345.9	9.6
18	M.H.#83	336.57		4.0	346.8	10.2
+50		336.80		3.8	347.0	10.2
19		337.03		4.2	346.6	9.6
+50		337.26		4.5	346.3	9.0
20		337.48		4.6	346.2	8.7
+50		337.71		4.8	346.0	8.3
21		337.94		3.2	347.6	9.7
+125	H.J.#5 (25' South of ℄ Meadow)	338.0		3.5	347.3	9.3

Cont in Book 342 Pg 18

Continued from Pg 40 This Book

April 12 1905

Childs
Lewis
Linn

52

I From Lincoln up Cleveland and Line T.

Sta		Grade H.I.	Rod	Elev. cut	
0	M.H. #88	296.0			
	+50	296.26	316.18	10.10	306.08 9.8
1		296.52	314.32	5.9	308.4 11.9
	+50	296.78		5.8	308.5 11.7
	+77.45 M.H. #94	296.92		5.2	309.1 12.2
2		297.02		5.2	309.1 12.1
	+50	297.24		5.6	308.7 11.5
3		297.45		8.2	306.1 8.6
	+50	297.67		10.1	304.2 6.5
4		297.88		11.8	302.5 4.6
	+50	298.11		12.2	302.1 4.0
	+70.5 M.H. #95	298.20		11.8	302.5 4.3
5		298.32		11.0	303.3 5.0
	+50	298.52		10.3	304.0 5.5
6		298.72		11.5	302.8 4.1
	+50	298.92		12.9	301.4 2.5
	+69 F.I. #22	299.00		13.4	300.9 1.9

Childs
Lewis
Gunn.

April 13 1905

alley line bet. Cleveland and Maryland.

Sta.	Grade	H.I	Rod	Elev.	cut	
0 = M.H #95	298.20	314.13	11.62	302.51	4.3	
+50	298.48	307.84	7.6	300.2	1.7	
1	298.76		11.4	296.4	-2.4	Fill
+50	299.04		15.1	292.7	-6.3	Fill
2						
+50	299.59		6.4	301.4	1.8	
3	299.87		5.7	302.1	2.2	
+50	300.15		6.5	301.3	1.1	
+75	300.28		11.7	296.1	-4.2	Fill
4+21 angle point						
~~+60~~ ℄ Trees Inc	300.76					
+75	300.84		7.8	300.0	-0.8	Fill
5+02.5 M.H. #96	301.00		4.5	303.3	2.3	
+50	301.78	318.69	13.9	304.8	3.0	
6	302.60		12.4	306.3	3.7	
+50	303.43		12.0	306.7	3.3	
7	304.25		11.4	307.3	3.1	

April 13 1905

Sta.		Grade	H.I.	Rod	Elev.	cut
+50		305.08	318.69	9.3	309.4	4.3
8		305.90		9.7	309.0	3.1
+50		306.73		9.5	309.2	2.5
9		307.55		9.1	309.6	2.0
+50		308.38		8.7	310.0	1.6
+58	M.H.#97 Angle	308.51		8.6	310.1	1.6
10		309.20		8.8	309.9	0.7
+50		310.04	327.14	10.2	316.9	6.9
11		310.86		8.2	318.9	8.0
+08	M.H.#98	311.00	326.11	6.6	319.5	8.5
+47.7	℄ VAN BOREN	312.46		4.6	321.5	9.0
+97.7		314.30		3.2	322.9	8.6
12 +47.7		316.14	330.16	1.16	324.95	8.8
+97.7		317.99	335.16	8.0	327.2	9.2
13 +47.7		319.83		7.1	328.1	8.3
+97.7		321.67		5.5	329.7	8.0

april 14 1905

Chiles
Lewis
Emmons

Sta		Grade	H.I.	Rod	Elev.	cut
14+47.7		323.51	335.16	5.1	330.1	6.6
+88	M.H.# 99	325.00		4.8	330.4	5.4
+97.7		325.26		5.0	330.2	4.9
15+47.7		326.62		5.9	329.3	2.7
+97.7		327.99		5.1	330.1	2.1
16+47.7		329.35		3.9	331.3	2.0
+97.7		330.72	335.26	0.62	334.54	3.8
17+47.7		332.09	345.26	6.4	338.9	6.8
+62.7	F.J. # 6	332.50		5.4	339.9	7.4

See Book #435 Pg 9
For Ext. North

April 15, 1905

Childs
Lewis
Gunn

University ave East of Boulevard

Sta		Grade	H.I.	Rod	Elev.	cut	
0	M.H. #48	296.00	309.69				
+50		296.21		8.1	301.6	5.4	
1		296.42		6.7	303.0	6.6	
+50		296.63		5.7	304.0	7.4	
2		296.84		4.8	304.9	8.1	
+36.7	M.H. #114	297.00		3.7	306.0	9.0	303.4
+50		297.13		3.5	306.2	9.1	
3		297.61		2.0	307.7	10.1	
+50		298.09		1.2	308.5	10.4	
4		298.57		2.4	307.3	8.7	
+50		299.05		5.7	304.0	5.0	
+86.25	M.H. #115	299.40		7.9	301.8	2.4	305.0
5		299.66		8.7	301.0	1.3	
+30		300.22		10.31	299.38	-0.8	Fill

April 15 1905

Sta.	Grade	H.I.	Rod	Elev.	cut	
9+30	307.63	311.47	4.8	306.7	-0.9	Fill
+50	308.01		3.65	307.82	-0.2	
10	308.93		0.5	311.0	2.1	
+03.65 M.H.#117	309.00		0.3	311.2	2.2	315.0
+50	311.03	320.51	7.1	313.4	2.4	
11	313.22		3.8	316.7	3.5	
+50	315.40		3.1	317.4	2.0	
12	317.59	332.70	11.2	321.51	3.9	316.5
+50	319.78		6.0	326.7	6.9	
13	321.97		1.5	331.2	9.2	
+03.45 M.H.#118	322.12		1.3	331.4	9.3	314.9

10 03.65
4 86 21
3-17.40

Note: See Book 212-51 For change


Howard St.
F.S.
Polk St.
Park Boulevard
33'
R.R.
Campus street
Lincoln Street
University Boulevard
Stone
center
University ave.

April 17 1905

Childs
Lewis
Gunn

Alley line bet. University Boulevard & Center St.

Sta.		Grade	H.I.	Rod	Elev.	cut
0	M.H #114	297.00	310.75	4.75	306.0	9.0
+50		297.41		4.0	306.7	9.3
1		297.81		2.9	307.8	10.0
+50		298.22		2.4	308.3	10.1
2		298.63		4.1	306.6	8.0
+45.5	M.H. #128	299.00		4.4	306.3	7.3
+50		299.09		4.4	306.3	7.2
3		300.06		5.5	305.2	5.1
+50		301.03		5.4	305.3	4.3
4		302.01		3.9	306.8	4.8
+50		302.98		3.8	306.9	3.9
5		303.95		2.5	308.2	4.3
+50		304.92		1.09	309.66	4.8
6		305.89	321.35	9.8	311.5	5.6
+25.5	M.H. #127	306.39		9.6	311.7	5.3
+50		306.87		9.4	311.9	5.0

april 17 1905

Sta.		Grade	H.I.	Rod	Elev.	cut
7		307.85	321.35	9.8	311.5	3.7
+50		308.82		9.5	311.8	3.0
8		309.79		8.1	313.2	3.4
+50		310.76		6.9	314.4	3.6
9		311.73		5.6	315.7	4.0
+50		312.70		2.6	318.7	6.0
+65	M.H. #125	313.00		2.0	319.4	6.4
10		315.33		1.38	319.97	4.7
+50		318.67	330.34	8.1	322.2	3.5
11		322.00		5.2	325.1	3.1
+50		325.33		2.14	328.20	2.9
12		328.66	340.58	6.7	333.9	5.2
+50		332.00		2.3	338.3	6.3
+80	M.H. #124	334.00		1.1	339.5	5.5
13		334.27		0.83	339.75	5.4
+50		334.93	348.39	6.3	342.1	7.2

April 17. 1905

Sta.	Grade	H.I.	Rod	Elev.	cut
14	335.60	348.39	5.1	343.3	7.7
+50	336.27		4.9	343.5	7.2
15	336.93		4.6	343.8	6.9
+50	337.60		4.5	343.9	6.3
+80 F.I.#9	338.00		4.7	343.7	5.7

April 18. 1905

Line L up Lincoln and Center Streets.

Sta.		Grade	H.I.	Rod	Elev.	cut
0	M.H. #125	313.00	331.26			6.4
+50		314.62		11.0	320.3	5.7
1		316.23		9.5	321.8	5.6
+50		317.85		7.5	323.8	6.0
+90	M.H. #126	319.14		5.9	325.4	6.3
2		319.46		6.2	325.1	5.6
+50		321.08		2.6	328.7	7.6
3		322.69		1.7	329.6	6.9
+50		324.30	340.91	9.9	331.0	6.7
4		325.92		9.0	331.9	6.0
+50		327.53		8.1	332.8	5.3
5		329.15		6.2	334.7	5.5
+50		330.76		4.0	336.9	6.1
6		332.38		1.9	339.0	6.6
+50	F.J. #10	334.00		1.9	339.0	5.0

April 19. 1905

Alley line between Childs Lewis Gunn Center and Park Boulevard

Sta		I line	Grade	H.I.	Rod	Elev	Cut	
0 = 7+38.5		Begins on trestle	304.08					
2			305.09	311.47	7.5	304.0	-1.1	Fill
	+50		305.34		5.1	306.4	1.0	
3			305.59		3.8	307.7	2.1	
	+50		305.84		1.61	309.86	4.1	
	+61.4	M.H. # 130	306.00	320.81	10.2	310.6	4.6	
4			306.72		8.8	312.0	5.3	
	+50		308.66		7.7	313.1	4.4	
5			310.60		6.2	314.6	4.0	
	+50		312.53		4.4	316.4	3.9	
6			314.47		1.93	318.88	4.4	
	+50		316.41	330.43	8.3	322.17	5.7	
7			318.34		5.5	324.9	6.6	
	+17	F.I. # 11	319.00		4.4	326.0	7.0	

717
321
336

April 22 1905

Childs
Lewis
Gunn

Line J. alley bet. Park Boulevard and Georgia St.

Sta.	Grade	H.I.	Rod	Elev.	cut
0 M.H. #118(?)	322.28	338.78	7.8	331.0	8.7
+50	322.50		8.2	330.6	8.1
1	322.73		8.1	330.7	8.0
+50	322.95		6.8	332.07	9.1
2	323.17		5.9	332.9	9.7
+50	323.39		5.3	333.5	10.1
3	323.61		4.8	334.0	10.4
+05 M.H. #119	323.63		4.7	334.1	10.5
+50	323.83		4.8	334.0	10.2
4	324.06		4.5	334.3	10.2
+50	324.28		4.9	333.9	9.6
5	324.51		5.2	333.6	9.1
+50	324.73		4.8	334.0	9.3
6	324.96	341.75	6.67	334.48	9.5
+05 M.H. #120	324.98		6.7	334.4	9.4

april 22 1905

Sta.		Grade	H.I.	Rod	Elev.	cut
+50		325.18	341.15	6.6	334.5	9.3
7		325.41		6.3	334.8	9.4
+50		325.63		6.2	334.9	9.3
8		325.86		5.8	335.3	9.4
+50		326.08		5.7	335.4	9.3
9		326.31		5.6	335.5	9.2
+45	M.H.# 121	326.51		5.5	335.6	9.1
+50		326.53		5.4	335.7	9.2
10		326.76		4.9	336.2	9.4
+50		326.98		5.3	335.8	8.8
11		327.21		4.2	336.9	9.7
+50		327.43		4.7	336.4	9.0
12		327.65		4.7	336.4	8.8
+50		327.87		4.5	336.6	8.7
+84.2	M.H.# 122	328.03		4.2	336.9	8.9

309.01
11.87
7.14

April 22 1905

Sta.		Grade	H.I.	Rod	Elev.	cut
13		328.10	348.15	11.2	336.94	8.8
7 +50		328.32	341.91	5.0	336.9	8.6
		328.55		4.8	337.1	8.6
8 +50		328.77		5.1	336.8	8.0
		329.00		5.1	336.8	7.8
9 +50		329.22		4.8	337.1	7.9
6		329.45		5.8	336.1	6.7
+44.2	M.H. # 123	329.65		6.1	335.8	6.2
10 +50		329.67		6.3	335.6	5.9
7		329.90		7.0	334.9	5.0
11 +50		330.12		7.0	334.9	4.8
8		330.35		6.8	335.1	4.8
12 +50		330.57		7.3	334.6	4.0
19		330.80		7.3	334.6	3.8
+44.2	F.J. # 8	331.00		8.1	333.8	2.8

April 24 1905

Childs
Lewis
Shaw

alley line bet. Essex and Robinson. East of 10th St.

Sta.		Grade	H.I.	Rod	Elev.	cut
0	= M.H.#144	276.80	294.39		283.5	6.7
+50		277.36		10.2	284.2	6.8
1		277.92		10.4	284.0	6.1
+50		278.48		9.9	284.5	6.0
2		279.04		9.5	284.9	5.9
+50		279.60		10.0	284.4	4.8
+95	M.H.#153	280.11		9.0	285.4	5.3
3		280.16		8.7	285.7	5.5
+50		280.72		7.7	286.7	6.0
4		281.28		6.9	287.5	6.2
+50		(281.87)	281.84	6.3	288.1	6.2
5		282.40		6.2	288.2	5.8
+50		282.95		6.5	287.9	5.0
6	M.H.#152	283.51		5.5	288.9	5.4

April 24 1905

Childs
Lewis
Shaw

Sta.		Grade	H.I.	Rod	Elev.	cut
+50		284.07	294.39	4.6	289.8	5.7
7		284.63		3.7	290.7	6.1
+50		285.19		3.7	290.7	5.5
8		285.75		3.2	291.2	5.4
+50		286.31		2.2	292.2	5.9
9	M.H.# 151	286.87		2.0	292.4	5.5
+50		287.43		1.5	292.9	5.5
10		287.99		0.84	293.55	5.5
+50		288.55	297.26	3.2	294.1	5.5
11		289.11		2.5	294.8	5.7
+50		289.67		2.3	295.0	5.3
+80	F.I.# 13	290.00		2.3	295.0	5.0

~~See Book B20 pg 75 for Extention.~~

May 12. 1905

Alley line bet. University ave & Essex, East of 10th

Childs
Lewis
Gunn

Sta.		Grade H.I.	Rod	Elev. cut	
0	on trestle	275.63			
1+90		277.92 285.49	9.0	276.5	-1.4 Fill
2		278.04	6.5	279.0	1.0
+50		278.65 294.28	11.0	283.3	4.7
3		279.25	9.7	284.6	5.4
+10	M.H.# 154	279.37	9.5	284.8	5.4
+50		279.85	9.1	285.2	5.4
4		280.46	8.2	286.2	5.7
+50		281.06	8.1	286.2	5.1
5		281.67	5.6	288.7	7.0
+50		282.27	5.3	289.0	6.7
6		282.87	4.9	289.4	6.5
+14.25	M.H.# 155	283.04	5.1	289.2	6.2
+50		283.47	5.0	289.3	5.8
7		284.08	4.8	289.5	5.4

May 12 1905

Sta.		Grade	H.I.	Rod	Elev.	cut
+50		284.68	294.28	4.3	290.0	5.3
8		285.28		3.4	290.9	5.6
+50		285.89		3.0	291.3	5.4
9		286.49		2.1	292.2	5.7
+15	M.H. #156	286.67		2.0	292.3	5.6
+50		287.10		1.6	292.7	5.6
10		287.70		0.81	293.47	5.8
+50		288.30	297.66	3.4	294.3	6.0
11		288.91		2.9	294.8	5.9
+50		289.51		2.1	295.6	6.1
+90	F.T. #14	290.00		1.6	296.1	6.1

See 820-75 for Extens.

10.62
297.29 HI

Hold Instrument Plumb } 7/15/05

8.99
10.80

287.70
9.59

288.20
8.99

288.91
8.38

289.51
7.78

290.-
7.29

287.10
10.19

286.67

219.51
8.085
297.59
296
7.595

June 3, 1905

Line H alley bet. Robinson and Thornton.

Fields
Munson
Haslam
North Penn.

Sta.		Grade	H.I.	Rod	Elev.	cut
0	M.H.#146	278.00	289.05	7.9	281.2	3.2
+58		278.27		6.96	282.09	3.8
1		278.53	288.66	6.7	282.0	3.5
+50		278.80		6.1	282.6	3.8
2		279.07		5.3	283.4	4.3
+50		279.34		4.6	284.1	4.8
+55	M.H.#147	279.36		4.7	284.0	4.6
3		279.61		4.5	284.2	4.6
+50		279.88		5.2	283.47	3.6
4		280.14		5.4	283.3	3.2
+50		280.41		4.9	283.8	3.4
5		280.68		4.4	284.3	3.6
+50		280.95		3.8	284.9	4.0
+60.5	M.H.#148 ℄ of Vermont	281.00		4.1	284.6	3.6
6		281.36		2.2	286.5	5.1



June 6. 1905

Childs
Munson
Haslam

Sta	Grade	H.I.	Rod	Elev.	cut
+50	281.81	288.66	1.5	287.2	5.4
7	282.27		0.37	288.29	6.0
+50	282.72	295.24	5.7	289.5	6.8
8	283.18		5.1	290.1	6.9
+50	283.63		4.9	290.3	6.7
+60 M.H. #149	283.72		4.7	290.5	6.8
9	284.09		5.0	290.2	6.1
+50	284.54		5.7	289.5	5.0
10	285.00		6.04	289.20	4.2
+50	285.45	297.03	6.8	290.2	4.8
11	285.90		6.4	290.6	4.7
+50	286.35		5.5	291.5	5.1
12+00.7 M.H. #150	286.81		5.5	291.5	4.7
+ 10 E of Richmond	287.17				
+50	287.26		4.5	292.5	5.2
13	287.72		3.9	293.1	5.4

Sta.		Grade	H.I.	Rod	Elev.	cut.
+50		288.17	297.03	3.4	293.6	5.4
14		288.63		3.7	293.3	4.7
+40	F.J. #12	289.00		4.0	293.0	4.0

30.00 .535
28021 535
1975.0 1,070
16815
29350

279.070
279.605
.140
324.675

.27
535
5
5

.00535
60.5
2685
3210
.0032.3685

.00535
54
2675
2675
.29425

Trestle 2

		223,73		
	0,30	211,18	12,85	210,88
Bent 15			4.2	207,0
	0,32	199,66	11,84	199,34
	0,71	187,72	12,65	187,01
B 14			3,7	184,0
	0,10	175,04	12,78	174,94
	2,65	165,24	12,45	162,59
B 13			6.3	159.0
	1,01	153,01	13,24	152,00
12			8.8	144.2
11			19.3	133.7
10				
91				
			21,0	137.0
8			17,4	140.6
7			6,9	146.1
6			8.0	145.0

6+91 / 6+36

5			2,9	150,1
4			8,3	144,7
3			2,6	150,4
	4,19	213,78		209,59
	2,75	206,67	9.86	203.92
1				206,7
	1,31	196,62	11,36	195,31
2			12,4	184,2

7+20 = 205,00

10+60 = 209.

340 | 4,00 (1,17)

340
600
340
2600
2380
220

6+36 = 204,02 = 208,0 - 4

6+91 204,66 178,7 - 5

3 = 205,30 = 147.3 - 3

4 205,94 = 146.0 + 1.

5 206,58 150,6 +10.

6 = 207,22 147,0 +7

1,17 × 84 = 468, 936, 98,28

117 × 55 = 585, 936, 6435

		207,72	
7 =	207,86		147.0+1.
8 =	208,50		140.5+0.
9 =	209,14		132.0
10 =	209,78		137.8-10
11 =	210,42		135.4
12	211,06		146.6
13	211,70		156.7-2
14	212,34		171,3
15	213,0		212,

& Sewer Trestle #3

Ab 1
113,67

Bent 1.			1,5	212,2	216,5
" 2			8,1	205,6	217,0
	-0,1	100,5	13,03	200,6	2
" 3			11,9	188,6	217,6
	0,80	88,5	12,80	087,7	
Bent			11,8	176,7	218,1
" 5			15,7	172,8	218,7

& (#4)

212,2
5,1
229,30

16,07
2 18 27
228,8 X Ab 1.
12,13
217,21
0,35
217,56

214,5					
206,					
	Bent 1.		9,1	208,5	222,5-14,208,5
3-8 89,6		0,80	205,41	12,6	204,91
	B 4		10,6	194,8	-22,6-27, = 97,4
4,77		1,08	193,29	13,20	192,21
172,7	B 3		19,0	174,3	223,6-47=176,6
	B 2		10,8	182,5	228,-40,198,
		10,80	219,30		208,5
	B 5		1,6	217,7	225-6=19,

Water Trestle #3

Grand Ave bot. 27th/11 + 28th/0

	Grade of Rail	H.I.	Rod	Elev
216' East + west line of 37th	44.41	54.42		50.01
Bent 1	44.14		8.45	46.0
2	44.23		8.29	46.1
3	44.32		7.81	46.6
4	44.41		8.11	46.3
5	44.50		7.88	46.5
6	44.59		7.60	46.8
7	44.68		7.53	46.9
8	44.77		7.60	46.8
9	44.86		7.21	47.2
10	44.95		7.11	47.3
11	45.04		6.90	47.5
12	45.14		6.90	47.5

Cut Slopes Cut 3' into Hill

1.9 + 2.6 = 4.4
1.9 + 5.5 = 7.4
7.3 + 8. = 10.3
1.9 + 11.5 = 13.4
2.0 + 12. = 14.0
2.2 + 11.5 = 13.7
2.2 + 10.5 = 12.7
2.0 + 8.5 = 10.5
2.3 + 7.5 = 9.8
2.3 + 5.5 = 7.8
2.5 + 3.5 = 6.0
2.4 + 2.0 = 4.4

3/23/05

Hutchison Evans Survey



Trestle #4

3/28/05

29 7/5

				Elevation	Cut
		6,07	62.08	62,008	
215' East of Mid Line of 28 7/5		Grade 70 Pile			
Bent	#1	48,49	6.69	60,39	1.90 + 3.0 = 4,9
	2	48,54	6.74	60,24	1.70 + 7.0 = 8,7
	3	48,60	6.65	60,43	1.83 + 9.5 = 11,3
	4	48,65	6,85	49,73	1.08 + 10.0 = 11,1
	5	48,71	6.96	60,12	1.41 + 9.0 = 10,4
	6	48,76	6,01	60,07	1.31 + 7.0 = 8,3
	7	48,82	6,06	60,04	1.72 + 5.5 = 6,7
	8	48,87	6.77	60,31	1.44 + 3.5 = 4,9
	9	48,93	6.97	60,11	1.18 + 2,0 = 3,2



BM,

University

5th	290,82	N.E. Cor Spk in Pole
6th	283,54	S.E. " NW Bolt in Mon
7	283,90	N.E. Cor Spk in Phone P
8th	284,25	" " " " " "
10th	282,74	N.W. " " " " "
Vermont	279,71	N.E. " " " Elect P.
Main	296,40	125' West Spk in " "
Raul.	301,96	N.W. Cor. Elect Pole
100 ft N. of Blaine	306.97	N.E. Spk. in New Phone Pole
Lincoln	312.55	S.E. " " " " "
Campus	344.11	S.E. " " " " "
Van Buren	344.85	SW " " " " "
Cajon Ave.	340.08	NE " " " " "
Jackson	342.86	N. " " old Elec "
Munroe	345.06	S " " " " "

Phantom 43

28th

50,08	Ground	+28	Spk in Elect Cor	N W
44,48	"	" 27	"	" Phone Pole N.E.
55,78	"	" 29	"	" Fence Cor, N W

312.55
6.76
319.31
307.60
11.71

5th & Fountain 282.44 S.E. Cor E.P.

Georgia 316.21 S.W. Spk. in phone pole.

195 69.8 / 84.65

284.8 ✓
0.43
285.27 H.I.
9.93
275.34 ✓
2.20
277.54 ✓

275.34 ✓
2.20
277.62 H.I.

30763
3000
7.41
1.85

947
35
4+29.7
10
4+39.7
7
446.7
33

270.00
S.E. - 270.91
S.B. - 271.82
80
- 272.32
272.72
84.72

Robinson ave.

4+46.7
81
527.7

4467
90
537.7

3.68
270.86
274.54
270.80
3.74
3.08
273.94 ✓
270.80
3.14
270.64
3.30
270.48
3.46

270.32
3.62
2.05
270.86
272.91 ✓
270.48
2.43
270.32
2.59

195

1.975 / 1000
9.875
1250
1875

279.253
279.506
279.759
270
270.8
4+80

4.140
3860
3840
3000
2880
1200

.862

.862
32726
33
330.56
8.05
306.08
314.13

310.41
302.94
7.57

303.41
7.00
303.62
6.79

299.43
10.99
310.41
299.82
10.56
299.99
10.42
300.56
9.83
301.73
9.28
301.70
8.71

312.55

282.74
7.57
290.31

275.3
15.01
11.44
278.87
302
581.89
275.
275.339

275.678
.102
275.780

00339
2
678
1695
678
6428

3.63
316.18

35
10.3
25.2

.00339
33
.10170

.00339
10.3
101.7
339
.034917

275.035
.085
275.120

169

12.10
306.10
318.20

12.13
316.14
328.27

275 / 5,100 / 1,818
275
2250
2200
50.0

182
145
910
728
182
2,639

72,64
498

182
125
910
364
45.50

182
87
1274
546
1,733

182
125
910
364
45.50

145
87
1
108
182
216
864
108
1,975.6

70,14
7.17

70,67
6.75
192
478

30697
3.2
310.217
299.68
10.81
.56

185
95
925
1665
17575

101

1.26



ANSIT BOOK.
of 100.

E.	¾ DEGREE.		Degrees.
ep.	Lat.	Dep.	
87	99.99	1.31	89
	99.95	3.05	88
	99.88	4.80	87
	99.79	6	



TRAVERSE TABLE FOR TRANSIT BOOK.

From 1° to 90° for a distance of 100.

Degrees.	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
0			100.00	0.44	100.00	0.87	99.99	1.31	89
1	99.98	1.75	99.98	2.18	99.97	2.62	99.95	3.05	88
2	99.94	3.49	99.92	3.93	99.91	4.36	99.88	4.80	87
3	99.86	5.23	99.84	5.67	99.81	6.10	99.79	6.54	86
4	99.76	6.98	99.73	7.41	99.69	7.85	99.66	8.28	85
5	99.62	8.72	99.58	9.15	99.54	9.58	99.50	10.02	84
6	99.45	10.45	99.41	10.89	99.36	11.32	99.31	11.75	83
7	99.25	12.19	99.20	12.62	99.14	13.05	99.09	13.49	82
8	99.03	13.92	98.97	14.35	98.90	14.78	98.84	15.21	81
9	98.77	15.64	98.70	16.07	98.63	16.50	98.56	16.93	80
10	98.48	17.36	98.40	17.79	98.33	18.22	98.25	18.65	79
11	98.16	19.08	98.08	19.51	97.99	19.94	97.90	20.36	78
12	97.81	20.79	97.72	21.22	97.63	21.64	97.53	22.07	77
13	97.44	22.50	97.34	22.92	97.24	23.34	97.13	23.77	76
14	97.03	24.19	96.92	24.62	96.81	25.04	96.70	25.46	75
15	96.59	25.88	96.48	26.30	96.36	26.72	96.25	27.14	74
16	96.13	27.56	96.00	27.98	95.88	28.40	95.76	28.82	73
17	95.63	29.24	95.50	29.65	95.37	30.07	95.24	30.49	72
18	95.11	30.90	94.97	31.32	94.83	31.73	94.69	32.14	71
19	94.55	32.56	94.41	32.97	94.26	33.38	94.12	33.79	70
20	93.97	34.20	93.82	34.61	93.67	35.02	93.51	35.43	69
21	93.36	35.84	93.20	36.24	93.04	36.65	92.88	37.06	68
22	92.72	37.46	92.55	37.86	92.39	38.27	92.22	38.67	67
23	92.05	39.07	91.88	39.47	91.71	39.87	91.53	40.27	66
24	91.35	40.67	91.18	41.07	91.00	41.47	90.81	41.87	65
25	90.63	42.26	90.45	42.66	90.26	43.05	90.07	43.44	64
26	89.88	43.84	89.69	44.23	89.49	44.62	89.30	45.01	63
27	89.10	45.40	88.90	45.79	88.70	46.17	88.50	46.56	62
28	88.29	46.95	88.09	47.33	87.88	47.72	87.67	48.10	61
29	87.46	48.48	87.25	48.86	87.04	49.24	86.82	49.62	60
30	86.60	50.00	86.38	50.38	86.16	50.75	85.94	51.13	59
31	85.72	51.50	85.49	51.88	85.26	52.25	85.04	52.62	58
32	84.80	52.99	84.57	53.36	84.34	53.73	84.10	54.10	57
33	83.87	54.46	83.63	54.83	83.39	55.19	83.15	55.56	56
34	82.90	55.92	82.66	56.28	82.41	56.64	82.16	57.00	55
35	81.92	57.36	81.66	57.71	81.41	58.07	81.16	58.42	54
36	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	53
37	79.86	60.18	79.60	60.53	79.34	60.88	79.07	61.22	52
38	78.80	61.57	78.53	61.91	78.26	62.25	77.99	62.59	51
39	77.71	62.93	77.44	63.27	77.16	63.61	76.88	63.94	50
40	76.60	64.28	76.32	64.61	76.04	64.94	75.76	65.28	49
41	75.47	65.61	75.18	65.93	74.90	66.26	74.61	66.59	48
42	74.31	66.91	74.02	67.24	73.73	67.56	73.43	67.88	47
43	73.14	68.20	72.84	68.52	72.54	68.84	72.24	69.15	46
44	71.93	69.47	71.63	69.78	71.33	70.09	71.02	70.40	45
45	70.71	70.71							
Degrees.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Degrees.
	DEGREES.		¾ DEGREE.		½ DEGREE.		¼ DEGREE.		

Property of Engineering Office
U.S. Naval Station
San Diego, Cal.

Published by H. S. CROCKER COMPANY, Stationers, Drawing Materials, Mathematical Instruments, etc., San Francisco.