

Washington Street

400

LEVEL

San Diego City Engineer's Office
City Hall, San Diego, Cal.

F.B. 247

247

Table showing the ~~difference~~ of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

MINUTES	LKS.	MINUTES	LKS.	MINUTES	LKS.
1	2 1/3	21	49	41	95 2/3
2	4 2/3	22	51 1/3	42	98
3	7	23	53 2/3	43	100 1/3
4	9 1/3	24	56	44	102 2/3
5	11 2/3	25	58 1/3	45	105
6	14	26	60 2/3	46	107 1/3
7	16 1/3	27	63	47	109 2/3
8	18 2/3	28	65 1/3	48	112
9	21	29	67 2/3	49	114 1/3
10	23 1/3	30	70	50	116 2/3
11	25 2/3	31	72 1/3	51	119
12	28	32	74 2/3	52	121 1/3
13	30 1/3	33	77	53	123 2/3
14	32 2/3	34	79 1/3	54	126
15	35	35	81 2/3	55	128 1/3
16	37 1/3	36	84	56	130 1/3
17	39 2/3	37	86 1/3	57	133
18	42	38	88 2/3	58	135 1/3
19	44 1/3	39	91	59	137 2/3
20	46 2/3	40	93 1/3	60	140

Return to City Engineers Office
 City Hall, San Diego, Cal.
 TABLE FOR RUNNING ON SLOPES.
 MICROFILMED

In the following table the first column shows the angle, the second the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement. 1964

Angle	COR. IN LINKS	Angle	COR. IN LINKS	Angle	COR. IN LINKS	Angle	COR. IN LINKS
0		0		0		0	
4	0.24	11	1.88	18	5.14	25	10.54
5	0.38	12	2.24	19	5.76	26	11.26
6	0.55	13	2.63	20	6.42	27	12.24
7	0.76	14	3.06	21	7.11	28	13.37
8	0.98	15	3.53	22	7.85	29	14.34
9	1.24	16	4.02	23	8.64	30	15.47
10	1.55	17	4.56	24	9.47	35	22.07

See + S book 131
 247

Return to City Engineers Office
 City Hall, San Diego, Cal.

3rd Street 2/9/05

Hutchinson
Evans
Watmore

1

B.M. 284.85 N.W. Cor. Spk in Tel Pale

3rd & Robinson

B.M. 289.10 S.E. Cor. Spk in Tel Pale

4th & Robinson

B.M. 289.88 S.W. Cor. ^{Spk in Pale} ~~Unit~~ & 5th

1.67 290.77 289.10

5.27 290.12 5.72 284.85

3.82 290.79 3.15 286.97

So Side of University Ave

West Side

5.1 285.7

Ch.

5.3 285.5

7

5.7 285.1

Ch.

5.7 285.6

4

5.3 285.5

—

4.7 286.1

East Side

4.7 286.1

10' M^o of So Line

# East Line	290.79	5.5	285.3
-		5.4	285.4
+		5.4	285.4
Ct.		5.4	285.4
+		5.6	285.2
-		5.6	285.2
W.L.		5.6	285.2

21' M^o of So Line

W.L.		5.9	284.9
-		5.8	285.0
+		5.8	285.0
Ct.		5.6	285.2
+		5.5	285.3
-		5.3	285.5
East L.		5.7	285.6

3 1/8' M^o of So Line

East Line	290.79	5.5	285.3
-		5.7	285.1
+		5.3	285.5
Ct.		5.5	285.3
+		6.0	284.8
-		5.6	285.2
W.L.		5.9	284.9

4 3/8' M^o of So Line

W.L.		6.3	284.5
-		5.9	284.9
+		6.0	284.8
Ct.		6.0	284.8
+		5.6	285.2
-		5.8	285.0
East L.		5.9	284.9

535' N^o of the line

East L.	29079	6.0	2848
-		6.0	2848
4		6.2	2846
Cl.		6.4	2844
4		6.6	2842
-		6.5	2843
W. L.		6.9	2837

635' N^o of the line (N^o line of minor arc)

W. L.		6.9	2839
-		6.4	2844
4		6.7	2841
Cl.		6.3	2845
4		5.5	2853
-		5.7	2851
East L.		5.8	2850

~~519
6229~~

3

(9.4' N^o of minor) 550' E^o of Washington Ave

East L.		5.6	2852
-		5.4	2854
4		5.5	2853
Cl.		5.7	2851
4		6.4	2844
-		6.4	2844
W. L.		6.8	2840

575' E^o of Washington

W. L.		6.2	2846
-		6.7	2841
4		6.7	2841
Cl.		6.0	2848
4		5.5	2853
-		5.8	2850
East L.		5.5	2853

500' Soot Washington

E.L.	290.79	5.1	285.7
-		5.4	285.4
+		5.5	285.31
Ct.		6.2	284.6
+		6.2	284.6
-		6.3	284.5
W.L.		6.6	284.2

475' Soot

W.L.		7.0	283.8
-		7.3	283.5
+		7.0	283.8
Ct.		7.1	283.7
+		5.9	284.9
-		5.5	285.3
E.L.		6.0	284.8

460' S of Washington

E.L.		6.3	284.5
-		6.1	284.7
+		7.0	283.8
Ct.		7.4	283.4
+		7.5	283.3
-		10.8	280.0
W.L.		12.9	277.9

450' Soot

W.L.		8.3	282.5
-		7.1	283.7
+		7.1	283.7
Ct.		7.1	283.7
+		6.2	284.6
-		6.1	284.7
E.L.		5.9	284.9

425' South Washington

E.L.	290.79	5.0	285.8
-		5.1	285.7
4		5.6	285.2
Ch.		6.3	284.5
4		5.8	285.0
-		5.4	285.4
W.L.		5.9	284.9

400' South

W.L.		5.2	285.6
-		5.1	285.7
4		5.6	285.2
Ch.		6.1	284.7
4		5.9	284.9
-		5.6	285.2
E.L.		5.2	285.6

375' South

E.L.		3.7	287.1
-		3.8	287.0
4		4.8	286.9
Ch.		5.3	285.5
4		5.6	285.2
-		5.0	285.8
W.L.		5.2	285.6

350' South

W.L.		5.3	285.5
-		4.4	286.4
4		5.2	285.6
Ch.		3.7	287.1
4		3.8	287.0
-		4.7	286.1
East L.		4.8	286.0

325' Soot Washington

E.L.	190.79	4.9	285.9
-		4.7	286.1
A		3.7	287.1
Ch.		3.4	287.4
A		4.8	286.0
-		5.0	285.8
W.L.		5.0	285.8

300' Soot

W.L.		4.6	286.2
-		4.5	286.3
A		4.5	286.3
Ch.		4.3	286.5
A		4.4	286.4
-		4.6	286.2
E.L.		4.2	286.6

275' Soot

East L.		4.0	286.8
-		3.5	287.3
A		4.3	286.5
Ch.		4.2	286.4
A		3.4	287.4
-		4.0	286.8
W.L.		4.3	286.5

250' Soot

W.L.		3.1	287.7
-		3.8	287.0
A		4.5	286.3
Ch.		3.5	287.3
A		3.0	287.8
-		4.2	286.6
E.L.		4.3	286.5

245' So of

E.L.	29079	4.4	286.4
-		4.3	286.5
4		4.1	286.7
ct.		4.3	286.5
4		4.8	286.0
-		5.0	285.8
W.L.		4.6	286.2

200' So of

W.L.		5.3	285.5
-		5.2	285.6
4		5.0	285.8
ct.		4.3	286.5
4		4.9	287.9
-		3.2	287.6
E.L.		4.3	286.5

175' So of

E.L.		4.0	286.8
-		3.8	287.0
4		4.5	286.3
ct.		4.2	286.5
4		3.0	287.8
-		3.4	287.4
W.L.		5.0	285.8

150' So of

W.L.		4.1	286.7
-		3.3	287.5
4		4.1	286.7
ct.		4.7	286.1
4		4.6	286.2
-		4.5	286.3
E.L.		4.3	286.5
7.19	293.60	4.38	286.41

125' S. of Washington Ave.

East L.	19360	5.4	288.2
-		6.0	287.6
A		6.7	286.9
Ch.		7.7	286.4
A		6.3	287.3
-		5.6	288.0
W.L.		6.0	287.6

100' S. of

W.L.		6.6	287.0
-		6.6	287.0
A		6.3	287.3
Ch.		6.0	287.6
A		5.7	287.9
-		6.7	286.9
East L.		6.8	286.8

75' S. of

E.L.		6.7	286.9
-		6.8	287.1
A		5.8	287.8
Ch.		5.8	287.8
A		6.4	287.2
-		6.6	287.0
W.L.		6.1	287.5

50' S. of

W.L.		5.7	287.9
-		6.1	287.5
A		5.7	287.9
Ch.		5.7	287.9
A		6.7	287.4
-		6.4	287.1
E.L.		5.9	287.7

25' East

E.S.	793.60	6.2	287.4
-		6.3	287.2
4		5.8	287.8
Ch.		5.2	288.4
4		5.1	288.5
-		5.3	288.3
W.L.		6.2	287.4

So Line of Washington

W. Line		6.0	287.6
-		6.0	287.6
4		6.0	287.6
Ch.		6.0	287.6
4		6.0	287.6
-		6.2	287.4
E.L.		5.8	287.8
Rm.		4.15	289.29

Bent left in Elect. Pol. N.W. Cor 3rd + Washington ave

So Curt of Washington

W.S. East L.	793.60	5.7	287.7
-		5.7	287.7
4		6.1	287.5
Ch.		6.0	287.6
4		6.0	287.6
-		5.8	287.8
West Line		5.6	288.0

So 1/4 Line of Washington

W.S.		4.4	289.2
-		4.9	288.7
4		5.9	287.7
Ch.		6.1	287.5
4		5.5	288.1
-		5.2	288.4
East L.		5.5	288.1

Center Line of Washington

East L	293.60	4.6	289.0
-		4.2	289.4
A		5.1	288.5
Ch.		5.9	287.7
A		5.8	287.8
-		4.4	289.2
W.L.		3.7	289.9

N^o 14 Line

W.L.		4.2	289.4
-		4.8	288.8
A		5.7	287.7
Ch.		5.6	288.0
A		4.3	289.3
-		3.8	289.8
East L.		4.4	289.2

N^o Curb Line of Wash.

E.L.	293.60	4.8	288.8
-		4.1	289.5
A		4.0	289.6
Ch.		5.2	288.4
A		5.8	287.8
-		5.7	287.9
W.L.		5.6	288.0

N^o Line of Washington

W.L.		5.8	287.8
-		5.8	287.8
A		5.7	287.9
Ch.		5.7	287.9
A		5.3	288.3
-		5.3	288.3
E.L.		5.3	288.3

Washington Ave

West line of 3rd Street.

N ^o Line	293.60	5.8	287.8
-		5.5	288.1
4		4.1	289.5
Ch.		3.7	289.9
4		4.4	289.2
-		5.6	288.0
So line		6.0	287.6

25' West of 3rd

N. L.		4.9	288.7
-		4.9	288.7
4		5.5	288.1
Ch.		5.6	288.9
4		5.7	287.9
-		5.8	287.8
N ^o Line		5.8	287.8

50 West of 3rd

N ^o Line	293.60	4.6	289.0
-		5.5	288.1
4		6.0	287.6
Ch.		6.0	287.6
4		6.2	287.4
-		6.1	287.5
N. L.		6.2	287.4

75' West of

N. L.		6.9	286.7
-		6.7	286.9
4		6.9	287.6
Ch.		5.7	287.9
4		6.9	287.6
-		5.9	287.7
N ^o Line		6.0	287.6

100' west of 258

M ^o Line	19360	44	289.2
-		46	289.0
A		58	287.8
Ch		64	287.2
A		67	286.9
-		71	286.5
No. L.		59	287.7

125' west of

No. L.		82	285.4
-		79	285.7
A		76	286.0
Ch		74	286.2
A		71	286.5
-		67	286.9
M ^o Line		66	287.0

Washington Ave

12

150' west of

M ^o L		73	286.3
-		70	286.6
A		68	286.8
Ch		76	286.0
A		80	285.6
-		74	286.2
No. L.		68	286.8

175' west of

No. L.		85	285.1
-		88	284.8
A		84	285.2
Ch		74	286.2
A		76	286.0
-		78	285.8
M ^o L		78	285.8

46
26
425

200' West of 3rd St

M ^o Line	19860	69	286.7
-		8.2	285.4
4		7.5	286.1
ct.		7.4	286.2
4		8.2	285.4
-		9.3	284.3
So Line		9.7	283.9

4.45 288.45 9.60 284.00

225' West of 3rd St

So Line		4.8	283.7
-		4.7	283.8
4		4.5	284.0
ct.		4.1	284.4
4		4.4	284.1
-		4.3	284.2
M ^o Line		4.0	284.5

Note - East of 2nd St

250' West of

M ^o Line	28845	4.0	284.5
-		3.8	284.7
4		4.0	284.5
ct.		4.8	283.7
4		4.7	283.8
-		2.8	285.7
So L.		3.3	285.2

278.2 West of 3rd St (East line of 2nd St)

So L.		5.2	283.3
-		5.5	283.0
4		5.5	283.0
ct.		5.5	283.0
4		5.2	283.3
-		4.4	284.1
M ^o L.		4.2	284.3

East Cent Line of 2nd

M ^o Line	28845	40	284.5
-		43	284.2
4		50	283.5
ct.		49	283.6
4		48	283.7
-		54	283.1
N ^o L.		50	283.5

East 1/4 Line of

N. L.		52	283.3
-		51	283.4
4		46	283.9
ct.		45	284.0
4		44	284.1
-		44	284.1
M ^o Line		29	285.6

Center Line of 2nd

14

M ^o Line		41	284.4
-		46	283.9
4		38	284.7
ct.		41	284.4
4		46	283.9
-		48	283.7
N ^o L.		46	283.9

West 1/4 Line

N ^o L.		44	284.1
-		45	284.0
4		43	284.2
ct.		42	284.3
4		40	284.5
-		43	284.2
N ^o L.		42	284.3

West Curt line at 2nd

No 2	288.45	4.2	284.3
-		4.0	284.5
4		4.1	284.4
ct.		4.2	284.3
+		4.3	284.2
-		4.4	284.1
S. line		4.7	283.8
B.M.	4.65		283.80

Thus S.W. Cor. of 2nd + Washington are

West line at 2nd St

S. line		4.6	283.9
-		4.7	283.8
4		4.6	283.9
ct.		4.4	284.1
4		4.3	284.2
-		4.1	284.4
No 2 line		4.2	284.3

Washington Ave

15

25' West of 2nd

No 2 line		4.0	284.5
-		4.2	284.3
4		4.2	284.3
ct.		4.3	284.2
+		4.1	284.4
-		4.1	284.4
S. line		4.2	284.0

50' West of

S. L.		4.7	283.8
-		4.2	284.3
4		4.2	284.3
ct.		4.3	284.2
4		4.3	284.2
-		4.1	284.4
No 2		4.2	284.3

75' West of 2nd				125' West of				
M	M ^o L	288.45	4.7	283.8	M ^o L	288.45	5.8	282.7
-	-		4.8	283.7	-		5.6	282.9
-	4		4.7	283.8	4		5.8	282.7
-	ct		4.5	284.0	ct		6.1	282.4
-	4		4.6	283.9	4		6.1	282.4
-	-		4.7	283.8	-		6.0	282.5
-	Re. L.		5.1	283.4	Re. L.		5.5	283.0
100' West of				150' West of				
F	Re. L.		5.8	283.0	Re. L.		6.4	282.1
-	-		5.2	283.1	-		6.5	282.0
-	4		5.2	283.3	4		6.7	282.3
-	ct		4.8	283.7	ct		6.1	282.4
-	4		5.0	283.5	4		6.9	282.5
-	-		5.2	283.3	-		5.9	282.6
-	M ^o L		5.4	283.3	M ^o L		6.1	282.4

175' west of

M ^o Livi	28845	6,2	282.3
-		6,1	282.4
4		6,6	281.9
ct.		6,8	281.7
4		7,0	281.5
-		7,0	281.5
So L.		7,0	281.5

200' west of

So L.		7,2	281.3
-		7,1	281.4
4		7,1	281.4
ct.		7,1	281.4
4		6,5	282.0
-		6,2	282.3
M ^o L.		6,1	282.4

225' west of

M ^o L.		6,9	281.6
-		7,0	281.5
4		6,9	281.6
ct.		7,0	281.5
4		7,1	281.4
-		7,2	281.3
So L.		7,3	281.2

250' west of

So L.		7,2	281.3
-		7,2	281.3
4		7,2	281.3
ct.		7,1	281.4
4		7,1	281.4
-		7,3	281.2
M ^o Livi		7,1	281.4

(275' west) East line of 1st

M ^o line	288.45	7.4	281.1
-		7.7	280.8
4		7.8	280.7
ct.		7.6	280.9
4		7.6	280.9
-		8.0	280.5
No line		8.0	280.5

B.M. 0.86 281.24 8.07 280.88

East curb line of 1st.

No line		1.1	280.1
-		0.8	280.4
4		0.7	280.5
ct.		0.6	280.6
4		0.5	280.7
-		0.4	280.8
M ^o L.		0.2	281.0

East 1/4 line of

M ^o line	281.24	0.9	280.3
-		1.0	280.2
4		1.2	280.0
ct.		1.4	279.8
4		1.5	279.7
-		1.7	279.5
No L.		1.9	279.3

Center line of 1st

No line		2.3	278.9
-		2.2	279.0
4		2.1	279.1
ct.		2.1	279.1
4		1.9	279.3
-		1.7	279.5
M ^o L.		1.5	279.7

Hand Section
15' x 10'

West 1/4 Line of

N ^o Line	281.24	1.8	279.4
-		2.2	279.0
4		2.6	278.6
ct,		2.9	278.3
4		2.9	278.3
-		2.7	278.5
So Line		2.4	278.8

West Curb Line

So Line		4.2	277.0
-		4.4	276.8
4		5.7	275.5
ct,		4.4	276.8
4		3.7	278.0
-		2.5	278.7
N ^o Line		1.9	279.3

West Line of 1st

N ^o Line	281.24	2.9	278.3
-		3.6	277.6
4		6.1	275.1
ct,		8.1	273.1
4		10.1	271.1
-		10.6	270.6
So Line		11.1	270.1

15' West of 1st

So Line		18.9	262.3
-		18.5	262.7
4		14.7	266.5
ct,		12.6	268.6
4		10.9	270.3
-		8.1	273.1
N ^o Line		6.9	274.3

25' west of 1st

M ^o Lms	10.9	270.3
-	12.3	268.9
4	14.6	266.6
ct.	16.4	264.8
4	14.3	266.9
-	14.4	266.8
No Lms	15.2	266.0

35' west of 1st

No Lms	12.2	269.0
-	11.1	270.1
4	10.8	270.4
ct.	11.6	269.6
4	12.8	268.4
-	14.1	267.1
M ^o Lms	14.4	266.8

50' west of

M ^o Lms	7.2	274.0
-	8.0	273.2
4	6.8	274.4
ct.	5.3	275.9
4	5.7	276.0
-	5.5	275.7
No Lms	5.7	275.5

65' west of

No Lms	3.6	277.6
-	2.9	278.3
4	2.9	278.3
ct.	3.0	278.2
4	2.6	278.6
-	3.5	277.7
M ^o Lms	3.8	277.4

75' West of 1st

No Line	281.24	2.0	279.2
-		1.8	279.4
4		1.6	279.6
Cl.		1.9	279.3
4		1.8	279.4
-		2.2	279.0
No Line		2.5	278.7

4.49 284.87 280.38 15m.

100' West of

No Line		5.0	279.9
-		4.7	280.2
4		4.6	280.3
Cl.		4.8	280.1
4		4.9	280.0
-		5.1	279.8
No L.		5.5	279.4

125' West of

No Line	284.87	4.7	280.2
-		4.5	280.4
4		4.6	280.3
Cl.		4.7	280.2
4		5.0	279.9
-		5.0	279.9
No Line		4.9	280.0

150' West of

No Line		4.9	280.7
-		4.4	280.5
4		4.6	280.3
Cl.		4.7	280.2
4		4.7	280.2
-		4.7	280.2
No Line		4.7	280.2

175' west of

No Line	284.87	5.1	279.8
-		4.9	280.0
+		4.1	280.8
Ch.		4.0	280.9
+		3.8	281.1
-		3.7	281.2
M ^o Line		3.6	281.3

200' west of

M ^o Line		3.6	281.3
-		4.1	280.8
+		4.0	280.9
Ch.		4.2	280.7
+		4.6	280.3
-		5.1	279.8
No Line		5.1	279.8

225' west of

No Line	284.87	5.6	279.3
-		5.1	279.8
+		4.7	280.2
Ch.		4.5	280.4
+		4.6	280.3
-		4.5	280.4
M ^o Line		3.7	281.2

250' west of

M ^o Line		3.9	281.0
-		4.2	280.7
+		4.3	280.6
Ch.		4.6	280.3
+		4.8	280.1
-		5.2	279.7
No Line		5.7	279.2

(275 West) East Line of Albion

No Line	284.80	6.3	278.6
-		5.9	279.0
4		5.8	279.1
Ct.		5.4	279.5
4		4.7	280.2
-		4.5	280.4
No Line		4.6	280.3

East Curb Line of Albion

No Line		4.9	280.0
-		5.0	279.9
4		5.2	279.7
Ct.		5.6	279.3
4		5.9	279.0
-		6.3	278.6
No Line		6.6	278.3

East 1/4 Line of

No Line	6.2	278.7
-	6.0	278.9
4	5.7	279.2
Ct.	5.6	279.3
4	5.8	279.1
-	5.4	279.5
No Line	5.2	279.7

Center Line of Albion

No Line	5.5	279.4
-	5.8	279.1
4	6.1	278.8
Ct.	5.8	279.1
4	5.9	279.0
-	6.1	278.8
No Line	6.4	278.5

West 1/4 line of

So line	284.87	6.8	278.1
-		6.5	278.4
4		6.2	278.7
ct.		6.5	278.4
4		6.2	278.7
-		5.8	279.1
N ^o line		5.8	279.1

West Curt. line

N ^o line		6.3	278.6
-		6.3	278.6
4		6.5	278.4
ct.		7.1	277.8
4		7.2	277.7
-		7.1	277.8
So line		7.6	277.3

Washington Ave

24

West line of Albatross

So line		7.6	277.3
-		7.5	277.4
4		7.4	277.5
ct.		7.3	277.6
4		7.0	277.9
-		6.8	278.1
N ^o line		6.7	278.2

Bm. 0.45 278.71 6.61 278.26

Just N.W. Cor. Albatross + Washington

25' West of Albatross

N ^o line		0.9	277.8
-		1.0	277.7
4		1.4	277.3
ct.		1.6	277.1
4		1.9	276.8
-		1.9	276.8
So line		1.7	277.0

50' west of Albatross

No. L.	278.71	2.6	276.1
-		2.6	276.1
4		2.5	276.2
Ch		2.5	276.2
4		2.1	276.6
-		1.7	277.0
M.L.		1.7	277.0

75' west

No. L.		1.9	276.8
-		1.9	276.8
4		2.0	276.7
Ch		2.2	276.5
4		2.5	276.2
-		3.0	275.7
No. L.		3.2	275.5

100' west of

No. L.		3.4	275.3
-		3.3	275.4
4		3.0	275.7
Ch		2.7	276.0
4		2.4	276.3
-		2.4	276.3
M.L.		2.6	276.1

125' west of

No. L.		2.7	276.0
-		3.0	275.7
4		3.4	275.3
Ch		3.3	275.4
4		3.1	275.6
-		3.2	275.5
No. L.		3.8	274.9

150' West of Altitude

No. 2.	278.71	4.0	274.7
-		3.5	275.2
4		4.0	274.7
Ct.		4.5	274.2
4		4.0	274.7
-		3.6	275.1
M ^o L ^u		3.1	275.6

175' West

M ^o L ^u		4.7	274.0
-		4.3	274.4
4		3.7	275.0
Ct.		4.0	274.7
4		5.0	273.7
-		5.6	273.1
No. 2.		6.1	272.6

200' West of

No. 2.		7.4	271.3
-		7.3	271.4
4		7.0	271.7
Ct.		6.8	271.9
4		6.5	272.2
-		6.6	272.1
M ^o L ^u		6.2	272.5

220' West of

M ^o L ^u		7.8	270.9
-		8.6	270.1
4		8.7	270.0
Ct.		8.7	270.0
4		8.6	270.1
-		8.3	270.4
No. L ^u		8.2	270.5

275' west of altitons

Ar. L.	27871	9.2	269.5
-		9.4	269.3
4		9.7	269.0
Cl.		9.8	268.9
4		9.8	268.9
-		10.7	268.0
M ^o Lms		13.3	265.4
	0.45 266.47	12.69	266.02

235' west of

M ^o Lms		7.6	258.9
-		3.7	262.6
4		0.5	266.0
Cl.		0.6	265.9
4		1.7	264.8
-		0.9	265.6
Ar. Lms		1.4	265.1

250' west of

Ar. L.	266.47	8.9	257.6
-		8.2	258.3
4		7.7	258.8
Cl.		5.6	260.9
4		5.6	260.9
-		10.0	256.5
M ^o Lms		12.6	253.9
	0.43 255.21	11.69	254.78

(275' west) East line of Brant St.

M ^o Lms		10.1	245.1
-		6.8	248.4
4		3.5	251.7
Cl.		0.5	254.7
4		4.2	253.0
-		4.9	250.3
Ar. Lms		9.4	245.8

△ Note Brant St. is 75' Wide

12' Walk.
1275 = 14

28

East Curb Line of Brant St

No Line	25521	12.5	242.7
-		10.2	245.0
4		8.5	246.7
Cl.		6.0	249.2
4		5.8	249.4
-		10.1	245.1
No Line		13.7	241.5
1.67	24440	12.48	242.73

East 1/4 Line of Brant.

No Line		7.5	236.9
-		4.7	239.7
4		1.4	243.0
Cl.		0.4	244.0
4		1.7	242.7
-		4.0	240.4
No Line		5.7	238.7

Center Line of Brant.

No Line	24440	11.4	233.0
-		8.8	235.6
4		6.2	238.2
Cl.		4.3	240.1
4		5.8	238.6
-		8.4	236.0
No Line		12.2	232.2

West 1/4 Line of Brant

No Line		14.3	230.1
-		13.5	230.9
4		11.4	233.0
Cl.		9.9	234.5
4		10.0	234.4
-		11.7	232.7
No Line		14.3	230.1
0.19	73547	9.12	735.28

West Curb line of Brant St.

No Line	V3547	9.4	226.1
-		7.1	228.4
4		6.2	229.3
ct.		7.1	228.4
4		8.2	227.3
-		9.4	226.1
No Line		5.8	229.7

West Line of Brant.

No Line		7.2	228.3
-		10.0	225.5
4		11.3	224.2
ct.		9.5	226.0
4		10.1	225.4
-		10.6	224.9
No Line		4.8	230.7

25' West of Brant

No Line		7.0	235.1
-		3.9	231.6
4		7.4	228.1
ct.		10.9	224.6
4		13.4	222.1
-		15.0	220.5
No Line		12.8	222.7

50' West of

No Line	V3547	16.8	218.7
-		12.8	222.7
4		9.1	226.4
ct.		5.9	229.6
4		7.2	233.3
-	V4769	11.0	236.7
No Line		8.0	239.7

75' west of Brant St.

M ^o Lm	23547	11.8	223.7
-		8.7	226.8
4		4.9	230.6
Ct.		0.7	234.8
	12.34 247.69	0.12	235.35
4		9.2	238.5
Curt		3.9	243.8
Ra Lm	257.34	11.3	248.0

100' west of

M ^o Lm	247.69	16.0	231.7
-		13.3	234.4
4		10.5	237.2
Ct.		8.6	239.1
4		5.4	242.3
-		1.1	246.6
M ^o Lm ⁵⁰	257.34	8.0	251.3
5			

125' west of Brant.

M ^o Lm	247.69	8.5	239.2
-		4.9	242.8
4		0.4	247.3
	12.51 259.34	0.86	246.83
Ct.		11.2	248.1
4		6.9	252.4
-		2.0	256.8
Ra Lm	268.95	9.2	259.8

150' west of Brant.

M ^o Lm	259.34	12.8	246.5
-		8.8	250.5
4		5.2	254.1
Ct.		3.3	256.0
4		1.7	257.6
-	268.95	8.3	260.7
M ^o Lm ⁵⁰		7.1	261.9

175' West of Brant.

N ^o Lms	25924	7.2	252.1
-		5.3	254.0
+		3.3	256.0
Ct.		0.8	258.5
	10.07 26895	0.46	258.88
+		8.3	260.7
-		7.3	261.7
No Lms		5.5	263.5

200' West of

N ^o Lms		12.6	256.4
-		11.1	257.9
+		9.1	259.9
Ct.		7.1	261.9
+		5.7	263.3
-		4.5	264.5
No Lms		4.5	264.7

225' West of Brant

No. Lms	26895	3.0	266.0
-		3.5	265.5
+		3.8	265.2
Ct.		5.1	263.9
+		6.8	262.2
-		7.7	261.3
N ^o Lms		8.3	260.7

236.9' West of Brant.

N ^o Lms		7.5	261.5
-		6.7	262.3
+		5.4	263.6
Ct.		4.2	264.8
+		3.4	265.6
-		3.0	266.0
No Lms		7.8	266.2
		2.00	266.45

50' Street

0.71 278.97 278.26

5.19 272.03 12.13 266.84

B.M.

5.59 266.44

Sptkin Cor. Post of Keneq So Line at

Washington Ave. 102' East of Dorr St.

(2439' west of Brant) 102' East of Dorr

5.40 271.84 266.44

5th Lm

5.6 266.2

-

6.0 265.8

4

6.8 265.0

ct.

7.1 264.7

4

7.5 264.3

-

8.2 263.6

North Lm

9.3 262.5

236.7
2235

32

(245.9' west of Brant) 100' East of Dorr

M^o L 271.84 9.0 262.8

-

7.7 263.9

4

7.4 264.4

ct.

6.7 264.9

4

6.3 265.5

S^o L^{curb}

5.8 266.0

5.4 266.4

75' East of Dorr

So Lm

5.0 266.8

-

5.2 266.6

4

5.3 266.5

ct.

5.4 266.4

4

5.3 266.5

-

5.9 265.9

M^o Lm

6.4 265.4

50' East of Door

M ^o Line	276.84	5.1	266.7
-		4.7	267.1
4		4.0	267.8
Ct.		4.2	267.6
4		4.6	267.2
-		4.6	267.2
So Line		4.6	267.2

25' East of Door

So Line		4.7	267.1
-		4.7	267.1
4		4.5	267.3
Ct.		4.3	267.5
4		4.4	267.4
-		4.5	267.3
M ^o L		4.6	267.2
	5.91	265.93	

East Line of Door St.

	5.91	272.35	266.44
M ^o Line		4.9	267.5
-		4.8	267.6
4		4.6	267.8
Ct.		4.9	267.5
4		4.5	267.9
-		3.5	268.9
So Line		2.0	269.4

East Curt Line of Door

No Line	272.05	34	269.0
-		42	268.2
4		46	267.8
Ct.		46	267.8
4		48	267.6
-		48	267.6
No Line		47	267.7

East 1/4 Line of Door

No. L.		47	267.7
-		47	267.7
4		44	268.0
Ct.		44	268.0
4		45	267.9
-		43	268.1
No. L.		45	267.9

Center Line of Door

No. L.		44	268.0
-		39	268.5
4		37	268.7
Ct.		40	268.4
4		32	269.2
-		41	268.3
No Line		46	267.8

West 1/4 Line of Door

No Line		45	267.9
-		43	268.1
4		43	268.1
Ct.		37	268.7
4		46	267.8
-		39	268.5
No. L.		45	267.9

West Curt Line of Dove

No. L.	27925	48	267.6
-		46	267.8
4		41	268.3
Ct.		44	268.0
4		45	267.9
-		44	268.0
M ^o L.		46	267.8

West Line of Dove

M ^o Lms		41	268.3
-		49	267.5
4		50	267.4
Ct.		48	267.6
4		47	267.7
-		47	267.7
No Lms		52	267.2

25' West of Dove

No Lms		56	266.8
-		57	266.7
4		53	267.1
Ct.		54	267.0
4		52	267.2
-		51	267.3
M ^o Lms		46	267.8

50' West of

No Lms		50	267.4
-		51	267.3
4		51	267.3
Ct.		51	267.3
4		48	267.6
-		48	267.6
No L.		48	267.6

75' west of road

No. L.	27235	6.5	265.9
-		6.3	266.1
4		6.1	266.3
Ct.		6.1	266.3
4		6.0	266.4
-		5.6	266.8
No. Lm		5.5	266.9

100' west of

No. Lm		5.9	266.5
-		6.2	266.2
4		6.2	266.2
Ct		6.4	266.0
4		6.7	265.7
-		6.8	265.6
No. Lm		7.3	265.1

125' west of

No. L		7.8	264.6
-		6.7	265.7
4		6.3	266.1
Ct.		6.6	265.8
4		6.8	265.6
-		6.4	266.0
No. L.		6.1	266.3

150' west of

No. L		6.4	266.0
-		6.8	265.6
4		7.1	265.3
Ct.		7.2	265.2
4		7.5	264.9
-		7.8	264.6
No. Lm		8.5	263.9

175 West of

No. Line	27235	8,9	263.5
-		8,6	263.8
+		8,1	264.3
Ct.		7,6	264.8
+		7,3	265.1
-		7,2	265.2
No. Line		6,8	265.6
(700) East line of Eagle Eagle St			
No. Line		6,8	265.6
-		7,1	265.3
+		7,2	265.2
Ct.		7,3	265.1
+		7,7	264.7
-		8,4	264.0
No. Line		8,6	263.8

7450
607
6809
215
6694

Washington Ave ⁷¹⁶ 2/9/05 37

East Curt line of ~~Eagle~~ Eagle

No. Line	27235	9,0	263.4
-		8,8	263.6
+		8,3	264.1
Ct.		7,4	265.0
+		7,2	265.2
-		7,1	265.3
No. Line		7,0	265.4
Bom.		6,4	265.94 Spt.
in Cor Ferry front ⁷¹⁵ N.E. Cor Eagle + wash.			
	5,22	271.58	265.94
East 1/4 line of Eagle			
No. Line		8,0	263.6
-		7,4	264.2
+		6,4	265.2
Ct.		6,2	265.4
+		5,8	265.8
-		6,1	265.5
No. Line		5,9	265.7

2/4/15
Hutchinson
Evans
Wilmore

Center line of Eagle

M ^o Line	271.58	5.7	265.9
-		5.8	265.8
4		5.8	265.8
Ct.		5.7	265.7
4		6.2	265.2
-		7.6	264.0
So L		8.0	263.6

West 1/4 line of Eagle

So Line		7.9	263.7
-		7.8	263.8
4		7.1	264.5
Ct.		6.7	264.9
4		6.4	265.2
-		6.0	265.6
M ^o Line		5.3	266.3

38

West Curt Line of Eagle

M ^o Line	271.58	5.7	265.9
-		6.5	265.1
4		6.9	264.7
Ct.		7.1	264.5
4		7.6	264.0
-		7.8	263.8
So Line		7.8	263.8

West line of Eagle

So Line		7.6	264.0
-		7.6	264.0
4		7.3	264.3
Ct.		7.0	264.6
4		7.0	264.6
-		6.6	265.0
M ^o Line		6.1	265.5

Washington Ave

25' west of Eagle

M ^o Lm	271.58	5.3	266.3
-		6.2	265.4
+		6.7	264.9
ct		7.0	264.6
+		7.2	264.4
-		7.3	264.3
So Lm		7.3	264.3

50' west of

No Lm		6.9	264.7
-		7.0	264.6
+		6.9	264.7
ct		6.7	264.9
+		6.5	265.1
-		6.4	265.2
M ^o Lm		6.0	265.6

75' west of Eagle

M ^o Lm	271.58	6.0	265.6
-		5.6	266.9
+		5.1	266.5
ct		5.3	266.3
+		6.1	265.5
-		6.7	264.9
No L		6.7	264.9

100' west of

No L		6.1	265.5
-		6.4	265.2
+		5.8	265.8
ct		5.2	266.4
+		4.9	266.7
-		4.6	267.0
M ^o Lm		4.8	266.8

125' West of Eagle

No. Line	271.58	4.6	267.0
-		4.6	267.0
4		5.0	266.6
ct.		5.4	266.2
4		5.7	265.9
-		5.9	265.7
Set		5.5	266.1

150' West of

No. Line		5.3	266.3
-		5.4	266.2
4		5.3	266.3
ct.		5.1	266.5
4		5.0	266.6
-		4.7	266.9
No. Line		4.5	267.1

175' West of Eagle

No. L	271.58	3.4	268.7
-		3.0	268.6
4		3.5	268.1
ct.		4.6	267.0
4		5.1	266.5
-		5.2	266.4
No. Line		5.0	266.6

(200) East Line of Falcon

Set		4.6	267.0
-		4.9	266.7
4		4.8	266.8
ct.		4.6	267.0
4		4.4	267.5
-		3.6	268.0
No. L.		3.5	268.1

Washington Ave.

East Curt of Falcon

N ^o Line	271.58	3.4	268.2
-		3.4	268.2
4		3.2	268.4
ct.		3.5	268.1
4		4.0	267.6
-		4.6	267.0
S ^o Line		4.5	267.1

East 1/4 Line of Falcon

N ^o Line		4.3	267.3
-		4.5	267.1
4		3.7	267.9
ct.		3.2	268.4
4		3.0	268.6
-		3.7	268.4
N ^o Line		3.7	268.4

Center Line of Falcon

N ^o Line		3.0	268.6
-		3.3	268.3
4		3.4	268.2
ct.		3.7	267.9
4		4.0	267.6
-		4.3	267.3
N ^o Line		4.3	267.3

West 1/4 Line of

N ^o Line		4.1	267.5
-		4.2	267.4
4		4.0	267.6
ct.		3.4	268.2
4		7.3	269.3
-		7.3	269.3
N ^o Line		7.7	268.9

West Curt Line of Falcon

M ^o Line	271.58	2.6	269.0
-		2.0	269.6
4		2.2	269.4
Ct.		3.3	268.3
4		3.8	267.8
-		4.0	267.6
So Line		3.8	267.8

West Line of Falcon

So Line		3.5	268.1
-		3.8	267.8
4		3.6	268.0
Ct.		3.7	268.4
4		3.0	268.6
-		2.7	268.9
M ^o Line		4.3	269.3

5.125 273.325 3.38 268.20

25' West of Falcon

So L.	273.32	4.4	268.9
-		5.1	268.2
4		4.9	268.4
Ct.		4.5	268.8
4		4.1	269.2
-		3.6	269.7
M ^o Line		3.6	269.7

50' West of

M ^o L.		3.1	270.2
-		3.3	270.0
4		3.6	269.7
Ct.		4.7	269.1
4		4.3	269.0
-		4.6	268.7
So Line		3.6	269.7

75' West of Falcon

No. Line	27032	3.6	269.7
-		4.5	268.8
4		4.3	269.0
ct.		4.2	269.1
4		3.8	269.5
-		3.4	269.9
No. L		3.1	270.2

100' West of

No. L		3.1	270.2
-		3.6	269.7
4		4.0	269.3
ct.		4.0	269.3
4		4.2	269.1
-		4.7	268.6
No. L		4.4	269.1

125' West of

No. Line		4.5	268.8
-		4.7	268.6
4		4.2	269.1
ct.		4.8	269.0
4		4.2	269.1
-		3.8	269.5
No. Line		3.5	269.8

150' West of

No. L		3.7	269.6
-		4.2	269.1
4		4.4	268.7
ct.		4.5	268.8
4		4.6	268.7
-		5.0	268.3
No. L		4.8	268.5

Washington Ave

175' West of Falcon

No L	27332	48	268.5
-		51	268.2
4		50	268.3
Ch		44	268.9
4		46	268.7
-		43	269.0
M ^o Lm		42	269.1

(700) East Line of Goldfinch

M ^o L		45	268.8
-		49	268.4
4		57	267.6
Ch		58	267.5
4		52	268.1
-		45	268.8
No Lm		43	269.0
B.M.		4065	269.26

Fence Post.
Spk my N.E. Cor Goldfinch + Washington

East Curb Line of Goldfinch

No Lm	27332	41	269.2
-		43	269.0
4		49	268.4
Ch		60	267.3
4		57	267.4
-		55	267.8
M ^o Lm		50	268.3

East 1/4 Line

M ^o L		57	267.6
-		58	267.5
4		61	267.2
Ch		61	267.2
4		58	267.5
-		57	267.6
No Lm		55	267.8

Center Line of Goldfinch

No L	27332	6.5	266.8
-		6.4	266.9
4		6.3	267.0
ct.		6.3	267.0
4		6.4	266.9
-		6.4	266.9
M ^o L.		6.0	267.3

West 1/4 Line

M ^o L		6.8	267.5
-		6.5	266.7
4		6.5	266.8
ct.		6.1	267.2
4		6.2	267.1
-		6.5	266.8
No L.		6.6	266.7

West Curt Line

No L		6.4	266.9
-		5.4	267.9
4		4.9	268.4
ct.		5.3	268.0
4		6.4	266.9
-		6.7	266.6
M ^o L		6.1	267.2

West Line of Goldfinch

M ^o L		6.8	266.5
-		7.0	266.3
4		6.6	266.7
ct.		5.2	268.1
4		5.1	268.2
-		5.4	267.9
No Line		6.5	266.8

2/22/05

Hitchcock
Evans
Wilmore80' St

Goldfinch St.

497	271.41	-	266.00
791	272.06	7.26	264.15
403	273.29	2.80	269.26

N⁹ line at Washington

East L		4.5	268.8
-		4.7	268.4
A		5.7	267.6
Ct.		5.7	267.4
A		5.8	267.5
-		6.0	267.3
W.L.		6.8	266.5

25' March of Washington

W.S.		5.0	268.0
-		4.8	268.5
A		5.1	268.2
Ct.		5.6	267.7
A		5.4	267.9
-		5.7	268.1
East L		4.5	268.8

46

50' No. of Wash.

East L		4.6	268.7
-		5.4	267.9
A		5.5	267.8
Ct.		5.6	267.7
A		5.7	267.4
-		6.1	267.2
West L		6.2	267.1

75' No. of

W.L.		4.3	269.0
-		4.9	268.4
A		5.8	267.5
Ct.		5.8	267.5
A		5.4	267.9
-		5.3	268.0
E.L.		4.6	268.7

100' North of Washington

E.L.	27379	47	268.4
-		53	268.0
4		53	268.0
Cl.		55	267.8
4		57	267.4
-		57	267.6
W.L.		50	268.3

125' N. of

W.L.		62	267.1
-		60	267.3
4		58	267.5
Cl.		58	267.5
4		56	267.7
-		54	267.9
E.L.		48	268.5

150' N. of

W. East L.		50	268.3
-		48	268.5
4		42	269.1
Cl.		38	269.5
4		47	268.6
-		58	267.5
W.L.		59	267.4

175' N. of

W.L.		54	267.9
-		53	268.0
4		51	268.2
Cl.		46	268.7
4		45	268.8
-		44	268.9
E.L.		40	269.3

200' M^o of Washington

E.L.	273.79	40	269.3
-		44	268.9
4		45	268.8
ct.		45	268.8
4		47	268.6
-		48	268.5
W.L.		45	268.8

225' M^o of

W.L.		41	269.2
-		38	269.5
4		35	269.8
ct.		38	269.5
4		41	269.2
-		38	269.5
E.L.		42	269.1

200' M^o of

E.L.		44	268.9
-		45	268.8
4		42	269.1
ct.		39	269.4
4		39	269.4
-		42	269.1
W.L.		45	268.8

275' M^o of

W.L.		35	269.8
-		42	269.1
4		40	269.3
ct.		47	268.6
4		44	268.9
-		48	268.5
E.L.		47	268.6

Goldfinch

49

(300) So Line of Gatti

E.L.	478.29	572	268.1
-		48	268.5
4		47	268.6
Cl.		45	268.8
4		36	269.7
-		45	268.8
W.L.		44	268.9

50 Cent Line of Gatti

W.L.		47	269.1
-		46	268.7
4		48	268.5
Cl.		50	268.3
4		49	268.4
-		48	268.5
E.L.		54	267.9

50 1/4 Line of

E.L.		54	267.9
-		51	268.2
4		48	268.5
Cl.		49	268.4
4		46	268.7
-		45	268.8
W.L.		40	269.3

Center Line of Gatti

W.L.		34	269.9
-		38	269.5
4		41	269.2
Cl.		40	269.3
4		49	268.4
-		49	268.4
E.L.		53	268.0

Goldfinch Street.

No 1/4 Lins

E.L.	273.29	54	267.9
-		54	267.9
4		51	268.2
Cl.		39	269.4
4		45	268.8
-		43	269.0
W.L.		35	269.7

No Curt Lins

W.L.		44	268.9
-		46	268.7
4		47	268.6
Cl.		46	268.7
4		52	268.1
-		53	268.0
E.L.		54	267.9

No. Lins at Getti

E.L.	273.29	54	267.9
-		52	268.1
4		49	268.4
Cl.		50	268.3
4		48	268.5
-		47	268.6
W.L.		45	268.8
B.M.		375	269.54

Spt in Tel Paly 50 Curt Lins of ⁵⁰ ~~50~~ ⁵⁰ ~~50~~

Gatti St.

West Line of Goldfinch

No. L.	27329	45	268.8
-		44	268.9
A		36	269.7
Ch		34	269.9
A		37	269.4
-		42	269.1
So L.		44	268.9

25' West of Goldfinch

So L.		40	269.3
-		42	269.1
A		37	269.6
Ch.		39	269.4
A		42	269.1
-		41	269.2
No. L.		34	269.9

50' West of

No. L.		40	269.3
-		36	269.7
A		25	270.8
Ch		21	271.2
A		31	270.2
-		39	269.4
South L.		40	269.3

75' West of

So L.		37	269.4
-		35	269.8
A		29	270.4
Ch		23	271.0
A		27	270.6
-		33	270.0
No. L.		36	269.7

100' west of Goldfinch

N ^o L.	27329	33	270.0
-		32	270.1
4		32	270.1
Cl.		24	270.9
4		27	271.1
-		33	270.0
S ^o L.		37	269.6

125' west of

S ^o L.		35	269.8
-		36	269.7
4		34	269.9
Cl.		27	270.6
4		30	270.3
-		26	270.7
N ^o L.		22	271.1

150' west of Goldfinch

N ^o L.		29	270.4
-		30	270.3
4		31	270.2
Cl.		27	270.6
4		32	270.1
-		33	270.0
S ^o L.		34	269.9
3.16	27355	290	270.39

175' west of

S ^o L.		39	269.7
-		41	269.5
4		41	269.5
Cl.		36	270.0
4		35	270.1
-		28	270.8
N ^o L.		25	271.1

(700) East Line Hawk

No. Line	27355	3,1	270.5
-		3,3	270.3
4		3,5	270.1
Ch.		3,6	270.0
4		4,2	269.4
-		4,6	269.0
So. L.		4,6	269.0

East Curt Line of Hawk

So. L.		5,0	268.6
-		4,9	268.7
4		4,0	269.6
Ch.		3,3	270.3
4		3,4	270.2
-		3,6	270.0
No. L.		3,7	269.9

East 1/4 Line of

No. L.		4,0	269.6
-		4,0	269.6
4		3,9	269.7
Ch.		3,9	269.7
4		4,5	269.1
-		5,0	268.6
So. L.		5,1	268.5

Center Line of Hawk

So. L.		5,2	268.4
-		4,9	268.7
4		4,6	269.0
Ch.		3,9	269.7
4		3,9	269.7
-		4,2	269.4
No. L.		4,2	269.4

West 1/4 Line of

M ^o L,	27355	44	269.2
-		47	268.9
4		47	268.9
Cl.		46	269.0
4		47	268.9
-		51	268.5
So L		53	268.3

West Curt Line

So L,		52	268.4
-		51	268.5
4		45	269.1
Cl.		49	268.7
4		49	268.7
-		47	268.9
M ^o Line		44	269.2

West Line of Hawk,

M ^o L,		47	268.9
-		49	268.7
4		48	268.8
Cl.		44	269.2
4		46	269.0
-		52	268.4
So L,		49	268.7

25' West.

So L		55	268.1
-		45	269.1
4		40	269.6
Cl.		33	270.3
4		31	270.5
-		37	269.9
M ^o L,		46	269.0

50' West of Hawk

No. 2,	278.55	50	268.6
-		50	268.6
4		51	268.5
Ch,		48	268.8
4		46	269.0
-		55	268.1
No. 2,		57	267.9

75' West of

No. 2		53	268.3
-		55	268.1
4		53	268.3
Ch		52	268.4
4		50	268.6
-		50	268.6
No. 2,		49	268.7

100' West of

No. 2,		49	268.7
-		48	268.8
4		49	268.7
Ch		48	268.8
4		48	268.8
-		52	268.4
No. 2,		55	268.1

125' West of

No. 2		47	268.9
-		48	268.8
4		38	269.8
Ch		38	270.3
4		37	269.9
-		44	269.2
No. 2,		46	269.0

150' West of Hawk

M ^o L	273.55	2.8	270.8
-		3.3	270.3
4		4.2	269.4
ct.		4.4	269.2
4		4.1	269.3
-		4.5	269.1
So L		4.6	269.0

175' West of

So L		3.3	270.3
-		3.3	270.3
4		3.7	269.9
ct.		4.0	269.6
4		4.0	269.6
-		3.5	270.1
M ^o L		3.0	270.6

(200) East Side of this

M ^o L		3.4	270.0
-		3.5	270.1
4		3.7	269.9
ct.		3.4	270.0
4		3.6	270.0
-		3.9	269.7
So L		4.1	269.5

East Side East Line of this

So L		3.9	269.7
-		3.6	270.0
4		3.5	270.1
ct.		3.4	270.2
4		3.6	270.0
-		3.6	270.0
M ^o L		3.4	270.2

East 1/4 Line of Ibis

M.L.	270.55	3.4	270.2
-		3.2	270.4
4		3.0	270.6
Ch.		2.5	271.1
4		3.2	270.4
-		3.75	269.9
S.L.		3.6	270.0

Center Line of Ibis

S.L.		3.4	270.2
-		3.5	270.1
4		3.0	270.6
Ch.		2.4	271.2
4		2.4	271.2
-		2.5	271.1
M.L.		3.0	270.6

West 1/4 Line of

M.L.		2.8	270.8
-		2.4	271.2
4		3.0	270.6
Ch.		2.9	270.7
4		3.0	270.6
-		3.1	270.5
M.L.		3.2	270.4

West Curve Line

S.L.		3.2	270.4
-		3.2	270.4
4		3.0	270.6
Ch.		2.9	270.7
4		3.0	270.6
-		2.6	271.0
M.L.		2.1	271.5

Gatti Street.

58

West line of Itis

M ^o L	278.55	2.0	271.6
-		2.6	271.0
A		2.8	270.8
Ch		2.9	270.7
A		2.8	270.8
-		2.9	270.7
N ^o L		2.9	270.7
B.M.	5.25	277.00	1.80
			271.75

Spk in Cor. Fence Post 20' East of N.W. cor. of Itis

25' West of Itis

S ^o L		6.0	271.0
-		6.1	270.9
A		6.1	270.9
Ch		6.0	271.0
A		5.9	271.1
-		5.7	271.3
M ^o L		5.1	271.9

50' West of Itis

M ^o L	277.00	4.9	272.1
-		5.3	271.7
A		5.5	271.5
Ch		5.5	271.5
A		5.5	271.5
-		5.5	271.5
N ^o L		5.4	271.6

25' West

N ^o L		5.1	271.9
-		5.2	271.8
A		5.3	271.7
Ch		5.3	271.7
A		5.2	271.8
-		5.2	271.8
M ^o L		4.7	272.3

100' West of

No. 2	277.90	45	272.5
-		47	272.3
4		48	272.2
ct.		50	272.0
4		51	271.9
-		51	271.9
So L		50	272.0

125' West of

No. 2		48	272.2
-		50	272.0
4		49	272.1
ct.		49	272.1
4		50	272.0
-		48	272.2
No. 2		45	272.5

150' West of

No. 2	277.00	45	272.5
-		51	271.9
4		50	272.0
ct.		50	272.0
4		49	272.1
-		48	272.2
So L		46	272.4

175' West of

No. 2		48	272.2
-		48	272.2
4		48	272.2
ct.		49	272.1
4		49	272.1
-		49	272.1
No. 2		45	272.5

(200) East Line Jackdaw

No. 2	277.00	49	272.1
-		53	271.7
4		54	271.6
ct.		54	271.6
4		54	271.6
-		53	271.7
No. 2		55	271.5

East Curt Line of Jackdaw

No. 2		60	271.0
-		60	271.0
4		59	271.1
ct.		57	271.3
4		55	271.5
-		56	271.4
No. 2		51	271.9

East 1/4 Line of

No. 2		53	271.7
-		59	271.1
4		61	270.9
ct.		63	270.7
4		64	270.6
-		66	270.4
No. 2		67	270.3

Center Line of Jackdaw

No. 2		72	269.8
-		77	269.8
4		65	270.5
ct.		65	270.5
4		64	270.6
-		64	270.6
No. 2		56	271.4

West 1/4 Line at Jackdaw

No. 2	277.00	6.7	271.1
-		6.8	270.2
+		6.7	270.3
ct.		6.7	270.3
+		7.1	269.9
-		7.5	269.5
So. 2		7.6	269.4

West Curve Line

No. 2		8.1	268.9
-		7.6	269.4
+		7.3	269.7
ct.		7.2	269.8
+		7.0	270.0
-		6.8	270.2
No. 2		6.2	270.8

West Line of Jackdaw

No. 2	277.00	6.5	270.5
-		6.7	270.3
+		6.9	270.1
ct.		7.4	269.6
+		7.9	269.1
-		7.6	269.4
No. 2		8.1	268.9

25' West of

No. 2		7.9	269.1
-		7.8	269.2
+		7.1	269.9
ct.		7.1	269.9
+		6.6	270.4
-		6.5	270.5
No. 2		6.0	271.0

50' West of

M.F.	27790	5.7	271.3
-		6.2	270.8
A		6.6	270.4
Ch		6.7	270.3
A		6.8	270.2
-		7.1	269.9
No F		7.2	270.0

75' West of

No F		6.5	270.5
-		6.7	270.8
A		6.3	270.7
Ch		6.3	270.7
A		6.1	270.9
-		5.6	271.4
M.F.		5.4	271.6

100' West of

\$M.F.	277.00	4.8	272.2
-		5.1	271.9
A		5.7	271.3
Ch		5.8	271.2
A		5.6	271.4
-		5.6	271.4
No F		5.8	271.2

7.885 279.03 5.855 271.45

125' West of

No F		7.7	271.3
-		7.7	271.3
A		7.6	271.4
Ch		7.4	271.6
A		7.5	271.5
-		6.9	272.1
M.F.		6.5	272.5

150' West of Jackson

M ^o L	279.03	6.7	272.3
-		7.0	272.0
4		7.3	271.7
Ct		7.4	271.6
4		7.2	271.8
-		7.2	271.8
So L		7.4	271.6

175' West

So L		6.8	272.2
-		6.9	272.1
4		6.9	272.1
Ct		7.7	271.8
4		7.1	271.9
-		6.8	272.2
M ^o L		6.3	272.7

(700) East Line of California

M ^o L		5.9	273.1
------------------	--	-----	-------

-		6.4	272.6
4		6.9	272.1
Ct		6.8	272.2
4		6.9	272.1
-		6.5	272.5
So L		6.2	272.8

East Curt Line

So L		6.3	272.7
-		6.4	272.6
4		6.6	272.4
Ct		6.7	272.3
4		6.8	272.2
-		6.4	272.6
M ^o L		5.9	273.1

East 1/4 Line of California

M ^o L		6.2	272.8
-		6.5	272.5
4		6.6	272.4
Ct		6.0	273.0
4		6.1	272.9
-		5.9	273.1
So L		6.1	272.9

Center Line of California

So L	27903	57	273.3
-		57	273.9
4		57	273.9
Ct.		56	273.4
4		63	272.7
-		60	273.0
Mo Lm		57	273.1

West 1/4 Line

Mo Lm		56	273.4
-		55	273.5
4		60	273.0
Ct.		57	273.9
4		48	274.2
-		51	273.9
So Lm		54	273.6

West Curb Line

So L		52	273.8
-		51	273.9
4		46	274.4
Ct.		50	274.0
4		54	273.6
-		51	273.9
Mo Lm		49	274.1
	Calif. & Mex. B.M. 546 on Flume Post N.W. Cor.	40	274.99

West Line of California

Mo L	27903	43	274.7
-		46	274.4
4		47	274.3
Ct.		47	274.3
4		50	274.0
-		49	274.1
So Lm		50	274.0

25' West of California

So Lm		42	274.8
-		41	274.9
4		43	274.7
Ct.		41	274.9
4		42	274.8
-		38	275.2
Mo Lm		35	275.5

50' West of

Mo L		25	276.5
Curr		29	276.1
4		31	275.9
Ct.		30	276.0
4		32	275.8
-		29	276.1
So Lm		33	275.7

75' West of

So Line	279.03	2.5	276.5
4		2.0	277.0
		2.4	276.6
Ct.		2.2	276.8
4		2.4	276.6
-		2.1	276.9
Mo Line		2.0	277.0

100' West of

Mo Line		1.6	277.4
-		1.5	277.5
4		1.6	277.4
Ct.		1.6	277.4
4		1.8	277.2
-		1.6	277.4
So Line		1.8	277.2

125' West of

So Line		2.1	276.9
4		1.9	277.1
		1.6	277.4
Ct.		1.6	277.4
4		1.6	277.4
-		1.7	277.3
Mo Line		1.0	277.0

150' West of

Mo Line		3.0	276.0
-		2.7	276.3
4		2.5	276.5
Ct.		2.4	276.6
4		2.2	276.8
-		2.6	276.4
So Line		2.8	276.2

175' West of

So L		3.8	275.2
-		3.7	275.3
4		3.3	275.7
Ct.		3.9	275.1
4		4.1	274.9
-		4.2	274.8
Mo L		4.1	274.9

(200) East Line of Clay

Mo L		5.2	273.8
-		4.9	274.1
4		4.5	274.5
Ct.		4.9	274.1
4		5.1	273.9
-		5.1	273.9
So Line		5.1	273.9

East Curt Line of Clay

So L	279.03	5.4	273.6
-		5.5	273.5
4		5.2	273.8
Ct.		5.5	273.5
4		5.6	273.4
-		5.9	273.1
M ^o Lms		5.7	273.3

East 1/4 Line

M ^o Lms		6.2	272.8
-		6.1	272.9
4		6.1	272.9
Ct.		5.9	273.1
4		5.7	273.3
-		5.6	273.4
So Lms		5.9	273.1

Center Line of Clay

So Lms		6.3	272.7
-		5.9	273.1
4		5.9	273.1
Ct.		6.3	272.7
4		6.4	272.6
-		6.4	272.6
M ^o Lms		6.5	272.5

Gatti.

West 1/4 Line of Clay

M ^o Lms		6.5	272.5
-		6.4	272.6
4		6.7	272.3
Ct.		6.5	272.5
4		6.1	272.9
-		6.2	272.8
So Lms		6.6	272.4

West Curt Line

So Lms		6.8	272.2
-		6.9	272.1
4		6.7	272.3
Ct.		7.0	272.0
4		7.0	272.0
-		7.0	272.0
M ^o Lms		7.0	272.0

West Line of Clay

M ^o Lms		7.2	271.8
-		7.3	271.7
4		7.2	271.8
Ct.		7.3	271.7
4		7.3	271.7
-		7.3	271.7
So Lms		7.7	271.8
Bo M.		6.2	272.21

541. in Cor. Point Post
N.W. cor. Clay & 50'

Clay St.

North Line of Gett. St.

	7.40	277.61	272.21
West Line			
-		7.8	271.8
4		7.6	272.0
ct.		7.2	272.4
4		7.1	272.5
-		6.8	272.8
-		6.4	273.2
East Line		5.8	273.8

25' N^o of Gett.

E L		6.2	273.4
-		6.5	273.1
4		6.6	273.0
ct.		7.2	272.4
4		7.2	272.4
-		7.4	272.2
West Line		7.1	272.5

50' N^o of

W. L.		6.9	272.7
-		7.2	272.4
4		7.0	272.6
ct.		6.6	273.0
4		6.7	272.9
-		5.8	273.8
ct.		5.5	274.1

67

75' N^o of Gett.

# East L		6.2	273.4
-		6.2	273.4
4		6.2	273.4
ct.		5.8	273.8
4		6.0	273.6
-		7.0	272.6
W. L.		6.4	273.2

100' N^o of

W. L.		6.3	273.3
-		6.4	273.2
4		6.4	273.2
ct.		6.2	273.4
4		5.7	273.7
-		5.5	274.1
E L		5.7	273.7

125' N^o of

E. L.		4.2	275.4
-		5.8	274.1
4		4.8	274.8
ct.		5.2	274.4
4		5.6	273.8
-		5.2	274.4
W. L.		5.6	274.0

Clay St.

150' No of Getti

W.L.	279.61	6.1	273.5
-		6.0	273.6
4		5.9	273.7
Cl.		5.2	274.4
4		4.4	275.2
-		4.6	275.0
E.L.		4.4	275.2

175' No of

E.L.		4.5	275.1
-		4.8	274.8
4		5.1	274.5
Cl.		5.4	274.2
4		5.4	274.2
-		5.8	274.1
W.L.		5.8	273.8

200' No of

W.L.		5.3	274.3
-		4.8	274.8
4		4.7	274.9
Cl.		4.8	274.8
4		4.9	274.7
-		3.8	275.8
E.L.		3.7	275.9

225' No of Getti

E.L.	279.61	4.0	275.6
-		4.1	275.5
4		3.9	275.7
Cl.		4.3	275.3
4		3.4	276.2
-		3.4	276.0
W.L.		4.0	275.6

B.M.	340	280.27	274	276.87
------	-----	--------	-----	--------

250' No of Getti

West Line		4.6	275.7
-		4.2	276.1
4		4.4	275.9
Cl.		4.2	276.1
4		3.6	276.7
-		3.5	276.8
E.L.		3.8	276.5

275' No of

E.L.		3.4	276.9
-		3.7	276.6
4		3.6	276.7
Cl.		3.7	276.6
4		4.0	276.3
-		4.3	276.0
W.L.		4.7	275.6

544 in Heavy Post MK. 54
Clay St. (Handwritten)

(300) So line of Lewis St.

W.L.	28027	3.4	276.9
-		3.3	277.0
+		3.5	276.8
Cl.		3.2	277.1
+		2.9	277.4
-		2.9	277.4
East L		3.0	277.3

So Curt line of Lewis

East L		2.7	277.6
-		2.8	277.5
+		2.7	277.6
Cl.		3.2	277.1
+		3.4	276.9
-		3.1	277.2
West line		3.2	277.1

So 1/4 line of Lewis

West L		3.2	277.1
-		3.1	277.2
+		3.4	276.9
Cl.		2.9	277.4
+		2.8	277.5
-		2.7	277.6
East L		2.7	277.6

Clay

Center line of Lewis

W.L.		2.5	277.8
-		2.4	277.9
+		2.6	277.7
Cl.		3.0	277.3
+		3.3	277.0
-		3.4	276.9
W.L.		3.8	276.5

N^o 1/4 line of

W.L.		3.8	276.5
-		3.6	276.7
+		3.1	277.2
Cl.		2.9	277.4
+		2.5	277.8
-		2.4	277.9
East L		2.3	278.0

N^o Curt line

W.L.		2.3	278.0
-		2.5	277.8
+		2.9	277.4
Cl.		3.3	277.0
+		3.3	277.0
-		3.6	276.7
W.L.		4.0	276.3

Clay St.

No Line at Lewis St

W.L.	28027	36	276.7
-		35	276.7
-		32	277.1
Ct.		28	277.5
-		28	277.7
-		27	278.1
East Line		23	278.0

Lewis Ave

70

West Line at Clay

50 Line	28027	34	276.9
-		32	277.1
-		35	276.8
Ct.		39	276.4
-		41	276.2
-		40	276.3
No Line		36	276.7

25' West of Clay

No L		38	276.6
-		44	275.9
-		45	275.8
Ct.		44	275.9
-		43	276.0
-		44	275.9
No Line		44	275.9

50' West of

No L		47	275.6
-		44	275.9
-		42	276.1
Ct.		47	275.6
-		49	275.4
-		46	275.7
No Line		45	275.8

75' West of Clay

No L	280.27	4.5	275.8
-		4.9	275.4
4		4.7	275.6
Ct		4.7	275.6
4		4.5	275.8
-		4.8	275.5
No L		4.8	275.5

100' West of

No L		4.9	275.4
-		4.7	275.4
4		4.8	275.5
Ct		4.6	275.7
4		4.7	275.6
-		4.6	275.7
No L		4.1	276.2

125' West of

No L		3.8	276.5
-		4.6	275.7
4		4.5	275.8
Ct		4.4	275.9
4		4.3	276.0
-		4.8	275.5
No L		4.9	275.4

150' West of

No L		4.9	275.4
-		4.8	275.5
4		4.5	275.8
Ct		4.4	275.9
4		4.3	276.0
-		4.7	276.1
No L		3.7	276.6

175' West of

No L		3.4	276.9
-		3.8	276.5
4		4.1	276.2
Ct		4.1	276.2
4		4.3	276.0
-		4.4	275.9
No L		3.8	276.5

(200) East Line Calloway Randolph

No L		4.5	275.8
-		4.3	276.0
4		4.2	276.1
Ct		4.0	276.3
4		4.0	276.3
-		3.8	276.5
No L		3.1	277.2

East Curt Line of Randolph

No 2	28027	3.3	277.0
-		3.8	276.5
4		3.7	276.6
Ct.		4.0	276.3
4		4.2	276.1
-		4.5	275.8
No Lms		4.7	275.6

East 1/4 Line of

No 2		4.6	275.7
-		4.3	276.0
4		4.0	276.3
Ct.		3.9	276.4
4		3.6	276.7
-		3.4	276.9
No Lms		3.1	277.2

Center Line of Randolph

No 2		3.6	276.7
4		3.9	276.4
-		3.8	276.5
Ct.		3.8	276.5
4		3.8	276.5
-		4.7	275.6
No Lms		4.7	275.6

West 1/4 Line of Randolph

No Lms		4.7	275.6
-		4.5	275.8
4		3.9	276.4
Ct.		3.9	276.4
4		3.8	276.5
-		3.8	276.5
No Lms		3.4	276.9

West Curt Line of

No Lms		3.4	276.9
-		3.5	276.8
4		3.8	276.5
Ct.		4.1	276.2
4		4.2	276.1
-		4.5	275.8
No 2		4.8	275.5

West Line of Randolph

No 2		4.5	275.8
-		4.4	275.9
4		4.1	276.2
Ct.		4.0	276.3
4		3.8	276.5
-		3.7	276.6
No Lms		3.4	276.9

25' West of Randolph

No Line	28027	36	276.7
-		38	276.5
-		38	276.5
Ct.		42	276.1
-		41	276.2
-		38	276.5
No Line		44	275.9

50' West of

No Line		50	275.3
-		47	275.6
-		43	276.0
Ct.		41	276.2
-		39	276.4
-		42	276.1
No Line		42	276.1
52'	279.36	61.5	274.2

75' West of

No Line		37	275.7
-		36	275.8
-		38	275.6
Ct.		38	275.6
-		35	275.9
-		35	275.9
No Line		40	275.4

100' West of

No Line	279.36	57.2	274.2
-		57	274.4
-		47	274.7
Ct.		45	274.9
-		42	275.2
-		42	275.2
No Line		42	275.2

125' West of

No Line		47	274.7
-		47	274.7
-		49	274.5
Ct.		50	274.4
-		51	274.3
-		53	274.1
No Line		58	273.6

150' West of

No Line		64	273.0
-		61	273.3
-		56	273.8
Ct.		53	274.1
-		55	273.9
-		53	274.1
No Line		51	274.3

175 West of

M ^o L	27986	5.5	273.9
-		5.6	273.8
4		6.0	273.4
Cx		6.4	273.0
4		6.6	272.8
-		6.7	272.7
No L		6.8	272.6

(200) East Line of Calhoun

No L		6.8	272.6
-		6.7	272.7
4		6.8	272.6
Cx		6.8	272.6
4		6.7	272.7
-		6.5	272.9
M ^o L		6.7	273.2

East. Curt Line

M ^o Line		6.8	273.1
4		6.6	272.8
		6.6	272.8
Cx		6.7	272.7
4		6.7	272.7
-		6.6	272.8
No Line		6.8	272.6

74

East 1/4 Line of Calhoun

No L		6.2	273.2
-		6.3	273.1
4		6.5	272.9
Cx		6.5	272.9
4		6.5	272.9
-		6.4	273.0
M ^o L		6.1	273.3

Center Line of Calhoun

M ^o L		6.9	273.5
-		6.2	273.2
4		6.3	273.1
Cx		6.3	273.1
4		6.3	273.1
-		6.2	273.2
No Line		5.8	273.6

West 1/4 Line of

No Line		5.7	273.7
-		5.9	273.5
4		6.2	273.2
Cx		6.1	273.2
4		6.1	273.3
-		6.1	273.3
M ^o Line		5.7	273.7

2/17/15
Hitchison
Evans
Wilmore

West Curt Line

M ^o Long	27936	57	273.7
-		59	273.5
4		59	273.5
ct		60	273.4
4		61	273.3
-		54	274.0
SoL		54	274.0

West Line at Calhoun

SoL		50	274.4
-		50	274.4
4		58	273.6
ct		58	273.6
4		56	273.8
-		57	273.7
M ^o L		55	273.9

25' West of

M ^o L		50	274.4
-		52	274.2
4		53	274.1
ct		54	274.0
4		54	274.0
-		57	274.2
SoL		45	274.9
SoL		45	274.9

2/23/15
Hitchison
Evans
Wilmore

50' West

B.M.	2765	281.22	1.10	278.26
SoL from Evans for N.E. Cor. Stephens ^{Line}				

50' West of Calhoun

SoL		58	275.4
-		57	275.5
4		54	275.8
ct		66	274.6
4		67	274.5
-		65	274.7
M ^o Long		60	275.2

75' West of

M ^o Long		57	275.5
-		61	275.1
4		63	274.9
ct		61	275.1
4		57	275.5
-		56	275.6
SoL		50	276.2

100' West of

SoL		52	276.0
-		53	275.9
4		52	276.0
ct		55	275.7
4		59	275.3
-		56	275.6
M ^o Long		49	276.3

125' West of

No Line	281.22	4.3	276.9
-		5.2	276.0
4		5.4	275.8
Ct.		5.1	276.1
4		5.2	276.0
-		5.2	276.0
So Line		5.0	276.2

150' West of

So Line		4.7	276.5
-		4.8	276.4
4		4.9	276.3
Ct.		4.8	276.4
4		4.7	276.5
-		5.0	276.2
No Line		4.1	277.1

175' West of

No Line		4.2	277.0
-		4.5	276.7
4		4.5	276.7
Ct.		4.6	276.6
4		4.6	276.6
-		4.8	276.4
So Line		4.7	276.5

(200') East Line of Stephens

So L.	281.22	4.6	276.6
-		4.8	276.4
4		4.7	276.5
Ct.		4.4	276.8
4		4.3	276.9
-		4.3	276.9
No Line		4.2	277.0

Stephens Street is Cross-Section ^{for 60' St.}

East Curt Line of Stephens

So L.		5.7	275.5
-		4.8	276.4
4		4.7	276.5
Ct.		4.5	276.7
4		4.4	276.8
-		4.2	277.0
No L.		4.2	277.0

East 1/4 Line of

No L.		4.1	277.1
-		4.5	276.7
4		4.7	276.5
Ct.		4.8	276.4
4		4.9	276.3
-		5.1	276.1
No Line		4.9	276.3

Center Line of Stephens

So L	281.00	51	276.1
-		50	276.2
4		49	276.3
Ct.		48	276.4
4		47	276.5
-		47	276.5
No Line		40	277.2

West 1/4 Line

No Line		41	277.1
-		45	276.7
4		48	276.4
Ct.		48	276.4
4		49	276.3
-		49	276.3
No Line		54	275.8

West Curt Line

No Line		55	275.7
-		50	276.2
4		49	276.3
Ct.		46	276.6
4		45	276.7
-		42	277.0
No Line		57	277.5

Lewis St.

West Line of Stephens

No Line		35	277.7
-		41	277.1
4		43	276.9
Ct.		44	276.8
4		49	276.3
-		51	276.1
No Line		58	275.4

Stephens St.

50' line of Lewis

East Line	281.22	4.6	276.6
-		4.4	276.6
+		4.7	276.3
Ct.		5.1	276.1
+		5.4	275.8
-		5.5	275.7
West Line		5.7	275.5

25' South Lewis

West L		6.9	274.3
-		6.8	274.4
+		6.4	274.8
Ct.		6.5	274.8
+		6.1	275.1
-		6.0	275.2
East L		5.8	275.4

50' South

East L		7.4	273.8
-		7.5	273.7
+		7.8	273.4
Ct.		7.8	273.4
+		8.1	273.1
-		7.7	273.5
W.L.		7.8	273.4

78

75' South Lewis

W.L.		8.9	272.3
-		8.9	272.3
+		9.2	272.0
Ct.		9.7	271.5
+		9.1	272.1
-		9.1	272.1
East L		8.3	272.9

100' South

East L		10.3	270.9
-		10.2	271.0
+		10.5	270.7
Ct.		10.5	270.7
+		10.2	271.0
-		9.9	271.3
W.L.		9.8	271.4

125' South

W.L.		10.9	270.3
-		11.0	270.2
+		11.1	270.1
Ct.		11.3	269.9
+		11.4	270.0
-		11.1	270.1
W.L.		10.5	270.7

150' So of Lewis

S.L.	281.22	10.1	271.1
-		10.5	270.7
4		10.8	270.4
Cl.		11.0	270.2
4		10.8	270.4
-		11.5	269.7
W.L.	12.0		269.2

175' So of

W.L.	12.0		269.2
-	11.1		270.1
4	10.6		270.6
Cl.	10.5		270.7
4	10.1		271.1
East	9.8		271.4
East S	9.3		271.9

200' So of Staff Lewis

S.L.	9.1		272.1
4	9.4		271.8
	9.7		271.5
Cl.	9.5		271.7
4	10.1		271.1
-	10.6		270.6
W.Lmu	11.3		269.9

281.22	269.2
7.66	
<u>273.56</u>	
5.46	
<u>279.02</u>	
1.66	
<u>277.36</u>	
1.40	
<u>278.76</u>	
8.48	
<u>270.28</u>	
5.34	
<u>275.62</u>	271.1
10.46	
<u>265.06</u>	
5.89	
<u>270.65</u>	
1.43	
<u>269.22</u>	

*Return to City Engineers Office
City Hall, San Diego, Cal.*

Return to City Engineers Office
TRAVERSE TABLE FOR TRANSIT BOOK.
City Hall, San Diego, Cal.

From 1° to 90° for a distance of 100.

Degrees.	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
0			100.00	0.44	100.00	0.87	99.99	1.31	89
1	99.98	1.75	99.98	2.18	99.97	2.62	99.95	3.05	88
2	99.94	3.49	99.92	3.03	99.91	4.36	99.88	4.80	87
3	99.86	5.23	99.84	5.07	99.81	6.10	99.79	6.54	86
4	99.76	6.98	99.73	7.41	99.69	7.85	99.66	8.28	85
5	99.62	8.72	99.58	9.15	99.54	9.58	99.50	10.02	84
6	99.45	10.45	99.41	10.80	99.36	11.32	99.31	11.75	83
7	99.25	12.19	99.20	12.62	99.14	13.05	99.09	13.49	82
8	99.03	13.92	98.97	14.35	98.90	14.78	98.84	15.21	81
9	98.77	15.64	98.70	16.07	98.63	16.50	98.56	16.93	80
10	98.48	17.36	98.40	17.79	98.33	18.22	98.25	18.65	79
11	98.16	19.08	98.08	19.51	97.99	19.94	97.90	20.36	78
12	97.81	20.79	97.72	21.22	97.63	21.64	97.53	22.07	77
13	97.44	22.50	97.34	22.92	97.24	23.34	97.13	23.77	76
14	97.03	24.19	96.92	24.62	96.81	25.04	96.70	25.46	75
15	96.59	25.88	96.48	26.30	96.36	26.72	96.25	27.14	74
16	96.13	27.56	96.00	27.98	95.88	28.40	95.76	28.82	73
17	95.63	29.90	95.50	29.65	95.37	30.07	95.24	30.49	72
18	95.11	30.90	94.97	31.32	94.83	31.73	94.69	32.14	71
19	94.55	32.56	94.41	32.97	94.26	33.38	94.12	33.79	70
20	93.97	34.20	93.82	34.61	93.67	35.02	93.51	35.43	69
21	93.36	35.84	93.20	36.24	93.04	36.65	92.88	37.06	68
22	92.72	37.46	92.55	37.86	92.39	38.27	92.22	38.67	67
23	92.05	39.07	91.88	39.47	91.71	39.87	91.53	40.27	66
24	91.35	40.67	91.18	41.07	91.00	41.47	90.81	41.87	65
25	90.63	42.26	90.45	42.66	90.28	43.05	90.07	43.44	64
26	89.88	43.84	89.69	44.23	89.49	44.62	89.29	45.01	63
27	89.10	45.40	88.90	45.79	88.70	46.17	88.50	46.56	62
28	88.29	46.95	88.09	47.33	87.88	47.72	87.67	48.10	61
29	87.46	48.48	87.25	48.86	87.04	49.24	86.82	49.62	60
30	86.60	50.00	86.38	50.38	86.16	50.75	85.94	51.13	59
31	85.72	51.50	85.49	51.88	85.26	52.25	85.04	52.62	58
32	84.80	52.99	84.57	53.36	84.34	53.73	84.10	54.10	57
33	83.87	54.46	83.63	54.83	83.39	55.19	83.15	55.56	56
34	82.90	55.92	82.66	56.28	82.41	56.64	82.16	57.00	55
35	81.92	57.36	81.66	57.71	81.41	58.07	81.16	58.42	54
36	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	53
37	79.86	60.18	79.60	60.53	79.34	60.88	79.07	61.22	52
38	78.80	61.57	78.53	61.91	78.26	62.25	77.99	62.59	51
39	77.71	62.93	77.44	63.27	77.16	63.61	76.88	63.94	50
40	76.60	64.28	76.32	64.61	76.04	64.94	75.76	65.28	49
41	75.47	65.61	75.18	65.93	74.90	66.26	74.61	66.59	48
42	74.31	66.91	74.02	67.24	73.73	67.56	73.43	67.88	47
43	73.14	68.20	72.84	68.52	72.54	68.84	72.24	69.15	46
44	71.93	69.47	71.63	69.78	71.33	70.09	71.02	70.40	45
45	70.71	70.71							
Degrees.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Degrees.
	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		