ARNOLD
to
COATES

LEVEL BOOK

400

F. B. 293

293

H. S. CROCKER COMPANY

DRAWING MATERIALS AND SURVEYING INSTRUMENTS

SAN FRANCISCO

293

TABLES FOR EXCAVATIONS AND EMBANKMENTS

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING

Roadway 18 Feet Wide. Side Slopes 1 to 1.
For Single Track Excavation.

"Copyright, 1895, by Kuchel & Esser Co."

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	0
1	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	1
2	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	2
3	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	3
4	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	4
5	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	5
6	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	6
7	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	7
8	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	8
9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	9
10	19.0	19.1	19.2	19.3	19.4	19 5	19.6	19.7	19.8	19.9	10
11	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	11
12	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	12
13	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	13
14	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	14
15	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	15
16	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	16
17	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	17
18	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	18
19	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	19
20	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	20
21	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	21
22	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	22
23	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	23
24	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	24
25	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	25
26	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	26
27	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	27
28	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	28
29	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	29
30	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	30
31	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	31
32	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	32
33	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	33
34	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	34
35	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	35
36	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.

MICROFILMED JUL 1964

Book 293
Return to City Engineers Office
City Hall, San Diego, Cal.

H

TAB

D

	O
0	9.
1	10.
2	11.
3	12.
4	13.
5	14.
6	15.
7	16.
8	17.
9	18.
10	19.
11	20.
12	21.
13	22.
14	23.
15	24.
16	25.
17	26.
18	27.
19	28.
20	29.
21	30.
22	31.
23	32.
24	33.
25	34.
26	35.
27	36.
28	37.
29	38.
30	39.
31	40.
32	41.
33	42.
34	43.
35	44.
36	45.

265.94 Spk. NE Eagle. Fence Post.

269.26 " " Goldfinch " "

+ Line
born.

STED

80

80

80



Note, Line of Washington St. is straight for full length of Street, i.e., This Range line should be produced to W.L. of Pueblo where the Street W. of Hawk is considered—
North and South Streets are straight from Douglass To Getti
Spks are 13' S and W of Cr's

POSTED



5/23/07 Halch Washington Ave. Damon Ranch Pueblo line to Hawk

Brn Eagle 5,44 271,38 265.94

Pueblo line

N. 101 E of Dove.		9,1	262.8
cb.		7.6	263.9
1/4		6.6	264.9
cr.		5.8	265.6
1/4		5.2	266.2
cb.		5.0	266.4
S 102,7 E of Dove.		5.2	266.2
	75' E of Dove		
S		3.6	267.8
cb.		3.6	267.8
1/4.		4.5	266.9
cr		4.7	266.7
1/4		4,9	266.5
cb.		5.1	266.3
N		6.0	265.4

Reduced by Bartlett

POSTED 1

271,38

50' E of Dove.			
N.		4.8	266.6
cb.		3.8	267.6
1/4		3.6	267.8
cr.		4.3	267.1
1/4		4.2	267.2
cb		4.5	266.9
S		4.8	266.6
25' E of Dove.			
S		4.6	266.8
cb.		4.3	267.1
1/4		4.3	267.1
cr.		4.2	267.2
1/4		3.9	267.5
cb		4.0	267.4
N		4.1	267.3

271.38

E ½ Dong Rd.

N.	4.0	267.4
cb.	3.8	267.6
¼	3.9	267.5
cr	2.7	268.7
¼	2.1	269.3
cb	2,5	268.9
S	3.9	267.5

E cb Dong.

S	4.2	267.2
cb.	2.9	268.5
¼	2.3	269.1
cr	3.4	268.0
¼	3,8	267.6
cb.	3.9	267.5
N	3.8	267.6

271.38

E ½ Dong.

N	3.7	267.7
cb.	3.6	267.8
¼	3.5	267.9
cr	3.3	268.1
¼	3,5	267.9
cb	4.0	267.4
S	4.1	267.3

Cr Dong.

S	3.7	267.7
cb.	3.9	267.5
¼	3,5	267.9
cr	2,8	268.6
¼	3.0	268.4
cb.	3.0	268.4
N	3.7	267.7

27138

W 1/4 Dome

N.	3.6	267.8
eb	3,3	267.1
1/4	2,7	268.7
or	3,3	268.1
1/4	3.6	267.8
eb	3.6	267.8
S	3,1	268.3

W eb. Dome

S	3.4	268.0
eb.	3,6	267.8
1/4.	3,9	267.5
or	3,6	267.8
1/4	3,4	268.0
eb.	3.4	268.0
N.	3,6	267.8

27138

W 1/4 Dome

N.	3.8	267.6
eb.	4.0	267.4
1/4	3.7	267.7
or	3.6	267.8
1/4	4.2	267.2
eb.	4.0	267.4
S	4.2	267.2

25' W of Dome

S	4,9	266.5
eb.	5.0	266.4
1/4	4.8	266.6
or	4.7	266.7
1/4	4,3	267.1
eb	4,3	267.1
N	3,8	267.6

27138

50' W of Dam.

N	4,0	267.4
cb.	4,3	267.1
1/4	4,0	267.4
cr	3,8	267.6
1/4	3,8	267.6
cb.	4,5	266.9
S	5.4	266.0

75' W of Dam

S	6,9	264.5
cb.	6,5	264.9
1/4	5,6	265.8
cr	5,2	266.2
1/4	5,2	266.2
cb.	5,0	266.4
N	4.6	266.8

27135

100' W of Dam.

N	5.0	266.4
cb	5.4	266.0
1/4	5.4	266.0
cr	5.9	265.5
1/4	6.3	265.1
cb.	7,4	264.0
S	7.3	264.1

125' W of Dam

S	7.4	264.0
cb	7,7	263.7
1/4	6.7	264.7
cr	5.7	265.7
1/4	5.8	265.6
cb	5.8	265.6
N	5.3	266.1

27138

150 W of Dam

r	5,9	266.0
cb	5,9	265.5
1/4	6,2	265.2
cr	6,8	264.6
1/4	7,6	263.8
cb	7,9	263.5
s	7,9	263.5

175 W of Dam

s	7.8	263.6
cb	7,6	263.8
1/4	8,0	263.4
cr	7,5	263.9
1/4	6,6	264.8
cb	6,3	265.1
r	6.0	265.4

271,38

200 W of Dam = E.L Eagle.

r	5.8	265.6
cb	6,3	265.1
1/4	6,9	265.0
cr	7.9	264.0
1/4	7,7	263.7
cb	6,7	264,1
s	6,9	264,5

= cb Eagle.

s	8.2	263.2
cb	7,7	263.7
1/4	8,0	263.4
cr	7,7	263.7
1/4	6,5	264.9
cb	6,3	265.1
r	6,1	265.3

371.38

E 1/4 Eagle

N	5.9	265.5	
cb.	6,1	265.3	
1/4	6,1	265.3	
c	7,1	264.3	
1/4	7,8	263.6	
cb.	8,2	263.2	
S	8,5	262.9	

or Eagle

S	8,4	263.0	
cb.	8,1	263.3	
1/4	7,7	263.7	
c	7,0	264.4	
1/4	5.7	265.7	
cb.	6,0	265.4	
N	5.7	265.7	

271.38

W 1/4 Eagle

N	5,2	266.2	
cb	6,2	265.2	
1/4	6,6	264.8	
c	7.5	263.9	
1/4	7.8	263.6	
cb.	8,1	263.3	
S	8,1	263.3	

W cb. Eagle

S	7.6	263.8	
cb	7.9	263.5	
1/4	7,6	263.8	
c	7.8	263.6	
1/4	6,9	264.5	
cb.	6.7	264.7	
N	5.5	265.9	

271.38

W & Eagle.

N.	5.9	265.5
cb.	6.5	264.9
1/4	6.8	264.6
c	7.4	264.0
1/4	7.4	264.0
cb	7.8	263.6
S	8.0	263.4

25' W of Eagle

S	7.5	263.9
cb	7.1	264.3
1/4	7.2	264.2
c	7.2	264.2
1/4	6.8	264.6
cb	6.2	265.2
N	5.5	265.9

271.38

50' W of Eagle

N.	6.9	265.5
cb	6.5	264.9
1/4	6.5	264.9
c	7.0	264.4
1/4	6.9	264.5
cb	7.0	264.4
S	7.1	264.3

75' W of Eagle.

S	6.8	264.6
cb	6.5	264.9
1/4	6.4	265.0
c	6.5	264.9
1/4	5.3	266.1
cb	4.9	266.5
N.	5.7	265.7

		271.38			
	100' W of Eagle				
N			4.6	266.8	
sh.			4.6	266.8	
1/4			5.1	266.3	
c			5.8	265.6	
1/4			6.0	265.4	
cb			6.0	265.4	
S			6.1	265.3	
T.P	7.8'	273.22	5.97	265.41	
	125' W of Eagle.				
S			7.6	265.6	
cb			6.9	266.3	
1/4			7.4	265.8	
c			7.5	265.7	
1/4			7.3	265.9	
cb			6.4	266.8	
N			6.3	266.9	

		273.22			
	150' W of Eagle				
N			5.9	267.3	
sh.			6.4	266.8	
1/4			6.9	266.3	
c			7.1	266.1	X
1/4			6.8	266.4	
cb			6.7	266.5	
S			7.0	266.2	
	175' W of Eagle.				
S			7.0	266.2	
cb			6.7	266.5	
1/4			6.5	266.7	
cb			6.9	266.3	
1/4			6.5	266.7	
sh.			5.7	266.5	
N			5.9	266.8	

2/3/22

200' N of Eagle = EL Falcon

N	5.2	268.0
cb	5.6	267.6
1/4	6.2	267.0
C	6.5	266.7
1/4	6.3	266.9
cb	6.2	267.0
S	6.7	266.5

E Cb. Falcon

S	6.3	266.9
cb	6.3	266.9
1/4	6.3	266.9
C	6.1	267.1
1/4	5.2	268.0
cb	5.0	268.2
N	5.1	268.1

2/3/22

E 1/4 Falcon

N	4.9	268.3
cb	4.8	268.4
1/4	4.9	268.3
C	5.9	267.3
1/4	6.0	267.2
cb	6.2	267.0
S	6.0	267.2

Cr Falcon

S	5.7	267.5
cb	5.8	267.4
1/4	5.8	267.4
C	6.0	267.2
1/4	5.4	267.8
cb	5.0	268.2
N	4.8	268.4

27827

W 1/4 Falcon

N.	4,4	268.8
b.	4,1	269.1
1/4	5.2	268.0
c	5,8	267.4
1/4	5,6	267.6
b	4,9	268.3
S	5.4	267.8

W b Falcon

S	5,3	267.9
b	5.3	267.9
1/4	5,3	267.9
c	5,6	267.6
1/4	5,0	268.2
b.	3,8	269.4
N	4.3	268,9

27827

W h Falcon

N.	4,1	269.1
b	4,5	268.7
1/4	5,0	268.2
c	5,4	267.8 X
1/4	5,1	268.1
b.	5,1	268.1
S	4,5	268.7

W W of Falcon

S	5.0	268.2
b.	4,7	268.5
1/4	4,6	268.6
c	5.0	268.2
1/4	4,6	268.6
b.	3,9	269.3
N	3,7	269.5

27322

50' W of Falcon

N.	3.2	270.0
b.	3.3	269.9
1/4	4.1	269.1
c	4.6	268.6
1/4	3.4	269.8
b.	4.1	269.1
S	4.5	268.7

75' W of Falcon.

S	3.9	269.3
b.	3.7	269.5
1/4	3.5	269.7
c	4.4	268.8
1/4	4.2	269.0
b.	3.6	269.6
N.	3.1	270.1

27322

100' W of Falcon -

N.	3.2	270.0
b.	3.5	269.7
1/4	4.1	269.1
c	4.6	268.6
1/4	4.4	268.8
b	4.2	269.0
S	4.3	268.9

125' W of Falcon

S	4.8	268.4
b	4.8	268.4
1/4	4.4	268.8
C	4.7	268.5
1/4	4.3	268.9
b	4.1	269.1
N	3.3	269.9

27322

150' W of Falcon

N		3.6	269.6
cb.		4,4	268.8
1/a		4.5	268.7
c		5.0	268.2
1/a		4,7	268.5
cb.		4,9	268.3
S		5.2	268.0

175' W of Falcon

S		5,4	267.8
cb.		5,2	268.0
1/a		4,8	268.4
c		5,2	268.0
1/4		4,5	268.7
cb.		4,6	268.6
N		4,1	269.1

27322

200' W of Falcon = El Goldfinch.

N		4.5	268.7
cb.		5.5	267.7
1/4		5,7	267.5
c		5,3	267.9
1/a		5,1	268.1
cb.		5,5	267.7
S		5.7	267.5
Bm	084 270.10"		26926

= cb. Goldfinch

N		1.3	268.3
cb.		2.6	267.5
1/a		1.7	268.4
c		2.3	267.8
1/a		2.2	267.9
cb.		2.5	267.6
S		3.0	267.1

270.10

E ¼ Goldfinch

S	3.1	267.0
cb.	2,9	267.2
¼a	2,7	267.4
c	2,8	267.3
¼a	2,8	267.3
cb.	3,1	267.0
N	2,5	267.6

Cr Goldfinch

N	2,8	267.3
cb	3,2	266.9
¼a	3,0	267.1
c	3,2	266.9
¼a	3,3	266.8
cb	3,1	267.0
S	2,9	267.2

270.10

NW ¼ Goldfinch

S	3,2	266.9
cb.	3,5	266.7
¼a	3,5	266.7
c	3,1	267.0
¼a	3,1	267.0
cb	3,4	266.7
N	2,7	267.4

NW cb. Goldfinch

N	2,9	267.2
cb.	3.6	266.5
¼a	3,1	267.0
c	2,9	267.2
¼a	3,1	267.0
cb	3,7	266.4
S	3,7	266.4

270.10

W h Goldfinch

S	3,7	266.4
cb	3,9	266.2
1/a	3,2	266.9
c	3,2	266.9
1/a	3,3	266.8
cb	3,7	266.4
N	3,7	266.4

25' W of Goldfinch

N	4.1	266.0
cb	3.6	266.5
1/a	4,0	266.1
c	4,1	266.0
1/a	3,9	266.2
cb	4,0	266.1
S	4.0	266.1

270.10

50' W of Goldfinch

S	4.1	266.0
cb	4,0	265.7
1/a	4,2	265.9
c	4.4	265.7
1/a	4,2	265.9
cb	4,1	266.0
N	4.4	265.7

75' W of Goldfinch

N	4.4	265.7
cb	4,4	265.7
1/a	4,5	265.6
c	4.9	265.2
1/a	4.7	265.4
cb	4.9	265.2
S	5,0	265.1

270.10

100' W of Goldfinch

S	5.7	264.4
cb	5.4	264.7
1/4	5.2	264.9
C	5.1	265.0
1/4	4.9	265.2
cb	4.7	265.4
N	4.6	265.5

125' W of Goldfinch

N	4.1	266.0
cb	5.2	264.9
1/4	5.5	264.6
C	5.5	264.6
1/4	5.7	264.4
cb	6.1	264.0
S	6.2	263.9

270.10

150' W of Goldfinch

S	7.1	263.0
cb	6.9	263.2
1/4	6.6	263.5
C	6.2	263.9
1/4	5.9	264.2
cb	5.7	264.4
N	5.6	264.5

175' W of Goldfinch

N	5.6	264.5
cb	5.4	264.7
1/4	5.9	264.2
C	6.9	263.2
1/4	7.0	263.1
cb	7.5	262.6
S	7.8	262.3

270.10

200 W of Goldfinch = E b. Hawk

S		8.4	261.7
b		8.5	261.6
1/4		7.2	262.9
c		7.4	262.7
1/c		7.4	262.7
cb		6.4	263.7
N		5.6	264.5

E cb. Hawk.

N		5.7	264.4
cb		4.4	263.7
1/c		8.5	261.6
c		9.0	261.1
1/c		9.5	260.6
b		9.9	260.2
S		10.0	260.1
T.P	4.58	261.02	10.66	259.44

264.02

E 1/4 Hawk -

6 ft. of line

		8.9	255.1
S		8.0	256.0
cb		9.6	254.4
1/c		6.6	257.4
c		3.8	260.2
1/c		2.5	261.5
cb		1.9	262.1
N		0.9	263.1

cr Hawk.

N		1.7	262.3
cb		2.1	261.9
1/c		2.3	261.7
c		2.5	261.5
1/c		6.0	258.0
cb		9.4	254.6
S		13.5	250.5
+13		15.3	248.7

POSTED

264.02

W 1/4 Hawk.

10 S.	9,5	254.5
S.L.	9.1	254.9
d.	9,0	255.0
1/4	6,3	257.7
c	4,0	260.0
1/a	2,7	261.3
b.	2,3	261.7
N	1,7	262.3

W1 cb. Hawk.

N	1,9	262.1
b.	2,2	261.8
1/4	2,7	261.3
c	3,8	260.2
1/4	5,3	258.7
b	5,5	258.5
S	5,2	258.8

POSTED

17

264.02

W L Hawk.

S	3.4	260.6
b	3,3	260.7
1/a	3,3	260.7
c	2,5	261.5
1/a	2,1	261.9
b	2,1	261.9
N	1,6	262.4

May 28, 1907 {Shields Evans Barber

X Sect / Kalama 3.5 4th

POSTED

2.05 H.I 230.80 230.75 B.M.

W. line 4th

N. line		5.4	225.4
		5.4	225.4
		6.1	224.7
C		6.9	223.9
		7.5	223.3
		7.6	223.2
So. line		7.6	223.2
	25' W		
So. line		8.7	222.1
		7.9	222.9
		7.2	223.6
C		6.6	224.2
		6.1	224.7
		6.2	224.6
N line		6.1	224.7

230.80

50' W

N line		7.1	223.7
	1	7.0	223.8
		6.1	224.7
C		6.2	224.6
		7.3	223.5
		7.8	223.0
So line		8.4	222.4
	75' W		
So. line		7.5	223.3
		6.7	224.1
		6.5	224.3
C		6.7	224.1
		10.5	220.3
		15.1	215.7
N line		9.5	221.3

230.80

100' W

N. line			10.9		219.9
		H.I.			
J.P.	0.23	218.92	12.11	218.69	
		100' W			
N cb			9.2		209.7
			13.1		205.8
C			10.6		208.3
			8.1		210.8
			7.4		211.5
So. line			7.0		211.9
		125' W			
N line			2.5		216.4
		146' W			
N line			5.2		213.7
		150' W			
N line			5.7		213.2
		168' W			
N. line			4.6		214.3
		175' W			
N line			4.2		214.7

218.92

East line 3rd

N line			6.2		212.7
2' So. of N line		POSTED	10.0		208.9
			8.8		210.1
			6.4		212.5
C			5.0		213.9
			7.9		211.0
			7.5		211.4
So. line			6.1		212.8
		H.I.			
J.P.	0.32	206.39	12.85	206.07	
		125' W			
N cb			0.9		205.5
			7.7		198.7
C			8.6		197.8
			7.6		198.8
			6.7		199.7
So. line			7.1		199.3

206,39

146' W

So line	13.8	192.6	
	12.7	193.7	
	11.4	195.0	
C	10.0	196.4	
	8.6	197.8	
N. cb	1.6	204.8	

150' W

N cb.	1.8	204.6	
	7.9	198.5	
C	9.7	196.7	
	11.3	195.1	
	12.5	193.9	
So. line	13.4	193.0	

206,39

168' W

So. line	13.1	193.3	
	11.8	194.6	POSTED
	9.4	197.0	
C	8.4	198.0	
	7.6	198.8	
N. cb	2.9	203.5	

175' W

N. cb	1.7	204.7	
cb + 6'	4.1	202.3	
1/4	5.6	200.8	
C	6.0	200.4	
	7.1	199.3	
	7.7	198.7	
So. line	8.9	197.5	

6/ Halch
12/ Donnan
07 Emery

Leveled Univ. Ave 6th – 8th

POSTED

Con 8th Unn. 3.93 287.74 283.81

SE Cor 6 th.	4.2		283.5
Gutter	4.65		283.0
Centre	4.8		282.9
E L 6th (5' E of SE Cor)			
S th.	4.2		283.5
gutter	4.9		282.8
Centre	4.75		283.0
gutter	5.6		282.1
N. th.	5.1		282.6
50' E			
N	4.85		282.8
gutter	5.45		282.3
Centre	4.6		283.1
Gutter	4.7		283.0
S	4.05		283.6

W.E. 7 39.6
E.L. 36

N 590
S 661

287.74

100' E

POSTED

S	3.9		283.8
gutter	4.8		282.9
Centre	4.45		283.2
gutter	5.3		282.4
N	4.5		283.2
150' E			
N	4.7		283.0
gutter	5.2		282.5
Centre	4.35		283.4
gutter	4.9		282.8
S	4.8		282.9
200' E			
S	5.15		282.5
gutter	5.15		282.6
Centre	4.15		283.6
gutter	5.05		282.6
N	4.7		283.0

287.74

260' E

N.	4.7	283.0
Gutter	5.15	282.5
Centre	4.05	283.6
Gutter	5.05	282.6
S	5.05	282.6

295 WL 7th

S	5.25	282.5
Gutter	5.25	282.4
Centre	3.9	283.8
Gutter	5.0	282.7
N.	4.6	283.1

328 Centre 7th

N.	4.45	283.3
Gutter	4.85	282.8
Centre	3.9	283.8
Gutter	4.8	282.9
S	4.8	282.9

287.74

361 E EL 7th

POSTED

S	4.3	283.4
Gutter	4.65	283.0
Centre	3.8	283.9
Gutter	4.7	283.0
N	4.3	283.4

400' E

N	4.1	283.6
Gutter	4.55	283.1
Centre	3.75	284.0
Gutter	4.55	283.2
S	4.25	283.4

450' E

S	4.0	283.7
Gutter	4.35	283.4
Centre	3.55	284.2
Gutter	4.3	283.4
N	3.55	283.8

287.74

500' E

N.	3.75	284.0
Gutter	4.2	283.5
Centre	3.4	284.3
Gutter	4.4	283.3
S	4.1	283.6

550' E

S	3.3	284.4
Gutter	4.25	283.5
Centre	3.3	284.4
Gutter	4.05	283.6
N.	3.55	284.1

590' E WL 8m on North.

N	3.25	284.4
Gutter	3.85	283.8
Centre	3.45	284.2
Gutter	4.4	283.3
S	3.5	284.2

287.74

661' E

POSTED

S	3.7	284.0
Gutter	4.35	283.4
Centre	3.45	284.2

all streets parallel both ways.
all tie points 13' south & west of cent

Washington — S — N — 90° 02' — 280.34 — Tack in 7

Gotti — Pin — 90° 02'

Lewis — Pin — 90° 02'

Broadway — Pin — 90° 02'

Dove Street — 1,963.1 — 360.6 — 360.6

Broadway — Pin — 90° 02'

POSTED

Stockton — Hub — 90° 02'

Hunter — Pin — 90° 02'

Barr ave. — Pin — 90° 02'

Dove Street — 360.0 — 360.0

Washington — 98.02' — 280.18 — Tack 07

Eagle Street — 336.6'

Getti — Hub — 90° 02'

Eagle Street — 336.6'

Lewis — Hub — 90° 02'

Eagle Street — 336.6'

Broadway — spk — 90° 02'

Broadway — spk — 90° 02' — 336.2'

Stockton — spk — 90° 02' — 336.0'

Hunter — spk — 90° 02' — 336.0'

Barr ave. — spk — 90° 02'


Washington
Hub
90° 02'
280.08
0.7 Tack
363.1'
Tack 0.7
90° 02'
Hub
0.7 Tack
Falcon Street
300.6'
12.7'
Hub
Lewis
300.0'
90° 02'
Broadway
Hub
Broadway
Hub
90° 02'
300.2'
Stockton
Hub
90° 02'
Falcon Street
300.0'
Hunter
Hub
90° 02'
300.0'
90° 02'
Pin
Barrack

Washington — spk — 90° 02' — 280.7 — Tack 07

363.1

Tack 07

Gettis — spk — 90° 02'

Goldfinch Street

300.6

See page 34

Lewis — spk — 90° 02'

33-0.6

Broadway — Pin — 90° 02'

Broadway — Pin — 90° 02'

312.2

Stockton — 90° 02' Nail

Goldfinch Street

312.6

Hunter — Pin — 90° 02'

300.6

spk — 90° 02'

Barrard.

Washington — spk — 90°02'

7 o Tack 7

360.1

7' ⊡ Hole

Getty — spk — 90°02'

Hawk Street

300.6

See page 34

Lewis — spk — 90°02'

350.6

Broadway — spk — 90°02'

Broadway — spk — 90°02'

312.2

POSTED

Stockton — Pin — 90°02'

Hawk Street

350.0

Hunter — spk — 90°02' — 280.0

350.0

spk — 90°02'

Barnard

This is foolish. Make it straight.
50'
Lewis St.
Goldfinch St.
Hawk St.
POSTED
Iron pipe
Iron pipe
Iron pipe
Iron pipe
60'
60'
125'
125'
125

Levels over University Ave. 6th – 8th. 10/18/07 Adams Adams Erdlitz

POSTED

4.29 287.83 283.54 - B.M. 5.E 6th

E. line 6th St (on south side of St

So	4.1	283.73	
Ct.	4.32	283.51	
Gutr.	4.8	283.03	
South Rail	4.7	283.13	
North "	4.92	282.91	

5E of 6th on South Cor 00 E. line 6th on North

So	4.0	283.83	
Ct	4.34	283.49	
Gutr	4.8	283.03	
South Rail	4.71	283.12	
North "	4.94	282.89	
Gutr	5.5	282.33	
Ct	5.2	282.63	
No	5.2	282.63	

25 E of 6th

N.	5.0	282.80
Ct	5.1	282.73
Gutr	5.6	282.23
No. Rail	4.94	282.89
So "	4.65	283.18
" Gutr	5.0	282.83
" Ct	4.26	283.57
So	4.0	283.83

50 E

So	3.9	283.93
Ct	4.15	283.68
Gutr	4.9	282.93
So Rail	4.56	283.27
No. "	4.83	283.00
Gutr	5.6	282.23
Ct	5.0	282.83
No	4.8	283.00

28783

75 E of 6th

No	4.7	283.13
Ct	4.7	283.13
Gutr	5.6	282.33
No. Rail	4.72	283.11
So "	4.50	283.33
Gutr	4.9	282.93
Ct	4.07	283.96
So	4.0	283.83

83 E - beginning of Cement ct - No side

So	4.0	283.83
Ct	4.05	283.78
Gutr	4.9	283.93
So Rail	4.77	282.86
No "	4.67	283.16
Gutr	5.6	282.33
Ct	4.53	283.30
No	4.7	283.13

Univ Ave.

100 E - 6th

No	4.6	283.23
Ct	4.62	283.21
Gutr	5.4	282.43
No. Rail	4.60	283.23
So "	4.42	283.41
Gutr	4.9	282.93
Ct	4.00	283.83
So	3.7	284.13

125 E

So	3.7	284.13
Ct	3.95	283.88
Gutr	4.9	282.93
So Rail	4.34	283.49
No "	4.53	283.30
Gutr	5.3	282.53
Ct	4.71	283.12
No	4.7	283.13

28783

135 E = WL. Alley So Side = End Connections.

No	4.6	283.23
Ct	4.74	283.09
Centr	5.4	282.43
N. Rail	4.49	283.39
So "	4.30	283.53
Gutr	4.8	283.03
Ct	3.91	283.92
So	3.9	283.93

165 E = E. line Alley so So.

So	4.8	283.03
Ct - Centr	5.1	282.73
So Rail	4.29	283.54
No "	4.45	283.38
Centr	5.3	282.53
Ct	4.83	283.00
No	4.7	283.13

Univ. Ave

180' E of 6th

No	4.5	283.33
Ct	4.90	282.93
Centr	5.3	282.53
No Rail	4.34	283.49
So "	4.22	283.61
Ct. Centr	5.25	282.58
So	4.8	283.03

POSTED

200 E

So	4.8	283.03
Ct. Centr	5.35	282.58
So Rail	4.14	283.69
No "	4.27	283.56
Centr	5.3	282.53
Ct	4.81	283.02
No	4.6	283.23

287.83

330 E of 6th

N.	4.75	283.08
Ct.	4.85	283.0
Centr	5.25	282.58
No Rail	4.18	283.65
Do. S.	4.06	283.77
N. Centr	5.3	282.53
S.	5.0	282.83

355 E

S.	5.1	282.73
N. Centr	5.25	282.58
S. Rail	3.98	283.85
No. "	4.10	283.73
Centr	5.2	282.63
Ct	4.83	283.00
No	4.6	283.23

Univ. Ave.

380 E. of 6th

N.	4.6	283.33
Ct	4.78	283.05
Centr	5.2	282.63
No Rail	4.06	283.77
S. "	3.96	283.87
N. Centr	5.30	282.53
S.	4.7	283.13

395 E of 6th - W.L. 7th - S. side St

So	4.6	283.20
N. Centr	5.3	282.53
S. Rail	3.90	283.93
No "	4.02	283.81
Centr	5.2	282.63
Ct	4.75	283.09
No	4.5	283.23

287.83

318 E of 6th - Ctr 7th - S. Side

No.	4.4	283.43
Ct	4.59	283.24
Center	5.0	282.83
No Rail	3.94	283.89
So "	3.89	283.94
Ct Center	5.0	282.83
So	4.6	283.23

361 E - E.L. 7th. S. Side

So.	4.1	283.73
Ct. Center	4.7	283.13
So Rail	3.95	283.88
No "	3.92	283.91
Center	4.9	282.93
Ct	4.43	283.39
No	4.1	283.73

Univ. Ave.

26 E of 7th

No.	4.1	283.73
Ct	4.32	283.51
Center	4.8	283.03
No. Rail	3.83	284.0
So "	3.87	283.96
Center	4.7	283.13
Ct	4.4	283.43
So	3.7	284.13

50 E of 7th

So	4.1	283.73
Ct	4.4	283.43
Center	4.7	283.13
So Rail	3.75	284.08
No "	3.72	284.11
Center	4.7	283.13
Ct	4.20	283.63
No	3.8	284.13

28783

75 E of 7th

N.	3.8	284.03
Ct	4.13	283.70
Centr	4.50	283.33
No Rail	3.64	284.19
So "	3.63	284.20
Centr	4.5	283.33
Ct	4.2	283.63
So.	3.7	284.13

100 E 7th

So	3.7	284.13
Ct	4.1	283.73
Centr	4.5	283.33
So Rail	3.54	284.29
No "	3.62	284.21
Centr	4.40	283.43
Ct	3.98	283.85
No	3.60	284.23

Univ. Ave.

125 E of 7th

N	3.5	284.33
Ct	3.91	283.92
Centr	4.4	283.43
No Rail	3.53	284.30
So "	3.46	283.37
Centr	4.6	283.33
Ct	4.2	283.63
So.	3.6	284.23

POSTED

140 E = W.L. Alley on So.

So	3.7	284.13
Ct	4.2	283.63
Centr	4.4	283.43
So Rail	3.41	284.42
No "	3.48	284.35
Centr	4.4	283.43
Ct	3.85	283.98
No	3.5	284.33

287.83

160' E of 7th = E.L. Alley So. Side - beginning at Center Line So.

No.	3.4	284.43
Ct	3.75	284.08
Center	4.3	283.50
No Rail	3.40	284.43
So "	3.38	284.45
Center	4.3	283.53
Ct	3.27	284.56
So	3.10	284.73

175 E 7th

So	3.3	284.53
Ct	3.38	284.45
Center	4.2	283.53
So Rail	3.36	284.47
No "	3.36	284.47
Center	4.2	283.63
Ct	3.72	284.17
No	3.3	284.53

Univ. Ave.

200 E of 7th

No	3.2	284.63
Ct	3.59	284.24
Center	4.1	283.73
No Rail	3.43	284.40
So "	3.39	284.44
Center	4.1	283.43
Ct	3.44	284.39
So	3.5	284.33

230' E of 7th = W.L. 8th St. N. Side:

So	3.5	284.33
Ct	3.60	284.22
Center	4.4	283.43
So Rail	3.43	284.40
No "	3.57	284.26
Center	4.0	283.83
Ct	3.38	284.45
No	3.3	284.53

287.83

265 E of 7th - Ctr 8th No Side

No	3.9	283.93
Ct Centr	4.0	280.83
No Rail	3.57	284.26
So "	3.48	284.35
Centr	4.5	283.33
Ct	3.74	284.09
So	3.6	283.23

300 E of 7th = E. 8th on No & W.L 8th on So

So	3.7	284.13
Ct	3.85	283.98
Centr	4.5	283.33
So Rail	3.54	284.29
No "	3.57	284.26
Centr	4.1	283.73
Ct	3.78	284.05
No	3.1	284.73

POSTED


Tie points JACKDAW St.
(Whitelsay. Taylor Churchman
X 21/23 24/26
50'
20'
< 13' >
Hunter
Jackdaw St.
Stockton
Broadway
hub
All tie points 13' 30 West of Centre lines
spike
Graded
Lewis
Gotti
Washington

3 Hatch
22 Moore
09 Dezial






Fort Stockton Drive
Stephens
75'
5 Tacks in Trolley Pole
5 Tacks in Trolley Pole
60'

Tie Points Washington St. West of Hawk
13' S + W of Center 50' Street






Washington
St
All ties N&S S.B.W. of center
St
Getti
St
Lewis
St
Ellis
St
Broadway
St
Broadway
St
St
Stockton
St
Hunter
St
Ellis
St
Bart
St


Washington
St
St
Getty
St
Lexis
St
Jackson
Broadway
St
Broadway
St
St
Stockton
St
Hunter
St
Jackson
Bay
St


Washington
St
St
Getti
St
Lewis
St
Ingalls
St
Broadway
St
Broadway
St
St
Stockton
St
Hunter
St
Ingalls
St
Bank
St.


Washington
St
St
Getti
St
Lewis
St
Hooker
Broadway
St
Broadway
St
St
Stockton
St
Hunter
St
Hooker
Bay
St


Washington
St
St
Getti
St
Lewis
13
hub
St
Randolph
Broadway
St
Broadway
13
hub
St
St
Stockton
13
hub
St
Hunter
13
hub
St
Randolph
Barr
St.


Hubs North line Barr Ave on N' line cross Streets.
Hawk St.
Blk 5.
Goldfinch St.
Blk 4
Falcon St.
Blk 3.
Eagle St.
Blk 2.
Dove St.
Blk 1
Barr Ave
Distances on Barr Ave. calculated by use of vertl arc.
Sidewalk 5th Copr
446 Apple
6
7
8
9
10
Eagle St.
Dove St.
Barr Ave.
Old Pkng. 4' North & East
Set 2"x2" Redwood Pkg.
Reptd 2"x2" Redwood Pkg. 2.0' Deep

55


Blk I
Old Hub
Old Hub SW Cor Blk 1
New hub productions 1's line 30' is 64' North & 1.7' East of old Cor Hub.
Dove St.
SW Cor Blk 1
New hub noted
Blk 2.
SW Cor Blk 2
SE Cor Blk 3
Barr Ave 50'
Eagle St.
Eagle St.
Blk 3.
SE Cor Blk 3.
13' Hub as produced
Falcon St.
Hub 25 out
Barr Ave.
Blk 4.
SW Cor Blk 4
Old Hub as fence Cor
SE Cor Blk 5
Goldfinch St.
Old Cor


Blk 4
Goldfinch St.
60.46'
Cor Iron
Blk 5.
Alley 216.0'
Bart Ave 50'
60'
Huron St.
Iron


Dare
ST
75'
50.5'
24.5'
102'
N 55° 0'
These Hubs produced N misses Dennises hub 0.15' to West
hub
E. Nail
hub
Arnold
To Cheatles
Douglass ST
Alley
Highway
Brant
60'
ST
Albatross
ST

Chargt Levels for Culvert NE Cor of
Denman
Bunker Ibis + Lewis St

				mon SE	
				267.22	Ibis + Lewis
	4.70	269.70		265.00	Curb
00 = NE Curb			5.7		
25' N.			4.7		
35' N			4.5		
43' N			11.6		
TP	0.34	25.756	12.48	25.722	
75' N = PC			6.7		
104' on Curve = Prod'd = 100' N			15.4	24.2	
TP	0.90	24.556	12.90	24.466	
120' NE			9.0		
130' NE			14.0		
TP	1.50	23.406	13.00	23.257	
160' N			9.00		
170' N = 66' S of Ibis			12.00	22.28	

189.05
88.9
176.50

Transferred
See Book 35-4 P 5-4



DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

For Single Track Embankment.

Roadway 14 feet wide. Side Slopes 1½ to 1.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	7.0	7.2	7.3	7.5	7.6	7.8	7.9	8.1	8.2	8.4	0
1	8.5	8.7	8.8	9.0	9.1	9.3	9.4	9.6	9.7	9.9	1
2	10.0	10.2	10.3	10.5	10.6	10.8	10.9	11.1	11.2	11.4	2
3	11.5	11.7	11.8	12.0	12.1	12.3	12.4	12.6	12.7	12.9	3
4	13.0	13.2	13.3	13.5	13.6	13.8	13.9	14.1	14.2	14.4	4
5	14.5	14.7	14.8	15.0	15.1	15.3	15.4	15.6	15.7	15.9	5
6	16.0	16.2	16.3	16.5	16.6	16.8	16.9	17.1	17.2	17.4	6
7	17.5	17.7	17.8	18.0	18.1	18.3	18.4	18.6	18.7	18.9	7
8	19.0	19.2	19.3	19.5	19.6	19.8	19.9	20.1	20.2	20.4	8
9	20.5	20.7	20.8	21.0	21.1	21.3	21.4	21.6	21.7	21.9	9
10	22.0	22.2	22.3	22.5	22.6	22.8	22.9	23.1	23.2	23.4	10
11	23.5	23.7	23.8	24.0	24.1	24.3	24.4	24.6	24.7	24.9	11
12	25.0	25.2	25.3	25.5	25.6	25.8	25.9	26.1	26.2	26.4	12
13	26.5	26.7	26.8	27.0	27.1	27.3	27.4	27.6	27.7	27.9	13
14	28.0	28.2	28.3	28.5	28.6	28.8	28.9	29.1	29.2	29.4	14
15	29.5	29.7	29.8	30.0	30.1	30.3	30.4	30.6	30.7	30.9	15
16	31.0	31.2	31.3	31.5	31.6	31.8	31.9	32.1	32.2	32.4	16
17	32.5	32.7	32.8	33.0	33.1	33.3	33.4	33.6	33.7	33.9	17
18	34.0	34.2	34.3	34.5	34.6	34.8	34.9	35.1	35.2	35.4	18
19	35.5	35.7	35.8	36.0	36.1	36.3	36.4	36.6	36.7	36.9	19
20	37.0	37.2	37.3	37.5	37.6	37.8	37.9	38.1	38.2	38.4	20
21	38.5	38.7	38.8	39.0	39.1	39.3	39.4	39.6	39.7	39.9	21
22	40.0	40.2	40.3	40.5	40.6	40.8	40.9	41.1	41.2	41.4	22
23	41.5	41.7	41.8	42.0	42.1	42.3	42.4	42.6	42.7	42.9	23
24	43.0	43.2	43.3	43.5	43.6	43.8	43.9	44.1	44.2	44.4	24
25	44.5	44.7	44.8	45.0	45.1	45.3	45.4	45.6	45.7	45.9	25
26	46.0	46.2	46.3	46.5	46.6	46.8	46.9	47.1	47.2	47.4	27
27	47.5	47.7	47.8	48.0	48.1	48.3	48.4	48.6	48.7	48.9	27
28	49.0	49.2	49.3	49.5	49.6	49.8	49.9	50.1	50.2	50.4	28
29	50.5	50.7	50.8	51.0	51.1	51.3	51.4	51.6	51.7	51.9	29
30	52.0	52.2	52.3	52.5	52.6	52.8	52.9	53.1	53.2	53.4	30
31	53.5	53.7	53.8	54.0	54.1	54.3	54.4	54.6	54.7	54.9	31
32	55.0	55.2	55.3	55.5	55.6	55.8	55.9	56.1	56.2	56.4	32
33	56.5	56.7	56.8	57.0	57.1	57.3	57.4	57.6	57.7	57.9	33
34	58.0	58.2	58.3	58.5	58.6	58.8	58.9	59.1	59.2	59.4	34
35	59.5	59.7	59.8	60.0	60.1	60.3	60.4	60.6	60.7	60.9	35
36	61.0	61.2	61.3	61.5	61.6	61.8	61.9	62.1	62.2	62.4	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.