Sections
earth
wall
Kinson

F.B.3

2

3

MICROFILMED

DEC 1964

ble showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

Minutes.	Lks.	Minutes.	Lks.	Minutes.	Lks.
1	2⅓	21	49	41	95⅔
2	4⅔	22	51⅓	42	98
3	7	23	53⅔	43	100⅓
4	9⅓	24	56	44	102⅔
5	11⅔	25	58⅓	45	105
6	14	26	60⅔	46	107⅓
7	16⅓	27	63	47	109⅔
8	18⅔	28	65⅓	48	112
9	21	29	67⅔	49	114⅓
10	23⅓	30	70	50	116⅔
11	25⅔	31	72⅓	51	119
12	28	32	74⅔	52	121⅓
13	30⅓	33	77	53	123⅔
14	32⅔	34	79⅓	54	126
15	35	35	81⅔	55	128⅓
16	37⅓	36	84	56	130⅓
17	39⅔	37	86⅓	57	133
18	42	38	88⅔	58	135⅓
19	44⅓	39	91	59	137⅔
20	46⅔	40	93⅓	60	140

Return to City Engineers Office
City Hall, San Diego, Cal.

PUBLISHED BY

EDWARD DENNY & CO.

DRAWING PAPER & MATERIAL, MATHEMATICAL INSTRUMENTS, ET

STATIONERS AND PRINTERS,

SAN FRANCISCO, CAL.

Table for Running on Slopes.

In the following table the first column shows the angle, the second, the num links to be added to a chain on the slopes, to make one chain, horizontal measurement

Angle.	Cor. in links.	Angle.	Cor. in links.	Angle.	Cor. in links.	Angle.	Cor. in
°		°		°		°	
4	0·24	11	1·88	18	5·14	25	10·
5	0·38	12	2·24	19	5·76	26	11·
6	0·55	13	2·63	20	6·42	27	12·
7	0·76	14	3·06	21	7·11	28	13·
8	0·98	15	3·53	22	7·85	29	14·
9	1·24	16	4·02	23	8·64	30	15·
10	1·55	17	4·56	24	9·47	35	22·

3

Return to City Engineers Office
City Hall, San Diego, Cal.

Index

Sate H.I.&J. (Blk 209) H.A. Curb Lns & grades P. 3.
C. Moriarty. Survey S.H. & I Blk 64
" " Addl Page 4
John C Survey of N ½ Sub B Blk H A
& grades also given Pages 5-6
Elev bottom of Manholes on Drain P. 6-7
S.F.B. St. Cars. Co. Checked grades Pages 9-10
Baptist Church Survey Sate 29 & 30 R H Pg 11

Survey of Military Road in Mission Dolores 21 - 32
Board of Education - Grades & St & School 34
B'way Atlantic & Calif. 35
Location of Switch foot of 6th St 36
" " " " 9th St 37
" " Side track to Warehouse at foot of 9th St 39
Johnson J.C. Survey Sub C Blk 307) 40
4th St X Sections 41 - 48
Newhall St X sections 48
Robinson St X " 49

Curb lines & grades Lots H, I & J Blk 209 H.A.

BM	+	HI	Grade	Rod	−	Elev
71.91	10.64	82.55				
BM 1st & Cedar.						
			40.42	12.13		
			72.83	9.72		
			75.25	7.30		
			77.66	4.89		
	9.15				0.90	81.
88.21	BM Date & 1st				2.59	

Completed June 27 / 1889.

Hamlin Book
Artm's Level
Williams Rod
Hensley.



Survey of Lots 3 & 4 Blk 64 Atts Add.

Owner Moriarty (?)

Survey completed June 27/1889
def. points as indicated in
diagram.

Hamlin Transit
Alton Chain
Williams "
Hensley "

POSTED

B.M.	+	H.I.	−	Elev.	Grade
Survey for John Alonso of N½ of Lot 13. Blk 3 HA					
Grades also given.					
84.49	4.61	93.10			
			3.19	89.91	86.25
			3.68	89.42	86.15
				2.65	90.45

Completed July 1 1889
Hamlin Transit
Alton Level
Williams Rod
Hensley Chain



Elev top & bottom of manhole at India & H Sts

Sta	+	HI	−	Elev	
BM	3.70	5.806		2.106	
Top of manhole			4.77	1.036	
Bottom of manhole			12.83	−7.024	
			5.00	0.794	BM H & India
BM	6.18	5.244		−0.936	
BM Atl & H Sts			5.635	−0.391	−0.364
BM Atl & G Sts			5.40	−0.156	
			240		
BM	3.32	5.426		2.106	H & India
BM			4.64	0.786	H & Aug
			4.40	1.026	Top of manhole India & H
			12.46	−7.034	Bottom " " "
BM	2.44	3.726		0.786	H & India .793
H	6.04	5.126	4.64	−0.934	H & Aug 56
			5.52	−0.394	H & Atl
			2.63	2.596	Top of manhole Atl & H
			13.34	−8.214	Bottom " " "
			12.83	−7.704	Top of Weir.
H	5.24	6.536	3.83	1.296	
			6.72	−0.184	BM G. & Atl.

21
11.13
13.23

Sta	+	H.I.	−	Elev	
#		6.536			
#	4.85	6.45 6.446	4.94	1.596	
B.M. #	6.48	6.00	7.93	− 1.48	
			11.13	−6.13	
			13.23	−8.23	
#	4.95	4.89	5.06	− 0.06	
			4.90	−0.01	
			12.70	7.81	
			15.30	10.41	
			4.92	−0.03	
B.M.	4.51	4.33		0.184	Atl &
			4.56	−0.23	
			10.58	−6.25	
			4.92	−0.59	
			11.09	−6.76	
B.M.	4.18	3.23		−0.95	Cal & H
			1.60	1.63	Top gasket seat at Barracks
#	4.10	4.25	3.08	0.15	
			3.00	1.25	Top upper closet seat

Top of	6.17 4.92 11.09	6.02 4.56 10.58
— of Reservoir		
Top of Pipe inlet to Tank.		
Bottom " " " "		
Top of Wall to gate chamber		
Top of above outlet to Res		
Top of Out Set Pipe to Res		
Bottom " " Pipe " "		
Top of wall at 30' Pipe outlet		
Top of manhole Atl & T		
Bottom " " "		
Top of manhole Atl & G		
Bottom " " "		

BM	4.70	2.75		-0.95	Col & H	
			1.70	2.05		of closed seat
BM	3.74	12.37		8.63		Tule & H Sts
			5.08	7.29		of of man hole Stule & H
			18.49	-6.12		Bottom of man-hole " "
				-11.77		Flow of cattle pipe

July 9 1884

Orton Level
Williams
Keneley

Check of grades for Haw track on L St

Sta.	+	H.I.	−	Elev.		B
0	0.91	33.06				32
Ent +97.5			1.78	30.28		
Centre			3.01	30.05		
+2			3.28	29.78		
+50			3.90	29.16		
1			4.53	28.53		5th Bent L Union.
+50			5.17	27.89		
+− 0			5.72	27.34	27.25	.0
+37			6.12	26.94	26.84	.0
0			6.52	26.54		
	2.38	29.394				27
0			1.88	26.51		
+50			3.60	25.79		
1			4.32	25.07		
+50			5.13	24.26		
2			5.90	23.49	23.50	Union L State
+37			6.76	22.63	22.65	
0			7.40	21.99	2.80	

Check of Grades for the new track on 18 St

Sta	+	H.I.	−	Elev.		B.
	1.79	24.87				23
0			2.86	22.01		
+50			3.96	20.91		
1			4.85	20.02		
+50			5.73	19.14		
2			6.62	18.25		
			5.23	19.64	C&K	19

State to Columbia.

6/12/89

July 12 1889

Hamlin Transit
Williams chain
Orton "
Henseley "

Survey of Lots 29 & 30 Blk 9 K &
Add. for Baptist Church
By order of Board of Public Works

Ordered by
Board Public Works
July 11/89

No charge

POSTED



Stn	+	BM	−	Elev	
50+07	Riley St			2.1 ✓	Riley
53				4.07	
63				4.64	
74				1.1	
76				1.0	
52				1.0 ✓	
54				2.3 ✓	
56				3.4 ✓	
58				3.4 ✓	
60				4.7 ✓	
64				4.6 ✓	
64				3.0 ✓	
66				2.7 ✓	
68				1.9 ✓	
70				1.6 ✓	
72				0.9 ✓	
74				1.1 ✓	
76				0.2 ✓	

Top of stake new Stn 53
" " " " Stn 63

July 16th/89.

Sta	+	H.I.	−	Elev	
From Sta 50 measured to the left					
	5.0	7.1			
1			4.6	2.5	on R.R. Grade.
2			5.6	1.5	
3			5.9	1.2	
4			5.8	1.3	Station 50+07½ West
5			5.9	1.2	
6			5.8	1.3	
7			6.7	0.4	
8			6.6	0.5	
	6.1	7.1			
1			5.5	1.6	
2			5.2	1.9	
3			5.6	1.5	Sta 52. 6 West
4			5.8	1.3	
5			5.8	1.3	
6			6.0	1.1	
7			6.2	0.9	
8			6.3	0.8	

St. Sta	+	H. I	-	Elev	
	5.3	7.6			
1			5.4	2.2 x	
2			5.6	2.0 x	
3			5.9	1.7 x	
4			6.0	1.6 x	Sta 54 to West
5			6.0	1.6 x	
6			6.3	1.3 x	
7			6.2	1.4 x	
8			6.5	1.1 x	
	4.2	7.6			
1			4.9	2.7 x	
2			5.2	2.4 x	
3			5.0	2.6 x	
4			5.3	2.3 x	
5			5.6	2.0 x	Sta 56 to West
6			5.8	1.8 x	
7			6.1	1.5 x	
8			6.1	1.5 x	

Sta	+	N.S.	−	Elev	
	4.2	7.6			
1			4.5	3.1 x	
2			4.8	2.8 x	
3			4.8	2.8 x	
4			4.9	2.7 x	
5			5.2	2.4 x	Sta 58 4. West.
6			5.4	2.2 x	
7			5.5	2.1 x	
8			5.5	2.1 x	
	3.0	7.7			
1			3.3	4.4 x	
2			4.5	3.2 x	
3			4.6	3.1 x	
4			4.7	3.0 x	
5			5.0	2.7 x	Sta 60
6			4.8	2.9 x	
7			4.7	3.0 x	
8			5.0	2.7 x	

	+	H.I.	−	Elev	
	3.5	8.1			
1			3.5	4.6	x
2			4.1	4.0	x
3			4.7	3.4	x
4			6.6	1.5	x
5			3.8	4.3	x
6			4.3	3.8	x
7			4.7	3.4	x
8			4.7	3.4	x
	4.6	7.9			
1			4.6	3.3	x
2			4.7	3.2	x
3			4.8	3.1	x
4			4.4	3.5	x
5			5.2	2.7	x
6			5.8	2.1	x
7			6.4	1.5	x
8			4.5	3.4	x

Station 62 4 West

Sta 64

Sta	+	H.I.	-	Elev	
	5.3	8.0			
1			5.1	2.9	
2			5.1	2.9	
3			5.2	2.8	
4			5.2	2.8	
5			5.1	2.9	Station 66 & West.
6			4.6	3.4	
7			4.7	3.3	
8			4.4	3.6	
	4.7	6.6			
1			4.5	2.1	
2			4.0	2.6	
3			4.3	2.3	
4			4.1	2.5	Sta 68 " "
5			3.9	2.7	
6			4.1	2.5	
7			3.9	2.7	
8			3.8	2.8	

Sta	+	H.I	−	Elev.	
	4.9	6.5			
1			5.4	1.1	
2			5.2	1.3	
3			4.7	1.8	
4			4.6	1.9	Station 70 to West.
5			4.7	1.8	
6			4.6	1.9	
7			4.4	2.1	
8			4.4	2.1	
	4.8	5.7			
1			4.5	1.2	
2			4.8	0.9	
3			4.4	1.3	
4			4.2	1.5	Sta 72
5			4.0	1.7	
6			4.1	1.6	
7			3.8	1.9	
8			3.7	2.0	

Stā	+	H.I.	−	Elev	
	4.6	5.7			
1			5.1	0.6 ✓	
2			4.9	0.8 ✓	
3			4.7	1.0 ✓	
4			4.5	1.2 ✓	Stā 74 to West-
5			4.4	1.3 ✓	
6			4.3	1.4 ✓	
7			4.2	1.5 ✓	
8			4.2	1.5 ✓	
	5.3	5.6			
1			5.1	0.5 ✓	
2			5.0	0.6 ✓	
3			4.8	0.8 ✓	
4			4.7	0.9 ✓	Stā 76 " "
5			4.8	0.8 ✓	
6			4.6	1.0 ✓	
7			4.7	0.9 ✓	
8			4.6	1.0 ✓	

Sta	+	H.I.	−	Elev	
	5.3	5.6			
1			5.4	0.2	
2			5.2	0.4	
3			4.9	0.7	
4			4.8	0.8	Station 77 to West
5			4.8	0.8	
6			4.7	0.9	
7			4.9	0.7	
8			4.9	0.7	

Military Road

S 22° 10' W

+17 Δ 10° 59½ Right

8

9

6

5

S 75° 05' W

4

+12 Δ 15° 5½' Right

3

2

1

S 57° 15' W

0 Beginning at the middle line of Hog Run

(90 or 13, 0)

(18 - 5.4) (84 - 10.8)

23 lower

2° 21 or 5.4

20° 25 or 3.5

24°

12°

2°

407.7

234

W 1/2

6.

Pt 106

Fence

Fence

Military Road

18

17 866.30 W

+20 Δ 1° 26½ Left

16

15

14

13

12 Δ 4° 17' Left

11 S 76 20 W 568.35' W

+09 8° 04' Left

10

9

3 10/60 20/75

2

4 54/15 108/45 16,2/60

3 54/18 108/38 16,4/60

3 54/30 110/47 16,6/65

195'

N 28° 45 W

3 54/30 108/45 17.0/60

3 54/30 108/45 16.2/60

Military Road

27

26

25

24

23

22

21 Δ 22° 45' Left

20

19

+ 90° Δ 10° 34' Right

M+33

S 22° 05' W

S 64 15' W

4'

3

3'

15'

25'

5

15'

12

14

20

Fence

Fence

Road

S 15° E

Fence

Military Road

+74	fence	
37		
36		
35		
34		
33	S 51° 25' W	
32	Δ 1° 29½ Right	
31	S 50° W	
30		
+60	Δ 4° 10' Left	
29		
24		



Military Road

47

46

45

44

43

42

41

40

39

38

Military Road

57

56 S 69 W

55 Δ 14° Right

54

53

52

51

50

49 S 5½° W

48 Δ 4° ó Right

Military Road

67

+92

66

65

64

63

62

61

60

59

58



Military Road

	N. 15° W.			
77	S 78°	431		0
76				3
+30	Δ 9° 24 Right			6
75				1
74			15	
73			36	
72			44 Δ	
		838		
71			44	
70			30	
69			11	
68			4	

Military Road.

N 68° W.

40'

+40 Δ 33° 27' Right

87

86

85

84

83

82

81

80

+61

79

78



Military Road

97
S 60 55' W 464
96
95
+16 Δ 89° 23½ Left Ah Center (Riley St + 3rd St.
94
93
N 29° 45' W 362
92
91
+54 Δ 38° 35' Right Ah a st not notched (Gaines 3rd)
90
89
264 314
88



Military Road

+93 Δ 90 Right

106

105 S 29° 30' E 347

104

+46 90° 34' Left St Center

103

102

101 466

100

99

+60

98

P.2, 1100 Large Rock cor 1103

P.2, 1103 1177

Military Road

+92 St center on Old Town James St + NE Boundary

115

114

113 S 17° 35' W 432

112 760 Δ 42° 30' Left

111

110 +46

109 667

108

107

111 60
106 93
477

101.93
103.46
347

933.5
347
586.3

July 24th/89.

Grades on Property Lines B St Schoolhouse.

Sta	+	H.I	−	Elev		B.	
	10.16	70.84				60	
0			8.4	62.44			
+10			7.8	63.04			
+30			7.0	63.8			
+50			6.4	64.4			From Cor 7th & B up 7th St
+70			5.3	65.5			
+90			4.5	66.3			
1+10			3.1	67.7			
+30			2.4	68.4			
+50			2.0	68.8			
+70			3.2	63.6			
+40			3.5	63.3			
+60			2.2	62.6			
+80			2.3	62.5			Cor 7th & B & Cor 6th & B
1			2.4	62.4			
+20			2.3	62.5			
+40			2.8	62.0			
+60			2.9	61.9			
+80			3.2	61.6			
2			3.5	61.3			

Grades on Property Line B. & L. Schoolhouse.

July 24th

Sta	+	H.I.	−	Elev		B.M.
		70.84				
0	9.90	69.28	11.46	59.38		
+ 10			8.0	61.3		
+ 30			7.7	61.4		
+ 50			7.4	61.9		
+ 70			7.1	62.2		
+ 90			6.8	62.5		
1 + 10			5.0	64.3		
+ 30			3.7	65.6		
+ 50			2.7	66.6		
						B.M.
			10.84	58.44		58.4

Cor 6.4 + B up 6.4 Stone

July 25th/89.

Check of Bench on Atlantic & California.

+	H.I.	−	Elev	B.M.		
5.180	4.244			−0.93	Cal + H.	
		4.620		−0.37	Atl + H.	
6.180	4.859	5.565	−1.321			
4.475	4.304	5.030		−0.17	Atl + G	
5.285	5.764	3.825		0.47	Atl + F	
6.690	6.434	6.020		−0.25	Atl + E	
3.400	6.394	3.440		2.99	Atl + D	
3.020	7.634	1.780		4.61	Atl + C	N.E cor Coal yard Fence (Spike)
7.780	9.714	5.700		1.93	Atl + B	S.W cor Flume (Spike)
		4.050		5.66	Cal + B	
5.090	4.154			−0.93	Cal + H	
5.860	6.854	3.160	0.994			
		5.930		0.92	Cal + G	N.E cor Spk in Tel Post
4.490	8.084	3.260	3.594			
		4.760		3.32	Cal + F	S.E " " " "
4.410	10.459	2.035	6.049			
		4.840		5.61	" + E	Centre " " "
4.900	11.479	3.930	6.529			
		5.725		7.70	+ D	

Aug 2 1882

Hamb
Henel

Location of switch at foot of Sixth St

From 1st point on SE cor of Seventh & M. B.S. to Mon. at 9th & M
∠ 14° 18' Right dist 262.2 to point of proy.

Main switch is 18' north of S line of M St.

Second switch is 29' from S line of M St and the proy is 75' East of East line of 7th St



Location of S.F. & C AR
from N St to 9th St

POSTED



Sta	+					

+13.8 E.C.

2

+50

1

+50

Semi tang 112.5

0 B.C. 20° Curve Right Δ 42° 45'

88.8 from B.C. of curve to main track

Location of picketwork to warehouse at 9th & N St

July 6 1889 Hamlin Williams Otten Hensley

Sta	Rist	Ref.	Index	Tang.	
+86.3	36.3	2° 10'	8° 55'	17° 51'	Same Tang 75'
+50	50	3° 0'	6° 45'		
3	50	3° 0'	3° 45'		
+50	12.5	0° 45'	0° 45'		
+37.5	37.5				
+10	10	0° 30	4° 30	9° 0'	Same Tang 45.1'
2	50	2° 30'	4° 00		
+50	30	1° 30	1° 30'		
+20	20	0° 45'	4° 30'	9° 0'	Same Tang 60'
1	50	1° 52½	3° 45'		
+50	50	1° 52½	1° 52½		
0	B.C. 7° 30' Curve Left L 9° 0'				
	at switch near 7th St				

E.C. about 9' W of W side of Warehouse

O.O. 12° Curve Right L 17° 51' Left

F.C.

P.C.C 10° Curve Left L 9° 0' Left

Aug 14 1889

Hamlin
Orton
Williams
Hemsley

Survey of Lot 6 Blk 307
Horton's Add.

Completed Aug 15 – 1889

F of J b Johnson

POSTED



Cross-sections of 4th St N of Olive.

Aug 16 1883

West		Centre		East				+	HO	−	Elev
Rod	Elev	Rod	Elev	Rod	Elev						
		(276.1)									269.04
8.2	267.9	7.2	268.9	6.6	269.5	+4		7.03	276.07		
7.9	268.2	7.0	269.1	6.1	270.0	0	W line Olive				
7.4	268.7	6.5	269.6	5.3	270.8	+5					
7.9	268.2	6.2	269.9	4.7	271.4	1					
8.4	267.7	6.0	270.1	4.4	271.7	+3					
6.3	269.8	5.5	270.6	4.3	271.8	2					
4.7	271.4	4.8	271.3	3.7	272.4	+5					
7.8	268.3	4.0	272.1	3.0	273.1	3	E line of Palm				
8.0	268.1	6.0	270.1	3.6	272.5	+4	Palm St				
8.0	268.1	6.8	269.3	5.7	270.4	0	W line of Palm				
9.4	266.7	8.9	267.2			+15					
				7.2	268.9	+3					
						BM				7.29	268.78
	(256.2)			(265.9)		#		0.17	265.12	11.12	264.95
14.0	242.2	11.7	244.5	4.1	261.1	+50		2.75	256.15	11.72	253.40
(223.6)	(245.2)							0.66	245.18	11.63	244.52
				(265.2)				0.54	233.74	11.96	233.20
4.6	219.0	5.4	239.8	1.7	264.5	1		1.34	223.63	11.45	222.29

Cannot see next page

Cross Sections of 4th St

West		Center		East		Sta
Rod (271.8)	Elev	Rod (245.2)	Elev	Rod (245.2)	Elev	
4.4	267.4	4.6	266.6	+0.6	244.7	1+
		(271.8)				BM
14.9	256.9	3.9	267.9	1.2	270.6	2
						BM
(260.8)			(271.8)			
4.1	252.7	3.4	268.4	1.3	270.5	+50
(251.2)		(260.4)			(271.8)	
12.0	239.0	9.4	250.9	7.2	264.6	3
(242.7)		(251.0)			(271.8)	
11.4	231.3	7.5	243.5	9.6	262.2	+40
(260.8)		(271.8)				
13.8	247.0	10.3	261.5	1.7	270.1	0
			(271.8)			
(260.4)						
5.1	255.7	5.7	266.1	1.6	270.2	+55
						+
(260.4)			(271.8)			
15.4	245.4	4.3	267.5	6.2	271.6	1
						#

Aug 16 1888

Hamlin
Williams
Kennedy

42

+	H S Williams		Elev
	245.16	0.98	244.17
S Palm 3.00	271.78		268.78
		7.30	264.48
S line of Lunce St			
Lunce			
N line Lunce			
	0.90	11.93	259.85
	1.86	11.72	249.03
	3.33	11.50	239.39

Cannot be measured

Cross Sections of 4th St

West		Center		East		
Rod	Elev	Rod	Elev	Rod	Elev	
	(262.4)		(272.9)			
11.3	251.1	2.4	269.6	0.3	271.7	175
						#
	(262.4)		(272.1)			
5.9	256.5	9.1	262.9	3.0	269.0	270
(272.0)						
9.5	262.5	3.6	268.4	0.8	271.2	+5
				(275.6)		#
14.1	257.9	2.6	269.4	1.9	273.7	3
17.0	258.6	6.2	(275.6) 269.4	1.7	270.3	+40
			(275.6)			B
10.0	265.6	5.5	270.1	2.6	272.0	0
10.0	265.6	4.7	270.9	2.2	273.4	+5
5.5	270.1	4.2	271.4	2.3	273.3	1
6.4	269.2	4.2	271.4	2.6	273.0	+5
(267.8)						
11.7	256.1	6.0	269.6	3.0	272.6	2
10.4	255.2	5.2	270.4	2.7	272.9	+55
(267.8)						
9.3	258.5	3.8	271.8	2.1	273.5	0
(269.5)						
12.6	246.9					+16
14.0	261.6	12.0	263.6	2.2	273.4	+4

Aug 16 1884 · Hamlin
Caton
Wilkins
Pomsley

+	H ⊙	−	Elev
2.31	262.16		259.85
11.40	271.95	1.61	260.55
4.87	275.64	1.18	270.87
S line of Redwood St			
		9.42	266.22
N line Redwood			
		1.71	273.93
S line of Spruce St			
3.36	267.83	11.19	264.45
Spruce St			

Cross section of 4th St

West Centre East

Aug 17 1888 Hamblin Acton Hemsley

Rod	Elev	Rod	Elev	Rod	Elev	Sta
			(276.3)			
6.9	271.4	11.8	266.5	4.8	273.5	0
5.6	272.7	7.2	271.1	4.9	273.4	+5
4.2	274.1	5.4	272.9	5.4	272.9	1
3.0	275.3	4.3	274.0	4.6	273.7	+5
2.0	276.3	2.9	275.4	3.4	274.9	2
0.3	278.0	0.9	277.4	2.4	275.9	+5
			(280.4)			
7.3	279.1	8.3	278.1	9.5	276.9	3
5.8	280.6	7.7	278.7	9.0	277.4	+4
5.3	281.1	7.0	279.4	8.5	277.9	5
5.5	280.9	6.0	280.4	7.8	279.1	+5
4.7	281.7	6.1	280.3	6.0	280.4	1
4.1	282.3	4.8	281.6	4.7	281.7	+5
3.5	282.9	3.7	282.7	3.8	282.6	2
2.7	283.7	3.2	283.2	3.1	283.3	+5
0.9	285.5	2.3	284.1	2.4	284.0	3
			(292.5)			
6.0	286.0	7.1	285.2	7.6	284.7	+4
5.4	286.7	5.8	286.5	7.0	285.3	0
4.8 + 45.8	287.5	5.0	287.3	6.0	286.3	+4
4.9	287.4	5.0	287.3	5.8	286.5	+5

+	HI	-	Elev
14.31	278.90		264.93
2.34	286.36	1.28	277.02
on Thom's 4th		9.23	277.13
Thom St			
6.96	292.29	1.03	285.33
Wood St			
N line Horton St old			

Aug 17 1889 Hamlin Alton Hemsley

Cross Sections of 4th St

West Rod	West Elev	Centre Rod	Centre Elev	East Rod	East Elev	St
			(292.3)			
4.7	287.6	4.6	287.7	4.9	287.4	1
4.5	288.8	4.2	288.1	4.2	288.1	+5
4.4	287.9	4.1	288.2	4.1	288.2	+6
3.7	288.6	3.9	288.4	3.9	288.4	2+0
3.6	288.5	3.4	288.5	3.0	289.3	+4
			(292.3)			
4.5	287.8	4.2	288.1	3.9	288.4	0
4.2	288.1	4.1	288.2	3.7	288.6	+5
4.1	288.2	3.8	288.5	3.4	288.9	1
3.8	288.5	3.4	288.9	3.3	289.0	+5
3.4	288.9	3.1	289.2	2.9	289.4	2
2.9	289.4	2.9	289.4	2.5	289.8	+5
			(293.1)			#
3.0	290.1	3.3	289.8	3.5	289.6	3
2.9	290.2	3.0	290.1	3.4	289.7	+5
2.7	290.4	2.8	290.3	3.3	289.8	4
2.4	290.3	2.6	290.5	2.8	290.3	+5
2.9	290.2	2.8	290.3	3.2	289.9	5
6.7	286.4	6.9	286.2	6.9	286.2	+5
10.1	283.0	8.6	284.5	8.9	284.2	6

+	HI	−	Elev
	292.29		
S Line of Derry St / Center Line of Derry St / N Line of Derry St		Fourth St from H.A. is carried through to Derry St in N. & B. Add	
N Line of Derry St in Nut & Brooks Add			
BM NW cor 4th & Derry. 4th of alk cor		4.54	287.75
2.86	293.11	2.04	290.25
		2.05 / 1.60 / 4.20	
S Line of Brook St			

Cross Section of 4th St

Aug 17 1889 Hamlin Alton Hemsley

West Rod	West Elev	Center Rod	Center Elev	East Rod	East Elev	
			293.1			
10.3	282.8	9.7	283.4	8.9	284.2	+5
9.7	283.4	9.6	283.5	9.1	284.0	0
			288.2			BM
4.7	283.5	4.3	283.9	2.6	285.6	+5
4.8	283.4	3.8	284.4	3.6	284.6	1
4.3	283.9	4.1	284.1	3.8	284.4	+2
4.7	283.5	4.4	283.8	4.0	284.2	2
4.1	284.1	4.2	284.0	4.5	283.7	+5
4.7	283.5	4.6	283.6	4.6	283.6	3
3.9	284.3	4.2	284.0	4.5	283.7	+5
3.6	284.6	3.1	285.1	3.4	284.8	4
3.1	285.1	3.1	285.1	2.8	285.4	+5
2.9	285.3	2.4	285.8	2.5	285.7	5
2.0	286.2	2.9	285.3	2.8	286.0	+5
2.6	285.6	2.4	285.8	3.5	284.7	6
~~1.9~~	285.6	3.0	285.2	3.3	284.9	+5
			291.9			BM #
6.7	285.2	~~6.7~~	285.6	6.1	285.8	0
6.1	285.8	5.8	286.1	6.2	285.7	+5
5.9	286.0	4.6	287.3	4.7	287.2	1
5.7	286.2	5.2	286.7	4.2	287.7	+5

+	H I	−	Elev
	293.11		
Center of Brooks St			
N line of Brook St			
4.73	288.15	9.69	283.42
W 4th cor of Blk.			
S line of Thornton St			
Center of Thornton St			
6.73	291.89	2.99	285.16
N line Thornton St			

Cross Sections of 4th St

Aug 19 1884 Humbir Aitor Hemaley

4

West		Center		East		
Rod	Elev	Rod	Elev	Rod	Elev	
			(291.9)			
6.4	285.5	5.7	286.2	5.4	286.5	2
6.0	285.9	4.5	287.4	5.2	286.7	+5
5.1	286.8	5.3	286.6	5.1	286.8	3
5.0	286.9	4.5	287.4	4.4	287.5	+5
4.7	287.2	4.3	287.6	4.2	287.7	4
3.7	288.2	3.1	288.8	3.6	288.3	+5
3.9	288.0	3.5	288.4	3.3	288.6	5
3.5	288.4	3.5	288.4	3.2	288.7	+5
3.4	288.5 ✓	3.3	288.6 ✓	3.0	288.9 ✓	6
1.5	290.4 ✓	3.0	288.9 ✓	1.8	290.1 ✓	+3
			(292.4)			BM
1.7	290.7 ✓	3.5	288.9 ✓	3.3	289.1 ✓	0
3.5	288.9	3.4	289.0	2.1	290.3	+5
3.6	288.8	3.4	289.0	3.6	288.8	1
3.6	288.8	3.4	289.0	3.8	288.6	+5
4.0	288.4	4.2	288.2	3.3	289.1	2
4.5	287.9	4.2	288.2	3.5	286.9	+5
2.9	289.5	4.7	287.7	4.4	288.0	3
5.2	287.2	4.6	287.8	4.4	288.0	+5
5.0	287.4	4.7	287.7	4.6	287.9	4
4.8 ✓	287.6	5.6 ✓	288.8	4.6 ✓	287.6	+16

+	H I	−	Elev
	291.89		
S line of Robinson St			
Center of Robinson St			
1.69	292.38	1.20	290.69
N line of Robinson St			
New hall St S line			

Aug 17 1889 Hamlin Alton Hemsley

Cross Section of 4th St

West Rod	West Elev	Center Rod	Center Elev	East Rod	East Elev	
			(292.4)			
5.4	287.0	5.0	287.4	4.9	287.5	+4
	286.9		287.1		287.3	
		Center		South		

Cross Section of New hall St

			(293.1)			
8.0		4.2	284.9	8.0	285.1	0
		6.6	286.5	7.5	285.6	+50
		5.5	287.6	5.9	287.2	1
		6.5	286.6	6.6	286.5	+5
		6.3	286.8	5.7	287.4	2
		5.9	287.2	4.5	288.6	+5
		6.1	287.0	5.6	287.6	+85
		5.7	287.4	4.8	288.8	+2
		5.6	287.5	5.6	287.5	0
		5.4	287.7	4.9	288.2	+5
		4.1	289.0	5.0	288.1	1
		4.3	288.8	3.8	289.3	+5
		3.9	289.2	3.1	290.0	2
		3.6	289.5	2.1	291.6	+50
		3.1	290.0	3.1	290.0	+85

+	HI	−	Elev
	292.38		
25 feet N of S line of New-hall St			
B M W of h pt elk elm North Newhall		4.78	287.60
	293.08	5.48	287.60
East line of 3rd St			
West line of 4th St			
center of 4th St.			
E. ast line of 4th St			
West line 5th St			

Cross Sections of Robinson St. — July 17. 1889 — Hamlin, Acton, Bemsley

North Rod	North Elev	Center Rod	Center Elev	South Rod	South Elev	Sta	+	HI	−	Elev
		(291.4)				BM	0.71	291.40		290.69
7.1	284.3	6,4	285,0	6.2	285.2	0	BM NE cor of Hamblin & Robinson & 4th		1.07	284.33
5.2	286.1	5,0	286.4	5.5	285.9	+5				
4.5	286.9	4.6	286.8	3,7	287.7	1				
3.6	287.8	3.8	287.6	4,0	287.4	+5				
2.9	288.5	3.7	287.7	3,6	287.8	2				
2,6	288.4	2.3	289.1	3.2	288.2	+5				
0.7	290.7	1.1	290.3	2.9	288.5	+85	West line 4th St			
2.5	288.9	2,5	288.9	2,4	288.6	3+24	4th St			
2.2	289.2	1.8	290.1	2,5	288.9	4	West line 4th St			
		(293.9)				BM	3.18	293.87	0.71	291.69
4.9	289.0	4,9	289.0	4,9	289.0	+50				
5.1	288.4	4,9	289,0	4,6	289,1	1				
5,2	288.7	4,9	289.0	4,6	289,5	+5				
5,2	288.7	5.0	288,9	3,7	290.2	2				
5.2	288.7	5,1	288.8	5,1	288.8	+5				
5,0	288.9	4,5	289,4	5,2	288.7	+85	West line 5th St			

13.41
5.08
18.49
12.37
6.12

7.29
6.12
13,41

1.530 9.174
6.180
2.994

7.644

Return to City Engineers Office
City Hall, San Diego, Cal.

Return to City Engineers Office
City Hall, San Diego, Cal.

ERSE TABLE FOR TRANSIT BOOK,

From 1° to 90° for a distance of 100.

REES.	¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees
Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
	100.00	0.44	100.00	0.87	99.99	1.31	89
1.75	99.98	2.18	99.97	2.62	99.95	3.05	88
3.49	99.92	3.93	99.91	4.36	99.88	4.80	87
5.23	99.84	5.67	99.81	6.10	99.79	6.54	86
6.98	99.73	7.41	99.69	7.85	99.66	8.28	85
8.72	99.58	9.15	99.54	9.58	99.50	10.02	84
10.45	99.41	10.89	99.36	11.32	99.31	11.75	83
12.19	99.20	12.62	99.14	13.05	99.09	13.49	82
13.92	98.97	14.35	98.90	14.78	98.84	15.21	81
15.64	98.70	16.07	98.63	16.50	98.56	16.93	80
17.36	98.40	17.79	98.33	18.22	98.25	18.65	79
19.08	98.08	19.51	97.99	19 94	97.90	20.36	78
20.79	97.72	21.22	97.63	21.64	97.53	22.07	77
22.50	97.34	22.92	97.24	23.34	97.13	23.77	76
24.19	96.92	24.62	96.81	25.04	96.70	25.46	75
25.88	96.48	26.30	96.36	26.72	96.25	27.14	74
27.56	96.00	27.98	95.88	28.40	95.76	28.82	73
29.24	95.50	29.65	95.37	30.07	95.24	30.49	72
30.90	94.97	31.32	94.83	31.73	94.69	32.14	71
32.56	94.41	32.97	94.26	33.38	94.12	33.79	70
34.20	93.82	34.61	93.67	35.02	93.51	35.43	69
35.84	93.20	36.24	93.04	36.65	92.88	37.06	68
37.46	92.55	37.86	92.39	38.27	92.22	38.67	67
39.07	91.88	39.47	91.71	39.87	91.53	40.27	66
40.67	91 18	41.07	91.00	41.47	90.81	41.87	65
42.26	90.45	42.66	90 26	43.05	90.07	43.44	64
43.84	89.69	44.23	89.49	44.62	89.30	45.01	63
45.40	88.90	45.79	88.70	46.17	88.50	46.56	62
46.95	88.09	47.49	87.88	47.72	87.67	48.10	61
48.48	87.25	48.86	87.04	49.24	86.82	49.62	60
50.00	86.38	50.38	86.16	50.75	85.94	51.13	59
51.50	85.49	51.88	85.26	52.25	85.04	52.62	58
52.99	84.57	53.36	84.34	53.73	84.10	54.10	57
54.46	83.63	54.86	83.39	55.19	83.15	55.56	56
55.92	82.66	56.28	82.41	56.64	82.16	57.00	55
57.36	81.66	57.71	81.41	58.07	81.16	58.42	54
58.78	80.64	59.13	80.39	59.48	80.13	59.83	53
60.18	79.60	60.53	79.34	60.88	79.07	61.22	52
61.57	78.53	61.91	78.26	62.25	77.99	62.59	51
62.93	77.44	63.27	77.16	63.61	76.88	63.94	50
64.28	76.32	64.61	76.04	64.94	75.76	65.28	49
65.61	75.18	65.93	74.90	66.26	74.61	66.59	48
66.91	74.02	67.24	73.73	67.56	73.43	67 88	47
68.20	72.84	68.52	72.54	68.84	72.24	69.15	46
69.47	71.63	69.78	71.33	70.09	71.02	70.40	45
70.71							
Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Degrees.
EGREES.	¾ DEGREE.		½ DEGREE.		¼ DEGREE.		

hed by Edward Denny & Co., Stationers, Drawing Materials,
Mathematical Instruments, Etc., San Francisco.