
Return to City Engineers Office
City Hall, San Diego, Cal.
LEVEL BOOK
400
F.B. 344

FB # 344 PAGE

WILLOW St., 24th to N. END. X-SECTION (CONT. FROM FB 338) 1-19

ELM ST. NEW MAIN St. - 20-77
to N. END. X-SECTION
(CONT. to BOOK 363)

EVERGREEN St. & BYRON St.; CULVERT. - 78

H. S. CROCKER COMPANY

DRAWING MATERIALS AND SURVEYING INSTRUMENTS

SAN FRANCISCO

344

TABLES FOR EXCAVATIONS AND EMBANKMENTS

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING

Roadway 18 Feet Wide. Side Slopes 1 to 1.
For Single Track Excavation.

"Copyright, 1895, by Kueffel & Esser Co."

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	0
1	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	1
2	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	2
3	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	3
4	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	4
5	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	5
6	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	6
7	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	7
8	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	8
9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	9
10	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	10
11	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	11
12	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	12
13	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	13
14	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	14
15	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	15
16	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	16
17	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	17
18	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	18
19	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	19
20	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	20
21	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	21
22	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	22
23	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	23
24	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	24
25	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	25
26	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	26
27	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	27
28	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	28
29	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	29
30	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	30
31	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	31
32	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	32
33	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	33
34	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	34
35	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	35
36	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	36

MICROFILMED
DEC 5 1964

Calculated by Julien A. Hall, M. Am. Soc. C. E.

Return to City Engineers Office
City Hall, San Diego, Cal.

FROM
Loring's Book Store

Clough Crossection of Willow St (70')
Taylor 24th St to N End
Dravyn Continued from Book 338
May 08 165.03 "

N Line of 24th St (70') (Xenophon Bm NW to 24th+Willow

WL			10.2	154.81
bl			10.1	~~144.7~~
y			10.9	~~153.9~~ 153.4
b			11.6	~~145.2~~
y			12.2	~~142.6~~
bl			12.4	~~142.4~~ 152.7
EL			12.8	~~142.0~~
TP	0.6	13-4.97	10.2	13-4.81
	50'	N of	24th St	
EL			7.2	147.8
bl			7.1	147.9
y			7.0	148.0
b			6.0	149.0
y			5.8	149.2
bl			5.5	149.5
WL			5.4	149.6

POSTED

15497

	75'	n of	road	at
W2			8.4	146.6
bl			8.8	146.2
y			9.2	145.8
b			9.6	145.4
y			10.0	145.0
bl			10.4	144.6
E2			10.7	144.3
TP	247	14526	12.13	142.84
	100'	n of	road	at
E2			5.1	140.2
bl			4.9	140.4
y			4.2	141.1
b			3.4	141.9
y			2.8	142.5
bl			2.0	143.3
W2			1.8	143.5

14526

Willow cr

	125'	n of	road	at
W2			7.5	137.8
bl			8.3	137.0
y			8.4	136.9
b			8.3	137.0
y			9.0	136.3
bl			9.4	135.9
E2			10.1	135.2
TP	255	13563	12.18	133.08
150'	n b	road	at	
E2			7.6	128.0
bl			7.2	128.4
y			6.8	128.8
b			6.6	129.0
y			5.8	129.8
bl			4.6	131.0
W2			4.0	131.6

	175'	n of	24th	st
WL			8,7	127.9
bk			11,0	124.6
y			11,4	123.8
b			12,0	123.6
y			12,2	123.4
bk			14.0	121.6
EL			16.0	119.6
TP	3,96	127,39	12,0	123.3
	195'	n of	24th st	
EL		127.4	13,0	114.4
bk			13,0	114.4
y			10,5	116.9
b			9,5	117.9
y			9,2	118.2
bk			7,5	120.9
WL			5,8	127.6

135.63

	200'	n =	SL of	25th	Willow st Garage (70')
WL		127.4	4,0	123.4	
bk			4,7	122.7	
y			5,2	122.2	
b			6,5	120.9	
y			7,4	120.0	
bk			9,2	118.2	
EL			11.1	116.3	
	5 bk	of	25th	st	
EL			8,6	118.8	
bk			7,2	120.2	
y			5,7	121.7	
b			4,6	122.8	
y			3,5	123.9	
bk			2,8	124.6	
WL			2,0	125.4	
TP	1x.08	138,56	0.91	126.48	

127.39

13852

	S 1/4	of	25-ft	at
WL		138.6	10.3	128.3
bb			10.8	127.8
y			11.7	126.9
b			12.7	125.9
y			13.7	124.9
bb			15.4	123.2
EL			15.4	123.2
	center of		25-ft	at
EL			13.5	125.1
bb			12.5	126.1
y			12.0	126.6
b			11.2	127.4
y			9.4	129.2
bb			8.6	130.0
WL			7.7	130.9

13852

Willow at

	N 1/4	of	25-ft	at
WL		138.6	3.0	133.6
bb			5.4	133.2
y			6.2	132.4
b			7.1	131.5
y			7.4	131.2
bb			9.4	129.2
EL			10.4	128.2
	N bb	of	25-ft	at
EL			7.4	131.2
bb			6.8	132.8
y			5.5	133.1
b			4.8	133.8
y			2.7	134.9
bb			2.8	135.8
WL			2.0	136.6
TP	9.7 N	147.47 ✓	0.81	137.75

14747

	N 2 of		25-ft	at
W2		147.5	8,1	139.4
bk			8,7	138.8
4			9,9	137.6
b			10,5	137.0
4			11,5	136.0
bk			12,5	135.0
E2			13,5	134.0
	25'	n of	25-ft	at
E2		147.5	9,1	138.4
bk			8,3	139.2
4			7,5	140.0
b			6,5	141.0
4			5,8	142.7
bk			4,9	142.6
W2			4,4	143.1

14747

Willow st

	50'	n of	25-ft	at
W2		147.5	2,5	145.0
bk			3,0	144.5
4			3,7	143.8
b			4,3	143.2
4			5,0	142.5
bk			5,8	141.7
E2			6,3	141.2
	100'	n of	25-ft	at
E2			4,7	143.3
bk			3,3	144.2
4			2,8	144.7
b			2,2	145.3
4			1,5	146.0
bk			0,8	146.7
W2			0,5	147.0
TP	2,36	14930	0,53	146.94

	150'	14930 n of	25 ft	st
WL			3,0	146.3
bk			3,4	145.9
7			3,9	145.4
6			4,4	144.9
7			4,8	144.5
bk			5,1	144.2
EL			5,3	144.0
	200'	n =	SL	Touch 26 ft 4 (70')
EL			6,5	142.8
bk			6,0	143.3
7			5,5	143.8
6			5,0	144.3
7			4,8	144.5
bk			4,8	144.5
WL			4,4	144.9

	S bk	of 14930	26 ft	Willow st st
WL			4,9	144.4
bk			5,2	144.1
7			5,6	143.7
6			5,6	143.7
7			5,8	143.5
bk			6,4	142.9
EL			7,0	142.3
	S 1/4	of	26 ft	st
EL			7,3	142.0
bk			7,2	142.1
7			6,8	142.5
6			6,4	142.9
7			6,0	143.3
bk			5,6	143.7
WL			5,5	143.8

			1493.0								
		center of	26th	St							
WL			6.3	143.0							
bk			6.6	142.7							
y			6.8	142.5							
b			7.1	142.2							
y			7.5	141.8							
bk			7.8	141.5							
EL			8.0	141.3							
	N ¼ of		26th	St							
EL			8.7	140.6							
bk			8.4	140.9							
y			8.1	141.2							
b			7.9	141.4							
y			7.6	141.7							
bk			7.4	141.9							
WL			7.2	142.1							

			149.30							Willow	Ave
		N bk	of	26th	St						
WL				8.2	141.1						
bk				8.4	140.9						
y				8.6	140.7						
b				9.0	140.3						
y				9.3	140.0						
bk				9.2	140.1						
EL				9.4	139.9						
		N L	of	26th	St						
EL				10.2	139.1						
				10.1	139.2						
y				10.0	139.3						
b				9.7	139.6						
y				9.6	139.7						
bk				9.3	140.0						
TP WL		1.57	141.66	9.21	140.09					BM 2 W of 26th & W	

		141.66			
	25'	n of	2 6th	ss	
WL		141.7	4,7	137.0	
bk			5,1	136.6	
y			5,6	136.1	
b			5,6	136.1	
y			5,5	136.2	
bk			5,5	136.2	
EL			5,5	136.2	
	50'	n of	2 6th	ss	
EL			7,7	134.5	
bk			7,6	134.1	
y			7,6	134.1	
b			7,4	134.3	
y			7,8	133.9	
bk			8,4	134.5	
WL			8,4	134.5	

		141.66		Willow	
	75'	n of	2 6th	ss	
WL		/	12,7	129.0	
bk			12,7	129.0	
y			12,0	129.7	
b			11,8	129.9	
y			11,6	130.1	
bk			11,5	130.2	
EL			11.0	130.7	
TP	266	132.34	11.98	129.68	
	100'	n of	2 6th	ss	
EL			4,9	127.4	
bk			5,4	126.9	
y			5,6	126.7	
b			7,6	124.7	
y			8,7	124.1	
bk			9,0	123.3	
WL			9.4	122.9	
TP	0.95	121.01	12,8	120.06	

		121.01			
	125'	m.s	v.b.t.	st	
W.L.			4.8	116.2	
bl.			4.0	117.0	
y.			2.0	119.0	
b.			1.0	120.0	
y.			0.0	121.0	
bl.			+1.0	122.0	
E.L.			+2.0	123.0	
	150'	n.s.	v.b.t.	st.	
E.L.			5.8	115.2	
bl.			6.6	114.4	
y.			7.4	113.6	
b.			8.7	112.3	
y.			10.7	111.3	
bl.			12.0	109.0	
W.L.			13.7	107.3	
					150'
T.P.	3.34	111.87	12.48	108.53	
T.P.	0.0	99.90	11.97	99.90	Rock

		99.90		Willow st	
	190'	n.s.	v.b.t.	st	
W.L.			12.0	87.9	
bl.			11.5	88.4	
y.			9.8	90.1	
b.			8.2	91.7	
y.			5.0	94.9	
bl.			3.0	96.9	
E.L.			2.0	97.9	
				Alcott	
	200'	n.s.	v.b.t.	st.	(70')
E.L.			8.1	91.8	
bl.			9.8	90.1	
y.			11.0	88.9	
b.			15.0	84.9	
y.			10.0	89.9	
bl.			8.0	91.9	
W.L.			5.6	94.3	

			99.90		Alcott
	S bk	of	rod	st	
W2			1,3	98.6	
bk			2,8	97.1	
y			7,0	92.9	
b			11,0	88.9	
y			16,0	83.9	
bk			16,0	83.9	
E2			15.5	84.4	
	S 1/4	of	rod	st	
E2			12,7	87.2	
bk			10,8	89.1	
y			7,0	92.9	
b			2,0	97.9	
TP	10.50	11040	✓	99.90	
y			10.6	99.8	
bk			8,7	101.7	
W2			7.5	102.?	

			110.40		Willow st
		center	of	rod	st
W2				3.4	107.0
bk				4,8	105.6
y				7,0	103.4
b				8,6	102.8
y				12,4	98.0
bk				15,0	95.4
E2				19.4	91.0
		N 1/4	of	rod	st
E2				16,0	94.4
bk				12,6	98.8
y				9,0	101.4
b				6,0	104.4
y				3,8	106.6
bk				1,8	108.6
W2				0,5	109.9

		110.40		
	n of		with	at
E2			10,0	100.4
bb			10,1	100.3
y			7,2	103.2
b			4,4	106.0
y			1.5	108.9
IBB	1067	119.71	12.6	109.04
bb			8,7	111.0
W2			7,2	112.5
	n2 of		with	at
W2			5,8	113.9
bb			7,1	112.6
y			8,6	111.1
b			11,3	108.4
y			14,0	105.7
bb			15,4	104.3
E2			15,3	104.2

Sewer

		119.71		Willow st
	25'	n of	with	at
E2			9,8	109.9
bb			9,0	110.7
y			8,2	111.5
b			7,0	112.3
y			5,3	114.4
bb			3,6	116.1
W2			2,6	117.1
	50'	n of	with	at
W2			0,0	119.7
bb			1,0	118.7
y			2,3	117.4
b			3,2	116.5
y			4,1	115.6
bb			4,6	115.1
E2			5,0	114.7

		11971		
	75'	n-b	27it	it
El			1,4	118.3
bk			1,0	118.7
y			0,3	119.4
TP	12,01	13168	0,14	119,57
b		13154	11,3	120.4
y			10,6	121.1
bk			9,6	122.1
WL			8,7	123.0
	100'	n-b	27it	it
WL			6,8	124.9
bk			7,3	124.4
y			7,9	123.8
b			8,5	123.2
y			9,0	122.7
bk			9,6	122.1
El			9,9	121.8

		13168		
	150'	n-b	27it	it
El		134.7	4,4	127.3
bk			4,2	127.5
y			4,0	127.7
b			3,5	128.2
y			2,8	128.7
bk			2,3	129.2
WL			2,0	129.5
TP	550	13454	0,64	131.04
			Benchmark	
	200'	n-b =	S d ø 28it at (70')	
WL			5,5	131.0
bk			5,6	130.9
y			5,7	130.8
b			5,9	130.6
y			5,8	130.7
bk			5,9	130.6
El			6,0	130.5

136,54

	S bk of	rd st	st
EL		5,6	130.9
bk		5,5	131.0
↓		5,6	130.9
b		5,7	130.9
↓		5,4	131.1
bk		5,3	131.2
WL		5,2	131.3
	S ½ of	rd st	st
WL		5,0	131.5
bk		5,0	131.5
↓		5,1	131.4
b		5,2	131.3
↓		5,1	131.4
bk		5,1	131.4
EL		5,1	131.4

136,54

Willow st

	center of	rd st	st
EL	4	4,8	131.7
bk		4,9	131.6
↓		4,7	131.8
b		4,6	131.9
↓		4,6	131.9
bk		4,8	131.7
WL		4,8	131.7
	N ½ of	rd st	st
WL		4,8	131.7
bk		4,6	131.9
↓		4,5	132.0
b		4,3	132.2
↓		4,5	132.0
bk		4,7	131.8
EL		4,7	131.8

13654

	in bk	of	28th	at
EL			4,6	131.9
bk			4,7	131.8
4			4,7	131.8
L			4,5-	132.0
4			4,5-	132.0
bk			4,8	1317
WL			4,4	131.7
	2L	of	28th	at
WL			3,0	131.5
bk			3,0	131.5
4			4,8	131.7
L			4,7	131.8
4			4,6	131.9
bk			4,6	131.9
8L			4,6	131.9

13654 Willow St

	50'	n of	28th	at
EL			7,0	129.5
bk			6,7	129.8
4			6,3	130.2
L			6,0	130.5
4			6,2	130.2
bk			6,1	130.4
WL			6,3	130.2
	75'	n of	28th	at
WL			7,2	129.3
bk			8,0	128.5
4			8,2	128.3
L			8,2	128.2
4			8,5-	128.0
bk			8,6	127.9
EL			8,2	128.3

POSTED

	100'	13654 n of	28 ft	st
EL			12,5	124.0
bk			12,2	124.3
y			11,5	125.0
b			11,0	125.5
y			10,5	126.0
bk			9,9	126.6
WL			9,3	127.2
TP	3,69	13138	8,85	127.69
	125'	n of	28 ft	st
WL		131.4	4,4	127.0
bk			5,2	126.2
y			6,1	125.3
b			7,0	124.4
y			8,0	123.4
bk			8,5	122.9
EL			8,8	122.6

				Willow st
	150'	13138 n of	28 ft	st
EL			10,2	121.2
bk			9,3	122.1
y			8,5	122.9
b			7,7	123.8
y			6,4	125.0
bk			5,4	126.0
WL			4,6	126.8
	175'	n of	28 ft	st
WL			5,2	126.2
bk			5,9	125.5
y			6,6	124.8
b			7,8	123.6
y			8,5	122.9
bk			9,2	122.2
EL			10,5	120.9

13138

Austin

	200'	N =	S 24	29th St (70)
E2			10,8	120.6
bk			10,0	121.4
7			9,3	122.1
6			8,1	123.3
4			7,0	124.4
bk			6,4	125.0
M2			5,7	125.7
	8bk of		29th St	
M2			5,8	125.6
bk			6,2	125.2
7			6,9	124.5
6			7,7	123.7
4			8,7	122.7
bk			9,7	121.7
E2			10,3	121.1

13138

Willow St

	S 1/4	of	29th St
E2			10,2	121.2
bk			9,0	122.4
7			8,2	123.1
6			7,2	124.2
4			6,6	124.8
bk			6,1	125.3
M2			5,7	125.7
	center	of	29th St	
M2		W 1/4	5,7	125.7
bk			6,3	125.1
7			6,7	124.7
6			7,4	124.0
4			8,5	122.9
bk			9,4	122.0
E2			10,2	121.2

	2 1/4 of	131.38	right	at
El		131.4	10,4	121.0
bk			9.4	122.0
4			8,6	122.8
6			7,6	123.8
4			7,2	124.2
bk			7,8	123.6
WL			6,1	125.3
	Nbb of		right	at
WL			6,3	125.1
bk			6,8	124.6
4			7,3	124.0
6			8,2	123.1
4			9,2	122.2
bk			9,9	121.5
El			10,3	120.9

		131.38		Willow	25
	N line of		right	at	
El			10,7	120.7	
bk			10,0	121.4	
4			9,5	121.9	
6			8,5	122.9	
4			7,7	123.7	
bk			7.0	124.4	
WL			6,5	124.9	nw A 29
BM			5,95	125.45	
	50	n of	right	at	
WL			9,7	121.7	
bk			10,5	120.9	
4			10,9	120.5	
6			11,6	119.8	
4			12,1	119.3	
bk			10,3	118.1	
El			13,5	117.9	
TP	277	131.15	12.00	119.38	

POSTED

12/15-

	100'	n of	right	at	
E2			5,3	115.7	
bl			5,0	116.2	
y			4,3	116.9	
b			3,8	117.6	
y			3,4	118.0	
bl			4,0	118.6	
W2			3,6	119.0	
	150'	n of	right	at	
W2			8,5	112.7	
bl			8,3	112.9	
y			8,5	112.7	
b			9,1	112.1	
y			9,5	111.7	
bl			10,0	111.2	
E2			10,5	110.7	
TP			12,50	108.65	BM Spike 30

BM SW A
30 ft + Willow

	0,36	107.38		107,02
200' n = S line of			South st (70')	(Pumas)
W2			0.4	107.0
bl			1,0	106.4
y			0,9	106.5
b			1,0	106.4
y			0,6	106.8
bl			0,9	106.5
E2			1,6	105.8
	S bl of		South st	
E2		107.4	2,4	105.0
bl			2,0	105.4
y			1,7	105.7
b			1,8	105.6
y			2,0	105.4
bl			1,8	105.6
W2			1,3	105.9

10738

S ¼ of Sec 11

WL	2,4	105.0
bb	3,0	104.4
y	3,4	104.0
b	3,4	104.0
y	3,4	104.0
bb	3,8	103.6
EL	4,2	103.2

Center of Sec

EL	5,8	101.6
bb	6,0	101.4
y	6,2	101.2
b	5,3	101.9
y	4,5	102.8
bb	3,7	103.7
WL	3,0	104.4

10738

Willow st

N ¼ of Sec

WL	3,0	104.4
bb	4,0	103.4
y	5,7	101.7
b	6,8	100.6
y	7,4	100.0
bb	7,6	99.8
EL	7,8	99.6

N bb of Sec

EL	9,7	97.7
bb	9,4	98.0
y	8,9	98.5
b	8,0	99.4
y	6,0	101.4
bb	4,7	103.1
WL	3,3	104.1

107.38

N Line of 30th st

WL	3,9	103.5
bk	5,3	102.1
y	6,9	100.5
b	8,6	98.8
y	10,3	97.1
bk	11,4	96.0
ER	11,8	95.6

85' n of 30th st

ER	13,8	93.6
bk	12,4	95.0
y	10,7	96.7
b	8,7	98.7
y	7,4	99.0
bk	6,3	101.1
WL	6,0	101.4

107.38

Willow st

50' n of 30th st

WL			2,0	98.4
bk			8,6	98.8
y			9,0	98.4
b			10,0	97.4
y			11,5	95.9
bk			13,0	94.4
TP	0,83	95.73	12,48	94.90
ER				

POSTED

Edough Taylor Surveyor

Cross section of Elm St (70') from New Main St to North End

	36.8	49.18		45.50	B in S W cor 1st St & Elm
	N Line of		New Main St		
W2		49.2	2.7	46.5	
bk			3.7	45.5	
4			4.5	44.7	
6			5.4	43.8	
7			6.2	43.0	
bk	125		6.6	42.6	
E2			8.2	41.0	
bk	50'	N of	New Main St		
E2			8.5	40.7	
bk			8.2	41.0	
4			7.6	41.6	
6			7.4	41.8	
4			6.6	42.6	
bk			6.0	43.2	
W2			5.7	43.5	

POSTED

49.18

Elm St

100' N of New Main = Pueblo Line S 24 Reserve

W2			5.0	44.2
bk			5.3	43.9
4			5.7	43.5
6			6.3	42.9
4			6.7	42.5
bk			7.0	42.2
E2			7.3	41.9
	143'	N of	New Main St =	S 24 (70') St
E2			6.5	42.7
bk			6.1	43.1
4			5.8	43.4
6			5.4	43.8
4			4.9	44.3
bk			4.3	44.9
W2			3.7	45.5

POSTED

4918

S bk of 1st st

WL	4,3	44.9
bk	4,7	45.0
y	4,6	44.6
b	5,7	44.0
y	5,8	43.4
bk	6,4	42.8
EL	6,9	42.3

S 1/4 of 1st st

EL	6,8	42.4
bk	6,7	43.0
y	5,5	43.7
b	5,0	44.2
y	4,8	44.4
bk	4,8	44.4
WL	4,6	44.6

4918

Elm st

Center of 1st st

WL	4,9	44.3
bk	5,7	44.0
y	5,4	43.8
b	5,3	43.9
y	6,0	43.2
bk	6,7	42.5
EL	7,0	42.2

N 1/4 of 1st st

EL	7,0	42.2
bk	6,6	42.6
y	6,1	43.1
b	6,1	43.1
y	6,0	43.2
bk	5,4	43.8
WL	5,0	44.2

4918

	2 bb of 10'	2'	
W2		5.1	44.1
bb		5.6	43.6
4		6.3	42.9
6		6.4	42.6
4		6.5	42.7
bb		7.0	42.2
E2		7.4	41.8
	2 E of 1'	2'	
E2		7.7	41.5
bb		7.3	41.9
4		7.3	41.9
6		7.0	42.2
4		6.6	42.6
bb		5.6	43.6
W2		5.3	43.9

4916

	50'	2 of	1'	Elev 2'
W2			6.4	42.8
bb			6.6	42.6
4			7.1	42.1
6			8.5	40.7
4			8.9	40.3
bb			9.3	39.9
E2			9.7	39.5
	100'	2 of	1'	2'
E2			11.2	38.0
bb			10.7	38.5
4			9.7	39.5
6			9.3	39.9
4			8.9	40.3
bb			9.0	40.2
W2			9.0	40.2
TP	0.79	41.22	8.75	40.43

		41.2		
	135'	n of	12th	st
W2			3.7	37.5
bl	140	n of	12th	st
W2			11.8	29.4
L	150'	n of	12th	st
W2			4.3	36.9
+8'			12.4	28.8
+6'			4.4	36.8
bl			3.8	37.4
4			3.3	37.9
6			3.8	37.4
4			3.7	37.5
bl			4.1	37.1
E2			4.7	36.5

		41.2			Elm st
	200'	n =	S 2 4	2nd	st (70')
W2			5.6	35.6	
bl			5.8	35.4	
4			5.4	35.4	
+2			13.2	28.0	
+6			5.8	35.4	
6			5.8	35.4	
4			5.8	35.4	
bl			6.0	35.2	
E2			6.3	34.9	
	Sbl	of	2nd	st	
E2			6.6	34.6	
bl			6.4	34.8	
4			6.3	34.9	
+10			6.5	34.7	
6			13.5	27.7	
+41			6.2	35.0	
4			6.3	34.9	
bl			6.7	34.5	
W2			6.0	35.2	

41.22

S 1/4 of

W2	6.4	34.8
bk	6.4	34.8
7	6.9	34.3
6	6.9	34.3
+5'	14.0	27.2
+10'	6.9	34.3
4	6.7	34.5
bk	7.0	34.2
E2	7.1	34.1

Center of

E2	7.5	33.7
bk	7.5	33.7
+5'	14.2	27.0
7	7.5	33.7
6	7.5	33.7
7	6.8	34.4
bk	7.7	33.5
W2	6.9	34.3

41.22

N 1/4 of

W2	7.5	33.7
bk	7.2	33.9
4	7.2	33.9
5	7.9	33.2
4	7.6	33.5
bk	8.6	32.6
+3'	14.5	26.7
+7'	8.0	33.2
E2	8.0	33.2

N bk of

E2	14.0	27.2
bk	14.0	27.2
+1'	8.7	32.5
4	8.3	32.9
5	8.0	33.2
4	7.8	33.4
bk	7.8	33.4
W2	7.9	33.3

41.22

	Rd	of.	2nd	st
W2			8.6	32.6
bk			8.5	32.7
y			8.4	33.0
b			8.7	32.8
y			8.6	32.6
bk			8.6	32.6
E2 ++			9.0	32.2
			14.0	27.2
			14.0	27.2
	15'	n of	2nd	st
E2			9.4	31.8
bk			9.1	32.1
	50'	n of	2nd	st
E2			10.6	30.6
bk			10.4	31.0
y			10.1	31.1
b			9.8	31.4
y			10.0	31.2
bk			10.3	30.9
W2			10.3	30.9

41.22

Elm st

	100'	n of	2nd	st
W2			11.3	29.9
bk			11.6	29.6
y			11.4	29.8
b			11.4	29.8
y			11.7	29.5
bk			11.8	29.4
E2			14.0	29.2
TP	375	325 ✓	11.90	29.32
E2	150'	n of	2nd	st
E2		326	4.8	27.8
bk			4.6	28.0
y			4.5	28.1
b			4.4	28.2
y			4.6	28.0
bk			4.3	28.3
W2			4.1	28.5

3 2.57

	200'	n =	S 2 st	3 d st	(70')
W2		32.6	5.4	27.2	
b			5.5	27.1	
y			6.1	26.5	
b			5.9	26.7	
y			5.8	26.8	
bl			5.8	26.8	
E2			5.8	26.8	
	Sbb of		3 d st		
E2			6.1	26.5	
bl			5.9	26.7	
y			5.9	26.7	
b			6.1	26.5	
y			6.5	26.1	
bl			5.4	27.0	
W2			5.4	27.2	

3 2.57

Elm st

	S 14 st		3 d st	
W2			5.9	26.7
bl			6.1	26.4
y			6.1	25.9
b			6.1	25.9
y			6.4	26.2
bl			6.1	25.9
E2			6.6	26.0
		center of	3 d st	
E2		32.6	7.0	25.6
bl			6.9	25.7
y			6.9	25.7
b			7.0	25.6
y			6.9	25.7
bl			7.0	25.6
W2			6.5	26.1

32.57

	R 1/4	of	3d	st
WL			6.4	26.2
bl			7.0	25.6
y			7.0	25.6
l			7.3	25.3
y			7.3	25.3
bl			7.2	25.4
EL			7.4	25.2
	R bl	of	3d	st
EL			7.7	24.9
bl			7.9	24.7
y			7.8	24.8
l			7.8	24.8
y			7.6	25.0
bl			6.9	25.7
WL			6.4	26.2

32.57

Elm st

	R d	of	3d	st
WL		32.6	7.2	25.4
bl			7.5	25.1
y			7.9	24.7
l			8.1	24.5
y			8.2	24.4
bl			8.3	24.3
EL			8.5	24.1
	50'	mf	3d	st
EL			9.9	22.7
bl			8.6	23.0
y			9.7	22.9
l			9.4	23.2
y			9.2	23.4
bl			8.6	24.0
WL			8.1	24.5

		32.57		
	200'	n of	3 d	st
WL			9.3	23.3
bk			9.8	22.8
y			10.7	22.4
b			10.7	21.9
y			11.7	21.4
bk			11.1	21.3
EL			11.2	21.4
TP	1,75	23.75	10.57	22.0
	130'	n of	3 d	st
EL		23.8	3.0	20.5
bk			3.1	20.7
y			3.1	20.7
b			2.8	21.0
y			2.0	21.8
bk			1.5	22.3
WL			1.1	22.7

		23.75		Elev st
	200'	n =	S d of	4 st
WL			1.7	22.1
bk			2.2	21.6
y			2.4	21.2
b			3.2	20.6
y			3.7	20.1
bk			3.9	19.9
EL			3.9	19.9
	S.bk	of	4 st	st
EL		23.8	4.0	19.8
bk			4.0	19.8
y			3.9	19.9
b			3.4	20.4
y			2.8	21.0
bk			2.1	21.7
WL			1.4	22.2

		23.75		
	S 1/4	of	4 ft	ft
W2			1,4	22.4
bl			2,2	21.6
7			2,9	20.9
6			3,4	20.4
4			3,9	19.9
bl			4,2	19.6
E2			4,2	19.6
	Center	of	4 ft	ft
E2			4,4	19.4
bl			4,4	19.4
4			3,9	19.9
6			3,4	20.4
7			2,6	21.2
bl			2,0	21.8
W2			1,3	22.3

		23.75		Elm ft
	N 1/4	of	4 ft	ft
W2		238	1,5	22.3
bl			2,1	21.7
7			2,8	21.0
6			3,5	20.3
4			4,0	19.8
bl			4,4	19.4
E2			4,5	19.3
	N bl	of	4 ft	ft
E2			4,5	19.3
bl			4,5	19.3
4			4,0	19.8
6			3,4	20.4
7			2,6	21.2
bl			2,0	21.8
W2			1,5	22.3

			23.75						23.75		Elev
		N 2	of	4 ft	at			100'	N of	4 ft	at
W 2				1,5	22.3	W 2				2,0	21.8
6				2,1	21.7	6				2,5	21.3
7				2,5	21.3	7				3,2	20.5
8				3,3	20.5	8				3,9	19.9
7				3,7	20.1	7				4,5	19.3
6				4,1	19.4	6				5,2	18.6
E 2				4,7	19.1	E 2				5,3	18.5
		50'	N of	4 ft	at			150'	N of	4 ft	at
E 2				5,0	18.8	E 2				5,5	18.3
6				4,7	19.1	6				5,2	18.6
7				4,1	19.7	7				4,7	19.1
8				3,6	20.3	8				4,2	19.5
7				3,0	20.8	7				3,7	20.1
6				2,2	21.6	6				2,9	20.9
W 2				1,2	22.2	W 2				2,2	21.6

		26.10			
	N ¼ of		5 ft	st	
W2			4,2	21.9	
b			4,5	21.6	
y			5,0	21.1	
b			5,4	20.7	
y			5,9	20.2	
bb			6,3	19.8	
E2			6,7	19.4	
"	N bb of		5 ft	st	
E2			6,6	19.5	
b			6,1	20.0	
y			5,8	20.3	
b			5,3	20.8	
y			5,0	21.1	
b			4,5	21.6	
W2			4,0	22.1	

		26.10		Elev	st
	N 2 of		5 ft	st	Bm 2 W A
W2			3,9	22.2	5 ft N Elev
b			4,3	21.8	
y			4,6	21.5	
b			5,2	20.9	
y			5,6	20.5	
bb			6,0	20.1	
E2			6,4	19.7	
	50' N of		5 ft	st	
E2			5,4	20.7	
b			5,2	20.9	
y			4,7	21.4	
b			4,1	22.0	
y			3,8	22.3	
b			3,5	22.6	
W2			3,2	22.9	

		26.10		
	100'	n of	S to	at
W2			2,0	24.1
bk			2,2	23.9
y			2,2	23.5
l			3,2	22.9
y			3,7	22.4
bl			4,3	21.8
E2			4,5-	21.6
TP	6,25-	29,77	2,62	23.52
	150'	n of	S to	at
E2		29.8	6,7	23.1
bk			6,2	23.6
y			5,7	24.1
bo			5,1	24.7
y			4,5-	25.3
bl			4,0	25.8
W2			3,7	26.1

		29.77		Elev at
	200'	n =	S to	bk at (70')
W2			2,7	27.1
bl			3,3	26.5
y			3,7	26.1
l			4,2	25.6
y			4,8	25.0
bl			5,3	24.5
E2			5,7	24.1
	S to	n	bk	at
E2			5,5-	24.3
bl			5,0	24.8
y			4,6	25.2
b			4,0	25.8
y			3,5-	26.3
bk			3,0	26.8
W2			2,4	27.4

2977

	S 1/4 of	6 ft	st
W2		2,1	27.7
bl		2,7	27.1
y		3,3	26.5
b		3,7	26.1
y		4,2	25.5
bl		4,7	25.1
E2		5,3	24.5
	Center of	6 ft	st
E2		3,0	24.8
bl		4,5	25.3
y		4,0	25.8
b		3,4	26.4
y		2,8	27.0
bl		2,4	27.4
W2		1,8	28.0

2977

Elev at

	N 1/4 of	6 ft	st
W2		1,6	28.2
bl		2,0	27.8
y		2,6	27.2
b		3,0	26.8
y		3,7	26.1
bl		4,2	25.5
E2		4,9	24.9
	Nbl of	6 ft	st
E2		4,6	25.2
bl		4,0	25.8
y		3,3	26.5
b		2,6	27.2
y		2,0	27.8
bl		1,35	28.3
W2		1,2	28.6

		29.77			
	n.l.	of	6ft	elev	
W.L.			1.0	28.8	
bk			1.4	28.4	
y			1.8	28.0	
b			2.6	27.2	
y			3.2	26.6	
bk			4.0	25.8	
E.L.			4.3	25.5	
T.P.	7.44	34.50	2.71	27.01	S.W. ft 6ft + Elm
	50'	n of	6ft	elev	
E.L.			8.4	26.1	
bk			8.0	26.5	
y			7.1	27.4	
b			6.5	28.2	
y			5.8	28.7	
bk			5.2	29.3	
W.L.			4.5	30.0	

		34.50			Elm ft
	100'	n of	6ft	elev	
W.L.			4.2	30.2	
bk			4.8	29.7	
y			5.2	28.8	
b			6.5	28.0	
y			7.2	27.3	
bk			8.0	26.5	
E.L.			8.4	26.1	
	150	n of	6ft	elev	
E.L.			8.4	26.1	
bk			7.8	26.7	
y			7.1	27.4	
b			6.5	28.0	
y			5.2	28.9	
bk			5.1	29.4	
W.L.			4.6	29.9	

3480

	200' N =	S ¼ of	7th at (70)
WL		4.2	30.3
bl		4.7	29.8
y		5.5	29.0
l		6.0	28.5
y		7.0	27.5
bl		7.9	26.6
EL		8.3	26.2
	S bk of	7th at	
EL		8.4	26.1
bl		7.8	26.7
y		7.0	27.5
l		6.2	28.3
y		5.7	28.8
bl		5.0	29.5
WL		4.0	30.5

3480

Elev at

	S ¼ of	7th at
WL		4.6 29.9
bl		5.2 29.3
y		5.6 28.9
l		6.3 28.2
y		7.2 27.3
bl		7.8 26.7
EL		8.4 26.1
	center of	7th at
EL		8.4 26.1
bl		7.6 26.9
y		7.1 27.4
l		6.2 28.3
y		5.7 28.8
bl		5.2 29.3
WL		4.8 29.7

		34.50		
	N 1/4 of	Trk	St	
WL		4.8	29.7	
bk		5.4	29.1	
4		6.9	27.6	
L		6.5	27.7	
4		7.3	27.2	
bk		8.1	26.4	
EL		8.6	25.9	
	N bk of	Trk	St	
EL		8.8	25.7	
bk		8.3	26.2	
4		7.7	26.8	
L		7.0	27.5	
4		6.3	28.2	
bk		5.6	28.9	
WL		4.9	29.6	
TP	4.56	34.11	4.95	29.5+

NW 4 Trk Elm

		34.11		Elm St
	N line of	Trk	St	
WL		4.5	29.6	
bk		5.1	29.0	
4		5.8	28.3	
L		6.5	27.6	
4		7.3	26.8	
bk		8.0	26.1	
EL		8.5	25.6	
	50' N of	Trk	St	
EL		8.8	25.3	
bk		8.5	25.6	
4		8.0	26.1	
L		7.5	26.6	
4		6.7	27.4	
bk		6.2	27.8	
WL		5.4	28.7	

		34.VI					34.VI		Elm ab
	100'	n of	7th	st		100'	n of	8th	st (70')
WL			5,6	28.5	WL			6,5	27.6
bk			6,7	27.9	bk			6,9	27.2
y			7.1	27.0	y			7.4	26.7
b			7.6	26.5	b			7.8	26.3
y			8,5	25.6	y			8,4	25.7
bk			8,8	25.3	bk			8,9	25.2
RL			9,3	24.8	RL			9,3	24.8
	150'	n of	7th	st		Elm ab		8th	st
RL			9,3	24.8	RL			9,2	24.9
bk			8,8	25.3				8,4	25.3
y			8,2	25.9	y			8,4	25.7
b			7,7	26.4	b			8,0	26.1
y			7.1	27.0	y			7,4	26.7
bk			6,6	27.5	bk			6,9	27.2
WL			6,2	27.9	WL			6,5	27.6

34.11

S 1/4 of 8th st

W2	6,4	27.7
bk	6,6	27.5
4	7,0	27.1
b	7,5	26.6
4	8,0	26.1
bk	8,5	25.6
E2	9,0	25.1

center of 8th st

E2	9,0	25.1
bk	8,6	25.5
4	8,1	26.0
b	7,5	26.6
4	6,9	27.2
bk	6,6	27.5
W2	6,1	27.9

34.11

N 1/4 of 8th st

W2	6,1	28.0
bk	6,6	27.5
4	7,0	27.1
b	7,5	26.6
4	8,1	26.0
bk	8,6	25.5
E2	9,0	25.1

N bk of 8th st

E2	8,7	25.2
bk	8,5	25.6
4	8,0	26.1
b	7,3	26.8
4	7,0	27.1
bk	6,5	27.6
W2	6,1	27.9

Elm st

NW & 8th st Elm

TP 441 34.34 6,18 27.93

		3284		
	n ℄	ob	Stk	st
WL			4.4	27.9
bk			4.8	27.5
y			5.2	27.1
b			5.9	26.4
y			6.3	26.0
bk			6.7	25.6
EL			7.1	25.2
	50'	n y	Stk	st
EL			6.7	25.6
bk			6.5	25.8
y			6.1	26.2
b			5.5	26.8
y			5.2	27.1
bk			4.8	27.5
WL			4.1	27.9

		3284		Elm st
	100'	n y	Stk	st
WL			4.2	28.1
bk			4.8	27.5
y			5.0	27.3
b			5.4	26.9
y			6.0	26.3
bk			6.6	25.7
EL			6.9	25.4
	150'	n y	Stk	st
EL			6.9	25.4
bk			6.5	25.8
y			5.9	26.4
b			5.6	26.7
y			5.3	27.0
bk			4.9	27.4
WL			4.5	27.8

32 37

	200'	N of	8 ft = SE 24 N (76)	
W2			4.6	27.7
bk			5.0	27.3
4			5.4	26.9
6			5.8	26.5
4			6.2	26.1
bk			6.8	25.5
E2			7.6	24.7
	S bk of		9 ft	el
E2			7.7	24.6
bk			7.1	25.2
4			6.2	26.1
6			5.5	26.8
4			5.2	27.1
bk			4.8	27.5
W2			4.4	27.9

32 34

	S 1/4 of	9 ft	Elev at
W2		4.5	27.8
bk		4.9	27.4
4		5.4	26.9
6		5.8	26.5
4		6.2	26.1
bk		7.2	25.1
E2		7.8	24.5
	Center of	9 ft	el
E2		7.9	24.4
bk		7.2	25.1
4		6.5	25.8
6		5.8	26.5
4		5.5	26.8
bk		5.1	27.2
W2		4.6	27.7

		32.34			
	N ½ of		Gch	Elev	
WL			4.7	27.6	
bb			5.2	27.1	
4			5.8	26.5	
6			6.5	25.8	
4			6.8	25.5	
bb			7.2	25.0	
EL			7.6	24.7	
	Nbb of		Gch	Elev	
EL			7.6	24.7	
bb			7.3	25.0	
4			6.9	25.4	
6			6.6	25.7	
4			5.9	26.4	
bb			5.1	27.2	
WL			4.7	27.6	
TP	3.85	31.69	4.50	27.84	NW H Gch Elev

		31.69		
	N 2 of		Gch	Elev
WL			3.8	27.9
bb			4.4	27.3
4			5.3	26.4
6			5.5	26.2
4			6.2	25.5
bb			6.6	25.1
EL			7.0	24.7
	50' W of		Gch	Elev
EL			6.8	24.9
bb			6.3	25.4
4			5.6	26.1
6			5.2	26.5
4			4.8	26.9
bb			4.6	27.1
WL			4.0	27.7

		31.62		
	10 vi	n of	9 ct	et
WL			4,7	27.0
bb			5,7	26.5
4			5,4	26.3
5			5,8	25.9
4			6.1	25.6
bb			6,7	25.0
EL			7,0	24.7
	15 o	n of	9 ct	et
EL			8,4	23.3
bb			8,0	23.7
7			7,3	24.2
6			7,1	24.6
4			6,4	25.3
bb			5,6	26.1
WL			5,3	26.4

		31.87		Elm et
20 vi	vi	n =	52 of	10 ct et (70°)
WL			6,0	25.7
bb			6,4	25.3
4			6,8	24.9
6			7,5	24.2
7			8,0	23.7
bb			8,4	23.3
EL			8,7	23.0
	Sbb	1	10 ct	et
EL			8,9	22.8
bb			8,5	23.2
4			8,0	23.7
6			7,7	24.0
4			7,0	24.7
bb			6,4	25.1
WL			6,2	25.5

31.69

	S 1/4 of	10 ft	ft
WL		6.3	25.4
		6.7	25.0
4		7.0	24.7
b		7.6	24.1
4		8.1	23.6
bb		8.6	23.1
EL		9.1	22.6
	Center of	10 ft	ft
EL		9.5	22.2
bb		9.0	22.7
4		8.5	23.2
b		7.9	23.8
4		7.3	24.4
bb		6.9	24.8
WL		6.6	25.1

31.69

	N 1/4 of	10 ft	Elev. ft
WL		6.8	24.9
bb		7.2	24.5
4		7.7	24.0
b		8.2	23.4
4		8.7	23.0
bb		9.4	22.3
EL		9.8	21.9
	N bb of	10 ft	ft
EL		9.8	21.9
bb		9.2	22.5
4		8.8	22.9
b		8.4	23.3
4		7.8	23.9
bb		7.4	24.3
WL		7.0	24.7
TP	5.62	30.06	7.25 2444

N W 1/4
10 + Elev

		30.06		
	200 yd		10 shots	at
WL		30.1	5.7	24.5
bh			6.0	24.1
4			6.3	23.9
b			6.9	23.3
4			7.4	22.7
bh			8.2	21.9
EL			8.6	21.5
	50'	mf	10 shots	at
EL			11.0	19.1
bh			10.7	19.7
4			9.5	20.6
b			8.4	22.0
4			7.4	22.7
bh			6.6	23.5
WL			6.0	24.1

		30.06		Elm at
	100'	mf	10 shots	at
WL			5.6	24.5
bh			6.4	23.7
4			8.2	21.8
b			10.0	20.1
4			10.5	19.6
bh			11.1	19.0
EL			11.4	18.7
	150'	mf	10 shots	at
EL			10.4	19.3
bh			10.2	19.9
4			10.0	20.1
b			9.2	20.8
4			8.2	21.5
bh			7.1	23.0
WL			5.2	24.9

30.06

	200'	n =	S. 2	of Dist. (70')
W2			6,7	23.9
bb			7,1	23.0
4			7,5	22.6
6			8,1	22.0
4			9,0	21.1
bb			9,3	20.8
E2			9,3	20.8
	S bb of		11 st	w
E2			9,3	20.8
bb			9,1	21.0
7			8,7	21.4
6			8,0	22.1
4			7,3	22.8
bb			6,7	23.4
W2			5,9	24.2

30.06

	S 1/4 of	11 st	w
W2		5,7	24.4
bb		6,4	23.7
4		7,0	23.1
6		7,7	22.4
4		8,4	21.7
bb		8,7	21.4
E2		8,9	21.2
	Center of	11 st	w
E2		8,6	21.5
bb		8,0	22.1
4		7,5	22.6
6		6,8	23.3
4		6,3	23.8
bb		5,9	24.2
W2		5,5	24.6

		30.06		
	N ¼	of	11 ch	at
W2		30.1	5,2	24.9
bb			5,6	24.5
4			6,2	23.9
6			7,0	23.1
4			7,4	22.7
bb			8,0	22.1
E2			8,0	22.1
	N bb	of	11 ch	at
E2			7,4	22.7
6			7,0	23.1
4			6,7	23.4
6			6,3	23.8
4			5,7	24.4
bb			5,1	25.0
W2			4,7	25.4

		30.06		Elev	at
	N 2	of	11 ch	at	N W ¼ of 11 ch at
W2			4,2	25.84	
bb			4,8	25.3	
4			5,2	24.5	
6			6,0	24.1	
4			6,3	23.8	
bb			6,7	23.4	
E2			7,0	23.1	
	50'	N of	11 ch		
E2			5,2	24.5	
bb			5,3	24.8	
4			4,9	25.2	
6			4,0	26.1	
4			4,0	26.1	
bb			3,6	26.5	
W2			3,2	26.9	

30.06

	100'	N of	ll at	
W2			1.8	28.3
bk			2.3	27.8
4			2.9	27.2
6			3.4	26.7
4			3.9	26.2
bk			4.4	25.7
E2			4.8	25.3
	150'	N of	ll at	
E2			4.3	24.8
bk			4.0	25.1
4			3.2	25.9
6			2.3	26.8
4			1.7	27.4
bk			1.2	27.9
W2			0.9	28.2
TP	3.67	3285-	0.88	29.18

SW 4
12 + Elev

3.285

Elev 29

	200'	N =	S ± of	rod at	(70')
W2		3	3.7	29.2	
bk			4.1	28.8	
4			4.7	28.2	
6			5.2	27.7	
4			5.5	27.4	
bk			6.0	26.9	
E2			6.5	26.4	
	S bk	of	12 rd	at	
E2			6.3	26.6	
bk			6.2	26.7	
4			5.6	27.3	
6			4.8	28.1	
4			4.5	28.4	
bk			4.1	28.8	
W2			3.6	29.3	

3.28S-

S 1/4 of

	Inst	Elev
W2	3.6	29.3
bb	HP	28.9
4	4.4	28.5
b	4.8	28.1
4	5.4	27.5
bb	6.0	26.9
E2	6.3	26.6

Center of

	Inst	Elev
E2	6.6	26.3
bb	6.2	26.7
4	5.3	27.4
b	5.0	27.9
4	4.7	28.2
bb	4.4	28.5
W2	4.0	28.9

3.28S-

Elm 20

N 1/4 of

	Inst	Elev
W2	4.1	28.8
bb	4.8	28.1
4	5.4	27.5
b	5.6	27.3
4	6.3	26.6
bb	6.5	26.4
E2	7.0	25.9

N bb of

	Inst	Elev
E2	7.0	25.9
bb	6.5	26.4
4	5.8	27.1
b	5.6	27.3
4	5.1	27.8
bb	4.8	28.1
W2	4.3	28.6

3785

	n 2 of		12 ft	ft
W2			4.3	28.6
bb			4.8	28.1
y			5.2	27.7
b			5.6	27.3
y			6.1	26.8
bb			6.6	26.3
E2			7.0	25.9
	50'	n of	12 ft	ft
E2			7.4	25.5
bb			7.3	25.6
y			7.1	25.8
b			6.8	26.1
y			6.8	26.1
bb			6.2	26.6
W2			5.9	27.0

3785

Elev - ft

	100'	n of	12 ft	ft
W2			6.5	26.4
bb			6.7	26.2
y			7.0	25.9
b			7.0	25.9
y			7.3	25.6
bb			7.6	25.3
E2			7.7	25.2
	150'	n of	12 ft	ft
E2			7.2	25.7
bb			7.0	25.9
y			6.8	26.1
b			6.6	26.3
y			6.6	26.3
bb			6.3	26.6
W2			6.2	26.7
T.P.			5.43	

SW H.S. 13 ft Elev

3285

	200'	n =	S L of 13th st
WL			5.7 27.7
bk			5.7 27.6
4			5.4 27.5
6			5.2 27.3
4			5.8 27.1
bk			6.3 26.6
EL			6.5 26.4
TP	6.30	3397	5.23 27.67

Intersection of 13th st in Bonkers
N Line of 13th st

EL			6.6 27.3
bk			6.0 27.9
4			5.3 28.4
6			5.3 28.4
4			5.0 28.9
bk			5.3 28.6
WL			5.24 28.78
BM	5.24	33.96	28.72

NW 4 13+ Elm

3396

Elm st

	50'	n of	13th	st
WL			2.6	31.4
bk			3.2	30.8
4			3.7	30.3
6			4.2	29.8
4			4.7	29.3
bk			5.1	28.9
EL			5.4	28.6
	100'	n of	13th	st
EL			4.4	29.6
bk			3.8	30.2
4			3.3	30.7
6			2.4	31.6
4			1.2	32.8
bk			0.0	33.7
WL			0.0	34.0
TP	11.95	45.21	0.70	33.26

	150'	n of	13 rt	ir	
WL			7,7	38.0	
bb			8,4	36.8	
y			9,3	35.9	
b			10,6	34.6	
y			11,6	33.6	
bl			12,7	32.5	
EL			13,7	31.5	
	200'	n =	SL of	14rt	ir (70')
EL			12,0	33.2	
bl			10,7	34.5	
y			9,7	36.0	
b			7,8	37.4	
y			6,0	39.2	
bb			4,7	41.0	
WL			2,3	42.9	

	S bb	B	14rt	ir	
WL		45.2	1,1	44.2	
bl			3,0	42.2	
y			5,5	39.7	
b			7,6	37.6	
y			9,4	35.8	
bl			10,8	34.4	
EL			12,0	32.2	
	S 1/4	b	14rt	ir	
EL			11,6	33.6	
bl			10,0	35.2	
y			8,7	37.0	
b			6,7	38.5	
y			4,8	40.4	
bl			2,7	43.0	
TP	2.61	51,77	1.60	43.61	
WL			4,6	46	

5-1.22

	Center of	14th	at
W2		2.5	48.7
b		5.1	46.1
y		8.1	43.1
b		11.0	40.2
y		13.0	38.2
bl		14.8	36.4
E2		15.8	35.4
	N ¼ of	14th	at
E2		15.4	35.8
bl		13.3	37.9
y		11.1	40.1
b		8.7	42.5
y		6.2	44.9
bl		2.7	48.5
W2		0.0	51.2

5-1.22

Elm at

	N bb of		14th	at
W2			+2.0	53.2
bl			0.0	51.2
y			3.4	47.8
b			5.7	45.5
y			9.5	41.7
bl			12.8	38.4
E2			14.0	37.2
	N 2 of		14th	at
E2			13.0	38.2
bl			10.8	40.4
y			8.2	43.0
b			5.2	46.0
y			2.2	49.0
TP	7.13	5705	1.30	49.92
bl		57.1	.9	53.2
W2			1.3	55.6

		57.05		
	25'	n of	14 ft	ft
				59.1
W2			+2.0	59.0
bk			0.0	57.1
4			4.0	53.1
6			6.6	50.5
4			9.7	47.4
bk			13.0	44.1
E2			13.6	41.5
	50'	n of	14 ft	"
E2			11.9	45.2
bk			9.5	47.6
4			6.4	50.7
6			1.6	55.5
TP	10.4	65.54	1.93	55.12
4			7.4	58.1
bk			4.2	61.3
W2			0.0	65.5

		65.54		Elm ft
	75'	n of	14ft	ft
E2		65.5	16.6	48.9
bk			13.8	51.7
4			10.8	54.7
6			6.8	58.7
4			3.0	62.5
	100'	n of	14ft	"
E2			13.4	52.1
bk			10.2	55.3
4			5.5	60.0
6			2.2	63.3
	125'	n of	14ft	"
E2			9.8	55.7
bk			6.5	59.0
4			3.0	62.5
	150'	n of	14ft	"
E2			7.5	58.0
bk			3.5	62.0
				65.5
	117.5	76.2	1.07	64.47

POSTED

		76.22		
	75'	n of	14th	st
WL			6.1	70.1
bk			9.7	66.5
				62.5
	100'	n of	14th	st
WL			2.5	73.7
bk			5.8	70.4
y			9.0	67.2
				63.3
	125'	n of	14th	st
WL			1.8	78.0
bk			1.8	74.4
y			5.0	71.2
b			8.8	67.4
	150'	n of	14th	st
E WL			10.7	65.5
b			6.7	69.5
W WL			3.0	73.2
				78.9

		76.22		Elev st
	175'	n of	14th	st
EL		76.2	14.0	62.2
bk			10.4	65.8
y			7.3	68.9
b			3.3	72.9
	200' n = SL of		15th	st (70')
EL			10.6	65.6
bk			8.2	68.0
y			4.8	71.4
b			0.0	76.2
T.P.	8.23	78.57	5.88	70.34
	S bk of		15th	st
EL		78.6	12.3	66.3
bk			9.3	69.3
y			6.4	72.2
b			1.8	76.8

		78.57			
	S 1/4 of		15-ft	rt	
EL		78.6	11.0	67.6	
bb			8.1	70.5	
4			4.5	74.1	
b			0.5	78.1	
				82'	
	Center of		15 ft	rt	
EL			9.8	68.8	
bb			6.3	72.3	
4			2.8	75.8	
t	N 1/4 of		15-ft	rt	
EL			9.3	69.3	
bb			5.6	73.0	
4			1.8	76.8	
	N bb of		15 ft	rt	
EL			9.0	69.6	
bb			5.5	73.1	
4			1.8	76.8	

		78.57		Elev	
	N L of		15 ft	rt	
EL		78.6	8.7	69.9	
bb			5.3	73.3	
4			1.5	77.1	
TP	12.22	86.11	4.68	73.89	
	150'	N of	14 ft		
WL		86.1	4.8	81.3	
bb			7.2	78.9	
	175'	N of	14 ft	rt	
WL			2.8	83.3	
bb			4.7	81.4	
4			8.1	78.0	
	200'	N of	S L of	15 ft rt	(70')
WL			0.0	86.1	
bb			2.8	83.3	
4			5.2	80.5	
b			9.8	76.3	

		86.11		
	Sta	of	15-ft	↵
WL			+0.4	86.5
bb			1.6	85.5
4			5.0	81.1
b			9.5	76.6
T.P.	7.89	90.84	3.16	82.95
	S 1/4	of	15-ft	↵
WL			3.3	87.5
bb			5.7	85.1
4			8.7	82.1
	Center	of	15-ft	↵
WL			2.7	88.1
bb			4.9	85.9
4			7.4	83.4
b			11.0	79.8
	N 1/4	of	15-ft	↵
WL			1.9	88.9
bb			4.2	86.6
4			6.9	83.9
b			10.0	79.8

		90.84		Elm ↵	55
	Nbb	of	15-ft	↵	
WL			1.2	89.6	
bb			3.4	87.4	
4			6.0	84.8	
b			9.8	81.0	
	N Side	of	15-ft	↵	
WL			+0.50	90.34	NW ∠ 15+ Elm
bb			2.7	88.1	
4			5.6	85.2	
b			9.2	81.6	
	25'	W of	15-ft	↵	TP on Opposite Page
	7.72	85.67		82.95	
EL		85.7	14.3	71.4	
bb			11.4	75.3	
4			7.0	78.7	
b			2.5	83.2	

		85.67		
	50'	n of	15-ft	ν
E2		85.7	12.4	73.3
bb			8.8	76.9
4			4.8	80.9
b			0.8	84.9
	75'	n of	15-ft	ν
E2			10.5	75.2
bb			6.1	79.6
4			3.6	82.1
	100'	n of	15-ft	ν
E2			8.8	76.9
bb			5.2	80.5
4			1.2	84.5
	125'	n of	15-ft	ν
E2			7.3	78.4
bb			3.8	81.9
4			0.0	85.7

				Elm ν
	25'	n of	15-ft	ν
	7.28	97.62		90.34
W2			5.4	92.2
bb			7.0	90.6
4			9.4	88.2
	50'	n of	15-ft	ν
W2			4.0	93.6
bb			5.8	91.8
4			9.0	88.6
	75'	n of	15-ft	ν
W2			1.1	96.5
bb			3.7	93.9
4			6.8	90.8
b			10.4	86.0
	100'	n of	15-ft	ν
W2			+1.0	98.6
bb			1.8	95.8
4			5.3	92.3
b			8.7	88.9

n w + 15-ft

		97.62		
	125'	n of	15-th	st
center			8.5	89.1
W 1/4			4.8	92.8
W bb			0.5	97.1
	150'	n of	15-th	st
E2			16.7	80.9
bb			14.0	83.6
4			10.0	87.6
6			6.2	91.4
4			2.4	95.2
	175'	n of	15-th	st
E2			15.6	82.0
bb			12.5	85.1
4			8.1	89.5
6			4.7	92.9
4			0.8	96.8

		97.62		Elev st
	200'	n of	15-th	= SE of 16-th (70')
E2		97.6	13.9	83.7
bb			10.5	87.1
4			6.8	90.7
6			3.4	94.2
4			0.8	98.4
	S bb	of	16-th	st
E2			13.7	84.4
bb			10.7	87.2
4			7.2	90.4
6			3.0	94.6
	S 1/4	of	16-th	st
E2			12.4	85.2
bb			9.4	88.2
4			6.3	91.3
6			1.7	95.9

POSTED

		97.62		
	center of		16 ft	at
El		97.6	12,2	85.4
bb			8,8	88.8
4			5,7	91.9
6			6.5	97.1
	N ¼ of		16 ft	at
El			12,3	85.3
bb			8,3	89.3
4			4,8	92.8
6			1.0	96.6
	N bb of		16 ft	at
El			12,4	85.2
bb			8,8	88.8
4			5,0	92.6
6			6,0	97.6
	N L of		16 ft	at
El			12,4	85.2
bb			8,6	89.0
4			4.0	93.6

				Elev at	
TP	12,66	108.19	2.09	95.53	
	125'	n of	15 ft	at	
W2		108.7	7.8	100.4	
	150'	n of	15 ft	at	
W2			6.7	101.5	
bb			9.5	98.7	
	175'	n of	15 ft	at	
W2			4.6	103.6	
bb			7.6	100.6	
	200'	n of	S line	of 16 ft (70')	D W pt
W2			2,85	105.44	16 + elev
bb			5,2	103.0	
	S bb of		16 ft	at	
W2			2,0	106.2	
bb			4.5	103.7	
4			8.4	99.8	

10819

	S 1/4 of		16th	at	
WL			1.1	107.1	
bb			3.6	104.6	
4			7.7	100.5	
	Center of		16th		
WL			0.4	107.8	
bb			2.8	105.4	
4			6.8	101.4	
	N 1/4 of		16th	at	
TP	3.28	111.2	2.75	105.44	BM SW 4 16
WL			2.1	109.0	
bb			5.0	106.1	
4			9.0	102.1	
	N bb of		16th	at	
WL			1.7	109.4	
bb			4.7	106.4	
4			8.0	103.1	

111.2

	N Side of		16th	Elev at
WL		111.1	0.4	110.7
bb			3.8	107.3
4			7.6	103.5
b			11.5	99.6
	25'	N of	16th	at
WL			0.0	111.1
bb			3.8	107.3
4			6.8	104.3
b			12.4	98.7
	50'	N of	16th	at
WL			0.8	110.3
bb			4.4	106.7
4			9.0	102.1
b			13.6	97.5
	75'	N of	16th	at
WL			2.4	108.7
bb			6.5	104.6
4			10.2	100.9

		111 LV		
	100'	n of	16th	at
W2			3,3	107.8
bh			7,0	104.1
4			11,6	99.5
	125	n of	16th	at
W2			4,0	107.1
bh			7,4	103.7
4			11,2	99.9
	150'	n of	16th	at
W2			6,2	104.9
bh			10,2	100.9
4			13.8	97.3
TP	0,56	100,20	11,48	99.64
	25'	n of	16th	at
El			16,5	83.7
bh			11,5	88.7
4			6,4	93.8

		100.20		Elev at
	50'	n of	16th	at
El			18.5	81.7
bh			13.8	86.4
4			9.0	91.2
	75'	n of	16th	at
El			18.9	81.3
bh			14.0	86.2
4			9.7	90.5
b			4,6	95,6
	100'	n of	16th	at
El			18,2	82.0
bh			14,2	85.9
4			10,0	90.2
b			5,6	94.6
TP	3,99	94.72	9,47	80.73
	125'	n of	16th	at
El			14.7	80.3
bh			11.0	83.7
4			7.0	87.7
b			1.5	93.2

		947 N		
	150'	N of	16th	St
El			15,0	79.7
bb			10,7	84.0
4			6,3	88.4
b			2,2	92.5
	175'	N of	16th	St
El			14,4	80.3
bb			10,4	84.3
4			5,5	89.2
b			1,8	92.9
	240'	N =	S line of	17th St
El			13,2	81.5
bb			9,5	85.2
4			5,0	89.7
b			0,5	94.7
	S bb of		17th	St
El			12,5	82.2
bb			9,0	85.7
4			5,0	89.7
			0,0	94.7

		947 N		Elev of St
	S 1/4	of	17th	St
El			11,8	82.9
bb			8,5	86.2
4			3,1	91.6
	Center	of	17th	St
El			11,7	82.8
bb			7,8	86.9
4			2,3	92.4
	N 1/4	of	17th	St
El			11,0	83.7
bb			7,8	86.9
4			3,2	91.4
	N bb	of	17th	St
El			10,0	84.7
bb			6,0	88.7
4			2,0	92.7
	N line	of	17th	St
El			7,5	87.2
bb			4,0	90.7
			0,0	94.7

	175' n of	16th	E		
	1283	112.47	99.64		TP 4 Pop 60
WL			6,3	106.2	
bb			9,0	103.5	
y			12.4	100.1	
b			16,0	96.5	
	200' n =	S 2 of	17th	at SW H	
WL			2,0	109.89	17th 4 Elev
bb			6,5	106.0	
y			11,0	101.5	
b			17,5	95.0	
	S bb of		17th	E	
WL			2,0	110.5	
bb			6,5	106.0	
y			11,0	101.5	
b			15,8	97.7	

		112.47			Elev at
	S 1/4 of		17 th	E	
WL			1,2	111.3	
bb			5,5	107.0	
y			10,5	102.5	
b			15,0	97.5	
	Center of		17th	E	
WL			0,8	1117	
bb			4,2	108.3	
y			8,0	103.5	
b			13,8	98.7	
	N 1/4 of		17th	E	
WL			0,0	112.5	
bb			4,6	107.9	
y			9,2	103.3	
b			14,0	98.5	

11247

	N bk of	17 ft	st	
WR		+0.5	113.0	
bk		4.0	108.5	
Y		8.2	104.3	
L		13.4	99.1	
	N Lin of	17 ft	st	
WR		+1.0	113.5	
bk		3.3	109.4	
Y		8.0	104.5	
L		12.7	99.8	
				Bm S w 17 ft
	368	113.67	109.89	17 ft + dn
TP	5.58	106.72	101.14	
	25'	n of	17 ft	st
EL		12.5	92.2	
bk		11.0	95.7	
Y		6.8	99.9	
L		1.0	105.7	

106.72

Elm st

	50'	n of	17 ft	st
EL			11.0	95.7
bk			7.0	99.7
Y			3.0	103.7
	75'	n of	17 ft	st
EL			7.3	99.4
bk			3.0	103.7
	25'	n of	17 ft	st
	10.90	120.79		109.89
WR			4.0	116.8
bk			7.7	113.1
Y			13.2	107.6
	50'	n of	17 ft	st
WR			+1.2	119.0
bk			2.0	118.8
Y			7.4	113.4
L			12.5	108.3

Bm S w 17 ft

		120.79		
	75'	N of	17th	est
E 1/4			13,7	107.6
b			8,0	112.8
W 1/4			3,4	117.4
	100'	N of	17th	est
E2			17.0	103.8
bk			12,5	108.3
4			7,4	113.4
b			3,0	117.8
	125'	N of	17th	est
E2			14.7	106.1
bk			9,6	111.2
4			5,3	115.5
b			1,6	119.2
	130'	N of	17th	est
E2			12,5	108.3
bk			7,3	113.5
4			2,3	117.5
TP	11,5-4	13A11	2,22	118,57

		130.11		Cemet
	100'	N of	17th	est
W2		130.1	1,5	128.6
bk			4,9	125.2
4			9,0	121.1
	125'	N of	17th	est
W2			6,0	130.1
bk			3,3	126.8
4			7,0	123.1
	150'	N of	17th	est
W2			0,0	130.1
bk			2,4	127.7
4			6,0	124.1
b			9,7	120.4
	175'	N of	17th	est
W2			1,5	128.6
bk			4,3	125.8
4			7,0	123.1
b			10,8	119.3
4			14,8	115.3

		13011			
	200'	N of	17 ft	~~S~~ S 2 of	15 ft (70) South of 18 ft + Cm
W 2			7.44	122.67	
bb			9.1	121.0	
4			12.3	117.8	
6			16.5	113.6	
	S bb of		18 ft	"	
W 2			11.5	118.6	
bb			14.0	116.1	
TP	0.37	11761	12.87	117.24	shingle rock below S 2
	200'	N of	S 2	18 ft "	
E 1/4			10.0	107.6	
E bb			14.0	103.6	
	S bb of		18 ft	"	
W 1/4			4.6	113.0	
6			9.5	108.1	
E 1/4			14.0	103.6	

		11761		Elev at
	S 1/4 of	18 ft	at	
W 2			4.6	113.0
bb			7.6	110.0
4			11.8	105.8
	Center	of	18 ft	at
W 2			8.8	107.8
bb			13 ~	104.4
TP	13 ~	10677	12.16	105.45
	200'	N of	S 2 bb	18 ft
E 2			8.0	97.8
	S bb	of	18 ft	"
E 2			11.7	95.1
bb			7.8	99.0
	S 1/4	of	18 ft	at
E 2			14.0	92.8
bb			11.4	95.4
4			7.7	99.1
6			3.6	103.2

10677

	Center of	18th	st	
El		12.0	87.8	
bk		17,0	89.8	
4		12,8	94.0	
b		11,0	95.8	
4		6,0	100.8	
	Center + 6'	on E. line		
El		14,0	82.8	
	N 1/4 of	18th	st	
W2		4,2	102.6	
bk		8,0	98.8	
4		11,0	95.8	
b		16,0	90.8	
4		22,0	84.8	
bk		23,0	83.8	
El		12,0	89.8	

10677

	N bk of	18th	st	
El		10,6	96.2	
bk		10,0	96.8	
4		10,0	96.8	
b		12,6	94.2	
4		18,0	88.8	
bk		17,0	89.8	
W2		16,0	90.8	
	N line of	18th	st	
W2		6,0	100.8	
bk		7,0	99.8	
4		6,0	100.8	Full
b		5,0	101.8	
4		4,0	102.8	
bk		4,0	102.8	
El		4,5	102.3	
	1244	134,92	12467	SW of 18th

		134.92		
	50'	m of	18 ft	ft
E2			1,7	133.7
bk			0,5	134.4
4			0,8	134.1
6			0,0	134.9
4			2,2	132.7
bk			3,8	131.1
W2			4,7	130.2
TP	12,67	147.37	0.22	134.70
	75'	m of	18 ft	ft
E2			6,0	141.4
bk			3,7	144.7
4			1,4	146.0
6			0,2	147.2
4			0,0	147.4
bk			0,2	147.2
W2			1,0	146.4
TP	12,74	159.68	0.73	146.94

				Elev of
		159.68		
	100'	m of	18 ft	ft
W2			1!	158.6
bk			2,2	157.5
4			3,4	156.3
6			4.9	155.8
4			7,0	152.7
bk			8,2	151.5
E2			12,0	147.7
TP	12,68	170.74	1,62	158,06
	125'	m of	18 ft	ft
E2			17.8	153.9
bk			15.8	154.9
4			13,4	157.3
6			11,0	159.7
4			8,8	161.9
bk			6,7	164.0
W2			5.4	165.3

POSTED

		1707.4			
	150'	n.f	18 ch	set	
WR			0.7	170.0	
bk			2.0	168.7	
4			4.4	166.3	
6			7.0	163.7	
4			10.0	160.7	
bk			13.0	157.7	
E2			15.6	155.1	
	175'	n.f	18 ch	set	
E2			14.0	156.7	
bk			11.4	159.3	
4			8.8	161.9	
6			5.4	165.3	
4			2.6	168.1	
bk			0.0	170.7	

		1707.4		Elm 2 ch	
	200'	n =	52.4	19 ch	set
E2			12.4	158.3	
bk			9.3	161.4	
4			6.0	164.7	
6			2.9	167.8	
4			0.0	170.7	
TP	100'	1766	4.16	166.64	
	175'	n.f	18 ch	set	
WR			3.57	173.2	
	200'	n =	52.4	19 ch	(70') SW to 19 ch
WR			1.32	175.30	
bk			3.5	173.2	
TP			1.22	175.44	SW to 19 to Elm

	4.71	180.15		175.44	SW 1/4
	S bb of		19 ft	±	
WL			4.5	175.7	
bb			6.2	174.0	
4			9.2	171.0	
6			11.3	168.9	
4	S 1/4 of		19 ft	±	
WL			4.4	175.8	
bb			5.3	174.7	
4			7.8	172.4	
6			10.2	170.0	
4			13.0	167.2	
	Center of		19 ft	±	
WL			3.7	176.5	
bb			5.1	175.1	
4			7.0	173.2	
6			9.4	170.8	
4			11.4	168.8	

		180.15			Elev of
	N 1/4 of		19 ft	±	
WL			2.9	177.3	
bb			4.4	175.8	
4			6.4	173.8	
6			8.5	171.7	
4			10.6	169.6	
bb			13.6	166.6	
	N bb of		19 ft	±	
WL			2.4	177.8	
bb			4.0	176.2	
4			5.8	174.4	
6			8.0	172.2	
4			10.3	169.9	
bb			14.7	167.5	

POSTED

		18015		
	N 2	of	19 ft	N
WL			2,2	178.0
bk			3,8	176.4
4			5,4	174.8
6			7,8	172.4
4			10,0	170.2
bk			12,6	167.6
TP	2,38	17089	11.64	168.51
	Slab	of	19 ft	N
El			11.4	159.5
bk			8,0	162.9
4			5,5	165.4
	S 1/4	of	19 ft	
El			9.8	161.1
bk			7,0	163.9
	center	of	19 ft	N
El			8,2	162.7
bk			5,2	165.7

		17089		Elev at
	N 1/4	of	19 ft	N
El			6.8	164.1
bk			4,5	166.4
	N bk	of	19 ft	N
El			6,2	164.7
	N sur	of	19 ft	N
El			5.4	165.5
5	50'	N of	19 ft	N
El			1.2	169.7
TP	12.09	18060	2.38	168.51
bk			9.5	171.1
4			7,6	173.0
6			5,5	175.6
4			2,5	178.1
bk			1,9	179.6

		180.60		
	100'	n of	19+	st
El			7.6	173.0
bk			5.5	165.1
y			3.0	177.6
b			0.0	180.6
TP	11.79	191.27	6.6	179.98
	50'	n of	19+	st
WL			9.7	181.6
	100'	n of	19+	st
WL			4.9	186.4
bk			6.5	185.8
y			8.6	182.7
	150'	n of	19+	st
WL			2.4	188.9
bk			3.7	187.6
y			5.3	186.0
b			7.3	184.0
y			9.4	181.9
bk			14.0	179.3
El			13.6	177.7

		191.27		Elev st	
	200'	n =	S of	rock st	(70')
El			12.3	189.0	
bk			10.4	180.9	
y			8.7	182.6	
b			6.3	185.0	
y			4.6	186.7	
bk			3.0	188.3	
WL			1.81	189.5	SW H 20 + Elev
	S bk	of	rock	st	
WL			1.7	189.6	
bk			2.7	188.6	
y			3.9	187.4	
b			5.5	185.8	
y			7.6	183.7	
bk			9.9	181.4	
El			12.0	179.3	

1927

	S ¼ of	rod	Elev
E2		11.6	179.7
bk		9.7	181.6
4		8.0	183.3
6		5.5	185.8
4		3.9	187.4
bk		2.2	189.1
W2		1.0	190.3
	center of	rod	Elev
W2		1.1	190.2
bk		2.0	189.3
4		3.9	187.4
6		5.8	185.5
4		7.6	183.7
bk		9.7	181.6
E2		11.7	179.9

1927

	N ¼ of	rod	Elev
E2		11.8	179.5
bk		9.9	181.4
4		8.7	183.1
6		6.1	184.2
4		4.8	186.5
bk		3.1	188.2
W2		1.8	189.5
	N bk of	rod	Elev
W2		1.5	189.8
bk		3.0	188.3
4		4.4	186.9
6		5.6	185.7
4		7.0	184.3
bk		9.6	181.7
E2		11.7	179.6

19127

	N Line of		20 ft	at
El			11.5	179.8
bk			10.0	181.3
4			8.5	182.8
6			6.0	185.3
4			4.4	186.9
bk			2.9	188.4
WL			1.6	189.7
TP	2.43	188.30	5.40	185.87
	25'	n of	20 ft	at
WL			+1.0	189.3
bk			0.7	187.6 ✓
4			2.8	185.5
6			5.0	183.3
4			6.6	181.7
bk			8.4	179.9 ✓
El			9.5	178.8

188.30

	50'	n of	20 ft	Elev at
El			10.0	178.3
bk			8.5	179.8 ✓
4			6.9	181.4
6			4.8	183.5
4			2.9	185.4
bk			1.9	186.4 ✓
WL			1.2	187.1
	75'	n of	20 ft	at
WL			0.8	187.5
bk			1.9	186.4 ✓
4			3.6	184.7
6			5.1	183.2
4			6.8	181.5
bk			8.3	180.0 ✓
El			10.3	177.8

	100'	n of	1883 rod	et	
E2			12.5	175.8	
bl			11.4	176.9	✓
y			9.5	178.8	
bl			7.8	180.5	
y			5.7	182.6	
bl			4.4	183.9	✓
W2			3.1	185.2	
	125'	n of	rod	et	
W2			4.7	183.6	
bl			6.3	182.0	✓
y			7.7	181.6	
bl			9.+	179.2	
y			10.5	177.8	
bl			11.6	176.7	✓
E2			13.1	175.2	

	150'	n of	1883 rod	Elev et	
E2			15.2	172.7	
bl			14.4	173.9	✓
y			12.4	176.9	
bl			10.6	177.7	
y			8.5	179.8	
bl			7.1	181.2	✓
W2			6.1	182.2	
TP	2.62	181.74	9.18	179.12	
	175'	n of	rod	et	
W2			0.0	181.7	
bl			1.0	180.7	✓
y			2.4	179.3	
bl			4.2	177.5	
y			6.0	175.7	
bl			8.5	173.2	✓
E2			10.2	171.5	

1874

200' W of S 2nd st (70')

E2	10,4	171.3	
bb	9,0	172.7	
y	7,3	174.4	
b	5,7	176.5	
y	3,6	178.1	
bb	2,3	179.4	
W2	1,7	180.5	

S bb of 2nd st

W2	2,0	179.7	
bb	2,8	178.9	
y	3,8	177.9	
b	4,9	176.8	
y	6,6	175.1	
bb	8,5	173.2	
E2	10,4	171.3	

1874

S 1/4 of 2nd

E2	11,0	170.7	
bb	9,6	172.1	
y	7,7	174.0	
b	6,0	175.7	
y	5,0	176.7	
bb	3,8	177.9	
W2	3,0	178.7	

center of 2nd st

W2	4,1	177.6	
bb	4,9	176.8	
y	6,0	175.7	
b	7,3	174.4	
y	9,0	172.7	
bb	10,5	171.2	
E2	11,9	169.8	

Elev of

1817.4

	2 1/4 of		rod	at
El			13,0	168.7
bk			12,0	169.7
4			10,3	171.4
6			8.1	173.6
4			7,2	174.5
bk			6,3	175.4
WL			5,9	175.8
	Rbk of		rod	at
WL			8,0	173.7
bk			8,2	173.5
4			8,6	173.1
6			9,6	172.1
4			10,5	171.2
bk			12,6	169.1
El			14,5	167.2

1817.4

	2 Line of		rod	at	Elev at
El		181.7	15,7	166.0	
bk			14,0	167.7	/
4			14,5	167.2	
6			11,9	169.8	
4			11,3	170.4	
bk			10,4	171.3	
WL	0,14	172,39	9,49	172,25	new H 2 4 Elev
	50'	n of	rod	at	
WL			10,0	162.4	
bk			10,6	161.8	
4			11,5	160.9	
6			12,0	160.4	
4			12,5	159.9	
TP	0,80	160,93	12,66	15-973	
bk			1,4	158.8	
El			3.0	157.2	

		160.23		
	75'	n-f	z to t	t
EL		160.2	8,6	151.6
bk			7,5	152.7
4			7,0	153.2
b			6,3	153.9
4			6,0	154.2
bk			4,7	155.5
WL			3,9	156.3
	100'	n-f	z to t	t
WL			10,8	149.4
bk			11,2	149.0
4			12,8	147.4
TP	0,99	148.81	12,36	147.87
b			2,2	146.7
4			3,6	145.3
bk			4,3	144.6
EL			5,5	143.4

				Elev t
		148.86		
	125'	n-f	z to t	t
EL		148.9	12,3	136.6
bk			11,0	137.9
4			11,3	137.6
b			10,0	138.9
4			8,5	140.4
bk			8,0	140.9
WL			8,0	140.9
TP			12,54	136.42

Continued in Book 363

POSTED

Culvert at Evergreen St
&
Byrnes St

8.96	29.37		20.41
11.37	39.60	1.14	28.23
6.80	41.15	1.25	34.35
7' W of W2		9.4	31.7
W2 of Evergreen		9.6	31.5
S of Byrnes		11.7	29.4
Cent Byrnes		12.8	28.3
N & bn		13.3	27.8
70 E of E2 Evergreen		13.6	27.6

7' North Sr
New Main
& Services

10" Culvert Es
None marked take X Streets or grades



DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

For Single Track Embankment.

Roadway 14 feet wide. Side Slopes $1\frac{1}{2}$ to 1.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	7.0	7.2	7.3	7.5	7.6	7.8	7.9	8.1	8.2	8.4	0
1	8.5	8.7	8.8	9.0	9.1	9.3	9.4	9.6	9.7	9.9	1
2	10.0	10.2	10.3	10.5	10.6	10.8	10.9	11.1	11.2	11.4	2
3	11.5	11.7	11.8	12.0	12.1	12.3	12.4	12.6	12.7	12.9	3
4	13.0	13.2	13.3	13.5	13.6	13.8	13.9	14.1	14.2	14.4	4
5	14.5	14.7	14.8	15.0	15.1	15.3	15.4	15.6	15.7	15.9	5
6	16.0	16.2	16.3	16.5	16.6	16.8	16.9	17.1	17.2	17.4	6
7	17.5	17.7	17.8	18.0	18.1	18.3	18.4	18.6	18.7	18.9	7
8	19.0	19.2	19.3	19.5	19.6	19.8	19.9	20.1	20.2	20.4	8
9	20.5	20.7	20.8	21.0	21.1	21.3	21.4	21.6	21.7	21.9	9
10	22.0	22.2	22.3	22.5	22.6	22.8	22.9	23.1	23.2	23.4	10
11	23.5	23.7	23.8	24.0	24.1	24.3	24.4	24.6	24.7	24.9	11
12	25.0	25.2	25.3	25.5	25.6	25.8	25.9	26.1	26.2	26.4	12
13	26.5	26.7	26.8	27.0	27.1	27.3	27.4	27.6	27.7	27.9	13
14	28.0	28.2	28.3	28.5	28.6	28.8	28.9	29.1	29.2	29.4	14
15	29.5	29.7	29.8	30.0	30.1	30.3	30.4	30.6	30.7	30.9	15
16	31.0	31.2	31.3	31.5	31.6	31.8	31.9	32.1	32.2	32.4	16
17	32.5	32.7	32.8	33.0	33.1	33.3	33.4	33.6	33.7	33.9	17
18	34.0	34.2	34.3	34.5	34.6	34.8	34.9	35.1	35.2	35.4	18
19	35.5	35.7	35.8	36.0	36.1	36.3	36.4	36.6	36.7	36.9	19
20	37.0	37.2	37.3	37.5	37.6	37.8	37.9	38.1	38.2	38.4	20
21	38.5	38.7	38.8	39.0	39.1	39.3	39.4	39.6	39.7	39.9	21
22	40.0	40.2	40.3	40.5	40.6	40.8	40.9	41.1	41.2	41.4	22
23	41.5	41.7	41.8	42.0	42.1	42.3	42.4	42.6	42.7	42.9	23
24	43.0	43.2	43.3	43.5	43.6	43.8	43.9	44.1	44.2	44.4	24
25	44.5	44.7	44.8	45.0	45.1	45.3	45.4	45.6	45.7	45.9	25
26	46.0	46.2	46.3	46.5	46.6	46.8	46.9	47.1	47.2	47.4	27
27	47.5	47.7	47.8	48.0	48.1	48.3	48.4	48.6	48.7	48.9	27
28	49.0	49.2	49.3	49.5	49.6	49.8	49.9	50.1	50.2	50.4	28
29	50.5	50.7	50.8	51.0	51.1	51.3	51.4	51.6	51.7	51.9	29
30	52.0	52.2	52.3	52.5	52.6	52.8	52.9	53.1	53.2	53.4	30
31	53.5	53.7	53.8	54.0	54.1	54.3	54.4	54.6	54.7	54.9	31
32	55.0	55.2	55.3	55.5	55.6	55.8	55.9	56.1	56.2	56.4	32
33	56.5	56.7	56.8	57.0	57.1	57.3	57.4	57.6	57.7	57.9	33
34	58.0	58.2	58.3	58.5	58.6	58.8	58.9	59.1	59.2	59.4	34
35	59.5	59.7	59.8	60.0	60.1	60.3	60.4	60.6	60.7	60.9	35
36	61.0	61.2	61.3	61.5	61.6	61.8	61.9	62.1	62.2	62.4	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.