
LA JOLLA BVD.
TRANSIT
393
F.B.351

FB # 351 (CONT.) PAGE

BLVD; INEEKS ADD'N. 50-51
NORTH. LEVELS

FT. STOCKTON BLVD. 52-58
SURVEY

BRICK CANYON RD. - 59

RD. from FRONT - 60-61
BETWEEN WALNUT
& LIPAS. LEVELS

GARNET & PENDLETON 68-70
BLVD. SURVEY

PROSPECT ST. at BEACH 71.
ROW. SURVEY

LOTS 2, 3, 4, BLK 41 - 72
LA JOLLA PARK.

CANYON BLVD. THROUGH - 73
BLK. 379

FB # 351 PAGE

BOULEVARD BETW. - 1-12
PEARL & BORDEN ST.
SURVEY

"B" LINE; TECOLOTE BR. 13-14
TO MORENA

ROAD CONNECTING 19-21
LA JOLLA WITH OLD
TOWN.

JEFFERSON ST. BETW. 23-25
TWIGGS & SMITH ST'S.

HOSPITAL GRADE; 26-29
HILL CREST DR. TO
CANON.

BOULEVARD from 30-44
THORN & ALBATROSS
DOWN BRICK YARD CAN-
YON.

ROAD FROM GOLDFINCH 45-
& MARKET to BRICKYARD 49
CANYON ROAD

TRAVERSE TABLE FOR TRANSIT BOOK.

From 1° to 90° for a distance of 100.

351

Degrees.	DEGREES. Lat.	DEGREES. Dep.	¼ DEGREE. Lat.	¼ DEGREE. Dep.	½ DEGREE. Lat.	½ DEGREE. Dep.	¾ DEGREE. Lat.	¾ DEGREE. Dep.	Degrees.
0			100.00	0.44	100.00	0.87	99.99	1.31	89
1	99.98	1.75	99.98	2.18	99.97	2.62	99.95	3.05	88
2	99.94	3.49	99.92	3.93	99.91	4.36	99.88	4.80	87
3	99.86	5.23	99.84	5.67	99.81	6.10	99.79	6.54	86
4	99.76	6.98	99.73	7.41	99.69	7.85	99.66	8.28	85
5	99.62	8.72	99.58	9.15	99.54	9.58	99.50	10.02	84
6	99.45	10.45	99.41	10.89	99.36	11.32	99.31	11.75	83
7	99.25	12.19	99.20	12.62	99.14	13.05	99.09	13.49	82
8	99.03	13.92	98.97	14.35	98.90	14.78	98.84	15.21	81
9	98.77	15.64	98.70	16.07	98.63	16.50	98.56	16.93	80
10	98.48	17.36	98.40	17.79	98.33	18.22	98.25	18.65	79
11	98.16	19.08	98.08	19.51	97.99	19.94	97.90	20.36	78
12	97.81	20.79	97.72	21.22	97.63	21.64	97.53	22.07	77
13	97.44	22.50	97.34	22.92	97.24	23.34	97.13	23.77	76
14	97.03	24.19	96.92	24.62	96.81	25.04	96.70	25.46	75
15	96.59	25.88	96.48	26.30	96.36	26.72	96.25	27.14	74
16	96.13	27.56	96.00	27.98	95.88	28.40	95.76	28.82	73
17	95.63	29.24	95.50	29.65	95.37	30.07	95.24	30.49	72
18	95.11	30.90	94.97	31.32	94.83	31.73	94.69	32.14	71
19	94.55	32.56	94.41	32.97	94.26	33.38	94.12	33.79	70
20	93.97	34.20	93.82	34.61	93.67	35.02	93.51	35.43	69
21	93.36	35.84	93.20	36.24	93.04	36.65	92.88	37.06	68
22	92.72	37.46	92.55	37.86	92.39	38.27	92.22	38.67	67
23	92.05	39.07	91.88	39.47	91.70	39.87	91.53	40.27	66
24	91.35	40.67	91.18	41.07	91.00	41.47	90.81	41.87	65
25	90.63	42.26	90.45	42.66	90.26	43.05	90.07	43.44	64
26	89.88	43.84	89.69	44.23	89.49	44.62	89.30	45.01	63
27	89.10	45.40	88.90	45.79	88.70	46.17	88.50	46.56	62
28	88.29	46.95	88.09	47.33	87.88	47.72	87.67	48.10	61
29	87.46	48.48	87.25	48.86	87.04	49.24	86.82	49.62	60
30	86.60	50.00	86.38	50.38	86.16	50.75	85.94	51.13	59
31	85.72	51.50	85.49	51.88	85.26	52.25	85.04	52.62	58
32	84.80	52.99	84.57	53.36	84.34	53.73	84.10	54.10	57
33	83.87	54.46	83.63	54.83	83.39	55.19	83.15	55.56	56
34	82.90	55.92	82.66	56.28	82.41	56.64	82.16	57.00	55
35	81.92	57.36	81.66	57.71	81.41	58.07	81.16	58.42	54
36	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	53
37	79.86	60.18	79.60	60.53	79.34	60.88	79.07	61.22	52
38	78.80	61.57	78.53	61.91	78.26	62.25	77.99	62.59	51
39	77.71	62.93	77.44	63.27	77.16	63.61	76.88	63.94	50
40	76.60	64.28	76.32	64.61	76.04	64.94	75.76	65.28	49
41	75.47	65.61	75.18	65.93	74.90	66.26	74.61	66.59	48
42	74.31	66.91	74.02	67.24	73.73	67.56	73.43	67.88	47
43	73.14	68.20	72.84	68.52	72.54	68.84	72.24	69.15	46
44	71.93	69.47	71.63	69.78	71.33	70.09	71.02	70.40	45
45	70.71	70.71							
Degrees.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Degrees.
	DEGREES		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		

MISCELLANEOUS 1964

Published by H. S. Crocker Company, Stationers, Drawing Materials, Mathematical Instruments, etc., San Francisco.

675 yreka bakery

Return to City Engineers Office
City Hall, San Diego, Cal.

Crocker Quality

TRANSIT BOOK

No._____

_____

MANUFACTURED BY

H. S. CROCKER CO.

SAN FRANCISCO AND SACRAMENTO
CALIFORNIA

FROM
LORING'S BOOK STORE
SAN DIEGO, CAL.

14.01 2.24

Opp Foremans house Hardys Cap. Tack
pole 3' above Ground 23.19
Hd. spk. pole. Ground. 20.85

Bridge Cap. Tack 2' above grd. 13.90
Bridge Hd. spk pole N. bridge grd. 11.44

9th pole top hill along fence N.E of bridge
Ha spk. grd. 4601


POSTED

Survey of Section Line from Pearl & Borden Sts.

Sta.	Angle	Dist.	Pts.	Needle
76+20.3	Δ			S 43° 0' E.
58+17.7				inter. Parcel line 201 Blvd. 2 1/2 ft ℄
55+36.6	Δ 26° 0' L			S 43° 0' E = 011 Blvd.
51+08	Δ			S 17° 0' E.
43+0	Δ			S 17° 0' E
32+0.0	Δ	Wash	Bridge	S 17° 0' E
30+34.95	Δ 13° 14' R.			= N. end Bridge on 5th Ave. 51.21 from Ch. of Pearl
		688.45		
24+06.5	Δ			S 30° 15' E
		1730.25		
6+76.25	Δ 89° 48' L			S 30° 15' E.
		58.95		
6+17.3	Δ 63° 28' R.			N 59° 30' E.
		168.1		
1+49.2	Δ 26° 34' R.			N 4° 04' W.
0+00				S 30° 30' E



"A" Line

This Line Not Used

30+30.5 = 5.5+36.6 Main Line.

575.8

5+54.7 2°50' L S 13°0' E. 2nd & Ost Blvd.

354.7

21+00 Δ 5°50' L S 40°00' E

400

17+00 Δ 10°0' L S 34°15' E

500

12+00 Δ 5°0' L S 24°15' E

548.7

6+51.3 Δ 19°0' L S 19°15' E Ost Blvd.

621.3

0+30 89°54' R S 59°45' W. Balboa & Boa Ost Sts

30.0

0+00 "A" line S 30°15' E

30+94.95 = 0+00 A Line = Inter La Jolla Blvd & Boa Ost

Station	Angle	Dist.	Needle
146+99			
132+18.9			
128+43	59°36' L		N60°30E
123+00 D			36°00' E
113+29.7 △			
103+29.5	6°58' L		S60°15'E
99+00	10°0' L		S53°15'E
90+0.0			S43°15E
84+80.5	0°03' R.		S43°15'E
78+77			S43°0'E
78+47			

17 line Balboa St.

after ℄ R.R.

after ℄ Oil Blvd. & ℄ Turquoise Ave.



5 line Bird Rock

Tangent Oil Blvd. ℄



N line Bird Rock City By the Sea

^

S end bridge

N end bridge

La Jolla Blvd.

"B" Line

This was Used

.50 = 1'

27+85.7 Offset 2' W and Run South on Tang. Ont Boulevard.

27+85.7 B" line = 57+97 Main Line 31366 from R.R. track P.T.

21+00 Δ

13+22.65 Δ 31366 from R.R. track P.C. Curve to Left.

5+78 Δ 27°05' L S 18°30' E

4+30

0+00 Δ 38°46' R. S 58°30' W.

30+94.95 = 0+00 B" line

305.8 to N Rail

0°29'
1°49'
2°10'
3°09'
4°00'
4°50'
5°40'
6°30'
7°21'
8°11'
9°01'
9°51'
10°41'
11°32'
12°14'3.0"

R. 3424.45

Length Curve = 1463.0

Δ Angle 24°29

Tang = 743.0

Main Culvert

N line Bonair St.

Line across Titus and Scripps land.
P.L. 1258



Plat showing triangular piece of land to be deeded to Bldg Corp. by W E Nicholson



See page 15 for sketch

43+10.9 Continued page 17 inter W. line R.W. of Santa Fe Ry. Co.

35+35.5 Δ 10°11' R. N61°30'E N61°57'E

31+19

31+00 Δ

30+19.75 inter. Pueblo line

29+11.85

28+96.35 inter. N. line R.W. La Jolla Road with N. line Right of way, Posted.

26+00 Δ N60°0'E N60°46'E

19+60.9

18+88.2

18+44.3

11+76.5 Δ N60°0'E N60°46'E
POSTED

4+80.8 Δ 28°08' L. N32°30'E N33°07'E

3+96.2

3+72

0+0.0 Δ N61°15'E N61°15'E

R.W. So. Cal. Ry. Co. Sta 43+10.9

76°38'

X Fence on Rose Canon Road.

℄ R.R. Track. POSTED

E end bridge

20.6' wide.

W. end bridge

PT. L.C. 667.8

P.T. Rad. 1384.4

Tan lg = 340.68

PC. curve to right Δ 27°39

℄ R.R. Track.

culvert

S. side Pendleton St. & Garnet St.

Backsight ℄ Garnet St.

"C" Line.

Curve at inter Turquoise & Oil Blvd.



50 c/l = 6° 04.5'
12° 09'
18° 13.5'
24° 18'
29° 98'

L.C = 245.18
R 235.72
Tang = 135.0
P.C curve to left Δ = 59°36

= P.T.

2+45.75 = 129+78.0 main line

0+00

0+00 "C" Line = 127+08.0 main line

109+00 △		1195	
103+07.5 △			S. side Edison St.
98+00			Culvert 12"
97+84 △	41°48' L	N48°15' W.	Inter. Baltimore & Field St.
93+74.3 △		1719.1	
85+25			Bridge
80+64.6	89°58' R.	N6°30' W.	Inter. Jefferson & Baltimore
		349.8	
77+14.8 △	89°56' L		Inter. Jefferson & Clay Cage
		1309.3	
64+05.5 △	90°02' R.		Inter. Monroe & Clay Cage St.
		1048.5	
53+57 △	90°0' L	S83°45' W.	Inter. Franklin & Water St.
42+00 △		7354.0	
30+03 △	15°52' R.	N6°15' W.	Inter. Water Line & E. Franklin St.
		POSTED	
		1275.8	
17+77.2 △	4°20' R.	N22°00' W.	
11+45.7 △		1777.7'	N26°30' W.
7+90			
0+00	42°08' R	N26°30' W.	
		N68°32' W.	



151+00 △				
143+82.6 △	49°40' L		S47°15' W	
143+29.5			W Side R of W	
142+51.2		771.	E of Santa Fe Track	
141+73.5			E side R of W of Santa Fe	
141+11 △	21°53' R.		N83°15' W	
		501.0		
136+10 △	90°05' L.		S75°0' W	Inter. E Prop. of 23rd Ave. Park.
135+00				Culvert 8"
133+14		570.6		NE. cor. Lot 4
130+80				Culvert 8"
130+39.4	27°56' R.		N14°45' W	Intersect line of Lot 4 & 21. - 215' from R/W of Santa Fe
128+85 △			N14°45' W	
126+50				Culvert 18"
121+50		1744.1		Culvert 8"
119+00				Culvert 12"
116+05 △				
115+90				Culvert 8"
113+20				Culvert 12"
112+55.3 △	7°03' L		N42°30' W	
		316.3		
110+20				Culvert 18"
109+79 △	12°58' R.		N35°30' W	Pt. 215' at R.A from E. R.W. Santa Fe



"B" Line from Tecolote bridge to Morena (Jelleth & Baltimore)

13

58+87 = 80+64.6 Main Line at Baltimore & Jellett St.

89°22.8

0+54.3
23+32 = B Line 00
19+64.2 Δ 62°10' R. N6°15'W. 40' W of E. line

0+19.5

POSTED

0+20.4 42°08' L N68°45'W.

0+00 B.S. on Sta 11+45.7

POSTED

Morena

1

Inter Rud Line

Baltimore St

Col Lot

POSTED

19+77.2 Main Line = 0+00 "B" Line



"C" Line La Jolla Blvd.

POSTED

39+67
26+09.3
26+06.7
25+76

11°12 Δ 22°19' L

8+11.4

4+55

0+00

554°45'E

532°30E P.T.

Δ 26°08
Rad 1779.5
Tan 413.00
Exter 47.30
L.C. 811.4
P.C. to left



Inter E Venice Blvd & 50 ft rw E of Santa Fe

POSTED

line fence

5 to 23+93.4 "B" Line = 0+00 "C" Line
10 ft of B line along Baltimore St

"D" Line La Jolla Blvd.

marks ahead 0+60

KH 2.10' left 8.1+1.6 Main line

18+03.35 "D" Line

Prob

18+03.35

Inter Main Line
Sta 7+14.35

11+60.1

Inter Prob Line

26+15.5

Linda Ave.

17+78.9

Inter Prob Line



11+60.1 Δ 24°57'R

S 43°30' E

21+30.3

0+00 36°11'L

S 68°30 E



Survey of ℄ R.R. Track commence at Sta 38+95.35 = inter ℄ Blvd & ℄ R.R. Track

Fore sight on Sta 30+49.75

4+50	56° 16' R.
4+00	53° 29' R.
3+50	50° 22' R.
3+00	47° 05' R.
2+50	43° 53' R.
2+00	40° 39' R.
1+50	37° 21' R.
1+00	34° 01' R.
0+50	30° 30' R.
0+00	Sta 28+95

2+50	11° 52' R.
2+00	14° 33' R.
1+50	17° 46' R.
1+00	21° 01' R.
0+50	23° 58' R.
0+00	Sta 28+95

Commence at Sta 38+95 on Blvd line and curve to left. Backsight Sta 30+49.75



"E" line from P.C. curve on Baltimore St. to Venice St.

14+22.17 = 14+12 "C" line

14+01 36°11' L.

8+1.35

4+47.0

3+71.92 = inter. line bet 5 & 6

0.100 = 23+93.8 "B" Line.

P.T.

inter. Rec. line
L.C. 817.35
R. 1792.0
T 415.9
Δ 26°08
P.C. curve to left



POSTED

POSTED

Continued from page 7.

Survey La Jolla Blvd.

	P.T.
	L.C. 147.85
	R. 191.1
	T 77.85
	Δ 44°-0'
45+17.35	P.C.
44+21	℄ R.R. Track
43+48	S Side R.W. Santa Fe
42+92.1	P.T.
	L.C. 166.7
	R 286.6
	T. 85.80
	Δ 33°20'
41+25.4	P.C. Curve to R.

℄ Valley Forge Circle

18

24

Road Connecting La Jolla Av. with Old Town

21
20
19
18
+22.9 Inter. Torrey & Trinity
17
16
15
14
+73.2 Δ 45°35'L. N 68°35'W. Inter. Torrey
13
12
11 7733
10
9
8
7
6 Δ 13°43'R. N 23°0'W.
+27.4 S.W. Cor. Grave yard
5
4
3
+30.5 inter St ℄
2
1
0
0+00 4°30'R. N 36°40'W.
B.S. ℄ La Jolla Ave.

Harney

511.95

Cor. 12+27.7 14+21.55

57°23'

7°04'

45°37'

Sta. 6+63.4

Torrey St.

Sta. 20+33.4

33.8'

Curve

1843

Sta. 10+59.9

Congress

56°58'

5°06'

Sta. 10+10.5

B Line

43°13'

Sta. 7+22.2

Amphitheatre

Sta. 6+19.5

+57°22'

Sta. 2+30.5

427°21'

222.5'

Trias

POSTED


20
Taylor St
Washington
San Diego St
Troy St
Bond
Harney
POSTED

"B" Line thro Old Town

+46 = 13+73.2	42°44'L		N68°35'W	Harney & Juan
18		146		
17+00	10°49'R.		N26°0'W.	
16		70°		
15+00	12°37'R.		N26°50'W.	
14		185		
+15	13°54'R.		N49°30'W.	
13				
12		190'		
+35	27°40'L		N63°30'W	
11				
10				
+65			N35°45'W.	
9		375		
8				
+50	10°0'L.		N35°45'W.	
7				
6		350		
5				
4+00	14°21'L		N25°40'W	
3				
2		400		
1				
0+00	30°0'R.		N11°30'W	inter B Line Trias St & La Jolla Ave.

Foresight E La Jolla Ave.
N42°30'W

POSTED

+86 △ inter. Washington & Webster St

32

31

30

29

28

27

26

25

24

23

22

+95.7 △ 39°54' R. N. 28°45' W. Twigg & Juan Sts.

21

20

19

POSTED

Survey Jefferson St. between Trigg & Smith Sts.



Old Town Road

Sta		
		Setup Sta 3+15 sight on Sta 4+67.1
1	46° 07' L	17.8
2	4° 14' L	24.5
3	40° 48' R	57.5
4	58° 0' R	54.2
5	66° 56' R	34.2
6	80° 02' R	39.6
7	95° 03' R	7.50
8	119° 50' R	21.2
9	160° 31	4.7
10	63° 25'	18.0

4+67.1

207.1

2+60 △ 4° 08' R

0+54 △

0+00 48° 30' L



Inter. Short St & Chestnut

Inter. W Line Hickory & E Taylor St.
Fire sight on E Taylor at Chestnut St.

Old Town Road

Station		distance	set at sta 1+62
			Foresight on line ahead
1	6°02' R	12.2	
2	115°10' R.	24.5	
3	11°40' R.		
4	1°42' R.	67.5	
5			
6			

This line is 15 ft. E. of Center Stake.

5+93.

4+98.89 △

4+36.5 = barn

3+22.0 inter Taylor St

2+50.75

1+61.2 △

0+00 △ 44°42' R.



Hospital Grade from Hillcrest Drive to road in Canon.

3-18

				N	S	E	W
			N 83° E				
8+60 △	15° 0' R.				217		2
		65	N 68 E	24		60	
7+95 △	50° 0' R.		N 18° E		241		67
		135		128		42	
6+60 △	45° 0' L.		N		369		104
		60	N 63 E	27		54	
6+00 △	15° 0' L.		N		396		155
		50.0	N 78° E	10		49	
5+50 △	70° 0' L.		N 8 E		416		207
		60.5	S 32 E		51	32	
4+90 △	35° 0' L.				365		239
4+50 △		105	S 3° W		105		5
3+85 △	60° 0 L				260		234
		110	S 63 W		50		98
2+75 △	12° 0' R.		S 51 W		210		136
		175	S 51 W		110	110	136
1+00 △	51° 0' R.		S 51 W		100		
		100	S		100		
0+00 =							



Inter Hillcrest Drive & 6th St.

Backsight ℄ E. 6th St.

Creek on road from Hillcrest drive to Rowan Canon. Readings @ 8.20 each c.

	0.82	288.78		287.96 B.M.
T.P.	6.23	286.90	8.11	280.67
		0+00		
W.			3.5	283.4
C.			2.8	284.1
E			1.3	285.6
		0+50		
E			1.5	285.4
C			1.9	285.0
W.			2.0	284.9
		1+00	Apx.	
W.			3.6	283.3
C.			3.4	283.5
E			4.1	282.9
		1+00		
E			10.2	276.7
C			3.4	283.5
W			3.2	286.7
		1+20		
W			3.3	283.6
C			5.3	281.6
E			13.2	273.7

POSTED

B.M. Wash. 2 H. NW. Co. Hill 287.960

		1+50		
W.		28690	11.6	275.3
T.P.	0.66	274.69	12.87	274.03
C.			4.7	270.0
E			10.2	264.5
T.P.	1.10	263.07	12.72	261.97
		2+00		
W			14.2	248.9
C.			15.6	247.5
E			18.3	244.8
		2+08		
W			11.4	251.7
C.			20.0	243.1
E			23.8	239.3
		2+50		
E			5.1	258.0
T.P.	12.15	275.02	0.20	262.87
C.			10.2	264.8
W.			6.9	268.1
		27+75		
W.			-4.0	279.0
C.			5.7	269.3
E.			15.0	260.0

POSTED

		3+00		
E.		275.07	17.5	257.5
C.			8.8	266.2
W.			3.2	271.8
T.P	2.04	264.16	12.90	262.12
		3+50		
W			7.9	254.2
C			15.9	248.3
E.			17.0	247.2
T.P	12.10	275.13	1.13	263.03
		3+85		
W.			1.6	273.5
C.			6.4	268.7
E			13.9	261.2
		4+00		
E			13.9	261.2
C.			4.1	271.0
W.			-3.5	278.6
		4+25		
W			-6.0	281.1
C.			1.2	273.9
E.			9.5	265.6

		4+50		
E		275.13	9.5	265.6
C			3.5	271.6
W.			-2.3	277.4
T.P	2.15	265.06	12.22	262.91
		5+00		
E.			14.8	250.3
C			12.3	252.8
W			10.2	254.8
T.P	0.20	253.01	12.25	252.81
		5+27		
W			6.7	246.3
C.			8.9	244.1
E.			11.3	241.7
		5+50 △ RT		
E. W			10.0	243.0
C			0.8	252.2
W S			-6.5	259.5
		6+00		
S			-4.8	257.8
C.		253.01	5.2	247.8
N.			14.1	238.9
T.P	4.35	245.78	11.98	241.83

	6+60 △ Pt.			
N		245.78	12.0	233.8
C.			3.6	241.2
S.			−4.7	250.5
	7+00			
S			5.8	240.0
C.			14.2	230.6
N			17.4	228.4
	7+12	= road.		
N			18.0	227.8
C.			17.1	228.7
S.			14.2	231.6
T.P.	1.99	235.67	12.10	233.68
B.M.			6.23	229.44
	7+50			
S.			6.7	229.0
C.			6.5	229.2
N			5.3	230.4
7+95	=1		7.2	228.5
8+00			7.2	228.5
8+60			7.9	227.8
9+00			9.0	226.7
T.P	1.90	228.59	8.98	226.69
9+50			3.4	225.2

10+00	228.6	5.3	223.3
+50		7.5	221.1
11+00		9.4	219.2

POSTED

Boulevard from Thorn & Albatross down Brickyard Canon.

0+00

0+00 = PT on ℄ Albatross, 250'5 ℄
Upas St.

0+00 opp sta 21 Old Line




Thom
See Book 492
Page 71
379
Brant
80'
Spruce
See 33
Albahara
80'
94'
66° 46'
157.94
113.73
110.3
211.53
84.18
74°43'
57'
N 29° 00' W
N 4° 26 E
6.582
6+43
8+91
40.00
17° 7'
148.85
Nov. 1/10
Schultes
Barber
Jaycox
32

Nov. 3/10

Elvidge
Barber
Taylor




Nov, 5/10
Ichilds
Barber
Taylor
Upas.
See Page 73
80'
5-8.66
80'
Albatross
Frame
Changed from
741.18 =
Nov 833.09
(393)
See Page 32
Thru
94'
80'
Frame
109.82
127.32
9.1
6.87

Nov. 9/10 { Childs Barbee Taylor



Nov. 11/10

Shields
Barbier
Taylor





Nov. 15/10 { Childs, Barber, Taylor





210.7
60
3+25
302.94

198.40
154.23
12.48
295.18

302.88
390
295.18

Sec 28



285.59
186.39

Nov. 22/10 { Abril to Barbara Taylor

39



885.57
186.39
248.81
88.41
124.27
933.47

1.15
4.39
Nov. 23/10

Mahilda
Barbe
Taylor



See page 74

Chiles
NW. 25/168 Barber
Taylor

27.62
48.41
37.03

124.12
48.41
75.71

50.65
22.62
28.03

197.68
933.38
230.57
761.63
177.11
939.13

96.54
21
117.54

88.14
64.9
153.04

34.50
20 10.91
1439.09

2514
9.36
20 10.91
2946.91

Nov. 25/10 Chisholm Barber Taylor



Nov. 28/10

Shields
Barber
Taylor



5.47

9.80
5.47
4.38
5.22
206.53

195.87

Change in road line through Block 393. Dec. 12/10

Chiefs Party Book 43



Sta. 12+00 on old line

Levels on centre line.

(393)

Sta.		H.I.	Rod	Elev.
	2.40	253.30		250.90
0+00			13.3	
T.P.	0.28	240.58	13.00	240.30
+50			3.2	
+58			3.7	
T.P.	0.93	228.48	13.03	227.55
+90			1.8	
T.P.	3.70	219.42	12.76	215.72
1+00			5.4	
+10			7.6	
+28			12.1	
+58			8.4	
+86.77			0.3	

Jan 30/11 Childs Taylor Schuller

Walnut.



11/21/12 Note ℄ as shown ℄ 1+05 is now N line J.R.W.

Page 34 next

see page 60 for levels

Levels on center line



Sta.		H.I.	Rod	Elev
T.P.	1.63	242.53		240.90
0+00			11.32	241.21
T.P.	.04	241.17		
+44			2.7	N39.5
+50			4.5	N36.7
T.P.	5.20	234.53	12.24	228.93
+82			12.1	NNN.4
1+00			8.6	NN5.9
+05			7.2	NN1.3
Front +41.56			2.3	N3N.N

B.M. S.W. cor. W/pas ⊕ First Brass Plug El. 257.51

Road survey from Goldfinch & Market to Sta. 36+07.7 on brick yard Camp on road. apr. 17/11 J. Childs Taylor Brunker

Sta.			H.I.	Rod	Elev.
J.P.	14°46' R	0.58	232.98		232.43
0+00	Center of Goldfinch			3.96	229.02
J.P.	+ north line of	0.00	220.61	12.37	220.61
+50	market			3.4	217.2
+60				5.7	214.9
+80				10.9	209.7
J.P.		6.80	215.21	12.20	208.41
1+00				11.9	203.3
+07				14.8	200.4 −2.12
+16				15.5	199.7
+50				5.0	210.2
2+00				9.4	205.8 −8.3
+20				9.9	205.3
+50				3.0	212.2
+60				0.4	214.8
J.P.		1.59	216.78	0.02	216.19
3+00				1.1	215.7 +6.9
	34°35' L				
+30	bnb.			4.00	212.80
+50				5.2	211.6
4+00				11.3	205.5
J.P.		3.02	207.50	12.30	204.18
+50				8.2	199.3 +2.4
+73				9.2	198.3
5+00				2.8	204.7 +12.8
+06				1.1	206.4
+33				9.9	203.6
+50				9.3	198.2
J.P.		0.89	195.82	12.57	194.93
J.P. 6+00		0.60	183.61	12.81	183.01
				2.2	181.4

Sta.			H.I.	Rod	Elev.
J.P.		7.34	178.26	12.69	170.92
6+50				11.2	167.5 −20.0
+57				15.3	163.0
+65				12.6	165.7
+86				5.6	172.7
7+00				2.6	175.7
J.P.		3.98	179.56	2.68	175.58 +4.2
+28				0.4	179.2
+50				3.5	176.1
8+00				13.1	166.5
+36				11.9	167.7
J.P.		0.76	167.64	12.68	166.88
+50				0.8	166.8
+91				7.3	160.3 −5.9
9+00				7.5	160.1
+50				5.1	162.5
10+00				3.0	164.6 +6.9
	19°05' L				
+30	bnb.			3.81	163.83
J.P.		9.17	164.38		
+50				1.6	167.8
11+00				9.8	154.6
J.P.		0.83	152.17	13.04	151.34
+50				5.9	146.3 −4.1
12+00	On Osborn to road			12.3	139.9
J.P.		1.61	141.55	12.23	139.94
+18				2.5	139.1
+22				1.6	140.0
+28				4.7	136.9
+30				2.8	138.8

Cont. from page 45.

Sta.		H.I. 141.55	Rod	Elev.
12+50			1.9	139.7 +2.0
13+00			1.6	140.0
+50			2.3	139.2
14+00			4.2	137.4
+50			5.8	135.8
+82			11.5	130.1
15+00			8.7	132.9
+23			8.4	133.2
+50			11.8	129.8
T.P.	023	129.52	12.26	129.29
16+00			5.9	123.6
+50			8.0	121.5
+83			11.5	118.0
+91			13.2	116.3
17+00			12.2	117.3
+35	10° 30' R lmb.		10.90	118.62
T.P.	3.80	122.42		
+50			3.5	118.9
18+00			4.0	118.4
+50			5.6	116.8
19+00			9.8	112.6
+24			13.2	109.2
+29			13.6	108.8
+37			12.7	109.7
+50			11.6	110.8

Sta.		H.I. 122.42	Rod	Elev.
20+00			11.6	110.8
+50	In old road.		10.6	111.8
+54	5°20' 181 R		10.3	112.1
+60	lmb.		8.50	113.9
21+00			9.4	113.0
+35			9.7	112.7
+50			7.9	114.5
+75			7.1	115.3
22+00			9.2	113.2
+50			12.4	110.0
T.P.	0.82	111.29	11.95	110.47
23+00			3.8	107.5
+45			7.9	103.4
+50	In old road		8.3	103.0
24+00	In old road		9.8	101.5
+42			9.1	102.2
+50			9.4	101.9
25+00			11.2	100.1
+40	13°59' L lmb.		10.98	100.31
+50			11.9	99.4
26+00			14.5	96.8
+50			14.2	97.1
27+00			12.4	98.9
+50			11.1	100.2

April 18/11 Shields Taylor Bilsbarrow 46

Cont. from page 46

Sta.		H.I.	Rod	Elev.
T.P.	2.28	100.81	12.76	98.53
28+00			5.5	95.3
+34			6.6	94.2
+50			1.6	99.2
+73			4.7	96.1
+80	In old road		7.5	93.3
29+00			9.0	91.8
T.P.	2.45	90.26	13.00	87.81
+50			4.5	85.8
+69			6.1	84.2
30+00			7.2	83.1
+32			5.9	84.4
+50			5.6	84.7
31+00			5.4	84.9
+50	In old road		5.2	85.1
32+00	" " "		6.5	83.8
+50			6.1	84.2
+80	16° 37' L bisc. In old road		8.64	81.6
33+00			8.5	81.8
+50			11.5	78.8
+76			14.1	76.2
+81			15.44	74.9
+86			14.3	76.0
34+00			13.1	77.2
T.P.	1.22	78.60	12.88	77.38
+50			1.8	76.8

April 26/11 { Schilders Taylor Bunker

47

Sta.		H.I.	Rod	Elev.
		78.60		
35+00			2.2	76.4
+50	In old road		2.9	75.7
36+00	" " "		4.6	74.0
+50	in old road		6.6	72.0
+79			8.8	69.8
+90			11.5	67.1
+96			9.5	69.1
37+00			6.4	72.2
+50			9.4	69.2
+62			11.4	67.2
+87			12.9	65.7
+91			11.7	66.9
38+00	In old road		10.1	68.5
+24			9.2	69.4
+32			8.0	70.6
+50			8.1	70.5
39+00			10.0	68.6
+42			9.1	69.5
+43			10.5	68.1
+50			10.9	67.7
+65			11.6	67.0
+68			9.9	68.7
+75			8.6	70.0

Cont. from page 47

Sta.	H.I. 78.60	Rod	Elev.
40+00		8.7	69.9
+28		10.1	68.5
+34		10.9	67.7
+50		10.9	67.7
41+00		12.5	66.1
+22	In old road	13.0	65.6
+50	" "	11.8	66.8
+67	9° 49' L hub: In old road	10.88	67.72
42+00	J.P. OHO 68.12 " " "	2.2	65.9
+50	" " "	5.2	62.9
43+00	" " "	6.7	61.4
+50	" " "	6.7	61.4
+73		6.1	62.0
+81		9.1	59.0
44+00		10.3	57.8
+41		10.3	57.8
+48		12.9	55.2
+50		12.4	55.7
+55		7.3	60.8
45+00		5.3	62.8
+30		3.5	64.6
+33		7.0	61.1
+39		4.0	64.1

April 27/11 { Hale Taylor Bunker

48

Sta.	H.I.	Rod	Elev.
45+50	68.12	4.3	63.8
+66		5.1	63.0
46+00		6.1	62.0
+16		6.5	61.6
+21		9.1	59.0
+50		12.0	56.1
+59		11.4	56.7
+71		8.3	59.8
+73		6.9	61.2
+80		5.6	62.5
47+00		4.2	63.9
+45	15° 20' L hub.	2.67	65.45
J.P. +50	3.37 68.82	3.4	65.4
48+00		1.8	67.0
+50		1.4	67.4
49+00		2.0	66.8
+30		2.1	66.7
50+80		2.1	66.7
+20.85	77° 16' R hub sta. 36+27.7 on brick yard canyon road.	1.37	67.4

Resurvey of Road of page 46 from Sta. 17+35 to Sta 25+40 July 11/11 Schields Taylor Burke

Sta.	0+00 = Sta 17+35 old line.	H.I.	Rod.	Elev.
0+00		120.68	2.06	118.62
+50			3.9	116.8
1+00			7.2	113.5
+10			8.1	112.6
+50			8.5	112.2
+83	43°26' R angle		9.90	110.8
+89			11.6	
2+00			10.0	
+34.9	So. line Yeas.		9.68	
+50			9.8	
3+00			10.8	
+50			12.3	
4+00			11.1	
+30			9.4	
+40			7.1	
+50			7.8	
+71			8.9	
+81			7.8	
5+00			7.8	
+36.62	No. line Thom.		7.05	
+50			6.4	
+76.62	28°37' R angle.		3.98	116.70
6+00	See page 61		10.1	

Sta.	H.I.	Rod	Elev.
T.P. 6+50	109.60	11.40	109.28
	0.32	3.4	
7+00		6.1	
+50		8.3	
8+00		9.0	
+03		9.29	



See Book 866 Page 4

Leuksen Bird. from N side Wecks
0400 = Nend Linda Arm & Wecks Island.

B.P.	5.35	26.20		20.85
	3.07	23.97	5.30	20.90
0			7.0	17.0
1			7.0	17.0
2			6.1	17.9
3			5.5	18.5
4			4.2	19.8
T.P.	8.38	27.90	4.45	19.57
5			6.2	21.7
6			6.4	21.5
7			5.3	22.6
+50			9.0	18.9
8			9.0	18.9
+50			5.2	22.7
9			4.0	23.9
T.P.	9.16	33.67	3.39	24.51
+50			9.9	23.8
10			8.8	24.9
+50			5.4	25.3
11			7.2	26.5
+50			6.1	27.6
12			5.9	27.8
+50			10.9	22.8
T.P.	1.26	23.20	11.73	31.94

Adam North

		23.20		
13			5.3	17.9
+50			7.8	15.4
14			9.9	13.3
+50			11.1	12.1
15			12.6	10.6
T.P.	5.30	17.10	11.40	11.80
+50			7.4	9.7
16			8.3	8.8
+50			7.8	9.3
17			7.6	9.5
+20	Astern Stab		17.1	5.0
+50			11.4	5.7
17.2			8.2	8.9
18			7.6	9.5
+50			7.1	10.0
19			7.6	9.5
+50			7.4	9.7
20			7.3	9.8
T.P.	5.19	15.22	7.07	10.03
+50			5.4	9.8
21			5.2	10.0
+50			4.8	10.4
22			4.6	10.6
+50			4.9	10.3

Advanced to bridge
6.50 10.6
27 14.4
7.8 14.3
Bridge

POSTED

		15.72		
28			4.5	10.7
+50			3.6	11.6
T.P.	12.50	27.78	0.24	14.98
24			12.1	15.4
+50			9.4	18.1
25			6.5	21.0
+50			2.1	25.4
T.P.	12.10	38.77	0.81	26.67
26			9.2	29.6
+50			11.6	27.2
+95			11.0	27.8
27+10			7.1	31.7
+50			2.0	36.8
T.P.	12.65	50.82	0.60	38.17
28			3.6	47.2
T.P.	12.20	61.81	1.21	49.61
+50			POSTED	55.3
29			1.7	60.1
T.P.	10.60	70.42	1.99	59.82
+50			5.5	64.9
30+03			4.4	66.0
+50			6.5	63.9
31			8.6	61.8
450			7.1	61.3

32		70.42	8.2	62.2
T.P.	6.60	68.77	8.25	62.17
+50			6.5	62.3
33			5.3	63.5
+50			3.6	65.2
34			3.6	65.2
+50			4.9	63.9
35			POSTED	62.2
+50			8.0	60.8
36			9.5	59.2
+50			10.8	58.0
37			12.2	55.6
B.M.			3.36	65.41 Top of bottom boom at 19" post on Ck

Survey Ft Stockton Blvd.

17			
+50 △	7°0' L.	N58°W.	
16			
15			
+25 △	17°H'R.	N51°W.	
14			
+66.8		inter St Chas.	
13			
12			
+93.1 △	49°50' L	N.69°0'W. inter St Chs.	
11			
10+0 △	22°46'R.	N21°0'W.	
9			
+88 △	25°0' R.	N43°45'W.	
8			
7+00 △	39°30'R	N68°45'W.	
6			
+45 △	13°12' R.	S71°45'W.	
5			
4			
3			
2			
1			
0+00 =	52°45'L.	S58°30'W. inter Arista & Chestnut	Back-mnt & Chestnut.

POSTED

Transcribed to Book 3 Surv. page 32

+50 △

20

19

+50 △ 9°0' R. N 49°0' W

18

Feb. 15/11 { Schields Taylor Brinker



Feb 2 0/11 | Childs Jaglen Smith



Feb 20 + 21/11 | Childs Taylor Bitsker



Resu

ta. 0+

0+00
+50
1+00
+10
+50
+83
+89
2+00
+34.9
+50
3+00
+50
4+00
+3
+4
+5
+7
+8
5+
+3
+5
+76
6+00

618
420
351.5
89.35

Feb. 23/11

Shields
Taylor
Blunker

Resi

sta.
0+00
+50
1+00
+10
+50
+83
+89
2+00
+34.9
+50
3+00
+50
4+00
+30
+40
+50
+71
+81
5+00
+36.6
+50
+76.5
6+00




Campus
1/23/13 H.
B27
B30
B31
B32
154.75
174.63
379.02
276.20
280.30
233.35
1/25/13 H.

June 7th, 1912 Brick Canyon Road

	0.77	258.28	+	257.51
	1.14	246.95	12.47	245.81
			5.93	241.02
0+00			6.0	240.9
+40			9.3	237.6
+45			10.0	236.9
	0.93	235.18	12.70	234.25
+85			13.3	221.9
1+00			12.7	222.5
△ +27.8			3.8	231.4
△ +38.3			2.9	232.3
			11.9	223.3
△ +88.3			10.0	225.2
2+14.3			13.7	221.5
	1.59	223.90 ✓	12.87	222.31
			8.3	215.6
△2+38.3			1.5	222.4
			11.4	212.5
△2+88.3			4.8	219.1
			15.5	208.4

B.M. Brass plug S.W. cor. Wpas & Trust

Curb S.E. cor. Wpas & Trust 257.57
0.77
Curb W pas ⊖ 258.28
12.47
Hub in W pas 245.81
1.14
⊖ 246.95
12.70
234.25
0.93
⊖ 235.18
12.87
222.31
1.59
⊖ 223.90

Bot opp. Sta. 1+88.3

Levels on road from Front
South see page 44 for
South & East line

Sta.		H.I.	Rod	Elev.
	3.91	245.12		241.21
0+00	center of Front		4.6	v40.5
+40	25' 20. of Pueblo line		7.52	v37.6
+58			11.0	v34.0
T.P.	1.59	233.34		233.75
+69			4.8	v30.5
+72			8.8	v26.5
T.P.	0.70	222.64	13.40	221.94
+98.3 angle			3.78	v18.9
1+20.15 angle.			0.70	v21.94
1+46.08 no. line rpas			5.22	v17.4
1+57.48 angle.			6.99	v15.65
1+64			9.9	v12.7
1+87.			12.4	v10.2
2+00.41			11.18	v11.5

upper line see page 44 & 35

Sta.		H.I.	Rod	Elev.
		245.12		
at Pueblo — See page 44			0.60	v44.5
line 0+00 - above 12+50 See page 34			11.37	233.75
+25' north			11.6	v33.5
+35' north			11.0	v34.1

bet. walnut & rpas.
diagram

1+20.15
25.93
146.08
11.40
157
43.93

Resurvey from Sta. 1+83 on Book 366 page 4

Sta.	51° 12' R	H.I.	Rod	Elev.
				116.70
T.P. 0+00 = 1+83 on page 49	1.89	118.59	7.89	110.70
+50			7.7	110.9
+52.75			7.73	110.9
1+00			9.2	109.4
+50			10.8	107.8
2+00			11.4	107.2
+50			8.8	109.8
3+00			10.3	108.3
+50 Gravel			13.2	105.4
+68			13.2	105.4
+69			12.2	106.4
T.P. +98.8 angle 20° 38' R.	0.98	107.14	12.43	106.16
			1.95	105.2
4+00			2.1	105.0
+12			2.7	104.4
+30			4.8	102.3
+50 in Road			5.2	101.9
5+00			7.0	100.1
+50			8.2	98.9
6+00			9.3	97.8
+50			9.9	97.2
7+00			12.0	95.1
T.P. +26	3.30	98.12	12.32	94.82
			4.9	93.2

page 49 to Sta 4+62.7

Jun 25-12 Abbie Taylor Bolivia

61



July 5 '12 | Childs, Taylor, Bursley

cont. from page 61

Sta.	H.I.	Rod	Elev
	98.12		
7+30		6.8	91.3
+34		4.3	93.8
+50		3.9	94.2
8+00		4.6	93.5
+41		5.83	92.29

= 4+627 Book 366 Page 4

Levels from Garnet & Pendleton Blvd. Survey.

BM	9.89	44.89		35.00
0+00 = S. side Pendleton St.			7.9	37.0
0+50			7.0	42.9
1+00			0.3	44.6
1+50			0.7	44.2
2			4.5	40.4
+35			8.9	36.0
T.P.	2.32	39.02	8.19	36.70
2+60			8.2	30.8
3+00			10.9	28.1
+38			13.1	25.9
T.P.	0.29	26.93	12.38	26.64
3+77			7.5	19.4
Elev on rail			11.05	22.9
4+00			4.3	22.6
4+30			9.6	17.3
4+60			11.5	15.4
4+80.8			12.3	14.6
T.P.	2.33	16.26	13.00	13.93
5+00			2.6	13.7
+50			3.4	12.9
6			4.0	12.3
+50			4.1	12.2

		H.I.		
		16.26		
7+00			5.1	11.2
+50			6.1	10.2
8			6.6	9.6
				Rail in 39 feet out 0+65 Sta 8.
BM			6.35	9.91
+50			6.9	9.4
9			7.1	9.2
+50			6.8	9.5
10			6.7	9.6
T.P.	3.96	14.40	5.82	10.44
+50			5.7	8.7
11			5.7	8.7
+50			5.2	9.2
+76.5 = P.C.			4.8	9.6
12			4.6	9.8
+50			4.6	9.8
13			5.0	9.4
+50			5.3	9.1
14			5.4	9.0
+50			5.4	9.0
15			5.2	9.2
+50			5.0	9.4
16			4.7	9.7
T.P.	6.00	16.55	3.85	10.55
+50			6.7	9.9
17			6.8	9.8

		16.55		
17+50			7.1	9.5
18			7.4	9.2
+44.3	P.T.		6.4	10.1
+88			8.2	on N.H. Car. Bridge
P.T.			3.09	13.4 12.46
19			3.2	13.4 on bridge
+50			3.3	13.3 " "
+60.9			2.3	13.3
20			6.2	10.4
+50			7.6	9.0
21			7.8	8.8
+50			7.6	9.0
22			7.6	9.0
T.P.	4.90	13.85	7.60	8.95
+50			4.7	9.1
23			4.8	9.0
+50			4.7	9.1
24			4.8	9.0
+50			4.8	9.0
25			4.8	9.0
+50			4.6	9.2
26			4.2	9.6
+50			4.2	9.6
27			3.9	9.9
+50			3.8	10.0

28		12.85	3.9	9.9
T.P.	7.77	18.70	2.9.2	10.93
+50			8.0	10.70
29			5.9	12.8
S. rail			5.20	13.50
E.R.R. rail			5.15	13.55
N rail			4.88	13.82
+50			4.6	14.1
30			4.1	14.6
+50			2.4	16.3
31			0.9	17.8 Tel. N rail in sight by Tangent
B.M.	11.98	30.48	0.20	18.50
32			9.7	20.8
33			6.6	23.9
34			4.2	26.3
35			1.8	28.7
+35.5			1.2	29.3
T.P.	10.45	39.82	1.11	29.37
36			9.7	30.1
37			7.2	32.6
38			4.4	35.4
39			2.0	37.8
T.P.	9.84	47.68	1.38	38.44
40			8.3	39.4
41			6.2	41.5

Next page

POSTED

Culvert on Turquoise St.

BM	2.24	114.11		111.87
	2.23	104.17	12.17	101.94
N. end.			101.0	3.17
S. "			99.5	4.67

POSTED

Continued from Page 69

41+25.4		47.68	5.5	42.2
+50			5.5	42.2
42			4.3	43.4
+50			3.8	43.9
42+92.4			2.6	45.1
43			2.5	45.2
T.P.	10.86	57.60	0.94	46.74
+48			5.5	52.1
T.P.	9.37	65.67	13.0	56.30
44			7.0	
+05			6.0	
+10			4.7	
+21			3.7	62.0 ℄ Track
+32			5.3	60.4 Edge ditch
				50.4 Bot. "
+45			3.1	Edge ditch

+90	65.67	7.9	
+92		0.9	
+98		0.0	
45		5.4	
+17.35 PC.		4.7	
45+40		3.9	
45+41		0.6	
+50		1.1	
46		4.3	
+50		4.0	
+60.7		3.8	

66.04 = BM on plain - pole 10.3' W

Survey of Lot. 28 Blk 59
Fagoda Park

Oct. 21. 1908

Childs
Barber
Rogers

Page 70 1/2

Girard Street



Prospect Street

Platted

Survey for prospect St. at Beach Road



Mar. 28/11 { Childs
Taylor
Bunker

Survey of Lots 2, 3, & 4 Blk. 41 Lafolla Park.

Ichins



7/27/11 | Through Divine Fitzgerald | Change of Line of Canyon Blvd Through B&R 379

2+88 = 2+88

9+33.09 new line =
9+41.18 old line





Return to Page 33.

Aug. 2/12 { Shields
Taylor
Allen

Survey for Boulevard

See page 40



Lot 4 Mary C. Morris
" 5 Catherine D. Appleby.
" 6 J.M. Asher Jr.
Allen Pueblo Lot 755

Assumed.

H.I.
100.00

947 / 5.3 | 948 5.2 | 949 4.1 | 950 4.0

7-14-08
Eckwall,
Evans
Forward.

77



H.I.

H.I. 100.0 #998

5.00. 94.200

5.45 - 94.55

5.28. 94.72

94.2

94.5

POSTED

Yardage on Old Town Dyke.

East side Nor. - 176 Total 7648. - 12' wide
6' each side
rim pt. 400' from bridge to W. end



Look up deed of
Mrs. N. E. Nicholson
" " "

Send deed to Coronado P.O.

94.72
94.5

5.8

Thurm
300

7141
3930
1111
180
N 68 45 W.

Vine St.

Market

1722.9
1373.2
349.7

80 646
76 64
400.6

1777.2
5887
7664

7.92
71.28
1425.6
12
22

Broadway

Published by H. S. CROCKER COMPANY, Stationers, Drawing Materials, and Mathematical Instruments, San Francisco.

Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

MINUTES.	LKS.	MINUTES.	LKS.	MINUTES.	LKS.
1	2⅓	21	49	41	95⅔
2	4⅔	22	51⅓	42	98
3	7	23	53⅔	43	100⅓
4	9⅓	24	56	44	102⅔
5	11⅔	25	58⅓	45	105
6	14	26	60⅔	46	107⅓
7	16⅓	27	63	47	109⅔
8	18⅔	28	65⅓	48	112
9	21	29	67⅔	49	114⅓
10	23⅓	30	70	50	116⅔
11	25⅔	31	72⅓	51	119
12	28	32	74⅔	52	121⅓
13	30⅓	33	77	53	123⅔
14	32⅔	34	79⅓	54	126
15	35	35	81⅔	55	128⅓
16	37⅓	36	84	56	130⅓
17	39⅔	37	86⅓	57	133
18	42	38	88⅔	58	135⅓
19	44⅓	39	91	59	137⅔
20	46⅔	40	93⅓	60	140

TABLE FOR RUNNING ON SLOPES.

In the following table the first column shows the angle, the second the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement.

ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS
°		°		°		°	
4	0.24	11	1.88	18	5.14	25	10.54
5	0.38	12	2.24	19	5.76	26	11.26
6	0.55	13	2.63	20	6.42	27	12.24
7	0.76	14	3.06	21	7.11	28	13.37
8	0.98	15	3.53	22	7.85	29	14.34
9	1.24	16	4.02	23	8.64	30	15.47
10	1.55	17	4.56	24	9.47	35	22.07