37

FIELD BOOK.

F.B.37

37

Return to City Engineers Office
City Hall, San Diego, Cal.

MICROFILMED
DEC 4 1964

Sta 41 3° 33'
53° 40'

Return to City Engineers Office
City Hall, San Diego, Cal.

MICROFILMED
DEC 4 1964

Index

Bartlett Sewer- 3-4

24th & X sewer N of D to S of B 6-6

5th St cement walks N of B. 7-8

Road Old town to La Plaza from map 13

S.P.B. Elec St R.R. Levels around Power House 14-16

C St. C & F. Stakes bet 23rd & 24th for Heights 17

P.L.S 1161 & 1162 18

25th St C & F stakes E to F 19-20

30th St. Alley to H 21-25

6th & H Elevs at intersec 27-29

N Nebraska Ave water pipe line 30-31

Traverse from Old Town to New Roswell 32-39

Line from cor 196, 197 & 191 to cor of New Roswell 40-42

28th X sec 15th to 26th 44-55

S.P.B. Elec St R.R. curves on Wharf 56-61

~~Old Town to~~ D St. Sleeper 14th to 26th 69-75

Pueblo lot 219 to 210 traverse Preliminary 62-68

Levels over sewer in alley in blk and 25th St. line of stakes 3' north of center

Sta	+	HI	−	Elev
B.M.	11.47	169.82		158.35
1			4.31	165.51
+50 #	9.91	179.04	0.69	169.13
2			8.87	170.17
+50			7.12	171.92
3			4.69	174.35
+50 #	8.90	186.04	1.90	177.14
4			7.42	178.62
+50			6.38	179.66
5			5.88	180.16
+50			5.08	180.96
6			3.81	182.23
+50 #	4.54	188.78	1.80	184.24
7			6.01	182.77
			10.85	177.93
#	3.22	186.47	5.53	183.25
B.M.			3.02	183.45

Breed & chase excd. last 24th St. alley Apr 10/1886

Hamlin & party.

24th & D Sts

East line of 24th St.

25th St

Alley

N'ly 19 ft

N'ly line of 25th St.

Top of footing in in cellar over sewer outlet.

B.M. 25th & D St.

2

LEVELS over SEWER LINE IN ALLEY IN BLK 6 BREED & CHASE ADD

Sta	+	HI	−	Elev	Grade
Bm	11.44	169.79		158.35	
1			4.24	165.55	159.00
+50 T.P	11.16	180.30	0.65	169.14	161.08
2			9.31	170.99	163.17
+50			7.56	172.74	165.25
3			5.13	175.17	167.33
+50			2.34	177.96	169.42
4 T.P	10.27	189.70	0.87	179.43	171.50
+50			9.24	180.46	172.80
5			8.73	180.97	174.10
+50			7.94	181.76	175.40
6			6.65	183.05	176.70
+50			4.64	185.06	178.00
7			3.18	186.52	
			9.47	180.23	
T.P	4.16	184.71	4.15	180.56	
Bm			3.95	180.76	180.68

Breed & Chase's add bet Hamlin & Pardt Apr 10. 1892

3

Cut HAMLIN & PARTY APR 10 1893

24 H & C

6.55	= 6' 7"
8.06	8' 1"
7.82	7' 10"
7.49	7' 6"
7.84	7' 10"
8.64	8' 6" Sta 6+48
7.93	7' 11"
7.66	7' 8"
6.87	6' 10"
6.86	6' 11"
6.35	6' 4"
7.06	7' 1"



7' 5" average cut

Top of Footing over sewer outlet basement

180.23
178
2.3'

Sta	+	HI	−	Elev		
B.M.	7.38	179.63		172.25		24th & E St.
#	8.79	185.54	2.88	176.75		
B.M.			5.40	180.14		24th & C, S.W. cor. of lot.
#	5.30	187.16	3.68	181.86		
B.M.			2.53	184.63		
			6.75	180.41		Top of flush tank, cover 25' S of B.M.
			7.90	179.26	179.75	−.49
			2.90	184.26	180.75	+3.51

X sec'n of 24th St from N line of [illegible] to S line of B Street
Apr 12 1892
Heimbuck Party

STA	WEST	CURB	CENTER	CURB	EAST
B.M. D 24th St.			(185.3)		
	175.1	175.6	177.3	178.8	179.4
0 0	10.2	9.7	8.00	6.5	5.9
	176.1	176.3	178.2	179.8	181.0
+50	9.22	9.00	7.1	5.5	4.3
	176.8	177.1	179.3	180.6	181.4
1	8.55	8.2	6.00	4.7	3.99
	177.2	177.7	179.X	180.2	181.0
+150	8.11	7.6	5.9	5.1	4.3
	178.0	178.8	180.3	181.1	182.3
2	7.3	6.5	5.8	4.2	3.00
	179.0	179.7	181.0	181.7	183.2
+158	6.3	5.6	4.3	3.6	2.11
	179.5	180.5	181.3	182.7	183.8
3	5.8	4.8	4.0	2.6	1.5
+46 0					
B.M.			(187.6)		
	179.3	180.0	182.1	183.3	184.2
0	8.3	7.6	5.5	4.3	3.4
	179.0	179.6	182.0	183.4	185.1
+150	8.66	8.00	5.66	4.2	2.5
	179.0	179.3	182.3	183.4	184.6
1	8.4	8.3	5.3	4.2	2.00
	179.8	180.4	182.0	184.0	186.2
+50	7.88	7.22	5.66	3.6	2.4
	180.7	181.1	182.7	184.0	185.6
2	6.9	6.5	4.9	3.66	2.0
	180.6	181.3	183.3	184.6	185.6
+50	7.00	6.3	4.3	3.00	2.00
	179.6	180.7	183.0	184.3	186.0
3	8.0	6.9	4.66	3.3	2.6
B.M.					

+	HI	−	Elev
			174.87
10.25	185.32	creek	175.07
7.50	187.644	5.18	180.14
North line of C St.			
South line of B St			
B & 24th STREET		3.04	184.60

CUT & FILL STAKES ON 24th STREET BETWEEN 'D' STREET & "C", & "B" STREET

West Elev	Grade	Cut	East Elev	Grade	Cut	Station
175.10	176.00	+0.10	179.40	176.00	+ 3.40	0 NORTH LINE OF D ST STREET
176.10	175.75	+0.35	181.00	176.75	+ 4.25	+ 50
176.80	176.50	+0.30	181.40	177.50	+ 3.90	1
177.20	177.25	0.0	181.00	178.25	+ 2.75	+ 50
178.00	178.00	0.0	182.30	179.00	+ 3.30	2
179.00	178.75	+0.25	183.20	179.75	+ 3.45	+ 50
179.50	179.50	0.0	183.50	180.50	+ 3.30	3
						+ 40 CENTER OF "C" STREET
179.50	179.50	- 0.0	184.20	180.50	+ 3.70	0
179.00	179.67	- 0.67	185.10	180.67	+ 4.43	+ 50
179.00	179.83	- 0.83	184.60	180.83	+ 3.77	1
179.80	180.00	- 0.20	185.20	181.00	+ 4.20	+ 50
180.70	180.17	+ 0.53	185.60	181.17	+ 4.43	2
180.60	180.33	+ 0.27	185.60	181.33	+ 4.27	+ 50
179.60	180.50	- 0.90	183.00	181.50	+ 3.50	3 South SOUTH LINE OF B STREET

ELEVATION OF CEMENT WALKS ON 5TH ST

STA	WEST ROD	WEST ELEV	EAST ROD	EAST Elev
		(60.29)		
0	5.64	54.65	5.75	54.544
+50	3.82	56.47	3.92	56.377
1	2.06	58.23	2.03	58.266
+50	0.20	60.27	0.13	60.16
		(69.05)		
2	7.03	62.022	7.02	62.033
+50	5.27	63.78	5.17	63.888
3	3.37	65.68	3.33	65.722
		(81.12)		
2	7.21	73.91		
+50	5.71	75.41		
3	4.14	76.98		
		(90.71)		
0+50	8.66	72.11		
1	5.99	84.72		
		(110.00)		
0			11.47	98.53
+50			8.69	101.31
1			5.78	104.22
+50			2.93	107.07
+52			2.44	107.56
		(120.43)		
1+90			10.52	109.48

+	HI	−	Elev.
			55.68
11.69	60.29		
9.50	69.05	0.74	59.55
BM	5TH & A ST	1.36	67.89
3.47	81.12		77.65
A & Ash ST			
10.72	98.71	1.13	78.99
Ash and Beech			
11.42	100.73	1.40	89.31
11.65	110.00	2.38	98.35
Beech		9.14	100.86
11.28	120.43	0.85	109.15

ELEVATION OF CEMENT WALKS ON 5TH ST.

STA.	Rod	Elev	Rod	Elev
		(130.12)		
0	11.57	118.55		
+50	9.56	120.56		
1	7.52	122.60		
2	3.83	126.29		
+50	1.99	128.13		
+50	1.68	128.44		
		(136.62)		
3	6.21	130.41		
1+50	1.60	135.02		
2	0.78	135.84		
		(209.84)		
0	11.23	198.61		
+50	8.90	200.94		
1	6.53	203.31	6.35	203.49
+50	4.22	205.62	4.03	205.81
2	1.77	208.07	1.68	208.16
		(216.17)		
+50			5.66	210.51
3			3.19	212.98

+	HI	−	Elev
Cedar		4.10	116.33
11.83	130.12	2.14	118.29
8.55	136.62	2.05	128.07
		2.50	233.72
Date and Elm			
11.12	209.44		198.72
Hawthorn			
7.49	216.17	1.16	208.68
BM Ivy		0.38	215.79

B.M.'s from Initial B.M. on 18 to
5th & B thence to 5th & W/al

Sta.	+	H.I.	−	Elev.	Check
B.M.	7.232	47.232		40.000	-
B.M. #	3.788	50.295	0.725	46.507	.018 46.525
#	7.385	54.507	3.173	47.122	
B.M.			5.744	48.763	.013 48.776
B.M. II	4.055	58.457	0.106	54.402	.018 54.420
B.M. #	3.800	59.367	2.890	55.567	.023 55.590
#	10.353	68.756		58.397	
B.M.			1.100	67.650	.025 67.675
#	8.495	76.255	0.690	68.060	
#	9.980	85.713	0.822	75.733	
B.M.			8.090	77.623	.047 77.670
#	11.832	96.985	1.560	85.153	
#	9.067	104.893	1.146	95.825	
B.M.			4.055	100.837	.015 100.852
#	11.065	115.347	0.610	104.282	
#	11.315	126.055	0.690	114.740	
B.M.			9.890	116.165	
#	10.620	135.835	0.840	125.215	
B.M.			2.100	133.675	.058 133.723

a/N 20th 1892

Initial B.M. 3rd & B St.
4th & B St.
5th & B St
5th & C St.
5th & B St
5th & A St.
5th & Ash St.
5th & Beech St.
5th & Cedar St. SE. off tel Pole
5th & Main

Sta	+	HI	−	Elev	Chk
		135.835			
#	9.740	144.625	0.950	134.885	
B.M.			6.650	137.975	
#	10.235	154.100	0.760	143.865	
#	11.670	165.673	0.987	154.003	
B.M.			5.397	160.276	.062 160.338
#	4.415	176.648	0.540	165.133	
B.M.			1.688	174.868	
#	11.930	187.758	0.720	175.828	
#	11.750	199.458	0.000	187.708	
B.M. #	11.125	209.853	0.750	198.728	.050 198.778
#	11.535	220.863	0.625	209.328	
B.M.			5.080	215.783	.067 215.850
#	11.850	232.235	0.735	220.385	
B.M.			4.090	228.145	.045 228.190
#	11.885	243.958	0.160	232.075	
#	10.580	251.573	2.965	240.993	
B.M.			9.270	242.303	.047 242.350
#	10.120	261.493	0.200	251.373	

Old & Elm SE. of Kitch

Old & Tin St

Old & Grape St

Old & Hawthorne

Old & Date St

Old & Juniper St

Old & Rd

Sta	+	H.I.	−	Elev	dH	
		261.493				
B.M.			8.490	253.003	253.050	.047 5th & Laurel
B.M. #	8.035	266.118	3.410	258.083	258.130	.047 5th & Maple
B.M.			2.370	263.748	263.800	.052 5th & Walnut
#	10.040	274.303	1.855	264.263		
B.M.			3.000	271.303	271.380	.077 5th & Olive
#	8.380	280.748	1.935	272.368		
B.M.			3.610	277.138	277.200	.062 5th & Palm Pl.
B.M. #	5.580	284.958	1.370	279.378	279.431	.053 5th & Quince St.
B.M. #	4.010	286.008	2.960	281.998	282.076	.079 5th & Redwood
B.M. #	1.220	284.563	[illegible]	283.343	283.438	.095 5th & Spruce St.
#	8.050	288.613	4.000	280.563		
B.M.			5.605	283.008	283.070	.062 5th & Thorne
B.M.			0.715	287.848	287.960	.122 5th & Water
#	7.470	290.863	[illegible]	283.393		
B.M.			3.350	247.313		4th & Water St. altered to
B.M. #	2.865	286.133	7.595	283.268	283.361	.093 3rd & Water St.
B.M. #	1.83	279.19	8.770	277.363	277.462	2nd & Water St.
#	0.955	267.985	11.46	267.73		

Sta	+	HI	−	Elev	
		247.585			
B.M. #	5.028	261.683	11.31	256.655	
B.M. #	3.910	257.638	7.955	253.728	253.903
B.M. #	2.050	249.568	10.10	247.518	247.627
B.M. #	2.165	248.613	9.20	246.448	246.732
B.M. #	6.530	248.613	2.450	242.163	242.281
B.M.			2.640	246.053	
#	0.13	238.55	10.673	238.02	
#	0.19	226.75	11.90	226.25	
#	0.37	215.90	10.92	215.53	
#	0.30	204.89	11.81	204.08	
#	0.20	192.88	11.76	192.62	
#	0.21	181.06	11.97	180.85	
#	0.20	169.36	11.96	169.10	
#	11.59	180.17	0.72	168.58	
#	11.64	191.35	0.46	179.71	
#			1.93	189.42	184.59

1st & West St.
1st & Elm St.
1st & Spruce
1st & Redwood
1st & Lincoln
1st & Palm St. NW corner of bldg

Checked with Scott

AD FROM OLD TOWN TO LA PLAYA

HESSE MAP BY Scale

Station	DEF	Course	M.C.	Dist
Sta 1 is a point on the Southwesterly line				
line of Old San Diego and 25' Southeast				
line of said Street with the Southerly				
1	Parallel with Scott St	S 35° 15' W	S 22° 0' W	5140.
2	31° 45' R	S 67° 0' W	S 53° 45' W	1910
3	24° 0' L	S 43° 0' W	S 29° 45' W	2855'
4	8° 0' L	S 35° 0' W	S 21° 45' W	3440'
5	5° 45' L	S 29° 15' W	S 16° 0' W	1340
6	5° 15' R	S 34° 30' W	S 21° 15' W	2215
7	21° 45' L	S 12° 45' W	S 6° 30' E	450
8	14° 15'	S 1° 30' W	S 14° 45' E	290'

on the North line of Blks 29 & 30 30' in

910' from Sta 6 the line intersects the by Clayton & Hesse N 54° 45' W 565' to 1166' from Sta 6 the line intersects Thence N 14° 10' E Mag 415' to the NE to the NE. cor of 15

TAKEN FROM THE CLAYTON AND

of the street along the Southwesterly of the intersection of Southwesterly line of Scott Street in Old San Diego

to the center of San Antonio Ave La Playa = Sta 9

line bet. New Roseville or lots 16 & 25 the NE. cor of Lot 15 by. Clayton & Hesse Map the easterly line of lot 15 C & H Map cor of 15 & S.W. cor of 15 Thence 1320'

LEVELS AROUND BLOCK OWNED BY SI CarCo ON "D" STREET BETWEEN CAL & ARCTIC

Hamlin
Shaw
VanHook

APr 27 1892

Sta	+	HI	−	Elev	
B.M.	0.30	13.91		13.61	
2			4.8	9.1	India & D St West of Arctic St
1+75			5.1	8.8	
1+50			5.3	8.6	South line of D St between Arctic & California
1+25			5.7	8.2	
1			5.8	8.1	
+75			5.8	8.1	
+50			6.3	7.6	
+25			6.5	7.4	
0			6.7	7.2	East line of Cal
#	4.31	10.69	7.53	6.38	
3			3.5	7.2	S.E. cor of Cal & D St
2+75			4.3	6.4	
2+50			4.3	6.4	
2+25			4.5	6.2	East side of Cal bet D & E
2			4.5	6.2	
1+75			4.6	6.1	
1+50			4.7	6.0	

LEVELS AROUND BLOCK OWNED BY ST. CAR CO. ON "D" ST. BETWEEN CAL & ARCTIC.

Sta	+	HI	−	Elev	
		10.68			
1+25			4.8	5.9	
1			4.8	5.9	
+75			4.9	5.8	
+50			4.8	5.9	
+25			4.8	5.9	
0			5.4	5.13	NE. Cor of Cal & EST
BM #	4.75	10.31	5.13	5.56	Cal. & EST
0			5.00	5.3	NE cor of Cal & E ST.
1+25			4.6	5.7	
+50			4.5	5.8	
+75			4.2	6.1	
1			3.6	6.7	
+25			3.2	7.1	
+50			3.1	7.2	
+75			2.9	7.4	
2			2.8	7.5	NW. Cor of Arctic & E STS.
BM #	5.42	13.41	2.32	7.89	8.09 Arctic & E Streets

East side of Cal. between D & E Streets

North line of E St. bet Cal & Arctic

LEVELS AROUND BLOCK OWNED BY ST CAR. CO. ON "D" STREET BET. CAL. & ARCTIC

Sta	+	HI	−	Elev	
0		13.41	5.99	7.42	N.W. Cor of ARCTIC & E STREETS
+25			5.22	8.19	
+50			5.00	8.41	
+75			4.66	8.75	
1			4.66	8.75	
+25			4.66	8.75	
+50			4.30	9.11	
+75			4.22	9.19	
2			4.22	9.19	
+25			4.22	9.19	
+50			3.97	9.44	
+75			4.00	9.41	
3			4.22	9.19	S.W. cor of Arctic & D Streets
#	5.95	16.12	3.24	10.17	
BM			2.48	13.64	13.61 INDIA & D Sts

West side of Arctic bet D & E

CUT & FILL STAKES ON "C" STREET BETWEEN 24th & 25th FOR HUGHES.

Station	North	South
0 0	+1.0	+2.1
+25	+0.8	+2.2
+50	+0.5	+2.1
+75	+0.5	+1.5
1	+0.3	+1.0
+25	0.0	+0.5
+50	−0.2	0.0

East line of 23rd Street

West line of 24th Street

Total amount of excavation 382. cu yds 382. cubic yards

" " " " embankment 14.6 " " 14.6 "

SKETCH SHOWING LINE BETWEEN PUEBLO LOTS 1161 AND 1162

FOUND Stake at S.W. cor of 1161, S.E. of 1162. AT NW of 1161 and N.E. of 1162 mound with stake hole in center, set ½" iron rod in center, in place of stake rod 18" long

Witnessed by H.P. Whitney
H. Hamlin
F.J. Shaw
J.M. Van Hook

Ran a straight line between these points and measured offsets to corners, See Sketch on opposite page

Hamlin

Hamlin & Party



CUT & FILL STAKES ON 25th STREET BETWEEN E & F STREETS FOR BARTLETT

West side x East side

Elev	Grade	Cut	Elev	Grade	Cut
181.88	180.00	+1.88	179.59	180.00	= 0.41
183.87	180.5	+3.82	180.59	180.50	+ 0.09
185.05	181.00	+4.05	180.73	181.00	- 0.27
186.18	181.50	+4.68	181.29	181.50	- 0.21
186.46	182.00	+4.46	181.93	182.00	- 0.07
186.97	182.50	+4.47	183.44	182.50	+ 0.94
187.46	183.00	+4.46	183.46	183.00	+ 0.46
185.73	183.50	+2.23	182.90	183.50	- 0.60

CUT & FILL Stakes on N ½ cor. F. St.

	175.0		174.0
	175.9		175.0
	176.8		176.0
	177.7		177.0
	178.7		178.1
	179.6		179.0
	180.5		180.0

Sta	+	H.I.	-	Elev.
3+46	Center of "F" Street			
0				
+50				
1				
+50				
2				
+50				
3	South line of E Street			
300' West of 25th St.				
0				
+50				
4				
+50				
5				
+50				
6	West line of 25th Street			

ELEVATIONS ON 25th STREET FROM E TO F

Sta	Rod	Elev	Rod	Elev
BM	G & 25th Street			
#	West			East
3+40	7.81	181.88	10.10	179.59
0	5.82	183.87	9.10	180.59
+50	4.64	185.05	8.96	180.73
1	3.51	186.18	8.40	181.29
+50	3.23	186.46	7.76	181.93
2	2.72	186.97	6.25	183.44
+50	2.23	187.46	6.23	183.46
3	3.96	185.73	6.79	182.90
BM				

+	HI	−	Elev
6.90	183.93		177.03
6.78	189.69	1.02	182.91

Center line of F Street

North line of E St

South line of E Street

4.25		185.44

THIRTIETH STREET FROM OLIVE TO H ST. MAY 3-7 1892

May 3-7 1892 Hamlin & Party. 21



THIRTIETH STREET FROM OLIVE AVE TO H STREET



30th St from Alvi ave to H St

716.5' to old stake the N.W. cor of 32nd and K Street



30th St from Alice ave to I St



89°05' W ∧ right to a stake on the NW cor of H & 33rd St
144.0 to a 1" square white stake 1.50 N of line set for the SE cor of H & 35th St.

Set tack at N.W. cor of 34th & J R.S. 1 blk west to Tall white stake 4" square produced line east and intersected 511.23' mark



ELEVATIONS AT CROSING OF 5th & H St.

STA	+	HI	−	Elev	
BM	5.27	31.32		26.05	
0 + 16			7.20	24.12	Along line West of 6th St.
+ 29.5			7.06	24.26	
+ 43			6.74	24.58	
+ 50			6.66	24.66	
+ 57			6.66	24.66	
+ 70.5			6.45	24.87	
+ 84			6.22	25.16	
0			7.52	23.80	Along West Gutter line
+ 16			7.47	23.85	
+ 29.5			7.25	24.07	
+ 43			7.07	24.25	
+ 50			6.92	24.40	
+ 57			7.03	24.29	
+ 70.5			6.77	24.55	
+ 84			6.65	24.67	
1 + 0			6.47	24.85	

6th H STAEETS

Gutter on west property line

Midway bet gutter & South rail of S Track

South rail of S Track

Center of H Street

North rail of North Track

Midway bet North Track & North Gutter

North Gutter

Gutter on South line of H STREET.

THese elevations were taken along gutter opposite those on property line

ELEVATIONS AT CROSSING OF 5TH & H

Sta	+	HI	−	Elev.	
		31.32			
0			6.80	24.52	Along cable Road
+50			6.32	25.00	
1+0			5.80	25.52	
0			7.03	24.29	Along East Gutter line
+16			6.96	24.36	
+29.5			6.66	24.66	
+43			6.50	24.82	
+50			6.38	24.94	
+57			6.42	24.90	
+70.5			6.30	25.02	
+84			6.17	25.15	
1			5.86	25.36	
0+16			6.86	24.36	Along East prop-erty line
+29.5			6.58	24.74	
+43			6.24	25.08	
+50			6.19	25.13	
+57			6.17	25.15	

South line of H Street
Center " " " "
North " " " "

For Sta's See west property line

For Sta's See west property line

ELEVATIONS AT CROSSING OF 5TH & HST.

Sta	+	HI	−	Elev	
+70.35		31.32	6.07	25.25	Along East Property line
+84			5.97	25.35	
BM			3.69	27.63	

7TH & AST.

LINE FOR WATER PIPE ON NEBRASKA AVE FROM OHIO TO JUDGE WORKS

June 29 1893 Hamlin & Party.

Sta.	Mag 7 Course	True Course
17		
16		
15		
14		
13		
12		
11		
10		
9		
8		
7 +72		
6		
5		
4		
3		
2		
1		
0	N 14° 25' W	N 0° 25' W

Sta 0 is a Point 7' East and 10' South of the center of Univ Ave & Nebraska St



LINE FOR WATER PIPE ON NEBRASKA AVE FROM OHIO TO JUDGE WORKS PLACE

STA	Magnetic Course	TRUE Course
26		
25		
24		
23		
22		
+63		
21		
20		
19		
18		



TRAVERSE FROM OLD TOWN TO NEW ROSEVILLE FROM CLAYTON & HESSE

CORNERS AT OLD TOWN

Distance Def course N.C.

14

13

12

11 +26.7

10

9

8

7

6

5 +20

+66.7

4

3

2

1

+24

0

11+31.7 — 84°20'7 — 51.0 — 5.0 — 5°40' — 50.75 — Sta 11+26.7'

Log 51 = 1.707570

Log Sin 5°46' = 8.994497 / 0.702067 = 5.04'

Log 51 = 1.707570

Log cos 5°40' = 9.997872 / 1.705442 = 50.75

535°15'W S22°0'W

B.S. to a point 25' South Easterly from the center of Jay St

Station 0 is a point on the SEasterly line of Boundary of Old San Diego, being the Easterly Map of a portion of the City Lands of San



Scott Street, and on the SWesterly cor of Pueblolot 10 of Clayton and Hesse's Diego

TRAVERSE OF ROAD FROM OLD SAN DIEGO TO NEW ROSEVILLE

Distance Def course M.C.

33
32
31
30
29
28
27
26
25
24
23
22
21
+60
26
19
18
17
16
15

STA 21+16.7



Log 81.7 = 1.912222
Log Sin 43°56' = 9.841247
1.753469 = 56.7

Log 81.7 1.912222
Log Cos 43°56' 9.857422
1.769644 = 58.8



4x4" stake 6" above ground marked with scribe as shown



South 4187.5
West 2566.5

TRAVERSE OF ROAD FROM OLD TOWN TO NEW ROSEVILLE

STA	DEF	COURSE	M.C.
51 + 15	11° 45' R	S 47° 0' W	S 33° 50' W
50			
49			
48			
47			
46			
45			
44			
43			
42			
41			
40			
39			
38			
37			
36			
35			
34			
33 + 80		S 35° 15' W	S 22° 15' W

Log 82 = 1.913814
Log Sin 42°48' = 9.832152
1.745966 = 33.7'

Log 82 = 1.913814
Log cos 42° 48' 9.865536
1.779350 = 60.2





TRAVERSE OF ROAD FROM OLD TOWN TO ROSEville

Sta	Def	course	M.C.
70			
69			
68			
67			
66			
65			
64			
63			
62			
61			S 33° 50' W
60			
59			
58			
57			
56			
55			
54			
53			
52			S 47° 0' W

89
88
87
86
85
+60
84
83
82
81
80
79
78
77
76
75
74
73
72
+50
71



11°45' L S35°15' W S22°10' W





STA	DEf	course	M.C
108			
107			
106		S 22° 15' W	
105			
104			
103			
102			
101			
100			
99			
98			
97			
96			
95			
94			
93			
92			
91			
90			

Telegraph Pole, marked 80-50'
32.9
Plg & Witness
On RR Embankment

Telegraph Pole marked 14°80'
Plg

STA	Def	Course	M.C
128			
127			
126			
125			
124			S22° 15' W
123			
122			
121			
120			
119			
118			
116			
115			
114			
113			
112			
111			
110			
109		S35° 15' W	

Plg & Witness

Plg & Witness.

STA	DEF	COURSE	M.C.
+56	89°38'R	N68°0'W	
140			
+82.7			
139			
138			
137			
136			
135			
134			
133			
132			
131			
130			
129			

2644
2455
189



Line from cor of 196, 197 & 191 to cor 188

Sta	Bof	Course	out angle	Rod	Dist
15					
14 +09.7			0° 0'	2.00	201.0'
13					
12					
11					
10					
9					
8					
7					
6 +53.7			± 41° 0'	7.53	756.0
5					
4					
3					
2					
1					
0			- 3° 0'	6.545	658.7

Sta 0: in the cor of Public lots 196, 197, and 198

Thence run N.W. to cor 2 of New Roseville

188, & 198 in N W cor of New Roseville



.997261
654.5
498630 5
398904 4
298620 3
199356 2
99813 1
65 2.7063 240
1
653.7

41

Cor 2×4" 2' high

Sta	Ref	Course	Vert Angle	Rod	Dist
34					
33					
32					
31					
	+0.6.8'		-3° 30'	6.84	682.5
30					
29					
28	+5.5'		-2° 0'	1.52	151.8
27					
26					
25					
24					
23					
22					
21	+10-2'		-4° 0'	7.57.5	754.8
20					
19					
18					
17					
16	+10.7		-4° 50'	4.92	489.5



245.5
433

4393.3
245.5
4638.8

+28.8 89° 38' W

46
45
44
+83.3
43
42
41
40
39
38
37
+89.3
36
35

-208 694 694

Plug 87a 140 + 66 on Trail line

offset N
Stake 3' East of corner at this point and set 36189
Cor of New Roswell

.9988
694
39552
39912
8988
5992
693.067
694.

3699.3
694
4383.3

move 42' North
Plug.

Adine to Accom Berm from B/L (87+02.7)

Sta	Ref	Course	Dist angle	Dist	Dist

Cross sec'n of 16th St. from 15th to 26th

Sta	North curb	Center curb	South	+	HI	−	Elev
B.M.		(59.2)		0.74	59.17		58.43
	1.3	1.6	2.6				
0	57.9	57.6	56.6	Centre line of 15th St			
	2.2	2.3	3.2				
+ 25	57.0	56.9	56.0				
	3.3	3.2	3.5				
+ 50	55.9	56.0	55.7				
	4.2	4.3	3.9				
+ 75	55.0	54.9	55.3				
	5.9	5.3	5.1				
1	53.3	53.9	54.1				
	6.3	6.4	6.3				
+ 25	52.9	52.8	52.9				
	7.3	7.3	7.2				
+ 50	51.9	51.9	52.0				
	8.1	7.8	8.5				
+ 75	51.1	51.4	50.7				
	9.0	8.8	9.5				
2	50.2	50.4	49.7	West line of 16th St			
B.M. 16th & DB					9.53		43.24
#		(56.2)		7.28	56.24	10.21	48.96
	6.3	6.4	8.2				
+ 14	49.9	49.8	48.0				
	6.3	6.3	6.7				
+ 40	49.9	49.9	49.5	Center line of 16th St			
			7.3	Bottom of bank			
0			48.9				
	6.7	6.1	6.5	Top of bank			
0	49.5	50.1	49.7				
	6.6	5.6	6.2				
+ 25	50.2	50.6	50.0				
	5.5	5.1	5.3				
+ 50	50.7	51.1	50.7				
	5.1	4.7	5.2				
+ 75	51.1	51.5	51.0				

Cross Secs of Ld St from 15th to 26th St

Station	North curb	center curb	South
		(56.2)	
	4.9	4.5	4.8
1	51.3	51.7	51.4
	4.35	4.1	4.4
+ 25	51.7	52.1	51.8
	4.1	3.7	4.1
+ 50	52.1	52.5	52.1
	3.6	3.4	3.5
+ 75	52.6	52.8	52.7
	3.3	2.9	2.7
2	52.9	53.3	53.5
	3.8	2.1	1.35
+ 40	52.4	54.1	54.7
	2.4	1.2	0.6
3	53.8	55.0	55.6
	1.4		
3 check	54.8	Stake top of bank	

+	H I	−	Elev
	56.24		

Centre line of 17th St

Cross Sections of 26 St from 15th to 26th

Station	North curb		Center		Curb		South	
B.M. 16th & 26 St - top of fence post								
#		(64.4)						
	9.4	8.7	7.0		4.7		2.6	
0	55.0	55.7	57.4		59.7		61.8	
#					(64.4)		(74.9)	
	6.8	6.1	4.1		0.2		7.5	
+25	57.6	58.3	60.3		64.2		67.4	
	2.4	(64.4) 1.8	(74.9) 10.1		(74.9) 5.6		(74.9) 0.6	
+50	62.0	62.6	64.8		69.3		74.3	
#	(74.9)	(74.9)	(74.9)		(86.1)		(86.1)	
	7.7	6.2	3.1		8.5		4.6	
+75	67.2	68.7	71.8		77.6		81.5	
#	(86.1)		(86.1)		(86.1)		(97.1)	
	9.7	9.7	6.4		0.5		8.3	
1	76.4	76.4	79.7		86.6		88.8	
	(86.1)	(86.1)	(97.1)		(97.1)		(97.1)	
	1.4	1.6	9.6		3.2		1.8	
+25	84.7	84.5	87.5		93.9		95.3	
#	(97.1)	(97.1)	(97.1)		(108.9)		(108.9)	
	2.3	2.4	1.9		14.7		11.2	
+50	94.8	94.7	95.2		97.2		97.7	
		(108.9)						
	8.5	9.9	9.6		9.9		9.6	
+75	100.4	99.0	99.3		99.0		99.3	
	4.9	6.0	7.3		8.1		7.9	
2	104.0	102.9	101.6		100.8		101.0	
	8.4	8.0	6.3		7.0		7.0	
+14	105.5	103.9	102.6		101.9		101.9	

+	ft	-	Elev
5.79	55.08		49.24
11.93	64.36	2.60	52.43
East line of 17th St			
10.58	74.93	0.01	64.35
11.42	86.08	0.27	74.66
11.06	97.08	0.06	86.02
12.10	108.90	0.28	96.80
West line of 18th St			

Cross-Sections of Q St from 15th to 26th.

Station	North Curb	Center	South Curb	South
		(108.9)		
	1.4	4.3		6.8
2+46	107.5	104.6		102.5
#	(112.5)	(108.9)		
	3.5	2.8	4.3	4.5
+66	109.0	106.1	104.6	104.4
		(112.5)		
	2.7	3.5	7.2	7.4
0	109.8	107.0	105.3	105.1
	1.8	4.6	6.5	7.2
+25	110.7	107.9	106.0	105.3
	1.5	4.2	6.3	7.1
+50	111.0	108.3	106.2	106.4
	1.9	4.5	6.4	7.4
+75	110.6	108.0	106.1	105.1
	4.3	6.5	7.9	8.5
1	108.2	106.0	104.6	104.0
	6.7	9.2	10.8	10.9
+25	105.8	103.3	101.7	101.6
#	(112.5)	(112.5)	(101.6)	(101.6)
	10.4	11.9	1.9	2.3
+50	102.1	100.6	99.7	99.3
		(101.6)		
	2.9	4.1	5.4	5.3
+75	98.7	97.5	96.2	96.3
	5.9	7.1	8.2	9.0
2	95.7	94.5	93.4	92.6
B.M.	Spk cut on fence 1974 & 18			
	8.10	8.6	9.4	10.1
+14	93.6	93.0	92.2	91.5
	11.1	11.1		11.3
+40	90.5	90.5		90.3
#				

+	H.I.	−	Elev
	108.90		
Center line of 18th St			
5.34	112.51	1.73	107.17
East line of 18th St			

Cross-Sections of 18th St from 15th to 26th St.

Station	north Curb	center	south Curb	
	4.6	4.4	4.0	3.6	3.9
+66	88.5	88.7	89.1	89.3	89.2
	6.0	5.6	4.9	4.4	3.8
0	87.1	87.5	88.2	88.7	89.3
	7.9	6.8	6.1	4.9	4.2
+25	85.2	86.3	87.0	88.2	88.9
	7.3	6.8	5.9	4.9	4.3
+50	85.8	86.3	87.2	88.2	88.8
	9.9	8.7	6.5	4.8	3.9
+75	83.2	84.4	86.6	88.3	89.2
	8.8	7.4	6.8	4.8	3.8
1	84.3	85.7	86.3	88.3	89.3
	8.4	7.8	6.5	4.9	2.4
+25	84.7	85.3	86.6	88.2	90.7
	6.7	6.9	6.4	4.8	2.0
+50	86.4	86.2	86.7	88.3	92.1
	5.0	5.8	5.5	4.7	3.2
+75	88.1	87.3	87.6	88.4	89.9
	4.0	4.5	4.3	4.3	3.2
+90	89.1	88.6	88.8	88.8	89.9
	2.8	2.3	1.2	0.6	0.6
2	90.3	90.8	91.9	92.5	92.5
#					
	10.9	10.7	10.5		
+05	92.9	93.1	93.3		
	11.1	11.1	10.2	10.7	11.3
+14	92.7	92.7	93.6	93.1	92.5
	9.6		9.4		9.1
+40	94.2		94.4		94.7
	93.8	94.6	94.8	94.6	94.2
+66	10.0	9.2	9.0	9.2	9.6
	95.2	94.2	95.3	94.5	95.4
0	8.6	9.6	8.5	9.3	8.4
	94.6	94.3	93.2	93.2	94.8
+05	9.2	9.5	10.6	10.6	9.8

(93.1)

(103.8)

+ 10 — Elev

93.05

East line of 19th St

West line of 20th St

10.94 103.70 0.23 92.82

Center line of 20th

East line 20th St

foot of Slope

Cross-Section of 26th St from 15th to 26th St

Station		North Curb	center	Curb	South	+	HI	−	Elev
			(103.8)				103.76		
	Rod	8.00	8.9	9.9	11.2	11.0			
0+25	Elev	95.8	94.9	93.9	92.6	92.8			
		5.0	6.0	7.3	8.4	8.9			
+50		98.8	97.8	96.5	95.4	94.9			
		3.4	3.6	3.9	5.8	7.3			
+75		100.4	100.2	99.9	98.0	96.5			
		1.8	1.9	0.7	2.0	2.2			
1		102.0	101.9	103.1	101.8	101.6			
			(114.4)						
		10.8	11.11	8.6	9.7	10.4	11.83	114.44	1.15	102.61
1+25		103.6	103.3	105.8	104.7	104.0			
		7.8	7.1	6.6	6.85	6.9			
+50		106.6	107.3	107.8	107.9	107.5			
		5.3	4.7	4.6	4.7	5.1			
+75		109.1	109.7	109.8	109.7	109.3			
		2.7	3.0	3.0	3.1	2.6			
2		111.7	111.4	111.4	111.3	111.8			
		0.7		6.7		1.6			
+40		113.7		113.7		112.8			
0+5 at 25-foot bank		0.3	0.3	0.0	0.6	0.0			
		114.11	114.1	114.4	113.8	114.4			
			(125.9)						
		5.9	5.4	4.5	4.3	4.7			
0+05		120.0	120.5	121.4	121.6	121.2			
		4.6	4.2	2.8	2.3	2.6			
+25		121.3	121.7	123.1	123.6	123.3			
		1.6	1.9	0.8	0.7	0.3			
+50		124.3	124.0	125.1	125.2	125.6			
			(137.4)						
		10.7	11.2	11.8	10.8	10.0	11.73	137.43	0.19	125.70
+75		126.7	126.2	126.1	126.6	127.4			
		3.3	3.9	3.3	3.2	3.8			
1		130.1	129.5	130.1	129.2	129.6			

West line of 27th St

Center line of " "

East line of " "

Cross-Sections of 22nd St from 16th to 26th

Station	North curb	Center curb	South curb
	(137.4)		
	4.11	4.8	4.9	4.6
1+25 ℄	133.3	133.1	132.4	132.5	132.8
	2.3	2.5	1.9	2.5	2.4
+50 ℄	135.1	134.9	135.5	134.9	135.0
#	(148.0)		
	9.9	9.7	9.5	11.1	11.3
+75 ℄	138.1	138.3	138.5	136.9	136.7
	8.0	8.1	8.3	8.5	8.6
2 ℄	140.0	139.9	139.7	139.5	139.4
12 M	12 m. 16th & 22nd Sts.				
	6.8	6.7	6.8	7.1	7.2
+14 ℄	141.5	141.3	141.2	140.9	140.8
	3.4		4.2		4.4
+40 ℄	144.6		143.8		143.6
	0.7	1.8	2.8	0.3	1.2
+66 ℄	147.3	146.2	145.2	147.7	146.8
# of the Writer	(158.8)		
	147.0	146.4	145.4	148.2	148.0
0 ℄	11.8	12.4	13.4	10.6	10.8
	149.1	149.7	149.8	149.6	149.4
+25 ℄	9.7	9.1	9.0	9.2	9.4
	151.8	151.8	151.4	151.1	151.0
+50 ℄	7.0	7.0	7.4	7.7	7.8
	153.9	153.7	153.1	153.0	152.9
+75 ℄	4.9	5.1	5.7	5.8	5.9
	3.0	3.0	3.5	3.6	3.9
1 ℄	155.8	155.8	155.3	155.2	154.9
	1.1	1.2	1.6	1.6	1.8
+25 ℄	157.7	157.6	157.2	157.2	157.0
#					
	(168.8)		
	9.4	9.6	9.6	10.0	10.4
+50 ℄	159.4	159.2	159.2	158.8	158.4

+	HO	−	Elev.
	137.43		
11.58	147.96	1.05	136.38
	1. West line of 22nd St.		
		5.44	142.52
	Center line of 22nd St.		
11.50	158.81	1.65	147.31
	2. East line of 22nd St.		
11.25	168.79	1.27	157.54

Cross sections of 24th St from 15th to 26th.

Sta		North curb	Center curb	South curb
			(168.8)	
		7.4	7.9	8.1	8.3	8.7
1+75	℄	161.4	160.9	160.7	160.5	160.1
		6.4	6.0	6.3	6.7	7.3
2.	℄	162.7	162.8	162.5	162.1	161.5
		5.8	5.6	5.7	6.1	6.5
+10	℄	163.8	163.2	163.1	162.7	162.3
B.M.						
		4.8		4.7		5.5
+25	℄	164.5		164.1		163.3
		3.3	3.5	4.0	4.4	4.8
+40	℄	165.5	165.3	164.8	164.4	164.0
		2.8	3.0	3.5	3.6	4.0
0.	℄	166.0	165.8	165.3	165.2	164.8
			(179.3)			
		11.7	11.6	12.1	12.5	12.9
+25	℄	167.4	167.7	167.2	166.8	166.7
		10.3	10.7	10.9	11.2	11.4
+50	℄	169.0	168.6	168.4	168.1	167.9
		8.8	8.8	9.3	9.4	9.7
+75	℄	170.5	170.5	170.0	169.9	169.6
		7.1	7.2	7.5	8.0	8.2
1	℄	172.2	172.1	171.8	171.3	171.1
		5.3	5.5	6.0	6.4	6.5
+25	℄	174.0	173.8	173.3	172.9	172.8
		4.1	4.4	4.8	5.0	5.4
+50	℄	175.2	174.9	174.5	174.3	173.9
B.M. 24th & H cut [illegible] in Plug.						
		175.7	175.5	4.2	4.6	4.5
1+60	℄	3.6	3.8	175.1	174.7	174.8
		2.4		2.8		3.0
+80	℄	176.9		176.5		176.3
		0.8	1.0	1.4	1.5	1.7
2	℄	178.5	178.3	177.9	177.8	177.6

+	H.I.	−	Elev
	168.79		
West line of 23rd St			
23rd & H St. 4/k/cut		6.20	162.59
Center line of 23rd St.			
East line of 23rd St.			
11.69	179.28	1.20	167.59
West line of 24th Street			
		4.19	175.09
Center line of 24th St.			

Cross sections of LBSh from Sta to 26C

Sta	North curb		center curb		South curb
			(188.0)		
	8.5	8.8	9.4	9.8	10.0
0	179.5	179.2	178.6	178.2	178.0
	7.5	8.0	8.7	9.4	9.8
+25	180.5	180.0	179.3	178.6	178.2
	8.3	9.0	10.0	10.6	10.8
+50	179.7	179.0	178.0	177.4	177.2
	8.9	9.8	10.7	11.4	11.6
+75	179.1	178.2	177.3	176.6	176.4
	8.9	9.7	10.4	11.0	11.0
1	179.1	178.3	177.6	177.0	177.0
	8.2	8.7	8.9	9.6	9.4
+25	179.8	179.3	179.1	178.4	178.6
	6.4	6.8	7.2	7.0	7.1
+50	181.6	181.2	180.8	181.0	180.9
	3.5	4.0	5.0	4.7	4.8
+75	184.5	184.0	183.0	183.3	183.2
	2.6	3.4	3.8	4.1	4.0
2	185.4	184.6	184.2	183.9	184.0
	1.8	2.4	2.9	3.2	3.0
+25	186.2	185.6	185.1	184.8	185.0
	1.2	1.8	2.1	2.5	2.4
+50	186.8	186.2	185.9	185.5	185.6
	0.8	1.3	1.4	1.7	2.0
+75	187.1	186.7	186.6	186.3	186.0
#			(194.9)		
	6.9	7.6	7.4	8.0	7.9
+3	188.0	187.3	187.5	186.9	187.0
	6.9	7.0	7.8	7.1	7.2
+25	188.0	187.9	187.9	187.8	187.7
	5.5	6.1	6.1	6.2	6.1
+50	189.4	188.8	188.8	188.7	188.8
	5.0	5.4	5.4	5.7	5.8
+75	189.9	189.5	189.5	189.2	189.1

+	HI	−	Elev
	179.28		
10.01	187.98	1.31	177.97
East line of 21st St			
8.97	194.87	2.08	185.90

Cross-sections of 26th St from 15th to 26th

Sta		North curb	Center	South curb		+	H.I.	−	Elev.
			(194.9)						
		4.6	5.0	5.1	3.4				
4	c	190.3	189.9	189.8	189.5				
		4.5	4.7	4.8	5.3				
+25	c	190.4	190.2	190.1	189.6				
		4.3	4.6	4.7	5.2				
+50	c	190.6	190.3	190.2	189.7				
		4.2	4.4	4.5	5.0				
+75	c	190.7	190.5	190.4	189.9				
		3.9	4.5	4.4	5.0				
5	c	191.0	190.4	190.5	189.9				
		3.6	4.4	4.5	4.8				
+25	c	191.3	190.5	190.4	190.1				
		3.3	4.2	4.6	4.6				
+50	c	191.6	190.7	190.3	190.3				
		3.3	3.8	3.7	4.6				
+75	c	191.6	191.1	191.2	190.8				
		3.2	3.7	3.5	2.9				
6	c	191.7	191.2	191.4	192.0				
		3.5	4.4	4.6	3.9				
+16	c	191.4	190.5	190.3	191.0				
		6.2		6.3					
+50	c	188.7		188.6					
		8.5	8.6	8.8	8.8				
+84	c	186.4	186.3	186.1	186.1				
		9.3	9.4	9.8	10.0				
0	c	185.6	185.5	185.1	184.9				
B.M. 25th & D St. on N. Pkg.									
		10.3	10.3	11.1	11.3				
+25	c	184.6	184.6	183.8	183.6				
#			(184.9)						
		1.6	2.0	2.7	3.2				
+50	c	183.3	182.9	182.2	181.7				
		2.9	3.4	3.5	3.8				
+75	c	182.0	181.5	179.4	179.1				

194.47

West line of 25th St

Center line of 25th St

10.10 184.77

1.56 184.90 11.53 183.34

Cross-Sections of 26th St from 15th St to 26th St

Sta		North curb	Center curb	South curb	+	HI	−	Elev
			(184.9)			184.90		
		5.6	6.0	8.3	8.4	7.9		
1	C	179.3	178.9	176.6	176.5	177.0		
		8.7	9.6	10.2	10.5	9.6		
+25	C	176.2	175.3	174.7	174.4	175.3		
#			(175.6)					
		3.6	3.5	3.1	3.7	3.9		
+50	C	172.0	172.1	172.5	171.9	171.7		
		7.7	6.2					
+68	C	~~168.9~~	169.4					
		5.1	7.7	6.1	6.11	5.9		
+75	C	170.5	167.9	169.5	169.5	169.7		
		4.3	6.2	9.0	10.4	11.1		
2	C	171.3	169.4	166.6	165.2	164.5		
		2.1	3.0	4.2	7.6	9.6		
+25	C	173.5	172.6	171.4	168.0	166.0		
#		(186.1)	(186.1)	(175.6)				
		9.9	10.8	2.0	4.8	7.4		
+50	C	176.2	175.3	173.6	170.8	168.2		
		(186.1)			(186.1)	(175.6)		
		7.4	8.1	8.3	9.7	0.8		
+75	C	178.7	178.0	177.8	176.4	174.8		
				(186.1)				
		4.0	4.5	4.9	6.7	6.9		
3	C	182.1	181.6	~~182.2~~ 181.2	179.4	179.2		
#		(196.9)	(186.1)			(186.1)		
		10.7	0.5	2.2	3.7	4.3		
+25	C	186.2	185.6	183.9	182.4	181.8		
			(196.9)					
		7.7	8.2	9.6	10.4	11.3		
+50	C	189.2	188.7	187.3	186.5	186.6		

2.21 175.58 11.53 173.37

Bottom of Curve

11.52 186.05 1.03 174.55

11.38 196.87 0.56 185.49

Cross Sections of 26 St. from 15th St to 26th St.

Sta		North curb	Center	Curb	South
			196.9		
		6.2	6.4	7.2	8.3	9.0
3+75	C	190.7	190.5	189.7	188.6	187.9
		4.5	5.0	5.1	5.4	6.6
4	C	192.4	191.9	191.8	191.5	190.1
		3.5	4.0	4.6	5.5	5.2
+25	C	193.4	192.9	192.3	191.4	191.7
		2.9	3.2	3.9	4.6	4.7
+50	C	194.0	193.7	193.0	192.3	192.2
		1.5	2.3	2.7	3.6	4.1
+75	C	195.4	194.6	194.2	193.3	192.8
#				200.7		
		3.0	3.5	6.0	6.7	6.8
5	C	195.7	195.2	194.7	194.0	193.9
		3.6	4.4	4.9	5.8	6.3
+25	C	197.1	196.3	195.8	194.9	194.4
		3.5	4.0	4.3	5.0	5.2
+60	C	197.2	196.7	196.4	195.7	195.5

B.M. 26th & 26 St. Plug & tin

196.87

5.50 200.67 1.70 195.17

West line of 26th St

5.25 195.42

Inside curve

Sta	∆	tangs
+ 50	6° 53.9'	
+ 25	2° 56.9'	
3	11° 47.8'	23° 34.7'
+ 50	10° 58'	
+ 25	8° 50.9'	
+ 50	5° 53.94'	
+ 36.5	4° 18'	
+ 25	2° 56.94	
2	11° 47.84'	23° 34.7'
+ 79.	9° 45'	
+ 50	5° 53.94'	
+ 25	2° 56.94'	
+ 20	2° 21'	
1	11° 47.91'	23° 34.7'
+ 75	8° 50.94	
+ 50	5° 53.94	
+ 25	2° 56.97'	
Sta 0		



Sta	Abf	Tang
3+80		
+75	8° 50.9'	
3+55	6° 29'	

Out side curve

Sta	Ref	Tan	
+85	18° 03'	36° 06'	89° 46'
+75	16° 55.2		
+50	14° 06'		
+25	11° 16.8		
3	8° 27.6		
+75	5° 38.4		
+50	2° 49.2'		
+25	20° 04.2'	40° 08.2	
2	17° 15'		
+75	14° 25.8		
+50	11° 36.6'		
+25	8° 47.4'		
1	5° 58.2'		
+75	3° 09		
+47.10	6° 46'	13° 32'	
0	0 0		

SPK ℄ Curve 02'

76° 14'

88° 46'

℄ K

Rad 254'.

P.C.C 22° 34' curve to Right

10° 02'

B.C. 28° 39' curve to Right

SPK

Rad 200

Platside curve at H & A&D

Sta	Def	Tang	Index

Chaise cuve 42 H 4 dtt

Grades for curve at 5th & 28 St

Sta	+	BS	Grade	Rod
B.M.	3.45	51.83		47.31
2+65			45.75	6.08
3			46.31	5.52
Centre of curve			46.31	5.52
-2			46.69	4.94
1+69			46.43	5.40
			46.73	5.10 ✓
			46.43	5.40
			46.29	5.54

51.83
5.47
46.36

5.32
19
5.43

54

5.89
5.61
.28
46.

46.33

51.83
46.33
46.33 0

31'S of 28 St
Sline 5th St

W line of 5th
31'W of 5th St

proj on 28 St
Middle of curve
proj on 5th

Aug 3 1882 Hamlin & Party

Traverse Line from middle cen of P.L. 219 to Sta 87+02.7 or traverse from old Town to New Roseville

Sta	Dep	course	vert. Angle	Rod	H.I.
16					
15					
17					
13					
12					
+86.3'			0° 0'	8.09	810.3
11					
10					
9					
8					
7		S22°0'W			
6					
+92.8'			-1° 0'	5.93	693.8
5					
4					
3					
2					
1		S22°0'W			
0			0° 0'	5.915	592.8

Sta 0 is the center of P.L. 219 ~~P.L. N.E.~~



Sta	Def	Course	Vert Angle	Rod	Dist
38					
37					
36					
35					
34					
33					
32					
31					
30					
29					
+77			+2° 40'	909.5	
28					
27					
26					
25					
24					
23					
22					
21					
20					
+63.3			-0° 30'	8.80	880.7
19					
18					
17					



Sta		Def	Course	Vert Angle	Rod	Dist.
54						
	+ 28.6	S 22° 00' W				
53		2° 05' L		− 0° 40'	7.62	752.8
52						
51		S 22° 00' W				
	+ 61.6			− 0° 40'	2.66	267.0
50						
49						
48						
47						
46						
45						
44						
	+ 14.1			0° 0'	7.465	747.5
43						
42		S 22° 00' W				
41	+ 27.1			+ 0° 40'	1.86	187.0
40						
39		S 22° 00' W				
38						
	+ 16.8			+ 2° 30'	3.40	340.3
37						
36						

2° 14'
2° 40'

Pig & witness

Pig & witness

Pig & witness

pig & witness

Sta		Def	course	vert. Angle	Rod	Dist.
72	+5.1 +03.9			+0°40'	597.8	598.3'
71						
70						
69						
68						
67						
66	+29.2'			+1° 30'	4.76	476.7
65						
64						
63						
62						
61						
60	+91.4	87° 43' L		-1° 0'	5.37	537.8
59						
58						
57						
56						
55						
54						

S67°35'E

.05

Comp down to 71+07

71+07

Plug & written

Plug on of Loma Heights

Sta	Dep	Course	Vert Angle	Rod	Dist.
+58.5	67° 12' R.		- 1°	3.87	387.9
91					
+47.1	67° 15' R.		+0° 30'	170.8	
90					
89					
88					
87					
+88.8			+5° 0'	3.60	358.3
86					
85					
84					
83					
+21			+0° 40'	4.67	467.8
82					
81					
80					
79					
78			+6° 0'	5.215	
+04.2'			+6° 0'	4.174	
77					
76					
75					
74					
73					

○ Pkg Pile of Rock

◎ Pkg & witness

△ Pkg N Cor of Lonna Heights

Sta	Dep	Course	Vert Angle	Rod	Dist
Sta + 08.22	87+02.7 90°6' to	on Traverse from Old Sour			
104					
103					
102					
101					
100					
99					
+ 64.18'			−14°50	5.815	544.4
98					
97					
+ 92.1			−9°0'	1.76	172.7
96					
+ 46.4			−5°30'	1.46	145.7
95					
94					
93					
92					

Bay of San Diego

Plg in Pile of Rock

Plg in Pile of Rock

Plg in Pile of Rock

Sta	Def	Course	Vert. Angle	Rod	Dist

Slopes on 168th St 15th to 26th
Aug 6 1891 Hamlin & Party

Sta							
0	East line of 6th St						
+25							
+50							
+75							
1							
+25							
+50							
+75							
2							
+08							
+40	Center line of 168th St						
0							

Slope		North		South	Slope		
		+0.4		+0.1			
		-0.3		-0.4			
		-1.2		-0.7			
Area		-1.9		-1.0			
10.9	6.3	-4.2	-3.5	-2.1			area
22.0	12 -8.0	10.0 -7.2	-3.7	-3.3	15.0 -11.5	18.2 -12.1	38.4
30.4		13.5 -9.0	-4.5	-4.1	15 -11.8	18.5 -12.3	47.4
11.5.1	13.5 -10.3	4.0 -5.9	-5.1	-5.4	6.0 -6.9	15.7 -10.6	36.3
29.8	13.2 -8.8	-8.0 -6.3	-5.8	-6.3	11.4 -7.6		35.9
27.0		9.0 -6.0	-6.0	-5.5	9.0 -6.0		24.8
	6.3 c.y.	7.0 -6.5		-6.3	14.8 -9.9		67.5

Approximately 6.3 c.y. [illegible] Grade at 13 from 27+08

Slopes on 18th & 15th to 26th St.

Sta		Area
0	East line of 16th (bottom of bank)	
+ 25	Bulkhead built from	146.5
+ 50	0 to 5th & 0+25 on N	148.6
+ 75		125.9
1		118.3
+ 25		130.9
+ 50		147.7
+ 75		164.8
2		184.9
+ 20	Centre line of 17th	139.7
0	East of 17th	100.8
0	" " " top of bank	98.1
+ 25		83.6
+ 50		53.6
+ 75		20.7

Slope	North	South	Slope	Area
	-6.5	-6.3	1.0 / -9.4	19.8 / -8.5	67.5
21.2 / -11.1	1.0 / -14.5 -6.8	-7.0	1.0 / -11.3	17.7 / -11.8	97.3
20.7 / -13.8	1.0 / -14.4 -7.3	-7.3	1.0 / -12.6	19.0 / -12.7	116.8
22.6 / -15.1 -14.2 -11.7	1.0 / -11.2 -7.9	-8.0	{ House bet. Sta 0+50 & 0+75		
			1.0 / -10.5	18.5 / -12.3	93.7
19.7 / -12.9	1.0 / -12.2 -8.7	-8.6	1.0 / -12.8	19.0 / -12.7	119.2
20.2 / -13.4	1.0 / 13.2 -9.3	-9.2	1.0 / -13.2	19.8 / -13.2	128.3
21.3 / -14.2	1.0 / -14.1 -9.5	-9.9	1.0 / -13.1	19.8 / -13.2	127.7
22.8 / -15.2	1 / -14.7 -10.4	-10.3	1.0 / -12.5	17.0 / -11.3	105.4
23.6 / -15.7	1.0 / -15.9 -11.1	-10.5	13.6 / -9.0		71.4
23.7 / -15.4	-12.1	-9.8	4.0 / -7.9	9.9 / -6.6	44.1
18.0 / -12.0	-11.2	-9.4	5.4 / -3.6		25.4
18.0 / -12	-10.9	-3.2	4.3 / -2.7		6.7
16.9 / -11.3	-9.9	0.0			0.0
13.4 / -8.9	-8.0				
7.8 / -5.2	-5.3				

Slopes on B St. from 18th to 26th

		Area
0	East line of 19th	6.7
+25		27.0
+50		27.5
+75		60.9
1		57.8
+25		54.6
+50		39.6
+75		27.4
+90		22.8
2	West line of 20th	15.3
+06		3.1
+40	Center line of 20th	1.2
0	East line of 20th	0.6
+05		2.5
+25		5.3
+50		3.0
+75		7.1
1		12.0
+25		18.6
+50		18.7

Slope	North		South		Slope Area
	4.6 / -3.1	-2.9	-1.7	2.4 / -1.6	2.0
	10.0 / -6.6	-5.4	-1.7	2.5 / -1.7	2.1
	10.0 / -6.6	-5.5	-2.5	3.6 / -2.4	4.5
	14.0 / -9.3	-8.7	-2.7	4.1 / -2.7	5.5
	14.1 / -9.4	-8.2	-3.2	4.1 / -2.8	6.6
	13.0 / -8.7	-8.4	-3.0	3.6 / -2.4	5.4
	10.7 / -7.1	-7.4	-2.7	2.9 / -1.9	3.9
	8.7 / -5.8	-6.3	-4.5	3.0 / -2.0	6.8
8.0 / -5.3	6.5 / -4.3	-5.7	-4.7	3.5 / -2.4	4.4
	3.0 / -2.0	-2.1			
	1.9 / -1.3	-1.3	-0.8	1.2 / -0.8	1.5
	1.2 / -0.8	-0.8	-0.6	0.9 / -0.6	.3
	2.6 / -1.8	-1.9	-1.7	2.5 / -1.7	2.1
	3.9 / -2.6	-2.7	-5.7	7.0 / -5.0	20.0
	2.7 / -1.8	-2.2	-6.1	9.5 / -6.3	28.9
	4.6 / -3.1	-3.1	-7.0	11.0 / -7.3	11.1 / -7.4	39.1
	6.0 / -4.0	-4.0	-4.4	1.0 / -7.4	11.0 / -7.4	39.0
	7.6 / -5.1	-4.9	-4.5	6.0 / -7.3	10.9 / -7.3	31.5
	8.5 / -5.7	-4.4	-3.5	9.5 / -6.3		16.6

Slopes on 18th from 15th to 26th

+.75

2 West line of 21st

+.40 Center line of 21st

0 East line of 21st

+.05

Slope	North		South		Slope
alley 16.0	$\frac{6.8}{-4.5}$	-4.4	-4.2	$\frac{6.9}{-4.6}$	14.5 alley
12.7	$\frac{5.9}{-3.9}$	-4.3	-4.2	$\frac{6.3}{-4.2}$	13.2
6.0	$-\frac{4.3}{2.8}$	-2.8	-3.7	$\frac{5.5}{-3.7}$	10.1
6.2	$\frac{4.3}{2.8}$	-2.9	-2.6	$\frac{3.9}{-2.6}$	5.0
5.6	$-\frac{3.9}{2.6}$	-2.9	-2.6	$-\frac{3.9}{2.6}$	5.0

Slopes on D St. from 15th to 26th

		area
6+84	Sidewalk East side of 25th	20
0	East line of 25th	41
+25		9.5
+50		17.6
+75		27.0
1		57.2
+25		109.8
+50		184.7
+68		311.1
+75		227.2
2		208.8
+25		159.6
+50		114.7
+75		73.4
3		34.8
+25		6.1
+50		0

Slope	North	South	Slope	area
	2.5 / 1.7	-1.6	-0.7	0.9 / -0.6	0.3
	3.4 / -2.3	-2.4	-2.2	3.4 / -2.3	3.7
	5.4 / -3.6	-3.5	-3.6	5.1 / -3.4	9.2
	7.2 / -4.8	-4.9	-5.2	8.1 / -5.4	21.1
	8.8 / -5.9	-6.2	-7.3	10.2 / -6.8	37.2
	12.7 / -8.5	-9.0	-10.3	13.8 / -9.2	71.1
	18.0 / -12.0	-12.2	-13.0	18.4 / -12.3	119.6
	23.6 / -15.7	-16.5	-15.8	23.3 / -15.5	184.1
30.2 / -20.1		-20.6			
	25.1 / -16.7	-18.1	-17.9	27.4 / -18.2	245.2
	24.0 / -16.0	-17.4	-23.2	16 / -27.7	26.7 / -17.9	412.5
	21.0 / -14.0	-15.2	-21.7	15 / -26.3	32.0 / -21.3	423.6
	18.2 / -12.1	-12.6	-19.6	35.4 / -23.6	846.9
	14.4 / -9.6	-10.2	-13.1	22.1 / -14.7	144.7
	10.1 / 6.7	-6.9	-8.8	14.7 / -9.8	64.7
	4.2 / -2.8	-2.9	-6.3	9.5 / -6.4	29.9
		0.0	-2.6	4.0 / -2.7	5.2
			0		0.0

	North			South		
	Elev	Grade	cut	Elev	Grade	cut
0	57.9	57.50	+ 0.4	56.6	56.50	+ 0.1
+ 25	57.0	57.3	- 0.3	56.0	56.4	- 0.4
+ 50	55.9	57.1	- 1.2	55.7	56.4	- 0.7
+ 75	55.0	56.9	- 1.9	55.3	56.3	- 1.0
1	53.3	56.8	- 3.5	54.1	56.2	- 2.1
+ 25	52.9	56.6	- 3.7	52.9	56.2	- 3.3
+ 50	51.9	56.4	- 4.5	52.0	56.1	- 4.1
+ 75	51.1	56.2	- 5.1	50.7	56.1	- 5.4
2	50.2	56.0	- 5.8	49.7	56.00	- 6.3
+ 40	49.9	56.0	- 6.1	49.5	56.0	- 6.5
0	49.5	56.00	- 6.5	49.7	56.00	- 6.3
+ 25	50.2	57.00	- 6.8	50.0	57.0	- 7.0
+ 50	50.7	58.0	- 7.3	50.7	58.0	- 7.3
+ 75	51.1	59.0	- 7.9	51.0	59.0	- 8.0
1	51.3	60.0	- 8.7	51.4	60.0	- 8.6
+ 25	51.7	61.0	- 9.3	51.8	61.0	- 9.2
+ 50	52.1	62.0	- 9.9	52.1	62.0	- 9.9
+ 75	52.6	63.0	- 10.4	52.7	63.0	- 10.3
2	52.9	64.00	- 11.1	53.5	64.00	- 10.5

East line of 15th St

West line of 16th

East line of 16th

West line of 17th

+40	52.14	64.5	-12.1	54.17	64.5	-9.8	
D	53.8	65.0	-11.2	55.16	65.0	-9.8	East line of 178

Sketch showing bridge at 27+16 ft.



June 25 1892

Grade for Inspect at 5th & Maple

Sta	+	HO	−	Elev
B.M. 5th & Maple	5.46	263.60		258.14
			Street 258.00	Rail 5.60
~~H~~	5.93	266.97	2.56	261.04
			3.17	263.80

S Line of Maple St

2640° S 85° 15' W

Westing	Southing
1523.67	2155.93
48.78	SH & NB
46.53	NH & SB



30th & B — Both cars — on East
30th & T — " cars — " "
" S — N.E. car in
" R — S.E. car "
" Q — S.E. car in
" P — Both cars in on East
" O — N.E. car in
31st & O — Both cars in on East
31st & P — Both " " " " "
31st Q — Both cars in on West
31st & R — N.E. car in

2+ SP

at U & 30th St. old centre 8 W & 6 S

5-3

60.53
9.93
50.59
49.24
1.3

5.13
13
5.27



Cen-29th St - 221.57 from center of alley
North to Pueblo line



235.76
4.08
231.68
4.64
226.32
1.10
2
236.32
10.965
225.355
3.03
228.385
11.54
216.445
27
216.715
11.555
205.16
0.31
204.85

205.47
11.43
194.04
1.255
193.295
5.075
190.210

12400.
1582.7
13982.7

195.295
5.705
189.590

Return to City Engineers Office
City Hall, San Diego, Cal.



Return to City Engineers Office
City Hall, San Diego, Cal.