40

F.B. 40

FIELD BOOK.

360 N.

40

Return to City Engineers Office
City Hall, San Diego, Cal.

BOOK NO. 40

NAME DATE.

40

Return to City Engineers Office
City Hall, San Diego, Cal.

Index

5th St x secs for S.D. Elec RR Tracks from B to Univ Ave 4-17

Road from Middletown to Roseville 18-21

B.M.s. 5th St B to Ash 22-24

Pueblo Lot 1785 70 acres in W 1/2 25-30

Pt. Loma Water pipe line levels over B Line 31-34

25th St. finishing stakes E to F 36

B.M.s. 16th & H to 25th & C 37

F St. finishing Stakes 300' West of 25th St on N Side 38

S.D. Elec RR. Levels on 5th from Ash to Univ Ave 35-41

1208 Preliminary Pipe line 42

Cor of P.L.'s 1784, 1791, & 1792 - 43

Crespi & Jennings Survey 201 & 196 Preliminary (45-57, 57-59)

Line bet Rd. 2 17 & 18 by Clay Co
& Kesse Map 53–54
S.H. Elec R.R. cable on 5th St from
Palm to Olive 60–61
Measurements of Tracks for S.H.
Elec St Ry Co 64–71

Cross sections for Street car tracks on 5th St. B. St. to Univ. ave.

West	center	East	Sta	+	HO	—	Elev.

Cross sections for Street car tracks on 5th Street B to Avenue A

West		center (63.95)		East	
10.20	53.75	10.20	53.75	10.30	53.65
9.8	54.1	9.6	54.8	9.7	54.2
9.3	54.6	9.2	54.7	9.2	54.7
8.0	55.9	8.0	55.9	7.9	54.0
6.3	57.6	6.0	57.9	6.1	57.8
4.0	59.9	3.7	60.2	3.8	60.1
2.2	61.7	1.9 (74.83)	62.0	2.0	61.9
11.2	63.6	10.9	63.9	11.0	63.8
9.5	65.3	9.1	65.7	9.2	65.6
8.4	66.4	8.0	66.8	8.1	66.7
7.4	67.4	6.7	68.1	6.8	68.0
5.8	69.0	5.1	69.7	5.5	69.3
4.2	70.6	3.9	70.9	4.1	70.7
3.0	71.8	2.7	72.1	2.9	71.9
1.7	73.1	1.2 (84.73)	73.6	1.6	73.2
9.9	74.8	9.6	75.1	10.0	74.7
8.1	76.6	8.1	76.6	8.1	76.6

Sta	+	H.I.	−	Elev
3	6.35	63.95		55.60.0
3+40	11.29	74.83	0.41	63.54
0				
0+50				
1				
1+50				
2				
+50				
3	BM 5 and A		7.14	67.69
+40	a St			
0				
+50				
1				
+50				
2	10.71	84.73	0.81	74.02
+50				
3	South Line Ash			
	BM		7.07	77.66

Cross Sections for Street car tracks on 5th Street from B to Union ave

West		Center		East	
		(84.73)			
6.9	77.8	6.7	78.0	6.6	78.1
5.4	79.3	5.3	79.4	5.1	79.6
3.1	81.6	3.0	81.7	2.8	81.9
0.3	84.4	0.4	(95.42) 84.3	0.3	84.4
2.4	87.2	2.2	87.4	2.2	87.4
5.7	89.9	5.4	90.2	5.4	90.2
3.3	92.3	2.9	92.7	3.2	92.4
0.5	95.1	0.2	(109.19) 95.4	0.3	95.3
12.4	96.8	12.4	96.8	12.3	96.9
11.1	98.1	11.1	98.1	10.8	98.4
6.8	100.4	8.4	100.8	8.4	100.6
5.9	103.3	5.7	103.5	5.6	103.6
3.0	106.2	2.6	(120.75) 106.6	2.6	106.6
11.2	109.5	11.1	109.6	11.1	109.6
8.2	112.5	8.0	112.7	7.8	112.9
5.2	115.5	5.1	115.6	5.1	115.4
3.8	116.9	3.8	116.9	3.7	117.0

Sta	+	H.I.	−	Elev
40				
0				
+50				
1	11.66	95.42	0.77	83.96
+50				
2				
+50				
3	6.75	102.17	0.20	95.42
3+40	5.31	109.19	1.29	100.88
0				
+50				
1				
+50				
2	11.88	120.75	0.32	108.87
+50				
3	South Line Cedar			
+40				
B.M.			4.38	116.37

Cross sections for Street car track on 5th St from B to Alvarado Ave

West		Centre		East	
		(120.75)			
2.4	118.3	2.4	118.3	2.5	118.2
0.4	120.3	0.2	120.5	0.3	120.4
		(132.11)			
10.0	122.1	9.8	122.3	9.6	122.5
8.1	124.0	7.9	124.2	7.8	124.3
6.0	126.1	5.9	126.2	5.8	126.3
4.0	128.1	3.8	128.3	3.9	128.2
2.1	130.0	1.6	130.5	1.9	130.2
0.9	131.2	0.9	131.2	0.8	131.3
		(141.15)			
9.0	132.1	9.1	132.0	9.1	132.0
8.2	132.9	8.2	132.9	8.2	132.9
7.2	133.9	7.3	133.8	7.4	133.7
6.5	134.6	6.4	134.7	6.5	134.6
5.5	135.6	5.7	135.4	5.8	135.3
4.8	136.3	4.8	136.3	4.7	136.4
3.9	137.2	3.9	137.2	3.6	137.5
3.2	137.9	2.9	138.2	2.6	138.5
1.7	139.4	1.2	139.9	1.0	140.1
		(151.90)			
10.4	141.3	10.1	141.6	10.0	141.9
8.3	143.6	7.7	144.2	8.1	143.8

Sta	+	℄	−	℄
0				
150				
1	11.92	132.11	0.56	120.19
150				
2				
150				
3				
140	Center Line Date			
0	9.90	141.15	0.80	131.25
0+50	B.M.		7.40	133.75
1				
150				
2				
150				
3	South Line Elm			
140				
0	11.73	151.88	1.00	140.15
0+50				
1				

West		Center (151.90)		East	
5.7	146.2	5.3	146.6	5.6	146.3
3.1	148.8	2.5	149.4 (162.40)	2.8	149.1
11.2	151.6	10.8	152.0	11.2	151.6
8.6	154.2	8.4	154.4	8.5	154.3
4.7	154.1	6.6	156.2	6.4	156.4
4.4	158.4	4.5	158.3	4.4	158.4
1.8	161.0	1.6	161.2 (173.98 1740)	1.7	161.1
10.6	163.4	10.2	163.8	10.2	163.8
7.7	166.3	7.4	166.4	7.6	166.4
4.3	169.7	4.6	169.4	4.4	169.6
2.0	172.0	2.0	172.0 (185.20)	2.0	172.0
10.8	174.4	10.4	17.48	10.7	174.5
8.7	176.5	8.6	176.6	8.9	176.3
7.0	178.2	6.7	178.5	6.8	178.4
4.8	180.6	4.3	1809	4.6	180.6
1.9	183.3	1.7	183.5 (196.40)	1.8	183.4
10.6	186.0	10.4	186.2	10.5	186.1
8.1	188.5	7.9	188.7	7.7	188.9

Sta	+	75	−	E
		151.88		
1+50				
2	11.73	162.80	0.81	151.07
150				
3	South Line Fir			
140				
0	BM		2.44	160.36 (160.28)
0+50	11.87	173.98	0.69	162.11
1				
5				
2				
150	12.0	185.22	0.76	173.22
3	South Line grape			(174.83)
3+40			1.26	174.96
0				
0+50	11.9	196.62	0.50	184.72
1				
150				
2				

West		Center		East	
		196.60			
5.5	191.1	5.2	191.4	5.0	191.6
2.6	194.7	1.9	194.7	2.0	194.6
		205.50			
9.3	196.2	9.2	196.3	9.2	196.3
7.6	197.9	7.3	198.2	7.5	198.0
5.5	200.0	5.0	200.5	5.1	200.4
2.6	202.9	2.5	203.0	2.6	202.9
0.4	205.1	0.1	205.4	0.1	205.4
		217.10			
9.6	207.5	9.3	207.8	9.2	207.9
7.5	209.6	6.9	210.2	7.0	210.1
5.0	212.1	4.4	212.7	4.1	213.0
2.7	214.4	2.8	214.3	2.2	214.9
1.2	215.9	0.8	216.3	0.5	216.6
		227.50			
9.4	218.1	9.0	218.5	8.9	218.6
7.2	220.3	6.8	220.7	6.8	220.7
4.4	222.9	4.2	223.3	4.2	223.3
1.5	226.0	1.3	226.2	1.3	226.2
		235.96			
7.1	228.8	6.9	229.0	6.9	229.0
4.9	231.0	4.7	231.2	4.4	231.5

Sta	+	Fi	−	G
		196.62		
2+50				
3	South Line 36 Crawthorn			
	6.21	200.53	2.30	194.32
3+40			1.71	195.42
0	6.78	205.50		198.72
+50				
1				
+50	11.87	217.06	0.31	205.14
2			1.26	
+50				
3	South Line Survey		1.26	215.80
+40				
0				
+50	11.60	227.52	1.14	215.92
1			0.555	
+50				
2				
+50	8.94	235.91	0.555	226.97
3	South Line Jump			
			7.77	228.14

West		Center (235.91)		East	
4.0	231.9	3.4	232.5	3.4	232.5
3.2	232.7	2.5	233.4	2.7	233.2
2.1	233.8	1.4	234.5	1.4	234.5
1.5	234.4	0.7	235.2 (246.28)	0.7	235.2
11.6	234.6	10.9	235.3	11.0	235.2
9.8	234.4	9.3	236.9	9.1	237.1
7.9	238.3	7.4	238.8	7.5	238.7
5.7	240.5	5.4	240.8	5.7	240.5
4.7	241.5	4.0	242.2	3.9	242.3
3.8	242.4	3.1	243.1	3.2	243.0
2.6	243.6	1.9	244.3	2.0	244.2
1.3	244.9	0.6	245.6 (254.58)	0.9	245.3
8.0	246.5	7.1	247.4	7.8	246.7
6.9	247.4	6.2	248.3	6.4	248.1
6.2	248.3	5.3	249.2	5.7	248.8
4.9	249.6	4.1	250.4	4.5	250.0
4.1	250.4	3.3	251.2	3.6	250.9
3.1	251.4	2.5	252.0	2.8	251.7

Sta	+	Hi (235.91)	−	E
3+40				
0				
0+50				
1	11.91	246.96	0.85	235.06
+50				
2				
+50				
3	South Line Halima		4.44	242.52
+40				
0				
0+50				
1				
0+50	7.89	254.52	0.33	246.63
2				
+50				
3	South Line Laurel			
+40				
0				
B.M.			1.52	253.00

West		Center		East	
		25450			
1.9	252.6	1.2	253.3	1.5	253.0
0.6	253.9	0.1	254.4	0.1	254.4
		24270			
8.1	254.6	7.5	256.2	7.6	256.1
7.1	255.6	6.7	256.0	6.4	256.3
6.3	256.4	5.7	257.0	5.8	256.9
5.3	257.4	4.8	257.9	5.2	257.5
4.9	257.8	4.5	258.2	4.7	258.0
4.3	258.4	4.0	258.7	4.2	258.5
3.7	259.0	3.3	259.4	3.4	259.3
3.0	259.7	2.4	260.3	2.6	260.1
2.1	260.6	1.6	261.1	1.9	260.8
1.5	261.2	0.9	261.8	1.0	261.7
		27250			
10.7	261.8	9.8	262.7	9.9	262.6
9.3	263.2	8.6	263.9	9.9	262.6
8.3	264.2	7.7	264.8	8.0	264.5
7.5	265.0	6.8	265.7	6.7	265.8
4.3	266.2	5.6	266.9	5.8	266.7
5.1	267.4	4.7	268.2	4.3	268.2
4.1	268.4	3.7	269.3	3.2	269.3

Sta	+	H.I.	−	E
		254.52		
0+50				
1				
	8.96	262.66	0.8	253.72
1+50				
2				
2+50				
3	South Line Maple			
3+40				
0 BM			4.60	258.06
0+50				
1				
1+50				
2				
	11.23	272.49	1.42	261.26
2+50				
3+30	South Line Nutmeg		5.73	263.76
3+40				
0				
0+50				
1				
1+50				

West		Centre (272.60)		East	
3.1	269.4	2.5	270.0	2.5	270.0
2.2	270.3	1.5	271.0	1.6	270.9
1.5	271.0	0.6	271.9	0.9	271.6
		(279.78)			
2.5	271.2	7.6	272.1	7.7	272.0
8.3	271.4	7.4	272.3	7.5	272.2
7.7	272.0	7.0	272.7	7.1	272.6
7.2	272.5	6.5	273.2	6.6	273.1
6.4	273.3	5.8	273.9	6.1	273.6
5.4	274.3	5.0	274.6	5.1	274.6
4.6	275.1	4.0	275.7	4.3	275.4
4.1	275.6	3.2	276.5	3.5	276.2
3.4	276.3	2.8	276.9	3.0	276.7
2.9	276.8	2.5	277.2	2.8	276.9
2.5	277.2	1.9	277.8	2.3	277.4
2.4	277.3	1.5	278.2	2.0	277.7
1.7	278.0	1.0	278.7	1.6	278.1
		(284.78)			
4.3	278.4	5.5	279.2	4.1	278.6
5.9	278.8	5.2	279.5	5.8	278.8
5.3	279.4	4.5	280.2	5.3	279.4

Sat	+	Ht.	−	E
		272.49		
2				
2150				
3	South Line Olive		1.18	271.31
+40	8.37	279.68		271.31
0				
0+50				
1				
+50				
2				
+50				
3	B.M. Palm St		2.49	277.19
+40				
0				
0+50				
1				
+50	6.04	284.68	1.04	278.64
2				
+50				
3	Quince St		5.30	279.38

West		Center (284.08)		East	
5.2	279.5	4.4	280.3	5.0	279.7
4.6	280.1	4.2	280.5	4.5	280.2
4.6	280.1	4.1	280.6	4.2	280.5
4.5	280.2	3.8	280.9	4.0	280.7
4.3	280.4	3.6	281.1	3.6	281.1
4.0	280.7	3.4	281.3	3.6	281.1
3.8	280.9	3.1	281.4	3.4	281.3
3.6	281.1	2.9	281.6	3.2	281.5
		(286.18)			
4.9	281.2	4.2	281.9	4.4	281.7
4.7	281.4	4.0	282.1	4.3	281.8
4.6	281.5	4.0	282.1	4.3	281.8
4.4	281.3	4.1	282.0	4.1	282.0
4.6	281.3	4.2	281.9	4.2	281.9
4.7	281.4	4.1	282.0	4.1	282.0
4.5	281.6	4.2	281.9	4.3	281.8
4.8	281.3	4.3	281.8	4.4	281.7
		(285.5)			
4.3	281.8	3.9	281.6	4.0	281.5
4.9	280.6	4.1	281.4	4.3	281.2
5.1	280.4	4.4	281.1	4.6	280.9

Sat	+	HI	−	E
		284.68		
3+40				
0				
+50				
1				
+50				
2				
+50				
3	Redwood St			
#	BM			
+40	4.11	280.57	231	281.97
0				
+50				
1				
+50				
2				
+50				
3 #	Spruce 2.14	285.46	2.16	283.32
+40				
0				
+50				

West		center		East	
			285.50		
5.4	280.1	4.6	280.9	4.6	280.9
5.4	279.9	5.1	280.4	5.0	280.5
5.8	279.7	5.3	280.2	5.3	280.2
5.6	279.9	5.5	280.0	5.3	280.2
5.6	279.7	5.4	280.1	5.2	280.3
5.3	280.2	4.9	280.6	4.8	280.7
5.0	280.5	4.3	281.2	4.2	281.3
			290.10		
8.7	281.4	8.3	281.9	8.0	282.1
8.0	282.1	7.5	282.4	7.1	283.0
6.8	283.3	6.3	283.8	6.1	284.0
5.7	284.4	5.1	285.0	5.1	285.0
4.9	285.2	4.4	285.7	4.2	285.9
4.2	285.9	3.7	286.4	3.5	286.6
4.0	286.1	3.4	286.7	3.3	286.8
3.6	286.5	3.2	286.9	3.2	286.9
			290.9		
4.2	286.7	3.8	287.1	3.7	287.2
4.0	286.9	3.7	287.2	3.5	287.4

Sta	+	Fi	−	G
9		285.46		
9+50				
2				
2+50				
3		Thorn		
3+50				
0	B.M. 7.11	290.11	2.48	283.00
0+50				
1				
1+50				
2				
2+50				
3				
3+50				
4+48				
0	North Line Texas		2.23	287.96 / 287.88
0+2.	2.89	290.55		287.66
0+50				
1				

West		Center		East	
		(290.9)			
4.2	286.7	3.7	287.2	3.5	287.4
4.2	286.7	3.9	287.0	3.8	287.1
4.1	286.8	4.0	286.9	3.9	287.0
4.7	286.2	4.6	286.3	4.2	286.7
5.3	285.6	5.0	285.9	4.4	286.5
6.9	284.0	6.8	284.1	5.5	285.4
7.5	283.4	7.3	283.6	6.0	284.9
8.3	282.6	7.9	283.0	6.6	284.3
8.9	282.0	8.6	282.3	7.0	283.9
8.9	282.0	9.0	281.9	7.6	283.3
		(286.6)			
4.9	281.7	5.1	281.5	3.8	282.8
5.7	280.9	5.6	281.0	4.2	282.4
5.9	280.7	5.6	281.0	5.2	281.4
5.7	280.8	5.5	281.1	5.5	281.1
5.5	281.1	5.5	281.1	5.6	281.0
5.7	280.9	5.6	281.0	6.0	280.6
5.9	280.7	5.9	280.7	6.2	280.4

Sta	+	Ft	-	Elev
		290.85		
1+50				
2				
2+12.5	South line of Walnut St			
+32.5	Center of Walnut			
0	North line of Walnut			
+50		8' East	6.8	284.1
1		8 "	7.4	283.5
+50		8 "	8.2	282.7
2		8 "	9.2	281.7
+50		8' "	9.4	281.5
#	4.55	286.58	8.82	282.03
3		6' East	5.6	279.0
+50		6' "	6.0	280.6
4				
+50				
5				
+50				
6				
B.M. 5th & Broadway			6.37	280.21

West		center		East	
		(286.6)			
6.3	280.3	6.0	280.6	6.6	280.0
6.3	280.3	7.3	279.3	7.0	279.6
9.9	276.7	10.3	276.3	7.9	278.7
		(276.3)			
1.2	175.1	3.4	272.9	- 1.5	264.6
		(265.8)			
4.2	261.6	6.0	259.8	9.0	256.8
15.0	250.8	15.0	250.8	15.0	250.8
3.8	260.0	3.6	262.2	4.6	261.2
		(284.1)			
9.6	274.5	8.9	275.2	7.5	276.6
7.0	277.1	6.9	277.2	4.7	279.4
5.2	278.9	5.4	278.7	3.3	280.8
4.9	279.2	4.8	279.3	3.1	281.0
3.7	280.4	3.6	280.5	3.7	281.4
2.8	281.3	2.6	281.4	2.1	282.0

sat	+	HI	-	E
		286.58		
6+30	center of Brookfield			
0				
	+ 50			
#	1.08	276.33	11.33	275.25
1	on bridge brace — marked			
#	0.36	265.80	10.89	265.44
	+ 50			
	+ 82	Bottom of curve		
2				
#	11.52	275.90	1.42	264.38
#	9.44	284.13	1.21	274.69
	+ 50			
3	5' East	6.4		277.7
	+ 50	5' "	5.3	279.8
4	5' "	4.8		280.3
	+ 50	4' "	3.6	280.5
5	5' "	3.7		280.4
#	7.84	290.23	1.74	282.39

West		Cent.		East	
		(290.2)			
7.6	282.6	7.4	282.8	7.8	282.4
4.5	285.7	5.0	285.2	6.7	283.5
3.1	287.1	3.4	286.8	6.6	283.6
4.3	285.9	4.0	286.2	6.5	283.7
4.8	285.4	5.1	285.1	6.2	284.0
4.6	285.6	5.0	285.2	5.0	285.2
4.4	285.4	4.8	285.4	4.8	285.4
3.0	287.2	3.8	286.4	4.5	285.7
3.8	286.4	3.5	286.7	3.5	286.7
1.9	288.3	3.0	286.2	3.5	286.7
3.1	287.1	2.7	287.5	2.3	287.9
2.7	287.5	2.5	287.7	1.7	288.5
		(295.4)			
6.3	289.1	6.6	288.8	7.1	288.3
6.2	289.2	6.7	288.7	6.8	288.6
6.5	288.9	6.5	288.9	6.0	289.4
6.3	289.1	6.4	289.0	6.1	289.3

sta	+	Hi	−	E
		290.23		
5+50				
6				
6+30	Thornton St			
B.M.			1.19	286.04
0				
+50		4' West	3.9	286.3
1				
+50		3' West	3.8	286.4
2		3' "	2.6	288.6
+50				
3				
+50				
4				
#	6.82	295.42	1.60	288.60
150				
5				
+50				
6				

West		Center		East	
		295.4			
6.5	288.9	5.6	289.8	5.8	289.6
6.6	288.8	6.3	289.1	5.6	289.8
6.7	288.7	6.7	288.7	6.3	289.1
6.9	288.5	6.9	288.5	6.8	288.6
6.9	288.5	6.9	288.5	6.6	288.8
6.7	288.7	6.6	288.8	6.0	289.4
6.6	288.8	6.7	288.7	6.4	289.0
6.4	289.0	6.2	289.2	5.5	289.9
4.4	291.0	5.1	290.3	6.5	288.9
4.8	290.6	4.2	291.2	3.3	292.1
5.2	290.2	4.4	291.0	5.1	290.3

5th & Univ ave.

Sta	+	H.I.	−	Elev
		295.42		
6+30	Robinson St			
0				
B.M.				
+50				
1				
+50				
2				
+50				
3				
+50	1' East 6.2	289.2	3' West 3.3	292.1
4				
+16	South line of Univ ave.			
B.M.		5.48		289.94

Road from Middletown to Rose- ville

Station	Ref	Course	M. C.
12			
11			
10 + 20	Ini let		
+ 18.4			
9		S° 35' E	S 46° 50' W S 27° 40 W
8			
7			
+ 8.2	Slough		
6			
5			
4 + 16.7			
4 + 16.7'		90° 0' E	S 35° 15' W S 22° 05' W
3			
2			
+ 5.5	Top of slight rise		
1			
0		N 54° 45' W	N 68° 05' W

Station 0 is the center of Southerly line of Old town



Station	Bef.	Course	Dist.	C.
31				
30				
29				
28		S42°30'W		
27				
26				
+30 25	line left 226 & 235			
24				
23				
22				
21				
+30 20	16°15' Rt	356°05'W	342°45'W	
19				
18				
17				
+70 16 +81 +75 15	line left 235 & 321			
14				
13		S46°50'W		



Station	Bef	Course	M.C.
50			
49			
48			
47			
46			
45 +62	at I		
44	at Station 44 + 1.5 intersect line Bet Pts 227-225		221 feet from tall white stake
43			
42 +98	69°05	N54°50'W	N67°0'W
41 +69			
40 +95			
39 +62	line Bet 224 & 226		S43°50'W
38			
37			
36			
35			
34			
33			
32		S56°05'W	



S 4a

Mag. Bearing of ditch N 22° W

From Iron pin on Cor Schultes lot
Drain at 80 ft Center ditch at 1135 intersect
proposed road at Station 62+90.5 at 1359 ft
pueblo line at station 567 ft from Pueblo
Cor. Angle with pueblo line 90°35'

+22
63
62
61
60
59
58
57
56
55
54
53
52
51



at station 57+21.5 Intersect Pueblo Line

Cr to Cr 160'

Bet Pueblo lot 225 ms — 223.30 feet from Cr to 225

S.E. limit of B Mesa St

Check of B.M.'s on 5th St from 18 to Avenue Ave

Sta	+	HI	−	Elev	chk.	
B.M.	5.64	54.42		48.78		5th & 18 St's
B.M.#	2.96	57.38	0.0	54.42	54.42	5th & C St's S.E. N hinge of hyd dr
B.M.			1.81	55.57	55.60	5th & B
#	8.43	62.87	2.94	54.44		
#	8.87	70.29	1.45	61.42		
B.M.			2.63	67.66		5th & A
#	8.93	77.20	1.32	68.97		
B.M.			0.27	77.63		5th & Park
#	10.97	88.35	0.52	77.38		
#	11.15	98.88	0.62	87.73		
#	10.59	108.07	1.40	97.48		
B.M.			7.25	100.82	100.80	5th & Beech St
#	11.84	119.15	0.76	107.31		
B.M.			3.00	116.15		Ave Cedar S.E. of hyd
#	11.92	129.56	1.51	117.64		
#	9.65	138.33	0.88	128.68		
B.M.			4.65	133.68		5th & Butler N.E. nozzle of hyd dr
B.M.#	11.29	149.26	0.36	137.97		5th & Elm S.E. plug tee
#	11.95	160.61	0.70	148.56		

Sta	+	HI	−	Elev	chk	
		160.51				
B.M. #	11.87	172.14	0.24	160.27		5th & Pine N.E. N hinge of hydt
#	11.88	183.52	0.50	171.64		5th & Maple S.E. S/k tel
B.M.			8.65	174.87		
#	11.99	194.82	0.69	182.83		
#	11.67	206.15	0.34	194.48		
B.M.			7.41	198.74	198.76	6th & Hawthorn S.E.
#	11.93	218.01	0.07	206.08		
B.M.			2.20	215.81		6th & Ivy S.E. N hinge of hydt
#	11.89	229.27	0.63	217.38		
#	9.07	238.06	0.28	228.99		
B.M.			9.88	228.18		6th & Juniper St. S.E. of k tel
#	10.82	248.28	0.60	237.46		
B.M.			5.92	242.36		6th & Palmira St. S.E. of k tel
#	8.73	256.91	0.10	248.18		
B.M.			3.84	253.07		6th & Laurel St.
#	7.68	264.85	0.24	256.67		
B.M.			6.21	258.14		6th & Maple N.W. of k 6" from Cur-
B.M.#	9.70	273.51	0.54	263.81		6th & Nutmeg S.E. of k tel

Sta	+	HI	−	Elev	Rk
		273.51			
B.M.#	8.01	279.39	2.13	271.38	
B.M. D	6.52	283.76	2.15	277.24	
B.M.			4.28	279.48	
B.M.#	3.70	285.79	1.67	282.09	
B.M.			2.33	283.46	
B.M.#	9.50	290.16	5.13	280.66	
B.M.			2.22	287.74	

5# & olive S.E. s/k tk

5# & Palm SW nozzle of hyd.

5# & Quince S.E. s/k 6" from cor.

5# & Redwood s/k 3' East of SE cor of SE air

5# & Spruce St. at Tuck top of manhole 3' East

5# & Thorn s/k 3' East of S.E. cor.

5# & W/as

Survey of a portion of 1178

Station	Bf	Course	Vert Angle	Rod	Rise
7					
6					
+41.5			+1° 0'	11.14	1178
5					
4					
3					
2					
1					
+63		N 29° 85' W Mag	+4° 10'	11.80	1178.5
0					

Note all these Courses were of the wall moved 27.5 East
Intermediate points were not moved



Sta	Ref	Course	Vert Angle	Rod	Hor't
+56.5			+4° 0'	8.02	799
16					
15					
14					
+25					
13					
12					
11					
10					
9					
8					



Station	Bf	Course	Vert Angle	Rod	Dist.
25					
+ 5-8.5			+0° 0'	1.86	185.5
24					
23					
22					
21					
20					
19					
18					
17					



Sta	Hef	Course	Dist-a	Rod	Rise
35					
34					
33					
32					
31					
31					
25					
+42			−1° 0′	8.92	8.93
24					
27		S 61° 25′ W			
+40		90° 0′ W		+1° 30′	2.01	2.02
26					



9°
32 30
57 30

127
35'
5 85-2



+ 62

38

+ 35'

37

36

Se cor of blk 6 in at point of
hill flat bottom of canon terminal
on N line to 150' N of 4th St
top of hill at 4th St
Small canon 100' S of Dakota ave,
thence straight rise to

Levels over B.M. line for water supply on Pound Town May 23 1851
Hamlin Level
Shaw Rod

Sta	+	HI	−	Elev	
B.M.	5.8	204.1		198.3	Sta 146
0			3.3	200.8	
1			10.0	194.1	
2			7.1	197.0	
3			4.7	199.4	
4 ✕	8.0	208.3	8.8	200.3	
5			6.1	202.2	
6			3.0	205.3	
#	12.4	220.1	0.6	207.7	
7			9.2	210.9	
8			6.0	214.1	
9			2.9	217.2	
✕ 25	2.5	219.7	2.9	217.2	
10			4.2	215.5	
11			7.5	212.2	
12			8.4	211.3	
13			8.5	211.2	
14			5.7	214.0	
15			5.0	214.7	

Sta	+	HD	−	Elev
15+25		219.7	6.2	213.5
16			8.4	211.3
17 #	2.00	209.6	12.1	207.6
18			6.1	203.5
19	0.3	188.0	11.9	197.7
20			4.8	193.2
21			8.8	189.2
#	1.0	187.4	10.6	186.4
22			2.5	184.9
23			7.0	180.4
24			9.8	177.6
25			6.4	181.0
26			7.2	180.2
#	1.2	177.0	11.0	175.8
27			7.0	170.0
#	0.7	165.7	12.0	165.0
28 #	0.1	153.3	12.5	153.2
29			8.3	145.0
#	0.6	142.0	11.9	141.7

Sta	+	HD	−	Elev
30		142.8	6.6	135.4
31 #	0.4	130.0	12.4	129.6
32			8.0	122.0
#	0.1	117.8	12.3	117.7
33			1.4	116.4
34			6.5	111.3
35 #	0.9	106.7	12.0	105.8
36			6.4	100.3
37 #	0.12	94.9	12.0	94.7
38			6.7	88.2
39			9.4	85.5
#	.018	84.1	11.6	83.3
40			4.4	79.7
41			7.9	76.2
42			9.7	74.4
#	7.5	80.4	11.2	72.9
43			10.0	70.4
60			12.0	68.4
44			9.3	71.1

Sta	+	HI	−	Elev	
		80.4			
#	10.9	90.8	0.5	79.5	
45			9.2	81.6	
#	10.9	101.5	6.2	90.6	
46			9.3	92.2	
47			1.4	100.1	
48 #	9.0	109.2	1.3	100.2	
49			9.5	99.7	
50			7.7	101.5	
51			5.9	103.3	
512			1.7	107.5	chip
Bm			0.6	108.6	108.3

Sta 90+15 on A line

2 171.2
173.3
43.9

Finishing stakes on 25th St Sect

Street level acres

Sta	+	H.I.	Grade	Rod	Elev
B.M.	6.76	183.78			177.03
	5.21	186.10	2.89	180.89	
3+40			180.00		
0 x			180.50	5.60	
+50			181.00	5.10	
1			181.50	4.60	
+50			182.00	4.10	
2			182.50	3.60	
+50			183.00	3.10	
3 x			183.50	2.60	x
#	9.71	193.21		2.60	183.50
B.M.				5.06	188.15

E & F for Grading May 25th 1892 Hamlin Williams Shaw.

cor. tack top of fence post N.W. cor.

center line of F St

South line of E St

25th St.

D 184.78 S.E. cor. spike plug.

C 188.39 S.E. cor. spike plug. 15/24

Check levels over BM 2 16th & H to 25th & D

Sta	+	H.I.	-	Elev	
B.M.	7.19	44.80		37.61	16th & H SW.
#	11.08	55.80	0.08	44.72	
#	11.48	66.36	0.92	54.88	
B.M. #	11.33	77.48	0.21	66.15	19th & H S.W. of hotel
#	11.69	89.17	0.00	77.48	
B.M.			3.12	86.05	86.07
#	11.78	100.40	0.55	88.62	20th & H S.W. & bridge log all
#	11.77	111.81	0.36	100.04	
#	11.21	122.06	0.96	110.85	
B.M.			3.88	118.18	118.20
#	11.87	133.13	0.80	121.26	22nd & H S.E. cap Top of Cor Post
#	11.56	143.82	0.87	132.26	
#	11.96	155.13	0.65	143.17	
#	11.93	166.73	0.33	154.80	
#	11.42	177.40	0.75	165.98	
B.M. #	8.73	185.83	0.30	177.10	25th & D.
		180.50			
		5.33			

Finishing stakes on F St 300'

Sta	North Grade	North Rod	South Grade	South Rod
B.M.		(184.19)		
3	175.00	9.19	174.00	10.19
+50	175.92	8.27	175.00	9.19
4	176.83	7.36	176.00	8.19
+50	177.75	6.44	177.00	7.19
5	178.67	5.52	178.00	6.19
+50	179.58	4.61	179.00	5.19
6	180.50	3.69	180.0	4.19
#				
+50	180.50		180.0	
0	180.50	3.69	180.0	4.19

West of 25th St

+	H.I.	−	Elev
8.87	185.97		177.10

300' West of 25th St.

3.08	184.19	4.81	181.16

West line of 25th

1.11	180.84	4.46	179.73

Centre of 25th St.

			(172.23)
25th St E.		8.61	172.23

East line of 25th

Levels for S.H. Canal Construction

Sta	+	HI	−	Elev	
B.M.	2.72	290.68		287.96	
0			4.97	285.71	
0+50			6.70	283.98	
1			7.16	283.52	
1+50			7.75	282.93	
2			8.45	282.23	
~~2~~ 2+50	4.31	286.14	8.83	281.45	
3			4.67	281.49	
3+50			5.23	280.93	
4			5.28	280.88	
4+50			5.10	281.06	
5			5.02	281.14	
5+50			5.23	280.93	
6			5.35	280.81	
6+30			5.56	280.60	
B.M.			5.93	280.23	280.19
0			6.67	279.49	
~~1~~ 0+50	0.72	277.30	9.58	276.58	
1			4.87	272.43	
1+50					

5th St from Wash to Union

5th & Wash

North Fine Ferry

Brooks

North Fine Brooks

Boton Gulch

Sta	+	HI	−	Elev	
		277.30			
#	3.51	270.29	10.52	266.78	
2			11.50	258.79	
#	11.42	280.84	0.87	269.42	
2+50			5.64	275.20	
3 #	9.84	267.25	3.43	277.41	
3+50			8.40	278.85	
4			7.87	279.38	
+50			6.86	280.39	
5			6.01	281.24	
+50			4.24	283.01	
± 6	6.78	292.14	1.89	285.36	
B.M.			6.06	286.08	286.07
6+30			5.29	286.85	
0			5.83	286.31	
+50			7.00	285.14	
1			6.82	285.32	
+50			6.81	285.33	
2			5.35	286.79	
+50			5.83	286.31	

T Thornton

North Line T Thornton

Sta	+	HI	−	Elev	
		292.14			
3			4.90	287.24	
#					
+50	6.47	293.98	4.63	287.51	
4			6.23	287.75	
+50			5.15	288.83	
5			5.20	288.78	
+50			5.02	288.96	
6			4.82	289.16	
4+30			4.02	289.96	
0			4.76	289.22	North Line Robison
+50			5.13	288.85	
#					
1	5.47	294.07	5.38	288.60	
+50			5.53	288.54	
2			5.22	288.85	
+50			5.29	288.78	
3			4.70	289.37	
+50			4.51	289.56	Old Rail Road Bed
+54			2.05	292.02	Top of bank
4			2.78	291.29	
4+16			2.95	291.12	
BM			4.11	289.96	289.99 University Ave

Water pipe line in P.L. 1208 Prelim.

Sta	Dist	Deflection	Diff of Level	Elev
36+71				185.7
30+26	845'	-3° 45'	-55.3	241.0
29+42	84'	+1° 50'	+2.7	238.3
18+84	1058'	+40 28'	+82.6'	155.7
17+78	106	+6° 16'	+15.4	140.3
Sta 8	978	+1° 11'	+20.5'	119.8
	6.21	+7° 07'	+77.5'	119.8
	898	+2° 42'	+42.3	42.3

← To sea level

8
7
6
5
4
3
2
1
0 North

Sta 0 is a point in the center of a short line-marked at West of Bay Pt and on the North line of D.S.

Between sta 30+26 and 38+71 there is a crown about 10ft below sta 38+71. Estimated dist to mesa ahead on line 1200'. Elev 360, crown about 75' deep just beyond sta 38+71

(work to get elev at Sta 8)

Sketch showing connection of the C.L. of 1884, 1791, & 1792 with C.L. of the Kansas and Pacific Branch

180
112.5
292.5
500.0 = Blk 39
80.0 = Sixth St
500.0 = Blk 38
80.0 = Sixth St
500.0 Blk 37
80.0 Sixth St
500.0 Blk 36
2532.5
80.0
2612.5

2640
2612.5
27.5



Station	Course	Vert. Angle	Rod	Dist.
14				
11+80				
7+71				
6+60				
5+44.0				
0	N 67.45 W	+3° 10'		

Sta 0 is a plug at the N.W. cor of Loma Vista Hts

add all courses are magnetic

N 67° 45' W

wash 10' wide about 8' deep

◇ ply & witness marked 6+60

◇ stake marked S.E. 206

◇ Plg N.W. cor of Loma Vista Hts

N.W. cor of 206

June 15 1892

Hamlin
Shaw
Hamlin
Van Hook

North Easterly line of Pc. 201

Station	
0 ○	Begun at a flag at the Northerly cor of Loma Heights Add B.S. along the N. Easterly Bound of said Add'n St and found Magnetic bearing of said line N 67° 45' W thence 544.5' to a scarf stake
544.5	marked S.E. 206.
660.0	set plug and witness marked 6+60
7+71.	top of ridge abrupt slope ahead
11+80	Bottom of cañon wash 15' wide 6' deep
13+20	set plug & witness marked 13+20
15+20	top of steep slope
17+45	set plug & witness marked 17+45 (114 206)
18+50	Line top of flat hill
18+67	Mound (?) on line white flint stone 2' west
24+00	plug line
26+05	Easterly line of Ocean Beach
26+20 = ±	set Plug





Log Sin 12° 40' = 9.340396
Log 114 = 2.056905
1.397301 =
(25)
Log Cos 12° 40' = 9.98 9300
Log 114 = 2.05-6905
2.046205 =
111.3

12° 40'
77 20'
90° 00'

1950
60

North westerly line of 201

Station	Course	angle	Rod	Dist.
	Set up at a point on the North Easterly line (produced) of 201, 25' North westerly from the westerly cor of said 201			
	B.S. to Sta 2400 on line (Mag course S 22° 30' W)			
	turned 90° Rad as follows			
6+60	⊙ set stake & witness marked 6+60			
10+80	trail to ocean Beach			
13+20	⊙ flag & witness marked 13+20			
+72	scrub stake 17' to left not marked also foot of small hill			
14+50	⊙ line top of hill			
19+80				
25+42	4" scrub stake marked 202 10.5 left			
26+40	set stake marked cor 201 (26+40			
	turned 90° to left			

2640
2542
98

Southwesterly line of 201

Station	
0	Run along the southwesterly
	line of 201 S67° 30' E mag
6+60	stake marked 6+60
8	set line plug
13+20	" " "

Station	Course	Angle	Rod	Dist

for Crespin & Jennings

Survey of the S.E. 1/4 of P.L. 206

Sta	Bef	Course
600		
400		
200		
13+22 = 0	90° R.	
9+53		
635		
1+26.5		
0		

Sta 0 is the cor common to Pueblo lots 206, 207, 201, thence run N 67° 30' W Mag.
(all courses are Mag)



Sta	Ref	course
6+60		
600	top of hill	
450		front of hill
0	90° Rgt	
13+20 = 0		
9+43		
8+63		
6+60		

stake marked 10 ft.



8°10' Rgt white stake cor of fence

set plug & stake marked NW & SE 1/4 of 26

ocean bench ---------- 12 ft

trail to ocean bench ----------



13+20

6+60

13+20 = 0

Stake S.E. 1/4 Q

stake marked 12 ft

N.W.
stake marked N.E. of S.E 1/4 Q

Station	Course	Int angle	Rod	Dist
14+53				
13+10'		0.0	1.42	143
5+74.6		-1° 40'	7.35	735.4
0	S 75° 30' W	-1° 30'	5.74	574.6

1310
143
1453

1445
1310
135

old Mound (?) - cattle
not find stone



Line bet Pueblo lots A & B by Hassel

Sta	M.C. Course	vert angle	Rod	Hist
31+78.6				
27+98	355° 0' W	− 2° 0'	3.80	380.6
23+06		+2° 20'	4.92	491.0
6+55		0.0	16.50	165
5+60				
0	S 61° 0' W	− 3° 0'	6.56	655.0

Sta 0 is point which appears to be a mound with a stone buried, located from Topography shown on map with which it seems to agree perfectly

Map of Pueblo Farm (1788 Pascua) 53



Line bet. Lots 45 & 43 Rose-farm.

Sta	M.C.	Vert Angle	Rod	Horiz
31+96				
25+35	S 49° 30' E mag 184.5' to N.E. cor of Lot 45 use S 28° W " 224.5' to cor of stable			
22+46	N 60° 30' E	+2° 40'	8.52	851.3
11+98		0.0	12.46	1047
3+80.6		-2° 30'	4.18	817.4
0	N 60° 45' E	+1° 40'	3.80	330.6

dist 1465 west of sta 681+36 on cul. de RR

mound

mound

2243
250
2573

851.3
561
290.

South line of 196

0

6 + 60

13 + 20

+ 31

14 + 42.5

19 + 80

25 + 76.6



116.3' to cor of
ocean Beach mon
L 19.5'

Survey of South line of R.L. 196

June 23 1892

Hamlin Barnard
Shaw
Van Hook } chain
Hamlin Stake

25 + 76.6

14 + 80

14 + 42.5

13 + 31

13 + 20

660'

+14.5

0 (N 67° 45' E)

Sta 0 is a stake marked 191 on East & South
marking a north offset off all Bearings Survey

Ø 3/4 Ocean Beach

S 90°

Plg & witness marked 25 + 76.6 ——— 116.2 ——— 6" square scarf at the marked L 198

offset 89.4 N — Plg & witness

stake marked

stake marked 196 on N
191 on South

offset 55.7 N — Plg & witness

offset 29.8 N — Plg & witness

Water pipe

O.K.

Survey of East line of 196.

27+20

26+40

19+80

13+20

+60
11+20

8+10

6+60
6

3+50

0 N 22° 30' E

Beginning at the S.E. cor of 196 B.S. along South line of 196 92°. W. 1320 Inc. N 22° 30' E

1320 1321.7 S 66° 15' E 63.5

Iron stake S.W. cor demo lot

37'
N 67° 10' W

132.7
S 66° 15' E

Stake marked N.W. 197

Plug & witness

Plug & witness

Plug & witness

Corner

Plug & Witness

Corner

North line of P.2. 196

2622
2382
240

26 + 22

24 + 85

23 + 82

16 + 20 line

1820 to old Pin cor marked 196 cor S. 1/2 16 N. 1/2 of line

0 N 67° 15 W

Begin at a stake marked P.W. 197

stake marked 196
(12.5 N of line)

water

16.5 to S.E. Cor. S.2

West Limit of 196

26+40

25+25

19+80

13 20

6+60

0 N22°35'W

Sta 0 is a stake marked 195 on N W, the cor of Dean Black

Stake N.E. cor 196

Old cedar was marked

cor 195

July 12 1892 Hamilton & Pauly

Cuts for St Car Co on 5th St from North of Palm to North of Walnut

Sta	+	H.I.	−	Elev	Grade	cut
B.M.	6.42	283.66		277.24		5th & Palm
0 ×			6.67	276.99	276.75	+ 0.24 North line of Palm
1			6.20	277.46	277.33	+ 0.13 ✓
2			5.16	278.50	277.92	+ 0.58 ✓
3 ×			4.08	279.58	278.50	+ 1.08 ✓ South of Quince
B.M.			4.16	279.50		5th & Quince
0 ×			3.86	279.81	278.50	+ 1.31 ✓ North of Quince
1			3.40	280.26	278.83	+ 1.43 ✓
2			2.85	280.81	279.17	+ 1.64 ✓
3 #	× 4.95	286.11	2.50	281.16	279.50	+ 1.66 ✓ South of Redwood
B.M.			4.01	282.10		5th & Redwood
0 ×			4.69	281.42	279.50	+ 1.92 ✓ North of Redwood
1			4.79	281.32	279.83	+ 1.49 ✓
2			4.58	281.53	280.17	+ 1.36 ✓
3 ×			4.67	281.44	280.50	+ 0.94 ✓ South of Spruce
0 ×			5.38	280.73	280.50	+ 0.23 ✓ North of Spruce
1			5.78	280.33	280.92	− 0.59 ✓
2 #	9.74	289.59	6.30	279.81	281.33	− 1.52 ✓
3 ×			9.70	279.89	281.75	− 1.86 ✓ South line of Thorn

Sta	+	HI	−	Elev	Grade	cut	
B.M.		289.59	8.93	280.66			
0	X		8.94	280.65	282.25	− 1.60	North line of Thorne
1			7.20	282.39	283.33	− 0.94	
2			4.82	284.77	284.42	+ 0.35	
3	X		3.36	286.23	285.50	+ 0.73	South line of W/ar
B.M.			1.63	287.96			5th & W/ar
0	X		2.90	286.69	285.50	+ 1.19	North of W/ar
1			2.83	286.76	284.91	+ 1.85	
+70	X	X	2.45	286.74	284.50	+ 2.24	South line of Walnut
2+50 = C	X	X	3.97	285.62	284.00	+ 1.62	North " " "

Poles on Arctic St S.B. Elec St

Sta	West Rod & Elev	Grade	cut	Rod & Elev	Grade
			(7.75)		
0		0.5			0.5
	7.60			7.47	
+ 18	0.15	0.65	5.5	0.28	0.7
	6.40			5.70	
1+40	1.35	1.66	5.7	2.05	2.1
	6.00			5.43	
2+60	1.75	2.66	5.1	2.32	3.5
3		Grade 3.0			Grade 4.0
0		Grade 3.0			Grade 4.0
	4.44			3.28	
+2	3.31	3.0	6.0	4.47	4.0
	4.43			3.43	
1	3.32	3.8	5.5	4.32	4.5
	3.23			3.20	
2	4.52	4.7	5.8	4.35	5.0
	2.30			2.42	
3	5.45	5.5	6.0	5.33	5.5
#			(11.88)		
0		5.5			5.5
	6.52			6.10	
+ 20	5.86	5.6	5.8	5.78	5.7
	5.85			5.57	
1+34.8	6.03	6.2	5.8	6.31	6.6
	5.31			5.43	
1+95.2	6.57	6.5	6.0	6.45	7.1
	4.91			4.52	
3	6.97	7.0	6.0	7.36	7.5
	5.27	6.61	4.7		
0		7.0			7.5

RY Aug 16 1894 Hendrie & Parker

East cut	+ BS	− Elev
	2.81 7.75	4.94
	N line of H St	
5.6		
6.0		
4.8		
	South line of G St.	
	North " " " "	
6.2		
5.8		
5.3		
5.8	South line of F St	
	6.55 11.88 2.42	5.33
	Bm Arctic & F 4.34	7.54
6.0		
5.7		
5.4		
5.8	South line of E St	
	Pull off pole 50' W of Arctic	
	North line of E St	

Sta	West Rod & Elev	Grade	cut (11.88)	East Rod & Elev	Grade	cut + 10 − Elev (11.88)
	3.71			3.36		
0+46	8.17	7.4	6.7	8.52	8.0	6.5
	3.08			2.40		
1+67	8.80	8.4	6.4	9.48	9.4	6.3
	2.57			0.90		
2+88	9.31	9.4	5.9	10.98	10.4	6.6
	2.46			1.04		
3	8.42	9.5	5.9	10.84	10.5	6.3

South line of 1881

Natl & 26th St

2 Pull off Poles
9 Wooden Poles on 26th.






Logan Ave
44 34.45"
67.18 arc.
98.6
67.18 arc.
58.85
160
27.45
16
100.7
16
16
27.45
54.5
67.14
67.14
21.7
half track
21.6
20.25
79 Wooden Poles
1 Pull off Pole
Sidewalk on N side
Logan Ave
Point of curve

168th St

39 wooden
Pelicon
168th St

H Street.


West property line
East property line of 4th St.
60'
60'
526.2
526.2
33'
33'
2383.0
2383.0
117.25'
117.25'
583.1
390.6

On Santa Fe Wharf.



125 wood poles
to C on 14 St
4 Pulloff Poles

2552.3

2996.8



On arctic Sp.

(curve on arctic R 100'. straight track 23.)

Track into carhouse
104.5 curve
23.5 tang.

82 poles in arctic

472

On 18. St. 215 Laid.

(479)


South Line of Land of Patment.
Quarter Section Post
Corner of Section
Corner Post
Corner Post
Corner Post

5th St B to Union

Crossover bet Palm & Quince

11037.5' from B to Union ave

5 Pulloff Poles

280 Wood Poles

Crossover bet Union & Robinson

Total number of Poles checked

Location	Wood	Wood in concrete	Iron
Natt ave.		65.0	2
26th	2	7.0	2
Logan.	2	77.0	1
16th	2	37.0	
H St	6	119.0	4
Arctic	2	30.0	
5th		280.0	5
	14.0	615.0	14

Survey of Wagon Road across flat to Roseville following Hamlin Survey

Set 20th Copper

Stat	M. B	Def Angle
0+0	N 68° W	
1+00		
50		
2+00		
50		
3+00		
4+00		
+16.7	S 22° W	90° L
4+85		
5+00		
6+00		
+42		
7+00		
8+00		
9+00		
+18.4	S 27° 30 W	5° 35 R
20+30	S 42° 45 W	15° 15 R
41+98	N 68° W	R 69° 5'

S 0+0 is Sheet Centre in Nutcuby Sheet at at S W Cr Old Town

Thence N 68° W Mag to S 4+16.7

Bottom Ravine

Old Tom Scott R.R

Sta	Course	Dist angle	Dist	Dist
			2729	
2	N 24° 0 W		10.72	10.73
1	N 3° 45' E	0 0	12.28	12.24

12.24

(N 25° 45' W)

Bearing	Dist	N	S	E	W
N 3° 45' E	1228	1227		80.5	
N 28° W	1072	945			502.0
		2172		80.5	502.0
					80.5
					421.5



Sta	Course	Vert Angle	Rod	Dist	
54+51.5					
43+72		−13° 0′	11.36	1079.5	to B.B.
39+84		−19° 40′	4.37	3.88.0	
39+41		0.0	42	.43	
23+06.2		+2° 30′	16.36	16 36	
11+79.5		−2° 10′	11.26	1135.7	
5+30		+3° 0′	6.50	649.5	
0	N 61° 30′ E	+2° 0′	5.29	5.30	

Sta 0 is the N.E. cor of ... course on the west side of 1785; 0 is 122.1 dist from the N w cor of 1785. all courses are Mag

78

630
580
1150

2640
1221
1419
1150
269

1419
2640
4059
3984
75

C.S. BB — South end of Bridge

Sta 79+38

Canone

Begun at a point 18+67.2'
from end of Dona Heights or
Easterly line of 201.35 to
Sta 13+20 turned 90° to Rt
Line point

200 Line "

400 Line "

600 " "

(N 29° 30' E D 24° 25' /
40° to R (28° 05')

0.0 672
933
1605
752
2357

Back (S 75° W true course
(28° 30')

3.96
792

2640
2357
283

422
243
485

14.5 to left

N 29° 10' W

660 stake

1320 stake

1331 stake old

1442.5 stake

3° 15'

116.5

2306
452
27 54

1320
1063
2 57

1651
653
2306

3201
2758
403

747' S 60° 30' W to monument

Sta 13+72 new stake

17 to left

100

marked

∧ 196 on North ∧ 191 on south

old

116
40.6
15.4

660
3
1160
160

1320
1063
2585

1069
1323
2392

119
35
2640
770
2570.6

2576.6

82

6' flat stake

1328 old stake moved 6.3 N to stake

10 south of line end of O.B.

(16+20 line)

10+65 — 16.5 N to 20.2

11+65 — Bank

1302 Stake 195 12.5 north

S 22 30' W

18+50

10+50

Return to City Engineers Office
City Hall, San Diego, Cal.

40

Return to City Engineers Office
City Hall, San Diego, Cal.