Return to City Engineer's Office
City Hall, San Diego, Cal.

FIELD BOOK

400

F.B. 406

H. S. CROCKER COMPANY

DRAWING MATERIALS AND SURVEYING INSTRUMENTS

SAN FRANCISCO

40

TABLES FOR EXCAVATIONS AND EMBANKMENTS

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING

Roadway 18 Feet Wide. Side Slopes 1 to 1.
For Single Track Excavation.

"Copyright, 1895, by Kueffel & Esser Co."

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	0
1	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	1
2	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	2
3	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	3
4	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	4
5	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	5
6	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	6
7	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	7
8	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	8
9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	9
10	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	10
11	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	11
12	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	12
13	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	13
14	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	14
15	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	15
16	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	16
17	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	17
18	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	18
19	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	19
20	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	20
21	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	21
22	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	22
23	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	23
24	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	24
25	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	25
26	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	26
27	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	27
28	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	28
29	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	29
30	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	30
31	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	31
32	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	32
33	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	33
34	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	34
35	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	35
36	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.

MICROFILMED ORIGINAL

Pg WO 5804
H 3752 5710
Pg WOV 7405-
7952 3854
SH

Return to City Engineers Office
City Hall, San Diego, Cal.

111 W SH 39th

Sp w Pch 87.18 40th st

WO 7952 Jack w Pinch 105.36

275-65 - angle at Robinson

FROM
Loring's Book Store

Slough Taylor Drainage Aug 3 08

	Cross section of W.L. of	Felton	Woolman ave to City limits	Levels	(80)
	2.98	18.19		15.21	
	W.L. of Felton st (80)				
WL			48	13.4	
bb			48		
4			46		
6			40	14.2	
4			51		
bb			56		
52			55	12.7	
	WBB of Felton				
52			53	12.9	
bb			52		
4			52		
6			45	13.7	
4			48		
bb			53		
WL			52	13.0	

B.M. N.E. cor. Workman & Felton Brass tablet. Concrete mon Elev = 13.70

Bm N W Felton

POSTED

1819

W 1/4 of Felton

N 2		5.7	13.0
11		5.1	
4		4.6	
6		4.6	13.6
4		5.4	
11		4.7	
S 2		4.7	13.5

Center of Felton

S 2		4.8	13.4
11		4.6	
7		5.3	
6		4.4	13.8
4		4.8	
11		4.7	
N 2		5.0	13.2

1819

Woodman

E 1/4 of Felton st

N 2		4.6	13.6
11		4.4	
4		4.6	13.6
6		4.4	13.8
4		5.2	
11		4.8	
S 2		5.0	13.2

E 11 of Felton

S 2		4.6	13.6
11		5.0	
7		5.7	
6		4.3	13.9
4		4.8	
11		4.5	
N 2		4.4	13.8

POSTED

1819

E line of Zeltner

N2	4,6	13.6
bl	4,7	
y	4,5	
b	4,5	13.7
y	5,4	
bl	7,8	
S2	4,6	13.6

50' E of Zeltner

S2	4,8	13.4
bl	4,8	
y	5,7	
b	4,9	13.3
y	4,9	
bl	5,0	
N2	4,7	13.5

1819 Woolman ave

100' E of Zeltner

N2	5,2	13.0
bl	5,3	
y	5,3	
b	5,2	13.0
y	6,0	
bl	5,7	
S2	5,6	12.8

150' E of Zeltner

S2	5,7	13.1
bl	5,4	
y	5,8	
b	5,2	13.0
y	5,6	
bl	5,4	
N2	5,2	13.0

1819

	200'	E of	Zelten	
sh			5,5	12.7
bk			5,4	
y			5,8	
b			5,4	12.8
y			6,0	
bk			6,0	
SL			5,3	12.9
TP	6,32	18.71	5.80	12.39
	250'	E of	Zelten	
SL			7,0	11.7
bk			6,5	
y			6,7	
b			5,9	12.9
y			6,3	
bk			6,1	
nL			6,1	12.6

Woolman ave

1871

	300'	E of	Zelten	
nL			5,7	13.0
bk			5,7	
y			6,0	
b			5,7	13.5
y			5,3	
bk			5,8	
SL			5,3	13.4
	350'	E of	Zelten	
SL			4,8	13.9
bk			4,8	
y			5,4	
b			5,0	13.7
y			5,2	
bk			5,7	
nL			5,0	13.7

1871

	400	E of	Felton	w
N2			4,7	14.0
bk			4,5	
y			4,2	
b			3,8	14.9
y			4,5	
bk			4,5	
S2			4,8	13.7
	447'	E = W2 of	34 R 2W (60')	
S2			3,8	14.9
bk			3,5	
y			2,3	
b			2,0	16.6
y			2,6	
bk			3,3	
N2			3,7	15.0

1871

Woolman ar

5

		NW of	34 R	1W
N2			3,1	15.6
bk			3,1	
y			2,4	
b			1,6	17.1
y			3,2	
bk			3,0	
S2			3,1	15.4
		W1/4 of	34 R 1W	w
S2			3,0	15.7
bk			3,0	
y			2,6	
b			1,0	17.7
y			2,1	
bk			2,9	
N2			2,7	16.0

1871

	Center of	34ft	st	
n2		2,4	16.3	
bb		2,5		
y		1,0		
b		0,6	18.1	
y		2,4		
bb		2,9		
S2		2,5	18.2	
	E ¼ of	34ft	st	
S2		2,4	18.3	
bb		1,9		
y		1,4		
b		0,0	18.7	
y		1,0		
bb		1,9		
n2		2,3	16.4	
TP	11,92	28.82	181	16,90

28.82

				Woodman au
	E bb of	34ft	st	
n2		12,2	16.6	
bb		11,4		
y		9,6		
b		9,4	19.4	
y		11,1		
bb		12,1		
S2		12,0	16.8	
	E sin of	34ft	st	
S2		10,9	17.9	
bb		11,2		
y		10,2		
b		8,7	20.1	
y		9,2		
bb		10,7		
n2		11,7	17.1	

			2882		
	50'	E of	3+ ft	ft	
BL			8.0	20.8	
bk			7.5		
4			5.0		
L			5.0	23.8	
4			7.8		
bk			7.8		
SL			7.2	21.6	
	100'	E of	3+ ft	ft	
SL			2.5	26.3	
bk			3.0		
4			2.8		
L			0.1	28.7	
4			0.2		
+4			2.5		
bk			3.3		
BL			2.0	26.8	
TP	11.40	3878	1.44	27.38	

		3878		Woodman or
	125'	E of	3+ ft	ft
BL			7.5	31.3
bk			8.7	
+4			11.0	
4			8.0	
L			8.1	30.7
4			10.4	
bk			10.8	
SL			10.6	28.2
	150'	E of	3+ ft	ft
SL			8.5	30.3
bk			7.7	
4			6.9	
L			5.5	33.3
4			5.4	
+8			9.0	
bk			5.8	
BL			3.6	35.2

		38.78		
	175'	Ef	34ft	w
SL			5.4	33.4
bk			5.7	
y			4.0	
b			2.7	36.1
y			3.0	
bk			1.5	37.3
TP	12.47	49.9	1.33	37.45
NL			9.0	40.9
	200'	Ef	34ft	w
NL			4.9	45.0
bk			7.0	
y			13.0	
b			11.7	38.7
y			12.0	
bk			13.0	
SL			13.0	36.9

		49.9		Woolman
	225'	Ef	34ft	w
SL			10.3	39.6
bk			10.4	
y			8.4	
b			8.0	41.9
y			10.0	
bk			3.6	
NL			0.3	49.6
	250'	Ef	34ft	w
NL			10.0	51.00
bk			3.4	
y			6.0	
b			5.4	44.5
y			6.3	
bk			7.7	
SL			4.9	45.0

		49.92			
	x70	E = W line of		— (60')	
SL			0,6	49.3	
bk			3,6		
y			5,2		
b			2,0	46.9	
y			3,6		
bk			2,8		
NL			0,2	49.7	
TP	10.61	60.01	0,52	49.40	
	W bk of	—	st		
NL			10,4	49.6	
bk			12,0		
y			13,6		
b			12,5	47.5	
y			14,0		
bk			12,2		
SL			9,2	50.7	

		60.01			Woolman
	W 1/4 of		—	st	
SL			6,9	53.9	
bk			10,2		
y			12,4		
b			10,7	49.3	
y			11,3		
bk			10,5		
NL			10.1	49.9	
	Center				
NL			9,3	50.7	
bk			8,9		
y			11,4		
b			9,9	50.1	
y			11,5		
bk			8,0		
SL			4,6	55.4	

62

60.01

E ¼ of — 24

SL	4,3	55.7	
bk	7,0		
y	9,0		
b	8,7	51.3	
y	9,0	51.0	
T9	10,5		
bk	7,7		
NL	8.1	51.9	

E bk of — 24

NL	6,2	53.8	
bk	6,7		
y	7,8		
b	7,6	52.4	
y	6,8		
bk	6,3		
SL	4,3	56.7	

60.01 Woolman

E line of — 24 = 270 W of 35

SL	3,3	56.7	
bk	5,0		
y	7,2		
b	6,6	53.4	
y	6,8		
T9	7,8		
bk	5,5		
NL	3,6	56.4	

250' W of 35 24

NL	0,0	60.0	
bk	2,5		
T4	6,8		
y	4,4		
b	4,3	55.7	
T8	5,0		
y	2,2		
bk	2,8		
SL	0,8	59.2	
TP	10,55	69.04	1.52	58.49

69.04

	225'	W of	— 35 ft	N
SL			7,9	61.1
bk			8,4	
y			8,5	
+4			11,3	
b			10,8	58.2
y			11,0	
+6'			13,2	
bk			8,6	
NL			6,1	62.8
	200'	W of	35 ft	N
NL			5,4	63.6
bk			6,7	
y			9.1	
b			8,6	60.4
+5 y			8,8	
			6,5	
bk			6,4	
SL			6,0	63.0

69.04 Woolman

	175'	W of	35 ft	N
SL			4,2	64.8
bk			4,9	
y			6,0	
b			6,5	62.5
y			7,6	
bk			5,0	
NL			3,3	65.7
	150	W of	35 ft	N
NL			2,0	67.0
bk			3,1	
y			5,2	
b			4,5	64.5
y			4,0	
bk			2,0	66.0
TP	10,70	77,4	2,50	6654

77.24

	100'	W of	35-ft	W
SR			7,6	69.6
bh			8,0	
4			8.0	
1 +8			10,1	
1			9.1	68.1
4			9,5	
bh			7,6	
NR			6,7	70.5
	50'	W of	35-ft	W
NR			41	73.1
bh +4'			4,2	
			7,0	
4			6,2	71.0
1 +5			6.4	70.8
			7.5	
4			8,5	
bh			5,0	
SR			7.1	73.1

77.24

Woolman

	W Sin of	35-ft	W (60')
SR		2,6	74.6
11		2,8	
4		2,8	
6		4,2	73.0
4		4,0	
11		4,0	
NR		2,8	74.4
	W bh of	35-ft	W
NR		1,5	75.7
bh		2,5	
4		3,5	
1		4,0	73.2
4		2,6	
bh		2,8	
SR		2,3	74.9

7724

W ¼ of

	35-ft	2-ft
SL	2,2	75.0
bk	2,6	
y	3,0	
b	3,3	73.9
y	3,4	
y	3,8	
bk	2,3	
NL	1,3	75.9

Center of

	35-ft	2-ft
NL	1,0	76.2
bk	2,0	
y	3,0	
b	3,6	73.6
y	2,1	
bk	2,3	
SL	1,7	75.5

7724

Wcolumn

E ¼ of

	35-ft	2-ft
SL	1,4	75.8
bk	2,0	
y	1,7	
b	2,5	74.7
y	2,4	74.6
bk	1,7	
NL	0,8	76.7

E bk of

	35-ft	2-
NL	0,1	77.1
bk	1,3	
y	2,3	
b	2,8	74.4
y	1,3	
bk	1,7	
SL	1,7	76.0

POSTED

7 7724

Edwin ℄

			35-ft	25	
S2			1,0	76.2	
u			1,3		
y			1,0		
b			2,0	75.2	
y			2,6		
u			0,8		
n2			+0.2	77.4	
BM	2.41	79.55	0.0	77.14	2 nails in Hitching Post
	50'	℄ b	35-ft	25	
n2			0,8	78.8	
u			3,0		
y			4,5		
b			5,0	74.6	
y			3,3		
u			3,1		
S2			2,3	77.3	

79.55

Woolman

c	100'	E b	35-ft	25	
S2			1,0	78.6	
u			2,4		
y			2,3		
b			7,1	72.5	
y			6,0		
u			6.8		
+3			3.0		
n2			2,0	77.6	
	125'	E y	35-ft	25	
n2			3,7	75.9	
+10'			5,0		
b			8,0		
y			7,5		
b			9,4	70.2	
y			4,7		
u			4,0		
S2			2,5	77.1	

			79.55	
	150'	E of	35 ft	N
S2			4,5	75.1
bh			6,4	
y			7,3	
b			10,4	68.2
y			9,5	
bh			11,7	
N2			6,8	72.8
TP	0,28	69,08	10.75	68.80
	175'	E of	35 ft	N
N2			0,0	69,1
bh			1,7	
y			1,0	
b			1,3	67.8
y			1,5	
bh			0,8	
S2			12,4	71.6

		69.08		Woolman
	200'	E of	35 ft	N
S2			3,7	65.4
bh			4,8	
y			4,8	
b			3,5	65.6
y			2,8	
bh			4,0	
N2			5,6	63.5
	225'	E of	35 ft	
N2			10,4	58.7
bh			6,0	
y			4,5	
b			4,8	64.3
y			10,5	
bh			10,7	
S2			10,0	59.1

		69.08			
	250	E of	35 ft	ft	
SL			15.6	53.5	
bl			15.0		
y			14.0		
b			6.0	63.1	
y			5.4		
bl			9.0		
NL			12.6	56.5	
BM	048	65.69	3.87	65.21	Rails in Tel Pole 200' E of
	275'	E of	35 ft	ft	
NL			11.3	54.4	
bl			5.35		
y			3.5		
y 75			3.5		
b			8.0	57.7	
y			13.0		
bl			13.8		
SL			14.4	51.4	

		65.69		Woodward ft	
	300	E of	35 ft	ft	
SL			14.5	51.2	
bl			13.6		
y			13.0		
b			7.0	58.7	
+4			4.3		
y			4.3		
+5			4.3		
bl			9.5		
NL			10.6	55.1	
	325	E of	35 ft	ft	
NL			6.0	57.7	
bl			5.5		
y			5.0		
+6			5.0		
b			8.0	57.7	
y			12.4		
bl			12.4		
SL			11.7	54.0	

		65-69		
	330	E of	35-ft	ft
SL			8.4	57.8
bl			7.3	
y			6.7	
b			5.5	60.2
y			5.0	
bl			5.0	
RL			4.3	61.4
	400	E of	35-ft	ft
RL			2.2	63.5
bl			4.0	
y			4.4	
b			4.9	60.8
y			6.0	
bl			7.1	
SL			8.1	57.6

		65-69		Meadow
	430	B of	35-ft	ft
SL			3.7	60.0
bl			5.0	
y			4.1	
b			3.7	62.0
y			2.9	
bl			2.6	
RL			0.8	65.1
TP	10.95	75-33	1.31	64.38
	500	E of	35-ft	ft
RL			8.5	66.8
bl			10.0	
y			10.4	
b			11.2	64.1
y			12.0	
bl			13.0	
SL			13.7	61.6

7533

	540	E = W ½ of	36th st	(60')
SL		11.1	64.2	
bl		9.9		
y		9.4		
b		8.6	66.7	
y		8.4		
bl		7.5		
nL		5.0	70.3	
	Wbl of	36th st		
nL		5.0	70.3	
bl		6.6		
y		7.6		
b		8.5	67.1	
y		8.7		
bl		9.3		
SL		10.3	65.0	

7533

Wadsworth

	W ½ of	36th	st	
SL		8.4	65.9	
bl		8.7		
y		8.5		
b		8.3	67.0	
y		7.6		
bl		6.0		
nL		4.0	71.3	
	Center of	36th	st	
nL		3.8	71.5	
bl		6.0		
y		7.7		
b		8.1	67.2	
y		8.0		
bl		8.4		
SL		9.0	66.3	

POSTED

7533

	E ¼ of		36 ch	1
SL			8,8	66.5
bk			8,8	
y			7,4	
b			7,8	67.5
y			7,0	
bk			5,5	
NL			1,7	73.6
	E bk of		36 ch	1
NL			1.2	74.1
bk +4			3.7 3.0	
y			7.4	
b			7,4	67.9
y			7,7	
bk			8,7	
SL			8,7	66.6

7533

Woodman

	E 2 in		36 ch	1
SL			8,0	66.3
u			8,2	
y			7,8	
b			7,8	67.5
y +8			7.4 7.0	
bk			4,0	
NL			1,2	74.1
	25' E of		36 ch	1
NL			1,4	73.9
bk			5,4	
y			7,7	
b			8,0	67.3
y			9,1	
bk			9,6	
SL			9,5	65.8

7533

			36 ft	2θ
	50'	E ℄		
S2			10.8	64.5
bh			11.7	
4			10.1	
3			9,3	66.0
4			8.9	
bh			6,7	
N2			2,5	72.8
	75'	E ℄	36 ft	
N2			2,0	72.3
bh			7.0	
4			9,7	
TP	3.71	69.60	9.44	65.89
6			4.1	65.5
4			5.6	
bh			6,4	
S2			6,1	63.0

69.60 Woolman

			36 ft	2θ
	100'	E ℄		
S2			9,0	60.6
bh			7,6	
4			7,0	
6			6,8	62.8
4			7,0	
bh			8,0	
N2			+1.0	71.6
	125'	E ℄	36 ft	
N2			2.8	66.8
bh			2.4	
4			7,6	
3			8,2	61.4
4			9.7	
bh			11,7	
S2			12,8	56.8

POST

		69.60		
	150'	E of	36 ft	ft
sh			7,4	62.2
bk			11,0	
sy			10,5	
b			12.1	57.5
TP	0,18	58.25	115,3	56.07
sy			2.1	56.2
bk			4,3	
SL			6,6	51.7
	175'	E of	36 ft	ft
SL			10.5	47.8
bk			8,6	
sy			2,0	
Gr			2,0	56.3
sy			1,6	
bk			1,0	
sh			1,0	57.3

		58.25		Woolwan
	200'	E of	36	ft
sh			3.6	54.7
bk			4,5	
sy			4,0	
b +8			4,0 7.0	51.3
sy			10.4	
bk			11,3	
SL			13.2	45.1
	225'	E of	36 ft	ft
SL			14,0	44.3
bk			13,2	
sy			12,4	
b +7			8,0 5,8	50.3
sy			5.7	
bk			4,6	
sh			7,0	51.3

	250'	E of	36 ft	N
N2			9.4	48.9
bk			10,0	
y			7,0	
48			7.0	
l			11,0	47.3
TP	643	5020	11.48	46.77
y			9,0	
bk			10,5	
S2			11.5	41.7
	275'	E of	36 ft	N
S2			11,7	41.5
bk			10,9	
y			9,0	
l			3,6	49.6
y			3,1	
bk			6,9	
N2			8.4	44.8

	300'	E of	36 ft	N
N2			9,5	43.7
bk			8,2	
y			4.1	
l			5,0	48.2
y			10,9	
bk			12,2	
S2			13,7	39.9
	320'	E of	36 ft	N
S2			16,3	36.9
bk			15,6	
y			15,0	
l			4.4	48.8
y			4,5	
bk			9,6	
N2			8,7	44.5

		5320			Δ 3 X 3 X 3
	350'	E of	36 ft	ft	bluebird
22			9.7	43.5	
bb			13.4		
y			4.7		
b			5.2	48.0	
y			13.8		
bb			9.4		
S2			8.9	44.3	
	375'	E of	36 ft	ft	
S2			4.7	48.5	
bb			3.4		
y			7.0		
b			4.8	48.4	
y			4.6		
bb			10.4		
h2			13.0	40.2	

		5320		W column
	400'	E of	36	ft ft
h2			11.7	41.9
bb			9.0	
y			4.1	
b			4.1	49.1
			6.6	
y			3.6	
bb			3.0	
S2			1.9	51.3
	425'	E of	36 ft	ft
S2			8.1	53.1
bb			2.5	
y			3.3	
b			3.2	50.0
y			3.2	
bb			3.3	
22			9.6	43.6

		5320						6303		Workman	
	450	Ef	36	21			3-00	Ef	36	21	
h2			7.0	46.2		h2			17.7	50.6	
bh			3.3			bh			11.9		
y			1.6			y			8.7		
b			1.6	51.7		b			8.5	54.5	
y			1.0			y			8.5		
TP	10.76	6303	0.93	42.27		bh			7.5		
bh			9.4			S2			6.0	57.0	
S2			7.0	56.0			5-25	Ef	36	21	
	475	Ef	36	21		S2			3.9	59.1	
S2			1.3	56.7		bh			6.7		
bh			8.7			y			7.6		
y			9.3			b			7.6	55.4	
Gash			9.9	53.1		y			9.3		POSTED
bh			10.7			bh			8.5		
h			13.8			h2			10.5	52.5	
R2			15.7	47.3							

6303

	550'	E of	36 ft	ft
N2			6.6	56.4
bk			5.8	
y			6.1	
b			6.0	57.0
y			5.2	
bk			4.0	
S2			2.4	60.6
	575'	E of	36 ft	ft
S2			1.2	61.7
bk			3.8	
y			5.0	
b			5.3	57.7
y			5.3	
bk			5.7	
N2			7.0	56.0

6303

Woolman

	600'	E =	W of	37 ft (60')	25
N2			7.6	55.4	
			6.0		
			4.5		
C			4.5	58.5	
			4.5		
bk			3.5		
S2			0.0	63.0	
BM	71.24	68.34	5.93	57.10	BM N W of Woolman 37
	Web	y	37 ft	20	
S2			5.4	62.9	
bk			8.0		
y			9.2		
b			9.5	58.8	
y			9.4		
bk			11.2		
N2			13.2	55.1	

		68.34		
	N ¼ of	37th	2E	
2L		13.2	55.1	
11		11.1		
4		9.3		
1		9.2	59.1	
4		8,9		
11		7,5		
SL		4,8	63.5	
	Center of	37th	2E	
SL		4,3	64.0	
11		7,0		
4		8,5		
1		8,8	59.5	
4		8,8		
11		11,0		
2L		13,3	55.0	

		68.34		Wolma
	E ¼	of	37th	2E
2L			12,7	55.6
11			10,5	
4			8,3	
1			8,3	
4			7,0	61.3
11			5,9	
SL			3,0	65.3
	E 11	of	37th	2E
SL			1,8	66.5
11			5,8	
4			7,2	
1			7,9	60.4
4			7,9	
11			10,6	
2L			12,0	56.3

6834

	E Line of		37 ft	
Rz			11.4	56.9
bh			9.2	
y			7.3	
b			7.3	61.0
y			6.6	
bh			4.7	
Sz			1.0	67.3
	25'	E of	37 ft	
Sz			0.4	68.3
bh			3.2	
y			5.2	
b			6.0	62.3
y			6.0	
bh			9.0	
Rz			10.2	58.1

6834

Newlin

	50.	E of	37 ft	
Rz			8.4	59.9
bh			6.9	
y			4.6	
b			4.2	64.1
y			2.0	
bh			1.0	67.3
TP	5.82	72.38	0.78	67.52
Sz			3.0	70.4
	75'	E of	37 ft	
Sz			2.5	70.9
bh			5.0	
y			7.0	
b			8.2	65.2
y			8.0	
bh			11.0	
Rz			14.7	60.7

	100	E f	3 7/8	st
h2			11,4	62.5
bl			10,4	
y			7,4	
b			7,0	66.4
y			5,8	
bl			3,5	
S2			1,5	72.8
	125	E f	3 7/8	st
S2			+1,0	74.4
bl			2,5	
y			5,2	
b			6,6	66.8
y			6,6	
bl			9.9	
h2			11,4	62.0

	150	E f	3 7/8	st
h2			9.2	64.2
bl			7.7	
y			5,8	
b			5.2	
y			2,0	71.4
TP	655	77.93	2.0	71.38
bl			4,0	
S2			1,2	76.7
	175	E f	3 7/8	st
S2			0.3	77.6
bl			4,0	
y			8.0	
b			10,0	67.9
y			10.2	
bl			12.2	
h2			13,0	64.9

77.93

	200'	E of	37 st	at
N2			12,9	65.0
bl			11.6	
y			9,5	
b			9,4	68.5
y			8,2	
bl			6,8	
S2			4,0	73.9
	225'	E of	37 st	at
S2			7.8	70.1
bl			9,3	
y			9,9	
b			8,8	71,1
y			9,0	
bl			12,8	
N2			13.7	64.2

77.93 Woolman

29

	250'	E of	37 st	at
N2			12,8	65.1
bl			11,3	
y			7.8	
b			8,0	69.9
y			9,5	
bl			9,4	
S2			9,3	68.6
	275'	E of	37 st	at
S2			8,5	69,4
bl			7,8	
y			7,8	
b			6,7	71.2
y			6,6	
bl			8,4	
N2			10,4	67.5

	300	E of	37 ft	at
NL			5,3	72.6
			4,8	
			4,4	
C			4,4	73.5
			6,2	
bl			6,2	
SL			6,0	71.9
	325'			
SL			2,2	75.7
bl			2,6	
y			2,3	
b			2,4	75.5
y			2,4	
bl			2,8	
NL			0.0	77.9
TP	11,88	85.91	390	7400

77.93

	350	E of	37 ft	at
NL			5,7	80.2
bl			8.1	
y			7,8	
b			8,0	77.9
y			7.6	
bl			8,8	
SL			7,2	88.7
	375'	E of	37 ft	at
SL			5,0	80.9
bl			7,7	
y			3,3	
b			4,2	79.7
y			5,7	
bl			6,0	
NL			4,5	81.4

85.91

Wyoming

		85-91			Woolman
	450'	E of	37th		
N2			2,4	83.3	
bk			2,0		
y			2,1		
b			2,1	83.8	
y			1.2		
TP	526	89.15	2,02	83.89	
bk			4,0		
S2			2,7	86.5	
	475'	E of	37th		
S2			2,3	86.9	
bk			3,9		
y			4,3		
b			5,0	84.2	
y			5,0		
bk			3,0		
N2			6,2	83.0	

		85-91			
	400'	E of	37th		
N2			3,6	82.3	
bk			4,0		
y			4,0		
b			4,0	81.9	
y			3,7		
bk			3,7		
S2			2,6	83.3	
	425'	E of	37th		
S2			0,7	85.2	
bk			2,3		
y			1,9		
b			2,8	83.1	
y			2,7		
bk			3,4		
N2			3,4	82.5	

POSTED

	500	Eff	37 cl	ct
nl			4,9	84.3
bl			4,8	
l			5,0	
b			5,0	83.2
l			4,3	
bb			4,0	
sl			2,9	86.3
	525	Eff	37 cl	ct
sl			3,5	85.7
bb			5,2	
l			5,4	
b			5,6	83.4
l			3,8	
bl			3,8	
nl			7,0	82.2

	550	Eff	37 cl	ct
nl			8,8	80.4
bl			6,4	
l			6,4	
b			6,5	82.7
l			6,4	
bl			5,4	
sl			4,3	84.9
	575	Eff	37 cl	ct
sl			5,4	83.8
bb			6,4	
l			6,7	
b			6,5	82.7
l			6,4	
bl			7,0	
nl			9,0	80.2

8915

	600'	E =	W2 of 38 st 2r (60')	79.5 ← BM 2 W	
n2			9.6 o	79.5 + 38 st 2r	
bl			6.8		
y			6.5		
b			6.5	82.7	
y			6.0		
bl			5.6		
s2			4.7	85.0	
W & bl	of		38 st 2r		
s2			4.7	85.0	
bl			5.6		
y			5.7		
b			6.2	82.9	
y			6.4		
bl			6.6		
n2			9.4	79.8	

8915

Norman

W & 1/1	of	38 st	2r	
n2		9.1	80.1	
bl		6.7		
y		6.7		
b		6.0	83.2	
y		5.4		
bl		5.0		
s2		4.0	85.2	
	Center of	38 st	2r	
s2		2.8	86.4	
bl		4.3		
y		5.5		
b		6.0	83.2	
y		6.0		
bl		6.0		
n2		8.7	80.5	

8915

E ¼ of 38 rt

N 2	8.1	81.1	
W	5.8		
S	5.9		
E	5.6	83.6	
S	4.7		
W	3.8		
S 2	2.2	87.0	

E W of 38 rt

S 2	2.5	86.7	
W	4.2		
S	3.0		
E	5.5	83.7	
S	5.8		
W	5.8		
N 2	7.3	81.9	

8915

Nicolson

E Line of 38 rt

N 2	8.1	81.1	
W	5.8		
S	5.7		
E	5.6	83.6	
S	5.4		
W	4.3		
S 2	2.9	86.3	
T P	7.71	93.94	2.92	86.23
2.5	E of	38 rt		
S 2		9.3	84.6	
W		11.0		
S		11.2		
E		10.2	83.7	
S		10.2		
W		12.0		
N 2		14.8	79.1	

POSTED

9394

	50'	E-f	38 rt	2t
2L			14.6	79.3
bl			10.4	
y			9.6	
L			11.0	82.9
y			11.3	
bl			11.7	
SL			10.6	83.3
	75'	E-f	38 rt	2t
SL			9.9	84.0
bl			9.4	
y			9.7	
L			9.7	84.7
y			8.9	
bl			10.0	
2L			11.9	81.0

9394 Woolwa

	100'	E-f	38 rt	2t
2L			10.5	83.4
bl			8.3	
y			8.2	
L			9.0	84.9
y			8.7	
bl			9.0	
SL			9.1	84.8
	125'	E-f	38 rt	2t
SL			7.1	86.8
bl			8.2	
y			8.2	
L			7.3	86.6
y			7.0	
bl			7.1	
2L			7.8	86.1

	150	E of	38th	2nd
N2			5,7	88.2
bl			5,6	
y			6,0	
l			6,7	89.2
y			7,3	
bl			7,2	
S2			5,0	88.9
	175'	E of	38th	2nd
S2			3,4	90.5
bl			4,0	
y			3,7	
l			3,6	90.3
y			3,7	
bl			4,0	
N2			2,8	91.1

	201	E of	38th	2nd
N2			6,0	93.9
bl			1,7	
y			1,6	
l			1,6	92.6
y			2,2	
bl			2,7	
S2			2,0	91.9
TP	1218	10571	041	93.3
	225	E of	28th	2nd
S2			11,7	94.0
bl			11,5	
y			12,4	
l			11,6	94.1
y			11,7	
bl			10,6	
N2			8,2	97.3

POSTED

		105-71			
	250'	E-W	38 rd	27	
N2 +10'			4.6	101.1	
			5.3		
bk			9.2		
4			9.0		
6			8.6	97.1	
7			9.6		
bk			10.1		
S2			9.7	96.0	
	275'	E-W	38 rd	27	
S2			7.7	98.0	
bk			7.6		
7			6.7		
6			6.6	99.1	
4			7.0		
bk +4'			6.0		
			2.4		
N2			1.3	104.2	

		105-71			
	300'	E-W	38 rd	27	
N2 +10'			+1.0	106.7	
			0.0		
bk			2.4		
4			4.6		
6			4.0	101.7	
7			4.0		
bk			5.2		
S2			5.3	100.4	
	325'	E-W	38 rd	27	
S2			3.1	102.6	
bk			2.2		
7			1.3		
6			0.6	105.1	
TP	9.70	11474	0.67	105.71	
4			11.0		
bk			9.6		
+4			7.2		
N2			6.1	108.6	

11474

	350	E of	38 ft	ft
N2 +10			5.4 6,5	109.3
bl			9,7	
y			9,9	
b			8,1	106.7
y			8,7	
bl			10,2	
S2			10,8	103.9
	375	E of	38 ft	ft
S2			11,6	103.1
bl			10,0	
y			8,5	
b			8,3	106.4
y			7,9	
bl			7,2	
N2			4,8	109.9

11474

Woolsman

	400	E of	38 ft	ft
N2			4,5	110.2
bl			6,8	
y			7,5	
b			8,0	106.7
y			9,7	
bl			11,0	
S2			12,3	102.4
	425	E of	38 ft	ft
S2			11,6	103.1
bl			10,7	
y			9,0	
b			6,8	107.9
y			6,2	
bl			5,7	
N2			3,6	113.1

11474

	450'	E-f	38 ft	∠
NR			3,4	111.3
bl			5,0	
y			5,8	
l			7,8	106.9
y			9,3	
bl			10,5	
SL			10,9	103.8
	475'	E-f	38 ft	∠
SL			9,9	104.8
bl			8,0	
y			6,9	
l			6,0	108.7
y			5,7	
bl			3,0	
NL			3,2	111.5

11474 Woolman

	500'	E-f	38 ft	∠
NL			3,4	111.1
bl			4,4	
y			5,2	
l			5,1	109.6
y			5,8	
bl			6,9	
SL			8,2	106.5
	525'	E-f	38 ft	∠
SL			6,5	108.2
bl			6,2	
y			5,5	
l			5,0	109.7
y			4,8	
bl			4,6	
NL			3,7	111.0

11474

	550'	E of	39th st	
N2			3,9	110.8
bl			4,5	
4			4,8	
6			4,8	109.9
7			5-2	
bl			5,5	
S2			5,8	108.9
	575'	E of	38th st	
S2			4,1	110.6
bl			4,3	
7			4,7	
6			4,7	110.0
7			4,7	
bl			4,3	
N2			3,6	111.1

11474

	600'	E of	N2 of	39th st	(60')
TP	570	11612	3,2	111.02	Bm NW & 39th st
N2			5,1	111.0	
bl			5,7		
4			5-5		
6			4,9	111.2	
7			4,9		
bl			4,9		
S2			4,9	111.2	
		Webb	of	39th st	
S2			4,5	111.6	
			4,8		
4			4,5		
6			4,6	111.5	
7			5-2		
bl			5,5		
N2			5,2	110.9	

1912

	W ¼ of	39th	st
2d		5/	111.0
4d		3,7	
4		3,1	
6		4,4	111.7
7		4,3	
4d		4,4	
Sd		4,3	111.8
	Center of	39th	st
Sd		4,4	111.7
4d		4,2	
4		4,1	
6		4,3	111.8
7		4,7	
4d		4,6	
2d		4,7	111.4

1912

Woodlawn

	E ¼ of	39th	st
2d		4,2	111.9
4d		4,4	
4		4,5	
6		41	112.0
7		3,8	
4d		4,3	
Sd		4,3	111.8
	Ebb of	39th	st
Sd		4,6	111.5
4d		4,3	
4		4,0	
6		4,2	111.8
7		4,5	
4d		3,8	
2d		4,1	112.0
		4,6	

11612

	E line of		39th	N
N2			4,6	111.5
4			4,8	
4			4,7	
4			4,4	111.7
4			4,4	
4			4,6	
S2			5,0	111.1
	80'	E of	39th	N
S2			8.1	107.0
4			6,8	
4			6,6	
4			5,7	109.4
4			5,2	
4			4,8	
N2			4,3	111.8

11612

Woolman

	100	E of	39th	N
N2			4,2	111.9
4			4,9	
4			5,3	
4			6,8	108.3
4			8,8	
4			10,4	
S2			11,2	105.9
	130'	E of	39th	N
S2			9,3	106.8
4			8,7	
4			8,3	
4			6,3	109.8
4			6,3	
4			4,4	
N2			3,6	112.5

116.12

	200'	E of	3 pt	
N2			4.2	111.9
M			6.0	
Y			6.8	
B			7.2	108.9
Y			5.0	
M			5.1	
S2			5.0	111.1
	250'	E of	3 pt	
S2			5.1	111.0
M			5.4	
Y			6.4	
+5			10.4	
B			9.9	106.2
Y			8.4	
+10'			9.4	
M			5.6	
N2			4.5	111.6
TP	1.60	107.92	9.8	106.12

107.92

Workman

	275'	E of	3 pt	
N2			+2.5	110.4
M			4.0	
Y			3.0	
B			3.7	104.2
+8			4.0	
Y			0.0	
M			1.0	
S2			1.3	106.9
	300'	E of	3 pt	
S2			7.9	100.0
M			7.2	
Y			6.3	
B			6.7	101.2
Y			6.2	
M			5.0	
N2			2.5	105.4

POSTED

10.7.42

	325'	E of	39	21
h2			8,2	99.7
bl			10,0	
y			9,5	
b			10,2	97.7
y			11,0	
bl			13,0	
S2			14,3	93.6
TP	1,20	9.7.46	11.6	96.26
	350'	E of	39	21
S2			7,6	89.9
bl			6,0	
y			2.12	
b			2,1	95.4
y			2,8	
bl			3,8	
n2			3,5	94.0

9.7.46

Woolmer

	400'	E of	39	21
h2			6,7	91.3
bl			6,8	
y			6,0	
b			5,6	91.9
y			7,0	
bl			9,7	
S2			10.8	86.7
	450'	E of	39	21
S2			3,5	94.0
bl			9,3	
y			7,3	
b			6,8	90.7
y			5,7	
bl			8,0	
n2			2,1	95.4

9746

	475'	E of	39 at	
N2			0,2	97.2
bl			2,3	
TP			2,8	
4			6,7	
b			7,8	89.7
4			9.1	
bl			10,8	
S2			13.2	84.3
	500'	E of	39 at	
S2			14,0	83.5
bl			11,8	
4			9,7	
b			8,6	88.9
4			7,2	
TP			4,6	
bl			2,8	
N2			1.2	96.3

9746 Woolwar

	550'	E of	39 at	
N2			4,6	92.9
bl			5,7	
4			8,7	
b			9,7	87.8
4			11,8	
bl			13,6	83.9
TP	474	8960	12,60	8486
S2			7,2	
	600'	E of	39 at	
S2			7,7	81.9
bl			6,0	
4			3,2	
b			5,7	85.9
4			3,0	
bl			1,3	
N2			0,9	88.7

POSTED

8960

649.2 E = NL of 4 it it (60')

Bm		2.42	87.18
NL		4.1	85.5
bk		4.2	
y		6.5	
b		6.6	83.0
y		6.3	
bk		8.5	
SL		9.4	80.2
	W bk of	40 ch	rr
SL		10.5	79.1
bk		9.1	
y		7.5	
b		7.6	82.0
y		6.8	
bk		5.2	
NL		5.3	84.1

8960

Wcalvan

45

	W 1/4 of	40 ch rr	
NL		6.9	82.7
bk		6.8	
y		8.0	
b		9.0	80.6
y		9.2	
bk		10.9	
SL		11.5	78.1
	Center of	40 rr	
SL		11.1	77.5
bk		11.6	
y		10.0	
b		9.4	80.2
y		8.3	
bk		7.6	
NL		7.9	81.7

8960

	E ¼ of	40 A.		
N2		9,4	80.2	
bk		9,7		
y		10,3		
b		10,6	79.0	
y		10,8		
bk		12,4		
S2		12,7	76.9	
	E bk of	40 A.		
S2		13,7	76.4	
bk		13,1		
y		11,6		
b		11,5	78.1	
y		10,8		
bk		10,9		
N2		10,7	78.9	
TP	8,30	8644	11,46	78.14

8644

Newburgh

	E Line of	40 A.		
N2		8,7	77.7	
bk		8,9		
y		8,5		
b		9,2	77.2	
y		9,2		
bk		10,1		
S2		10,7	75.7	
	50 E of	40		
S2		13,8	72.6	
bk		13,0		
y		11,7		
b		11,5	74.9	
y		10,6		
bk		9,7		
N2		9,0	77.4	

POSTED

8644

	100'	E of	40 ft	pt
N2			7,7	78.7
bk			9,3	
y			10,6	
b			11,6	74.8
y			12,4	
bk			12,9	
S2			13,8	72.6
	150'	E of	40 ft	pt
S2			13,0	73.4
bk			12,6	
y			11,7	
b			10,6	75.8
y			9,2	
bk			8,2	
N2			7,2	79.2

8644

Woolman

	200'	E of	40 ft	pt
N2			8,7	77.7
bk			9,4	
y			10,2	
b			10,8	75.6
y			11.1	
bk			11,2	
S2			12.1	74.3
	250	E of	40 ft	pt
S2			7,8	78.6
bk			7,3	
y			7,6	
b			6,8	79.6
y			6,2	
bk			6,0	
N2			6,7	79.7

POSTED

8644

288' E of 40 = Bonnelly St on N

NE		2,8	83.6
"		2,6	
"		2,0	
N		1,8	84.6
"		1,8	
"		2,5	
SE		3,2	83.2

312' E on S line
288' E on N line N of Bonnelly St 10' N of Limits

SE		0,2	86.1
"		0,4	
"		0,0	
N		0,2	86.2
"		0,8	
"		2,0	
NE		2.8	83.6

POSTED

Crossection of Palm St (50)

	E of India	to E of Union	
	4+14 105.98	101.84	B.M. N.W. corner of Lamar & Palm
	E of India St		
S2		5.4	100.6
lb		6.3	
4		6.6	
b		6.6	99.4 x
4		6.4	
lb		6.0	
N2		6.0	100.0
	25' E of India St		
N2		14.4	91.6
bl		17.3	Culvert
4		13.2	
b		13.0	93.0 x
4		9.0	
bl +8		4.8	
		4.6	
S2		3.7	102.3

POSTED

105.98 Palm St

	50	E of	India St	
S2			0.0	106.0
lb			1.3	
4.5			1.4	
4			5.8	
b			11.7	94.3 x
4			13.2	
lb			15.6	
N2			12.7	93.3
	75'	E of	India	
N2			12.3	93.7
lb			13.6	
4			11.0	
b			5.8	100.2 x
4			2.0	

POSTED

105.98

100' E of India

N2	10.1	95.9
bl	11.4	
4	7.6	
6	3.3	102.7 x

125' E of India

N2	6.0	98.0
bl	7.8	
4	4.5	
TP	11.41 - 11638	101 104.97

75' E of India

S2	6.4	110.0
bl	8.7	

100' E of India ±

S2	4.0	112.4
bl	3.6	
4	8.5	

11638

Palm ±

125' E of India ±

S2 +1	+1.0 2.4	117.4
bl	2.4	
4	6.4	
6	10.8	105.6 x

150' E of India

S2	+0.4	116.8
bl	0.0	
4	3.0	
6	8.4	108.0 x
4	12.6	
bl	16.4	
N2	16.6	99.8

175' E of India ±

N2 +7	14.8 16.0	101.6
bl	12.2	
4	10.0	
6	6.5	109.9 x
4	1.1	

POSTED

11638

	200'	E =	W L Columbia St (75')		
WL			13.0	103.4	
bk			9.0		
4			3.8		
b			0.0	116.4	
	W bb of Columbia St				
WL			12.0	104.4	
bk			7.0		
4			0.8		
	W 1/4 of Columbia St				
WL			9.4	107.0	
bk			4.7		
	Center of Columbia				
WL			8.6	107.8	
	E 1/4 of Columbia				
WL			6.4	110.0	
TP	11.63	12648	1.53	111.85	

12648

Palm St

	175'	E of	Lincoln		
SL			5.0	121.5	
+1			6.8		
bk			8.2		
	200'	E =	W L Columbia (75')		
SL			2.0	124.5	
+3'			4.0		
bk			4.5		
4			8.2		
	W bb of Columbia				
SL			0.0	126.5	
+3'			2.4		
bk			2.4		
4			5.4		
b			9.0	117.5	
	W 1/4 of Columbia				
SL			12.0	128.5	
+3'			1.0		
bk			1.0		
4			5.0		
b			7.8	118.7	
4			10.0		

POSTED

12648

center of columbia

N bk	14,0	112.5	
N ¼	10,7		
b	7,0	119.5	X
4	3,2		

E ¼ of columbia

N bk	12,5		
N ¼	7,3		
b	4,0	122.5	

E bk of columbia

N 2	15,0	111.5	
bk	10,5		
4	6,0		
b	2,5	124.0	

E 2 of columbia 1

N 2	13,8	112.7	
bk	8,4		
4	4,0		

12648

Palm 1

25' E of columbia

N 2	9,0	117.5	
bk	4,2		

50' E of columbia

N 2	3,5	123.0	
TP	12,21	138,37	0,32	126.16

Center of Columbia 2

S 2	8,3	130.1	
+3	10,7		
bk	11,1		

E ¼ of columbia

S 2	6,2	132.1	
+4	9,0		
bk	9,2		
4	12,2		

E bk of columbia

S 2	5,1	133.3	
+4	7,6		
bk	7,4		
4	11,0		

13837

	E L	of	Columbia		
SL			4,7	133.7	
bk			6,0		
y			8,8		
b			12,3	126.1	
	25'	E of	Columbia		
SL			1,0	137.4	
71'			2,5		
bk			2,5		
y			5,6		
b			9,4	129.0	
y			12,7		
	50'	E of	Columbia		
rbk			12,0		
y			9,0		
b			6,3	132.1	
SL			3,7		

13837

Palm st

53

	75'	E of	Columbia	
rL			11,8	126.6
bk			9,1	
y			6,2	
b			3,0	135.4
	100'	E of	Columbia st	
rL			6,6	131.8
bk			4,8	
y			3,6	
TP	11.97	1494.6	0.88	137.49
	50'	E of	Columbia	
SL			9,2	140.3
bk			10,7	
	75'	E of	Columbia	
SL			6,5	143.0
bk			8,9	
y			11,8	

POSTED

		149.46		
	100'	E of	Columbia	
S2			2,8	146.6
bk			4,2	
+7'			8,0	
4			10,0	
6			12,8	136.6
	125'	E of	Columbia	
S2			0,0	149.5
bk			0,4	
+7			0,8	
4			6,0	
6			9,0	140.5
4			10,4	
bk			11,5	
N2			12,7	136.8
	130'	E of	Columbia	
N2			3,2	144.3
bk			3,6	
4			7,5	
+8			8,0	
6				147.5
TP	12,83	162.04	0,5	149.4

		162.04		Palm
	150'	E of	Columbia	
S2			9,5	152,5
bk			11,3	
4			9,4	
6			9,4	152.6
	175'	E of	Columbia	
S2			5,0	157.0
bk			6,5	
			5,5	
6			5,2	156.8
4			7,0	
bk			7,8	
N2			8,3	153.7

POSTED

16209

2 vi E = N 2 Stob 3 (75-1)

h2			2,8	159.2
bk			2,0	
4			2,2	
6			2,2	159.8
4			1,7	
bk			0,6	
TP	12.48	17369	0.83	161.21
S 2			10,6	163.1

Wk 4 Stob 2

S 2			9,6	164.1
bk			10,6	
4			8,5	
6			9,0	164.7
4			9,3	
bk			9,7	
N 2			11,0	162,7

17369

Palm 2

W ¼ of Stob 2

N 2			8,5	166.2
bk			7,7	
4			6,8	
6			6,2	167.5
4			5,4	
bk			4,8	
S 2			4,3	169.4

center of Stob 2

S 2			1,0	172.7
bk			1,8	
4			2,4	
6			3,2	170.4
4			3,8	
bk			4,9	
N 2			6,0	167.7

POSTED

		17369		
	E 1/4 of	Stob	st	
N2			2,9	170.8
bk			1,6	
y			6,0	
TP	12,30	18554	0,45	173.24
b			11,0	174.5
bk			10,2	
bk			10,0	
S2			9,4	176.1
	E bk of	Stob	st	
S2			6,8	178.7
bk			8,0	
y			8,2	
b			8,4	177.1
y			9,7	
bk			11,2	
N2			12,6	172.9

		18554		Palm st
	E line of	Stob	st	
N2			9,9	175.6
bk			8,8	
y			7,4	
b			6,4	179.1
y			5,4	
bk			4,7	
S2			4,7	180.8
	25' E of	Stob	st	
S2			0,0	185.7
bk			0,7	
y			1,0	
b			1,5	184.0
y			2,2	
bk			3,6	
N2			4,7	180.8
TP	12,76	18630	1,50	184.04

POSTED

		1930		
	50	E of	Stab	of
N2			12,0	184.3
bk			11,7	
y			10,7	
b			10,1	186.2
y			9,4	
bk			8,7	
S2			7,8	188.5
	75'	E of	Stab	of
S2			4,8	191.5
bk			4,8	
y			4,7	
b			5,3	191.0
y			6,0	
bk			6,2	
N2			7,6	188.7

		1930		Poles	
	100'	E of	Stab	of	
N2			6,5	189.5	
bk			5,0		
y			4,0		
b			3,1	193.2	
y			2,8		
bk			3,0		
S2			2,7	193.6	
TP	10,60	203.5	3,2	194.8	
	125'	E of	Stab	of	
S2			8,0	195.6	
bk			7,8		
y			8,0		
b			8,1	195.5	
y			8,4		
bk			9,4		
N2			10,1	193.4	

POSTED

		20354			
	150'	E of	Stob	17	
N2			9,2	194.4	
bb			7,7		
bf			7,0		
b			6,6	197.0	
y			6,6		
bb			6,2		
S2			6,2	197.4	
	175'	E of	Stob	20	
S2			5,1	198.2	
bb			5,1		
y			5,4		
b			6,0	197.6	
y			6,2		
bl			6,1		
N2			7,1	196.2	

		20354			Palm 15
	200'	E of	N2 y	Union 75	
N2			5,8	197.8	
bb			5,4		
y			5,5		
b			5,0	198.6	
y			4,6		
bl			4,7		
S2			5,2	198.4	
	Nbb	y	Union 20		
S2			5,2	198.0	
bb			5,1		
y			4,7		
b			5,0	198.6	
y			4,8		
bb			5,2		
N2			5,3	198.3	

POSTED

20358

W ¼ of Union st

N2	5,4	198.2
bb	5,2	
4	5,0	
6	5,0	198.6
4	4,6	
bb	5,0	
S2	6,2	197.4

Center of Union st

S2	7,2	196.4
bb	6,3	
4	4,6	
6	5,2	198.4
4	5,0	
bb	5,1	
N2	5,2	198.4

20358

Palm st

E ¼ of Union

N2	4,7	198.9
bb	4,7	
4	5,1	
1	5,6	198.0
4	5,9	
bb	8,7	
S2	8,4	195.2

E bb of Union st

S2	8,4	194.2
bb	8,6	
4	7,4	
1	6,2	197.4
4	5,3	
bb	5,2	
N2	5,0	198.6

POST

20358

E Line of Union St

N2		4,7	198.9
1		5,4	
4		6,0	
6		7,0	196.6
4		8,7	
6		9,7	
S.L.		11.1	192.5

Platted
Date

POSTED

Cross section 10th st S2 University to City Park



Clough aug 08
Tech
Dunya

0.75 28283 28.08 BM SW Plug 10th University

S line of University av

N2	2,0	280.8	
3,0	3,5		
4	5,0		
4	6,0		
6	4,0	278.8	
4	2,5		
6	2,4		
E2	3,3	279.5	

25' S of University av

E2	14,0	268.8	
6	13,2		
7	12,8		
6	12,8	270.0	
76'	16,0		
4	11,5		
66	10,0		
	3,0 6,3		
W2	3,5	2793	

POSTED

		280.83		
	50'	S of	University Ave	
W2			3.6	279.2
20' E			6.2	
bb			11.0	
y			13.6	
	75'	S of	University	
W2			7.1	275.7
20' E			11.0	
TP	0.68	272.55	10.96	271.87
	50'	S of	University	
E2			10.1	262.6
bb			8.8	
y			8.0	
+4			12.5	
b			6.0	266.6

		272.55		10??
	75'	S of	University Ave	
E2			13.4	259.2
bb			14.2	
y			12.6	
b			10.2	262.4
y			7.6	
bb			4.3	
	100'	S of	University	
W2			4.8	267.8
20' E			7.5	
bb			10.0	
y			11.4	
b			14.8	257.8
y			15.4	
bb			13.6	
E2			10.5	262.1

POSTED

27255

	113'	S of	Minority = N & of X St	
E 2			6,1	266.5
bk			10,0	
4			12,7	
6			15,6	257.0
+ 8'			18.6	
4			16,0	
bk			13,5	
20' E			12,0	
W 2			9,8	262.8
	N Bk	of X	St	
W 2			12,6	260,0
18' E			13,8	
bk			15,0	
4			17,5	
6			15,0	257.6
4			12,2	
bk			7,7	
E 2			5,0	267.6

27255

				10th St
	N ¼	of	X St	
E 2			2,4	270.2
bk			6,1	
4			10,4	
6			13,6	259.0
4			16,0	
bk			18,7	
18' E			16,0	
W 2			15,0	257.6
	Center	of	X St	
W 2			18,0	254.6
10' E			21,0	
bk			19,3	
4			13,6	
6			11,0	261.6
4			8,5	
bk			5,0	
E 2			2,0	270.6

			x at	
WL			6,2	266.4
bh			4,4	
4			1.8	
6			9,5	272.1
TP	10.95	281.64	1.86	270.69
4			9,3	
bh			9,2	
EL			7,3	274.3
	30' S = 200'		Sup. Marvasit	
EL			3,3	278.3
bh			3,2	
4			2,0	
6			1,0	280.6
4			1,6	
bh			2,6	
WL			4,8	276.8
TP	2,04	287.73	9,95	280,69

	S 1/4	of	x at	
EL			1,5	271.1
bh			4,2	
4			4,8	
6			5,7	266.9
4			8,6	
bh			11,3	
5'E			14,8	
WL			16,0	256.6
	S. bh	of	x at	
WL			9,0	263.6
3'E			9,0	
bh			8,0	
4			5,4	
6			3,6	269.0
4			3,6	
bh			2,8	
EL			0,0	272.6

POSTED

28773

225' S c/o University

WR			6,3	281.4
bb			6,4	
y			6,0	
r			5,8	281.9
y			5,9	
bb			5,8	
ER			6,4	281.3

250' S c/o University

ER			5,4	282.3
bb			5,2	
y			5,5	
r			5,7	282.5
y			5,5	
bb			5,6	
WR			5,6	282.1

28773

264' S = 2d of Essex st (88)

WR			5,2	282.5
bb			5,0	
y			4,8	
r			4,9	282.8
y			5,0	
bb			5,2	
ER			4,9	282.8

Rubb of Essex st.

ER			6,1	281.0
bb			5,0	
y			4,5	
r			4,2	283.5
y			4,5	
bb			4,3	
WR			4,4	283.1

28773

N 1/4 of Essex T

W2	4,5	283.2
bb	4,3	
y	4,2	
b	3,9	283.8
y	4,2	
bb	4,6	
E2	5,5	282 2

Centre of Essex

E2	5,7	282.0
bb	4,5	
y	4,0	
b	3,7	284.0
y	3,9	
bb	3,9	
W2	4,2	283.✓

28773

S 1/4 of Essex T

W2	4,1	283.6
bb	3,7	
y	3,7	
b	3,6	284.1
y	4,0	
bb	4,4	
E2	5,7	282.0

S bb of Essex T

E2	5,5	282.2
bb	4,0	
y	3,8	
b	3,3	284.4
y	3,5	
bb	3,7	
W2	4,1	283.7

		287.3		
	S line of	Essex st		
M2		4,0	283.7	
bh		3,9		
4		3,4		
b		3,3	284.4	
4		3,8		
bh		3,8		
E2		3,8	283.9	
	50' S of	Essex st		
E2		3,6	284.1	
bh		3,6		
4		3,4		
b		3,4	284.3	
4		3,6		
bh		3,8		
M2		4,0	283.7	

		287.3		10th st	
	100'	S of	Essex st		
M2			4,3	283.4	
bh			4,2		
4			3,9		
b			3,9	283.8	
4			4,2		
bh			3,9		
E2			3,8	283.9	
	110'	S of	Essex st =	N line of	Cherokee Lane (40)
E2			3,9	283.8	
bh			4,2		
4			4,2		
b			3,9	283.8	
4			4,1		
bh			4,1		
M2			4,0	283.7	
TP	2,64	287.28	2,09	284,64	BM Spk Brk W side 50' S of Essex

POSTED

287.28

	120' S of Essex	10' S of Cherokee	
W2		4,0	283.3
bk		4,0	
y		3,7	
b		3,5	283.8
y		3,9	
bk		3,8	
E2		3,5	283.8
	130' S = Center of Cherokee		
E2		3,3	284.0
bk		4,1	
y		3,8	
b		3,5	283.8
y		3,7	
bk		4,1	
W2		4,2	283.1

287.28

	140' S of Essex		
W2		4,5	282.8
bk		4,3	
y		3,8	
b		3,6	283.7
y		4,0	
bk		4,0	
E2		3,7	284.1
	150' S = S Line of Cherokee Lane		
E2		3,8	283.✓
bk		4,2	
y		4,0	
b		3,8	283.✓
y		4,0	
bk		4,4	
W2		4,7	282.6

POSTED

	200'	S of	187.28 E Line of	
W2			5,7	282.1
bb			5,0	
4			4,6	
6			4,7	283.1
4			4,5	
bb			4,7	
E2			4,6	282.7
	250'	S of	E Line of	
E2			4,7	283.1
bb			4,7	
4			4,5	
6			4,7	282.6
4			5,2	
bb			5,5	
W2			6,0	281.3

	300'	S =	282.28 N Line of Robinson	10th Ave (80') E
W2			6,9	280.4
			5,4	
4			5,5	
6			4,9	282.4
4			5,3	
bb			5,2	
E2			4,7	282.6
		N bb of	Robinson	(80')
E2			5,1	282.2
bb			5,4	
4			5,0	
6			5,0	282.3
		N 1/2 of	Robinson	
E2			5,0	282.3
bb			5,6	
4			5,3	
6			5,1	282.2

POSTED

28728

	Center of Robinson (80)			
E2			5.1	282.2
bb			5.6	
y			5.3	
b			5.3	282.0
	S 1/4 of Robinson			
E2			5.2	282.1
bb			5.7	
y			5.7	
b			5.5	281.8
	S bb of Robinson 80'			
E2			4.9	282.4
bb			5.7	
y			5.8	
b			5.6	281.7

28728

	W bb of Robinson (60')			
W2			6.6	280.7
bb			6.7	
y			5.7	
b			5.0	282.3
	W 1/4 of Robinson 60'			
W2			7.0	280.3
bb			6.7	
y			5.9	
b			5.1	282.2
	Center of Robinson (60')			
W2			7.0	280.3
bb			6.6	
y			5.8	
b			5.2	282.1

POSTED

28728

S 1/4 of Robinson (60')

WL			7.0	280.3
bk			6.8	
y			6.1	
b			5.4	281.9

S bk of Robinson

WL			7.2	280.1
bk			6.9	
y			6.1	
b			5.5	281.8

S line of Robinson (60')

WL			7.2	280.1
bk			6.8	
y			5.8	
b			5.6	281.7

28728

S line of Robinson (80') = 20' SOB Rob (60')

WL			7.0	280.3
bk			6.7	
y			6.2	
b			5.8	281.5
y			6.0	
bk			6.7	
E2			5.5	281.8
TP	4/5	28616	5.22	282.02

BM SE4 Robinson 10

50' S of Robinson

E1			4.1	282.1
bk			4.3	
y			4.7	
b			4.5	281.7
y			5.0	
bk			5.0	
WL			5.3	280.9

POSTED

28616

	100'	S of	Robinson	
W2			4,6	281.6
bk			4,6	
y			4,7	
b			4,5	281.7
y			4,5	
bk			4,3	
E2			4,2	281.9
	150	S of	Robinson	
E2			3,9	282.3
bk			5-0	
y			5,0	
b			4,7	281.√
y			5-0	
bk			4,5	
W2			4,5	281.7

28616

	200	S of	Robinson	
W2			5,0	281.2
bk			5,0	
y			5,4	
b			5,2	281.0
y			6,0	
bk			6,0	
E2			5,8	280.4
	240	S of	Robinson	
E2			7,3	278.9
bk			7,5	
y			6,9	
b			6,3	279.9
y			6,3	
bk			5,7	
W2			5,5	280.7

72

POSTED

			2861.6		
	250	-5 %	Robinson		
M2			5,9	280.3	
bk			6,1		
y			6,6		
b			7,0	279.2	
y			7,8		
bk			10,4		
E2			12,3	273.9	
	275'	S %	Robinson		
M2			6,5	279.7	
bk			6,5		
y			7,2		
b			8,4	277.8	
y			13,2		
	300'	S = N2	Pennsylvania a 80'		
M2			9,5	276.7	
bk			9,4		
y			9,0		
b			10,3	275.9	

				10 ft 2	
TP	0,46	2746.5	11,97	274.19	Bm on Pole near E Penn ave
	275'	S %	Robinson		
E2			9,6	265.1	
bk			5,8		
	300'	S = N Line of	Pennsylvania (82')		on East
E2			15,4	259.3	
bk			8,6		
y			3,6		
					Bm
	0.20	274.39		274.19	
	N bk of	Penn ave			
M2			4,7	269.7	
bk			3,4		
y			1,6		
b			5,0	269.4	
y			8,0		
bk			12,7		
E2				256.5	

POSTED

27439

	N 1/4 of		Penn	an
WL			9,0	26 ⌐.4
bk			9,2	
4			8,4	
L			9,5	264.9
4			13,5	
TP	1/2	26309	12,2	261.97
	N bk of		Penn	an
EL			6.6	256.7
	N 1/4 of		Penn	an
EL			10,2	252.9
bk			8,0	
	Center of		Penn	an
EL			14,0	249.1
bk			14,0	
4			10,7	
L			8,7	254.4
4			8,2	
bk			8,1	
WL			7,6	25⌐.⌐

River near N 1/4

26309

	S 1/4 of		Penn	an
WL			12,8	250.3
bk			13,0	
4			13,0	
L			12,9	250.1
TP	0.0	257.12	11.97	257.12
4			3,5	
bk			4,2	
EL			5,8	24⌐.3
	S bk of		Penn	an
EL			8,2	242.9
4			7,3	
4			6,0	
L			4,2	246.9
4			2,4	
bk			1,9	
WL			1,4	249.7

POSTED

25112

S line of Penn ave

W2		6,2	244.9	
bk		7,0		
y		7,4		
b		8,5	242.8	
y		9,7		
bk		10,6		
E2		12,8	238.3	
	3.5'	S of Penn ave = N L of Penn ave (60')		(on West
E2		13,8	237.3	
bk		11,6		
y		10,7		
b		9,3	241.8	
y		8,4		
bk		8,0		
W2		7,2	243.9	
TP	4,03	24438	12,77	238.35

S E M Penn ave on East side

24438

N bk of Penn ave

E2	9,7	234.7	
bk	9,7		
y	8,0		
b	6,8	237.6	
y	6,0		
bk	5,2		
W2	5,0	239.4	
	N 1/4 of Penn ave		
W2	8,1	236.3	
bk	8,6		
y	8,7		
b	10,0	234.4	
y	10,8		
bk	10,0		
E2	6,0	238.4	

24438

Center of Penn an

EL			2,3	242.1
bk			3,3	
y			6,0	
b			8,5	235.9
Mb			10,4	
bk			14,5	
WL	S¼	of	15,4	229.0
	S¼	of Penn	an	
WL			13,6	230.8
bk			11,7	
y			9,7	
b			6,6	237.8
y			3,7	
bk			0,8	
EL			+0,50	244,9

24438

10ft

S bk of Penn an

WL			11,0	233.4
bk			7,3	
y			6,5	
b			4,0	
y			0,0	

S dir of Penn an

WL			8,3	236.1
bk			4,8	
y			1,4	
TP	11.60	235.63	0,35	244.03

S bk of Penn an

EL			8,0	247.6
bk			9,2	

S dir of Penn an

EL			3,8	251.8
bk			6,0	
y			8,3	
b			11,5	244.1

253-63

100' S of Penn a E = 36.5 S of Ref on West

W2			8,4	247.2
bl			3,3	
y			2,2	
TP	11.68	26319	4,2	257.5
b			8,8	254.4
y			3,5	
bl			0,0	
E2				266.8

125' S of Penn a

W2			7,7	255.5
bl			3,7	
y			0,5	
TP	12.10	27412	1,7	262.02

100' S of Penn a

E2			7,3	266.8

125' S of Penn a

E bl			1,5	272.6
E 1/4			6,2	
b			10,4	263.7

27412

150' S of Penn a

W2			9,7	264.4
bl			5,4	
y			2,3	
TP	11.10	28394	1,8	272.84

125' S of Penn a

E2			7,9	276.0

150' S of Penn a

E2			5,4	278.5
bl			6,0	
y			7,4	
b			9,4	274.5

175' S of Penn a

W2			8,5	275.4
bl			7,4	
y			6,6	
b			6,0	277.9
y			5,9	
bl			5,6	
E2			5,4	278.5

10th of

POSTED

	200'	S of	28394 Penn	an	
E2			4,4	279.5	
bk			5.4		
y			6,0		
b			5,5	278.4	
y			6,2		
bk			7,0		
W2			8,1	278.8	
	250'	S of	Penn	an	
W2			7,6	276.3	
bk			6,7		
y			4,8		
b			4,0	279.9	
y			5,1		
bk			4,1		
E2			4,0	279.9	

	300'	S = n	28394 line	1000 ft by press	80
E2			3,7	280.2	
bk			4,2		
y			4,3		
b			4,5	279.4	
y			5,3		
bk			5,9		
W2			6,3	277.6	
TP	4,94	28394	5.60	278,34	Work at bypass
	n bk of		bypass		
W2			5,1	278.2	
bk			5,2		
y			4,8		
b			3.6	279.7	
y			3.6		
bk			3.6		
E2			3.0	280.3	

POSTED

28328

N ½ of Cypress 7

E2	3,4	279.9	
bb	3,7		
y	3,4		
b	3,5	279.8	
y	4,4		
bb	5,0		
W2	5,2	278.1	

Center of Cypress 7

W2	5,0	278.3	
bb	4,4		
y	3,5		
b	3,8	279.1	
y	3,6		
bb	3,8		
E2	3,8	279.1	

28328 10 ch 22

S bb of Cypress 22

E2	3,6	279.7	
bb	4,0		
y	3,9		
b	4,4	278.9	
y	3,8		
bb	4,4		
W2	5,2	278.1	

S bb of Cypress 1

W2	5,2	278.1	
bb	4,8		
y	4,5		
b	4,3	279.0	
y	4,4		
bb	4,5		
E2	3,6	279.7	

28328

5 line of Cypress st

E2	4,8	278.V	
bb	5,7		
y	5,0		
b	4,8	278.V	
y	4,5		
bb	4,5		
W2	5,2	278.1	

50 S of Cypress

W2	6,0	277.3	
bb	6.1		
y	6,6		
b	6,2	277.1	
y	6,0		
bb	5,3		
E2	5,0	278.3	

at 100 S on E dropps of 75 or 80
a 60 S a m

PC



DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

For Single Track Embankment.

Roadway 14 feet wide. Side Slopes 1½ to 1.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	7.0	7.2	7.3	7.5	7.6	7.8	7.9	8.1	8.2	8.4	0
1	8.5	8.7	8.8	9.0	9.1	9.3	9.4	9.6	9.7	9.9	1
2	10.0	10.2	10.3	10.5	10.6	10.8	10.9	11.1	11.2	11.4	2
3	11.5	11.7	11.8	12.0	12.1	12.3	12.4	12.6	12.7	12.9	3
4	13.0	13.2	13.3	13.5	13.6	13.8	13.9	14.1	14.2	14.4	4
5	14.5	14.7	14.8	15.0	15.1	15.3	15.4	15.6	15.7	15.9	5
6	16.0	16.2	16.3	16.5	16.6	16.8	16.9	17.1	17.2	17.4	6
7	17.5	17.7	17.8	18.0	18.1	18.3	18.4	18.6	18.7	18.9	7
8	19.0	19.2	19.3	19.5	19.6	19.8	19.9	20.1	20.2	20.4	8
9	20.5	20.7	20.8	21.0	21.1	21.3	21.4	21.6	21.7	21.9	9
10	22.0	22.2	22.3	22.5	22.6	22.8	22.9	23.1	23.2	23.4	10
11	23.5	23.7	23.8	24.0	24.1	24.3	24.4	24.6	24.7	24.9	11
12	25.0	25.2	25.3	25.5	25.6	25.8	25.9	26.1	26.2	26.4	12
13	26.5	26.7	26.8	27.0	27.1	27.3	27.4	27.6	27.7	27.9	13
14	28.0	28.2	28.3	28.5	28.6	28.8	28.9	29.1	29.2	29.4	14
15	29.5	29.7	29.8	30.0	30.1	30.3	30.4	30.6	30.7	30.9	15
16	31.0	31.2	31.3	31.5	31.6	31.8	31.9	32.1	32.2	32.4	16
17	32.5	32.7	32.8	33.0	33.1	33.3	33.4	33.6	33.7	33.9	17
18	34.0	34.2	34.3	34.5	34.6	34.8	34.9	35.1	35.2	35.4	18
19	35.5	35.7	35.8	36.0	36.1	36.3	36.4	36.6	36.7	36.9	19
20	37.0	37.2	37.3	37.5	37.6	37.8	37.9	38.1	38.2	38.4	20
21	38.5	38.7	38.8	39.0	39.1	39.3	39.4	39.6	39.7	39.9	21
22	40.0	40.2	40.3	40.5	40.6	40.8	40.9	41.1	41.2	41.4	22
23	41.5	41.7	41.8	42.0	42.1	42.3	42.4	42.6	42.7	42.9	23
24	43.0	43.2	43.3	43.5	43.6	43.8	43.9	44.1	44.2	44.4	24
25	44.5	44.7	44.8	45.0	45.1	45.3	45.4	45.6	45.7	45.9	25
26	46.0	46.2	46.3	46.5	46.6	46.8	46.9	47.1	47.2	47.4	27
27	47.5	47.7	47.8	48.0	48.1	48.3	48.4	48.6	48.7	48.9	27
28	49.0	49.2	49.3	49.5	49.6	49.8	49.9	50.1	50.2	50.4	28
29	50.5	50.7	50.8	51.0	51.1	51.3	51.4	51.6	51.7	51.9	29
30	52.0	52.2	52.3	52.5	52.6	52.8	52.9	53.1	53.2	53.4	30
31	53.5	53.7	53.8	54.0	54.1	54.3	54.4	54.6	54.7	54.9	31
32	55.0	55.2	55.3	55.5	55.6	55.8	55.9	56.1	56.2	56.4	32
33	56.5	56.7	56.8	57.0	57.1	57.3	57.4	57.6	57.7	57.9	33
34	58.0	58.2	58.3	58.5	58.6	58.8	58.9	59.1	59.2	59.4	34
35	59.5	59.7	59.8	60.0	60.1	60.3	60.4	60.6	60.7	60.9	35
36	61.0	61.2	61.3	61.5	61.6	61.8	61.9	62.1	62.2	62.4	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.