
rn to City Engineers Office
ity Hall, San Diego, Cal.
400
LEVEL
F.B.426

Published by H. S. CROCKER COMPANY, Stationers, Drawing Materials, and Mathematical Instruments, San Francisco.

*Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.*

426

| MINUTES. | LKS. | MINUTES. | LKS. | MINUTES. | LKS. |
|---|---|---|---|---|---|
| 1 | 2⅓ | 21 | 49 | 41 | 95⅔ |
| 2 | 4⅔ | 22 | 51⅓ | 42 | 98 |
| 3 | 7 | 23 | 53⅔ | 43 | 100⅓ |
| 4 | 9⅓ | 24 | 56 | 44 | 102⅔ |
| 5 | 11⅔ | 25 | 58⅓ | 45 | 105 |
| 6 | 14 | 26 | 60⅔ | 46 | 107⅓ |
| 7 | 16⅓ | 27 | 63 | 47 | 109⅔ |
| 8 | 18⅔ | 28 | 65⅓ | 48 | 112 |
| 9 | 21 | 29 | 67⅔ | 49 | 114⅓ |
| 10 | 23⅓ | 30 | 70 | 50 | 116⅔ |
| 11 | 25⅔ | 31 | 72⅓ | 51 | 119 |
| 12 | 28 | 32 | 74⅔ | 52 | 121⅓ |
| 13 | 30⅓ | 33 | 77 | 53 | 123⅔ |
| 14 | 32⅔ | 34 | 79⅓ | 54 | 126 |
| 15 | 35 | 35 | 81⅔ | 55 | 128⅓ |
| 16 | 37⅓ | 36 | 84 | 56 | 130⅔ |
| 17 | 39⅔ | 37 | 86⅓ | 57 | 133 |
| 18 | 42 | 38 | 88⅔ | 58 | 135⅓ |
| 19 | 44⅓ | 39 | 91 | 59 | 137⅔ |
| 20 | 46⅔ | 40 | 93⅓ | 60 | 140 |

## TABLE FOR RUNNING ON SLOPES.

*In the following table the first column shows the angle, the second the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement.*

MICROFILMED
DEC 1 0 1964

| ANGLE | COR. IN LINKS | ANGLE | COR. IN LINKS | ANGLE | COR. IN LINKS | ANGLE | COR. IN LINKS |
|---|---|---|---|---|---|---|---|
| ° | | ° | | ° | | ° | |
| 4 | 0.24 | 11 | 1.88 | 18 | 5.14 | 25 | 10.54 |
| 5 | 0.38 | 12 | 2.24 | 19 | 5.76 | 26 | 11.26 |
| 6 | 0.55 | 13 | 2.63 | 20 | 6.42 | 27 | 12.24 |
| 7 | 0.76 | 14 | 3.06 | 21 | 7.11 | 28 | 13.37 |
| 8 | 0.98 | 15 | 3.53 | 22 | 7.85 | 29 | 14.34 |
| 9 | 1.24 | 16 | 4.02 | 23 | 8.64 | 30 | 15.47 |
| 10 | 1.55 | 17 | 4.56 | 24 | 9.47 | 35 | 22.07 |

Crocker Quality

# LEVEL BOOK

No. 400

COMMUNI CONSENSU TRADE MARK PRIMO

FROM Locing's Book Store

MANUFACTURED BY

A. S. Crocker Co.

SAN FRANCISCO
and
SACRAMENTO






7168 from Buell 425

| Library Bolton Hall Brooklyn | Intersection of Linn | Buell | Pal st 425 | (60') | between |
|---|---|---|---|---|---|
| | 775' E = Pueblo Line | | | | w n Line |
| S2 | | | 165 | 55.2 | |
| 11 | | | 140 | 57.7 | |
| 9 | | | 122 | 59.5 | |
| 8 | | | 100 | 61.7 | |
| 5 | | | 77 | 64.0 | |
| 4 | | | 57 | 66.0 | |
| 12 | | | 34 | 68.3 | |
| | 35' E w 8 line w n 2 | | = Pueblo Line | | W of (70') Roosevelt |
| n2 | | | 34 | 68.3 | |
| 11 | | | 50 | 66.7 | |
| 7 | | | 60 | 65.7 | |
| 6 | | | 77 | 64.0 | |
| 5 | | | 94 | 62.3 | |
| N2 | | | 111 | 60.6 | |
| S2 | | | 122 | 59.46 | w S line |
| TP | 998 | 8076 | 090 | 7678 | |

POSTED

8076 Parallel (70') E of P.L.

| | | | | |
|---|---|---|---|---|
| | 25' | E of | Pueblo Line | |
| SL | | | 20.4 | 60.4 |
| | 50' | E of | Pueblo Line | |
| SL | | | 13.9 | 66.9 |
| b | | | 13.0 | 67.8 |
| NL | | | 3.5 | 77.3 |
| | 100' | E of | P.L. | |
| SL | | | 1.0 | 79.8 |
| b | | | 10.0 | 81.7 |
| TP | 12.85 | 9351 | 0.10 | 80.66 |
| NL | | | 6.1 | 87.4 |
| | 150' | E of | P.L. | |
| SL | | | 2.1 | 91.4 |
| TP | 12.36 | 10351 | 0.35 | 93.16 |
| b | | | 11.0 | 94.5 |
| NL | | | 4.9 | 100.6 |
| TP | 12.9 | 115-74 | 2.07 | 103.45 |

115-74 Par St

200' (5) E = Missing Plum St (70')

| | | | | |
|---|---|---|---|---|
| SL | | | 12.3 | 103.4 |
| b | | | 5.8 | 109.9 |
| NL | | | 0.0 | 115.7 |
| TP | 12.89 | 12806 | 0.57 | 115-17 |
| | | E line of Plum St | | |
| SL | | | 6.5 | 121.6 |
| TP | 13.00 | 14030 | 0.76 | 12730 |
| b | | | 8.2 | 132.1 |
| NL | | | 1.20 | 139.1 |
| TP | 12.81 | 15261 | 0.50 | 13950 |
| | 50' | E of | Plum St | |
| SL | | | 12.8 | 139.8 |
| b | | | 6.0 | 146.6 |
| TP | 12.89 | 16489 | 0.66 | 15-24 |
| NL | | | 10.5 | 156.1 |

| | | | | |
|---|---|---|---|---|
| | | 1645.9 | | |
| | 100' E of | Plum st | | |
| S2 | | | 13.0 | 151.9 |
| b | | | 5.3 | 159.6 |
| N2 | | | 10.2 | 168.8 |
| | 150' E of | | | |
| S2 | | | 4.00 | 163.9 |
| TP | 12.09 | 1765.6 | 0.42 | 164.47 |
| b | | | 8.6 | 168.0 |
| N2 | | | 2.3 | 174.3 |
| | 200' E of | Plum st | | |
| S2 | | | 3.8 | 172.8 |
| TP | 11.56 | 1874.6 | 0.66 | 175.30 |
| b | | | 10.3 | 177.2 |
| N2 | | | 8.2 | 179.3 |
| | 250' E of | Plum st | | |
| N2 | | | 4.4 | 183.1 |
| b | | | 1.9 | 181.6 |
| S2 | | | 7.4 | 184.1 |

| | | | | |
|---|---|---|---|---|
| | | 1874.6 | | Pine st |
| | 300' E = | N line of Willow (70') | | |
| S2 | | | 3.6 | 183.9 |
| b | | | 2.7 | 184.8 |
| N2 | | | 1.45 | 186.1 |
| | E line of | willow | | |
| N2 | | | 1.9 | 185.6 |
| b | | | 1.8 | 185.7 |
| S1 | | | 3.5 | 184.0 |
| | 50' E of | willow | | |
| S2 | | | 11.2 | 176.3 |
| b | | | 10.9 | 176.6 |
| N2 | | | 8.1 | 179.4 |
| TP | 0.45 | 1756.4 | 12.25 | 175.21 |
| | 100' E of | willow | | |
| N2 | | | 17.0 | 168.6 |
| b | | | 10.7 | 165.5 |
| S2 | | | 13.4 | 162.2 |
| TP | 0.24 | 1633.9 | 12.53 | 163.11 |

Bm nw willow

11355

| | | | | |
|---|---|---|---|---|
| | 300' | E = | W line of | Elm St |
| | | | | Bm SW |
| SL | | | 8,04 | 105,54 Elm |
| b | | | 5,4 | 108,2 |
| NL | | | 2,9 | 110,7 |
| TP | 0,64 | 101,26 | 12,93 | 100,62 |
| TP | 0,80 | 89,12 | 12,94 | 88,32 |
| | E line of | | Elm St | |
| NL | | | 5,9 | 85,2 |
| b | | | 2,8 | 85,3 |
| SL | | | 5,3 | 83,8 |
| TP | 0,19 | 76,42 | 12,89 | 76,23 |
| | 50' | E of | Elm | |
| SL | | | 13,3 | 63,1 |
| b | | | 12,3 | 64,1 |
| NL | | | 10,8 | 65,5 |
| TP | 0,16 | 64,16 | 12,44 | 63,98 |
| TP | 0,43 | 57,83 | 12,76 | 51,40 |

11355

| | | | | |
|---|---|---|---|---|
| | 150' | E of | Willow | |
| SL | | | 13,8 | 149,6 |
| b | | | 14,0 | 149,4 |
| NL | | | 8,1 | 155,3 |
| TP | 0,02 | 150,74 | 12,67 | 150,72 SL |
| TP | 0,05 | 138,17 | 12,62 | 138,12 |
| | 200' | E of | Willow | |
| SL | | | 7,6 | 130,6 |
| b | | | 5,0 | 133,2 |
| NL | | | 1,6 | 126,6 |
| TP | 0,16 | 126,08 | 12,25 | 125,92 |
| | 250' | E of | Willow at (78'). | |
| NL | | | 2,4 | 123,7 |
| b | | | 5,3 | 120,8 |
| SL | | | 7,6 | 116,5 |
| TP | 0,35 | 113,55 | 12,88 | 113,20 |

| | | | | |
|---|---|---|---|---|
| | 100' | ℄ of | Elm | at |
| S2 | | 6 | 6.2 | 45.5 |
| b | | | 4.8 | 47.0 |
| n2 | | | 2.8 | 49.0 |
| TP | 0.11 | 39.69 | 12.75 | 39.58 |
| | 150' | ℄ of | Elm | at |
| S2 | | | 7.2 | 32.5 |
| b | | | 5.0 | 34.7 |
| n2 | | | 5.4 | 33.3 |
| TP | 0.43 | 27.25 | 12.87 | 26.82 |
| | 200' | ℄ of | Elm | at |
| S2 | | | 6.9 | 20.4 |
| b | | | 5.5 | 21.8 |
| n2 | | | 3.7 | 23.6 |
| | 250 | ℄ of | Elm | at |
| n2 | | | 7.6 | 19.7 |
| b | | | 8.7 | 18.4 |
| S2 | | | 10.3 | 17.0 |

| | | | | |
|---|---|---|---|---|
| | 300' | ℄ = | Elm | & Locust at (70') |
| S2 | | | 12.75 | 14.50 |
| b | | | 11.5 | 15.8 |
| n2 | | | 9.8 | 17.5 |
| TP | 2.15 | 16.65 | 12.75 | 14.50 |
| | ℄ Elm | & | Locust | |
| S2 | | | 3.8 | 12.9 |
| b | | | 3.4 | 13.3 |
| n2 | | | 3.0 | 13.7 |
| b | | | 2.7 | 14.0 |
| | | | 2.3 | 14.4 |
| b | | | 2.0 | 14.7 |
| n2 | | | 1.4 | 15.3 |
| | 100' | ℄ of | Locust at | |
| S2 | | | 16.60 | |

1665

| | 50' | E of | locust | et |
|---|---|---|---|---|
| N2 | | | 3.3 | 13.4 |
| M | | | 3.8 | 12.9 |
| Y | | | 4.0 | 12.7 |
| L | | | 4.4 | 12.3 |
| Y | | | 4.7 | 12.0 |
| M | | | 4.9 | 11.8 |
| S2 | | | 5.3 | 11.4 |
| | 100' | E of | locust | |
| S2 | | | 6.5 | 10.2 |
| M | | | 6.7 | 10.0 |
| Y | | | 6.3 | 10.4 |
| L | | | 5.9 | 10.8 |
| Y | | | 5.6 | 11.1 |
| M | | | 5.4 | 11.3 |
| N2 | | | 5.2 | 11.5 |

1665

| | 150 | E of | locust | et |
|---|---|---|---|---|
| N2 | | | 7.0 | 9.7 |
| M | | | 7.2 | 9.5 |
| Y | | | 7.2 | 9.5 |
| L | | | 7.5 | 9.2 |
| Y | | | 7.5 | 9.2 |
| M | | | 7.5 | 9.2 |
| S2 | | | 7.7 | 9.0 |
| | 200' | E of | locust | et |
| S2 | | | 9.0 | 7.7 |
| M | | | 8.9 | 7.8 |
| Y | | | 8.8 | 7.9 |
| L | | | 8.8 | 7.8 |
| Y | | | 8.7 | 8.0 |
| M | | | 8.4 | 8.3 |
| N2 | | | 8.0 | 8.7 |
| TP | 163 | 1068 | 9.40 | 10.25 |

1085

| | 250' | E of | Locust | |
|---|---|---|---|---|
| N2 | | | 4.5 | 6.2 |
| ft | | | 4.7 | 6.2 |
| y | | | 4.6 | 6.3 |
| l | | | 4.8 | 6.1 |
| y | | | 4.8 | 6.1 |
| bl | | | 4.8 | 6.1 |
| S2 | | | 4.8 | 6.1 |

| | 300' | E of | N2 of | Russians (100') |
|---|---|---|---|---|
| S2 | | | 5.4 | 5.5 |
| ft | | | 5.9 | 5.0 |
| y | | | 6.0 | 4.8 |
| l | | | 5.8 | 5.1 |
| y | | | 5.8 | 5.1 |
| ft | | | 5.8 | 5.1 |
| N2 | | | 5.6 | 5.2 |
| TP | 25.1 | 5.9 | 7.48 | 3.40 |

5.91

Par 2

| | E Line of | Russians | 20 |
|---|---|---|---|
| N2 | | 2.50 | 3.4 |
| bl | | 3.1 | 2.8 |
| y | | 3.3 | 2.6 |
| l | | 2.7 | 3.2 |
| y | | 3.0 | 2.9 |
| bl | | 3.0 | 2.9 |
| S2 | | 2.5 | 3.4 |

| | 50 | E of | Russians | 40 |
|---|---|---|---|---|
| S2 | | | 3.0 | 2.9 |
| bl | | | 3.7 | 2.2 |
| y | | | 3.8 | 2.1 |
| l | | | 3.7 | 2.2 |
| y | | | 4.0 | 1.9 |
| bl | | | 4.0 | 1.9 |
| N2 | | | 4.0 | 1.9 |

6

5.91

| | 10ν | E-ζ | Rusicrans | |
|---|---|---|---|---|
| N2 | | | 5,0 | 0,9 |
| H | | | 5,0 | 0,9 |
| Y | | | 4,7 | 1,2 |
| L | | | 5,0 | 0,9 |
| V | | | 3,8 | 2,1 |
| M | | | 4,4 | 1,5 |
| S2 | | | 4,2 | 1,7 |
| | 15ν | E-ζ | Rusicrans | |
| S2 | | | 5,2 | 0,7 |
| H | | | 5,5 | 0,4 |
| Y | | | 5,2 | 0,3 |
| L | | | 5,6 | 0,3 |
| V | | | 5,7 | 0,2 |
| H | | | 5,7 | 0,2 |
| N2 | | | 6,0 | -0,1 |

5.91

Par 18

| | 20ν | E-ζ | Rusicrans | |
|---|---|---|---|---|
| N2 | | | 6,8 | -0,9 |
| H | | | 6,8 | -0,9 |
| Y | | | 6,5 | -0,6 |
| L | | | 6,3 | -0,4 |
| V | | | 6,1 | -0,2 |
| M | | | 5,9 | 0,0 |
| S2 | | | 5,9 | 0,0 |
| | 25ν | E-ζ | Rusicrans | |
| S2 | | | 6,4 | -0,5 |
| H | | | 6,4 | -0,5 |
| Y | | | 6,5 | -0,6 |
| L | | | 6,8 | -0,9 |
| V | | | 7,0 | -1,1 |
| H | | | 7,1 | -1,2 |
| N2 | | | 7,3 | -1,4 |
| TP | 4,28 | 2,79 | 7,40 | -1,49 |

| | 30 v | E = | W line of Scott v (70) | |
|---|---|---|---|---|
| N2 | | | 4.7 | −1.9 |
| 1 | | | 4.5 | −1.7 |
| 2 | | | 4.5 | −1.7 |
| 3 | | | 4.1 | −1.3 |
| 4 | | | 4.2 | −1.4 |
| 5 | | | 4.1 | −1.3 |
| S2 | | | 3.9 | −1.1 |
| | W 1/4 of Scott | | v | |
| S2 | | | 4.0 | −1.2 |
| 1 | | | 4.1 | −1.3 |
| 2 | | | 4.2 | −1.4 |
| 3 | | | 4.3 | −1.5 |
| 4 | | | 4.5 | −1.7 |
| 5 | | | 4.6 | −1.8 |
| N2 | | | 4.7 | −1.9 |







| | W 1/4 of | Scott | v |
|---|---|---|---|
| N2 | | 4.8 | −2.0 |
| 1 | | 4.6 | −1.8 |
| 2 | | 4.4 | −1.6 |
| 3 | | 4.4 | −1.6 |
| 4 | | 4.4 | −1.6 |
| 5 | | 4.3 | −1.5 |
| S2 | | 4.3 | −1.5 |
| | Center 1/4 | Scott | v |
| S2 | | 4.2 | |
| 1 | | 4.4 | −1.6 |
| 2 | | 4.4 | −1.6 |
| 3 | | 4.5 | −1.7 |
| 4 | | 4.6 | −1.8 |
| 5 | | 4.6 | −1.8 |
| N2 | | 4.9 | −2.1 |

279

| E | E ¼ | of | Scott | |
|---|---|---|---|---|
| 12 | | | 5,0 | −2,2 |
| 11 | | | 4,8 | −2,0 |
| 7 | | | 4,8 | −2,0 |
| 6 | | | 4,7 | −1,9 |
| 7 | | | 4,6 | −1,6 |
| 11 | | | 4,4 | −1,6 |
| 12 | | | 4,4 | −1,6 |
| | E bk | of | Scott | |
| 12 | | | 4,6 | −1,8 |
| 11 | | | 4,6 | −1,8 |
| 7 | | | 4,7 | −1,9 |
| 6 | | | 4,8 | −2,0 |
| 7 | | | 4,8 | −2,0 |
| 11 | | | 5,0 | −2,2 |
| 12 | | | 5,2 | −2,4 |

279

| | E ½ in | of | Scott | |
|---|---|---|---|---|
| 12 | | | 5,3 | −2,5 |
| 11 | | | 5,1 | −2,3 |
| 7 | | | 4,9 | −2,1 |
| 6 | | | 4,9 | −2,1 |
| 7 | | | 4,9 | −2,1 |
| 11 | | | 4,8 | −2,0 |
| 12 | | | 4,8 | −2,0 |
| | 50 | E ½ | Scott | |
| 12 | | | 5,2 | −2,4 |
| 11 | | | 5,2 | −2,4 |
| 7 | | | 5,6 | −2,8 |
| 6 | | | 5,7 | −2,9 |
| 7 | | | 5,8 | −3,0 |
| 11 | | | 5,9 | −3,1 |
| 12 | | | 6,0 | −3,2 |

2.79

| | 10ú | E-W | Sept 2 | |
|---|---|---|---|---|
| n2 | | | 6.2 | -3.4 |
| 11 | | | 6.0 | -3.2 |
| 1 | | | 6.0 | -3.2 |
| 11 | | | 5.8 | -3.0 |
| 1 | | | 5.8 | -3.0 |
| 11 | | | 5.8 | -3.0 |
| S2 | | | 5.8 | -3.0 |
| | 15ú | E-W | Sept 2 | |
| S2 | | | 6.5 | -3.7 |
| 11 | | | 6.6 | -3.8 |
| 1 | | | 6.6 | -3.8 |
| 1 | | | 6.7 | -3.9 |
| 1 | | | 6.8 | -4.0 |
| 11 | | | 6.6 | -3.8 |
| n2 | | | 6.6 | -3.8 |

2.79

| | 20ú | E-W | Sept 2 | |
|---|---|---|---|---|
| n2 | a Beach | | 7.8 | -5.0 |
| 11 | | | 7.6 | -4.8 |
| 1 | | | 7.6 | -4.8 |
| 11 | | | 7.6 | -4.8 |
| 1 | | | 7.6 | -4.8 |
| 11 | | | 7.6 | -4.8 |
| S2 | | | 7.4 | -4.6 |

POSTED

Intersection of Quincy st (70) 17th st
2nd W line of Scott st to E. Golden Mendocino Blvd

W from Page 8

| | | | | |
|---|---|---|---|---|
| | 8,30 | 681 | -14.9 | |
| | W line of Scott st | | | |
| S2 | | | 10,3 | -3.5 |
| 1 | | | 10.5 | -3.7 |
| 4 | | | 10.6 | -3.8 |
| 6 | | | 10.9 | -4.1 |
| 4 | | | 11.1 | -4.3 |
| 1 | | | 11.1 | -4.3 |
| N2 | on Beach | | 11.5 | -4.7 |
| | 50 | W of | Scott st | |
| N2 | | | 11.2 | -4.4 |
| 1 | | | 11.0 | -4.2 |
| 4 | | | 10.4 | -3.6 |
| 1 | | | 9.3 | -2.5 |
| 4 | | | 9.2 | -2.4 |
| 1 | | | 9.0 | -2.2 |
| S2 | | | 9.0 | -2.2 |

681 Quincy st

| | | | | |
|---|---|---|---|---|
| | 100 | W of | Scott | st |
| S2 | | | 7.5 | -0.7 |
| 1 | | | 7.5 | -0.7 |
| 4 | | | 7.5 | -0.7 |
| 6 | | | 7.9 | -1.1 |
| 4 | | | 8.0 | -1.2 |
| 1 | | | 10.0 | -3.2 |
| N2 | | | 10.4 | -3.6 |
| | 130 | W of | Scott | st |
| N2 | | | 7.3 | -0.5 |
| 1 | | | 6.9 | -0.1 |
| 4 | | | 6.6 | 0.2 |
| 1 | | | 6.4 | 0.4 |
| 4 | | | 6.5 | 0.5 |
| 1 | | | 6.2 | 0.6 |
| S2 | | | 5.9 | 0.9 |

681

| | 20ri | W of Scott 2r | |
|---|---|---|---|
| S2 | | 5,0 | 1,8 |
| 4 | | 5-0 | 1,8 |
| 4 | | 5,1 | 1,7 |
| 4 | | 5-1 | 1,7 |
| 4 | | 5-4 | 1,4 |
| 4 | | 5-3 | 1,5 |
| N2 | | 5,2 | 1,2 |
| | 25ri | W of Scott 2r | |
| N2 | | 4,6 | 2,2 |
| 4 | | 4,5 | 2,3 |
| 4 | | 4,5 | 2,3 |
| 4 | | 4,2 | 2,6 |
| 4 | | 4,4 | 2,4 |
| 4 | | 3,9 | 2,9 |
| S2 | | 4,1 | 2,7 |

681

Lumby

| | 30ri | W = | E Sin | Rusicarus st (Gr) |
|---|---|---|---|---|
| S2 | | | 3,0 | 3,8 |
| 4 | | | 3,2 | 3,6 |
| 4 | | | 3,4 | 3,4 |
| 4 | | | 3,2 | 3,6 |
| 4 | | | 3,5 | 3,3 |
| 4 | | | 3,7 | 3,1 |
| N2 | | | 3,0 | 3,8 |
| TP | 12,46 | 18.17 | 1,10 | 5,71 |
| | W Sin | | Rusicarus st | (Graded) |
| S2 | | | 12,3 | 5,9 |
| 4 | | | 12,6 | 5,6 |
| 4 | | | 11,9 | 6,3 |
| 4 | | | 11,9 | 6,3 |
| 4 | | | 11,6 | 6,4 |
| 4 | | | 11,9 | 6,3 |
| N2 | | | 12,6 | 5,6 |

POST

1817

| | 50' | W of | Rosecrans | |
|---|---|---|---|---|
| N2 | | | 8,6 | 9,6 |
| 4 | | | 8,8 | 9,4 |
| 7 | | | 9,2 | 9,0 |
| 6 | | | 9,4 | 8,8 |
| 7 | | | 9,4 | 8,8 |
| 6 | | | 9,5 | 18,7 |
| S2 | | | 9,8 | 8,4 |
| | 100' | W of | Rosecrans | |
| S2 | | | 6,7 | 11,5 |
| 4 | | | 6,7 | 11,9 |
| 7 | | | 6,3 | 11,9 |
| 1 | | | 6,0 | 12,2 |
| 7 | | | 5,6 | 12,6 |
| 4 | | | 5,2 | 13,0 |
| N2 | | | 4,9 | 13,3 |

1817

Lumsby

| | 150 | W of | Rosecrans | |
|---|---|---|---|---|
| N2 | | | 0,4 | 17,8 |
| 4 | | | 0,8 | 17,4 |
| 7 | | | 1,2 | 17,0 |
| 1 | | | 2,0 | 16,2 |
| 2 | | | 2,3 | 15,9 |
| 4 | | | 2,6 | 13,6 |
| S2 | | | 2,9 | 15,3 |
| TP | 12,80 | 3047 | 0,50 | 17,67 |
| | 200' | W of | Rosecrans | |
| S2 | | | 11,4 | 19,1 |
| 4 | | | 11,0 | 19,5 |
| 7 | | | 10,6 | 19,9 |
| 1 | | | 10,2 | 20,3 |
| 7 | | | 9,6 | 20,9 |
| 4 | | | 9,2 | 21,3 |
| N2 | | | 8,6 | 21,9 |

3047

| | 250' | W of | Rustlaans at | | |
|---|---|---|---|---|---|
| N2 | | | 4,5 | 26,0 | |
| 1 | | | 5,1 | 25,4 | |
| 4 | | | 5,9 | 24,6 | |
| 1 | | | 6,8 | 23,7 | |
| 4 | | | 7,3 | 23,2 | |
| 1 | | | 7,9 | 22,6 | |
| S2 | | | 8,4 | 22,1 | |
| | 300' | W of E & W | Locust at | (70') | |
| S2 | | | 5,5 | 25,0 | |
| 1 | | | 5,1 | 25,4 | |
| 4 | | | 4,4 | 26,1 | |
| 1 | | | 3,5 | 27,0 | |
| 4 | | | 2,7 | 27,8 | |
| 1 | | | 1,6 | 28,9 | |
| N2 | | | 0,9 | 29,6 | |
| TP | 12,57 | 4242 | 0,56 | 29,91 | SW 14 Locust |

4242

Lumby

| | W line of | Locust at | |
|---|---|---|---|
| S2 | 12,5 | 29,9 | |
| 1 | 11,7 | 30,7 | |
| 4 | 10,7 | 31,7 | |
| 1 | 9,9 | 32,5 | |
| 4 | 8,8 | 33,6 | |
| 1 | 7,9 | 34,5 | |
| N2 | 7,0 | 35,4 | |
| | 350' W of | Locust | |
| N2 | 2,5 | 39,9 | |
| 1 | 3,8 | 38,6 | |
| 4 | 4,7 | 37,7 | |
| 1 | 5,7 | 36,7 | |
| 4 | 6,7 | 35,7 | |
| 1 | 7,9 | 34,5 | |
| S2 | 9,3 | 33,1 | |

| | | | | |
|---|---|---|---|---|
| | | 42.42 | | |
| | 100' | W of | Locust | |
| SL | | | 4.8 | 37.6 |
| bl | | | 4.3 | 38.1 |
| y | | | 3.7 | 38.7 |
| l | | | 2.9 | 39.5- |
| y | | | 1.5- | 40.9 |
| bl | | | 0.4 | 42.0 |
| TP | 42.34 | 5-34.8 | 1.28 | 41.14 |
| NL | | | 9.8 | 43.7 |
| | 150' | W of | Locust | |
| NL | | | 5-2 | 47.3 |
| bl | | | 6.4 | 47.1 |
| y | | | 7.7 | 45.8 |
| l | | | 8.6 | 44.9 |
| y | | | 8.7 | 44.8 |
| bl | | | 9.0 | 44.5- |
| SL | | | 10.0 | 43.5- |
| TP | 1.24 | 64.59 | 1.13 | 5-2.35- |

| | | | | |
|---|---|---|---|---|
| | | 64.59 | | Dumby's |
| | 200' | W of | Locust | " |
| SL | | | 10.8 | 5-3.8 |
| bl | | | 11.2 | 5-3.4 |
| y | | | 11.1 | 5-3.5- |
| l | | | 10.5 | 5-4.1 |
| y | | | 9.9 | 5-4.7 |
| bl | | | 9.3 | 5-5.3 |
| NL | | | 8.0 | 5-6.6 |
| TP | 1.30 | 76.44 | 0.45 | 6.4.4 |
| | 250' | W of | Locust | " |
| NL | | | 6.4 | 70.0 |
| bl | | | 6.7 | 69.7 |
| y | | | 7.9 | 68.5- |
| l | | | 8.2 | 67.8 |
| y | | | 8.8 | 67.6 |
| bl | | | 9.6 | 66.8 |
| SL | | | 11.6 | 64.8 |
| TP | 1.65- | 88.68 | 0.41 | 76.02 |

8868

| 300' E | E Line | of | Elev | (70') |
|---|---|---|---|---|
| SL | | | 7,1 | 81,6 |
| M | | | 6,2 | 82,5 |
| 7 | | | 5,2 | 83,1 |
| L | | | 5,2 | 83,1 |
| 7 | | | 4,8 | 83,9 |
| M | | | 3,7 | 85,0 |
| NL | | | 1,3 | 87,4 |
| TP | 12,68 | 10[illegible],35 | 0,01 | 88,67 |
| TP | 12,95 | 11348 | 0,80 | 106,15 |
| | W Line | of | Elev | |
| SL | | | 3,3 | 110,2 |
| L | | | 1,0 | 112,5 |
| NL | | | +0,2 | 113,7 |
| TP | 12,34 | 12,44 | 8,38 | 110,10 |
| TP | 12,80 | 18465 | 0,59 | 121,85 |

13465

Dumbly

| | 50' | W of | Elev | at |
|---|---|---|---|---|
| SL | | | 5,5 | 129,2 |
| L | | | 4,6 | 130,1 |
| NL | | | 0,7 | 134,0 |
| TP | 12,90 | 14665 | 0,90 | 13375 |
| | 100' | W of | Elev | |
| SL | | | 3,0 | 143,7 |
| L | | | 0,4 | 146,3 |
| TP | 12,50 | 15902 | 0,12 | 14652 |
| NL | | | 10,4 | 148,6 |
| | 150' | W of | Elev | at |
| NL | | | 0,8 | 158,2 |
| L | | | 2,0 | 157,0 |
| SL | | | 3,4 | 155,6 |
| TP | 12,60 | 17124 | 0,48 | 15854 |
| | 200' | W of | Elev | at |
| SL | | | 6,4 | 164,7 |
| L | | | 7,2 | 163,9 |
| NL | | | 7,6 | 163,5 |

17414

| | | | | | |
|---|---|---|---|---|---|
| | 250' | W of | Elm st | | |
| NL | | | 4,6 | 166,5 | |
| b | | | 4,0 | 167,1 | |
| SL | | | 1,90 | 169,2 | |
| TP | 1166 | 18252 | 0,28 | 170,86 | |
| | 300' | W of = E Line | | Willow st (Rd) | |
| SL | | | 9,0 | 173,5 | |
| b | | | 12,3 | 170,2 | |
| NL | | | 14,0 | 168,5 | |
| | W Line of | | Elm st | | |
| NL | | | 10,04 | 172,5 | |
| b | | | 6,0 | 176,0 | |
| SL | | | 15,2 | 181,00 | BM-S W Willow |
| TP | 5,17 | 18617 | 1,52 | 181,00 | |
| | 50' | W of | Willow st | | |
| SL | | | 1,6 | 184,6 | |
| b | | | 6,0 | 180,2 | |
| NL | | | 10,7 | 175,5 | |

18617

| | | | | | |
|---|---|---|---|---|---|
| | 100' | W of | Willow st | | |
| NL | | | 9,3 | 176,9 | |
| b | | | 6,2 | 180,0 | |
| SL | | | 2,2 | 184,0 | |
| | 150 | W of | Willow st | | |
| SL | | | 3,7 | 180,5 | |
| b | | | 1,9 | 180,3 | |
| NL | | | 8,2 | 176,6 | |
| | 200' | W of | Willow st | | |
| NL | | | 8,0 | 176,7 | |
| b | | | 8,6 | 177,4 | |
| SL | | | 9,7 | 176,5 | |
| TP | 0,97 | 17492 | 12,22 | 177,95 | |
| | 250' | W of | Willow st | | |
| SL | | | 8,3 | 169,6 | |
| b | | | 7,4 | 172,5 | |
| NL | | | 0,0 | 174,9 | |

| | | | | |
|---|---|---|---|---|
| | | 174.92 | | |
| | 300' | W = | E Line of Plum | 24.7 |
| N2 | | | 5.5 | 169.4 |
| b | | | 8.3 | 164.6 |
| S2 | | | 10.0 | 164.9 |
| TP | 0.75 | 162.82 | 12.85 | 162.07 |
| | W Line of | | Plum | 24 |
| S2 | | | 5.95 | 156.87 |
| b | | | 3.1 | 153.7 |
| N2 | | | 1.3 | 161.5 |
| | 50 | W of | Plum | |
| N2 | | | 7.5 | 155.3 |
| b | | | 12.0 | 150.8 |
| TP | 1.24 | 154.76 | 12.30 | 154.52 |
| S2 | | | 7.6 | 144.2 |
| | 100 | W of | Plum | |
| N2 | | | 8.7 | 143.4 |
| TP | 1.25 | 141.07 | 12.94 | 138.82 |
| b | | | 4.3 | 135.8 |
| S2 | | | 11.8 | 128.3 |

| | | | | |
|---|---|---|---|---|
| | | 140.07 | | Runway 11 |
| | 150 | W of | | Plum |
| N2 | | | 10.4 | 129.7 |
| TP | 0.57 | 129.04 | 11.60 | 128.47 |
| b | | | 3.4 | 125.6 |
| S2 | | | 13.6 | 115.4 |
| TP | 0.50 | 117.48 | 12.06 | 116.98 |
| | 194'(5) | W = | Public Line | W of Reservoir |
| N2 | | | 12 | 106.2 |
| b | | | 5.0 | 112.5 |
| S2 | | | 9.9 | 107.6 |
| | 19.5 W of S2 | | | |
| | 00 of N2 | | angle | |
| S2 | | | 13.0 | 104.5 |
| b | | | 6.2 | 111.3 |
| N2 | | | 12 | 116.3 |
| TP | 4.10 | 110.96 | 10.6 | 106.86 |

POSTED




11.0.96

Density

od or N2

41' wor S sin = 100

| | | | | |
|---|---|---|---|---|
| S2 | | | 47.0 | 106.9 |
| b | | | 0.0 | 111.0 |
| N2 | | | | 116.0 |
| | 50° | w of | angle | |
| N2 | | | 7.0 | 114.0 |
| b | | | 5.0 | 106.0 |
| S2 | | | 10.0 | 101.0 |
| | 85° | w b | angle | |
| S2 | | | 16.4 | 94.6 |
| b | | | 5.0 | 102.0 |
| N2 | | | 2.6 | 104.4 |
| | 101 | w N | angle | |
| N2 | | | 2.1 | 108.9 |
| b | | | 8.1 | 102.9 |
| S2 | | | 14.0 | 97.0 |

11096

| | 11½' W of N / 10½ W of S = Angle | |
|---|---|---|
| SL | 14,0 | 97,0 |
| " | 12,2 | 98,8 |
| 4 | 10,6 | 100,4 |
| 1 | 8,2 | 102,8 |
| 7 | 6,0 | 105,0 |
| 6 | 2,3 | 107,7 |
| NL | 1,0 | 110,0 |
| | 12' W of NL / 0° of SL = 0° | |
| NL | 0,5 | 110,5 |
| " | 2,8 | 108,2 |
| 7 | 4,7 | 106,3 |
| 6 | 6,4 | 104,6 |
| 7 | 9,0 | 102,0 |
| " | 11,7 | 99,3 |
| SL | 14,0 | 97,0 |

11096

| | 25' | W | Angle | |
|---|---|---|---|---|
| SL | | | 9,6 | 101,4 |
| " | | | 7,7 | 103,3 |
| 4 | | | 5,7 | 105,3 |
| 1 | | | 3,5 | 107,5 |
| 7 | | | 1,9 | 109,1 |
| 6 | | | 0,3 | 110,7 |
| NL | | | 10,8 | 111,8 |
| TP | 1,30 | 11241 | 0,05 | 110,21 |
| | 50' | W | Angle | |
| NL | | | 0,0 | 112,4 |
| " | | | 1,9 | 110,5 |
| 3 | | | 3,2 | 109,2 |
| 1 | | | 5,4 | 106,0 |
| 7 | | | 6,8 | 104,6 |
| " | | | 8,7 | 102,7 |
| SL | | | 10,0 | 101,4 |

Lumby #1

POSTED

11 v 41

| | 100 | w f | angle | |
|---|---|---|---|---|
| 82 | | | 8,8 | 103,6 |
| " | | | 7,6 | 104,8 |
| 7 | | | 6,5 | 105,9 |
| 6 | | | 5,5 | 106,9 |
| 5 | | | 4,6 | 107,8 |
| " | | | 3,5 | 108,9 |
| N2 | | | 2,0 | 110,4 |
| | 150 | w f | angle | |
| N2 | | | 3,4 | 109,0 |
| " | | | 4,3 | 108,1 |
| 7 | | | 5,4 | 107,0 |
| 6 | | | 6,4 | 106,0 |
| 5 | | | 7,1 | 105,3 |
| " | | | 7,9 | 104,5 |
| Sa | | | 9,5 | 102,9 |

11 v 41

| | 200 | w f | angle | |
|---|---|---|---|---|
| S2 | | | 12,4 | 100,0 |
| " | | | 11,5 | 100,9 |
| 7 | | | 10,7 | 102,0 |
| 6 | | | 9,0 | 103,4 |
| 5 | | | 7,8 | 104,6 |
| " | | | 6,0 | 106,4 |
| N2 | | | 5,0 | 107,4 |
| TP | -108 | 104,68 | 8,81 | 103,60 |
| N2 | 250 | w f | angle | |
| N2 | | | 6,2 | 98,5 |
| " | | | 7,9 | 96,8 |
| 4 | | | 9,5 | 95,2 |
| 6 | | | 11,0 | 93,7 |
| 7 | | | 13,0 | 91,7 |
| " | | | 14,4 | 90,3 |
| S2 | | | 16,0 | 88,7 |

10.68

| | 300 | W 4 | angle | |
|---|---|---|---|---|
| SL | | | 7,4 | 97.3 |
| L | | | 6,4 | 98.3 |
| 4 | | | 5,8 | 98.9 |
| 1 | | | 3,6 | 101.1 |
| 4 | | | 3,0 | 101,7 |
| L | | | 2,2 | 102,5 |
| NL | | | 1,0 | 103,7 |

| | 325 | W 4 | angle | |
|---|---|---|---|---|
| NL | | | 0,0 | 104,7 |
| L | | | 1,4 | 103,3 |
| 4 | | | 2,1 | 102,6 |
| 1 | | | 3,3 | 101,4 |
| 4 | | | 4,7 | 100,0 |
| L | | | 5,3 | 99,4 |
| SL | | | 6,3 | 98,4 |

10.68

Dunlop

2.2

| | 350 | W 4 | angle | |
|---|---|---|---|---|
| SL | | | 8,5 | 93,9 |
| L | | | 7,4 | 97,3 |
| 4 | | | 5,5 | 99,2 |
| 1 | | | 4,8 | 99,9 |
| 4 | | | 4,8 | 99,9 |
| L | | | 2,2 | 101,5 |
| NL | | | 2,2 | 102,5 |

| | 400 | W 4 | angle | |
|---|---|---|---|---|
| NL | | | 4,7 | 100,0 |
| L | | | 5,0 | 99,7 |
| 4 | | | 5,5 | 99,2 |
| 1 | | | 6,5 | 98,2 |
| 4 | | | 8,2 | 96,5 |
| L | | | 8,4 | 96,3 |
| SL | | | 10,7 | 94,3 |

POSTED

10468

| | 4.25' | W 4 | angle | |
|---|---|---|---|---|
| S2 | | | 13,0 | 91.7 |
| 1 | | | 12,0 | 92,7 |
| 7 | | | 11,2 | 93,1 |
| 1 | | | 11,0 | 93,7 |
| 7 | | | 9,6 | 95,1 |
| 1 | | | 7,8 | 96,9 |
| N2 | | | 6,7 | 98,0 |
| TP | 3,47 | 9630 | 11,85 | 92,83 |

| | 450 | W 4 | angle | |
|---|---|---|---|---|
| N2 | | | 7,0 | 97,3 |
| 1 | | | 0,0 | 96,3 |
| 4 | | | 1,8 | 94,5 |
| 1 | | | 3,7 | 92,6 |
| 7 | | | 4,0 | 92,3 |
| 4 | | | 4,8 | 91,5 |
| S2 | | | 4,7 | 91,6 |

9630

| | 500 | W 4 | angle | |
|---|---|---|---|---|
| S2 | | | 11,0 | 85,3 |
| 1 | | | 9,4 | 86,9 |
| 7 | | | 8,2 | 88,3 |
| 6 | | | 6,7 | 89,6 |
| 4 | | | 5,6 | 90,7 |
| 1 | | | 3,8 | 92,5 |
| N2 | | | 2,4 | 93,9 |

| | 530 | W 4 | angle | |
|---|---|---|---|---|
| N2 | | | 3,1 | 91,2 |
| 1 | | | 2,2 | 89,1 |
| 7 | | | 8,4 | 87,7 |
| 1 | | | 9,6 | 86,7 |
| 7 | | | 11,0 | 85,3 |
| 1 | | | 13,0 | 83,3 |
| S2 | | | 14,6 | 81,7 |

Lumsden

20

POSTED

| | | | | |
|---|---|---|---|---|
| | 550' | 9630 w 4 | angle | |
| S2 | | | 14,0 | 82,3 |
| 4 | | | 13,0 | 83,3 |
| 7 | | | 12,6 | 83.7 |
| 6 | | | 11,4 | 84,9 |
| 4 | | | 9,2 | 87,1 |
| 4 | | | 7,4 | 88,9 |
| N2 | | | 6,7 | 89.6 |
| TP | 1,13 | 85.62 | 12.81 | 83.49 |
| | 575' | w 6 | angle | |
| N2 | | | 6,0 | 85,6 |
| 4 | | | 0,0 | 85,6 |
| 7 | | | 0,0 | 85,6 |
| 6 | | | 0,7 | 84,9 |
| 7 | | | 2,2 | 83,4 |
| 4 | | | 4,0 | 81,6 |
| S2 | | | 5,8 | 79,8 |

| | | | | |
|---|---|---|---|---|
| | 600 | 85.62 w 1 | angle | |
| S2 | | | 7,6 | 78,0 |
| 4 | | | 6,1 | 79,5 |
| 7 | | | 4,5 | 85,1 |
| 6 | | | 3,2 | 82,4 |
| 7 | | | 2,4 | 83,2 |
| 4 | | | 2,0 | 83,6 |
| N2 | | | 0,6 | 85,0 |
| | 650 | w 4 | angle | |
| N2 | | | 2,9 | 82,7 |
| 4 | | | 3,5 | 82,1 |
| 7 | | | 4,0 | 81,6 |
| 6 | | | 4,8 | 80,8 |
| 7 | | | 5,9 | 79,7 |
| 4 | | | 7,8 | 77,8 |
| S2 | | | 9,2 | 76,4 |

85.62

680 W 4 = E 2.0 baptisms in Sem

| | | |
|---|---|---|
| S2 | 8.7 | 76.9 |
| 11 | 7.7 | 77.9 |
| 4 | 6.3 | 79.3 |
| 1 | 5.6 | 80.0 |
| 7 | 4.7 | 80.9 |
| 11 | 3.5 | 82.1 |
| N2 | 2.7 | 83.1 |

35' W of N dia = E dia of baptisteries (60') (69)
00 on Sem

| | | |
|---|---|---|
| N2 | 2.8 | 82.8 |
| 11 | 3.4 | 82.2 |
| 7 | 4.4 | 81.2 |
| 6 | 5.4 | 80.2 |
| 7 | 6.4 | 79.2 |
| 11 | 7.4 | 78.2 |
| S2 | 8.7 | 76.9 |

85.62

Lumbyst

E 1/2 of baptisteries

| | | |
|---|---|---|
| S2 | 9.0 | 76.6 |
| 11 | 7.5 | 78.1 |
| 4 | 6.6 | 79.0 |
| 1 | 5.5 | 80.1 |
| 7 | 4.8 | 80.8 |
| 11 | 3.8 | 81.8 |
| N2 | 3.3 | 82.3 |

E 1/2 of baptisteries

| | | |
|---|---|---|
| N2 | 4.0 | 81.6 |
| 11 | 4.0 | 81.6 |
| 7 | 4.0 | 81.6 |
| 1 | 5.2 | 80.4 |
| 7 | 6.5 | 79.0 |
| 11 | 7.6 | 78.0 |
| S2 | 7.8 | 75.8 |

POSTED

85-62

| | Center of | Expansion | |
|---|---|---|---|
| SR | | 10.6 | 73.6 |
| BL | | 8.9 | 76.7 |
| 4 | | 7.6 | 78.0 |
| 3 | | 5.0 | 80.6 |
| 2 | | 7.3 | 81.3 |
| BL | | 4.7 | 80.9 |
| NR | | 4.5 | 81.1 |
| | W'ly of | Expansion | |
| NR | | 5.4 | 80.2 |
| BL | | 6.3 | 79.3 |
| 4 | | 6.6 | 79.0 |
| 3 | | 7.7 | 77.9 |
| 2 | | 8.5 | 76.1 |
| BL | | 10.0 | 75.6 |
| SR | | 7.8 | 77.8 |

85-62

Number 27

| | West of | Expansion | |
|---|---|---|---|
| SR | | 6.0 | 79.6 |
| BL | | 6.5 | 79.1 |
| 4 | | 7.0 | 78.6 |
| 3 | | 7.3 | 78.3 |
| 2 | | 6.8 | 78.8 |
| BL | | 6.3 | 79.3 |
| NR | | 5.8 | 79.8 |
| | West of | Expansion at (60') | |
| NR | | 5.2 | 80.3 |
| BL | | 6.0 | 79.6 |
| 4 | | 6.1 | 79.5 |
| 3 | | 6.1 | 79.5 |
| 2 | | 5.8 | 79.8 |
| BL | | 5.1 | 80.5 |
| SR | | 4.5 | 81.1 |
| BM | | 4.62 | 80.00 |
| TP | 11.27 | 9.528 | 1.71 8.391 |

BM S W Expansion

POSTED

9528

| | 50 | w/f | bapsham | |
|---|---|---|---|---|
| N2 | | | 11,2 | 84,1 |
| 11 | | | 10,8 | 84,5 |
| 7 | | | 10,0 | 85,3 |
| 6 | | | 10,0 | 85,3 |
| 4 | | | 10,0 | 85,3 |
| 11 | | | 9,0 | 86,3 |
| S2 | | | 8,0 | 87,3 |
| | 100 | w/f | bapsham | |
| S2 | | | 16 | 93,7 |
| 11 | | | 21 | 93,2 |
| 7 | | | 23 | 93,0 |
| 6 | | | 23 | 93,0 |
| 4 | | | 28 | 92,5 |
| 11 | | | 40 | 91,3 |
| N2 | | | 53 | 90,0 |
| TP | 10,70 | 10431 | 1,67 | 93,61 / 10,70 |

10431

| | 150 | w/f | bapsham | |
|---|---|---|---|---|
| N2 | | | 10,2 | 94,1 |
| 11 | | | 9,7 | 94,6 |
| 7 | | | 9,3 | 95,0 |
| 6 | | | 8,7 | 95,6 |
| 4 | | | 8,2 | 96,1 |
| 11 | | | 7,2 | 97,0 |
| S2 | | | 6,0 | 98,3 |
| | 100 | w/f | bapsham | |
| S2 | | | 3,5 | 100,8 |
| 11 | | | 3,8 | 100,5 |
| 4 | | | 4,7 | 99,6 |
| 6 | | | 5,4 | 98,9 |
| 7 | | | 5,8 | 98,5 |
| 11 | | | 6,3 | 98,0 |
| N2 | | | 7,6 | 96,7 |

POSTED

10.4.31

| | 250 | ж ч | барометр | |
|---|---|---|---|---|
| ж2 | | | 4,3 | 100,0 |
| м | | | 4,1 | 100,2 |
| у | | | 3,7 | 100,6 |
| л | | | 3,0 | 101,3 |
| у | | | 2,3 | 102,0 |
| м | | | 2,2 | 102,1 |
| с2 | | | 2,2 | 102,1 |
| | 300 | ж ч | барометр | |
| с2 | | | 4,8 | 99,5 |
| м | | | 4,0 | 100,3 |
| у | | | 3,6 | 100,7 |
| л | | | 3,1 | 101,2 |
| у | | | 3,0 | 101,3 |
| м | | | 3,3 | 101,0 |
| ж2 | | | 3,3 | 101,0 |

10.4.31

| | 350 | ж ч | барометр | |
|---|---|---|---|---|
| ж2 | | | 4,2 | 100,1 |
| м | | | 4,6 | 99,7 |
| у | | | 5,1 | 99,2 |
| л | | | 5,6 | 98,7 |
| у | | | 6,5 | 97,8 |
| м | | | 7,9 | 96,4 |
| с2 | | | 9,4 | 94,9 |
| ТР | 2,44 | 95,65 | 11,10 | 93,20 / 2,44 |
| | 400 | ж ч | барометр | |
| с2 | | | 6,2 | 89,4 |
| м | | | 5,5 | 90,2 |
| у | | | 4,5 | 91,2 |
| л | | | 3,5 | 92,2 |
| у | | | 2,8 | 92,9 |
| м | | | 1,7 | 94,0 |
| ж2 | | | 1,1 | 94,6 |

95.65

| | | | | |
|---|---|---|---|---|
| | 43-0' | N E | Capstan | |
| N2 | | | 6.0 | 89.7 |
| bl | | | 6.6 | 89.1 |
| 7 | | | 7.2 | 88.5 |
| 1 | | | 8.0 | 87.7 |
| 4 | | | 8.5 | 87.2 |
| bl | | | 9.1 | 86.6 |
| S2 | | | 9.5 | 86.2 |
| | 5-04' | N = E sin 4 (chalkmount 70) | | |
| S2 | | | 11.7 | 84.0 |
| bl | | | 11.0 | 84.7 |
| 7 | | | 10.4 | 85.3 |
| 1 | | | 10.2 | 85.5 |
| 4 | | | 9.9 | 85.8 |
| bl | | | 9.5 | 86.2 |
| N2 | | | 9.2 | 86.5 |
| Bm | 4.37 | 88.33 | 11.69 | 83.96 |

88.53

| | | | | |
|---|---|---|---|---|
| | | E bl of chalkmount | | |
| N2 | | | 1.8 | 86.5 |
| bl | | | 2.2 | 86.0 |
| 4 | | | 2.8 | 85.5 |
| bl | | | 3.3 | 85.0 |
| 4 | | | 3.7 | 84.6 |
| bl | | | 4.4 | 83.9 |
| S2 | | | 5.8 | 82.5 |
| | | E 1/4 of chalkmount | | |
| S2 | | | 7.1 | 81.2 |
| bl | | | 6.1 | 82.2 |
| 4 | | | 5.8 | 82.5 |
| 1 | | | 5.1 | 83.2 |
| 4 | | | 4.4 | 83.9 |
| bl | | | 3.7 | 84.6 |
| N2 | | | 2.8 | 85.5 |

POSTED

## Center of Chatsworth

| | | |
|---|---|---|
| N2 | 2,9 | 85.4 |
| 1 | 3,4 | 84.9 |
| 2 | 3,9 | 84.4 |
| 3 | 4,3 | 84.0 |
| 4 | 4,9 | 83.4 |
| 5 | 6,0 | 82.3 |
| S2 | 7,0 | 81.3 |

## W¼ of Chatsworth

| | | |
|---|---|---|
| S2 | 7,7 | 80.6 |
| 1 | 7,3 | 81.0 |
| 2 | 5,8 | 82.5 |
| 3 | 5,1 | 83.2 |
| 4 | 4,4 | 83.9 |
| 5 | 4,0 | 84.3 |
| N2 | 2,9 | 85.4 |







## Nbb of Chatsworth

| | | |
|---|---|---|
| N2 | 2,0 | 85.3 |
| 1 | 3,9 | 84.4 |
| 2 | 4,5 | 83.8 |
| 3 | 5,1 | 83.2 |
| 4 | 6,2 | 82.0 |
| 5 | 7,2 | 81.1 |
| S2 | 8,2 | 80.1 |

## Nbw of Chatsworth

| | | |
|---|---|---|
| S2 | 8,0 | 79.3 |
| 1 | 8,4 | 79.9 |
| 2 | 7,5 | 80.8 |
| 3 | 6,5 | 81.8 |
| 4 | 5,7 | 82.6 |
| 5 | 4,7 | 83.6 |
| N2 | 3,5 | 84.8 |

POSTED

8833

45' w of Blatzheim = RR Ruf ways

| | | |
|---|---|---|
| N2 | 4,8 | 83,5 |
| bl | 6,4 | 81,9 |
| 4 | 7,5 | 80,8 |
| 6 | 8,3 | 80,0 |
| 7 | 9,1 | 79,2 |
| bl | 9,7 | 78,6 |
| S2 | 11,6 | 76,7 |

45' w w S
1,25 w w N } = Ely RR Ruf way (W)

| | | |
|---|---|---|
| S2 | 11,6 | 76,7 |
| bl | 11,3 | 77,0 |
| 4 | 10,7 | 77,6 |
| 1 | 9,8 | 78,5 |
| 4 | 10,2 | 77,8 |
| bl | 9,7 | 78,6 |
| N2 | 9,0 | 79,3 |

8833

Lünnby

25' w of Ely RR Ruf way = Bank

| | | |
|---|---|---|
| N2 | 8,0 | 80,3 |
| bl | 8,2 | 80,1 |
| 4 | 8,5 | 79,8 |
| 6 | 8,6 | 79,7 |
| 7 | 9,0 | 79,3 |
| bl | 9,2 | 79,0 |
| S2 | 9,7 | 78,6 |

50' w of Ely RR Ruf way

| | | |
|---|---|---|
| S2 | 9,2 | 79,1 |
| bl | 9,0 | 79,3 |
| 4 | 8,8 | 79,5 |
| 6 | 8,2 | 80,0 |
| 7 | 8,0 | 80,3 |
| bl | 7,6 | 80,7 |
| N2 | 7,5 | 80,8 |

88.33

57' W of W Line of Right of Way = (W Gutter)

| | | |
|---|---|---|
| N2 | 9.0 | 79.3 |
| 11 | 9.2 | 79.1 |
| 4 | 9.4 | 78.9 |
| 6 | 9.7 | 78.6 |
| 4 | 10.2 | 78.1 |
| 11 | 10.6 | 77.7 |
| S2 | 11.2 | 77.1 |

18' W of E2 of Right of Way = (E Gutter)

| | | |
|---|---|---|
| S2 | 11.9 | 76.4 |
| 11 | 11.4 | 76.9 |
| 7 | 11.0 | 77.3 |
| 6 | 10.6 | 77.7 |
| 4 | 10.5 | 77.8 |
| 11 | 10.3 | 78.0 |
| N2 | 10.0 | 78.3 |

88.33

18' W of W 2 of Right of Way (100')

| | | |
|---|---|---|
| N2 | 7.7 | 80.6 |
| 11 | 8.1 | 80.2 |
| 7 | 8.5 | 79.8 |
| 6 | 8.7 | 79.6 |
| 4 | 9.2 | 79.1 |
| 11 | 9.8 | 78.5 |
| S2 | 10.8 | 77.5 |



| | 98 88,33 80' wa Rhaw S ov x − n | = 200 | w y bhotowork |
|---|---|---|---|
| 5R | | 6,4 | 81,5 |
| bl | | 6,5 | 81,8 |
| 7 | | 6,4 | 81,9 |
| 6 | | 6,4 | 81,9 |
| 4 | | 6,4 | 81,9 |
| 2 | | 6,7 | 81,6 |
| 2R | | 7,5 | 80,8 |

| | 250 | w y | bhotowork |
|---|---|---|---|
| 2R | | | 5,6 82,7 |
| 2 | | | 5,0 83,3 |
| 7 | | | 4,9 83,4 |
| 1 | | | 5,0 83,3 |
| 4 | | | 5,0 83,3 |
| bl | | | 5,4 82,9 |
| 5R | | | 5,5 82,8 |
| TP | 930 | 92,90 | 4,70 83,60 |

Dunnby 2

| | 2290 | w y | b totowork | |
|---|---|---|---|---|
| 5R | | | 9,2 | 83,7 |
| bl | | | 9,0 | 83,9 |
| 7 | | | 8,8 | 84,1 |
| 6 | | | 8,8 | 84,1 |
| 4 | | | 8,6 | 84,3 |
| 2 | | | 8,7 | 84,6 |
| 2R | | | 8,3 | 84,6 |

| | 350 | w y | bhotowork |
|---|---|---|---|
| 2R | | | 7,4 85,5 |
| 2 | | | 7,5 85,4 |
| 7 | | | 7,9 85,0 |
| 1 | | | 8,0 84,9 |
| 4 | | | 8,0 84,9 |
| bl | | | 8,0 84,9 |
| 5R | | | 8,0 84,9 |

| | 400 | w of | Chatsworth | |
|---|---|---|---|---|
| SL | | | 6,2 | 86,7 |
| L | | | 6,5 | 86,4 |
| Y | | | 7,0 | 85,9 |
| L | | | 7,0 | 85,9 |
| Y | | | 7,0 | 85,9 |
| L | | | 7,0 | 85,9 |
| NL | | | 6,9 | 86,0 |
| | 450 | w of | Chatsworth | |
| NL | | | 5,6 | 87,3 |
| L | | | 5,6 | 87,3 |
| Y | | | 5,6 | 87,3 |
| L | | | 5,2 | 87,7 |
| Y | | | 4,6 | 88,3 |
| L | | | 4,4 | 88,5 |
| SL | | | 3,7 | 89,2 |

| | 500 | w of | Chatsworth | |
|---|---|---|---|---|
| SL | | | 2,7 | 90,2 |
| L | — | | 3,0 | 89,9 |
| Y | | | 3,3 | 89,6 |
| L | | | 3,7 | 89,2 |
| Y | | | 4,2 | 88,7 |
| L | | | 4,4 | 88,5 |
| NL | | | 4,5 | 88,4 |
| | 550 | w of | Chatsworth | |
| NL | | | 3,5 | 89,4 |
| L | | | 3,3 | 89,6 |
| Y | | | 3,4 | 89,5 |
| L | | | 3,2 | 89,7 |
| Y | | | 3,2 | 89,7 |
| L | | | 3,0 | 89,9 |
| SL | | | 3,0 | 89,9 |
| TP | 5,27 | 99,83 | 1,74 | 91,6 |

POSTED

99.53

60x W of Ebb point

| | | |
|---|---|---|
| SL | 8.2 | 91.3 |
| 11 | 8.3 | 91.2 |
| 7 | 8.2 | 91.3 |
| 6 | 8.3 | 91.2 |
| 5 | 8.2 | 91.3 |
| 4 | 8.2 | 91.3 |
| NL | 8.2 | 91.3 |

65-3' W = E Line of Warrington at (60')

| | | |
|---|---|---|
| NL | 7.7 | 91.8 |
| 11 | 7.6 | 91.9 |
| 7 | 7.5 | 92.0 |
| 6 | 7.3 | 92.2 |
| 5 | 7.3 | 92.2 |
| 4 | 7.2 | 92.3 |
| SL | 7.0 | 92.5 |

99.53

Dunnbyte

SL E Ebb of Warrington

| | | |
|---|---|---|
| SL | 7.0 | 92.5 |
| 11 | 7.0 | 92.5 |
| 7 | 6.9 | 92.6 |
| 6 | 7.1 | 92.4 |
| 5 | 7.3 | 92.2 |
| 4 | 7.4 | 92.1 |
| NL | 7.5 | 92.0 |

E 1/4 of Warrington

| | | |
|---|---|---|
| NL | 7.3 | 92.2 |
| 11 | 7.1 | 92.4 |
| 7 | 7.2 | 92.3 |
| 6 | 7.0 | 92.5 |
| 5 | 6.8 | 92.7 |
| 4 | 6.7 | 92.8 |
| SL | 6.7 | 92.8 |

9953

| | Center of Warrington | |
|---|---|---|
| SL | 6.4 | 93.1 |
| bl | 6.6 | 92.9 |
| 7 | 6.8 | 92.7 |
| 6 | 7.0 | 92.5 |
| 4 | 7.0 | 92.5 |
| bl | 6.8 | 92.7 |
| NL | 7.0 | 92.5 |

| | W 1/4 of Warrington | |
|---|---|---|
| NL | 6.6 | 92.9 |
| bl | 6.7 | 92.8 |
| 7 | 6.8 | 92.7 |
| 6 | 6.7 | 92.8 |
| 4 | 6.5 | 93.0 |
| bl | 6.3 | 93.2 |
| SL | 6.2 | 93.3 |

9953

Dunlap

| | W bdr of Warrington | |
|---|---|---|
| SL | 5.4 | 94.1 |
| bl | 5.5 | 94.0 |
| 7 | 6.0 | 93.5 |
| 6 | 6.5 | 93.0 |
| 4 | 6.5 | 93.0 |
| bl | 6.5 | 93.0 |
| NL | 6.4 | 93.1 |

| | W line of Warrington | |
|---|---|---|
| NL | 6.06 | 93.47 |
| bl | 6.2 | 93.3 |
| 7 | 6.1 | 93.4 |
| 6 | 6.0 | 93.5 |
| 4 | 5.8 | 93.7 |
| bl | 5.3 | 94.2 |
| SL | 4.9 | 94.6 |

BM NW Warrington

9953

| | 50' | W of | Warrington | |
|---|---|---|---|---|
| SL | | | 2.7 | 96.8 |
| M | | | 3.0 | 96.5 |
| 7 | | | 3.2 | 96.2 |
| 6 | | | 3.6 | 95.9 |
| 5 | | | 4.1 | 95.4 |
| M | | | 4.5 | 95.0 |
| NL | | | 4.2 | 95.2 |
| | 100' | W of | Warrington | |
| NL | | | 3.1 | 96.4 |
| M | | | 3.0 | 96.5 |
| 5 | | | 2.4 | 97.1 |
| 6 | | | 2.1 | 97.4 |
| 7 | | | 1.8 | 99.6 |
| M | | | 1.7 | 97.8 |
| SL | | | 1.1 | 98.4 |
| TP | 10.54 | 10991 | 0.16 | 99.37 |

10991

Dunnby 5

| | 150' | W of | Warrington | |
|---|---|---|---|---|
| SL | | | 10.6 | 99.3 |
| M | | | 11.0 | 98.9 |
| 64 | | | 11.4 | 98.5 |
| M | | | 11.6 | 98.3 |
| 14 | | | 11.8 | 98.1 |
| M | | | 12.7 | 97.7 |
| NL | | | 12.2 | 97.7 |
| | 200' | W of | Warrington | |
| NL | | | 10.6 | 99.3 |
| M | | | 10.5 | 99.4 |
| 5 | | | 10.1 | 99.8 |
| M | | | 9.8 | 100.1 |
| 7 | | | 9.4 | 100.5 |
| M | | | 9.6 | 100.9 |
| SL | | | 8.5 | 101.6 |

10991

| | 25 м | м ч | м аммиак | |
|---|---|---|---|---|
| СВ | | | 4,7 | 105,2 |
| В | | | 5,5 | 104,4 |
| ЮВ | | | 6,7 | 103,2 |
| Ю | | | 7,2 | 102,7 |
| ЮЗ | | | 7,7 | 102,2 |
| З | | | 8,0 | 101,9 |
| СЗ | | | 8,4 | 101,5 |
| | 3 см | м ч | М аммиак | |
| СЗ | | | 6,1 | 103,8 |
| З | | | 5,8 | 104,1 |
| ЮЗ | | | 5,2 | 104,7 |
| Ю | | | 5,0 | 104,9 |
| ЮВ | | | 4,5 | 105,4 |
| В | | | 4,0 | 105,9 |
| СВ | | | 3,4 | 106,5 |

10991

Декабрь

39

| | 35 | м ч | м аммиак | |
|---|---|---|---|---|
| СВ | | | 1,5 | 108,4 |
| В | | | 1,8 | 108,1 |
| ЮВ | | | 2,7 | 107,2 |
| Ю | | | 3,0 | 106,9 |
| ЮЗ | | | 3,2 | 106,7 |
| З | | | 3,4 | 106,5 |
| СЗ | | | 3,5 | 106,4 |
| ТР | 11,32 | 11888 | 2,25 | 107,56 |
| | 40 см | м ч | м аммиак | |
| СЗ | | | 1,2 | 108,7 |
| З | | | 0,9 | 109,0 |
| ЮЗ | | | 0,5 | 109,4 |
| Ю | | | 0,2 | 109,7 |
| ЮВ | | | 0,0 | 109,9 |
| В | | | 8,3 | 110,6 |
| СВ | | | 7,3 | 111,6 |

11885

| | 450' | W of | Warrington | |
|---|---|---|---|---|
| S2 | | | 4,7 | 114,2 |
| ″ | | | 5,2 | 113,7 |
| ″ | | | 6,0 | 112,9 |
| ″ | | | 6,2 | 112,7 |
| ″ | | | 6,4 | 112,5 |
| ″ | | | 6,7 | 112,2 |
| N2 | | | 7,3 | 111,6 |
| | 500 | W of | Warrington | |
| N2 | | | 4,2 | 114,7 |
| ″ | | | 3,5 | 115,4 |
| ″ | | | 2,8 | 116,1 |
| ″ | | | 2,3 | 116,6 |
| ″ | | | 2,0 | 116,9 |
| ″ | | | 1,7 | 117,2 |
| S2 | | | 1,7 | 117,2 |
| TP | 1272 | 12919 | 241 | 116,43 |

12919

Quarry

| | 550' | W of | Warrington | |
|---|---|---|---|---|
| N2 | | | 11,9 | 117,3 |
| ″ | | | 11,3 | 117,9 |
| ″ | | | 10,5 | 118,7 |
| ″ | | | 10,0 | 119,2 |
| ″ | | | 9,5 | 119,7 |
| ″ | | | 9,0 | 120,2 |
| S2 | | | 8,5 | 120,7 |
| | 600 | W of | Warrington | |
| S2 | | | 5,8 | 123,4 |
| ″ | | | 6,3 | 122,9 |
| ″ | | | 6,8 | 122,4 |
| ″ | | | 7,2 | 122,0 |
| ″ | | | 7,7 | 121,5 |
| ″ | | | 8,0 | 121,2 |
| N2 | | | 8,2 | 120,9 |

12.9.19

| | 640' | W= | E Line | Wells at (60) |
|---|---|---|---|---|
| SL | | | 4,8 | 124,4 |
| 4 | | | 4,2 | 125,0 |
| 3 | | | 3,8 | 125,4 |
| 2 | | | 3,4 | 125,8 |
| 1 | | | 3,0 | 126,2 |
| 4 | | | 2,8 | 126,4 |
| SL | | | 2,7 | 126,5 |

| | E 1/4 | of | Wells | at |
|---|---|---|---|---|
| SL | | | 1,3 | 127,9 |
| 4 | | | 1,8 | 127,4 |
| 3 | | | 2,3 | 126,9 |
| 2 | | | 2,6 | 126,6 |
| 1 | | | 2,7 | 126,0 |
| 4 | | | 3,7 | 125,5 |
| SL | | | 4,2 | 125,0 |

12.9.19

Lumsby #1

| | E 1/4 | of | Wells | at |
|---|---|---|---|---|
| SL | | | 3,7 | 125,5 |
| 4 | | | 3,0 | 126,2 |
| 3 | | | 2,5 | 126,7 |
| 2 | | | 1,7 | 127,5 |
| 1 | | | 1,2 | 128,0 |
| 4 | | | 0,2 | 129,0 |
| SL | | | 0,0 | 129,2 |
| TP | 11,92 | 13983 | 1,28 | 127,81 |

| | center | of | Wells | at |
|---|---|---|---|---|
| SL | | | 9,9 | 129,9 |
| 4 | | | 1,0 | 129,8 |
| 3 | | | 1,0 | 129,2 |
| 2 | | | 1,6 | 128,2 |
| 1 | | | 2,4 | 127,4 |
| 4 | | | 3,2 | 126,6 |
| SL | | | 3,9 | 125,9 |

POSTED

13983

| | W¼ of | Wells at | |
|---|---|---|---|
| N2 | | 13,2 | 126,6 |
| bl | | 12,5 | 127,3 |
| 7 | | 11,7 | 128,1 |
| 6 | | 10,6 | 129,2 |
| 5 | | 9,8 | 130,0 |
| 4 | | 9,2 | 130,6 |
| S2 | | 9,2 | 130,6 |
| | Wbb of | Wells at | |
| S2 | | 8,2 | 131,6 |
| bl | | 8,9 | 130,9 |
| 7 | | 9,2 | 130,6 |
| 6 | | 9,7 | 130,1 |
| 5 | | 10,3 | 129,5 |
| 4 | | 11,7 | 128,1 |
| N2 | | 13,0 | 126,8 |

13983

Dummy #

BM NW Wells

| | W line of | Wells at | |
|---|---|---|---|
| N2 | | 12,02 | 127,7 |
| bl | | 10,7 | 127,1 |
| 4 | | 9,9 | 129,9 |
| 6 | | 9,2 | 130,6 |
| 5 | | 8,8 | 131,0 |
| 4 | | 8,2 | 131,6 |
| S2 | | 7,6 | 132,2 |
| | 3-0' W of | Wells at | |
| S2 | | 5,7 | 134,4 |
| bl | | 6,0 | 133,8 |
| 7 | | 6,7 | 133,1 |
| 6 | | 7,0 | 132,8 |
| 5 | | 7,8 | 132,0 |
| 4 | | 8,5 | 131,3 |
| N2 | | 9,1 | 130,7 |

POSTED

13885

| | 100' | W of | Wells at | |
|---|---|---|---|---|
| SL | | | 5.9 | 133.9 |
| bl | | | 5.2 | 134.6 |
| y | | | 4.4 | 135.4 |
| b | | | 3.7 | 136.1 |
| y | | | 3.3 | 136.5 |
| bl | | | 2.4 | 137.4 |
| SL | | | 1.7 | 138.1 |
| TP | 10,50 | 14930 | 1.03 | 138.80 |
| | 150' | W of | Wells at | |
| SL | | | 8.2 | 141.1 |
| bl | | | 9.0 | 140.3 |
| y | | | 9.6 | 139.7 |
| b | | | 10.0 | 139.3 |
| y | | | 10.7 | 138.6 |
| bl | | | 11.7 | 137.8 |
| NL | | | 12.0 | 137.3 |

14930

Formerly at

| | 200' | W of | Wells at | |
|---|---|---|---|---|
| NL | | | 8.4 | 139.9 |
| bl | | | 8.7 | 140.6 |
| y | | | 8.0 | 141.3 |
| b | | | 7.6 | 141.7 |
| y | | | 6.8 | 142.5 |
| bl | | | 6.6 | 142.7 |
| SL | | | 6.0 | 143.2 |
| | 250' | W of | Wells at | |
| SL | | | 4.0 | 143.3 |
| bl | | | 4.2 | 145.0 |
| y | | | 4.8 | 144.5 |
| b | | | 5.3 | 144.0 |
| y | | | 5.9 | 143.4 |
| bl | | | 6.5 | 142.8 |
| NL | | | 6.8 | 142.5 |

| | | | | |
|---|---|---|---|---|
| | 30' | W of | Wells at | 140.30 |
| 22 | | | 4.0 | 145.3 |
| 11 | | | 3.5- | 145.8 |
| 4 | | | 2.9 | 146.4 |
| 6 | | | 2.0 | 147.3 |
| 7 | | | 1.5- | 147.8 |
| 11 | | | 1.5- | 147.8 |
| S2 | | | 1.5- | 147.8 |
| | 317.4' W on N<br>307.1' W on S. | | = Edge RR R/W | (06) |
| S2 | | | 4.9 | 144.4 |
| 11 | | | 4.4 | 144.9 |
| 7 | | | 4.0 | 145.3 |
| 6 | | | 1.2- | 148.1 |
| 4 | | | 1.6 | 147.7 |
| 11 | | | 2.0 | 147.3 |
| 22 | | | 2.8 | 146.5 |

| | | | | |
|---|---|---|---|---|
| | 6' W of | E 2 of | RR R/W | 1493 |
| N2 | | | 9.8 | 139.5 |
| 6 | | | 9.3 | 140.0 |
| 4 | | | 8.0 | 140.3 |
| 6 | | | 8.7 | 140.6 |
| 7 | | | 7.9 | 141.4 |
| 11 | | | 7.6 | 141.7 |
| S2 | | | 7.4 | 141.9 |
| TP | 138 | 145.71 | 4.97 | 1493 |
| * | W line of RR R/W | | | |
| S2 | | | 4.1 | 141.6 |
| 11 | | | 4.4 | 141.3 |
| 7 | | | 4.8 | 140.9 |
| 6 | | | 5.2 | 140.5 |
| 4 | | | 5.6 | 140.1 |
| 11 | | | 6.1 | 139.6 |
| N2 | | | 4.2 | 141.5 |
| * | 30' W of E line of RR R/W on N | | | |
| N2 | | | 6.6 | 139.1 |

January

SE 44 Rte 4 way

145.71

10' w m S } = 00
60 m S

| | | | | |
|---|---|---|---|---|
| m2 | | | 4,2 | 141,35 |
| bl | | | 4,6 | 141,1 |
| 4 | | | 5,6 | 140,1 |
| 1 | | | 5,5 | 140,2 |
| 4 | | | 5,0 | 140,7 |
| bl | | | 4,6 | 141,1 |
| SR | | | 4,4 | 141,1 |

| | 5b | w b | R R | w a m |
|---|---|---|---|---|
| SR | | | 8,6 | 137,1 |
| +5' | | | 6,4 | 139,3 |
| bl | | | 5,8 | 139,9 |
| 4 | | | 6,0 | 139,7 |
| 1 | | | 5,8 | 139,9 |
| 4 | | | 6,0 | 139,7 |
| bl | | | 6,4 | 139,3 |
| +6' | | | 6,7 | 139,0 |
| m2 | | | 10,6 | 135,1 |

145.71

80' w b R R

| | | | | |
|---|---|---|---|---|
| m2 | | | 1,8 | 131,9 |
| bl | | | 8,4 | 13.7,3 |
| 4 | | | 8,0 | 137,7 |
| bl | | | 7,7 | 138,0 |
| 4 | | | 7,4 | 138,3 |
| bl | | | 7,8 | 137,9 |
| +5 | | | 8,5 | 137,2 |
| SR | | | 12,8 | 132,9 |
| TP | - 2,34 | 13.5,9 | 1,7,6 | 132,9 |

100' w b R R

| | | | | |
|---|---|---|---|---|
| SR | | | 8,4 | 126,9 |
| bl | | | 7,6 | 127,7 |
| 4 | | | 7,4 | 127,9 |
| 1 | | | 7,2 | 128,1 |
| 4 | | | 7,0 | 128,3 |
| bl | | | 6,5 | 128,8 |
| m2 | | | 6,0 | 129,3 |

13529

| | 125' | wf | RR | |
|---|---|---|---|---|
| 2R | | | 7,2 | 128,1 |
| 4 | | | 7,5 | 127,8 |
| 3 | | | 8,1 | 127,2 |
| 6 | | | 8,3 | 127,0 |
| 4 | | | 7,9 | 127,4 |
| 4 | | | 7,9 | 127,4 |
| 5L | | | 8,5 | 126,8 |
| | 150' | WF | RR | |
| 5R | | | 3,5 | 131,8 |
| 4 | | | 1,7 | 133,6 |
| 7 | | | 2,8 | 132,5 |
| 6 | | | 4,9 | 130,4 |
| 4 | | | 6,3 | 129,0 |
| 4 | | | 7,2 | 128,1 |
| 2L | | | 11,3 | 124,0 |

13529

Lowndes

| | 180' | WF | RR | Highway |
|---|---|---|---|---|
| 2L | | | 1,0 | 123,3 |
| 4 | | | 1,0,0 | 125,3 |
| 4 | | | 7,4 | 127,9 |
| 6 | | | 5,2 | 130,1 |
| 4 | | | 3,0 | 132,3 |
| 4 | | | 0,6 | 134,7 |
| 5L | | | 1,3 | 134,0 |
| | 200' | WF | | Highway |
| 5L | | | 6,0 | 129,3 |
| 4 | | | 6,4 | 128,9 |
| 7 | | | 5,8 | 129,5 |
| 6 | | | 7,0 | 128,3 |
| 4 | | | 7,8 | 127,5 |
| 4 | | | 8,0 | 126,3 |
| 2L | | | 11,0 | 124,3 |

REVISED

| | | | | |
|---|---|---|---|---|
| | | 135,29 | | |
| | zes | w y | R to uw | |
| m2 | | | 6,8 | 128,5 |
| u | | | 5,8 | 129,5 |
| y | | | 5,2 | 130,1 |
| l | | | 6,0 | 129,3 |
| y | | | 7,1 | 128,2 |
| bm | | | 9,5 | 125,8 |
| SA | | | 11,4 | 123,8 |
| TP | 1,83 | 125,02 | 1,40 | 123,19 |
| | zes | w y | RA | |
| SA | | | 5,5 | 119,5 |
| u | | | 4,0 | 121,0 |
| y | | | 2,6 | 122,4 |
| l | | | 1,2 | 123,7 |
| y | | | 1,4 | 123,6 |
| u | | | 1,0 | 124,0 |
| m2 | | | 0,8 | 124,2 |

| | | | | | |
|---|---|---|---|---|---|
| | | 125,02 | | | Zurnby |
| | Jes | w y | RN | RA | Uwy |
| m2 | | | 8,- | | 116,8 |
| u | | | 8,2 | | 116,8 |
| y | | | 8,1 | | 116,9 |
| l | | | 8,2 | | 116,7 |
| y | | | 8,5 | | 116,5 |
| u | | | 8,6 | | 116,4 |
| SA | | | 9,0 | | 116,0 |
| (324) (341) | 324 - 341 | cm S arcm N | = 2 cm | | botaleng (70 Bm SA botaleng |
| SA | | | 8,83 | | 115,19 |
| u | | | 10,2 | | 114,8 |
| y | | | 10,8 | | 114,2 |
| l | | | 11,3 | | 113,7 |
| y | | | 11,8 | | 113,2 |
| u | | | 12,3 | | 112,7 |
| m2 | | | 12,8 | | 112,2 |
| TP | 0,29 | 115,48 | 9,53 | | 115,19 |

Bm botaleng

115-48

W Line of Catalina Blvd

| | | |
|---|---|---|
| SR | 11.8 | 103.7 |
| bl | 12.7 | 102.8 |
| y | 12.9 | 102.6 |
| +3' | 9.3 | 106.2 |
| l | 9.5 | 106.0 |
| y | 9.8 | 105.7 |
| bl | 10.3 | 105.2 |
| WR | 10.7 | 104.8 |

5' W of Catalina Blvd

| | | |
|---|---|---|
| WR | 11.0 | 104.5 |
| bl | 10.6 | 104.9 |
| y | 10.2 | 105.3 |
| l | 10.0 | 105.5 |
| +5' | 10.0 | 105.5 |
| +6' | 12.2 | 103.3 |
| y | 13.3 | 102.2 |
| bl | 12.6 | 102.9 |
| SR | 12.7 | 102.8 |

115-48

10' W of Catalina

| | | |
|---|---|---|
| SR | 9.5 | 106.0 |
| bl | 9.7 | 105.8 |
| y | 10.0 | 105.5 |
| l | 10.5 | 105.0 |
| +4 | 14.9 | 101.3 |
| y | 14.5 | 101.0 |
| bl | 14.6 | 100.9 |
| WR | 14.7 | 100.6 |

15' W of Catalina

| | | |
|---|---|---|
| WR | 11.4 | 104.1 |
| bl | 11.1 | 104.4 |
| y | 10.2 | 105.3 |
| l | 9.8 | 105.7 |
| y | 9.6 | 105.9 |
| bl | 9.1 | 106.4 |
| SR | 8.6 | 106.9 |

POSTED

| | | | | |
|---|---|---|---|---|
| | 50' w-s<br>47' w-n } = 50' w | | | |
| S2 | | | 6.9 | 109,6 |
| 1 | | | 7,2 | 108,2 |
| 4 | | | 7,6 | 107,9 |
| 3 | | | 8,0 | 107,5 |
| 4 | | | 8,4 | 107,1 |
| 1 | | | 8,9 | 106,6 |
| N2 | | | 9,2 | 106,3 |
| | 100' w of | | Catalina | |
| N2 | | | 5-9 | 109,6 |
| 1 | | | 5-2 | 110,3 |
| 4 | | | 4,5- | 111,0 |
| 3 | | | 4,2 | 111,3 |
| 4 | | | 4,2 | 111,3 |
| 1 | | | 4,1 | 111,4 |
| S2 | | | 3,8 | 111,7 |
| TP | 12,61- | 12,816 | 0,03 | 115-,45- |

| | | | | |
|---|---|---|---|---|
| | 150' w of | | Catalina | |
| S2 | | | 12,7 | 115,4 |
| 1 | | | 13,0 | 115,1 |
| 4 | | | 13,6 | 114,5- |
| 3 | | | 14,1 | 114,0 |
| 4 | | | 14,7 | 113,4 |
| 1 | | | 14,9 | 113,2 |
| N2 | | | 15-,6 | 112,5- |
| | 200' w of | | Catalina | |
| N2 | | | 11,8 | 116,3 |
| 1 | | | 11,0 | 117,1 |
| 4 | | | 10,1 | 118,0 |
| 3 | | | 9,9 | 118,2 |
| 4 | | | 10,0 | 118,1 |
| 1 | | | 9,4 | 118,7 |
| S2 | | | 8,9 | 119,2 |

POSTED

125.10

| | | | | |
|---|---|---|---|---|
| | 250 | W | bobtail | T |
| SL | | | 4,9 | 123,2 |
| | | | 4,8 | 123,3 |
| | | | 5-1 | 123,0 |
| | | | 5-4 | 122,7 |
| | | | 6,1 | 122,0 |
| | | | 6,7 | 121,4 |
| NL | | | 7,3 | 120.8 |
| | 300 | W | EQ | Rendezvous Point |
| NL | | | 1,9 | 126,2 |
| | | | 1,2 | 126,9 |
| | | | 0,6 | 127,5 |
| | | | 0,3 | 127,8 |
| | | | +0,3 | 128,4 |
| | | | 0,0 | 128,1 |
| SL | | | +0,4 | 128,5 |

POSTED

Cross section of Russell St (70') (K-L)
from w/line of Rosecrans St to Public Alley E of Russell

| | 1767 | 1738 | | 5.71 | TP from Page 13 |
|---|---|---|---|---|---|
| | | w/l of | Rosecrans | st | Graded |
| S2 | | | 9.8 | 7.6 | |
| M | | | 9.7 | 7.7 | |
| 4 | | | 10.1 | 7.3 | |
| 6 | | | 10.0 | 7.4 | |
| 4 | | | 9.5 | 7.9 | |
| M | | | 9.7 | 7.7 | |
| N2 | | | 9.6 | 7.8 | |
| | 150' | w/l | Rosecrans | st | |
| N2 | | | 3.9 | 11.5 | |
| M | | | 3.9 | 11.5 | |
| 4 | | | 6.7 | 10.7 | |
| 6 | | | 6.4 | 11.0 | |
| 4 | | | 6.2 | 11.2 | |
| M | | | 6.0 | 11.4 | |
| S2 | | | 6.0 | 11.4 | |

1738

| | 100' | w/l of | Rosecrans | st | Russell |
|---|---|---|---|---|---|
| S2 | | | 2.0 | 13.4 | |
| M | | | 2.0 | 13.4 | |
| 4 | | | 2.0 | 13.4 | |
| 6 | | | 2.0 | 13.4 | |
| 4 | | | 2.0 | 13.4 | |
| M | | | 1.6 | 13.8 | |
| N2 | | | 1.5 | 13.9 | |
| TP | 12.5- | 29.36 | 0.7 | 17.1 | |
| | 150' | w/l of | Rosecrans | st | |
| N2 | | | 9.2 | 20.1 | |
| M | | | 9.2 | 20.2 | |
| 4 | | | 9.2 | 20.2 | |
| 6 | | | 9.2 | 20.2 | |
| 4 | | | 9.0 | 20.4 | |
| M | | | 8.8 | 20.6 | |
| S2 | | | 8.8 | 20.6 | |

PC

29.36

| | 200 | w of | Rosecrans st | |
|---|---|---|---|---|
| 52 | | | 4,0 | 25,4 |
| 11 | | | 4,1 | 25,3 |
| 1 | | | 4,0 | 25,4 |
| 6 | | | 4,0 | 25,4 |
| 1 | | | 4,0 | 25,4 |
| 11 | | | 4,4 | 25,0 |
| 22 | | | 4,5 | 24,9 |
| TP | 11,67 | 40,58 | 0,45 | 28,91 |

| | 250 | w of | Rosecrans st | |
|---|---|---|---|---|
| 22 | | | 10,8 | 29,8 |
| 11 | | | 10,4 | 30,0 |
| 1 | | | 10,4 | 30,2 |
| 6 | | | 10,3 | 30,3 |
| 1 | | | 10,4 | 30,2 |
| 11 | | | 10,3 | 30,3 |
| 52 | | | 10,3 | 30,3 |

40.58

Russell (70)

| | 300' | w = | E Sin | of Locust st |
|---|---|---|---|---|
| 52 | | | 4,9 | 35,7 |
| 11 | | | 4,8 | 35,8 |
| 1 | | | 4,8 | 35,8 |
| 6 | | | 5,0 | 35,6 |
| 1 | | | 5,0 | 35,6 |
| 11 | | | 5,4 | 35,2 |
| 22 | | | 6,3 | 34,3 |
| TP | 11,65 | 49,36 | 2,87 | 37,71 |

| | W Sin | of | Locust st | |
|---|---|---|---|---|
| 22 | | | 7,7 | 41,7 |
| 11 | | | 7,2 | 42,2 |
| 1 | | | 7,0 | 42,4 |
| 6 | | | 6,0 | 43,4 |
| 1 | | | 5,7 | 43,5 |
| 11 | | | 5,5 | 43,9 |
| 52 | | | 5,3 | 44,1 |
| TP | 11,67 | 60,74 | 0,29 | 49,07 |

60.74

| | 50 | w f | Locust | |
|---|---|---|---|---|
| S2 | | | 9,8 | 50,9 |
| bl | | | 10,8 | 49,9 |
| y | | | 11,2 | 49,5 |
| b | | | 11,5 | 49,2 |
| y | | | 11,5 | 49,2 |
| br | | | 12,1 | 48,6 |
| M2 | | | 13,0 | 47,7 |
| | 100 | w f | Locust | |
| M2 | | | 3,2 | 57,5 |
| bl | | | 3,9 | 56,8 |
| y | | | 4,0 | 56,7 |
| b | | | 4,0 | 56,7 |
| y | | | 3,7 | 57,0 |
| br | | | 2,8 | 57,9 |
| S2 | | | 2,8 | 57,8 |
| TP | 12,17 | 72,48 | 0,40 | 60,31 |

72,48

Russell

| | 150 | w f | Locust | |
|---|---|---|---|---|
| S2 | | | 6,5 | 66,0 |
| bl | | | 6,2 | 66,3 |
| y | | | 5,3 | 67,0 |
| b | | | 4,0 | 68,5 |
| y | | | 3,2 | 69,3 |
| br | | | 2,3 | 70,2 |
| M2 | | | 1,2 | 71,3 |
| TP | 12,26 | 85,21 | 0,03 | 72,48 |
| | 175 | w f | Locust | |
| S2 | | | 13,6 | 71,6 |
| br | | | 11,5 | 73,7 |
| y | | | 8,1 | 77,1 |
| b | | | 5,2 | 80,0 |
| y | | | 2,7 | 82,5 |
| bl | | | 0,5 | 84,7 |
| M2 | | | 1,5 | 86,7 |

85.21

| | | | | |
|---|---|---|---|---|
| | 20' | w-f | Locust St | |
| SR | | | 10.2 | 73.2 |
| bl | | | 7.0 | 78.2 |
| y | | | 4.5- | 80.7 |
| b | | | 2.0 | 83.2 |
| | 225' | w-f | Locust St | |
| SR | | | 12.2 | 73.0 |
| bl | | | 5.4 | 79.8 |
| y | | | 2.0 | 83.2 |
| | 250' | w-f | Locust | |
| SR | | | 4.0 | 81.2 |
| bl | | | 7.4 | 77.8 |
| y | | | 1.5- | 83.8 |
| TP | 1273 | 96.99 | 1.95- | 84.76 |
| | 20' | w-f | Locust | |
| wR | | | 4.6 | 92.4 |
| bl | | | 6.8 | 90.2 |
| y | | | 8.4 | 88.6 |

96.99

| | | | | |
|---|---|---|---|---|
| | 225' | w-f | Locust St | |
| wR | | | +.45- | 99.5- |
| bl | | | .0.2 | 96.8 |
| y | | | 3.8 | 93.2 |
| b | | | 8.0 | 89.0 |
| | 270' | w-f | Locust | |
| SR | | | 10.8 | 86.2 |
| bl | | | 13.0 | 84.0 |
| y | | | 18.8 | 78.2 |
| b | | | 11.0 | 86.0 |
| y | | | 6.0 | 91.0 |
| | 30' | w- | Elm St Locust (70') | |
| SR | | | +0.9 | 97.8 |
| bl | | | 1.6 | 95.4 |
| y | | | 4.5- | 92.5 |
| b | | | 10.0 | 87.0 |
| +5 | | | 13.2 | 83.8 |
| y | | | 6.8 | 90.2 |
| TP | 1153 | 106.34 | 2.20 | 94.79 |

COSTED

10.6.34

| | | | | |
|---|---|---|---|---|
| | 250' | W of | Locust | |
| NL | | | 2,0 | 104,3 |
| bl | | | 6,4 | 99,9 |
| " | | | 9,4 | 96,9 |
| b | | | 14,0 | 92,3 |
| | 270' | W of | Locust | |
| NL | | | 2,0 | 104,3 |
| bl | | | 6,0 | 100,3 |
| | 300' | W of | Elm | |
| NL | | | 3,4 | 103,9 |
| bl | | | 9,8 | 96,5 |
| | W Line of | | Elm | 2 |
| NL | | | 4,5 | 101,8 |
| bl | | | 13,4 | 92,9 |
| " | | | 4,4 | 101,9 |
| | 25' | W of | Elm | |
| NL | | | 2,7 | 103,6 |
| bl | | | 11,0 | 95,3 |
| " | | | 3,0 | 103,3 |

10.6.34

| | | | | |
|---|---|---|---|---|
| | 50' | W of | Elm | 2 |
| NL | | | 5,0 | 101,3 |
| bl | | | 0,0 | 106,3 |
| TP | 12,12 | 1171.2 | 1,34 | 105,00 |
| | W Line of | | Elm | |
| Center | | | 8,8 | 108,3 |
| S 1/4 | | | 4,1 | 113,0 |
| | 25' | W of | Elm | |
| Center | | | 6,3 | 110,8 |
| S 1/4 | | | 1,2 | 115,9 |
| | 50' | W of | Elm | |
| N 1/4 | | | 8,2 | 108,9 |
| Center | | | 2,4 | 114,8 |
| | 100' | W of | Elm | |
| NL | | | 10,4 | 106,7 |
| NFL | | | 4,8 | 112,3 |
| | 125' | W of | Elm | |
| NL | | | 5,5 | 111,6 |
| NFL | | | 0,0 | 117,1 |
| TP | 12,58 | 1286.0 | 1,10 | 116,02 |

POSTED

12560

| | | | | |
|---|---|---|---|---|
| | W line of | Elm | | |
| SL | | 5.6 | 122.4 | Br + SW Elm |
| bl | | 10.0 | 118.6 | |
| | 25' W of | Elm | | |
| SL | | 0.8 | 127.8 | |
| bl | | 6.5 | 122.1 | |
| | 50' W of | Elm | | |
| SBb | | 1.4 | 127.2 | |
| S 1/4 | | 6.0 | 122.6 | |
| | 100' W of | Elm | | |
| N 1/4 | | 10.3 | 116.3 | |
| Center | | 4.0 | 124.6 | |
| | 125' W of | Elm | | |
| N 1/4 | | 6.7 | 124.9 | |
| Center | | 0.7 | 127.9 | |
| TP | 12.75 | 140.13 | 0.92 | 127.68 |
| | 50' W of | Elm | | |
| SL | | 8.6 | 131.5 | |

14013

| | | | | |
|---|---|---|---|---|
| | 100' W of | Elm | | |
| SL | | 0.7 | 139.9 | |
| bl | | 4.0 | 136.1 | |
| bl | | 8.2 | 131.9 | |
| | 150' W of | Elm | | |
| NL | | 1.40 | 126.1 | |
| bl | | 11.0 | 129.1 | |
| 1/4 | | 7.5 | 132.6 | |
| bl | | 3.0 | 137.1 | |
| | 200' W of | Elm | | |
| NL | | 3.5 | 136.6 | |
| bl | | 0.0 | 140.1 | |
| TP | 12.56 | 150.37 | 2.42 | 137.95 |
| | 150' W of | Elm | | |
| SL | | 2.5 | 148.1 | |
| bl | | 6.4 | 144.2 | |
| 4 | | 10.3 | 140.3 | |

POSTED

15057

| | | | | |
|---|---|---|---|---|
| | 200 | n of | Elm | |
| n 1/4 | | | 4.0 | 146.6 |
| bench | | | 0.4 | 130.2 |
| TP | 13.00 | 16305 | 0.5- | 150.05 |
| S 1/4 | | | 10.4 | 139.7 |
| bl | | | 7.6 | 135.5 |
| SL | | | 5.7 | 137.4 |
| | 250 | n of | Elm | |
| SL | | | 1.1 | 162.0 |
| bl | | | 2.3 | 160.8 |
| 1/4 | | | 4.0 | 159.1 |
| L | | | 5.5- | 137.6 |
| " | | | 7.6 | 135.5 |
| bl | | | 9.8 | 133.3 |
| n L | | | 13.0 | 130.1 |

16305

| | | | | |
|---|---|---|---|---|
| | 300 | n = | E L of | Willow st (78) |
| n L | | | 6.5 | 156.6 |
| bl | | | 3.3 | 157.8 |
| " | | | 3.8 | 159.3 |
| L | | | 2.0 | 161.1 |
| " | | | 0.2 | 162.9 |
| TP | 6.00 | 167.98 | 1.07 | 161.98 |
| bl | | | 4.5- | 163.5 |
| SL | | | 4.3 | 163.7 |
| | NL | of | willow | |
| SL | | | 6.7 | 161.71 |
| bl | | | 6.6 | 161.4 |
| " | | | 6.7 | 161.3 |
| L | | | 7.0 | 161.0 |
| " | | | 7.4 | 160.6 |
| bl | | | 7.7 | 160.3 |
| n L | | | 7.6 | 160.4 |

SW 17 willow

POSTED

167.98

| | 50' | W of | Willow | |
|---|---|---|---|---|
| NL | | | 7.0 | 161.0 |
| BL | | | 7.6 | 160.4 |
| T | | | 7.4 | 160.6 |
| C | | | 6.8 | 161.2 |
| T | | | 6.3 | 161.7 |
| BL | | | 6.1 | 161.9 |
| SL | | | 5.6 | 162.4 |
| | 100' | W of | Willow | |
| SL | | | 2.8 | 165.2 |
| BL | | | 3.1 | 164.9 |
| T | | | 3.7 | 164.3 |
| B | | | 4.2 | 163.8 |
| T | | | 4.5 | 163.5 |
| BL | | | 5.0 | 163.0 |
| NL | | | 5.7 | 162.3 |

167.98

| | 150 | W of | Willow | |
|---|---|---|---|---|
| NL | | | 3.3 | 164.7 |
| BL | | | 3.2 | 164.8 |
| T | | | 2.0 | 165.0 |
| B | | | 2.5 | 165.5 |
| T | | | 2.0 | 166.0 |
| BL | | | 1.7 | 166.3 |
| SL | | | 1.7 | 166.3 |
| TP | 1084 | 17637 | 2.45 | 165.53 |
| | 200' | W of | Willow | |
| SL | | | 8.3 | 168.1 |
| BL | | | 8.8 | 167.6 |
| T | | | 9.1 | 167.3 |
| B | | | 9.5 | 166.9 |
| T | | | 9.0 | 166.8 |
| BL | | | 10.2 | 166.2 |
| NL | | | 10.3 | 166.1 |

Pursell

17637

| | | | | |
|---|---|---|---|---|
| | 250 | W f | Willow St | |
| NL | | | 7.7 | 168.7 |
| " | | | 7.5 | 168.9 |
| " | | | 7.0 | 169.4 |
| " | | | 6.4 | 170.0 |
| " | | | 5.7 | 170.8 |
| " | | | 5.0 | 171.4 |
| SL | | | 4.2 | 172.2 |
| | 300 | W E | C L | Plum & Bay |
| SL | | | 3.0 | 173.4 |
| " | | | 3.4 | 173.0 |
| " | | | 4.4 | 172.0 |
| " | | | 4.8 | 171.6 |
| " | | | 4.9 | 171.5 |
| " | | | 5.0 | 171.4 |
| NL | | | 4.8 | 171.6 |

17637

Russell

| | | | | |
|---|---|---|---|---|
| | | W E | Plum St | |
| NL | | | 3.1 | 173.3 |
| " | | | 4.1 | 172.3 |
| " | | | 4.1 | 172.3 |
| " | | | 3.1 | 173.3 |
| " | | | 2.8 | 173.6 |
| " | | | 2.9 | 173.5 |
| SL | | | 2.33 | 174.04 (10) Bm Plum |
| | 250 | W E | Plum | |
| SL | | | 6.1 | 170.3 |
| " | | | 5.5 | 170.9 |
| " | | | 4.9 | 171.5 PO |
| " | | | 4.0 | 172.4 |
| " | | | 3.4 | 173.0 |
| " | | | 3.7 | 172.7 |
| NL | | | 4.2 | 172.2 |

17637

| | 100' | W of | Plum | |
|---|---|---|---|---|
| NR | | | 4.5 | 171.9 |
| ll | | | 5.3 | 171.1 |
| y | | | 6.4 | 170.0 |
| l | | | 7.6 | 168.8 |
| y | | | 8.6 | 167.8 |
| ll | | | 9.3 | 167.1 |
| SR | | | 9.8 | 166.6 |
| TP | 4.5 | 169.2 | 11.68 | 12469 |

| | 150' | W of | Plum | |
|---|---|---|---|---|
| SR | | | 9.8 | 159.4 |
| ll | | | 8.8 | 160.4 |
| y | | | 6.8 | 162.4 |
| l | | | 4.8 | 164.4 |
| y | | | 3.4 | 165.8 |
| ll | | | 2.3 | 166.9 |
| NR | | | 1.2 | 168.0 |

169.2

| | 195' | W of | Plum | |
|---|---|---|---|---|
| NR | | | 5.0 | 164.2 |
| ll | | | 6.4 | 162.8 |
| y | | | 7.8 | 161.4 |
| l | | | 9.6 | 159.6 |
| y | | | 12.0 | 157.2 |
| ll | | | 14.0 | 155.2 |
| SR | | | 17.4 | 151.8 |

Intersection of Sierra Madre & Rosecrans (Broadway) (70)(19th 24) excl

| | | | | | |
|---|---|---|---|---|---|
| BM | 7,34 | 13,05 | | 5,71 | |
| TP | 12,57 | 14,73 | 10,82 | 2,23 | BM on curb |

W line of Rosecrans st

| | | |
|---|---|---|
| N2 | 9,8 | 4.9 |
| 11 | 9,5 | 5.2 |
| 4 | 10,0 | 4.7 |
| 1 | 9,1 | 5.6 |
| 4 | 9,0 | 5.7 |
| 11 | 9,0 | 5.7 |
| S2 | 8,8 | 5.9 |

50' W of Rosecrans st

| | | |
|---|---|---|
| S2 | 6,4 | 8.3 |
| 11 | 6,5 | 8.2 |
| 4 | 6,6 | 8.1 |
| 1 | 7,0 | 7.7 |
| 4 | 7,0 | 7.7 |
| 11 | 7,0 | 7.7 |
| N2 | 7,0 | 7.7 |

POSTED

1473

100' W of Rosecrans

| | | |
|---|---|---|
| N2 | 2,4 | 12.3 |
| 11 | 2,5 | 12.2 |
| 4 | 2,6 | 12.1 |
| 1 | 2,6 | 12.1 |
| 4 | 2,6 | 12.1 |
| 11 | 2,4 | 12.3 |
| S2 | 2,5 | 12.5 |
| TP | 12,14 | 2,621 | 0,66 | 14,07 |

150 W of Rosecrans st

| | | |
|---|---|---|
| S2 | 9,0 | 17.2 |
| 11 | 9,7 | 16.9 |
| 4 | 9,3 | 16.9 |
| 1 | 9,5 | 16.7 |
| 4 | 9,6 | 16.6 |
| 11 | 9,6 | 16.6 |
| N2 | 9,7 | 16.5 |

| | 2 ω | w η | Ruzicka's π |
|---|---|---|---|
| n-h | | | 31 22.7 |
| h | | | 31 22.7 |
| y | | | 31 22.7 |
| l | | | 31 22.7 |
| y | | | 31 22.7 |
| h | | | 31 22.7 |
| s-h | | | 31 22.7 |
| TP | 12,07 | 37.88 | 0.40 25.81 |

| | 2 s-o | w η | Ruzicka's π |
|---|---|---|---|
| s-h | | | 6,8 31.1 |
| h | | | 6,6 31.3 |
| y | | | 6,7 31.2 |
| l | | | 6,5 31.4 |
| y | | | 6,6 31.3 |
| h | | | 7,0 30.9 |
| n-h | | | 6,3 31.6 |
| TP | 12,94 | 50,69 | 0,13 37.75 |

| | 3 ω | w = ε sin | Svensk | Sterns (70°) |
|---|---|---|---|---|
| n-h | | 9,3 | 41.4 | |
| h | | 10,0 | 40.7 | |
| y | | 10,6 | 40.1 | |
| l | | 11,5 | 39.2 | |
| y | | 12,0 | 38.7 | |
| h | | 12,6 | 38.1 | |
| s-h | | 13,2 | 37.5 | |
| TP | 12,44 | 63,04 | 0,09 | 50,60 |

| | W sin η | Svensk |
|---|---|---|
| s-h | | 10,4 52.6 |
| l | | 9,3 53.7 |
| y | | 8,8 54.2 |
| l | | 8,0 55.0 |
| y | | 7,2 55.7 |
| h | | 4,8 58.2 |
| n-h | | 3,2 59.8 |
| TP | 12,52 | 75,57 0,09 62,85 |

75-54

| | 50' | W of | Locust | |
|---|---|---|---|---|
| S2 | | | 10.0 | 65.5 |
| 6 | | | 3.9 | 71.6 |
| TP | 12.90 | 87.63 | 0.78 | 74.73 |
| N2 | | | 10.8 | 76.8 |
| | 100' | W of | Locust | |
| S2 | | | 9.7 | 77.9 |
| 6 | | | 1.2 | 86.4 |
| TP | 12.52 | 99.83 | 0.36 | 87.27 |
| N2 | | | 5.9 | 93.9 |
| TP | 12.87 | 112.41 | 0.29 | 99.54 |
| | 150' | W of | Locust | |
| N2 | | | 0.0 | 112.4 |
| 6 | | | 5.8 | 106.6 |
| S2 | | | 10.3 | 102.1 |
| TP | 11.44 | 123.20 | 0.65 | 111.76 |
| TP | 12.34 | 135.28 | 0.26 | 122.94 |

135-28

Stesmos

| | 200' | W of | Locust | |
|---|---|---|---|---|
| S2 | | | 11.2 | 125.1 |
| 6 | | | 10.2 | 125.0 |
| N2 | | | 6.0 | 129.8 |
| TP | 12.91 | 147.95 | 0.24 | 135.04 |
| TP | 12.12 | 159.74 | 0.33 | 147.62 |
| N2 | 250' | W of | Locust 21 | |
| N2 | | | 9.0 | 150.7 |
| 6 | | | 11.2 | 148.5 |
| S2 | | | 14.8 | 144.9 |
| TP | 12.12 | 171.77 | 0.09 | 159.65 |
| N2 | 300' | W = | E of | Elm St (78') |
| N2 | | | 6.2 | 165.6 |
| 6 | | | 9.0 | 162.8 |
| S2 | | | 13.2 | 158.6 |
| TP | 12.85 | 183.61 | 1.01 | 170.76 |

Rock

Rock

✓

18361

| | | | | |
|---|---|---|---|---|
| | W Line of | Elm st | | |
| SL | | | 8,04 | 175.6 |
| b | | | 7,0 | 176.6 |
| nL | | | 5,5 | 178.1 |
| TP | 125 | 19575 | 0,42 | 18319 |
| | 50' | W of | Elm st | |
| nL | | | 8,7 | 187.1 |
| b | | | 11,3 | 184.5 |
| SL | | | 13,4 | 182.4 |
| | 100' | W of | Elm st | |
| SL | | | 8,0 | 187.8 |
| b | | | 4,7 | 191.1 |
| nL | | | 3,0 | 192.8 |
| | 150' | W of | Elm st | |
| nL | | | 0,5 | 195.3 |
| b | | | 3,3 | 192.8 |
| SL | | | 7,9 | 187.9 |

19575

| | | | | |
|---|---|---|---|---|
| | 200 | W of | Elm | |
| SL | | | 10,3 | 182.5 |
| b | | | 6,4 | 189.4 |
| nL | | | 9,8 | 195.0 |
| TP | 243 | 18824 | 9,24 | 18581 |
| | 250 | W of | Elm st | |
| nL | | | +0,8 | 196.5 |
| b | | | 6,6 | 181.6 |
| SL | | | 14,6 | 173.6 |
| | 300' | W of | Elm & Willow | |
| nL | | | 6,5 | 181.7 |
| TP | 106 | 17674 | 12,52 | 175.72 |
| b | | | 3,8 | 173.0 |
| SL | | | 7,9 | 168.9 |
| | W Line of | | Willow | |
| SL | | | 14,3 | 162.5 |
| b | | | 9,4 | 167.4 |
| nL | | | 4,45 | 172.30 |

17677

50' w of Willow

| | | | |
|---|---|---|---|
| NL | | 8,2 | 167.6 |
| b | | 12,0 | 164.8 |
| TP | 5,27 . 16962 | 12,22 | 164,53 |
| SL | | 9,4 | 160.4 |

50' w of Willow

| | | | |
|---|---|---|---|
| NL | | 7,3 | 167.5 |
| b | | 3,2 | 166.6 |
| y | | 4,7 | 165.1 |
| h | | 5,6 | 164.2 |
| y | | 6,4 | 163.4 |
| b | | 8,0 | 161.8 |
| SL | | 9,4 | 160.4 |

16982

100' w of Willow

| | | | |
|---|---|---|---|
| SL | | 10,0 | 159.8 |
| b | | 8,8 | 161.0 |
| y | | 7,9 | 160.9 |
| b | | 6,8 | 163.0 |
| y | | 5,8 | 164.0 |
| b | | 4,2 | 165.6 |
| NL | | 3,5 | 166.3 |

150' w of Willow

| | | | |
|---|---|---|---|
| NL | | 6,2 | 163.6 |
| b | | 7,0 | 162.8 |
| y | | 7,5 | 162.3 |
| b | | 8,5 | 161.3 |
| y | | 9,0 | 160.8 |
| b | | 9,9 | 159.9 |
| SL | | 10,2 | 159.6 |

1698 2

| | | | Willow St |
|---|---|---|---|
| | 200 | W of | |
| SL | | | 10.6 159.2 |
| 4 | | | 10.3 159.5 |
| 3 | | | 9.6 160.2 |
| 2 | | | 8.2 161.6 |
| 1 | | | 8.4 161.4 |
| 1L | | | 8.5 161.3 |
| 2L | | | 7.6 162.2 |
| | 200 | W of | Willow St |
| 2L | | | 8.2 161.6 |
| 1L | | | 8.7 161.1 |
| 1 | | | 9.3 160.5 |
| 2 | | | 9.5 160.5 |
| 3 | | | 9.8 160.0 |
| 4 | | | 9.6 160.2 |
| SL | | | 9.3 160.5 |

1698 2

| | | | Plum St (75) |
|---|---|---|---|
| | 300 | W = | E of |
| SL | | | 8.1 161.7 |
| 4L | | | 8.6 161.2 |
| 3 | | | 8.8 161.0 |
| 2 | | | 8.8 161.0 |
| 1 | | | 8.8 161.0 |
| 1L | | | 8.7 161.1 |
| 2L | | | 8.5 161.3 |
| | | W of | Plum St |
| 2L | | | 7.6 162.2 |
| 4 | | | 6.7 163.1 |
| 3 | | | 6.2 163.6 |
| 2 | | | 7.1 162.7 |
| 1 | | | 7.0 162.8 |
| 4L | | | 6.0 163.8 |
| SL | | | 4.74 165.08 |
| TP | 5W | 170.28 | 4.74 165.08 |

17028

| | 50' | W ϕ | Plum | |
|---|---|---|---|---|
| SL | | | 4,8 | 165,5 |
| M | | | 5,6 | 164,7 |
| Y | | | 6,3 | 164,0 |
| L | | | 6,7 | 163,6 |
| Y | | | 6,7 | 163,6 |
| M | | | 6,9 | 163,4 |
| NL | | | 7,4 | 162,9 |
| | 100' | W ϕ | Plum | |
| NL | | | 6,8 | 163,5 |
| M | | | 6,7 | 163,6 |
| Y | | | 6,4 | 163,9 |
| L | | | 5,8 | 164,5 |
| Y | | | 4,1 | 166,2 |
| M | | | 3,3 | 167,0 |
| SL | | | 4,0 | 166,3 |

17028

| | 150' | W ϕ | Plum | |
|---|---|---|---|---|
| SL | | | 4,0 | 166,3 |
| M | | | 5,1 | 165,2 |
| Y | | | 5,6 | 164,7 |
| L | | | 6,2 | 164,1 |
| Y | | | 6,4 | 163,9 |
| M | | | 7,1 | 163,2 |
| NL | | | 7,0 | 163,3 |
| | 193' | W = Pueblo Line | | |
| NL | | | 8,4 | 161,9 |
| M | | | 9,2 | 161,1 |
| Y | | | 8,4 | 161,9 |
| L | | | 7,3 | 163,0 |
| Y | | | 7,0 | 163,3 |
| M | | | 6,6 | 163,7 |
| SL | | | 5,7 | 164,6 |

170.28

| | 50' | w of | Rubbing | |
|---|---|---|---|---|
| SR | | | 9,3 | 161.0 |
| bl | | | 10,9 | 159 4 |
| y | | | 12,5- | 157.8 |
| b | | | 13,- | 157.1 |
| y | | | 13,7 | 156.6 |
| bl | | | 12,7 | 157.6 |
| NR | | | 12,5- | 157.8 |
| TP | 4,89 | 16227 | 12,90 | 15-7.38 |
| - | 107,7 | w = Estimate of blow at (70') | | |
| NR | | | 6,4 | 155.9 |
| bl | | | 9,2 | 153.1 |
| y | | | 11,0 | 151.3 |
| b | | | 14,7 | 149.6 |
| y | | | 15,7 | 146.6 |
| bl | | | 13,6 | 148.7 |
| SR | | | 17,2 | 150 1 |

16227

Sterns

| | Est | of | blow | at |
|---|---|---|---|---|
| SR | | | 16,4 | 145 9 |
| bl | | | 17,8 | 144.5- |
| y | | | 14,4 | 147,2 |
| b | | | 13,2- | 149.1 |
| y | | | 11,0 | 151,3 |
| bl | | | 8,0 | 154.3 |
| NR | | | 5,0 | 157.3 |
| | Est | of | blow | at |
| NR | | | 3,9 | 158.4 |
| bl | | | 5,4 | 156.9 |
| y | | | 7,2- | 155,1 |
| b | | | 10,0 | 152,3 |
| y | | | 13,0 | 149,3 |
| bl | | | 15,4 | 146.9 |
| SR | | | 18,5- | 143,8 |

16227

| | | | | |
|---|---|---|---|---|
| | Center of Clevis #1 | | | |
| S2 | | | 15,0 | 147,7 |
| 4 | | | 13,3 | 149,0 |
| 3 | | | 10,3 | 152,0 |
| 2 | | | 7,8 | 154,4 |
| 1 | | | 5,5 | 156,8 |
| 4 | | | 3,6 | 158,7 |
| 2 | | | 2,4 | 159,9 |
| | W/4 of | Clevis #1 | | |
| 2 | | | 1,6 | 160,7 |
| 4 | | | 2,7 | 159,6 |
| 3 | | | 4,2 | 158,1 |
| 1 | | | 6,7 | 156,1 |
| 3 | | | 8,1 | 154,2 |
| 4 | | | 10,5 | 151,8 |
| S2 | | | 12,7 | 149,9 |

16227

| | | | | |
|---|---|---|---|---|
| | Nbb of | Clevis #1 | | |
| S2 | | | 10,1 | 152,2 |
| 4 | | | 8,4 | 153,9 |
| 3 | | | 6,5 | 155,8 |
| 2 | | | 4,7 | 157,6 |
| 1 | | | 3,5 | 158,8 |
| 4 | | | 2,0 | 160,3 |
| 2 | | | 1,0 | 161,3 |
| | W Side of | Clevis #2 | | |
| N2 | | | 0,01 | 162,26 |
| 4 | | | 1,1 | 161,2 |
| 3 | | | 2,3 | 160,0 |
| 2 | | | 3,1 | 159,2 |
| 1 | | | 4,1 | 158,2 |
| 4 | | | 5,7 | 156,6 |
| S2 | | | 8,3 | 154,6 |
| TP | 3,25 | 165,57 | 0,01 | 162,26 |

Stress #1

Bm NW Clevis

1655-1

| | 35' | w of | below | 2 = Angle |
|---|---|---|---|---|
| SL | | | 8,0 | 157,5 |
| L | | | 6,5 | 159,0 |
| 4 | | | 5,3 | 160,2 |
| L | | | 4,1 | 161,4 |
| 4 | | | 3,6 | 161,9 |
| L | | | 3,7 | 161,8 |
| NL | | | 3,7 | 161,8 |
| | 36' NOW S 4 = 00 W 4 angle | | Strut is 60' NW | |
| NL | | | 3,7 | 161,8 |
| L | | | 3,7 | 161,8 |
| 4 | | | 3,5 | 162,0 |
| L | | | 4,0 | 161,5 |
| 4 | | | 4,8 | 160,7 |
| L | | | 6,0 | 159,5 |
| SL | | | 7,0 | 158,5 |

1655-1

Strut 12

| | 50' | W of | Angle | on N L |
|---|---|---|---|---|
| SL | | | 8,4 | 157,1 |
| L | | | 7,2 | 158,3 |
| 4 | | | 5,6 | 158,9 |
| L | | | 4,0 | 161,5 |
| 4 | | | 3,2 | 162,3 |
| L | | | 2,7 | 162,8 |
| NL | | | 3,0 | 162,5 |
| | 100' | W of | Angle | |
| NL | | | 4,4 | 161,1 |
| L | | | 4,4 | 161,1 |
| 4 | | | 5,0 | 160,5 |
| L | | | 6,2 | 159,3 |
| 4 | | | 7,5 | 158,0 |
| L | | | 9,1 | 156,4 |
| SL | | | 10,8 | 154,7 |
| TP | 5,95 | 15860 | 12,86 | 152,65 |

15860

| | 150' | W of | Angle | |
|---|---|---|---|---|
| SA | | | 10,3 | 148,3 |
| 4 | | | 8,0 | 150,6 |
| 3 | | | 5,7 | 152,9 |
| 2 | | | 4,2 | 134,4 |
| 1 | | | 2,6 | 136,0 |
| 1 | | | 1,1 | 157,5 |
| 2 | | | 0,3 | 158,3 |
| | 200' | W of | Angle | |
| 2 | | | 7,1 | 131,5 |
| 4 | | | 8,2 | 130,4 |
| 3 | | | 9,4 | 149,2 |
| 2 | | | 10,5 | 148,1 |
| 1 | | | 11,7 | 146,9 |
| 1 | | | 14,3 | 144,3 |
| SA | | | 17,2 | 141,3 |
| TP | 049 | 14659 | 12,50 | 14610 |

14659

| | 240' | W of | Angle | |
|---|---|---|---|---|
| SA | | | 13,9 | 132,7 |
| 1 | | | 12,3 | 134,3 |
| 2 | | | 10,0 | 136,6 |
| 3 | | | 9,0 | 137,6 |
| 4 | | | 8,0 | 138,6 |
| 4 | | | 6,6 | 140,0 |
| 2 | | | 5,5 | 141,1 |
| | 265' | W of | Angle | |
| 2 | | | 2,9 | 142,7 |
| 4 | | | 6,8 | 139,8 |
| 3 | | | 9,6 | 137,0 |
| 1 | | | 11,5 | 135,1 |
| 2 | | | 13,0 | 133,6 |
| 1 | | | 14,7 | 131,9 |
| SA | | | 19,3 | 127,3 |

14659

| | 300 | W of | angle | |
|---|---|---|---|---|
| SL | | | 15,8 | 130.8 |
| bL | | | 15,1 | 131.5 |
| 4 | | | 13,3 | 133.3 |
| 6 | | | 11,0 | 135,6 |
| 4 | | | 9.0 | 137.6 |
| bL | | | 7,6 | 139.0 |
| nL | | | 5,8 | 140,8 |
| | 350 | W of | angle | |
| nL | | | 10,0 | 136,6 |
| bL | | | 11,6 | 135,0 |
| 4 | | | 12,8 | 133,8 |
| TP | 0.16 | 134,17 | 12,58 | 134,07 |
| 6 | | | 11,6 | 132.6 |
| 4 | | | 3,2 | 131,0 |
| bL | | | 4,9 | 129,3 |
| SL | | | 6,7 | 127,5 |

13417

Sterne

| | 394' | W = | S deg Terms | St in n |
|---|---|---|---|---|
| SL | | | 10,9 | 123.3 |
| bL | | | 8,8 | 125,4 |
| 4 | | | 7,2 | 127,0 |
| 6 | | | 6,3 | 127,9 |
| 4 | | | 4,9 | 125,3 |
| bL | | | 2,0 | 131,2 |
| nL | | | 1,8 | 132,4 |
| | 499 | W a n | S } = S deg Terms | (121.8) |
| nL | | | 1,8 | 132,4 |
| bL | | | 5,7 | 128,5 |
| 4 | | | 8,7 | 125,5 |
| 1 | | | 12,6 | 121,6 |
| TP | 0,70 | 122,50 | 12,07 | 122,10 |
| 4 | | | 5,1 | 117,7 |
| bL | | | 8,7 | 114,1 |
| SL | | | 12,7 | 110,1 |
| TP | | | ~~12~~ | |

12.80

H46 W of Angle

| | | | |
|---|---|---|---|
| Sl | | 5.3 | 117.5 |
| b | | 4.0 | 118.8 |
| 4 | | 3.0 | 119.8 |
| b | | 1.2 | 121.6 BM |
| | | 5.2 | 117.28 |




POSTED

Crossection of Tennyson St (20th St) (70')
From W of Roseerans to Catalina Blvd Public Store W.S. Russell Bm Lieutenant at Sims St

| | | | | |
|---|---|---|---|---|
| 12x0 | 14.43 | | 2.23 | |

W Lin of Rosecrans St (Gradient)

| | | | | |
|---|---|---|---|---|
| SL | | | 9.1 | 5.3 |
| bl | | | 9.0 | 5.4 |
| y | | | 8.8 | 5.6 |
| b | | | 8.6 | 5.8 |
| y | | | 8.5 | 5.9 |
| bl | | | 8.2 | 6.1 |
| rd | | | 8.0 | 6.4 |

57' W of Rosecrans St

| | | | | |
|---|---|---|---|---|
| rd | | | 2.1 | 12.3 |
| bl | | | 2.1 | 12.3 |
| y | | | 2.2 | 12.2 |
| b | | | 2.7 | 11.7 |
| y | | | 3.5 | 10.9 |
| bl | | | 3.9 | 10.5 |
| SL | | | 4.2 | 10.2 |
| TP | 12.64 | 26.95 | 0.12 | 14.31 |

POSTED

26.95

Tennyson

| | | | | |
|---|---|---|---|---|
| TP | 100' | W of | Rosecrans | St |
| SL | | | 11.3 | 15.7 |
| bl | | | 11.0 | 16.0 |
| y | | | 10.6 | 16.4 |
| b | | | 10.4 | 16.6 |
| y | | | 10.0 | 17.0 |
| bl | | | 10.0 | 17.0 |
| rd | | | 10.1 | 16.9 |
| | 150 | W of | Rosecrans St | |
| rd | | | 3.5 | 23.5 |
| bl | | | 3.8 | 23.2 |
| y | | | 4.2 | 22.8 |
| b | | | 4.8 | 22.2 |
| y | | | 5.3 | 23.7 |
| bl | | | 5.7 | 21.3 |
| SL | | | 6.6 | 20.4 |
| TP | 12.85 | 39.48 | 0.32 | 26.63 |

POSTED

39.48

| | | | Runcorn St. | |
|---|---|---|---|---|
| | Dist | W/C | | |
| SL | | | 17.6 | 27.9 |
| bl | | | 11.2 | 28.3 |
| y | | | 10.3 | 29.2 |
| b | | | 10.0 | 29.5 |
| y | | | 9.1 | 30.4 |
| bl | | | 8.7 | 30.8 |
| RL | | | 8.4 | 31.1 |
| | Dist | W/C | Runcorn St | |
| SL | | | 2.6 | 36.9 |
| bl | | | 2.0 | 37.5 |
| y | | | 1.6 | 37.9 |
| b | | | 0.2 | 39.3 |
| TP | 12.96 | 5.179 | 0.65 | 39.80 |
| y | | | 11.6 | 40.2 |
| bl | | | 10.4 | 41.4 |
| RL | | | 9.1 | 42.7 |
| TP | 12.59 | 6.137 | 0.01 | 57.78 |

64.37

| | | | | | Tenny to 75 |
|---|---|---|---|---|---|
| | Dist | W = | E.L | Count | at (70) |
| RL | | | 6.9 | 57.5 | |
| bl | | | 7.9 | 56.5 | |
| y | | | 8.9 | 55.5 | |
| bl | | | 9.6 | 54.8 | |
| y | | | 10.1 | 54.3 | |
| bl | | | 11.0 | 53.4 | |
| SL | | | 11.8 | 52.6 | |
| TP | 12.37 | 7621 | 0.53 | 63.84 | |
| TP | 12.83 | 88.49 | 0.55 | 75.66 | |
| | W Dist | of | Locust to | | |
| SL | | | 4.5 | 84.0 | |
| L | | | 1.6 | 86.9 | |
| TP | 12.89 | 100.81 | 0.57 | 87.92 | |
| RL | | | 11.3 | 89.5 | |
| TP | 12.97 | 113.57 | 0.22 | 100.59 | |

POSTED

| | | | | |
|---|---|---|---|---|
| | 50' | w of | Locust St | |
| N2 | | | 2.4 | 111.2 |
| b | | | 3.8 | 109.8 |
| S2 | | | 7.0 | 106.6 |
| TP | 1278 | 12510 | 0.84 | 11772 |
| TP | 1267 | 13817 | 0.0 | 12550 |
| | 160' | w of | Locust St | |
| S2 | | | 12.5 | 125.6 |
| b | | | 10.6 | 127.6 |
| N2 | | | 8.7 | 128.5 |
| TP | 1275 | 15004 | 0.88 | 13729 |
| | 130' | w of | Locust St | |
| N2 | | | 2.7 | 147.3 |
| b | | | 4.0 | 146.0 |
| S2 | | | 6.5 | 143.5 |
| TP | 1285 | 16227 | 0.62 | 14944 |

| | | | | |
|---|---|---|---|---|
| | 200' | w of | Locust St | |
| S2 | | | 5.2 | 157.1 |
| b | | | 3.2 | 159.1 |
| N2 | | | 3.4 | 158.9 |
| TP | 1275 | 17438 | 0.64 | 16163 |
| | 150' | w of | Locust St | |
| S2 | | | 5.4 | 169.0 |
| b | | | 3.4 | 171.0 |
| N2 | | | 3.3 | 171.1 |
| TP | 1290 | 18655 | 0.73 | 17365 |
| | 300 | w of | E 2 & Elm St (70') | |
| N2 | | | 6.6 | 180.0 |
| b | | | 6.5 | 180.1 |
| S2 | | | 7.4 | 179.2 |
| TP | 1212 | 19686 | 1.81 | 18474 |

19686

| | N Line of | Elev at | | Bm on Elev |
|---|---|---|---|---|
| SL | | 7.6 | 189.60 | |
| " | | 7.2 | 189.7 | |
| " | | 6.7 | 190.2 | |
| " | | 6.6 | 190.3 | |
| " | | 7.1 | 189.8 | |
| " | | 7.1 | 189.8 | |
| N2 | | 7.0 | 189.9 | |
| | 50' W of | Elev at | | |
| N2 | | 3.0 | 193.9 | |
| " | | 2.7 | 194.2 | |
| " | | 2.3 | 194.6 | |
| " | | 1.7 | 195.2 | |
| " | | 1.6 | 195.3 | |
| " | | 2.1 | 194.8 | |
| SL | | 2.5 | 194.4 | |
| TP | 9.05 | 20567 | 0.24 | 196.62 |

20567

Tennyson

| | 100' W of | Elev at | |
|---|---|---|---|
| SL | | 7.2 | 198.3 |
| " | | 7.4 | 198.3 |
| " | | 8.4 | 197.3 |
| " | | 8.5 | 197.2 |
| " | | 8.3 | 197.4 |
| " | | 8.3 | 197.4 |
| N2 | | 8.6 | 197.1 |
| | 150' W of | Elev at | |
| N2 | | 7.6 | 198.1 |
| " | | 7.3 | 198.4 |
| " | | 6.9 | 198.8 |
| " | | 6.8 | 198.9 |
| " | | 7.0 | 198.7 |
| " | | 6.8 | 198.9 |
| SL | | 6.3 | 199.4 |

205.67

| | | | | |
|---|---|---|---|---|
| | 200' | W of | Elm St | |
| S2 | | | 5.7 | 200.0 |
| 1 | | | 6.0 | 199.7 |
| 4 | | | 6.4 | 199.3 |
| 1 | | | 6.5 | 199.2 |
| 4 | | | 5.9 | 198.8 |
| 1 | | | 6.0 | 199.7 |
| N2 | | | 6.9 | 198.8 |
| | 250' | W of | Elm St | |
| N2 | | | 6.6 | 199.1 |
| 1 | | | 6.1 | 199.6 |
| 4 | | | 6.0 | 199.7 |
| 1 | | | 6.0 | 199.7 |
| 4 | | | 5.8 | 199.9 |
| 1 | | | 5.8 | 199.9 |
| S2 | | | 5.7 | 200.0 |

205.67

Tenney St

| | | | | | |
|---|---|---|---|---|---|
| | 300' | W = | E of | Willow | (20) |
| S2 | | | 6.2 | 199.5 | |
| 1 | | | 6.2 | 199.5 | |
| 4 | | | 6.4 | 199.3 | |
| 1 | | | 6.4 | 199.3 | |
| 4 | | | 6.3 | 199.4 | |
| 1 | | | 6.0 | 199.7 | |
| N2 | | | 6.3 | 199.4 | |
| | W Line of | | Willow | | |
| N2 | | | 7.3 | 198.4 | |
| 1 | | | 7.7 | 198.0 | |
| 4 | | | 7.6 | 198.1 | |
| 1 | | | 7.4 | 198.3 | |
| 4 | | | 6.7 | 199.0 | |
| 1 | | | 6.7 | 199.0 | |
| S2 | | | 7.4 | 198.3 | |
| TP | 31' | 201.77 | 7.32 | 198.35 | 32' BW & W Willow |

20147

| | 50' | W L | willow | |
|---|---|---|---|---|
| NL | | | 3.9 | 197.6 |
| M | | | 3.6 | 197.9 |
| Y | | | 3.7 | 197.8 |
| L | | | 4.3 | 197.2 |
| Y | | | 4.7 | 196.8 |
| M | | | 3.3 | 196.2 |
| SL | | | 5.8 | 195.7 |
| | 100' | W L | willow | |
| SL | | | 9.4 | 192.1 |
| M | | | 7.6 | 193.9 |
| Y | | | 6.3 | 195.2 |
| L | | | 5.6 | 195.9 |
| Y | | | 4.8 | 196.7 |
| M | | | 4.0 | 197.5 |
| NL | | | 4.2 | 197.3 |

20147

| | 150' | W L | willow | |
|---|---|---|---|---|
| NL | | | 6.6 | 194.9 |
| M | | | 6.9 | 194.6 |
| Y | | | 7.5 | 194.0 |
| L | | | 9.0 | 192.5 |
| Y | | | 10.5 | 191.0 |
| M | | | 12.5 | 189.0 |
| SL | | | 13.2 | 188.3 |
| | 200' | W L | willow | |
| NL | | | 10.2 | 191.3 |
| M | | | 11.8 | 189.7 |
| Y | | | 13.2 | 188.3 |
| TP | 11.2 | 18971 | 12.88 | 188.59 |
| L | | | 37 | 186.0 |
| Y | | | 6.7 | 183.0 |
| M | | | 9.0 | 180.7 |
| SL | | | 11.5 | 178.2 |

1897.71

| | | | | |
|---|---|---|---|---|
| | 250' | W of | Willow | |
| N2 | | | 7,1 | 182,6 |
| 4 | | | 9,2 | 180,5 |
| 4 | | | 11,2 | 178.5 |
| 6 | | | 12,8 | 176.9 |
| TP | 0,60 | 1771 | 12,60 | 1771 |
| 4 | | | 22 | 175,5 |
| 4 | | | 4,0 | 173,7 |
| S2 | | | 5,0 | 172,7 |
| | 300' | W = | & Elm of Plum st (70') | |
| S2 | | | 7,0 | 170,7 |
| 4 | | | 5,7 | 172,0 |
| 7 | | | 4,8 | 172,9 |
| 1 | | | 4,8 | 172,9 |
| 4 | | | 3,7 | 174,0 |
| 4 | | | 2,8 | 174,9 |
| N2 | | | 1,2 | 176.5 |

1771

| | | | | |
|---|---|---|---|---|
| | W line of | | Plum st | |
| N2 | | | 5,7 | 172,0 |
| 4 | | | 6,8 | 170,9 |
| 4 | | | 7,9 | 169,8 |
| 1 | | | 7,9 | 169,8 |
| 4 | | | 7,6 | 170,1 |
| 4 | | | 8,1 | 169,6 |
| S2 | | | 8,25 | 168,46 |
| | 50' | W of | Plum st | |
| S2 | | | 11,2 | 166,5 |
| 4 | | | 10,9 | 166,8 |
| 4 | | | 10,4 | 167,3 |
| 1 | | | 9,8 | 167,9 |
| 4 | | | 8,6 | 169,1 |
| 4 | | | 8,0 | 169,7 |
| N2 | | | 7,6 | 170,1 |

Bm nw Plum

POSTED

1771

| | | | | |
|---|---|---|---|---|
| | 100' | W of | Plum | #1100 |
| 22 | | | 10.5 | 167.2 |
| bl | | | 11.2 | 166.5 |
| 4 | | | 11.4 | 166.3 |
| 6 | | | 11.9 | 165.8 |
| 4 | | | 12.6 | 165.1 |
| bl | | | 12.9 | 164.8 |
| 52 | | | 10.3 | 164.4 |
| 7P | 22.6 | 169.21 | 11.26 | 166.45 |
| | 150' | W of | Plum | |
| 52 | | | 6.2 | 163.0 |
| bl | | | 6.2 | 163.0 |
| 4 | | | 6.0 | 163.2 |
| 6 | | | 5.4 | 163.8 |
| 4 | | | 5.3 | 163.9 |
| bl | | | 5.1 | 164.1 |
| 22 | | | 4.2 | 165.6 |

1

1092

192.5' W = Public Line N Sec Corner

| | | |
|---|---|---|
| 22 | 5.7 | 163.5 |
| bl | 5.9 | 163.3 |
| 4 | 6.2 | 163.0 |
| 6 | 6.2 | 163.0 |
| 4 | 5.5 | 163.7 |
| bl | 5.0 | 164.2 |
| 52 | 5.8 | 163.4 |

Tennyson St continued in Book 4 24.

Published by H. S. CROCKER COMPANY, Stationers, Drawing Materials, Mathematical Instruments, etc., San Francisco.

# TRAVERSE TABLE FOR TRANSIT BOOK.

## From 1° to 90° for a distance of 100.

| Degrees. | DEGREES. | | ¼ DEGREE. | | ½ DEGREE. | | ¾ DEGREE. | | Degrees. |
|---|---|---|---|---|---|---|---|---|---|
| | Lat. | Dep. | Lat. | Dep. | Lat. | Dep. | Lat. | Dep. | |
| 0 | | | 100.00 | 0.44 | 100.00 | 0.87 | 99.99 | 1.31 | 89 |
| 1 | 99.98 | 1.75 | 99.98 | 2.18 | 99.97 | 2.62 | 99.95 | 3.05 | 88 |
| 2 | 99.94 | 3.49 | 99.92 | 3.93 | 99.91 | 4.36 | 99.88 | 4.80 | 87 |
| 3 | 99.86 | 5.23 | 99.84 | 5.67 | 99.81 | 6.10 | 99.79 | 6.54 | 86 |
| 4 | 99.76 | 6.98 | 99.73 | 7.41 | 99.69 | 7.85 | 99.66 | 8.28 | 85 |
| 5 | 99.62 | 8.72 | 99.58 | 9.15 | 99.54 | 9.58 | 99.50 | 10.02 | 84 |
| 6 | 99.45 | 10.45 | 99.41 | 10.89 | 99.36 | 11.32 | 99.31 | 11.75 | 83 |
| 7 | 99.25 | 12.19 | 99.20 | 12.62 | 99.14 | 13.05 | 99.09 | 13.49 | 82 |
| 8 | 99.03 | 13.92 | 98.97 | 14.35 | 98.90 | 14.78 | 98.84 | 15.21 | 81 |
| 9 | 98.77 | 15.64 | 98.70 | 16.07 | 98.63 | 16.50 | 98.56 | 16.93 | 80 |
| 10 | 98.48 | 17.36 | 98.40 | 17.79 | 98.33 | 18.22 | 98.25 | 18.65 | 79 |
| 11 | 98.16 | 19.08 | 98.08 | 19.51 | 97.99 | 19.94 | 97.90 | 20.36 | 78 |
| 12 | 97.81 | 20.79 | 97.72 | 21.22 | 97.63 | 21.64 | 97.53 | 22.07 | 77 |
| 13 | 97.44 | 22.50 | 97.34 | 22.92 | 97.24 | 23.34 | 97.13 | 23.77 | 76 |
| 14 | 97.03 | 24.19 | 96.92 | 24.62 | 96.81 | 25.04 | 96.70 | 25.46 | 75 |
| 15 | 96.59 | 25.88 | 96.48 | 26.30 | 96.36 | 26.72 | 96.25 | 27.14 | 74 |
| 16 | 96.13 | 27.56 | 96.00 | 27.98 | 95.88 | 28.40 | 95.76 | 28.82 | 73 |
| 17 | 95.63 | 29.24 | 95.50 | 29.65 | 95.37 | 30.07 | 95.24 | 30.49 | 72 |
| 18 | 95.11 | 30.90 | 94.97 | 31.32 | 94.83 | 31.73 | 94.69 | 32.14 | 71 |
| 19 | 94.55 | 32.56 | 94.41 | 32.97 | 94.26 | 33.38 | 94.12 | 33.79 | 70 |
| 20 | 93.97 | 34.20 | 93.82 | 34.61 | 93.67 | 35.02 | 93.51 | 35.43 | 69 |
| 21 | 93.36 | 35.84 | 93.20 | 36.24 | 93.04 | 36.65 | 92.88 | 37.06 | 68 |
| 22 | 92.72 | 37.46 | 92.55 | 37.86 | 92.39 | 38.27 | 92.22 | 38.67 | 67 |
| 23 | 92.05 | 39.07 | 91.88 | 39.47 | 91.71 | 39.87 | 91.53 | 40.27 | 66 |
| 24 | 91.35 | 40.67 | 91.18 | 41.07 | 91.00 | 41.47 | 90.81 | 41.87 | 65 |
| 25 | 90.63 | 42.26 | 90.45 | 42.66 | 90.26 | 43.05 | 90.07 | 43.44 | 64 |
| 26 | 89.88 | 43.84 | 89.69 | 44.23 | 89.49 | 44.62 | 89.30 | 45.01 | 63 |
| 27 | 89.10 | 45.40 | 88.90 | 45.79 | 88.70 | 46.17 | 88.50 | 46.56 | 62 |
| 28 | 88.29 | 46.95 | 88.09 | 47.33 | 87.88 | 47.72 | 87.67 | 48.10 | 61 |
| 29 | 87.46 | 48.48 | 87.25 | 48.86 | 87.04 | 49.24 | 86.82 | 49.62 | 60 |
| 30 | 86.60 | 50.00 | 86.38 | 50.38 | 86.16 | 50.75 | 85.94 | 51.13 | 59 |
| 31 | 85.72 | 51.50 | 85.49 | 51.88 | 85.26 | 52.25 | 85.04 | 52.62 | 58 |
| 32 | 84.80 | 52.99 | 84.57 | 53.36 | 84.34 | 53.73 | 84.10 | 54.10 | 57 |
| 33 | 83.87 | 54.46 | 83.63 | 54.83 | 83.39 | 55.19 | 83.15 | 55.56 | 56 |
| 34 | 82.90 | 55.92 | 82.66 | 56.28 | 82.41 | 56.64 | 82.16 | 57.00 | 55 |
| 35 | 81.92 | 57.36 | 81.66 | 57.71 | 81.41 | 58.07 | 81.16 | 58.42 | 54 |
| 36 | 80.90 | 58.78 | 80.64 | 59.13 | 80.39 | 59.48 | 80.13 | 59.83 | 53 |
| 37 | 79.86 | 60.18 | 79.60 | 60.53 | 79.34 | 60.88 | 79.07 | 61.22 | 52 |
| 38 | 78.80 | 61.57 | 78.53 | 61.91 | 78.26 | 62.25 | 77.99 | 62.59 | 51 |
| 39 | 77.71 | 62.93 | 77.44 | 63.27 | 77.16 | 63.61 | 76.88 | 63.94 | 50 |
| 40 | 76.60 | 64.28 | 76.32 | 64.61 | 76.04 | 64.94 | 75.76 | 65.28 | 49 |
| 41 | 75.47 | 65.61 | 75.18 | 65.93 | 74.90 | 66.26 | 74.61 | 66.59 | 48 |
| 42 | 74.31 | 66.91 | 74.02 | 67.24 | 73.73 | 67.56 | 73.43 | 67.88 | 47 |
| 43 | 73.14 | 68.20 | 72.84 | 68.52 | 72.54 | 68.84 | 72.24 | 69.15 | 46 |
| 44 | 71.93 | 69.47 | 71.63 | 69.78 | 71.33 | 70.09 | 71.02 | 70.40 | 45 |
| 45 | 70.71 | 70.71 | | | | | | | |
| Degrees. | Dep. | Lat. | Dep. | Lat. | Dep. | Lat. | Dep. | Lat. | Degrees |
| | DEGREES | | ¼ DEGREE. | | ½ DEGREE. | | ¾ DEGREE. | | |