Return to City Engineers Office
City Hall, San Diego, Cal.

400 LEVEL

F.B. 461

Return to City Engineers Office
City Hall, San Diego, Cal.

Cooke Quality

Published by H. S. CROCKER COMPANY, Stationers, Drawing Materials, and Mathematical Instruments, San Francisco.

Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

MINUTES.	LKS.	MINUTES.	LKS.	MINUTES.	LKS.
1	2 1/3	21	49	41	95 2/3
2	4 2/3	22	51 1/3	42	98
3	7	23	53 2/3	43	100 1/3
4	9 1/3	24	56	44	102 2/3
5	11 2/3	25	58 1/3	45	105
6	14	26	60 2/3	46	107 1/3
7	16 1/3	27	63	47	109 2/3
8	18 2/3	28	65 1/3	48	112
9	21	29	67 2/3	49	114 1/3
10	23 1/3	30	70	50	116 2/3
11	25 2/3	31	72 1/3	51	119
12	28	32	74 2/3	52	121 1/3
13	30 1/3	33	77	53	123 2/3
14	32 2/3	34	79 1/3	54	126
15	35	35	81 2/3	55	128 1/3
16	37 1/3	36	84	56	130 1/3
17	39 2/3	37	86 1/3	57	133
18	42	38	88 2/3	58	135 1/2
19	44 1/3	39	91	59	137 2/3
20	46 2/3	40	93 1/3	60	140

TABLE FOR RUNNING ON SLOPES.

In the following table the first column shows the angle, the second the number of links to be added to [illegible] on the slopes, to make one chain horizontal measurement.

MICROFILMED
DEC 6 1964

ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS
°		°		°		°	
4	0.24	11	1.88	18	5.14	25	10.54
5	0.38	12	2.24	19	5.76	26	11.26
6	0.55	13	2.63	20	6.42	27	12.24
7	0.76	14	3.06	21	7.11	28	13.37
8	0.98	15	3.53	22	7.85	29	14.34
9	1.24	16	4.02	23	8.64	30	15.47
10	1.55	17	4.56	24	9.47	35	22.07

Crocker Quality

LEVEL BOOK

No. 400

MANUFACTURED BY

A. S. Crocker Co.

SAN FRANCISCO
and
SACRAMENTO



— Index —

Myrtle		47 & 50
Fourth St.	Stockton to Canyon	2-
Louisian	El Cajon Howard	3-6
Howard	Louisiana Texas	7-10
Utah	Uvn - Upas	11-17
Sherman	" "	18-24
Kansas	" "	25-31
Idaho	" "	32-38
Robinson	Georgia - Alabama	39-42
Cypruss	" "	43-46
Myrtle	" "	47-53
Wightman	Alabama - Texas	54-57
Landis	" - Louisiana	58-60
Dwight	" - Texas	61-65
Wightman	Oregeon - Idaho	66-67
Landis	" "	68-69
Dwight	" "	70-71
Myrtle	" "	72-73
Sewer Const	Alabama Myrtle	74-75

Levels on E.L. Fourth St. N.L. Stocton To Canon

9/19/29 Dwyer
9/19/29 Dwyer

B.M. S.W. Cor 4th & Stocton			289.93
B.M.	3.99	393.92	
0+0 = N.E. Cor A & Stocton		3.2	290.7
0+25		3.0	290.9
0+50		3.1	290.8
0+75		3.3	290.6
1+0		4.0	289.9
1+25		4.8	289.1
1+50		5.5	288.4
1+75		6.1	287.8
2+0		7.1	286.8
2+25		8.5	285.4
2+28		10.7	283.2
2+50 ± = Top retaining wall		12.8	281.1
2+50. ± = bot " "	"	16.1	277.8
2+75		20.6	273.3
3+0 = Top Canon		25.1	268.8

POSTED

2

X-Section. Louisiana St. El Cajon. To forward of
" 80' wide 9/19/09 Dunkle
9/19/09 Shaw
Urquil

B.M. S.W. cor brass d/g Co. Mon.			322.14	
B.M.	11.57	333.71		
T.P.	6.99	338.92	1.75	331.93
	S.L. El Cajon			
W			4.3	
crb			5.8	
11/9			7.9	
M			5.5	
11/9			9.8	
crb			11.3	
E			12.2	
	0+25			
E			12.0	
crb			10.7	
11/9			9.1	
M			7.9	
11/9			6.7	
crb			5.5	
W			4.3	

POST

	0+50	
W		3.3
crb		4.9
11/9		5.7
M		6.3
11/9		8.3
crb		9.5
E		11.1
	0+75	
E		10.4
crb		9.4
11/9		7.6
M		6.0
11/9		4.8
crb		4.0
W		3.4

338,92

1+0

W 3.1

Crk 3.2

W 3.3

M 4.6

W 6.6

Crk 7.9

E 9.8

1+25

E 9.5

Crk 7.3

W 6.3

M 4.9

W 3.8

Crk 2.7

W 2.1

1+50

W 3.2

Crk 3.5

W 3.7

M 4.3

W 5.6

Crk 6.7

E 2.7

1+75

E 8.5

Crk 6.3

W 4.9

M 3.9

W 3.9

Crk 3.4

W 3.1

338.92

2+00

W	3.8
crk	3.7
⅓	3.6
M	3.8
⅔	5.1
crk	5.8
E	7.9

2+25

E	7.5
crk	5.6
⅔	4.9
M	4.1
⅓	3.3
crk	3.2
W	4.1

2+50

W	4.5
crk	4.1
⅓	4.1
M	4.2
⅔	4.3
crk	5.3
E	6.7

2+75

E	7.3	331.6
crk	5.9	333.0
⅔	4.7	334.2
M	4.2	334.7
⅓	4.0	334.9
crk	4.7	334.2
W	4.7	334.2

	338.92		
	340		
W		4.4	334.5
crb		4.6	334.3
"q		4.9	334.0
W		5.1	333.8
"q		5.5	333.4
crb		6.1	332.8
E		7.3	331.6
	3+38 = N. L. Howard St.		
E		6.5	332.4
crb	[illegible]STED	5.8	333.1
"q		5.1	333.8
W		5.2	333.7
"q		5.4	
crb		5.4	
W		5.7	

Y-section Howard, St. Louisana to Texas
11 80' wide
9/9 Dumpty
59-Shaw
Dizzil

B.M. hole S.E. Cor Louisana & Howard 332.09

B.M.	6.88	338.92	
	E.L. Howard St		
S		6.9	
crb		6.3	
"/g		6.2	
M		6.2	332.7
"/g		6.9	332.0
crb		6.4	332.5
N		6.6	332.3
	0+25 E. of Howard		
N		9.1	329.8
crb		8.7	330.2
"/g		9.0	329.9
M		8.9	330.0
"/g		8.3	
crb		8.5	
S		9.0	

POSTED

	0+50			
S			12.3	326.6
crb			12.1	326.8
"/g			11.7	327.1
M			12.5	326.4
"/g			13.1	325.8
crb			13.2	325.7
N			12.7	326.2
T.P.	1.10	327.07	12.95	325.97
	0+75			
N			9.1	323.0
crb			9.2	322.9
"/g			9.7	322.4
M			9.3	322.8
"/g			9.4	
crb			9.7	
S			9.3	

327.07

1+00

S	8.1	319.0
Crb	7.8	319.3
"g	7.2	319.9
M	7.9	319.2
"g	8.4	318.7
Crb	8.1	319.0
N	7.2	319.9

1+25

N	7.7	319.4
Crb	8.3	318.8
"g	9.8	317.3
M	10.5	316.6
"g	10.7	
Crb	11.4	
S	11.5	

1+50

S	14.0	313.0
Crb	13.3	313.8
"g	12.8	314.3
M	12.8	314.3
"g	12.8	314.3
Crb	11.1	316.0
N	12.3	314.8

1+75

N	13.2
Crb	14.1
"g	14.4
M	14.7
"g	14.2
Crb	14.0
S	14.3

327.07

2+0

S 15.0

Crk 14.7

W 14.4

N 13.9

W 14.1

Crk 13.7

N 13.5

2+25

N 13.1

Crk 13.2

W 13.3

N 13.5

W 13.2

Crk 13.0

S 13.5

2+50

S 13.5

Crk 13.3

W 12.5

N 11.7

W 11.4

Crk 11.8

N 12.7

2+75

N 11.9

Crk 11.6

W 12.1

N 12.4

W 12.5

Crk 12.5

S 12.4

327.07

2+99 ℄ = W.L. Texas

S	10.6
crk	10.9
″	11.1
M	12.1
″	12.3
crk	11.6
N	10.8

POSTED

Levels on Utah St. Univ. To U.P.R.R. Dunkle
" 80' wide 4/20/09 Thaw
B.M. in W. col. Utah R.R. Sta. 350.33 Rigid
B.M. 0.59 350.92
S.L. University

E 2.6
ctr 2.6
W 2.7

0+50

W 3.0
ctr 2.6
E 3.3

1+0

E 4.1
ctr 3.5
W 3.5

1+58

W 4.4
ctr 4.3
E 4.6

2+0

E 3.3
ctr 4.7
W 4.6

2+58

W 4.9
ctr 4.8
E 4.7

3+0 = N. L. Wightman 80' wide

E 4.8
ctr 4.3
W 4.8

Center

W 6.1
ctr 5.8
E 5.2

POSTED

350.92

S. L. Wightman

E 6.1

ctr 6.1

W 6.3

0+50 S

W 6.1

ctr 6.5

E 6.6

1+0

E 6.2

ctr 6.2

W 6.2

1+50

W 6.4

ctr 6.7

E 6.5

2+0

E 6.9

ctr 7.2

W 7.9

2+50

W 6.7

ctr 7.4

E 7.6

T.P. 2.23 245.51 7.64 343.28

3+0 = N.L. Gunn St 80' wide

E 2.3

ctr 2.3

W 2.2

center

W 3.3

ctr 3.1

E 1.3

24551

5.4, Gum

E	3.9
ctr	3.4
W	2.3

0+50 S

W	3.9
ctr	2.7
E	3.9

1+0

E	4.1
ctr	2.9
W	3.4

1+50

W	3.3
ctr	4.4
E	4.9

2+0

E	4.3
ctr	4.5
W	3.7

2+50

W	4.5
ctr	4.5
E	5.7

3+0 = N.L. Land is 5+ 80' wide

E	5.5
ctr	5.8
W	5.0

center

W	4.7
ctr	4.7
E	4.5

	24551		
	S. L. Landis		
E		6.6	
ctr		5.6	
W		5.0	
	2+50 S		
W		5.5	
ctr		5.8	
E		6.8	
	1+0		
E		6.6	
ctr		6.4	
W		6.2	
	1+50		
W		6.9	
ctr		7.6	
E		7.6	
T. P.	398	342.02	7.47	338.04

	342.02		
	2+0		
E		4.4	
ctr		4.5	
W		3.5	
	2+50		
W		3.7	
ctr		4.3	
E		3.9	
	3+0 = N. L. Dwight St 80' wide		
E		5.1	
ctr		5.2	
W		3.8	
	Center		
W		4.3	
ctr		5.0	
E		4.9	

342.02

S.L. Dwight

E	6.1
ctr	5.0
W	5.2
0+50S	
W	4.9
ctr	6.5
E	5.2
1+0	
E	6.2
ctr	6.5
W	6.0
1+50	
W	6.4
ctr	7.0
E	7.3

2+0

E	8.2
ctr	6.7
W	6.7
2+50	
W	6.5
ctr	5.6
E	7.5

3+0 = N.L. Capps 80' wide

E	7.5
ctr	6.0
W	6.3
center	
W	15.9
ctr	6.8
E	7.5

T.P. 5.03 340.65 6.40 335.62

340.65

3.L. Capps

E	5.9
ctr	5.6
W	5.2

0+50 S

W	6.5
ctr	6.1
E	6.2

1+0

E	5.8
ctr	6.4
W	6.4

1+50

W	6.2
ctr	6.2
E	6.2

2+0

E	5.6
ctr	6.0
W	6.1

2+50

W	5.6
ctr	5.6
E	5.6

3+0 = W.L. Myrtle St 80 wide

E	5.0
ctr	5.5
W	4.6

center

W	5.0
ctr	5.5
E	5.5

340.65

S. L. MYRTLE

E 6.2

ctr 6.3

W 6.5

0+50 S

W 6.0

ctr 7.0

E 6.0

1+0

E 6.9

ctr 6.3

W 7.0

1+50

W 7.7

ctr 5.0

E 7.6

2+0

E 8.4

ctr 8.5

W 8.1

2+50

W 9.6

ctr 8.8

E 8.7

3+0 = N.L. UPOS ST

E 8.5

ctr 9.2

W 8.6

POSTED

Levels on Sherman St Univ To Upas Drinkle
" 80' wide. 9/21/09 Shaw
B.M. S.W. cor Utah R.R. spike 350.33 Dugal

B.M.	2.79	353.12	
	S.L. University.		
W	2.2		350.9
ctr	2.3		350.8
E	1.8		351.8
	0+50 S		
E	3.8		349.8
ctr	3.5		349.6
W	2.8		350.3
	1+0		
W	4.8		348.3
ctr	4.8		348.3
E	3.4		349.7
	1+50		
E	3.8		349.3
ctr	4.2		348.9
W	5.9		347.2
	2+0		
W	4.5		348.6
ctr	5.7		347.4
E	5.6		347.5
	2+50		
E	6.0		347.1
ctr	4.4		348.7
W	6.3		346.8
	3+0 = N.L. Wightman St 80' wide		
W	6.4		346.7
ctr	6.0		347.1
E	5.8		347.3
	Center		
E	5.5		347.6
ctr	6.4		346.7
W	7.5		345.6

POSTED

353.12

S. L. Wightman

W		6.4	346.7
Ctr		7.4	345.7
E		6.9	346.2
	0+50 S		
E		6.7	346.4
Ctr		7.0	346.1
W		7.6	345.5
	1+00		
W		7.8	345.3
Ctr		8.2	344.9
E		7.2	345.9
	1+50		
E		8.6	344.5
Ctr		8.6	344.5
W		8.2	344.9
T.P.	3.93	348.43	8.6 = 344.50

348.43

2+00

W	4.3	344.1
Ctr	3.9	344.5
E	2.8	345.6
2+50		
E	4.0	344.4
Ctr	3.4	345.0
W	4.8	343.6

3+00 N.L. Gunn St 80' wide

W	4.7	343.7
Ctr	5.5	342.9
E	3.7	344.7
Center		
E	5.7	342.7
Ctr	5.1	343.3
W	5.7	342.7

348.43

S.L. Gunnst

W	5.7	342.7
ctr	5.5	342.9
E.	5.1	343.3
0+50S		
E	6.5	341.9
ctr	6.6	341.8
W	5.6	342.8
1+0		
W	6.2	342.2
ctr	7.2	341.2
E	6.6	341.8
1+50		
E	7.5	340.9
ctr	7.8	340.6
W	7.8	340.6

2+0

W	8.1	340.3
ctr	8.0	340.4
E	7.8	340.6
2+50		
E	8.2	340.2
ctr	7.6	340.8
W	8.3	340.1
3+0 = N.L. Landis 80' wide		
W	8.2	340.2
ctr	8.3	340.1
E	7.6	340.8
center		
E	9.0	339.4
ctr	9.2	339.2
W	9.1	339.3

		348.43			
		S. L. Land's St			
W			10.1		338.3
Ctr			9.3		339.1
E			9.1		339.3
T.P.	4.05	343.03	9.45	338.98	
		0+50			
E			9.2		338.8
Ctr			9.0		339.0
W			3.8		339.2
		1+0			
W			9.8		338.2
Ctr			9.6		338.4
E			9.5		338.5
		1+50			
E			5.2		337.8
Ctr			9.9		338.1
W			9.7		338.3

	2+0		
W		5.5	337.5
Ctr		5.0	338.0
E		4.2	338.8
	2+50		
E		5.5	337.5
Ctr		5.4	337.6
W		5.3	337.7
	3+0 = N.L. Dwight St 80' wide		
W		5.0	338.0
Ctr		6.1	336.9
E		5.5	337.5
	Concrete		
E		6.3	336.7
Ctr		5.8	337.2
W		6.0	337.0

343.03

S.L. Dwight

W		6.0	337.0
Ctr		4.8	338.2
E		5.9	337.1
	0+50		
E		5.4	337.6
Ctr		6.2	336.8
W		6.4	336.6
	1+0		
W		7.0	336.0
Ctr		7.0	336.0
E		5.9	337.1
	1+50		
E		7.2	335.8
Ctr		7.0	336.0
W		7.9	335.1

	2+0		
W		8.1	334.9
Ctr		8.2	334.8
E		8.4	334.6
	2+50		
E		9.2	333.8
Ctr		9.2	333.8
W		9.1	333.9
	3+0 = N.L. Cross 33		80' wide
W		10.7	332.3
Ctr		10.6	332.4
E		10.7	332.3
	center		
E		11.3	331.7
Ctr		10.4	332.6
W		10.9	332.1
T.P	6.95	338.29	11.69	331.34

338.29

S.L. Capps St

W	6.8	331.5
Ctr	7.1	331.2
E	7.1	331.2

0+50 S

E	6.3	332.0
Ctr	6.4	331.9
W	6.3	332.0

1+00

W	6.3	332.0
Ctr	7.1	331.2
E	6.7	331.6

1+50

E	7.9	330.4
Ctr	6.7	331.6
W	5.4	332.9

2+00

W	6.3	332.0
Ctr	7.0	331.3
E	8.4	329.9

2+50

E	8.9	329.4
Ctr	6.7	331.6
W	6.2	332.1

3+00 - N.L. Myrtle St 80 wide

W	6.4	331.9
Ctr	7.6	330.7
E	8.4	329.9

Center

E	7.2	330.1
Ctr	7.0	331.3
W	5.7	332.6

338.29

S.L. Mystic

W	6.0	332.3
Ctr	6.7	331.6
E.	8.2	330.1
0+50		
E	7.8	330.5
Ctr	6.3	332.0
W	5.5	332.8
1+0		
W	5.2	333.1
Ctr	6.3	332.0
E	7.3	331.0
1+50		
E	7.4	330.9
Ctr	6.5	331.8
W	5.5	332.8

2+0

W	5.7	332.6
Ctr	6.5	331.8
E	7.6	330.7
2+50		
E	6.9	331.4
Ctr	6.3	332.0
W	5.7	332.6
3+0 = N.L. U.P.S. 57		
W	5.6	332.7
Ctr	6.5	331.8
E	6.7	331.6

POSTED

Levels on Kansas St. University To UPRR St Dunkle
" 80' wide 9/21/69 Shaw
B.M. N.E. Cor Kansas R.R. Spk 354.43 Rizzi

B.M.	3.30	357.73	
		S. L. University Ave	
W			4.2
Ctr			4.2
E			3.8
		0+50 S	
E			2.5
Ctr			2.6
W			4.2
		1+0	
W			7.3
Ctr			6.2
E			4.6
		1+50	
E			6.0
Ctr			7.0
W			7.0

POSTED

		2+0	
W			8.5
Ctr.			7.9
E			7.7
		2+50	
E			6.9
Ctr			9.1
W			9.3
		3+0 = N.L. Wightman 80' wide	
W.			9.9
Ctr			9.9
E			9.5
		Center	
E			9.0
Ctr			9.0
W			9.1

POSTED 25

357.73

S.4 Wightman

W	10.6
Ctr	9.3
E	9.8
0+50 S	
E	10.3
Ctr	10.7
W	11.2
1+0	
W	12.2
Ctr	11.4
E	11.0
1+50	
E	12.0
Ctr	12.1
W	12.3

T.P.	4.04	349.50	12.27	345.46

249.50

2+0

W	4.8
Ctr	4.6
E	3.6
2+50	
E	5.4
Ctr	4.4
W	4.6
3+0 = N.L. Gum St 80' wide	
W	5.6
Ctr	4.6
E	5.4
Center	
E	6.0
Ctr	4.7
W	5.0

349.50

S.L. GUNN ST

W	6.6
Ctr	5.5
E	6.1

0+50 S

E	5.3
Ctr	6.6
W	6.6

1+0

W	7.2
Ctr	7.5
E	7.2

1+50

E	6.9
Ctr	7.3
W	7.3

2+0

W	7.2
Ctr	7.8
E	7.3

2+50

E	7.8
Ctr	7.8
W	7.9

3+0 = N.L. Landis St 80' Wide

W	7.7
Ctr	8.2
E	7.7

Center

E	8.6
Ctr	9.1
W	8.6

T.P. 464 345.51 8.63 340.87

345.51

5.1, Landis

W	5.3
Ctr	4.6
E	4.7

0+50 S

E	5.4
Ctr	5.4
W	5.6

1+0

W	4.8
Ctr	6.2
E	4.9

1+50

E	6.2
Ctr	5.8
W	6.1

2+0

W	6.5
Ctr	6.4
E	6.4

2+50

E	7.0
Ctr	6.5
W	7.0

3+0 N.L. Dwight St 80' wide

W	8.1
Ctr	7.3
E	7.3

Center

E	7.5
Ctr	8.2
W	8.8

		345.51		
		5.L. Dwight		
W			9.1	
Ctr			8.7	
E			8.5	
		0+50 S		
E			8.1	
Ctr			9.7	
W			9.3	
T.P.	2.61	338.76	9.36	336.15
		1+0		
W			3.6	
Ctr			3.6	
E			2.6	
		1+50		
E			4.3	
Ctr			4.3	
W			4.3	

	338.76		
	2+0		
W		4.2	
Ctr		4.2	
E		4.4	
	2+50		
E		4.7	
Ctr		5.4	
W		5.6	
3+0 = N.L. Capps St 80' wide			
W		5.2	
Ctr		5.0	
E		5.4	
Center			
E		5.2	
Ctr		5.8	
W		6.6	

338.76

S.L. Cor PRESS St

W 5.5

ctr 5.7

E 5.6

0+50 S

E 5.1

ctr 4.8

W 7.0

1+0

W 6.1

ctr 6.1

E 5.1

1+50

E 6.5

ctr 6.8

W 7.1

2+0

W 7.7

ctr 7.6

E 6.8

2+50

E 7.5

ctr. 7.8

W 8.4

3+0 = N.L. Myrtle St 80' wide

W 8.4

ctr 8.3

E 6.7

Center

E 8.7

ctr. 8.6

W 8.9

T.P. 7.76 332.77 8.75 330.101

332.77

S.L. Myrtle St

W 3.5

Ctr 2.4

E 3.0

0+50 S

E 3.8

Ctr 3.2

W 4.6

1+0

W 5.9

Ctr 5.1

E 4.8

1+50

E 5.7

Ctr 5.9

W 5.9

2+0

W 5.1

Ctr 6.4

E 6.3

2+50

E 6.1

Ctr 6.8

W 7.0

POSTED

3+0 = N.L. UPass St

W 7.3

Ctr 6.9

E 7.6

Levelson Idaho St University To UP35 Dunkle
Idaho St 30' Wide 4/21/69 Shaver
B.M. N.E. Cor Idaho R.R. SPK 347.32 Dejiel

B.M.	3.53	350.90	
	S.L. University		POSTED
E		5.1	345.8
ctr		5.3	345.6
W		5.5	345.4
	0+50 S		
W		5.2	345.7
ctr		4.5	346.4
E		3.7	347.2
	1+0		
E		5.1	345.8
ctr		4.9	346.0
W		5.4	345.5
	1+50		
W		5.5	345.4
ctr		4.9	346.0
E		5.2	345.7
	2+0		
E	POSTED	5.3	345.6
ctr		5.2	345.7
W		5.9	345.0
	2+29.8 = N.L. Wightman on W. side 60' wide		
W		6.0	344.9
ctr		6.1	344.8
E		6.2	344.7
	2+39.8 = S.L. Wightman on W. side		
E		6.3	344.6
ctr		6.2	344.7
W		6.2	344.7
	3+0 = N.L. Wightman on E. side 80' wide		
W		6.4	344.5
ctr		6.2	344.7
E		6.5	344.4

		350.90		
	3780 – S.L. Wightman on E. side			
E			6.7	344.2
ctr			6.7	344.2
W			6.7	344.2
		4+00		
W			6.5	344.4
ctr			6.6	344.3
E			6.7	344.2
		4+50		
E			6.8	344.1
ctr			6.7	344.2
W			6.7	344.2
		5+00		
W			7.0	343.9
ctr			6.8	344.1
E,			6.9	344.0
T. P.	4.60	348.74	6.76	344.14

	348.74		
	5+50		
E		4.0	344.7
ctr		4.4	344.3
W		4.7	344.0
	6+00		
W		4.6	344.1
ctr		4.5	344.2
E		3.5	345.2
	6+50		
E		4.5	344.2
ctr		4.6	344.1
W		4.4	344.3
	6+80 – N.L. Gunn St on E. side 80' wide		
W		4.6	344.1
ctr		4.7	344.0
E		4.3	344.4

348.79

7+60 S.L. Gunn on E. side

E	4.9	343.8
ctr	5.0	343.7
W	4.9	343.8

8+0

W	5.1	343.6
ctr	5.4	343.3
E	5.3	343.4

8+50

E	5.3	343.4
ctr	5.3	343.4
W	5.7	343.0

8+89 5 = N.L. Landis on W. side 60' wide

W	5.6	343.1
ctr	5.6	343.1
E	5.6	343.1

9+49 5 = N.L. Landis on W. side

E	5.5	343.2
ctr	5.8	342.9
W	4.9	343.8

10+0

W	6.5	342.2
ctr	6.1	342.6
E	6.1	342.6

10+60 = N.L. Landis on E. side 80' wide

E	6.1	342.6
ctr	6.7	342.0
W	7.0	341.7

11+40 = S.L. Landis on E side

W	8.3	340.4
ctr	8.5	340.2
E	8.1	340.6
T. P.	0.92 341.74	7.92 340.82

341.74

12+0

E	1.7	340.0
ctr	2.3	339.4
W	2.6	339.1

12+50

W	3.2	338.5
ctr	3.0	338.7
E	2.7	339.0

13+0

E	3.6	338.1
ctr	4.2	337.5
W	3.8	337.9

13+50

W	5.0	336.7
ctr	5.1	336.6
E	4.1	337.6

14+0

E	5.0	336.7
ctr	5.9	335.8
W	5.7	336.0

14+40 = N.L. Dwight on E. side 80' wide

W	6.1	335.6
ctr	6.3	335.4
E	5.2	336.5

15+20 = S.L. Dwight on E. side

E	6.5	335.2
ctr	7.2	334.5
W	7.0	334.7

15+49½ = N.L. Dwight on W. side 60' wide

W	6.3	335.4
ctr	7.1	334.6
E	6.3	335.4

341.74

16+09 = S.L. Dwight on N side

E		7.7	334.0
ctr		8.0	333.7
W		8.5	333.2
	16+50		
W		7.7	334.0
ctr		7.5	334.2
E		8.4	333.3
	17+0		
E		8.3	333.4
ctr		8.8	332.9
W		8.7	333.0
	17+50		
W		8.9	332.8
ctr		8.6	333.1
E		8.7	333.0

18+30 = N.L. Capps station E. side 80' wide

E		8.1	333.6
ctr		8.2	333.5
W		7.8	335.9
	19+0 = S.L. Capps		
W		9.1	332.6
ctr		8.5	333.2
E		7.8	335.9
T.P.	5.59	339.47	7.86	333.88
	19+50		
E		6.0	333.5
ctr		6.2	333.3
W		6.1	333.4
	20+0		
W		6.1	333.4
ctr		5.2	334.3
E		5.3	334.2

339.47

20+50

E	5.6	333.9
ctr	5.6	333.9
W	6.5	333.0

21+00

W	4.9	334.6
ctr	5.7	333.8
E	5.2	334.3

21+50

E	5.3	334.2
ctr	5.3	334.2
W	4.7	334.8

22+00 = N.L. Myrtle on E. side 80' wide

W	5.2	334.3
ctr	5.8	333.7
E	5.1	334.4

22+07½ = N.L. Myrtle on W. side 60' wide

E	5.6	333.9
ctr	5.4	334.1
W	4.9	334.6

22+67½ = S.L. Myrtle on W. side

W	6.6	332.9
ctr	6.0	333.5
E	5.6	333.9

22+80 = S.L. Myrtle on E side

E	5.3	334.2
ctr	6.2	333.3
W	7.0	332.5

23+00

W	6.9	332.6
ctr	6.3	333.2
E	6.5	333.0

339.47

24+0

E.	2.0	332.5
ctr	7.2	332.3
W	6.5	332.7

24+50

W	6.9	332.6
ctr	6.8	332.7
E	7.3	332.2

25+0

E	7.8	331.8
ctr	7.4	332.1
W	7.7	331.8

25+50

W	8.0	331.5
ctr	8.4	331.1
E	9.0	330.5

25+80 = N.L. UP&S St.

E	9.1	330.4
ctr	9.1	330.4
W	9.2	330.3

POSTED

Levels on Robinson, Georgia To Alabama Dunkle
" 80' wide 9/23/09 Shaw
B.M. N.W. Georgia & Robinson Rock 321.51 Dyjick

B.M.	0.18	321.67		
0+00 = E.L. Georgia To King Georgia 25 60' St				
N			7.0	314.7
ctr			11.2	310.5
S			14.4	307.3
0+10 = E.L. Georgia 25 80' St				
S			14.4	307.3
ctr			12.1	309.6
N			9.7	312.0
0+35 E				
N			11.3	310.4
ctr			13.4	308.3
S			14.6	307.1
0+60				
S			16.9	304.8
ctr			13.9	307.8
N			13.4	308.3
0+85				
N			14.0	307.7
ctr			19.8	301.9
S			19.1	302.6
T.R.	0.95	309.83	12.79	308.28
1+10				
S			14.0	295.8
ctr			14.2	295.6
N			2.3	307.5
1+35				
N			8.6	301.2
ctr			15.2	294.6
S			20.2	289.6
1+60				
S			25.5	284.3
ctr			20.2	289.6
N			9.7	300.1
T.P	0.52	297.44	12.91	296.92

POSTED
POSTED

		297.44		
		1+85		
N			0.0	297.4
Ctr			11.2	286.2
S			16.7	280.7
		2+10		
S			18.9	278.5
Ctr			13.6	283.8
N			6.0	291.4
		2+35		
N			9.0	288.4
Ctr			14.5	282.9
S			20.1	277.3
		2+60		
S			22.3	275.1
Ctr			18.0	279.4
N			12.8	284.6
T. P.	0.33	284.83	12.94	284.50

		284.83		
		2+85		
N			2.9	281.9
Ctr			7.0	277.8
S			12.3	272.5
		3+11.5	W. L. Florida St 80' wide	
S			13.6	271.2
Ctr			10.2	274.6
N			5.6	279.2
		center		
N			7.7	277.1
Ctr			10.8	274.0
S			13.9	270.9
		E. L. Florida		
S			13.4	271.4
Ctr			11.0	273.8
N			9.2	275.6
T. P.	2.45	279.32	12.96	271.87

		274.32		
		0+25 E		
N			0.5	8
ctr			2.8	
S			4.8	
		0+50		
S			7.4	
ctr			6.1	
N			3.7	
		0.75		
N			7.4	
ctr			8.9	
S			11.0	
T.P	1.67	263.16	12.83	261.49
		1+0		
S			7.0	
ctr			5.8	
N			1.9	

		263.16		
		1+25		
N			6.5	
ctr			8.4	
S			12.8	
T.P	1.91	252.30	12.77	250.39
		1+50		
S			18.3	
ctr			13.9	
N			0.9	
T.P	0.27	239.63	12.94	239.36
		1+75		
N			5.8	
S				
ctr			7.8	
S			8.4	
		2+0		
S			12.0	
ctr			8.5	
N			7.2	

23963

2+25

N 7.1

str 9.8

S 8.6

2+50

S 7.9

str 8.8

N 10.1

POSTED

2+75

N 4.9

str 4.6

S 5.5

3+0 = W. L. Alabama

S 1.7

str 1.7

N 0.6

Levels Cypress St Georgia to Alabama Dunkle
" 80' wide 4/29 Shaw
B.M. on Cypress & Georgia Ave 289.83 '09 Degiel.

B.M. 1.04 290.87

0+0 = E.L. Georgia Taking Georgia 25.60 St.

N 17.7

Ctr 14.1

S 12.3

T.P. 0.43 278.98 12.32 278.55

0+10 = E.L. Georgia 25 80' St

S 2.3

Ctr 4.3

N 7.6

0+35 E

N 11.3

Ctr 8.5

S 5.4

0+60

S 7.8

Ctr 11.2

N 14.9

0+85

N 19.9

Ctr 15.1

S 11.9

T.P. 0.30 267.04 12.74 266.74

1+10

S 3.8

Ctr 8.4

N 12.8

1+35

N 17.3

Ctr 13.1

S 7.3

T.P. 0.25 255.19 12.10 254.94

1+66

S 0.1

Ctr 5.0

N 7.9

POSTED

		255.19		
		1+85		
N			11.2	
Ctr			8.1	
S			3.2	
		2+10		
S			7.6	
Ctr			10.9	
N			13.4	
		2+35		
N			17.7	
Ctr			12.6	
S			9.4	
T.P.	1.35	244.82	11.62	243.57
		2+60		
S			1.5	
Ctr			5.4	
N			10.3	

3+10 P.T. W.L. Florida St

N			13.8	
Ctr	S		10.6	
S			6.2	
		Center		
S			20.5	
Ctr			15.3	
N			23.0	
		E.L. Florida		
N			22.9	
Ctr			20.5	
S			17.4	
T.P.	0.71	233.20	12.43	232.49
		0+25 E of Florida		
S			9.0	
Ctr			9.0	
S			1.9	

		333.20		
		0+50		
N			2.2	
ctr			8.4	
S			12.7	
		0+75		
S			13.3	
ctr			9.5	
N			3.6	
		1+0		
N			5.7	
ctr			10.7	
S			16.3	
T.P.	4.32	324.87	13.65	220555
		1+25		
S			8.9	
ctr			5.2	
N			0.1	

		1+50		
N			3.5	
ctr			6.6	
S			12.7	
		1+75		
S			10.6	
ctr			9.6	
N			9.3	
		2+0		
N			10.1	
ctr			9.9	
S			12.4	
		2+25		
S			10.3	
ctr			10.4	
N			9.6	

324.87

2+6-0

N 10.9

ctr 8.5

S 9.3

2+7.5

S 7.9

ctr 6.7

N 7.3

3+0 = W. L. Alabama

N 3.7

ctr 5.1

S 9.8

POSTED

Levels on Myrtle St Georgia To Alabama 5/9/09 Drinkle Shaw Digiel
80' Wide

B.M. N.E. Hub Georgia & Myrtle 279.89

B.M.	2.42	282.31	300 as assumed.
0+0 = E.L. Georgia Taking Georgia as 60' S			
N	+0.2		
Ctr	2.3	280.0	
S	6.6		
0+10 = EL. Georgia 2.5 80' S			
S	7.9		
Ctr	4.5	277.8	
N	2.6		
0+35 E			
N	8.3		
Ctr	10.5	271.8	
S	13.0		
T.P.	0.73	270.09	12.95 269.36

POSTED

270.09

0+60

POSTED

S	8.8		
Ctr	6.6	263.5	
N	4.5		
0+85			
N	12.4		
Ctr	14.3	255.8	
S	16.0		
T.P.	0.65	257.91	12.53 257.26
1+10			
S	8.9		
Ctr	8.9	249.0	
N	8.0		
T.P.	0.39	246.06	12.29 245.67
1+35			
N	1.4		
Ctr	2.8	244.2	
S	4.9		

		246.06			
		1+60			
S			10.8		
ctr			8.9	237.1	
N			8.5		
		1+85			
N			16.9		
ctr			15.0	231.0	
S			16.9		
T. P.	0.87	233.99	12.94	233.12	Hose at Sta 1+70 from Gurney on S. side
T. P.	0.87	223.43	11.43	222.56	
		2+10			
S			0.1		
ctr			1.7	221.7	
N			5.4		
		2+35			
N			19.4		
ctr			11.7	211.7	
S			4.7		
T. P.	0.46	210.95	12.94	210.49	

	2+60			
S		3.6		
ctr		5.8	205.1	
N		6.4		
	2+85			
N		8.1		
ctr		8.5	202.4	
S		8.7		
	3+10 = W.L. Florida ST 80'			
S		9.7		
ctr		11.9	199.0	
N		11.5		
	E.L. Florida			
N		7.4		
ctr		9.5	201.4	
S		9.9		

		210.95		
		0+25 E		
S			9.3	
ctr			8.1	202.8
N			6.9	
		0+50		
N			5.7	
ctr			5.9	205.0
S			8.5	202.4
		0+95		
S			4.2	206.7
ctr			3.2	207.7
N			2.4	
T.P.	12.80	223.37	0.38	210.57
		1+0		
N			10.7	
ctr			10.8	212.6
S			12.7	198.2

		1+25		
S			9.5	
ctr			6.0	217.4
N			5.2	
		1+50		
N			+1.4	
ctr			2.0	221.4
S			9.3	214.0
T.P.	11.77	234.83	0.31	223.06
		1+75		
S			23.2	
ctr			10.3	224.5
N			3.2	
T.P.	12.46	246.75	0.54	234.29
		2+0		
N			8.4	
ctr			18.6	227.1
S			32.6	214.1

	246.75			
	2+25			
S		26.7		
ctr		15.4	231.3	
N		5.1		
	2+50			
N		2.3		
ctr		13.5	233.0	
S		25.1		
	2+75			
S		21.7		
ctr		11.0	235.8	
N		0.2		
T.P.	10.24	256.00	0.99	245.76
	3+0. = W.L. Alabama			
N		6.7		
ctr		16.7	239.3	
S		28.5		

Myrtle St 60' wide E. of Alabama

E.L. Alabama St.

S	256.00	11.6	244.4	
ctr		22.6	233.4	
N		24.2	231.8	
	0+25 E			
N	256.00	19.6	236.4	
ctr		19.2	236.8	
S		12.6	243.4	
	0+50			
S	256.00	14.5	241.5	
ctr		24.8	231.2	
N		15.4	240.6	
	0+75			
N	256.00	8.7	247.3	
ctr		19.2	236.8	
S		18.2	237.8	

POSTED

		256.00		
		1+00		
S			21.9	234.1
ctr			13.7	242.3
N			1.5	254.5
T.P.	12.31	267.03	1.28	254.72
		1+25		
N			7.0	260.0
ctr			15.4	251.6
S			28.0	239.0
		1+50		
S		267.0	15.8	251.2
ctr			6.9	260.1
N			3.9	263.1
T.P.	11.93	278.00	0.96	266.07
		1+75		
N			11.9	266.0
ctr			14.5	263.5
S			17.0	261.0

		2+00		
S		278.00	13.3	264.7
ctr			11.2	266.8
N			9.4	268.6
		2+25		
N			7.5	270.5
ctr			8.9	269.1
S			10.7	267.3
		2+50 = N.L. M.S 5153 POI ST-80		
S		278.00	8.1	269.9
ctr			6.8	271.2
N			5.2	272.8
T.P.	6.10	282.55	1.55	276.45
		E.L. M.S 5		
N			6.1	276.5
ctr			6.8	275.8
S			7.5	275.1

	282.55		
	0+25 E		
S		6.9	275.7
Ctr		6.1	276.5
N		5.5	277.1
	0+50		
N		4.9	277.7
Ctr		5.8	276.8
S		6.6	276.0
	0+75		
S	282.6	6.3	276.3
Ctr		5.2	277.4
N		4.7	277.9
	1+0		
N		4.2	278.4
Ctr		4.9	277.7
S		5.6	277.0

	1+25		
S	282.6	5.1	277.5
Ctr		4.9	277.7
N		4.7	277.9
	1+50		
N		5.5	277.1
Ctr		5.3	277.3
S		5.6	277.0
	1+75		
S	282.6	6.9	275.7
Ctr		6.5	276.1
N		6.3	276.3
	2+0		
N		7.1	275.5
Ctr		8.3	274.3
S		8.8	273.8

		282.55		
		2+25		
S		282.6	9.8	272.8
ctr			8.7	273.9
N			7.5	275.1
		2+52.5 = W.L. Louisiana at 80		
N			6.2	276.4
ctr			6.6	276.0
S			7.7	274.9
		E.L. Louisiana		
S		282.6	6.5	276.1
ctr			5.8	276.8
N			5.3	277.3
T.P.	8.09	285.28	5.36	277.19
		0+25 E		
N		285.3	6.4	278.9
ctr			7.3	278.0
S			7.4	277.9
		0+50		
S			6.4	278.9
ctr			6.0	279.3
N			5.6	279.7

		285.3		
		0+75		
N			4.7	280.6
ctr			5.5	279.8
S			6.0	279.3
		1+0		
S			6.3	279.0
ctr			5.7	279.6
N			5.3	280.0
		1+25		
N		285.3	5.7	279.6
ctr			6.0	279.3
S			6.5	278.8
		1+50		
S			7.5	277.8
ctr			6.8	278.5
N			6.8	278.5
		1+75		
N			5.8	279.5
ctr			7.2	278.1
S			7.2	279.1
		2+0		
S			6.3	279.0
ctr			6.4	278.9
N			5.1	280.2
		2+25		
N			5.4	279.9
ctr			5.8	279.5
S			5.8	279.5
		2+52 = W.L. Texas		
S			4.7	280.6
ctr			4.5	280.8
N			4.6	280.7

POSTED

Levels on Wightman St Alabama — Dunkle
To Texas " 60' wide — Shaw
B.M. Mon. University & Alabama 265.57 — Dyjak

B.M.	10.78	276.35	
E.L. Alabama			
N		14.2	~~264.2~~ 262.2
ctr		18.5	257.9
S		14.7	261.7
0+25 E			
S		11.8	~~266.6~~ 264.6
ctr		13.8	262.6
N		12.0	~~266.4~~ 264.4
0+50			
N		10.3	266.1
ctr		9.9	266.5
S		9.1	267.3
0+75			
S		7.3	269.1
ctr		7.8	268.6
N		8.2	268.2
1+00			
N		276.35	5.8 270.6
ctr			5.6 270.8
S			5.2 271.2
1+25			
S			2.8 273.6
ctr			3.4 273.0
N			3.0 273.4
T.P.	11.73	286.20	1.88 274.47
1+50			
N			10.2 276.0
ctr			10.8 275.4
S			10.9 275.3
1+75			
S			9.1 277.1
ctr			8.7 277.5
N			8.3 277.9

POSTED

286.20

2+0

N	6.6	279.6
Ctr	6.6	279.6
S	7.5	278.7

2+25

S	6.4	279.8
Ctr	5.5	280.7
N	5.5	280.7

2+50 = W.L. Mississippi 5+80'

N	4.2	282.0
Ctr	4.6	281.6
S	5.2	281.0

Center

S	3.5	282.7
Ctr	2.7	283.5
N	2.9	283.3

T.P. 9.31 293.34 2.17 284.03

293.34

E.L. Miss.

N	8.8	284.5
Ctr	9.1	284.2
S	9.4	283.9

0+25 E

S	9.2	284.1
Ctr	8.6	284.7
N	8.1	285.2

0+50

N	7.8	285.5
Ctr	8.3	285.0
S	8.8	284.5

0+75

S	8.3	285.0
Ctr	8.0	285.3
N	7.2	286.1

293.34

1+00

N		6.7	286.6
ctr		7.3	286.0
S		8.2	285.1

1+25

S		7.5	285.8
ctr		6.7	286.6
N		6.0	287.3

1+50

N		5.4	287.9
ctr		5.7	287.6
S		6.6	286.7

1+75

S		6.0	287.3
ctr		5.2	288.1
N		4.8	288.5

2+00

N		4.2	289.1
ctr		4.6	288.7
S		5.8	287.5

2+25

S		5.6	287.7
ctr		4.7	288.6
N		3.7	289.6

2+50 = W.L. Louisiana St 80'

N		3.0	290.3
ctr		4.0	289.3
S		5.5	287.8

Center

S		3.8	289.5
ctr		2.8	290.5
N		1.5	291.8
T.P.	10.61	303.49	0.46 292.88

303.49

E.L. Louisiana St

N		9.5	294.0
ctr		11.1	292.4
S		12.1	291.4
	0+25 E		
S		9.9	293.6
ctr		9.0	294.5
N		7.7	295.8
	0+50		
N		6.2	297.3
ctr		7.3	296.2
S		7.8	295.7
	0+75		
S		6.0	297.5
ctr		5.3	298.2
N		4.1	299.4

		1+0		
N			3.0	300.5
ctr			3.7	299.8
S			4.5	299.0
		1+25		
S			2.9	300.6
ctr			2.2	301.3
N			1.6	301.9
T.P	10.96	312.27	1.68	301.81
		1+50		
N			8.8	303.5
ctr			9.6	302.7
S			10.0	302.3
		1+75		
S			8.9	303.4
ctr			8.1	304.2
N			7.6	304.7

POSTED

312.27

2+0

N	6.6	305.7
ctr	7.2	305.1
S	7.7	304.6

2+25

S	6.9	305.4
ctr	6.0	306.3
N	5.5	306.8

2+50 = W.L. Texas

N	4.7	307.6
ctr	5.4	306.9
S	6.1	306.2

POSTED

Levels on Landis St Louisiana 5/6/09 Dunk
To Alabama " 60' W.ly Shaw
B.M. mark S.E. Louisiana & Landis 288.47 Digit

B.M.	1.34	289.81	
W.L. Louisiana			
S		3.8	286.0
Ctr		4.1	285.7
N		4.3	285.5
0+25 W			
N		5.1	284.7
Ctr		4.5	285.3
S		3.9	285.9
0+50			
S		4.2	285.6
Ctr		4.5	285.3
N		5.4	284.4
0+75			
N		5.3	284.5
Ctr		4.9	284.9
S		4.8	285.0

POSTED

1+00			
S		5.6	284.2
Ctr		5.8	284.0
N		6.1	283.7
1+25			
N		7.2	282.6
Ctr		6.6	283.2
S		6.3	283.5
1+50			
S		7.6	282.2
Ctr		7.6	282.2
N		8.0	281.8
1+75			
N		9.3	280.5
Ctr		8.9	280.9
S		8.8	281.0

POSTED

	289.81			
	2+0			
S		10.3	279.5	
ctr		10.5	279.3	
N		11.0	278.8	
	2+25			
N		13.5	276.3	
ctr		12.5	277.3	
S		11.5	278.3	
T.P.	1.77	278.74	12.84	276.97
	2+50 E.L. Mississippi St 80'			
S		1.8	276.9	
ctr		3.2	275.5	
N		4.6	274.1	
	Center			
N		7.1	271.6	
ctr		5.5	273.2	
S		4.1	274.6	

W. L. Miss. St

S	278.74	6.7	272.0	
ctr		7.7	271.0	
N		9.1	269.6	
				hub S.E Miss & Landis
T.P.	1.25	273.25	6.74	272.00
	0+25 W			
N		5.8	267.5	
ctr		3.4	269.9	
S		2.6	270.7	
	0+50			
S		4.3	269.0	
ctr		5.7	267.6	
N		9.2	264.1	
	0+75			
N		13.5	259.8	
ctr		8.7	264.6	
S		6.7	266.6	

		273.25		
		1+0		
S			9.4	263.9
Ctr			12.6	260.7
N			17.0	2√6.3
T.P.	0.63	261.65	12.23	261.02
		1+25		
N			8.1	2√3.6
Ctr			3.8	2√7.9
S			0.1	261.6
		1+50		
S			2.7	2√9.0
Ctr			6.3	2√√.4
N			10.6	2√1.1
		1+75		
N			12.5	249.2
Ctr			8.9	2√2.8
S			5.2	2√6.√

	2+0		
S	261.6√	7.8	2√3.9
Ctr		11.6	2√0.1
N		15.3	246.4
	2+25		POSTED
N		19.1	2426
Ctr		14.9	246.8
S		10.2	2√1.√
	2+50 = E.L. Hattama St		
S		12.6	249.1
Ctr		17.1	244.6
N		23.3	238.4

Levels on Dwight St Alabama to Texas St. 60' wide 5/9/09 Dunkle Shaw Azzi

B.M. hub S.W. Mississippi, Dwight 278.30

B.M.		372	282.02
	E.L. Alabama	371	
N		15.9	266.1
Ctr		15.7	266.3
S		16.0	266.0
	0+25 E		
S		14.2	267.8
Ctr		14.0	268.0
N		14.2	267.8
	0+50		
N		12.2	269.8
Ctr		12.1	269.9
S		12.3	269.7
	0+75		
S		10.8	271.2
Ctr		10.9	271.1
N		10.7	271.3

POSTED

	1+0		
N		9.0	273.0
Ctr		9.3	272.7
S		9.8	272.2
	1+25		
S		8.4	273.6
Ctr		8.1	273.9
N		7.8	274.2
	1+50		
N		6.8	275.2
Ctr		7.0	275.0
S		7.2	274.8
	1+75		
S		6.3	275.7
Ctr		6.0	276.0
N		5.9	276.1

POSTED

2+0

N	282.02	5.1	276.9
ctr		5.0	277.0
S		5.2	276.8

2+25

S	4.3	277.7
ctr	4.2	277.8
N	4.3	277.7

2+50 = W.L. Mission 55+00, 57.80'

N	3.5	278.2
ctr	3.6	278.4
S	3.7	278.3

center

S	3.6	278.4
ctr	3.9	278.1
N	4.6	277.4

E.L. Mission St

N	282.02	8.4	273.6
ctr		6.6	275.4
S		5.2	276.8

0+25 E

S	6.2	275.8
ctr	8.3	273.7
N	12.4	269.6

0+50

N	7.9	274.1
ctr	9.9	272.1
S	6.9	275.1

0+75

S	6.5	275.5
ctr	6.6	275.4
N	5.6	276.4

		1+0		
N		282.02	4.0	278.0
ctr			5.0	277.0
S			5.7	276.3
		1+25		
S			4.8	277.2
ctr			3.7	278.3
N			2.5	279.5
		1+50		
N			1.1	280.9
ctr			2.2	279.8
S			3.6	278.4
T.P.	11.02	292.89	0.15	
		1+75		
S			13.5	279.4
ctr			12.1	280.8
N			10.9	282.0

	2+0		
N	292.89	10.6	282.3
ctr		11.5	281.4
S		12.4	280.5
	2+25		
S		11.9	281.1
ctr		11.7	281.2
N		11.2	281.7
	2+51 = W.L. Louisiana St 80'		
N		11.5	281.4
ctr		11.5	281.4
S		11.9	281.0
	center.		
S		10.9	282.0
ctr		11.3	281.6
N		11.1	281.8

E. of Louisiana

N	29.89	9.7	283.2
Ctr		10.6	282.3
S		11.1	281.8
	0+25 E		
S		9.9	283.0
Ctr		10.1	282.8
N		9.5	283.4
	0+50		
N		8.7	284.2
Ctr		10.0	282.9
S		10.1	282.8
	0+75		
S		8.9	284.0
Ctr		9.5	283.4
N		9.4	283.5

	1+0		
N		8.9	284.0
Ctr		9.1	283.8
S		8.5	284.4
	1+25		
S		8.0	284.9
Ctr		8.2	284.7
N		8.3	284.6
	1+50		
N		7.1	285.8
Ctr		7.7	285.2
S		7.5	285.4
	1+75		
S		7.0	285.9
Ctr		6.9	286.0
N		6.9	286.0

	2+0		
N	292.89	5.8	287.1
ctr		6.0	286.9
S		5.8	287.1
	2+25		
S		4.8	288.1
ctr		4.6	288.3
N		4.5	288.4
	2+51.2 = W. L. Texas & P.		
N		3.1	289.8
ctr		2.8	290.1
S		3.2	289.7

Levels on Wightman St Oregon To Idaho " 60' wide 5/7/09 Dunn Shaw Dezie

B.M. brass Plg Men Univ. Oregon 338.85

B.M.	8.62	347.47	
		E. L. Oregon	
S		5.9	341.6
Ctr		6.4	341.1
N		6.7	340.8
	0+25 E.		
N		5.8	341.7
Ctr		5.5	342.0
S		5.2	342.3
	0+50		
S		4.6	342.9
Ctr		5.0	342.5
N		5.1	342.4
	0+75		
N		4.4	343.1
Ctr		4.7	342.8
S		4.3	343.2
	1+0		
S		347.47	4.0 343.5
Ctr			4.1 343.4
N			4.0 343.5
	1+25		
N			3.5 344.0
Ctr			3.6 343.9
S			3.3 344.2
T. P.	5.27	350.33	2.41 345.06
	1+50		
S			5.9 344.4
Ctr			6.0 344.3
N			5.9 344.4
	1+75		
N			5.8 344.5
Ctr			5.9 344.4
S			6.1 344.2

POSTED

350.33

2+0

S 5.6 344.7

Ctr 5.5 344.8

N 5.6 341.7

2+25

N 5.7 344.6

Ctr 5.7 344.6

S 5.4 344.9

2+65 = W.L. Idaho St

S 5.5 344.8

Ctr 5.6 344.7

N 5.5 344.8

Levels on Landis St Oregon T 5/8/09 Dunkle
Idaho St " 60' wide Shaw
B.M. hub S.E. Landis & Oregon 341.16 Doyle

B.M	6.02	347.18	
	E.L. Oregon St		
N		5.9	341.3
Ctr		6.0	341.2
S		6.0	341.2
	0+25 E		
S		4.7	342.5
Ctr		5.5	341.7
N		5.6	341.6
	0+50		
N		5.2	342.0
Ctr		4.8	342.4
S		5.5	341.7
	0+75		
S		5.2	342.0
Ctr		4.7	342.5
N		4.8	342.4
	1+0		
N		4.6	342.6
Ctr		4.3	342.9
S		4.9	342.3
	1+25		
S		4.7	342.5
Ctr		4.4	342.8
N		4.3	342.9
	1+50		
N		4.5	342.7
Ctr		5.0	342.2
S		3.8	343.4
	1+75		
S		4.6	342.6
Ctr		4.8	342.4
N		4.6	342.6

POSTED

2+0

N	4.4	342.8
Ck	3.8	343.4
S	4.3	342.9

2+2S

S	4.4	342.8
Ck	4.7	342.5
N	4.4	342.8

2+6S = W.L. Idaho St

N	4.1	343.1
Ck	4.5	342.7
S	3.3	343.9

Levels on Dwight St. Oregon 5/8/09 Dunkle
Idaho 1.1 60' wide Shaw
Bolt hub N.E. Oregon & Dwight 328.26 Ryzek

B.M	10.52	338.78	
	E.L. Oregon St		
N		10.5	328.3
ctr		10.8	328.0
S		13.1	325.7
	0+25 E		
S		12.7	326.1
ctr		11.3	327.5
N		9.8	329.0
	0+50		
N		9.7	329.1
ctr		10.3	328.5
S		12.0	326.8
	0+75		
S		11.1	327.7
ctr		10.1	328.7
N		8.3	330.5

1+0		
N	7.8	331.0
ctr	9.2	329.6
S	10.2	328.6
1+25		
S	8.8	330.0
ctr	8.1	330.7
N	8.2	330.6
1+50		
N	7.6	331.2
ctr	8.2	330.6
S	9.3	329.5
1+75		
S	8.3	330.5
ctr	7.2	331.6
N	6.1	332.7

338.78

2+0

N	6.3	332.5
Ctr	6.1	332.7
S	7.1	331.7

2+25

S	6.1	332.7
Ctr	6.8	332.0
N	5.9	332.9

2+65 = W.L. Idaho St

N	3.2	335.6
Ctr	4.7	334.1
S	5.7	333.1

on Myrtle St. Oregon To 5/27/09 Dunkle
" 60' wide Shaw
Sub N.E. Myrtle, Oregon 326.58 Ryder
M. 8.64 335.22
E.L. Oregon

N		335.2	8.6	326.6
				326.5
			8.7	POSTED
Ctr				
S			7.7	327.5
		0+25 E		
S		335.2	8.2	327.0
Ctr			7.8	327.4
N			7.3	327.9
		0+50		
N		335.2	6.2	328.0
Ctr			7.1	328.1
S			6.1	329.1
		0+75		
S		335.2	6.4	328.8
Ctr			6.4	328.8
N			6.2	329.0
T.P.	8.26	338.00	6.08	329.14

	1+0	POSTED	
	339.0		
	332.4		
N		8.4	329.6
Ctr		8.5	329.5
S		8.5	329.5
	1+25		
S	338.0	8.0	330.0
Ctr		7.8	330.2
N		8.1	329.9
	1+50		
N	338.0	7.0	331.0
Ctr		7.0	331.0
S		7.0	331.0
	1+75		
S	338.0	6.5	331.5
Ctr		6.6	331.4
N		6.4	331.6

2+20

N	338.0	5.2 — 332.8
etc		5.6 — 332.4
S		6.2 — 331.8

2+25

S	338.0	5.9 — 332.1
etc		5.8 — 332.2
N		5.5 — 332.5

2+35 = W.C. Idaho St

N	338.0	3.5 — 334.5
etc		4.4 — 333.6
S		5.3 — 332.7

Sewer Construction 3/16/64 Moore
Alabama + Myrtle

~~~56.21~~

40' S. of Dwight = 0+00				
+50	1.03	~55.36	249.50	+5.86
	1.51	~54.90	247.15	+5.75
+50	1.90	~54.51	245.25	+5.91
	2.28	~54.1	243.35	+5.68
or	3.05	~53.3	239.50	+5.76
+50 = M.H.	3.71	~53.20	247.75	+5.45
+98.8	3.58	~52.8	247.75	+5.43
347.6	3.92	~52.9	247.05	+5.44
396.4	4.20	~52.1	246.70	+5.51
445.2	4.60	~51.7	246.35	+5.46
1921.0 = MH & Myrtle	4.93	~51.8	246.0	+5.48
542'	5.54	~51.7	246.30	+4.37
590'	6.20	~51.1	247.0	+3.21
638' Blk	4.88	~51.9	247.50	+4.03
689' S	2.15	~52.6	249.37	+4.09
740	0.82	~52.9	251.25	+4.34
791	3.59	~47.1	~253.12	+4.65

~~261.36~~

25596 Dwight + Ala. N.E.R.P.
045
~~56.41~~
05N
~~55.59~~
5.77
~~61.36~~

stubs = 2' offset

M.H = 4' ✓
~~~

Sewer Construction Fla. + Myrtle

	~201.36				
84 ~ S = DE.		1.79	~59.57	~55.0	~4.57
MH. & Fla. + Myrtle = 0+00				246.0	(5+48)
30 W		10.0 ~	~51.34	244.25	+ 7.09
	~248.9~				
60 W Brk		2.35	~46.57	242.50	+ 4.07
110		9.8~	~39.10	236.37	+ ~.73
	~36.6~				
160		3.08	~33.54	230.25	+ 3.29
210		9.31	~7.31	~24.12	+ 3.19
	~24.78				
~60 Brk		3.76	~11.0~	~18.0	+3.0~
310		12.68	~1.10	210.0	+ 2.10
	~12.67				
360 13rk		8.0~	~04.6~	202.0	+ 2.6~
404		11.31	~01.36	198.75	+ 2.61
	204.99				
448 W = Existing MH. & Florida				195.50	
				195.0	

201.36	
12.72	
248.64	
0.28	
248.92	
12.97	
35.95	
0.67	
36.62	
12.08	
24.54	
02	
24.78	
12.68	
12.10	
03	
12.67	
11.31	
01.36	
3.63	
04.99	

Published by H. S. CROCKER COMPANY, Stationers, Drawing Materials, Mathematical Instruments, etc., San Francisco.

TRAVERSE TABLE FOR TRANSIT BOOK.

From 1° to 90° for a distance of 100.

Degrees.	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
0			100.00	0.44	100.00	0.87	99.99	1.31	89
1	99.98	1.75	99.98	2.18	99.97	2.62	99.95	3.05	88
2	99.94	3.49	99.92	3.93	99.91	4.36	99.88	4.80	87
3	99.86	5.23	99.84	5.67	99.81	6.10	99.79	6.54	86
4	99.76	6.98	99.73	7.41	99.69	7.85	99.66	8.28	85
5	99.62	8.72	99.58	9.15	99.54	9.58	99.50	10.02	84
6	99.45	10.45	99.41	10.89	99.36	11.32	99.31	11.75	83
7	99.25	12.19	99.20	12.62	99.14	13.05	99.09	13.49	82
8	99.03	13.92	98.97	14.35	98.90	14.78	98.84	15.21	81
9	98.77	15.64	98.70	16.07	98.63	16.50	98.56	16.93	80
10	98.48	17.36	98.40	17.79	98.33	18.22	98.25	18.65	79
11	98.16	19.08	98.08	19.51	97.99	19.94	97.90	20.36	78
12	97.81	20.79	97.72	21.22	97.63	21.64	97.53	22.07	77
13	97.44	22.50	97.34	22.92	97.24	23.34	97.13	23.77	76
14	97.03	24.19	96.92	24.62	96.81	25.04	96.70	25.46	75
15	96.59	25.88	96.48	26.30	96.36	26.72	96.25	27.14	74
16	96.13	27.56	96.00	27.98	95.88	28.40	95.76	28.82	73
17	95.63	29.24	95.50	29.65	95.37	30.07	95.24	30.49	72
18	95.11	30.90	94.97	31.32	94.83	31.73	94.69	32.14	71
19	94.55	32.56	94.41	32.97	94.26	33.38	94.12	33.79	70
20	93.97	34.20	93.82	34.61	93.67	35.02	93.51	35.43	69
21	93.36	35.84	93.20	36.24	93.04	36.65	92.88	37.06	68
22	92.72	37.46	92.55	37.86	92.39	38.27	92.22	38.67	67
23	92.05	39.07	91.88	39.47	91.71	39.87	91.53	40.27	66
24	91.35	40.67	91.18	41.07	91.00	41.47	90.81	41.87	65
25	90.63	42.26	90.45	42.66	90.26	43.05	90.07	43.44	64
26	89.88	43.84	89.69	44.23	89.49	44.62	89.30	45.01	63
27	89.10	45.40	88.90	45.79	88.70	46.17	88.50	46.56	62
28	88.29	46.95	88.09	47.33	87.88	47.72	87.67	48.10	61
29	87.46	48.48	87.25	48.86	87.04	49.24	86.82	49.62	60
30	86.60	50.00	86.38	50.38	86.16	50.75	85.94	51.13	59
31	85.72	51.50	85.49	51.88	85.26	52.25	85.04	52.62	58
32	84.80	52.99	84.57	53.36	84.34	53.73	84.10	54.10	57
33	83.87	54.46	83.63	54.83	83.39	55.19	83.15	55.56	56
34	82.90	55.92	82.66	56.28	82.41	56.64	82.16	57.00	55
35	81.92	57.36	81.66	57.71	81.41	58.07	81.16	58.42	54
36	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	53
37	79.86	60.18	79.60	60.53	79.34	60.88	79.07	61.22	52
38	78.80	61.57	78.53	61.91	78.26	62.25	77.99	62.59	51
39	77.71	62.93	77.44	63.27	77.16	63.61	76.88	63.94	50
40	76.60	64.28	76.32	64.61	76.04	64.94	75.76	65.28	49
41	75.47	65.61	75.18	65.93	74.90	66.26	74.61	66.59	48
42	74.31	66.91	74.02	67.24	73.73	67.56	73.43	67.88	47
43	73.14	68.20	72.84	68.52	72.54	68.84	72.24	69.15	46
44	71.93	69.47	71.63	69.78	71.33	70.09	71.02	70.40	45
45	70.71	70.71							

Degrees.	DEGREES		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	