Return to City Engineers Office
City Hall, San Diego, Cal.

400 LEVEL

F.B. 464

Return to City Engineers Office
City Hall, San Diego, Cal.

Published by H. S. CROCKER COMPANY, Stationers, Drawing Materials, and Mathematical Instruments, San Francisco.

Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

MINUTES.	LKS.	MINUTES.	LKS.	MINUTES.	LKS.
1	2 1/3	21	49	41	95 2/3
2	4 2/3	22	51 1/3	42	98
3	7	23	53 2/3	43	100 1/3
4	9 1/3	24	56	44	102 2/3
5	11 2/3	25	58 1/3	45	105
6	14	26	60 2/3	46	107 1/3
7	16 1/3	27	63	47	109 2/3
8	18 2/3	28	65 1/3	48	112
9	21	29	67 2/3	49	114 1/3
10	23 1/3	30	70	50	116 2/3
11	25 2/3	31	72 1/3	51	119
12	28	32	74 2/3	52	121 1/3
13	30 1/3	33	77	53	123 2/3
14	32 2/3	34	79 1/3	54	126
15	35	35	81 2/3	55	128 1/3
16	37 1/3	36	84	56	130 1/3
17	39 2/3	37	86 1/3	57	133
18	42	38	88 2/3	58	135 1/3
19	44 1/3	39	91	59	137 2/3
20	46 2/3	40	93 1/3	60	140

MICROFILMED
OCT 1 1964

TABLE FOR RUNNING ON SLOPES.

In the following table the first column shows the angle, the second the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement.

ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS
°		°		°		°	
4	0.24	11	1.88	18	5.14	25	10.54
5	0.38	12	2.24	19	5.76	26	11.26
6	0.55	13	2.63	20	6.42	27	12.24
7	0.76	14	3.06	21	7.11	28	13.37
8	0.98	15	3.53	22	7.85	29	14.34
9	1.24	16	4.02	23	8.64	30	15.47
10	1.55	17	4.56	24	9.47	35	22.07

Crocker Quality

LEVEL BOOK

No. 400

COMMUNI CONSENSU TRADE PRIMO MADE

MANUFACTURED BY

A. S. Crocker Co.

SAN FRANCISCO
and
SACRAMENTO

OK ✓ JRL

✓ BM 45.00 { NW bear of Vallair & Fronde Stake in Pale

✓ BM 31.04 NW bear Vallair & Eberott Sp in Pale

blough Fronde St Continued from
Dimon
Rodgers Book 463

17.259 215 N. = 3 line Lotus (50)'

E. L.		50.01	5.3	44.7
C			5.7	44.3
¼			6.0	44.0
C			6.1	43.9
¼			6.7	43.3
C			6.9	43.1
W. L.			7.2	42.8
				42.79
T. P.	5.18	47.97	7.20	42.81

N. line Lotus

W. L.			5.9	42.1
C			5.5	42.5
¼			5.1	42.9
C			4.7	43.3
¼			4.5	43.5
C			4.2	43.8
E. L.			4.1	43.9

47.97

50' n. Lotus Vlt.

E.L.	4.6	43.4
C	5.0	43.0
¼	5.2	42.8
C	5.2	42.8
¼	5.6	42.4
C	6.0	42.0
W.L.	6.3	41.7

100' n Lotus Vlt.

W.L.	7.1	40.9
C	7.0	41.0
¼	6.5	41.5
C	5.7	42.3
¼	5.9	42.1
C	5.6	42.4
E.L.	5.1	42.9

47.97

Rounds 2

150' n Lotus Vlt.

E.L.	6.1	41.9
C	6.1	41.9
¼	6.4	41.6
C	6.4	41.6
¼	7.1	40.9
C	7.7	40.3
W.L.	7.7	40.3

169' n Lotus Vlt. = S line Green E.

W.L.	7.4	40.6
C	7.2	40.8
¼	7.1	40.9
C	6.8	41.2
¼	6.7	41.3
C	6.4	41.6
E.L.	6.1	41.9

47.97

215' W
169' E } = S line Green.

E.L.			6.1	41.9
C			6.5	41.5
¼			6.7	41.3
C			7.0	41.0
¼			7.8	40.2
C			8.0	40.0
W.L.	5.61	45.86	7.72	B.M. 40.25

Sesha St



POSTED

Count Intersection of Green St (50') 3
Drain Polys E & of P.L. 205 to Blvd

45.86

5-19-09 (96') & line of Fronde of P.L. 205 43.8

POSTED

W.L.	2.3	43.6
C	2.5	43.4
¼	2.6	43.3
C	2.7	43.2
¼	2.8	43.1
C	3.5	42.4
M.L.	3.4	42.5

47' W. P.L.

M.L.	3.7	42.2
C	3.9	42.0
¼	3.5	42.4
C	3.3	42.6
¼	3.1	42.8
C	3.2	42.7
W.L.	2.8	43.1

45.86

(66) 97' Or. = E line Fronde Ht. (60')

S. L.	4.0	41.9
C	4.0	41.9
¼	4.2	41.7
C	4.2	41.7
¼	4.7	41.2
C	4.7	41.2
N. L.	4.7	41.2

E. curb Fronde Ht.

N. L.	5.1	40.8
C	5.0	40.9
¼	4.8	41.1
C	4.6	41.3
¼	4.5	41.4
C	4.7	41.2
S. L.	4.5	41.4

45.86

Green

East quarter Fronde Ht.

S. L.	4.6	41.3
C	4.7	41.2
¼	5.0	40.9
C	4.9	41.0
¼	5.1	40.8
C	5.3	40.6
N. L.	5.2	40.7

Center Fronde.

N. L.	5.5	40.4
C	5.6	40.3
¼	5.2	40.7
C	5.2	40.7
¼	5.3	40.6
C	5.0	40.9
S. L.	4.9	41.0

45.86

West quarter Fronde Ht.

S.L.	5.5	40.4
C	5.5	40.4
¼	5.5	40.4
C	5.4	40.5
¼	5.4	40.5
C	5.9	40.0
N. L.	5.5	40.4

West end Fronde

N. L.	6.0	39.9
C	5.9	40.0
¼	5.8	40.1
C	5.7	40.2
¼	6.1	39.8
C	5.9	40.0
S. L.	5.9	40.0

45.86

Grum 5

(50) West line Fronde Ht.

S.L.	5.6	40.3
C	6.0	39.9
¼	6.1	39.8
C	6.1	39.8
¼	6.3	39.6
C	6.5	39.4
N. L.	6.2	39.7

50' W. Fronde:

N. L.	7.4	38.5
C	7.5	38.4
¼	7.6	38.3
C	7.1	38.8
¼	7.5	38.4
C	7.5	38.4
S. L.	7.2	38.7

45.86

100' W. Fronde Mt.

M.L.			8.3	37.6
C			8.4	37.5
¼			8.4	37.5
C			8.3	37.6
¼			8.7	37.2
C			8.7	37.2
M.L.			8.7	37.2

150' W. Fronde.

M.L.			9.2	36.7
C			8.8	37.1
¼			8.8	37.1
C			8.3	37.6
¼			9.1	36.8
C			9.1	36.8
M.L.			9.0	36.9
T.P.	2.53	39.80	8.59	37.27

39.80

(50') 200' W. Fronde Mt.

M.L.	3.2	36.6
C	3.1	36.7
¼	3.3	36.5
C	3.2	36.6
¼	3.7	36.1
C	3.7	36.1
M.L.	3.5	36.3

250' W. Fronde

M.L.	4.1	35.7
C	4.0	35.8
¼	4.0	35.8
C	3.4	36.4
¼	3.8	36.0
C	3.8	36.0
M.L.	3.7	36.1

39.80

300' W. Fwnde Alt.

H.L.	4.6	35.3
C	4.4	35.4
¼	4.4	35.4
C	4.2	35.6
¼	4.8	35.0
C	4.8	35.0
N.L.	4.8	35.0

350' W. Fwnde.

N.L.	5.5	34.3
C	5.2	34.6
¼	5.2	34.6
C	5.0	34.8
¼	5.4	34.4
C	5.4	34.4
H.L.	5.3	34.5

39.80

Grein 7

400' W. Fwnde Alt.

H.L.	6.0	33.8
C	6.3	33.5
¼	6.4	33.4
C	6.1	33.7
¼	6.7	33.1
C	6.7	33.1
N.L.	6.6	33.2

450' W. Fwnde.

N.L.	7.6	32.2
C	7.4	32.4
¼	7.3	32.5
C	6.9	32.9
¼	7.3	32.5
C	7.1	32.7
H.L.	7.1	32.7
T.P.	3.36	36.00	7.16	32.64

500' W. Fronde Mt.

M.L.	3.7	32.3
C	3.8	32.2
¼	3.9	32.1
C	3.8	32.2
¼	4.2	31.8
C	4.4	31.6
N.L.	4.2	31.8

550' W. Fronde.

N.L.	4.6	31.4
C	4.5	31.5
¼	4.4	31.6
C	4.1	31.9
¼	4.4	31.6
C	4.3	31.7
M.L.	3.9	32.1

Grun (60') 8

600' W. Fronde = & line Ebers Mt

M.L.	4.5	31.5
C	4.4	31.6
¼	4.8	31.2
C	4.3	31.7
¼	4.5	31.5
C	4.7	31.3
N.L.	4.9	31.1

POSTED

& curb Ebers.

N.L.	4.7	31.3
C	4.6	31.4
¼	4.7	31.3
C	4.6	31.4
¼	4.7	31.3
C	4.4	31.6
M.L.	4.6	31.4

E. quarter Ebes. Mt.

M. L.	4.6	31.4
C	4.6	31.4
¼	4.6	31.4
C	4.6	31.4
¼	4.7	31.3
C	4.8	31.2
M. L.	4.7	31.3

Centes Ebes.

M. L.	4.5	31.5
C	4.6	31.4
¼	4.5	31.5
C	4.3	31.7
¼	4.3	31.7
C	4.3	31.7
M. L.	4.3	31.7

W. quarter Ebes. Mt.

M. L.	4.6	31.4
C	4.6	31.4
¼	4.5	31.5
C	4.6	31.4
¼	4.7	31.3
C	4.9	31.1
M. L.	5.0	31.0

W. Curb. Ebes.

M. L.	4.9	31.1
C	4.8	31.2
¼	5.2	30.8
C	4.7	31.3
¼	4.6	31.4
C	4.5	31.5
M. L.	4.7	31.3

36.00

W. line - Elev - Ht.

W.L.		4.8	31.2	
C		4.6	31.4	
¼		4.6	31.4	
C		4.6	31.4	
¼		5.0	31.0	
C		5.0	31.0	
N.L.		4.8	31.2	
B.M.	Yd	35.48	4.76	31.24	BM SW 4 2 Tm

50' W. Elev Ht.

N. L.	4.5	31.0	
C	4.7	30.8	
¼	4.6	30.9	
C	4.4	31.3	
¼	4.5	31.0	
C	4.3	31.2	
S.L.	4.4	31.1	

35.48

100' W. Elev Ht.

S.L.	5.0	30.5
C	5.0	30.5
¼	4.9	30.6
C	4.6	30.9
¼	4.8	30.7
C	5.0	30.5
N.L.	4.9	30.6

150' W. Elev Ht.

N.L.	5.4	30.1
C	5.3	30.2
¼	5.3	30.2
C	5.2	30.3
¼	5.3	30.2
C	5.2	30.3
S.L.	5.1	30.4

35.48

193.5' W = Boulevard on North.

N.L.	5.8	29.7
C	5.7	29.8
¼	5.9	29.6
C	5.6	29.9
¼	5.8	29.7
C	6.1	29.4
N.L.	6.2	29.3

269' W. on N line

N. L.	6.7	28.8
C	6.6	28.9
¼	6.7	28.8
C = N line Boulevard.	6.5	29.0

35.48

Green

11

193.5' W on N
344.5' W on A
} = A line boulevard.

A.L.	7.4	28.1
C	7.3	28.2
¼	6.8	28.7
C	6.7	28.8
¼	6.5	29.0
C	5.9	29.6
N.L.	6.1	29.4
B.M. Hub.	6.13	29.35



POSTED

Holmquist Dinan Rodgers

Cross section of 2nd St Blvd.

Elev at (60) ft N side of Brighton

	5.09	36.33	31.24
	N side of Green St (52)		
N 2		5.1	31.2
ft		5.3	31.0
4		5.2	31.1
6		4.8	31.5
4		5.0	31.3
ft		5.0	31.3
E 2		5.2	31.1
	54 N of		
E 2		5.5	30.8
ft		5.5	30.8
4		5.6	30.7
6		5.1	31.2
4		5.5	30.8
ft		5.3	31.0
W 2		5.2	31.1

POSTED

BM S st & Elev at Green

	100	36.33 N of	Green
N 2			5.5 30.8
ft			5.5 30.8
4			5.6 30.7
6			5.3 31.0
4			5.8 30.5
ft			5.6 30.7
E 2			5.7 30.6
	100	2 of	Green St =
E 2			5.6 30.7
ft			5.6 30.7
4			5.7 30.6
6			5.4 30.9
4			6.0 30.3
ft			5.8 30.5
W 2			5.9 30.4

POSTED

Elev at

5 side of Blvd on W

3633

1955 n on E
1 x 2 n a W } = S Line of Blvd

W2	5.9	30.4
6	5.8	30.5
4	5.8	30.5
6	6.0	30.3
4	6.2	30.1
6	6.0	30.3
E2	6.3	30.03 Bm at Blvd

3633 Elm St

S Line of Green St

E2	4.8	31.5
6	5.0	31.3
4	4.9	31.4
6	4.6	31.7
4	5.0	31.3
6	5.2	31.1
W2	5.1	31.2

50' S of Green

W2	4.9	31.4
6	4.7	31.6
4	5.0	31.3
6	4.5	31.8
4	4.9	31.4
6	4.9	31.4
E2	4.6	31.7

J633

	100'	S of	Grun rt	
EL			43	32.0
bk			47	31.6
y			48	31.5
b			47	31.6
y			51	31.2
bk			49	31.4
WL			46	31.7
	150'	S of	Grun rt	
WL			51	31.2
bk			48	31.5
y			46	31.7
b			50	31.3
y			48	31.5
bk			46	31.7
EL			46	31.7

J633 Eber rt

	200'	S of	Grun rt	
EL			45	31.8
bk			50	31.3
y			50	31.3
b			47	31.6
y			51	31.2
bk			52	31.1
WL			52	31.1
TP	398	3528	503	31.30
	215'	S = Mkr of Lotus rt (50')		
WL			40	31.3
bk			41	31.2
y			40	31.3
b			38	31.5
y			40	31.3
bk			39	31.4
EL			39	31.4

35-24

Lösung 1 Lotus 2t

E2		3,9	31.4
fl		3,9	31.4
7		4,0	31.3
1		3,9	31.4
7		4,1	31,2
fl		4,1	31,2
W2		4,2	31,1

50	3 %	Lotus
W2	4,0	31,3
fl	3,9	31.4
7	4,2	31,1
1	3,9	31,4
7	4,1	31.2
fl	4,0	31.3
E2	3,9	31,4

35-24

Eben 2t

100	3 %	Braun	
E2		4,1	31.2
fl		4,1	31.4
7		4,3	31.0
1		4,1	31,2
7		4,4	30.9
fl		4,4	30.9
W2		4,4	30.9

150	3 %	Braun
W2	4,4	30.9
fl	4,4	30.9
7	4,4	30.9
1	4,0	31,3
7	4,3	31.0
fl	4,4	30.9
E2	4,0	31,3

35.24

	200	S of	Green	
E2			4,2	31.1
bl			4,4	30.9
4			4,4	30.9
b			4,1	31.1
4			4,5	30.8
bl			4,6	30.7
WL			4,6	30.7
	215'	S of	Wall	(80)
WL			4,5	30.8
bl			4,7	30.6
4			4,6	30.7
b			4,3	31,0
4			4,3	31.0
bl			4,2	31.1
E2			4,4	30.9
TP	4,94	35.76	4,47	30.81

30824

35.76

Elev 11

	S Line of	Wall	
WL		4,9	30.9
bl		5,2	30.6
H		5,2	30.6
b		4,7	31,1
H		5,0	30.8
bl		5,1	30.7
E2		4,9	30.9
	50' S of	Wall	
E2		4,7	31,1
bl		4,7	31.1
4		4,8	31.0
b		4,5	31.3
4		5,1	30.7
bl		4,9	30.9
WL		5,1	30.7

35-76

100' S of Voltaire

WL	5.1	30.7
bb	4.9	30.9
y	5.0	30.8
b	4.6	31.2
y	4.9	30.9
bb	4.7	31.1
EL	4.7	31.1

150' S of Voltaire st

EL	4.6	31.2
bb	4.5	31.3
y	4.8	31.0
b	4.5	31.3
y	5.0	30.8
bb	5.0	30.8
WL	5.0	30.8

35-76

Ebert St

200' S of Voltaire st

WL	4.9	30.9
bb	4.7	31.1
y	4.7	31.1
b	4.7	31.1
y	4.7	31.1
bb	4.6	31.2
EL	4.4	31.4

(50)

215' S = N Line of Muir st

EL	4.2	31.6
bb	4.3	31.5
y	4.6	31.2
b	4.3	31.5
y	4.6	31.2
bb	4.7	31.1
WL	4.9	30.9

POSTED

3576

3+65	S Line of	Muir	st
WL		4.62	31.14
bl		4.4	31.4
y		4.5	31.3
b		4.1	31.7
y		4.3	31.5
bl		4.8	31.0
EL		4.9	30.9

3+15	50'	Sq	Muir
EL		2.9	32.9
bl		3.4	32.4
y		3.5	32.3
b		3.6	32.2
y		4.3	31.5
bl		4.3	31.5
WL		4.3	31.5

3576

Eber St

3+65	100'	Sq	Muir	st
WL			4.7	31.6
bl			4.0	31.8
y			4.0	31.8
b			3.4	32.4
y			3.3	32.5
bl			3.0	32.8
EL			2.7	33.1

4+15	150'	Sq	Muir
EL			3.0	32.8
bl			3.1	32.7
y			3.3	32.5
b			3.4	32.4
y			3.8	32.0
bl			4.1	31.7
WL			4.3	31.5

3576

4+65	200'	S of	Main St	
WL			4.0	31.8
bl			4.0	31.8
y			3.8	32.0
b			3.4	32.4
y			3.2	32.6
bl			3.0	32.8
EL			2.8	33.0
4+80	215'	S of	n Line of Long Branch (50)	
EL			2.7	33.1
bl			2.9	32.9
y			3.1	32.7
b			3.1	32.7
y			3.6	32.2
bl			3.6	32.2
WL			3.7	32.1
TP	5.89	3848	3.19	32.57

3848

5+30	S Line of		Long Branch	
WL			5.9	32.6
bl			5.6	32.9
y			5.7	32.8
b			5.2	33.3
y			5.5	33.0
bl			5.0	33.5
EL			4.8	33.7
5+80	50'	S of	Long	Branch
EL			4.1	34.4
bl			4.2	34.3
y			4.5	34.0
b			4.2	34.3
y			4.9	33.6
bl			4.7	33.8
WL			5.2	33.3

3848

6+30	100	Sq	Long Branch	
WL			4.6	33.7
bh			4.4	34.1
4			4.4	34.1
6			3.8	34.7
4			3.8	34.7
bh			3.5	35.0
EL			3.4	35.1

6+80	150	Sq	Long Branch	
EL			2.9	35.6
bh			2.9	35.6
4			3.3	35.2
6			3.3	35.2
4			3.9	34.6
bL			4.0	34.5
WL			4.3	34.2

3848

Ebersole

7+30	200	Sq	Long Branch	
WL			3.7	34.8
bh			3.6	34.9
4			3.6	34.9
6			3.2	35.3
4			3.0	35.5
bh			2.5	36.0
EL			2.0	36.5

7+45	215	S = n	Long Branch	
EL			2.1	36.4
bh			2.3	36.2
4			2.7	35.8
6			2.9	35.6
4			3.3	35.2
bL			3.5	35.0
WL			3.7	34.8

POSTED

Crossection of De Fae St (60')

N of Brighton to Blvd

	4+43	31.55	27.2

N of Brighton

EL	4+7	26.9
bl	4+7	26.9
4	5+0	26.6
b	5+1	26.5
4	5+4	26.2
bl	5+5	26.1
WL	5+7	25.9

50' N of Brighton st

WL	5+5	26.1
bl	5+5	26.1
4	5+7	26.4
b	4+8	26.8
4	4+8	26.8
bl	4+6	27.0
EL	4+5	27.1

POSTED

3+55

De Fae St

100' N of Brighton

EL	4+6	27.0
bl	4+7	26.9
4	4+7	26.9
b	4+6	27.0
4	5+1	26.5
bl	5+1	26.5
WL	5+4	26.2

150' N of Brighton st

WL	5+2	26.4
bl	5+2	26.4
4	5+1	26.5
b	4+6	27.0
4	4+6	27.0
bl	4+3	27.3
EL	4+4	27.2

POSTED

315-5

	260'	n of	Brighton
E2		4,1	27.5
bb		4,6	27.0
y		4,6	27.0
b		4,7	26.9
y		5,0	26.6
bb		5,0	26.6
W2		5,2	26.4
	215'	n = S2 of	Long Branch
W2		5,3	26.3
bb		5,1	26.5
y		5,1	26.5
b		4,9	26.7
y		4,7	26.9
bb		4,7	26.9
E2		4,4	27.2

31,55

		n Line of	Long Branch
E2		4,5	27.1
bb		4,6	27.0
y		4,6	27.0
b		4,4	27.2
y		4,9	26.7
bb		5,2	26.4
W2		5,5	26.1
	50'	n of	Long Branch
W2		5,3	26.3
bb		5,2	26.4
y		5,1	26.5
b		4,6	27.0
y		4,8	26.8
bb		4,6	27.0
E2		4,8	26.8

31.55

	16.6'	N of	Sony Branch	
E2			5.0	26.6
bk			4.9	26.7
y			5.0	26.6
b			5.0	26.6
y			5.5	26.1
bk			5.5	26.1
W2			5.7	25.9
	15.0'	N of	Sony Branch	
W2			5.6	26.0
bk			5.4	26.2
y			5.2	26.4
b			4.8	26.8
y			5.2	26.4
bk			4.8	26.8
E2			4.8	26.8

31.55

De Forest

	20'	N of	Sony Branch	
E2			5.3	26.3
bk			5.3	26.3
y			5.2	26.4
b			5.2	26.4
y			5.7	25.9
bk			5.6	26.0
W2			5.7	25.9
TP	5.20	31.00	5.75	25.80 BM
	21.5'	N = S.2 of Bmi		
W2			5.2	25.8
bk			5.1	25.9
y			5.2	25.8
b			4.7	26.3
y			4.7	26.3
bk			4.7	26.3
E2			4.7	26.3

31,00

	n zu-b	Mmin	st (50)
E2		48	26.2
bh		48	26.2
4		4,9	26.1
1		5,0	26.0
4		5,1	25.9
bl		5,1	25.9
W2		5,1	25.9

	50'	n-f	Mmin	st
W2			5,2	25.8
bl			5,0	26.0
4			4,9	26.1
1			4,8	26.2
4			5,0	26.0
bh			4,8	26.2
E2			4,7	26.3

31,00

De Zu st

	100	n-f	Mmin	st
E2			4,6	26.4
bh			4,7	26.3
4			4,6	26.4
1			4,7	26,3
4			4,9	26.1
bl			5,1	25.9
W2			5,2	25.8

	130	n-f	Mmin	st
W2			4,9	26.1
bl			4,8	26.2
4			4,9	26.1
1			4,7	26.3
4			4,8	26.2
bh			4,4	26.6
E2			4,4	26,6

31.00

200 N of Mission

EL	4.8	26.2
bk	4.7	26.3
4	4.8	26.2
6	4.7	26.3
4	4.8	26.2
bk	5.0	26.0
WL	5.0	26.0

215' N of Division of Valtair (8) Bm 52 Valtair

WL	4.93	26.07
bk	5.0	26.0
4	4.8	26.2
6	4.7	26.3
4	4.9	26.1
bk	4.6	26.4
EL	4.5	26.5

31.00

N Div of Valtair 50

EL	4.9	26.1
bk	4.8	26.2
4	5.0	26.0
6	4.6	26.4
4	5.0	26.0
bk	4.9	26.1
WL	5.0	26.0

50' N of Valtair

WL	5.4	25.6
6	5.3	25.7
4	5.1	25.9
6	4.8	26.2
4	5.0	26.0
bk	5.0	26.0
EL	5.0	26.0

3100

	100'	N of	Voltage	
E2			4,9	26.1
bk			4,8	26.2
4			5,0	26.0
6			4,9	26.1
4			5,3	25.7
bk			5,4	25.6
W2			5,6	25.4

	150'	N of	Voltage st	
W2			5,5	25.5
bk			5,3	25.7
4			5,4	25.6
6			5,1	25.9
7			5,2	25.8
bk			5,1	25.9
E2			4,9	26.1

3100

De Zaire

	200'	N of	Voltage st	
E2			5,2	25.8
bk			5,3	25.7
4			5,4	25.6
6			5,2	25.8
4			5,7	25.3
bk			5,6	25.4
W2			5,7	25.3
				Bm
ZD	4,56	29.92	5.64	25.36

215' n = 5 sin of Latus. of (50)

W2			4,3	25.6
bk			4,6	25.3
7			4,7	25.7
6			4,4	25.5
4			4,4	25.5
bk			4,4	25.5
E2			4,1	25.8

2992

	3 Lots n of Lot 20		
E2		4,3	2V.6
4		4,3	2V.6
4		4,3	2V.6
6		4,2	2V.7
4		4,5	2V.4
4		4,6	2V.3
W2		4,6	2V.3
	50' n of Lots		
W2		4,6	2V.3
4		4,6	2V.3
4		4,5	2V.4
6		4,2	2V.7
4		4,5	2V.4
4		4,3	2V.6
E2		4,3	2V.6

2992

	100' n of Lots 20		
E2		4,4	2V.5
4		4,4	2V.5
4		4,6	2V.3
6		4,3	2V.6
4		4,7	2V.2
4		4,4	2V.5
W2		4,6	2V.3
	112' n of S 2 Blocks West		
W2		4,8	2V.1
4		4,7	2V.2
4		4,8	2V.1
6		4,6	2V.3
4		4,7	2V.2
4		4,7	2V.2
E2		4,6	2V.3

POSTED

2992

1 12' n on West
1 30' n on E } = S Line of Blvd

E1		4,7	25.0
1		4,7	25.2
4		4,7	25.2
6		4,7	25.2
4		5,0	24.9
1		4,7	25.2
W1		4,8	25.1

(Blought Dewar Rodgers) Cross section of Cable at (60) Blvd. Lotus to n & Brighton

5-19-09

	4,1	2,99	18,74	Bm n E Lotus

S Line of Lotus St

E2		4,2	18.8
1		4,2	18.8
4		4,5	18.5
6		4,5	18.5
4		4,9	18.2
1		4,8	18.2
W1		5,0	18,0

45' S on W } 30' S on E } 30' S of Lotus

W2		5,0	18.0
1		4,9	18.1
4		4,7	18.3
6		4,6	18.4
4		4,6	18.4
1		4,2	18.8
E2		4,2	18.8

2299

	100'	S of	Lotus	
E2			4,5	18.√
bb			4,4	18.6
4			4,6	18.4
b			4,6	18.4
4			4,9	18.1
bb			4,8	18.2
W2			5,1	17.9
	150'	S of	Lotus	√
W2			5,3	17.7
bb			5,3	17.7
4			5,√	17.8
b			4,7	18.3
4			4,6	18.4
bb			4,4	18.6
E2			4,4	18.6

2299

	200'	S of	Lotus		
E2			4,6	18.4	
bb			4,6	18.4	
4			4,9	18.1	
b			4,8	18.2	
4			5,1	17.9	
bb			5,1	17.9	
W2			5,3	17.7	
	215'	S of	Lotus	= NS of Pollani (80)	
W2			5,3	17.7	
bb			5,0	18.0	
4			5,1	17.9	
b			4,8	18.2	
4			5,0	18.0	
bb			4,8	18.2	
E2			4,7	18.3	
TP	361	218	4,9	18.07	Bm SE of Pollani

21.68

Solenoid Voltage at

E2	3.6	18.1
bl	3.7	18.0
y	3.8	17.9
b	3.9	17.8
y	4.2	17.5
bl	4.7	17.0
W2	3.5	17.2

50 Soft Voltage

W2	4.6	17.1
bl	5.2	16.5
y	4.6	17.1
b	4.0	17.7
y	4.0	17.7
bl	3.9	17.8
E2	3.9	17.8

21.68

100 Soft Voltage

E2	4.1	17.6
bl	4.1	17.6
y	4.3	17.4
b	4.3	17.4
y	4.7	17.0
bl	5.2	16.5
W2	5.1	16.6

150 Soft Voltage at

W2	5.1	16.6
bl	5.1	16.6
y	4.8	16.9
b	4.5	17.2
y	4.5	17.2
bl	4.6	17.1
E2	4.6	17.1
E2	4.2	17.5

2168

	200'	S of	Valley st
E2			4,4 17.3
bh			4,6 17.1
y			4,8 16.9
b			4,9 16.8
y			4,9 16.8
bl			5-2 16.5
W2			5,3 16.4
	245'	S of	W2 of Main (50')
W2			5-3 16.2
bl			5-2 16.5
y			5,2 16.5
b			4,8 16.9
y			4,8 16.9
bl			4,7 17.0
E2			4,6 17.1

2168

Table II

		S line of	Main st
E2			4,9 16.8
bl			4,8 16.9
y			5,1 16.6
b			5,1 16.6
y			5-4 16.3
bl			5-5 16.2
W2			5,7 16.2 ✓ B2 on SW Main
	50	S of	Main st
W2			5,6 16.1
bl			5,6 16.1
y			5,6 16.1
b			5,3 16.4
y			5-3 16.4
bl			5,0 16.7
E2			5,0 16.7

POSTED

2168

	100	Sq	Mm	√
EL			3.0	16.7
bl			4.9	16.8
y			5.2	16.5
b			5.1	16.6
y			5.6	16.1
bl			5.8	15.9
WL			6.0	15.7
TP	4.44	2009	6.03	15.65

	150	Sq	Mm	√
WL			4.5	15.6
bl			4.3	15.8
y			4.2	15.9
b			3.9	16.2
y			3.8	16.3
bl			3.5	16.6
EL			3.4	16.7

2009

babb

	200	Sq	Mm	√
EL			3.6	16.5
bl			3.8	16.3
y			4.0	16.1
b			4.1	16.0
y			4.6	15.5
bl			4.7	15.4
WL			4.8	15.3

215 S = n d of Log Branch (30)

WL			3.0	15.1
bl			4.8	15.3
y			4.5	15.6
b			4.1	16.0
y			4.1	16.0
bl			3.9	16.2
EL			3.6	16.5

2009

S Line of Long Branch

E2	4,1	16.0
bl	4,3	15.8
4	4,4	15.7
b	4,3	15.8
4	4,8	15.3
bl	5,0	15.1
W2	5,1	15.0

150 S of Long Branch

W2	5,2	14.9
bl	5,1	15.0
4	5,0	15.1
b	4,9	15.2
4	4,7	16.4
bl	4,5	15.6
E2	4,3	15.8

2009

table

1 W S of Long Branch

E2	4,4	15.7
bl	4,5	15.6
4	4,8	15.3
b	4,9	15.2
4	5,1	15.0
bl	5,2	14.9
W2	5,3	14.8

150 S of Long Branch

W2	5,2	14.9
bl	5,4	14.7
4	5,5	14.6
b	5,2	14.9
4	5,0	15.1
bl	4,4	15.7
E2	4,5	15.6

2009

	2 vs	8 of	Long	Branch
E2			4,8	15.3
41			5-0	15,1
7			5-3	14.8
6			5-2	14,9
4			5-3	14.8
41			5-6	14.5
W2			5-7	14.4
	215	8 =	n 2	Brighton
W2			5-6	14.5
41			5-8	14.3
4			5-5-	14.6
6			5-3	14.8
7			5-4	14.7
41			5-2	14.9
E2			4,9	15.2

POSTED

Cross section of Voltaire St (80') from W ∠ of R2 105 ft @ car

			BM
251	12,78		10,27

W ∠ of R2 105 = 98½' E of Bacon St

S2	2,50	10.3
bl	2,5	10.28
4	2,4	10,4
4 + 4 = 2' N Rail	2,5	10.3
	2,3	10.5
4	2,4	10,4
ml	2,3	10.5
m2	2,3	10.5

50' E of Bacon St

m2	2,7	10.1
bl	2,4	10.2
4	3,1	9.7
b	2,9	9.9
41	2,7	10.1
42	2,5	10,3
411	3,0	9.8
bl	2,8	10,0
S2	2,8	10.0

12,78

POSTED

Voltaire

10 E of Bacon St

S2 = 2' S E of Rail	3,4	9.4
SE Rail	3,25	9.53
m4 Rail	3,02	9.76

RR Track out of corner E line of Bacon St (60')

S2 = 1' from NW Rail	3,3	9.5
bl	3,7	9.1
4	3,4	9,4
b	3,1	9.7
4	3,2	9,6
bl	3,0	9,8
m2	3,0	9.8

1278

Ebb of Baco jr

NL	3.4	9.6
bb	3.2	9.5
4	3.4	9.6
b	3.5	9.3
4	3.7	9.1
bb	3.8	9.0
SL	3.7	9.1

C 1/4 of Baco

SL	4.1	8.7
bb	4.0	8.8
4	3.9	8.9
b	3.6	9.2
4	3.6	9.2
bb	3.5	9.3
NL	3.5	9.3

1278

Conte of Baco

NL	3.5	9.3
bb	3.7	9.1
4	3.8	9.0
b	3.8	9.0
4	3.9	8.9
bb	4.2	8.6
SL	4.2	8.6

W 1/4 of Baco

SL	4.4	8.4
bb	4.3	8.5
4	4.1	8.7
b	3.9	8.9
4	3.9	8.9
bb	3.7	9.1
NL	3.6	9.2

Voeton

12.78

Web of Beam at

NL	3,9	8.9
bL	4,0	8.8
4	4,2	8.6
b	4,3	8.5
4	4,4	8.4
bL	4,5	8.3
SL	4,5	8.3

Web of Beam

SL	4,8	8.0
bL	4,7	8.1
4	4,6	8.2
b	4,4	8.4
4	4,5	8.3
bL	4,5	8.3
NL	4,2	8.6

12.78

Galtori

5'0" WF Beam at

NL	4,8	8.0
bL	4,9	7.9
4	5,0	7.8
b	5,2	7.6
4	5,1	7.7
bL	5,3	7.5
SL	5,3	7.5

10" WF Beam at

SL	5,9	6.9
bL	5,9	6.9
4	5,9	6.9
b	5,7	7.1
4	5,4	7.4
bL	5,6	7.2
NL	5,3	7.5

1278

	150'	W ∫	Bacon	
n 2			6,1	6.7
bl			6,4	6.4
y			6,5	6.3
b			6,4	6.4
y			6,5	6.3
bl			6,7	6.1
S 2			6,8	6.0
	200'	W ∫	Bacon	
S 2			7,5	5.3
bl			7,6	5.2
y			7,5	5.3
b			7,4	5.4
y			7,2	5.6
bl			7,1	5.7
n 2			7,0	5.8
TP	2,35	8.52	6,61	6,17

852

Valtair

	250'	W ∫	Bacon	
n 2			3,1	5.4
bl			3,3	5.2
y			3,4	5,1
b			3,5	5.0
y			3,7	4,8
bl			3,8	4,7
S 2			3,7	4.8
	300'	W ∫	Bacon	
S 2			4,1	4.4
bl			4,2	4.3
y			4,1	4.4
b			4,0	4.5
y			4,0	4.5
bl			3,9	4.6
n 2			3,7	4.8

852

	350	wf	Bacon	
nl			4.1	4.4
bl			4.4	4.1
y			4.2	4.3
l			4.1	4.4
y			4.3	4.2
bl			4.4	4.1
sl			4.4	4.1

	400	wf	Bacon	
sl			4.6	3.9
bl			4.6	3.9
y			4.5	4.0
bl			4.6	3.9
y			4.6	3.9
bl			4.6	3.9
nl			4.4	4.1

852

Patton

39

	450	wf	Bacon	
nl			4.6	3.9
bl			4.8	3.7
y			5.0	3.5
l			5.0	3.5
y			5.2	3.3
bl			5.0	3.5
sl			5.0	3.5

	500	wf	Bacon	
sl			5.2	3.3
bl			5.4	3.1
y			5.3	3.2
l			5.1	3.4
y			5.2	3.3
bl			5.2	3.3
nl			5.1	3.4

8.52

550' W of Boca

NL	5.6	2.9
bk	5.7	2.8
y	5.5	3.0
b	5.7	2.8
y	5.8	2.7
bk	5.7	2.8
SL	5.8	2.7
TP	4.65 6.88	6.49 2.23

SE 4 of Abbott 4 Valturi

6.88 W = E L of Abbott 68')

SL	4.6	2.3
bk	4.7	2.2
y	4.6	2.3
b	4.3	2.6
y	4.3	2.6
bk	4.4	2.5
NL	4.4	2.5

6.88

E bk of Abbott

NL	4.4	2.5
bk	4.5	2.4
y	4.4	2.5
b	4.4	2.5
y	4.4	2.5
bk	4.7	2.2
SL	4.8	2.1

E ¼ of Abbott

SL	5.0	1.9
bk	4.8	2.1
y	4.8	2.1
b	4.9	2.0
y	4.9	2.0
bk	5.0	1.9
NL	5.1	1.8

6.88

Center of Abbott

nl	4,4	2.5
bl	4,3	2.6
4	4,3	2.6
6	4,3	2.6
7	4,3	2.6
bl	4,3	2.6
sl	4,3	2.6

W ¼ of Abbott

sl	5,0	1.9
bl	4,8	2.0
4	5,0	1.9
6	4,8	2.0
4	5,0	1.9
bl	5,1	1.8
nl	5,1	1.8

6.88

W-bl of Abbott

nl	4,8	2.1
bl	5,0	1.9
4	4,7	2.2
6	5,0	1.9
4	5,1	1.8
6	5,0	1.9
sl	5,1	1.8

W 4mi of Abbott

sl	5,2	1.7
bl	5,2	1.7
4	5,2	1.7
6	5,0	1.9
4	5,1	1.8
6	5,2	1.7
nl	4,8	2.0

6.88

	50	wf	Abbott	
m2			5.3	1.6
bl			5.7	1.2
y			5.6	1.3
b			5.7	1.2
y			5.7	1.2
bl			5.5	1.4
SL2			5.7	1.2
	100	wf	Abbott	
SL2			6.0	0.9
bl			6.0	0.9
y			5.9	1.0
b			5.8	1.1
y			5.4	1.5
bl			3-5	1.4
m2			5-7	1.2
TP	3.47	6.39	3.96	2.92

6.39

Vallon

	150	wf	Abbott	
m2			4.0	2.4
bl			4.2	2.2
y			4.2	2.2
b			4.4	2.0
y			44	2.0
bl			4.5	1.9
SL2			4.5	1.9
	200	wf	Abbott	
SL2			4.7	1.7
bl			4.7	1.7
y			4.7	1.7
b			4.6	1.8
y			4.4	2.0
bl			4.4	2.0
m2			4.4	2.0

639

	250	w f	Abbott	V
m L			4/4	2.0
th			4/4	2.0
4			4/4	2.0
b			4/7	1.7
4			4/8	1.6
th			4/8	1.6
S L			4/8	1.6
	300	w f	Abbott	
S L			4/8	1.6
th			4/8	1.6
4			4/8	1.6
b			4/8	1.6
4			4/6	1.8
th			4/6	1.8
m L			4/7	1.7

Graduat slide to Beach
Block not heated

Crossection of Abbott St (60')
S Line of Solus St to N Line of OBC+RR

4/85 7.08

			2.3
E2		44	2.7
4		45	2.6
7		4.9	2.2
6		4.2	2.9
4		5.0	2.1
4		4.0	3.1
W2		3.7	3.2
	50 Sq	Solus	
W2		3.8	3.3
6		3.8	3.3
7		5.0	2.1
6		4.3	2.8
7		5.0	2.1
6		4.5	2.6
E2		4.5	2.6

POSTED

7.08

Abbott St

44

	100	Sq	Solus	St
E2			4.4	2.7
4			4.6	2.5
7			5.0	2.1
6			4.5	2.6
7			5.0	2.1
6			3.5	3.6
W2			3.6	3.5
	150	Sq	Solus	
W2			4.4	2.7
6			4.4	2.7
7			5.7	2.0
6			4.6	2.5
7			5.3	1.8
6			4.7	2.4
E2			4.6	2.5

7.08

	200	SB of	Solid	st
E2			4,7	2.4
bl			4,9	2.2
4			5,2	1.9
1			4,7	2.4
4			5-4	1.7
bl			4,9	2.2
W2			5,1	2.0
	215'	S.=	W2	of Vollau (80)
W2			5-1	2.0
bl			5,0	2.1
4			5-3	1.8
6			4,6	2.2
4			5,2	1.9
bl			4,5	2.6
E2			4,6	2,2
TP	4.41	6.64	4,85	2,25

B3m

6.64

Abbott

	SB	S of	Vollau	st
E2			4,41	2.2
bl			4,5	2.1
4			4,7	1.9
1			4,2	2.4
4			4,6	2.0
bl			4,8	1.8
W2			5,0	1.6
	54'	S of	Vollau	
W2			5-1	1.2
bl			5-4	1.2
4			5,6	1.6
1			4,4	2.2
4			4,8	1.8
bl			4,8	1.8
E2			4,6	2.0

664

100' S of Voltan

E2	4,5	2.1
b	4,6	2.0
7	5,2	1.4
b	4,6	2.0
7	5,0	1.6
b	5,0	1.6
M2	5,1	1.5

150' S of Voltan

M2	5,2	1.4
b	5,1	1.5
7	5,0	1.6
6	4,5	2.1
7	5,0	1.6
b	4,6	2.0
E2	4,5	2.1

664

Abbott

200' S of Voltan

E2	4,3	2.3
b	4,4	2.2
7	4,8	1.8
b	4,3	2.3
7	5,0	1.6
b	4,6	2.0
M2	4,9	1.7

x15' S of = M2 of Main St (50')

M2	4,8	1.8
b	4,6	2.0
7	5,1	1.5
b	4,5	2.1
7	5,0	1.6
b	4,5	2.1
E2	4,4	2.2

66.4

	5 km sf	5 mi	st
92		4,5	2.1
b2		4,8	1.8
9		4,8	1.8
b		4,6	2.0
4		4,7	1.9
b		4,7	1.9
W2		4,7	1.9

	50 sf	5 mi	
W2		4,7	1.9
b		4,7	1.9
4		4,4	1.8
b		4,4	2.2
4		4,9	1.7
b		4,4	2.2
E2		4,2	2.4

66.4

about

	100 sf	5 mi	st
E2		4,2	2.4
b		4,3	2.3
4		4,4	2.2
b		4,1	2.5
4		4,5	2.1
b		4,5	2.1
W2		4,5	2.1

130 s = 92 OBE Kentucky No. 1

W2		4,3	2.3
b		4,3	2.3
4		4,7	1.9
b		4,0	2.6
4		4,1	2.5
b		3,4	3.0
E2		3,7	2.9

Continued on Page 50

Crossection of Sunkspur
E 2 f R 2 105





4401



7,3 36,7
7,4
7,3
7,1 36,9
7,5
7,3
7,3 36,7
7,29 36,22

n2
250

Abbott St Continued from Page 47

L.C.7 from Page 47

150' S of Main

WL	4,5	2.2
bl	4,4	2.3
y	4,4	2.3
b	4,2	2.5
y	4,3	2.4
bl	4,3	2.4
EL	4,2	2.5

200' S of Main St

EL	4,0	2.7
bl	4,1	2.6
y	4,2	2.5
b	4,3	2.4
y	4,7	2.0
bl	4,3	2.4
WL	4,2	2.5

L.C.7 Abbott St 50

215' S of Long Branch Rd

WL	4,1	2.6
bl	4,3	2.4
y	4,7	2.0
b	4,2	2.5
y	4,7	2.0
bl	4,1	2.6
EL	4,3	2.4

contd from 48-50

Intersection of Main St (30')
W line of RR 105 ft Blvd

11.56 0.75 10:41 BM. Octave & Bacon

Curb line W RR 105 = 965 E of Bacon

N.L.	2.0	9.6	
C	1.7	9.9	
¼	1.7	9.9	
C	1.5	10.1	
¼	1.9	9.7	
C	1.7	9.9	
N.L.	1.9	9.7	

50' E of Bacon

N.L.	2.5	9.1	
C	2.5	9.1	
¼	2.9	8.7	
C	2.4	9.2	
¼	2.6	9.0	
C	2.6	9.0	
N.L.	2.7	8.9	

POSTED

X sections plotted for grading & paving
CAT 7-22

11.56 Mms

E Line of Bacon

N.L.	4.0	7.6	✓
C	3.7	7.9	
¼	3.4	8.2	
C	3.3	8.3	
¼	3.8	7.8	
C	3.5	8.1	
N.L.	3.4	8.2	

East curb of Bacon

N.L.	3.1	8.5	✓
C	3.8	7.8	
¼	4.0	7.6	
C	3.6	8.0	
¼	3.7	7.9	
C	4.0	7.6	
N.L.	4.0	7.6	

East quarter of Bacon Mt. = 2' E Rail

N.L.	4.3	7.3 ✓
C	4.3	7.3
¼	4.2	7.4
C	4.1	7.5
¼	4.2	7.4
C	4.1	7.5
N.L.	4.0	7.6

Elevation of Rail Ocean Beach car line at North line of Mucw = 3.97 7.69

Center of Bacon Mt. = 3' W of Rail

N.L.	4.1	7.5 ✓
C	4.0	7.6
¼	4.2	7.4
C	4.1	7.5
¼	4.2	7.4
C	4.4	7.2
N.L.	4.5	7.1

Elevation of Rail, Ocean Beach car line at South line of Mucw 4.27 7.29

West quarter Bacon Mt. ✓

N.L.	4.6	7.0
C	4.6	7.0
¼	4.3	7.3
C	4.2	7.4
¼	4.4	7.2
C	4.3	7.3
N.L.	3.4	7.8

West curb Bacon Mt. ✓

N.L.	4.3	7.3 ✓
C	4.7	6.9
¼	4.7	6.9
C	4.4	7.2
¼	4.5	7.1
C	4.7	6.9
N.L.	4.7	6.9

11.56

West line of Bacon St. ✓

N. L.	4.8	6.8
C	4.6	7.0
¼	4.7	6.9
C	4.3	7.3
¼	4.9	6.7
C	4.7	6.9
N. L.	4.5	7.1

50' West of Bacon St

N. L.	5.4	6.2 ✓
C	5.4	6.2
¼	5.5	6.1
C	5.5	6.1
¼	5.8	5.6
C	5.8	5.6
S. L.	5.9	5.7

1.75 8.49

B. M. Set S.W. Co Bacon & Minn 4.82 6.74

8.49 Minn 50'

100' West Bacon St.

S. L.	3.4	5.1 ✓
C	3.4	5.1
¼	3.3	5.2
C	3.3	5.2
¼	3.5	5.0
C	3.4	5.1
N. L.	3.2	5.3

150' West Bacon St. ✓

N. L.	3.8	4.7
C	3.9	4.6
¼	4.0	4.5
C	3.9	4.6
¼	4.2	4.3
C	4.1	4.4
S. L.	4.0	4.5

8.49

200' West Bacon Mt.

S.L.	4.4	4.1
C	4.4	4.1
¼	4.3	4.2
C	4.3	4.2
¼	4.2	4.3 ✓
C	4.2	4.3
N.L.	4.2	4.3

250' West Bacon Mt. ✓

N.L.	4.5	4.0
C	4.4	4.1
¼	4.7	3.8
C	4.5	4.0
¼	4.6	3.9
C	4.8	3.7
S.L.	4.7	3.8

8.49 Mins (50)'

300' West Bacon Mt.

S.L.	4.8	3.7
C	4.7	3.8
¼	4.9	3.6
C	4.7	3.8 ✓
¼	5.0	3.5
C	4.4	4.1
N.L.	4.5	4.0

350' West Bacon Mt.

N.L.	4.9	3.6
C	5.0	3.5
¼	5.4	3.1
C	5.0	3.5
¼	5.2	3.3 ✓
C	5.0	3.5
S.L.	5.1	3.4

8.49

400' West Bacon Mt.

M.L.			5.4	3.1	
C			5.4	3.1	
¼			5.4	3.1	
C			5.3	3.2	
¼			5.5	3.0	✓
C			5.3	3.2	
N.L.			5.0	3.5	
T.P.	2.91	6.67	4.73	3.76	

450' West Bacon Mt.

N.L.			3.5	3.2	
C			3.9	2.9	
¼			4.0	2.7	
C			3.4	3.3	✓
¼			3.6	3.1	
C			3.6	3.1	
M.L.			3.5	3.2	

6.67

Muir 50'

55

500' West Bacon Mt.

M.L.	3.7	3.0	
C	3.7	3.0	
¼	3.9	2.8	
C	3.8	2.9	
¼	4.2	2.5	✓
C	4.0	2.7	
N.L.	3.9	2.8	

550' West Bacon Mt.

N.L.	4.3	2.4	
C	4.4	2.3	
¼	4.4	2.3	
C	4.0	2.7	
¼	4.4	2.3	✓
C	4.3	2.4	
M.L.	4.2	2.5	

600' West Bacon St. = East line Abbott St.

N.L.	4.6	2.1
C	4.7	2.0
¼	5.0	1.7
C	4.5	2.2
¼	4.7	2.0
C	4.6	2.1
N.L.	4.6	2.1

East curb of Abbott St. (60)'

N.L.	4.7	2.0
C	4.8	1.9
¼	4.8	1.9
C	4.7	2.0
¼	5.2	1.5
C	4.7	2.0
N.L.	4.8	1.9

East quarter of Abbott St. (60)

N.L.	5.2	1.5
C	5.0	1.7
¼	5.0	1.7
C	5.0	1.7
¼	5.0	1.7
C	5.2	1.5
N.L.	5.1	1.6

Center of Abbott St.

N.L.	4.7	2.0
C	4.7	2.0
¼	4.7	2.0
C	4.7	2.0
¼	4.6	2.1
C	4.7	2.0
N.L.	4.7	2.0

6.67

West quarter Abbott St

S.L.	5.2	1.5
C	5.0	1.7
¼	5.1	1.6
C	5.2	1.5
¼	5.1	1.6
C	5.2	1.5
N.L.	5.1	1.6

West curb Abbott St

N.L.	4.9	1.8
C	4.8	1.9
¼	4.8	1.9
C	5.0	1.7
¼	5.0	1.7
C	4.8	1.9
S.L.	5.0	1.7

6.67

Main (50)

57

West line Abbott St

S.L.	4.8	1.9
C	4.8	1.9
¼	5.0	1.7
C	5.0	1.7
¼	4.8	1.9
C	5.0	1.7
N.L.	5.0	1.7

50' West Abbott St.

N.L.	5.3	1.4
C	5.2	1.5
¼	5.2	1.5
C	5.1	1.6
¼	5.2	1.5
C	5.1	1.6
S.L.	5.2	1.5

6.67

100' west abbott H/t.

N.L.			5.4	1.3
C			5.3	1.4
¼			5.4	1.3
C			5.3	1.4
¼			5.3	1.4 ✓
C			5.3	1.4
N.L.			5.5	1.2
T.P.	5.00	6.50	5.17	1.50

150' west abbott H/t.

N.L.			5.5	1.0
C			5.6	0.9
¼			5.5	1.0
C			5.5	1.0 /
¼			5.4	1.1
C			5.3	1.2
N.L.			5.2	1.3

6.50

Muir (150)

58

200' west abbott H/t.

N.L.			3.9	2.6
C			3.9	2.6
¼			3.9	2.6 ✓
C			3.9	2.6
¼			3.7	2.8
C			3.8	2.7
N.L.			3.9	2.6

250' west abbott H/t.

N.L.			3.5	3.0
C			3.6	2.9
¼			3.6	2.9
C			3.6	2.9
¼			3.5	3.0 ✓
C			3.4	3.1
N.L.			3.5	3.0

POSTED

6.50

300' West Abbott Mt.

S.L.	4.1	2.4
C	4.1	2.4
¼	3.9	2.6
C	3.9	2.6
¼	3.7	2.8
C	3.7	2.8
N.L.	3.8	2.7

350' West Abbott Mt.

N.L.	4.4	2.1
C	4.3	2.2
¼	4.4	2.1
C	4.5	2.0
¼	4.5	2.0
C	4.5	2.0
S.L.	4.5	2.0

6.50

Omits (50)'

400' West Abbott Mt.

S.L.	4.8	1.7
C	4.9	1.6
¼	5.0	1.5
C	4.8	1.7
¼	4.9	1.6
C	4.8	1.7
N.L.	4.9	1.6

450' West Abbott Mt.

N.L.	5.5	1.0
C	5.3	1.2
¼	5.1	1.4
C	5.0	1.5
¼	4.8	1.7
C	4.9	1.7
S.L.	4.9	1.6

6.50

497' on the South
464' on the North
} = East line Boulevard.

S. L.		5.3	1.2
C		5.3	1.2
¼		5.2	1.3
C	POSTED	5.3	1.2
¼		5.3	1.2
C		5.4	1.1
N. L.		5.7	0.8

Crossection of Bacon st (60)

From N of Pacific Beach Ext No 1 to Elev

Ordinary P.B.C. x No 1 = 1 x 9'S of Innis

4.96 11.70 6.74 B.M. Iron S.W. Cor. Bacon & Innis

W. L.		5.5	6.2
C		5.5	6.2
¼		5.5	6.2
C	POSTED	4.7	7.0
¼		5.2	6.5
C		5.1	6.6
E. L.		4.3	7.4

Elevation rail Ocean Beach car line, at the line of Pacific Beach extension No 1 = 5.10 6.6

11.70 (Bacon St 60)

100' South of Innis St

E. L.	4.4	7.3
C	4.5	7.2
¼	4.2	7.5
C	5.0	6.7
¼	5.0	6.7
C	5.1	6.6
W. L.	5.5	6.2

50' South of Innis St.

W. L.	5.4	6.3
C	5.2	6.5
¼	5.2	6.5
C	5.0	6.7
¼	4.8	6.9
C	4.3	7.4
E. L.	4.2	7.5

South line of Main St

E.L.	4.1	7.6
C	4.1	7.6
¼ = 2' E of Rail	4.5	7.2
Height of rail car line	4.41	7.3
C = 3' W of Rail	4.7	7.0
¼	4.7	7.0
C	4.9	6.9
W.L.	5.0	6.7

North line of Main St.

W.L.	4.7	7.0
C	4.5	7.2
¼	4.1	7.6
C = 3' W of Rail	4.1	7.6
Height of rail car line	4.02	7.7
¼ = 2' E of Rail	4.1	7.6
C	3.2	8.5
E.L.	3.6	8.1

50' North of Main St.

E.L.	3.1	8.6
C	3.4	8.3
¼	3.7	8.0
C	3.8	7.9
¼	4.1	7.6
C	4.2	7.5
W.L.	4.3	7.4

POSTED

100' North of Main St.

W.L.	4.0	7.7
C	3.7	8.0
¼	3.8	7.9
C	3.6	8.1
¼	3.6	8.1
C	3.0	8.7
E.L.	2.9	8.8

11.70

150' North of Muir Mt.

E.L.	2.7	9.0
C	2.9	8.8
¼	3.1	8.6
C	3.4	7.9
¼	3.6	8.1
C	3.7	8.0
W. L.	3.7	8.0

200' North of Muir Mt.

W. L.	3.6	8.1
C	3.5	8.2
¼	3.3	8.4
C	3.1	8.6
¼	2.4	9.3
C	2.7	9.0
E. L.	2.6	9.1

11.70

(Bacon Mt 60')

63

215' North of Muir Mt = North line Voltaire

Height of inter-rail car line = 1.95 9.7

E. L.	2.2	9.5
C	2.9	8.8
¼	3.0	8.7
C	3.1	8.6
¼	3.4	8.3
C	3.5	8.2
W. L.	3.7	8.1

2.45 13.26 0.89 10.81 BM. SPK in pole Voltaire & Bacon

North line of Voltaire Mt (60')

W. L.	4.7	8.6
C	4.5	8.8
¼	4.4	8.9
C	4.1	9.2
¼	4.0	9.3
C	3.7	9.6
E. L.	3.6	9.7

13.26

50' North of Voltaire St.

E.L.	3.5	9.8
C	3.4	9.5
¼	4.0	9.3
C	4.0	9.3
¼	4.1	9.2
C	4.3	9.0
W. L.	4.6	8.7

100' North of Voltaire St.

W. L.	4.5	8.8
C	4.4	8.9
¼	4.2	9.1
C	4.1	9.2
¼	3.8	9.5
C	3.6	9.7
E. L.	3.4	9.9

13.26 (Base St-60')

C.4

150' North of Voltaire St.

E.L.	3.5	9.8
C	3.6	9.7
¼	3.7	9.6
C	3.8	9.5
¼	4.1	9.2
C	4.2	9.1
W. L.	4.3	9.0

200' North of Voltaire St.

W. L.	4.2	9.1
C	4.1	9.2
¼	3.9	9.4
C	3.7	9.6
¼	3.8	9.5
C	3.7	9.6
E. L.	3.3	10.0

13.26

215' North of Voltaire St = So line Lotus St. (60')

E. L.	3.3	10.0
C	3.5	9.8
¼	3.7	9.6
C	3.9	9.4
¼	4.0	9.3
C	4.1	9.2
W. L.	4.3	9.0

B.M. Knob N.W. Cor Lotus & Bacon.
4.57 13.67 4.16 9.10

North line of Lotus St. (50')

W. L.	4.6	9.1
C	4.5	9.2
¼	4.3	9.4
C	4.1	9.6
¼	4.0	9.7
C	3.8	9.9
E. L.	3.7	10.0

13.67 (Bacon St. 60')

50' North of Lotus St.

E. L.	3.7	10.0
C	3.8	9.8
¼	4.0	9.7
C	4.1	9.6
¼	4.2	9.5
C	4.4	9.3
W. L.	4.5	9.2

100' North of Lotus St.

W. L.	4.3	9.4
C	4.4	9.3
¼	4.1	9.6
C	4.0	9.7
¼	3.9	9.8
C	3.7	10.0
E. L.	3.7	10.0

13.67

150' north of Lotus St.

E. L.	4.0	9.7
C	4.0	9.7
¼	4.0	9.7
C	4.0	9.7
¼	4.1	9.6
C	4.1	9.6
W. L.	4.0	9.7

177' north of Lotus St.

W. L.	4.4	9.3
C	4.3	9.4
¼	4.2	9.5
C	4.5	9.2
¼	4.4	9.3
C	4.1	9.6
E. L.	5.0	8.7

13.67

241.7 on the West line Bacon } = Yon line Boulevard.
177.5 on the East line Bacon }

(Bacon St) 60'

66

E. L.	5.0	8.7
C	4.9	8.8
¼	5.0	8.7
C	5.0	8.7
¼	5.1	8.6
C	5.5	8.2
W. L.	5.9	7.9

Crosssection of Abbott Ave (66')
From N Line of Lotus to 1st Blvd
Continued from Page 44

	4,96	7.46		7.50
	N 2 of Lotus			
S 2			4.6	2.9
bl			4.7	3.8
4			5.2	2.3
b			4.4	3.1
4	POSTED		5.2	2.3
bl			4.3	3.2
W 2			4.4	3.1

	50'	N of Lotus		
W 2			4.2	3.3
bl			4.2	3.3
4			5.2	2.3
b			4.7	2.8
4			4.9	2.6
bl			5.1	2.4
S 2			4.7	2.8
	78,5'	N of Lotus		
S 2			4.9	2.6
bl			5.0	3.5
4			4.5	3.0
b			5.1	2.4
4			4.4	3.1
bl			4.6	2.9
W 2			4.6	2.9

POSTED

7.46

78.5 m m Hg } = 5.2 of Blood
119.5 m m Hg }

W2	4.6	2.9
b2	4.7	2.8
4	4.4	3.1
b	44	3.1
4	55	2.0
b2	50	2.5
E2	5.1	2.4



Published by H. S. CROCKER COMPANY, Stationers, Drawing Materials, Mathematical Instruments, etc., San Francisco.

TRAVERSE TABLE FOR TRANSIT BOOK.

From 1° to 90° for a distance of 100.

Degrees.	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
0			100.00	0.44	100.00	0.87	99.99	1.31	89
1	99.98	1.75	99.98	2.18	99.97	2.62	99.95	3.05	88
2	99.94	3.49	99.92	3.93	99.91	4.36	99.88	4.80	87
3	99.86	5.23	99.84	5.67	99.81	6.10	99.79	6.54	86
4	99.76	6.98	99.73	7.41	99.69	7.85	99.66	8.28	85
5	99.62	8.72	99.58	9.15	99.54	9.58	99.50	10.02	84
6	99.45	10.45	99.41	10.89	99.36	11.32	99.31	11.75	83
7	99.25	12.19	99.20	12.62	99.14	13.05	99.09	13.49	82
8	99.03	13.92	98.97	14.35	98.90	14.78	98.84	15.21	81
9	98.77	15.64	98.70	16.07	98.63	16.50	98.56	16.93	80
10	98.48	17.36	98.40	17.79	98.33	18.22	98.25	18.65	79
11	98.16	19.08	98.08	19.51	97.99	19.94	97.90	20.36	78
12	97.81	20.79	97.72	21.22	97.63	21.64	97.53	22.07	77
13	97.44	22.50	97.34	22.92	97.24	23.34	97.13	23.77	76
14	97.03	24.19	96.92	24.62	96.81	25.04	96.70	25.46	75
15	96.59	25.88	96.48	26.30	96.36	26.72	96.25	27.14	74
16	96.13	27.56	96.00	27.98	95.88	28.40	95.76	28.82	73
17	95.63	29.24	95.50	29.65	95.37	30.07	95.24	30.49	72
18	95.11	30.90	94.97	31.32	94.83	31.73	94.69	32.14	71
19	94.55	32.56	94.41	32.97	94.26	33.38	94.12	33.79	70
20	93.97	34.20	93.82	34.61	93.67	35.02	93.51	35.43	69
21	93.36	35.84	93.20	36.24	93.04	36.65	92.88	37.06	68
22	92.72	37.46	92.55	37.86	92.39	38.27	92.22	38.67	67
23	92.05	39.07	91.88	39.47	91.71	39.87	91.53	40.27	66
24	91.35	40.67	91.18	41.07	91.00	41.47	90.81	41.87	65
25	90.63	42.26	90.45	42.66	90.26	43.05	90.07	43.44	64
26	89.88	43.84	89.69	44.23	89.49	44.62	89.30	45.01	63
27	89.10	45.40	88.90	45.79	88.70	46.17	88.50	46.56	62
28	88.29	46.95	88.09	47.33	87.88	47.72	87.67	48.10	61
29	87.46	48.48	87.25	48.86	87.04	49.24	86.82	49.62	60
30	86.60	50.00	86.38	50.38	86.16	50.75	85.94	51.13	59
31	85.72	51.50	85.49	51.88	85.26	52.25	85.04	52.62	58
32	84.80	52.99	84.57	53.36	84.34	53.73	84.10	54.10	57
33	83.87	54.46	83.63	54.83	83.39	55.19	83.15	55.56	56
34	82.90	55.92	82.66	56.28	82.41	56.64	82.16	57.00	55
35	81.92	57.36	81.66	57.71	81.41	58.07	81.16	58.42	54
36	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	53
37	79.86	60.18	79.60	60.53	79.34	60.88	79.07	61.22	52
38	78.80	61.57	78.53	61.91	78.26	62.25	77.99	62.59	51
39	77.71	62.93	77.44	63.27	77.16	63.61	76.88	63.94	50
40	76.60	64.28	76.32	64.61	76.04	64.94	75.76	65.28	49
41	75.47	65.61	75.18	65.93	74.90	66.26	74.61	66.59	48
42	74.31	66.91	74.02	67.24	73.73	67.56	73.43	67.88	47
43	73.14	68.20	72.84	68.52	72.54	68.84	72.24	69.15	46
44	71.93	69.47	71.63	69.78	71.33	70.09	71.02	70.40	45
45	70.71	70.71							

Degrees.	DEGREES		¾ DEGREE.		½ DEGREE.		¼ DEGREE.		Degrees
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	