519

7

FIELD BOOK

360

F.B.519

519

C I C

KEUFFEL & ESSER CO.

DRAWING MATERIALS
AND
SURVEYING INSTRUMENTS.

NEW YORK.

CHICAGO. ST. LOUIS. SAN FRANCISCO. MONTREAL.

Tables for Excavations and Embankments.

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

ROADWAY 18 FEET WIDE. SIDE SLOPES 1 TO 1.

FOR SINGLE TRACK EXCAVATION.

"Copyright, 1895, by Keuffel & Esser Co."

MICROFILMED
1364

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	0
1	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	1
2	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	2
3	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	3
4	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	4
5	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	5
6	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	6
7	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	7
8	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	8
9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	9
10	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	10
11	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	11
12	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	12
13	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	13
14	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	14
15	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	15
16	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	16
17	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	17
18	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	18
19	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	19
20	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	20
21	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	21
22	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	22
23	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	23
24	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	24
25	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	25
26	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	26
27	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	27
28	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	28
29	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	29
30	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	30
31	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	31
32	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	32
33	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	33
34	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	34
35	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	35
36	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.

FOR KEITH'S RAILROAD CURVE TABLES SEE END OF BOOK.

Index -

	Page
Western Interceptor -	
Manholes #101½ & 102	2
↙ #104	3
↙ #105	4
↙ #106	5
Eastern Interceptor -	
Manhole #52	6
Western Interceptor - MH# 109	7
Branch "I" MH#100	8
↙ MH#99	9
Branch "F" MH#112	10
Branch "G" MH#115	11
Branch "K" MH#121	12
Branch "H" MH#123	13
↙ MH#124	14
Branch "B" MH#37	15
Branch "C" MH#39	16
↙ ↙ MH#41	17
Eastern Interceptor - MH#43	18
Branch "D" MH#46	19
Eastern Interceptor - MH#44	20
Branch "E" - MH#49	21
Central Interceptor MH#26½	23

Index Contd -

	Page
Lateral Sewer- Sierra-Euclid alley - MH#4 to FT#4 -	25
✓ ✓ Menlo-Sierra alley - MH#14 to MH#13	26
✓ ✓ Mentone-Menlo alley - MH#23 to MH#22	27
✓ ✓ Chamoune-Mentone alley - MH33 to MH#32	28
✓ ✓ Cabrillo-Chamoune alley MH#40 to MH#39 -	29
✓ ✓ Chamoune-Mentone alley - MH#33 to MH#32 (Revised)	30
✓ ✓ Chamoune-Mentone alley MH#34 to MH#33	31
Drainage Ditch- Olive- Conklin -	33-34
Check Levels- MH-Fairmount-Colonial alley - on Anna -	35
Drainage Ditch-on Olive- Conklin to Stockton -	36


3x3
Winco
Light
North Kenton
Villa
Roland
10.15
82.23
Cunningham
2040
(2333.3)
Arnold
23240
Cerros
Winona
Elliot
60
4x4 Hub
110.66
10.15
Estrella
10.15
80.12
Cajon.
Hub

Ford
Smale
Chisholm } 9-15-'21

Manholes #101½ + 102 - Western Interceptor



Manhole #104 - Western Int.

Smale } 9-16-21
Chisholm



Smale
Chisholm } 9-15-26 4

Manhole #105 - Branch "J."



Smale
Chisholm } 9-16-21

Manhole #106 - Western Interceptor



Ford } 9-15-21
Smale }

6

Manhole #52 - Eastern Interceptor



Official Grade on
℄ Center at M.H. 52
Elev. + 311.45

Grade Stake - M.H. 52
Sta. 48+753 — 311.52

Smale
Chisholm } 9-17-21

Manhole #109 - Western Interceptor.



Smale
Chisholm } 9-17-21

Manhole #100 – Branch "I."



Smale
Chisholm } 9-17-21

Manhole #99 - Branch "I"



Smale } 9-19-20
Chisholm }

Manhole #112 - Branch "F"



Smale
Chisholm } 9-19-21

Manhole # 115 Branch "G"



Srijale
Chisholm } 9-19-21

Manhole #121 - Branch - "K"



Smale
Chisholm } 10-14-21

Manhole #123 - Branch "H"



See Lateral Sheet 51

Manhole #124 Branch "H"



Smale
Chisholm } 10-19-21

15

Manhole #37 – Branch "B"



See Lateral Sheet #46

Smale
Chisholm } 10-19-21

Manhole #39- Branch "C"



Smale
Chisholm } 10-20-21

Manhole-41-Branch "C"



Smale
Chisholm } 10-21-21

Manhole #43 — Eastern Interceptor.



Smale
Chrisholm } 10-21-21 19

MH #46 – Branch II.



Smale
Chisholm } 11-23-21 20

M.H. #44 - East. Int. at Branch "I"



See Lateral Sheet #30

Smale
Chisholm } 11-25-21

M.H. #49 - Branch "E"



M.H. # 26½ - C.I. + M.H. #241 - Lateral.

See Lateral Sewer - Sheet #44.



Lateral Sewers – Sierra-Euclid Alley – M.H. #4 (S. of Univ.) to F.T. #4 (N. of Univ.)

Sta	+	HI	–	Elev. 340.63	Grade
0+00	4.77	345.40	6.16	339.24	335.14
+25			5.69	339.71	35.24
+50			5.20	40.20	35.34
+60			4.99	40.49	35.38
1+00			4.63	40.77	3554
TP +50			0.39	45.01	35.74
+75	6.33	51.34	5.86	45.48	35.84
2+00			5.76	45.58	35.94
+25			5.62	45.72	36.04
+50			5.38	45.96	36.14
+75			5.19	46.15	36.24
3			5.22	46.12	36.34
+25			4.81	46.53	36.44
+50			4.88	46.46	36.54
+75			5.55	45.79	36.64
4			5.98	45.36	36.74
+25			6.54	44.80	36.84
+50			7.60	43.74	36.94
+75			9.83	41.51	37.04
+90			11.33	40.01	337.10
TP			10.81	40.53	
BM	5.17	45.70	5.06	340.64	S.B. 340.69

See Sheet #3

All stakes set on 6' offset East.

Smale } 11-26-21
Chisholm }
Levels with transit. 25

5% Cut –

B.P. – N.W. cor. Univ. + Euclid – B82 P2

4.10	MH #5 – 2x2 Hubstacks on 6' offset E. & W.
4.47	
4.86	
5.11	Pavement – S/S Univ. Ave.
5.23	N/S SARH.
9.27	Shoulder of cut 5.10'
9.64	
9.64	
9.68	
9.82	
9.91	
9.98	Revised – 3-17-22 See Page 37
10.09	Grade Sheet #115 –
9.92	
9.15	
9.62	
7.96	
6.80	
4.47	
2.91	End of line.

F.T. #4 – 2x2 Hubstack on 6' offset E. & W.

B.P. – N.W. cor Univ. + Euclid – B82 P2

Lateral Sewers - Menlo-Sierra alley.

Sta.	+	HI.	−	Elev.	Grade
BM	7			341.53	
0+00	7.35	348.88	6.95	41.93	335.00
+20			7.43	41.45	35.09
+60			6.98	41.90	35.27
1			7.30	41.58	35.46
+25			6.23	42.65	35.57
+50			5.38	43.50	35.68
+75			5.03	43.85	35.80
2			4.71	44.17	35.91
+25			4.83	44.05	36.03
+50			4.40	44.48	36.14
+75			4.15	44.73	36.26
3			3.55	45.33	36.37
+25			2.95	45.93	36.48
+58.85			2.25	46.63	36.64
BM-			5.80	343.08	343.08 S.B.

See Sheet #5

All stakes set on 6' offset East.

MH14 to MH13

Cut

Smale
Chisholm
12-7-21

Levels with transit.

BP-N.W. Univ. & Sierra - B82 - P2

6.93 MH #14 - 20' S. of S/L Univ. Ave.
6.36 (8' So. 6" W.) (See Book So. 2 P6 - line south)
6.63 2x2 Hubs + tacks 6' E & W.
6.12 on pavement.
7.08
7.82 Grade Sheet #52 - 12-8-21
8.05
8.26
8.02
8.34
8.47
8.96
9.45 MH #13 - 2x2 Hubs + tacks at center
9.99 + 6' offsets E & W.

BP-N.W. Univ. & Menlo - B82 P2.

Lateral Sewers - Mentone - Menlo alley across Univ. Ave.

BM	+	HI	—	Elev. 351.18	Grade .4%
TP.	3.12	54.30	6.93	47.37	
0+00	6.14	53.51	6.01	47.50	338.85
+25			5.53	47.98	38.95
+50			4.86	48.65	39.05
+80			6.94	46.57	39.17
1+20			6.83	46.68	39.33
+60			6.71	46.80	39.49
+75			5.15	48.36	39.55
2			5.20	48.31	39.65
+25			5.79	47.72	39.75
+50			6.22	47.29	39.85
+75			6.64	46.87	39.95
3			7.00	46.51	40.05
+25			7.54	45.97	40.15
+50			7.88	45.63	340.25
B.M.			10.43	343.08	S.B. 343.08

All stakes set on 6' offset East

See Sheet # 7

Smale
Chisholm } 12-15-16-21
Cox
Levels with transit

Cut.

B.P. N.W. Mentone & Univ. (B82 P2)

8.65 M.H. #23 - S. of University Ave.
(2x2 Hub & tack at center & 6' E & W.)
9.03
9.60
7.40 S.L. Univ. Ave.
7.35 Edge of concrete at N/S. St. R.y.
7.30 N.L. Univ. Ave.
8.81
8.66 Grade Sheet #53
7.97
7.44
6.92
6.46
5.82
5.38 M.H. #22 - N. of University Ave.
(2x2 Hub & tack at center & on 6' offset E. & W.)

B.P. N.W. cor Univ. & Menlo. B82-P2

Lateral Sewers - Chamoune - Mentone alley across Univ. Ave.

B.M.	+	H.I.	−	Elev. 351.18	Grade .3
0+00	8.28	59.46	10.75	48.71	341.24
+25			10.23	49.23	41.31
+50			9.22	50.24	41.39
+75			8.31	51.15	41.46
1			7.55	51.91	41.54
+25			6.32	53.14	41.61
+50			5.45	54.01	41.69
+75			4.88	54.58	41.76
2			4.57	54.89	41.84
±20			7.44	52.02	41.90
±60			7.31	52.15	42.02
3			7.15	52.31	42.14
+25			6.12	53.34	42.21
+60			6.38	53.08	42.32
B.M.			5.91	53.55	S.B. 53.62

See Page 30 This Book

All stakes set on 6' offset East

See Sheet # 11.

Smale, Chisholm, Cox } 12-15-16-21
Levels with transit.

28

Cut.

B.P. N.W. Univ. & Mentone. B-82 P-2

7.47	M.H. # 33 - So. of Univ. 2x2 Hub &
7.92	tack at center & on 6' offset E & W.
8.85	
9.69	
10.37	
11.53	Grade Sheet # 54.
12.32	
12.82	
13.05	
10.12	S/S Pavement
10.13	Ft edge of pavement at N/S St. Rd.
10.17	N/S Pavement.
11.13	
10.76	MH # 32 - N. of Univ. 2x2 Hub & tack at center & on 6' offset E & W.

B.P. N.W. cor. Univ. & Chamoune. B82 P2

Lateral Sewers - Cabrillo-Chamoune alley across Univ. Ave.

BM	+	HI	-	Elev. 353.59	Grade .96209
0+00	7.25	360.84	10.28	50.56	342.50
+20			9.60	51.24	42.57
+60			9.37	51.47	42.71
1			9.23	51.61	42.85 ✓
+25			7.11	53.73	42.94 ✓
+50			6.08	54.86	43.03
+75			5.34	54.50	43.11
2			5.08	55.76	43.20
+25			4.92	55.92	43.29
+50			4.74	56.10	43.38
+75			4.70	56.14	43.47
3			4.81	56.03	43.55
+25			4.81	56.03	43.64
+50			4.87	55.97	43.73
+75			4.74	56.10	43.82
4			4.53	56.31	43.91
+25			4.58	56.26	43.99
+50			4.31	56.53	44.08
+80			4.55	56.29	44.19
BM-			11.26	49.58 SB	49.58

All stakes set on 6' offset East.

See Sheet #11

See Book So.2 P.17 for line south.

Smale / Ghisholm / Hales / Cox

Cut.

B.P. - N.W. Chamoune & Univ.

8.06	M.H. #40 - S. of University Ave.
8.67	S.L. Univ. Ave.
8.76	Edge of concrete at N/S St Ry.
8.76	N.L. Univ. Ave.
10.79	
11.83	
11.39	2x2 Hub & tack at center & on 6' offset E. & W.
12.56	
12.63	
12.72	
12.67	Restaked on 6' offset W. — See Book So.2 P. 40
12.48	
12.39	
12.24	
12.28	
12.40	
12.27	
12.45	2x2 Hub & tack at center & on 6' offset E. & W.
12.10	M.H. # 39 - N. of University Ave.

B.P. - N.W. Univ. & Cabrillo B82-P1

Sta	+	HI	—	Elev 351.18	
0+00	5.55	56.~~68~~ 73	787	48.86	
+25			7.33	49.40	
+50	New		6.38	50.35	
+75	~~At~~		5.53 ~~5.48~~	51.20	
1			4.80 ~~4.76~~	51.92	
+25			3.43 ~~3.38~~	53.30	
+50			2.74 ~~2.70~~	53.98	
+75			2.10 ~~2.05~~	54.63	
2			1.78	54.95	
+20					
	Chaucoone – Mentone Alley				
BM.				351.18	
3+60	8.93	360.11	6.99		
3+25			6.73		
3+00			7.79		
2+60 ±			7.95		
2+20			6.21	353.90	341.90
2			4.27	355.84	41.84
1+75			4.35	355.76	41.76
1+50			4.42	55.69	41.69
1+25			4.50	55.61	41.61
1+00			6.57	53.54	41.54
0+75		✓	6.65	53.46	41.46
0+50		✓	6.72	5339	41.39
0+25			10.73	4938	41.31
0+00			11.24	4887	41.84

4871
4923
5024
51.15
51.91
53.14
54.01
54.58
54.89

Ford + Smale – Chisholm Rogers –
1-12-22

B.P. N.W. Univ + Mentone
M.H. No. 32
on stakes 6' East

+12.0
+14.0
+14.0
+14.0
+14.00
+12.0
+12.0
+12.0
+8.07
+7.63

On Grade Boards

on stakes 6' East
M.H 33

Ctd. from Page 30

Sta	+	HI	−	Elev.	Grade
0+00	M.H 33 E		348.87	348.87	
3+59.15	1.06	349.93	1.06	348.87	341.24 ~~340.24~~
3+25			2.56	47.37	41.13
3			3.15	46.78	41.06
2+75			3.31	46.62	40.98
2+50			3.35	46.58	40.91
2+25			3.60	46.33	40.83
2			4.11	45.82	40.76
1+75			4.90	45.03	40.68
1+50			5.26	44.67	40.61
1+25			5.19	44.74	40.53
1			5.37	44.56	40.46
0+75			5.00	44.93	40.38
0+50			4.99	44.94	40.31
0+25			4.29	45.64	40.23
0+00			3.90	46.03	340.16

Rods by E.P.F.
reduced by Y.M.S.

Ford
Smale
Chisholm
Rogers
} 1-12-22

Cut

7.63	M.H 33
6.24	
5.72	
5.64	
5.67	
5.50	on stakes 6' East
5.06	
4.35	Grade Sheet #65 1-12-22
4.06	
4.21	
4.10	
4.55	
4.63	
5.41	
5.87	M.H #34

BM	5.38	73.07		367.69
			5.60	67.47
			6.50	66.57
			6.60	66.47
			7.1	
			7.1	
			7.5	
			7.2	65.87
			6.9	
			6.65	Pitch
			6.8	
			7.3	
			7.4	65.67
			7.1	
			5.3	67.77



Curb line

Curb on Conkling

Drainage Ditch – Olive E. from W.L. Conklin

Sta	+	HI	–	Elev.	Grade
BM				367.69	.0921
0–33	4.57	72.26	5.61	66.65	65.60
0+00			5.61	66.65	65.57
+50			4.82	67.44	65.52
1			5.84	66.42	65.48
+50			5.10	67.16	65.43
2			5.45	66.81	65.38
+50			5.95	66.31	65.34
3			6.13	66.13	65.30
+50			6.28	65.98	65.25
BM–			6.21	66.05	S.F. 366.04
4+00			6.82	365.44	365.20

Cut.	
1.05	Staked on line bet. 14' curb on N/S Olive west of Central to 15' curb on N/S Olive at W/S 5th. Levels taken on tops of 1x2 hubs set 7.1 to ground line.
1.08	
1.92	W.P.L. Conkling.
0.94	B.P. N.W. Conkling at Olive.
1.73	
1.43	
0.97	
0.83	
0.63	
	BP. – N.W. Stockton at Olive –
0.24	

Drainage - Univ. & Highland -

	+	HI	-	Elev.
BM-	-			354.12
1+75	5.02	359.14	5.67	
			6.58	
			6.9	
			7.2	
			7.3	
			7.7	351.44
1+50			7.2	
			5.95	
			5.85	
			5.93	
			7.00	
			6.95	
			6.9	

Smale
Chisholm
Rogers
1-31-21

N.W. Univ. & Highland.

Water level - N.W. End.

+

alley side

N. end ditch

Center

S. end -

Check Levels to MH on Anna at alley bet. Fairmount & Colonial.

	+	H.I.	−	Elev.	
B.M.				359.78	B82 P1
TP	4.64	64.42	4.98	59.44	
MH	2.99	62.43	8.58	353.85	
TP			8.38	54.05	
	4.67	58.72	2.05	56.67	356.68

Smale
Chisholm } 2-1-22

MH - existing sewer - Anna at alley bet. Fairmount & Colonial.

B82 P1

Drainage Ditch - Olive - Conklin to Stockton.

Sta.	+	H.I.	-	Elev.	Grade
BM				367.69	
0-33	5.31	73.00			365.60
0+00					65.57
+50					65.52
1					65.48
+50					65.43
2 TP			6.18	66.82	65.38
+50	4.56	71.38			65.34
3					65.30
+50					65.25
4					65.20
BM-			5.34	66.04	366.04
				367.69	
	5.25	72.94	6.28	66.66	65.60

Smale
Chisholm } 2-2-22
Rogers

36

Cut Rods.

B.P. - N.W. Conklin + Olive. B-51, P13

3	4.40
✓	4.43
✓	4.48
3	4.52
✓	4.57
✓	4.62
3	3.04
2	4.08
✓	4.13
✓	4.18

Grade stakes set on line 5. offset 5' south of 33. shown on page

B.P. N.W. Stockton + Olive. B-51 P13

1.06

Lateral Sewer – Sierra-Euclid alley.
MH#4 to F.T.#4 – Revised grades –

Smale
Chisholm } 3-17-22

Sta.	+	H.I.	–	Elev.	Grade
				340.63	
0+00	5.44	346.07			
+25					
+50					
+75					
1					
+25					
+50			0.86	345.21	35.74
+75			0.49	45.58	35.84
2 TP			0.55	345.52	35.94
+25	5.02	350.54	4.40	46.14	36.04
+50			4.31	46.23	36.14
+75			4.32	46.22	36.24
3			4.36	46.18	36.34
+25			3.79	46.75	36.44
+50			3.94	46.60	36.54
+75			4.56	45.98	36.64
4			4.54	46.00	36.74
+25			5.35	45.19	36.84
+50			6.00	44.54	36.94
+75			7.33	43.21	37.04
+90			9.05	41.49	37.10
TP			12.10	338.44	
BM	6.11	44.55	3.94	340.61	

See Page 25

Cut – Staked on 6' offset W.

BP-N.W. Euclid & Univ. B32 P2

MH #4

9.47
9.74
9.58
10.10
10.09
9.98
9.84
10.31
10.06
9.34
9.26
8.35
7.60
6.17
4.39 F.T.#4 – 2x2 at center & 6' E & W.

Grade Sheet #115 –

Moore
12-28-40

X sec of E & W alley
and Pescadero Drive
in Blk 44 Ocean Beach

NwBP	0 71	29.84	28.13	Sunset & Pescadero
	0-12	w c b line	Sunset Cliffs Blvd	
N	Pav.	5.11	2373	
S	"	5.50	2334	
	0+0	W/ Sunset Cliffs Blvd		
S	cb	4.82	2402	
S	pav	5.01	2389	
C	"	5.02	2382	
N	"	4.69	2415	
N	cb	4.45	2439	
	0+15			
-5		2.4	262	
N		4.4	244	
+2		5.1	237	
C		5.2	236	
S		5.0	238	
+30		6.2	226	

Cont'd P 41

Red'd Plot 12/31/40 C.B.H.

INDEXED
EPB



#9

BM				359.10	
T	4.39	363.49	3.59	359.90	
1+00	4.29	64.19	4.86	359.33	350.10
~~+20~~ 16.85			5.16	59.03	50.15
1+96.85			4.29	59.96	50.39
2+25			3.82	60.37	50.48
			5.09	359.10	

Cut

Univ. of Paula -

9.23
8.88
9.51
9.89



#10

BM				359.10	
				58.63	
0+00	4.24	363.34	4.75	58.59	349.06
+20			4.87	58.47	49.16
1			4.36	58.98	49.58
+25			3.57	59.77	49.71
BM			5.17	58.17	✓

40

Cut

9.53 Univ. & Pauly — (58.63)
9.31
9.40
10.06

	0+60		
-30		6.1	22.7
S		4.2	24.6
+5		4.7	24.1
C		5.0	23.8
+8		4.6	24.2
N		3.7	25.1
+5		2.1	26.7
	1+00		
-5		1.4	27.4
N		3.3	25.5
+2		4.2	24.6
C		4.4	24.2
+5		4.5	24.3
S		3.4	25.2
+30		6.1	22.7
	1+25		
S +0.4	0.9 P.P.		
	1+31		
S -3.5	℄ Sin. gar.	4.3	24.5 dirt
S		4.4	24.4
C		4.5	24.3
N		3.5	25.3
+5		1.0	27.8

	1+57		
N-20 E edge de. gar.	0.47		28.42 c&M.
	1+70		
S-10 ℄ Sin. gar	4.55		24.29 Wood &l.
	1+77		
N-20 W. edge de. gar	0.47		28.37 c&M.
-5	1.7		27.1
N'	3.3		25.5
C	4.4		24.4
S	4.5		24.3
	2+25 = E.L. Pescadero Drive to South		
S	2.7		26.1
C	2.4		26.2
N'	2.1		26.7
+5	1.6		27.2
T.P. 4.4 V	3138	1.88	26.96 STUB

Pescadero Drive xsec.

0-20 = N cb. Line Bermuda Ave

W	Pav quarter	9.48	21.90
E	" "	9.60	21.78
	0+00 N℄ Bermuda.		
E	cb	8.73	22.65
E	Pav	8.88	22.50

C par		9.18	22.20
W "		8.78	22.60
W C6		8.63	22.75
W +0.5	S.E. Cor Stucco Bldg		✓
	0+18		
W -0.5	N.E. Cor " and 6eg. LATTICE Fence		✓
	0+28		
W -0.4	E 2' CONCRETE walk	7.68	23.70 ✓
W		7.9	23.5
C		8.2	23.2
E		8.0	23.4
+20		8.6	22.8
	0+31		
W +0.1	S edge CONC. apron	7.56	23.82 ✓
W -0.8	" " do. gar	7.25	24.13 CONC. FL.
	0+50		
-20		8.5	22.9
E		8.2	23.2
C		8.1	23.3
+9.8	N edge CONC. apron	7.52	23.86
W	on apron	7.46	23.92 ✓
W +0.8	N edge do. gar	7.25	24.13 CONC. FL.
	0+75		
W		7.6	23.8
C		7.4	23.8

E	7.2	29.2
1+00	8.1	23.3
1+00		
+20	7.8	23.6
E	7.0	24.4
C	6.6	24.8
W	6.8	24.6
+20	6.1	25.3
1+39.84 = SW		
W	4.9	26.6
C	5.1	26.3
1+40		
W +0.7 I.W. P. & Tel. P.		
1+49.84 = E	Δ 90° LT.	
C SMH RIM	5.00	26.38
W on STUB	4.42	4.96 ✓
1+59.84		
W	4.4	27.0
C	4.8	26.6
1+90		
-10	5.2	26.2
S	4.6	27.0
C	4.5	26.9
N	4.1	27.3
N 6eg. picket fence		

Please give plus or minus ex this point.

	1+93			
N	E 2' Conc walk	3.72	27.66	
	1+97			
N	end picket fence			
	1+98			
N − 3.7	E edge Con. apron	3.43	27.95	
N − 5.7	E " do. gar	3.34	28.04	Conc
	2+15			
N − 5.7	W. edge do. gar	3.32	28.06	
N − 3.7	" " apron	3.40	27.98	"
N		3.6	27.8	
C		4.1	27.3	
S		4.4	27.0	
+20		4.0	27.4	
	2+16			
N	beg. picket fence			
	2+45			
−10		2.9	28.5	
S		3.1	28.3	
C		3.1	28.3	
N	fence	2.4	28.8	
	2+64.84 = E.L. to North			
N	Cor picket fence	2.5	28.9	
C		2.5	28.9	
S		2.3	29.1	

S +10		2.3	29.1
	2+74.84 = E to North ∠ Rt 90°		
S		2.0	29.4
C	SMH RIM	1.9	29.46 ✓
N		2.0	29.4
	10' West of 2+74.84 = W.L. to North		
N		0.8	30.6
C		1.1	30.3
S		1.2	30.2
	2' W = P of Tel Pole 0.7 dl.		
T.P	6.10 35.48	2.00	29.38
	2+90		
E	end Picket fence		
E	S edge Con. apron	5.39	30.09
E − 8.2	" " do gar	5.18	30.30 Conc ✓
	3+20		
E − 8.2	N edge do gar.	5.22	30.26
E	" " Con. apron	5.60	29.88
E	beg. picket fence	5.6	29.9
C		5.6	29.9
W		4.9	30.6
	3+25		
W + 0.1	beg bath fence		

	3+59		
W	+0.2 end lath fence		
	3+61		
W	+0.1 E 3' Conc. walk	3.43	32.05
W	+0.2	3.8	31.7
C		4.7	30.8
E	picket fence	4.6	30.9
	3+64		
W	+2.9 S edge Conc. apron	4.03	31.45
W	on apron	3.66	31.82
W	-0.9 S edge Sidewalk	3.40	32.08 CEM
	3+75		
W	-0.9 N edge Sidewalk	3.42	32.06
W		3.63	31.85
W	+2.9	3.98	31.50
	4+00		
E	Picket fence	3.8	31.7
C		4.0	31.5
W		3.4	32.1
	4+09		
E	end Picket fence		
	4+24.68 = SL Pescadero Ave		
W	c6	2.62	32.86
W	Par	2.94	32.54
C	"	3.26	32.22

E	Par	3.12	32.36
E	c6	2.94	32.54
	4+24.68 S c6 Line Pescadero Ave		
E	Par	3.81	31.67
W	"	3.58	31.90
T.P	27.2 35.12	3.08	32.40
check to orig. BM		4.97	28.15 28.13
			0.02

Moore 2-7-41 — X Sec Columbia = 75' wide, 22.5' curbs, 7½ 1/4 S — Indexed Lm.

NW BP	0.36	166.68		166.32
T.P.	0.18	154.06	12.80	153.88
T.P.	0.19	141.62	12.63	141.43
T.P.	5.59	134.46	12.75	128.87
NW BP Sassafras			8.72	125.74 ✓
		S cb line on Sassafras		
N +2.5 cb PC			11.45	123.01
" gut			12.07	122.39
cb			9.97	124.49
1/4			9.31	125.15
c			8.84	125.62
1/4			8.42	126.04
cb			7.96	126.50
+20	gut		5.92	128.54
"	cb		5.38	129.08
EL Top cb			11.99	129.47
	S E Curb Ret in 4 parts			
	#1 PT			
cb			4.60	127.86
gut			7.09	127.35
	#2			
cb			7.35	127.11
gut			7.88	126.58

Sassafras St. 45



#3 part

c6		7.67	126.79
gvt		8.15	126.31
	SW Curb Ret 4 parts		
	#1 pt		
c6		10.58	123.88
gvt		11.16	123.30
	#2 pt		
c6		9.85	124.61
gvt		10.40	124.06
	#3 pt		
c6		9.14	125.32
gvt		9.67	124.79
	SL Sassafras = c6 EC end Ret = #4 part		
w		10.6	123.9
+21	for ydge	7.7	126.8
c6		8.43	126.03
gvt		8.95	125.51
1/4		8.54	125.92
c		8.29	126.17
1/4		8.04	126.42
gvt		7.90	126.56
c6		7.50	126.96
+8.5	edge sdw	7.33	127.13
+9		6.1	128.4
+15		4.7	129.7

+15.5	Top Ret. wall	+1.0	135.5
E		+2.0	136.5
	0+25		
E		+5.1	139.6
+7	Top wall	+2.1	136.6
+7.5		2.4	133.1
+14		3.2	131.3
+15		4.0	130.5
+21		4.4	130.1
c6		5.2	129.3
1/4		5.0	129.5
c		5.1	129.4
+5		5.3	129.2
1/4		3.0	131.5
+3		1.9	132.6
c6		2.1	132.4
w		7.8	126.7
+15		10.5	124.0
T.P	11.13 145.55	0.04	134.42
	0+50		
-1.5		18.0	122.6
x1		14.5	131.1
c6		10.4	135.0

145.55

1/4		11.6	134.0
+3		13.7	131.8
C		13.3	132.3
1/4		12.1	132.5
C6		13.7	131.8
+2		13.8	131.7
+3		12.7	132.8
+8		12.6	133.0
+9	Top small wall	11.8	133.8
+15		11.5	134.1
+15.5	Top wall	7.4	138.2
E		11.1	141.5
	0+75		
E		2.6	143.0
+7	Top wall	5.7	142.9
+7.5		9.3	136.3
+14		9.6	136.0
+15		10.4	135.2
+18		10.5	135.1
+19		11.3	134.3
C6		11.1	134.5
1/4		10.7	134.9
C		11.1	134.5
+5		11.6	134.0
+6		10.3	135.3
1/4		9.9	135.7

145.55

C6		9.7	135.8
W		13.4	132.2
+15		16.2	129.4
	1+00		
-15		14.7	130.9
W		12.6	133.0
+5		12.4	133.2
+7		11.0	134.6
C6		9.8	135.8
1/4		9.3	136.3
C		9.1	136.5
1/4		8.7	136.9
C6		8.6	137.0
+4		8.8	136.8
+8		8.1	137.5
+9	Top small wall	6.9	138.7
+15		7.0	138.6
+15	" " "	5.6	140.0
+15.5	" Rock "	4.6	141.0
E	" " "	0.40	145.15
	1+00.2		
E		3.7	142.4
+4		4.0	141.6
+2.1	Conc	5.38	140.17
+8	W W Corner Concrete	5.84	139.69
+19		8.8	136.8
E C6		8.6	137.0

145.55

	1+13 E garage		
E	cent Fl	5.24	140.31
+8	edge cent apron	5.53	140.02
	1+21		
E	St gar Fl.	5.24	140.31
+8	" apron	5.31	140.24
+15		5.5	140.1
+17		6.0	139.6
c6		6.0	139.6
	1+21.20		
E	Top wall	+1.2	146.8
+8	" "	0.0	145.6
+8.1		3.8	141.8
+10.5		3.9	141.7
+11		5.2	140.4
+15		5.5	140.1
+17		5.9	139.7
c6		6.0	139.6
	1+29		
W	on E 2' Conc walk	12.50	133.05
+2.3	" " end "	12.18	133.37
	1+35		
E	on Lawn	+0.8	146.4
+4	Top wall N edge Steps	+0.35	145.90
+4.3	Top 3d step	1.6	144.0

145.55

+8	Rock walk	2.94	142.61
+12.5	edge Rock walk	3.00	142.55
	1+50		
E	Lawn	+1.3	146.9
+8	Top wall	0.0	145.6
+8.2		1.8	143.8
c6		3.3	142.2
1/4		3.5	142.1
+4		3.6	142.0
C	N. end agasia row	3.2	142.4
1/4		7.6	138.0
c6		9.0	136.6
+20		12.0	133.6
W		12.6	133.6
+15		14.7	130.9
	1+52		
-15	Top Cut	14.7	130.9
W	" "	12.7	132.9
	1+68		
W	-10 Bot Cut	45.5	100.1
W	Top "	12.5	133.1
+15		10.1	135.5
c6		8.3	137.3
1/4		3.4	142.2
+2	E Row acacia		

145.55

C			3.2	142.4
1/4			2.8	142.8
CL			2.7	142.9
+5.5	Wedge apron		2.60	143.15
+13	" "	"	1.80	143.95
E	" "	"	0.1	145.5
E	Top Ret wall		+0.5	146.1
T.P	3.74	147.48	1.81	143.74

1472.3 & Cen Dr has been rebuilt

E -15.8 & garage			0.87	146.61 Cen Pt.
E -12.8 E Dr.			1.22	146.26
E	" "		2.05	145.43
+12	" "		3.68	143.80
+17	" "	end	4.02	143.46
1477.5				
E	Top wall		1.2	146.26
E	on drive		2.02	145.46
+5	Top wall		1.57	145.91
+5	on drive		2.78	144.70
+10	"	"	3.53	143.95
+17	"	"	3.78	143.70
1495				
E			1.7	145.8

147.48

E +7 Top wall		1.8	145.7
+7.2		4.0	143.5
CL		3.6	143.9
1/4		3.9	143.6
C		4.7	142.8
+2 Acasia Row			
1/4		5.1	142.4
+4		8.9	138.6
CL		10.8	136.7
W		13.4	134.1
+8		45.5	102.0
+0.5			
+8		45.5	153.0
W		13.4	134.1
CL		10.9	136.6
1/4		10.1	137.4
C		9.4	138.1
1/4		8.2	139.3
CL		7.8	139.7
+8		5.6	141.9
E		4.6	142.9

Indexed
LMI

Proposed Storm drain
Beg. at alley west of Utah St
on Monroe Ave. and ending at
30th & El Capon Ave.



Moore
Osborne
Svelmoe
Freund

51

8-22-41.



Meade



See Level Notes for Location of Private Walks & Drives



Levels on Proposed drain

Plug SERP gone only Ld.	2.61	378.55 ✓	375.94	Monroe Idaho
T.P.	5.96	375.72 ✓	8.79	369.76
cb. inlet N. cb Monroe			6.53	369.19 Iron grate
" " "			7.53	368.19 Fl. Box
" " "			5.58	370.14 Top cb
" S. " "			6.94	368.78 grate
" " " "			7.90	367.82 Fl. Box
" " " "			6.13	369.59 Top Curb
cleanout Box S.L. Monroe			5.99	369.73 Top
" " "			8.14	367.58 F.L.
0+00 Pav			6.25	369.47
0+058 "			6.27	369.45
0+0.85 alley curb			6.04	369.68
0+22 ℄ 4' cent walk			5.80	369.92
0+46.5 ℄ 2' W. R. 66 on Dr.			5.80	369.90
0+51 ℄ " E " "			5.75	369.97
0+58.9 ℄ 2' W " "			5.71	370.01
0+64.6 ℄ 2' E " "			5.64	370.08
0+82 ℄ 4' cent walk			5.55	370.17
1 Level			5.2	370.5
1+30 ℄ 4' cent walk			5.14	370.56
1+45.7 W.L. Utah			5.07	370.65 cen. Ret.

375.72

1+59.7 W curb		5.25	370.47
" W gut Pav		5.76	369.96
1+85.7 ℄ Pav		5.12	370.61
Pav.		5.43	370.29
2+11.8 gut "		5.83	369.89
2+11.8 cb		5.30	370.42
2+25.8 E.L. Utah		4.96	370.76 cent. Ret.
2+50		4.9	370.8
3+00		4.9	370.8
3+51 Beg. cent walk Front of store		4.76	370.96
3+65.8 curb alley		4.81	370.91
" " Pav.		4.98	370.74
3+80.7 Δ 90°02' RT		4.92	370.80 Pav.
3+83.2 S.L. Monroe		4.81	370.91 end " and Beg. Dirt alley
℄ alley and Fl. Ref. ℄ Monroe		13.03	362.09 F.L.
T.P. 1.21	372.49 ✓	4.44	371.28 ✓
4+00		2.2	370.3
+50		2.9	369.6
5		4.0	368.5
+50		4.8	367.7
+70		5.0	367.5
" 10' East		5.5	367.0 Low Point

372.49

6+00		4.9	367.6	
+50		5.0	367.5	
7+00		5.4	367.1	
7+00	10' East	6.2	366.3	Low Point
+50		4.9	367.6	
+50	20' West	5.6	366.9	"
8+00		5.2	367.3	
T.P.	5.03	372.56	4.96	367.53
8+50		4.8	367.8	
9		5.1	367.5	
+50		5.2	367.4	
+84	end dirt alley beg. 6" AC Pav.	5.40	367.16	W.L. Meade
+98	Pav.	5.48	366.94	
10	"	5.43	366.93	
+24	"	5.19	367.37	
+50	"	5.58	366.98	
10+61.5	Δ 90°0'LT	5.13	367.43	Pav
+66.5		5.00	367.56	Pav
+66.5	alley Curb	4.84	367.72	
10+90	℄ 3.6' Cem walk	5.18	367.44	
11	Level	5.1	367.5	
11+10.4	℄ 7' West Cem Res. Drive	5.18	367.44	
11+15.5	" " East " "	5.20	367.36	

372.56

11+72	ground	5.20	367.4	
"	Top 8" Conc. Ret Wall	3.66	368.90	
11+40.2	℄ 7' Cem. Drive	5.28	367.28	
+50		5.3	367.3	
12		5.4	367.2	
12+07	W.L. Kansas	5.39	367.17	on Cem Sdwk Ret
12+21	℄ C6	5.40	367.16	
12+21	Gut Pav	6.19	366.37	
12+47	Pav	6.05	366.51	
12+73	" Gut	6.41	366.15	
12+73	Curb	5.87	366.69	
12+83.2	edge Sdwk Ret	5.59	366.97	
13+04	℄ 4' Cem walk	5.76	366.70	
13+38.6	℄ 15' Cem Drive	5.91	366.65	
T.P.	4.58	371.18	5.96	366.60
13+50	Level	4.5	366.7	
13+70	℄ 3' Cem walk	4.57	366.61	
13+91.8	℄ 8' " drive	4.69	366.49	
check to BM	S.E. Meade Kansas	4.44	366.72	366.78 0.06
14+10	℄ 3' Cem walk	4.79	366.39	

371.18.

14+26.6	W.C. & alley	4.83	366.35	
14+26.6	Gut Pav	5.00	366.18	
14+36.6	℄ alley Pav	5.18	366.00	Cross Sewer
"	40' N S.M.H.	11.86	359.32	F.L.
"	197.5 "	13.58	357.60	
14+46.5	Pav	4.98	366.20	
14+46.5	alley Curb	4.82	366.32	
15		5.1	366.1	
+50		5.1	366.1	
15+88.57	Δ 90°06' Rt.	5.30	365.88	on Cen Return
16		5.3	365.9	
+45	beg. cent walk	5.20	365.98	Front of Store
T.P.	44.72	370.30	5.30	365.88
16+75	end cent walk	4.34	365.96	" "
16+92	℄ 2' " "	4.57	365.73	
17+29	℄ 2.5 " "	4.64	365.66	
+50		4.7	365.6	
18		5.2	365.1	
+50		5.2	365.1	
19		4.9	365.4	
+21	℄ 3' cent walk	4.84	365.46	
+50		5.1	365.2	

370.30

19+71.6	beg. Cent walk	5.08	365.22	Front of Store Bldg.
20	on cent walk	5.02	365.28	
20+40.6	N alley	5.02	365.28	C&G Ret
"	" " Pav	5.61	364.69	End S&W Front of Store Bldg
20+50.6	S alley "	5.25	364.65	
"	S "	5.15	365.15	C&G Ret
20+50.6	to 20+80 = Rock garden			
20+83.2	℄ 3' cent walk	5.02	365.24	
2'	ground	5.3	365.0	
21+29	beg. oil Pav	5.23	365.07	
21+50	" "	5.26	365.04	
21+97.6	Δ PT. oil Pav	5.57	364.73	
22+11.1	Top C&G Ret	5.06	364.64	Curb Inlet
"	Iron grate	4.70	363.60	"
"	FL Box	12.19	358.11	"

Plan. SILL = 358.0

No B.M. here
please check curb El. to profile.

T.P.	5.32	371.25	4.43	366.82
check To B.M.			4.53	366.72	366.78
				0.06

B	4.33	64.11		59.78	
TP	4.38	62.64	5.85	58.26	
BM ✓	3.92	60.60	5.96	56.68	
	3.75	56.00	8.35	52.25	-.28
	6.93	66.52	6.41	59.59	
	4.32	57.92	2.92	53.60	.62
	1.65	52.845	6.725	51.195	
	4.16	47.256	9.75	43.095	
			5.72	41.536	

Benches - Brass plugs in curbs

NW - Klauber & Fairmount - 355.28.

Benches - Brass Plugs in curbs.

B82 P4

S.W. Euclid & El Cajon	344.98	
✓ Sierra & ✓ ✓	347.15	
✓ Menlo & ✓ ✓	355.60	
✓ Mentone & ✓ ✓	352.97	
✓ Chamoune ✓ ✓	356.56	(56.53)
✓ Cabrillo ✓ ✓	357.30	X
✓ Highland ✓ ✓ ✓	356.12	
✓ Colonial ✓ ✓	354.70	
✓ Fairmount ✓ ✓	358.0	
✓ Pauly	357.725	

B-51 P-13

N.W. Conklin & Olive -	367.69	
Stockton & ✓	366.04	
5th & ✓	364.62	
Copeland ✓	364.51	

Benches – B.P.

B82 P-2	N.W. Mentone & Univ.	351.18
	Menlo &	343.08
	Sierra &	341.53
	Chamoune &	353.62
B82 P1	Cabrillo &	349.58
	Highland &	352.28
	Colonial &	356.68
	Fairmount &	359.78
B82-P4	Euclid & Orange	350.66
B82 P2	Sierra & Orange	354.48
	Mento &	349.27
	Mentone & Orange	353.89
	Chamoune &	351.17
B82 P1	Cabrillo & Orange	352.50
	Highland &	354.12
	Colonial &	358.43
	Fairmount &	358.36

II Line Tunnel. 3.9795%

4+00	51.98
+50	53.97
5	55.96
+50	57.95
6	59.94
+25	60.93
+50	61.93
+75	62.92
7	63.92
+25	64.91
+50	65.91
+75	66.90
8+01.3	67.95
+50	69.93
9	71.93
+50	
10+03.2	

BM-	6.88	58.06	/	351.18	—
NS alley			5.74	52.32	
BM- Cham	2.82	56.40	4.48	53.58	53.62
BM-	6.59	56.17	6.82	49.58	49.58
BM-	8.35	60.58	3.94	52.23	52.28
BM-			3.92	56.66	56.68
	Check Benches - 12-31				
	6.831	56.411		49.58	
			2.82	53.591	
1+00			4.80	51.61	
0+20			5.17	51.24	
0+00			5.85	50.56	
1+75			0.91	55.50	
0+50			1.55	54.86	

Mentone
Sta. #300 - Chamoune - Mentone alley

Chamoune
Cabrillo
Highland
Colonial.

Cabrillo
Chamoune

53.59

51.84
9.68
60.84
53.59
7.25

11.30 60.88 49.58

4.51 46.37

4.24 6.64

4.56 6.32

4.74 6.14

KEITH'S RAILROAD CURVE TABLES.

Published by KEUFFEL & ESSER CO., New York.

Entered according to Act of Congress in the year 1883,
by W. Keuffel & H. Esser, in the office of the Librarian of Congress,
in Washington, D. C.

Copyright, 1902, by Keuffel & Esser Co.

HOW TO USE KEITH'S TABLES.

EXAMPLE.

Wanted a Curve with an Ext. of about 12 ft. Angle of Intersection or I. P. = 23° 20′ to the R. at Station 542+72.

Ext. in Tab. IV opposite 23° 20′ = 120.87
120.87 ÷ 12 = 10.07. Say a 10° Curve.

Tan. in Tab. IV opp. 23° 20′ = 1183.1
1183.1 ÷ 10 = 118.31.

Tab. V correction for A. 23° 20′ for a 10° Cur. = 0.16
118.31 + 0.16 = 118.47 = corrected Tangent.

(If corrected Ext. is required find in same way)
Ang. 23° 20′ = 23.33° ÷ 10 = 2.3333 = L. C.

2° 19½′ = def. for sta.	542	I. P. = sta.	542+72
4° 49½′ = " " "	+50	Tan. =	1.18.47
7° 19½′ = " " "	543	B. C. = sta.	541+53.53
9° 49½′ = " " "	+50	L. C. =	2.33.33
11° 40′ = " " "	543+ 86.86	E. C. = Sta.	543+86.86

100 − 53.53 = 46.47 × 3′ (def. for 1 ft. of 10° Cur.) = 139.41′ = 2° 19½″ = def. for sta. 542.

Def. for 50 ft. = 2° 30′ for a 10° Curve.

Def. for 36.86 ft. = 1° 50½′ for a 10° Curve.

(These tables are published in Field Books of KEUFFEL & ESSER Co., New York, N. Y.)



125
76
201

50
14
66

Anna Dobbey bet. Sierra & Menlo. 360.17

360.16
339.08
3611.08

.075

519

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

ROADWAY 14 FEET WIDE. SIDE SLOPES 1½ TO 1.

FOR SINGLE TRACK EMBANKMENT.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	7.0	7.2	7.3	7.5	7.6	7.8	7.9	8.1	8.2	8.4	0
1	8.5	8.7	8.8	9.0	9.1	9.3	9.4	9.6	9.7	9.9	1
2	10.0	10.2	10.3	10.5	10.6	10.8	10.9	11.1	11.2	11.4	2
3	11.5	11.7	11.8	12.0	12.1	12.3	12.4	12.6	12.7	12.9	3
4	13.0	13.2	13.3	13.5	13.6	13.8	13.9	14.1	14.2	14.4	4
5	14.5	[illegible]7	14.8	15.0	15.1	15.3	15.4	15.6	15.7	15.9	5
6	16.0	[illegible]6.2	16.3	16.5	16.6	16.8	16.9	17.1	17.2	17.4	6
7	17.5	17.7	17.8	18.0	18.1	18.3	18.4	18.6	18.7	18.9	7
8	[illegible]0	19.2	19.3	19.5	19.6	19.8	19.9	20.1	20.2	20.4	8
9	20.5	20.7	20.8	21.0	21.1	21.3	21.4	21.6	21.7	21.9	9
10	22.0	22.2	22.3	22.5	22.6	22.8	22.9	23.1	23.2	23.4	10
11	23.5	23.7	23.8	24.0	24.1	24.3	24.4	24.6	24.7	24.9	11
12	25.0	25.2	25.3	25.5	25.6	25.8	25.9	26.1	26.2	26.4	12
13	26.5	26.7	26.8	27.0	27.1	27.3	27.4	27.6	27.7	27.9	13
14	28.0	28.2	28.3	28.5	28.6	28.8	28.9	29.1	29.2	29.4	14
15	29.5	29.7	29.8	30.0	30.1	30.3	30.4	30.6	30.7	30.9	15
16	31.0	31.2	31.3	31.5	31.6	31.8	31.9	32.1	32.2	32.4	16
17	32.5	32.7	32.8	33.0	33.1	33.3	33.4	33.6	33.7	33.9	17
18	34.0	34.2	34.3	34.5	34.6	34.8	34.9	35.1	35.2	35.4	18
19	35.5	35.7	35.8	36.0	36.1	36.3	36.4	36.6	36.7	36.9	19
20	37.0	37.2	37.3	37.5	37.6	37.8	37.9	38.1	38.2	38.4	20
21	38.5	38.7	38.8	39.0	39.1	39.3	39.4	39.6	39.7	39.9	21
22	40.0	40.2	40.3	40.5	40.6	40.8	40.9	41.1	41.2	41.4	22
23	41.5	41.7	41.8	42.0	42.1	42.3	42.4	42.6	42.7	42.9	23
24	43.0	43.2	43.3	43.5	43.6	43.8	43.9	44.1	44.2	44.4	24
25	44.5	44.7	44.8	45.0	45.1	45.3	45.4	45.6	45.7	45.9	25
26	46.0	46.2	46.3	46.5	46.6	46.8	46.9	47.1	47.2	47.4	26
27	47.5	47.7	47.8	48.0	48.1	48.3	48.4	48.6	48.7	48.9	27
28	49.0	49.2	49.3	49.5	49.6	49.8	49.9	50.1	50.2	50.4	28
29	50.5	50.7	50.8	51.0	51.1	51.3	51.4	51.6	51.7	51.9	29
30	52.0	52.2	52.3	52.5	52.6	52.8	52.9	53.1	53.2	53.4	30
31	53.5	53.7	53.8	54.0	54.1	54.3	54.4	54.6	54.7	54.9	31
32	55.0	55.2	55.3	55.5	55.6	55.8	55.9	56.1	56.2	56.4	32
33	56.5	56.7	56.8	57.0	57.1	57.3	57.4	57.6	57.7	57.9	33
34	58.0	58.2	58.3	58.5	58.6	58.8	58.9	59.1	59.2	59.4	34
35	59.5	59.7	59.8	60.0	60.1	60.3	60.4	60.6	60.7	60.9	35
36	61.0	61.2	61.3	61.5	61.6	61.8	61.9	62.1	62.2	62.4	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.