
SD 521
ENGINEERS'
PENCIL BOOK
№ 416
F.B. 521
DIETZGEN

EUGENE DIETZGEN CO.

DRAWING MATERIALS, MATHEMATICAL and
SURVEYING INSTRUMENTS

Chicago New York San Francisco New Orleans Pittsburg Toronto

Distances from Center of Roadway for Cross-Sectioning
Roadway 16 feet wide. Side Slopes 1 on 1.
For Single Track Embankment.

H	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	H
0	8.0	8.1	8.2	8.3	8.4	8.5	8.6	8.7	8.8	8.9	0
1	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	1
2	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	2
3	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	3
4	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	4
5	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	5
6	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	6
7	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	7
8	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	8
9	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	9
10	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	10
11	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	11
12	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	12
13	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	13
14	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	14
15	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	15
16	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	16
17	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	17
18	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	18
19	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	19
20	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	20
21	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	21
22	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	22
23	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	23
24	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	24
25	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	25
26	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	26
27	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	27
28	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	28
29	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	29
30	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	30
31	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	31
32	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	32
33	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	33
34	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	34
35	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	35
36	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	36
37	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	37
38	46.0	46.1	46.2	46.3	46.4	46.5	46.6	46.7	46.8	46.9	38
39	47.0	47.1	47.2	47.3	47.4	47.5	47.6	47.7	47.8	47.9	39
40	48.0	48.1	48.2	48.3	48.4	48.5	48.6	48.7	48.8	48.9	40

MICROFILMED
DEC 1 1964

Example—If point is 22.6 ft. above grade, how far should it be from center line to be a slope stake point? Ans. from Table 30.6. For same slopes but other widths of roadbed, correct above figures by one-half difference in width of roadbed; thus in example above, for 20 ft. roadbed distance will be 30.6+(20—16)÷2 or 2 ft. added to 30.6 =32.6. For slopes of 1 on 1½ see inside of back cover.

Copyright, 1914, by Eugene Dietzgen Co.

Index -

	Page
Check Levels - Benches —	
Chamoune to Pauly - Center to Klauber	1-2
Laterals - Highland - Cabrillo alley.	
MH #60 to FT #	3-

Staked on 3' offset W

Sta.	+	H.I.	−	Elev. Stakes Surface	Elev. Grade	Cut.
Bottom Flatline & Castle 97 & Easement Bet. Roselawn & Euclid. SL. Castle St					338.17	
0+00		346.80	3.90	342.90	330.45	11.85 ✓
0+25			3.50	343.30	330.69	12.01 ✓
0+50			3.29	342.91	330.93	11.98 ✓
0+75			3.14	342.28	331.17	11.11 ✓
1+00			4.35	341.85	331.41	10.44 ✓
1+25			4.35	341.85	331.65	10.20 ✓
1+50			5.22	340.98	331.89	9.09 ✓
1+75			5.90	340.30	332.13	8.17 ✓
2+00			6.50	339.70	332.37	7.33 ✓
2+25			6.55	339.65	332.61	7.04 ✓
2+50			6.63	339.57	332.85	6.72 ✓
2+75			6.85	339.35	333.09	6.26 ✓
3+00			7.68	338.52	333.33	5.19 ✓
3+25			8.20	338.00	333.57	4.43 ✓
3+50			8.66	337.54	333.81	3.73 ✓
3+75			9.34	336.86	334.05	2.81 ✓
4+00			9.27	336.93	334.29	2.64 ✓
4+25						
4+50						

Check Levels - Benches - Smale, Schoen 3-19-22 1

	+	H.I.	-	Elev.		
BM-				324.01		BP- N.W.- Howard + Chamoune- B82-P30
TP	7.47	331.48	2.34	329.14		
BM-	12.32	341.46	0.45	341.01	✓	BP-N.W.- Castle + Chamoune- B8-P3
BM-	6.15	347.16	4.21	342.95	✓	BP-N.W.- Castle + Cabrillo - B-82-P3
BM-	12.12	355.07	1.61	353.46	353.50	BP-N.W. Castle + Highland - B-82-P3.
TP	4.23	357.69	6.79	350.90		
BM-	3.74	354.64	7.09	347.55	347.52	Howard + Highland - B82-P30.
BM-	5.63	353.18	4.79	348.39	?	BP-N.W. Howard + Cabrillo ?
TP	2.61	351.00	13.08	337.92		
TP	0.23	338.15	10.57	327.58		
BM-	2.24	329.82	5.815	324.005	324.01	BP-N.W. - Howard + Chamoune B82-P30
BM				324.01	-	BP-N.W.- Howard + Chamoune. B82-P30
TP	5.81	329.82	2.48	327.34		
TP	9.93	337.27	2.58	334.69		
BM	5.83	340.52	4.61	335.91	335.97	BP-N.W.-Clark + Chamoune B82-P30
TP	3.99	339.90	5.77	334.13		
BM	4.61	338.74	5.74	333.00	333.05	BP-N.W. Center + Chamoune. B82-P63
BM	1.43	334.43	7.98	326.45	326.51	BP-N.W.-Center + Cabrillo. ✓ ✓

Check Levels - Contd from Page 1 -

	+	H.I.	-	Elev.		
BM -	From	Page 1.		326.45	326.51	Center & Cabrillo - B82 - P63
BM -	3.12	329.57	6.98	322.59	322.66	Center & Highland ✓ ✓
TP	8.50	331.09	2.01	329.08		
BM -	9.49	338.57	1.93	336.64	336.71	Clark & Highland B82 - P63
TP	7.98	344.63	2.67	341.96		
BM	8.14	350.10	2.55	347.55	347.52	Howard & Highland - See Page 1
TP -	2.90	350.45	7.11	343.34		
BM	4.24	347.58	6.69	340.89	340.95	(X) Howard & Fairmount - B82 - P6
BM	3.85	344.74	4.95	339.79	339.83	
TP	6.38	346.17	2.58	343.59		
BM	7.21	350.80	3.07	347.73	347.77	Castle & Pauly - B82 - P5
TP	6.16	353.89	3.44	350.45		
BM	6.65	357.10	3.55	353.55	?	Klauber & Pauly ?
BM	5.90	359.45	4.13	355.32	355.28	Klauber & Fairmount. B82 - P29
BM	4.91	360.23	5.58	354.65	354.65	Klauber & Colonial ✓ ✓
BM	3.65	358.30	7.52	350.78	350.78	Klauber & Highland - ✓ ✓
TP	5.72	356.50	3.78	352.72		
BM	5.36	358.08	4.61	353.47		Castle & Highland See Page 1

Lateral Sewers - Cabrillo-Highland alley -

Smale / Chisholm } 3-20-22 3

Sta	+	HI	−	Elev.	Grade .3%	Cut	
	MH #60 to						Staked on 6' offset W.
0+00	From Book No. 2 P. 69 -			346.28	337.59	8.69	MH # 60 - 2x2 at center & 6' E & W.
+25	6.49	352.77	6.06	46.71	37.67	9.04	
+50			5.72	47.05	37.74	9.31	
+75			5.42	47.35	37.82	9.53	
1			4.81	47.96	37.89	10.07	
+25			5.12	47.65	37.97	9.68	
+50			4.88	47.89	38.04	9.85	
+75			4.63	48.14	38.12	10.02	Grade Sheet #116
2			4.53	48.24	38.19	10.05	
+25			2.99	49.78	38.27	11.51	
+50			2.84	49.93	38.34	11.59	
+75			2.52	50.25	38.42	11.83	
3	TP		2.12	350.65	38.49	12.16	
+25	6.15	356.80	5.84	51.06	38.57	12.49	
+50			5.62	51.18	38.64	12.54	
+80			5.56	351.24	338.73	12.51	MH # 59 2x2 at center & 6' E & W.

Cont'd on Page 4

Sta.	Contd from Page 3- +	HI.	−	Elev.	Grade .3%	Cut	
							Staked on 6' offset W.
0+00	From P-3	356.80	5.56	351.24	338.73	12.51	MH #59 2x2 at center + 6' E + W.
+25			4.89	51.91	38.81	13.10	
+50			5.18	51.62	38.88	12.74	
+75			4.98	51.82	38.96	12.86	
1			4.90	51.90	39.03	12.87	
+25			5.08	51.72	39.11	12.61	
+50			5.21	51.59	39.18	12.41	
+75			5.09	51.71	39.26	12.45	Grade Sheet #117.
2			5.02	51.78	39.33	12.45	
+25			5.10	51.70	39.41	12.29	
+50			5.25	351.55	39.48	12.07	
+75	2.55	354.10	2.58	51.52	39.56	11.96	
3			2.88	51.22	39.63	11.59	
+25			2.99	51.11	39.71	11.40	
+56 6			3.20	50.90	339.80	11.10	MH #58 2x2 at center + 6' E + W.

Contd on Page 5

Cont'd from Page 4

Sta.	+	H.I.	−	Elev.	Grade .3	Cut.	Staked on 6' offset W.
0+00	From P4	354.10	3.20	350.90	339.80	11.10	MH #58 2x2 at center + 6' E + W.
+25			3.40	50.70	39.88	10.82	
+50			3.17	50.93	39.95	10.98	
+75			6.03	48.07	40.03	8.04	
1			5.57	48.53	40.10	8.43	
+25			6.10	48.00	40.18	7.82	
BM			11.10	343.00	S.B. 342.95	B.P.-N.W. - Cabrillo at Castle -	B82-P3
+50			5.14	48.96	40.25	8.71	
+75			4.61	49.49	40.33	9.16	Grade Sheet #118
2			5.07	49.03	40.40	8.63	
+25	TP		5.27	348.83	40.48	8.35	
+50	3.92	352.75	3.68	49.07	40.55	8.52	
+75			3.92	48.83	40.63	8.20	
3			3.77	48.98	40.70	8.28	
+25			4.03	48.72	40.78	7.94	
+60			4.30	48.45	340.88	7.57	MH #57 - 2x2 at center + 6' E + W.

Cont'd on Page-6

Smoke Chisholm 3-20-22

Cont'd from Page 5

Sta.	+	H.I.	−	Elev.	Grade .3%	Cut.	
0+00	From P3	352.75	4.30	48.45	340.88	7.57	Staked on 6' offset W.
+25			4.38	48.37	40.96	7.41	
+50			4.31	48.44	41.03	7.41	
+75			4.39	48.36	41.11	7.25	
1			4.44	48.31	41.18	7.13	
+25			4.50	48.25	41.26	6.99	
+50	TP		4.45	348.30	41.33	6.97	
+75	5.72	354.02	5.60	48.42	41.41	7.01	Grade Sheet #119
2			5.27	48.75	41.48	7.27	
+25			5.11	48.91	41.56	7.35	
+50			4.83	49.19	41.63	7.56	
+75			4.84	49.18	41.71	7.47	
3			4.87	49.15	41.78	7.37	
+25			4.36	49.66	41.86	7.80	
+59.89			4.51	49.51	341.96	7.55	

Cont'd on Page 7

MH #56 - 2x2 at center & 6' E & W.

Cont'd from Page 6.

Sta.	+	H.I.	−	Elev.	Grade -.3%	Cut.	Staked on 6' offset W.
0+00	From P-6	354.02	4.51	349.51	341.96	7.55	MH #56 - 2x2 at center & 6' E & W.
+25			5.19	48.83	42.04	6.79	
+50			4.77	49.25	42.11	7.14	
+75			5.00	48.02	42.19	5.83	
1	TP		4.59	349.43	42.26	7.17	
BM	5.14	354.57	7.17	347.40	347.37	B.P. - N.W. - Cabrillo at Klauber - B82-P-5.	
+25			4.23	50.34	42.34	8.00	
+50			4.31	50.26	42.41	7.85	
+75			4.45	50.12	42.49	7.63	Grade Sheet #120
2			5.19	49.38	42.56	6.82	
+25			5.15	49.42	42.64	6.78	
+50			4.93	49.64	42.71	6.93	
+75			5.05	49.52	42.79	6.73	
3			4.62	49.95	42.86	7.09	
+25			4.44	50.13	42.94	7.19	
+40			3.64	50.93	342.98	7.95	MH #55 - 2x2 at center & 6' E & W.

Cont'd on Page 8

Cont'd from Page 7-

Sta.	+	H.I.	-	Elev.	Grade .3%	Cut.	Staked on 6' offset W.
0+00	From P-7	354.57	3.64	350.93	342.98	7.95	MH # 55 - 2x2 at center ℄ 6' E ℄ W.
+25			3.50	51.07	43.06	8.01	
+50	TP		3.49	351.08	43.13	7.95	
+75	6.10	357.18	5.54	51.64	43.21	8.43	
1			5.56	51.62	43.28	8.34	
+25			5.24	51.94	43.36	8.58	
+50			4.85	52.33	43.43	8.90	
+75			5.05	52.13	43.51	8.62	Grade Sheet #121
2			4.91	52.27	43.58	8.69	
+25			4.92	52.26	43.66	8.60	
+50			5.13	52.05	43.73	8.32	
+75			5.15	52.03	43.81	8.22	
3			5.89	51.29	43.88	7.41	
+25			6.52	50.66	43.96	6.70	
+40			6.63	50.55	344.00 S.B.	6.55	MH # 54 - 2x2 at center ℄ 6' E ℄ W.
BM-			7.60	349.58	349.58		BP- N.W. Cabrillo at Univ. - B82-P1.

Cont'd on Page 16

Note - BM at Center ℄ Cabrillo - .06 -

Lateral - Colonial - Highland alley -

Sta.	MH # T-53 + o	H.I.	-	Elev.	Grade	Cut	
BM				322.59	3.111%	BP - N.W. Highland at Center. (Page 2 This Book)	
0-05	1.30	323.89	10.54	313.35	305.85	7.50	MH # T-53 1X2 - 5' So. of MH center on alley E.
0+00	7.39	320.74	7.54	13.20	306.00	7.20	Grade on W/S M Ring at E E & W.
+25			7.60	13.14	306.78	6.36	
1 +50			6.02	14.72	307.56	7.16	
+75			4.82	15.92	308.33	7.59	
1			9.44	11.30	309.11	2.19	4.75 at E
+25			No Stake	—	309.89	—	
2 +50			6.45	14.29	310.67	3.62	
+75	TP		0.88	319.86	311.44	8.42	
2	12.10	331.96	8.30	323.66	312.22	11.44	Grade Sheet #134
+25			6.23	25.73	313.00	12.73	
3 +50			4.13	27.83	313.78	14.05	
+75	TP		3.10	328.86	314.56	14.30	
3	9.15	338.01	8.20	29.81	315.33	14.48	
4 +25			7.63	30.38	316.11	14.27	
+50			7.11	30.90	316.89	14.01	
+75			6.17	31.84	317.67	14.17	
4			5.65	32.36	318.44	13.92	

Cont'd on Page 10

Smale, Obisholm, Schoen } 3-23-22 10

Sta	+	H.I.	−	Elev.	Grade	Cut	
+25	From P-9	338.01	5.17	332.84	319.22	13.62	Staked on 6' offset W.
+50			4.87	33.14	320.00	13.14	
+75			5.02	32.99	320.78	12.21	
5			5.74	32.27	321.56	10.71	
+25			7.26	30.75	322.33	8.42	
+40			9.84	328.17	322.80	5.37	MH # 78 - 2x2 at center + 6' E + W.

Contd on Page 11.

Cont'd from Page 10

Sta.	+	H.I.	−	Elev.	Grade 3.111%	Cut.	Staked on 6' offset W.
0+00				328.17	322.80	5.37	MH #78
+25	9.22	337.39	11.53	25.86	23.58	2.28	
+50			10.21	27.18	24.36	2.82	
+75			7.05	30.34	25.13	5.21	
1			4.13	33.26	25.91	7.35	
+25			3.20	34.19	26.69	7.50	
+50			2.47	34.92	27.47	7.45	
+75			2.58	34.81	28.24	6.57	
2			1.57	35.82	29.02	6.80	
BM-			0.74	336.65	336.69	BP- N.W. Highland + Clark. P-2 - this book.	
+25 TP			0.36	337.03	29.80	7.23	
+50	8.09	345.12	7.21	337.91	30.58	7.33	
+75			6.50	38.62	31.36	7.26	
3			6.03	39.09	32.13	6.96	
+25			5.73	39.39	32.91	6.48	
+60			5.11	40.01	334.00	6.01	MH #77

Cont'd on Page 12

Smale
Chisholm
Schoen
3-25-24

11

#135

Contd from Page 11

Staked by Seale, Chisholm, Schoen 3-25-22

12

Sta	+	H.I.	-	Elev.	Grade 1.523%	Cut	
0+00	From P-11	345.12	5.11	340.01	334.00	6.01	MH#77
+25			4.63	40.49	34.38	6.11	
+50			4.65	40.47	34.76	5.71	
+75			4.43	40.69	35.14	5.55	
1			4.43	40.69	35.52	5.17	
+25			4.57	40.55	35.90	4.65	
+50			4.84	40.28	36.28	4.00	
+75	7.23	347.51	7.34	40.17	36.67	3.50	
2			6.99	40.52	37.05	3.47	#142
+25			6.52	40.99	37.43	3.56	
+50			6.03	41.48	37.81	3.67	
+75			5.61	41.90	38.19	3.71	
3			5.19	42.32	38.57	3.75	
+25			4.52	42.99	38.95	4.04	
+50			4.33	43.18	39.33	3.85	
+75			3.86	43.65	39.71	3.94	
4+01.65			3.53	43.98	340.12 S.B.	3.86	MH#76
	7.10	51.08	3.55	47.53	47.55	BP - N.W. - Highland & Howard.	

Smale, Chisholm, Schoen } 4-6-22

Cont'd Sta.	from +	Page H.I.	12 -	Elev.	Grade .3%	Cut.	Staked on 6' offset W.
0+00	From	Page 12	—	343.98	340.12	3.86	MH #76 - 2×2 at center & 6' E & W.
+25	7.59	351.57	6.59	44.98	40.19	4.79	
+50			6.48	45.09	40.27	4.82	
+75			6.24	45.33	40.35	4.98	
1			6.12	45.45	40.42	5.03	
+25			5.69	45.88	40.50	5.38	
+50			5.47	46.10	40.57	5.53	
+75			4.81	46.76	40.64	6.12	
2			4.55	47.02	40.72	6.30	
+25			3.62	47.95	40.80	7.15	#148
+50			3.29	48.28	40.87	7.41	
+75			2.56	49.01	40.95	8.06	
3 PT			2.47	349.10	41.02	8.08	
+25	7.17	356.27	7.10	49.17	41.10	8.07	
+40			6.90	49.37	341.14	8.23	MH #75

Cont'd on Page 31

Cabrillo-Chamoune alley - MH # 44 to MH #46

Smale, Chisholm, Schoen - 3-23-22

Sta.	+	H.I.	-	Elev.	Grade .678	Cut	Staked on 6' offset E.
0+00				—	329.50		MH #44 - 2X2 at P.I. of 6' offsets S & W - also at P.I. of 6' offsets N. & E.
0+06				341.72	329.54	12.18	at P.I. of S & W offsets. St. Grade 341.03
+25	1.90	343.62	2.01	41.61	29.69	11.92	St. Grade at ℄ 341.63 - M.H. 17.22' N. of ℄. 10" (.833 crown - parabola)
+50			2.32	41.30	29.85	11.45	
+75			4.14	39.48	30.02	9.46	
1			5.84	37.78	30.19	7.59	
+25			7.23	36.39	30.36	6.03	Gr. Sheet #128 4-3-22
+50			8.15	35.47	30.53	4.94	
+75			9.10	34.52	30.70	3.82	
2			10.36	33.26	30.87	2.39	
+25			9.61	34.01	31.04	2.97	
+50			8.52	35.10	31.21	3.89	
+75			8.18	335.44	31.38	3.06	
+97 54	6.30	341.74	5.88	335.86	331.53	4.33	MH #45 - 2X2 at center & 6' E & W.

Cont'd on Page 15

Snook, Chisholm, Schoen 3-24-22

Cont'd from Page 14

Sta	+	H.I.	−	Elev.	Grade .75%	Cut.	
0+00		341.74	5.88	335.86	331.53	4.33	Staked on 6' offset East. MH# 45 - 2x2 at center ± 6' E ± W.
+25			5.99	35.75	31.72	4.03	
+50			6.23	35.51	31.91	3.60	
+75			6.14	35.60	32.09	3.51	
1			6.00	35.74	32.28	3.46	
+25			5.73	36.01	32.47	3.54	
+50			5.41	36.33	32.66	3.67	Gr. Sh. #129
+75			4.91	36.83	32.84	3.99	
2			3.69	38.05	33.03	5.02	
+25			3.21	38.53	33.22	5.31	
+50			2.86	38.88	33.41	5.47	
+75			1.80	39.94	33.59	6.35	
3	TP		0.89	340.85	33.78	7.07	
+25	0.62	341.47	0.65	40.82	33.97	6.85	
+40			1.84	39.63	334.08	5.55	MH# 46 - 2x2 at center ± 6' E ± W.
	TP		12.44	329.03			
BM	3.77	332.80	8.78	324.02	324.01	B82 P30	BP - N.W. Chamoune at Howard.

75 34 300 225 255

34.08 31.53 2.55

Cabrillo - Highland alley - cts from Page 8

Smale, Chisholm, Scheen } 3-24-22

Sta.	+	H.I.	−	Elev.	Grade .3%	Cut.	
							Staked on 6' offset W.
0+00	From Page 8			350.55	344.00	6.55	MH#54 - 2x2 at center & 6'E & W.
+20	5.30	355.85	5.28	350.57	44.06	6.41	At S/S pavement
± 70			5.38	50.47	44.21	6.26	& N/S St. Ry tracks
1			5.47	50.38	44.30	6.08	& N/S pavement.
+25			4.56	51.29	44.37	6.92	
+50			4.83	51.02	44.45	6.57	
+75			5.44	50.41	44.53	5.88	
2			5.00	50.85	44.60	6.25	
+25			5.17	50.68	44.68	6.00	
+50			4.76	51.09	44.75	6.34	
+75			4.07	51.78	44.83	6.95	
3			3.14	52.71	44.90	7.81	
+25			2.33	353.52	44.98	8.54	
+50	5.59	359.11	5.91	53.20	45.05	8.15	
+75			5.71	53.40	45.13	8.27	
4			5.65	53.46	45.20	8.26	
+25			5.72	53.39	45.28	8.11	
+50			5.11	54.00	45.35	8.65	
+73 48			5.20	353.91	345.42	8.49	MH#53 - 2x2 at center & 6'E & W.
	TP 4.03	357.94	7.53	350.41			
BM	5.81	356.22	3.99	352.23			

Grade Sheet #122

56.22
6.65
49.57

Smale, Chisholm, Schoen 3-28-22

Contd from Page 16.

Sta.	+	H.I.	−	Elev.	Grade .3%	Cut	S Staked on 6' offset W.
0+00				353.91	345.42	8.49	MH #53 - 2x2 at center ± 6' E & W.
+25	4.79	358.70	4.41	54.29	45.50	8.79	
+50			4.23	54.47	45.57	8.90	
+75			4.28	54.42	45.65	8.77	
1			4.87	53.83	45.72	8.11	
+25			4.49	54.21	45.80	8.41	
+50			4.39	54.31	45.87	8.44	
+75			4.70	54.00	45.95	8.05	Gr. Sheet # 124 4-3-22
2			4.87	53.83	46.02	7.81	
+25			4.86	53.84	46.10	7.74	
+50			5.28	53.42	46.17	7.25	
+75			5.54	53.16	46.25	6.91	
3			5.62	53.08	46.32	6.76	
+25			5.89	52.81	46.40	6.41	
+50			6.08	52.72	46.47	6.25	
+75	TP		6.23	52.47	46.55	5.92	
A	3.75	56.22	3.90	52.32	46.62	5.70	
+25			4.10	52.12	46.70	5.42	
+60			4.40	51.82	346.8	5.02	MH # 52 - 2x2 at center ± 6' E & W. 8" pipe S - 6" pipe N.

Contd on Page 18

Cont'd from Page 17

Sta.	+	H.I.	−	Elev.	Grade .57%	Cut	Staked on 8' offset W.
0+00		356.22	4.40	51.82	347.0	4.82	MH# 52 - 2x2 at center + 6' E + W.
+25			4.66	51.56	47.14	4.42	8" pipe S. 6" pipe N.
+50			4.88	51.34	47.29	4.05	
+75			4.75	51.47	47.43	4.04	
1			4.55	51.67	47.57	4.10	
+25			4.36	51.86	47.71	4.15	
+50			4.08	52.14	47.86	4.28	Grade Sheet #125
+75			3.78	52.44	48.00	4.44	
2			3.97	52.25	48.14	4.11	
+25			3.80	52.42	48.28	4.14	
+50	PI		3.54	52.68	48.43	4.25	
+75	5.13	57.81	4.65	53.16	48.57	4.59	
3			4.69	53.12	48.71	4.41	
+25			4.79	53.02	48.85	4.17	
+61.28			4.79	53.02	349.06	3.96	MH# 51 - 2x2 at center + 6' E + W.

Cont'd on Page 19

Cont'd from Page 18.

Sta.	+	H.I.	−	Elev.	Grade .573%
0+00		357.81	4.79	53.02	349.06
+25			4.87	52.94	49.20
+50			4.84	52.97	49.35
+75			4.81	53.00	49.49
1			4.78	53.03	49.63
+25			3.39	54.42	49.78
+50			2.89	54.92	49.92
+75			2.56	55.25	50.06
2			2.41	55.40	50.21
+25			2.33	55.48	50.35
+50	TP		2.22	55.59	50.49
+75	6.32	61.91	6.09	55.82	50.64
3			5.88	56.03	50.78
+25			5.50	56.41	50.92
+40			5.31	56.60	351.01

Cont'd on Page 20

Smale, Chisholm, Schoen } 3-28-22

Cut. 5' Staked on ℄ offset W.

3.96 MH#51 - 2x2 at center +6' E of W.

3.74

3.62

3.51

3.40

4.64

5.00

5.19 Gr. Sheet #126

5.19

5.13

5.10

5.18

5.25

5.49

5.59 MH#50 - 2x2 at center +6' E of W.

Smale, Chisholm, Schoen 3-28-22

Cont'd from Page 19

Sta.	+	H.I.	−	Elev.	Grade	Cut.	Staked on 6' offset W.
0+00		361.91	5.31	56.60	351.01 .86%	5.59	MH #50
+25			5.20	56.71	51.15	5.56	
+50			4.95	56.96	51.30	5.66	
+75			4.65	56.26	51.44	5.82	
1			4.16	56.76	51.58	6.17	
+25			4.52	56.39	51.73	5.66	
+50			4.88	57.03	51.87	5.16	Gr. Sheet #127
+75			5.23	56.68	52.01	4.67	
2			5.10	56.81	52.15	4.66	
+26	TP		4.65	57.26	52.30	4.96	
+50	3.98	63.24	5.71	57.53	52.44	5.09	
+75			5.37	57.87	52.58	5.29	
3			5.43	57.81	52.73	5.08	
+27			5.21	58.03	52.87	5.16	
+47	53		5.23	358.01	353.00	5.01	F.T. #11 - 2x2 at center & 6' E & W.
BM			5.95	357.29	357.30		S.W. Cabrillo at El Cajon B82 P4
BM			7.11	356.13	357.12		Highland at

Smale } 3-29-22
Rogers }

Check Levels — MH #43 to MH #42.

Cabrillo-Chamoune alley

Sta	+	H.I.	−	Elev.	Grade-
0+00	From Book So.2 P-15 -			346.10	339.05
+25	4.99	51.09	Stake out		39.14
+50			4.86	46.23	39.23
+75			4.73	46.36	39.31
1			4.53	46.56	39.40
+25			4.79	46.30	39.49
+50			4.66	46.43	39.58
+75			4.99	46.10	39.67
2			5.08	46.01	39.76
+25			4.94	46.15	39.84
+50			4.74	46.35	39.93
+75			4.57	46.52	40.02
3			3.87	47.22	40.11

Cut		Staked on 6' offset W.
7.05 ✓		MH #43
—		
7.00 ✓		
7.05	.05	
7.16	.01	
6.81	.02	
6.85	.02	
6.43	.07	
6.25	.07	
6.31	.01	
6.42	.02	
6.50	.01	
7.11	.03	MH #42 -

See Book So.2 P-15
Grade Sheet #70
(Revised - 3-29-22)

Lateral Sewers - Colonial Highland alley
MH#70 to MH#69

Smale, Chisholm, Schoen } 3-30-22

Sta.	+	H.I.	−	Elev.	Grade .298%
BM				352.28	
0+00	6.01	358.29	1.73	56.56	346.23
+20			3.10	55.19	46.29
+70			3.39	54.90	46.44
1			3.32	54.97	46.53
+25			3.55	54.74	46.60
+50			4.48	53.81	46.68
+75			4.65	53.64	46.75
2			4.38	53.91	46.83
+25			5.62	52.67	46.90
+50.			5.82	52.47	46.98
+75			6.45	51.84	47.05
3			6.25	52.04	47.12
+25			5.72	52.57	47.20
+38.35			5.89	52.40	347.24
BM			6.01	352.28	—

Cont'd on Page 52

Cut Staked on 6' offset W.

BP - N.W. Highland at University - B82-R

10.33	MH#70 - 2x2 at center ±6' E & W.
8.90	
8.46	
8.44	
8.14	
7.13	
6.89	Gr. Sheet # 123 3-30-22
7.08	
5.77	
5.49	
4.79	
4.92	
5.37	
5.40	MH#69 - 2x2 at center ±6' E & W.

Lateral Sewer - Chamoune - Cabrillo alley -

MH # T55 to FT #10

Smale
Chisholm } 4-3-22
Schoen

Sta.	+	H.I.	−	Elev.	Grade 2.307%
BM				333.00	
0+00	5.77	338.77	8.96	29.81	325.00
+25			9.68	29.09	25.58
+50			6.89	31.88	26.15
+75			5.78	32.99	26.73
1			5.14	33.63	27.31
+25			5.32	33.45	27.88
+50			4.83	33.94	28.46
+75			4.73	34.04	29.04
2			4.40	34.37	29.62
+25			4.06	34.71	30.19
+50			3.55 5.?	335.22	330.80

Cont'd on Page 24 -

Cut

Staked on 6' offset W.

B.P. - N.W. Chamoune at Center - Page 1 - This book

4.81	MH # T54
3.51	Take grade from W/S MH ring at ℄ E & W.
5.73	
6.26	
6.32	
5.57	Grade Sheet #130
5.48	
5.00	
4.75	
4.52	
4.42	MH # 49 - 2x2 hub & tack at center & 6' E & W.

Cont'd from Page 23

Sta.	+	H.I.	−	Elev.	Grade -4%	Cut.	Staked on 6' offset W.
0+00	From P23	338.77	3.55	335.22	330.80	4.42	MH # 49 -
+25			3.46	35.31	30.90	4.41	
+50	TP 6		3.26	335.51	31.00	4.51	
+75	6.01	341.52	~~6.01~~ 5.99	35.53	31.10	4.43	
1			5.88	35.64	31.20	4.44	
+25			5.69	35.83	31.30	4.53	
+50			5.25	36.27	31.40	4.87	Grade Sheet # 131
+75			5.11	36.41	31.50	4.91	
2			4.93	36.59	31.60	4.99	
+25			5.01	36.51	31.70	4.81	
+50			4.57	36.95	31.80	5.15	
+75			4.41	37.11	31.90	5.21	
3			4.28	37.24	32.00	5.24	
+25			3.79	37.73	32.10	5.63	MH # 48
+50	TP		3.64	337.88	32.20	5.68	

Cont'd on Page 25

Cont'd from Page 24

Sta.	+	H.I.	−	Elev.	.4%
0+00	℄ From P-24			337.88	332.20
+25	6.33	344.21	5.97	38.24	32.30
+50			7.46	36.75	32.40
+75			6.32	37.89	32.50
1			6.81	37.40	32.60
+25			4.53	39.68	32.70
+50			4.37	39.84	32.80
+75			4.36	39.85	32.90
2			4.31	39.90	33.00 S.B.
BM			8.29	335.92	335.91
+25			3.99	40.22	33.10
+50			3.47	40.74	33.20
+75			3.18	41.03	33.30
3	℄		2.88	341.33	33.40
+25	6.23	347.56	6.31	41.25	33.50
+50			6.01	341.55	33.60

Cont'd on Page 26

Smale
Chisholm
Schoen
4-3-22

Staked on 6' offset W.

5.68	MH#48
5.94	
4.35	
5.39	
4.80	
6.98	
7.04	
6.95	Grade Sheet #132 -
6.90	
B.P. -	N.W. Chamoune at Clark - Page 1 - This book.
7.12	
7.54	
7.73	
7.93	
7.75	
7.95	MH#47 -

Smale, Chisholm, Schoen 4-3-22

Contd from Page-25 ..

Sta.	+ From	H.I.	-	Elev.	Grade .4%	Cut	
0+00	P-25 -	347.56	6.01	341.55	333.60	7.95	MH#4 T-
+25			5.66	41.90	33.70	8.20	
+50			5.69	41.87	33.80	8.07	
+75			5.24	42.32	33.90	8.42	
1			4.66	42.90	34.00	8.90	
+25			3.98	43.58	34.10	9.48	
+50			4.02	43.54	34.20	9.34	
+75			3.97	43.59	34.30	9.29	Grade Sheet #133
2			3.76	43.80	34.40	9.40	
+25	TP		4.05	343.51	34.50	9.01	
+50	1.29	344.80	1.08	343.72	34.60	9.12	
+75			1.34	43.46	34.70	8.76	
3			1.77	43.03	34.80	8.23	
+25			2.12	42.68	34.90	7.78	
+50			5.62	39.18	335.00	4.18	F.T. #10-
	TP		12.63	332.17			
BM	1.18	333.35	9.33	324.02	324.01		B.P. N.W. Champaign at Howard B82-P30

Lateral Sewer - Fairmount - Colonial alley -
MH# T-52 to F.T. #16

Smale / Chisholm / Schoen 4-5-22

Sta.	+	H.I.	−	Elev.	Grade		Staked on 6' offset E
BM				322.59	Page 2 This book	B.P. -	N.W. Center at Highland -
TP	0.69	323.28	11.41	311.87			
TP	0.39	312.26	8.03	304.23			
TP	9.00	313.23	1.07	312.16			
0+00	9.04	321.20	9.78	311.42	301.20	10.22	MH# T-52 -
+25			11.08	10.12	301.28	8.84	
+50			2.94	18.26	301.35	16.91	
+75			3.45	17.75	1.43	16.32	
1+10			4.33	316.87	1.53	15.54	Grade Sheet #138 -
+35			4.72	16.48	1.61	14.87	
TP			5.26	315.94	—	—	
2+00	2.36	318.30	2.82	15.48	1.80	13.68	
+45			3.50	14.80	1.94	12.86	
+75			4.02	14.28	302.03	12.25	
3			4.10	14.20	2.10	12.10	MH#94

Cont'd on Page #28

Conta from Page 27

Smale, Chisholm, Schoen } 4-5-22

Sta	+ From Page 27	H.I.	−	Elev.	Grade .3%	Cut	Staked on 6' offset E
0+00		318.30	4.10	314.20	302.1	12.10	MH#94
+25			4.65	313.65	2.18	11.47	
+50			5.15	13.15	2.25	10.90	
+75			5.59	12.71	2.33	10.38	
1			5.99	12.31	2.40	9.91	
+25			6.70	11.60	2.48	9.12	
+50 TP			7.36	310.94	2.55	8.39	Grade Sheet #139 -
+75	3.11	314.05	3.47	310.58	2.63	7.95	
2			4.10	309.95	2.70	7.25	
+25			4.29	309.76	2.78	6.98	
+50			5.06	308.99	2.85	6.14	
+75			5.86	308.19	2.93	5.26	
3+00 28			6.89	307.16	303.00	4.16	F.T. #16
TP			1.74	312.31			
TP	7.32	319.63	2.74	316.89			
TP	5.81	322.70	10.52	312.18			
TP	1.07	313.25	9.00	304.25			
TP	8.03	312.28	0.39	311.89			
BM	11.41	323.30	0.69	322.61	S.B. 322.59		BP- N.W. Highland at Center - Page 2 - This book.

Lateral Sewer - Fairmount-Colonial alley.
MH # T52 to MH #92

Smale, Chisholm, Schoen } 4-5-22 29

Sta	+	H.I.	-	Elev.	Grade	Cut	Staked on ℄ offset W.
					3.04.87½		
BM				322.59		BP N.W. Highland ℄ Center – Page 2 - This book.	
	0.69	323.28	11.41	311.87			
	0.39	312.26	8.03	304.23			
	9.00	313.23	1.07	312.16			
0+00	10.52	322.68	11.26	311.42	308.00	3.42	MH # T-52
+25			10.52	312.16	8.76	3.40	
+50			3.24	319.44	9.52	9.92	
+75			Stake out -		10.29	—	
1+00			2.47	320.21	11.05	9.16	Grade Sheet #136
+25			1.81	20.87	11.81	9.06	
+50			1.29	21.37	12.57	8.80	
+75 TP			0.67	322.01	13.34	8.67	
2	9.40	331.41	8.13	23.28	14.10	9.18	
+25			7.56	23.85	14.86	8.99	
+50			6.82	24.59	15.62	8.97	
+75			6.00	25.41	16.38	9.03	
3+00			5.40	26.01	17.15	8.86	
+25			4.77	26.64	17.91	8.73	
+50			4.26	27.15	18.67	8.48	
+75			3.70	27.71	19.43	8.28	
4+10	(Cont'd on Page 30)		3.43	327.98	320.50	7.48	

Cont'd from Page 29 -

Smale, Chisholm, Schoen } 4-5-22

Sta	+ From Page-29-	H.I.	-	Elev.	Grade 3.0487	Cut	Staked on 6' offset W.
0+00		331.41	3.43	327.98	320.50	7.48	M#93
+25			3.11	28.30	21.26	7.04	
+50			3.21	28.20	22.02	6.18	
+75			3.35	28.06	22.79	5.27	
1 TP			3.19	328.22	23.55	4.67	
+25	8.80	337.02	8.19	28.83	24.31	4.52	
+50			7.90	29.12	25.07	4.05	
+75			7.69	29.33	25.84	3.49	
2			7.60	29.42	26.60	2.82	Grade Sheet #137
+25			7.12	29.90	27.36	2.54	
+50			5.56	31.46	28.12	3.34	
+75			4.35	32.67	28.88	3.79	
3			4.33	32.69	29.65	3.04	
+25			2.49	34.53	30.41	4.12	
+50			1.55	35.47	31.17	4.30	
+75			0.98	336.04	31.93	4.11	
4	4.45	340.49	3.64	36.85	32.69	4.16	
+10			3.65	36.84	333.00	3.84	M#92
TP			6.93	333.56	———	———	
BM	4.02	337.58	5.54	332.04	332.07		BP - N.W. Fairmount at Clark -

Cont'd from Page 13 — MH#75 to MH#70

Colonial – Highland alley – H.I.

Smale / Chisholm / Schoen } 4-6-22

Sta.	+ From Page 13	H.I.	–	Elev.	Grade .3%	Cut.	Staked on 6' offset W.
0+00		356.27	6.90	49.37	341.14	8.23	MH# 75 - 2x2 at center ± 6' E ± W.
+25			6.63	49.64	41.21	8.43	
+50			6.18	50.09	41.29	8.80	
+75			5.67	50.60	41.36	9.24	
1			5.35	50.92	41.44	9.48	
+25			4.97	51.30	41.51	9.79	
+50			4.20	52.07	41.57	10.50	
+75			4.47	51.80	41.66	10.14	
2			4.32	51.95	41.74	10.21	#149
+25			4.19	52.08	41.81	10.27	
+50			4.01	52.26	41.88	10.38	
+75			4.09	52.18	41.96	10.22	
3	5.75	57.93	5.50	52.43	42.04	10.39	
+25			5.15	52.78	42.12	10.66	
+40.10			5.02	52.91	342.16	10.75	MH#74 - 2x2 at center ± 6' E ± W.
BM			4.50	353.43	353.46		

Cont'd from Page 31

Sta.	+ From	H.I.	−	Elev.	Grade .3%	Cut.	Staked on 6' offset W.
0+00	P-31	357.93	5.02	352.91	342.16	10.75	MH#74 - 2x2 at center & 6' E & W.
+25			5.05	52.88	42.24	10.64	
+50			4.87	53.06	42.31	10.75	
+75			4.91	53.02	42.39	10.63	
1			4.68	53.25	42.46	10.79	
+25			4.22	53.71	42.54	11.17	
+50			3.87	54.06	42.61	11.45	
+75			3.73	54.20	42.69	11.51	
2			3.53	54.40	42.76	11.64	#150
+25			3.50	54.43	42.84	11.59	
+50 TP			3.29	54.64	42.91	11.73	
+75	5.00	59.64	4.96	54.68	42.99	11.69	
3			4.82	54.82	43.06	11.76	
+25			4.67	54.97	43.14	11.83	
+36 33			4.68	54.96	343.17	11.79	MH#73 - 2x2 at center & 6' E & W.

Cont'd on Page 32.

Cont'd from Page #32

Sta.	+ From P-32	H.I.	−	Elev.	Grade .3%	Cut.	
							Staked on 6' offset W.
0+00		359.64	4.68	354.96	343.17	11.79	MH # 73 - 2x2 at center & 6' E & W.
+25			4.48	55.16	43.25	11.91	
+50			4.31	55.33	43.32	12.01	
+75			4.52	55.12	43.40	11.72	
1			4.61	55.03	43.47	11.56	
+25			4.83	54.81	43.55	11.26	
+50			4.97	54.67	43.62	11.05	
+75			5.17	54.47	43.70	10.77	#151
2			5.17	54.47	43.77	10.70	
+25	TP		4.89	54.75	43.85	10.90	
+50	2.36	57.11	2.44	54.67	43.92	10.75	
+75			2.56	54.55	44.00	10.55	
3			2.74	54.37	44.07	10.30	
+25			2.93	54.18	44.15	10.03	
+39.81			2.64	54.47	344.19	10.28	MH # 72 - 2x2 at center & 6' E & W.

Smale, Chisholm, Schoen } 4-6-22

Cont'd from Page 33 —

Sta.	+ From Page 33	H.I.	−	Elev.	Grade .3%	Cut.	Staked on 6' offset W.
0+00		357.11	2.64	354.47	344.19	10.28	MH # 72 - 2x2 at center & 6' E & W.
+25			4.89	52.22	44.27	7.95	
+50			4.68	52.43	44.34	8.09	
+75			4.65	52.46	44.42	8.04	
1			4.26	52.85	44.49	8.36	
+25			3.11	54.00	44.57	9.43	
+50			3.55	53.56	44.64	8.72	
+75			4.18	52.93	44.72	8.21	#152
2			4.27	52.84	44.79	8.05	
+25	5.33	58.17	5.29	52.88	44.87	8.01	
+50			5.27	52.90	44.94	7.96	
+75			5.38	52.79	45.02	7.77	
3			5.27	52.90	45.09	7.81	
+25			5.08	53.09	45.17	7.92	
+40			5.02	53.15	345.21	7.94	MH # 71 - 2x2 at center & 6' E & W.

Cont'd on Page 33

Cont'd from Page 34.

Sta.	+	H.I.	-	Elev.	Grade = .3%	Cut	Staked on 6' offset W.
0+00		358.17	5.02	353.15	345.21	7.94	MH#71 - 2x2 at center & 6'E & W.
+25			4.58	53.59	45.29	8.30	
+50			4.30	53.87	45.36	8.51	
+75			4.27	53.90	45.44	8.46	
1			4.17	54.00	45.51	8.49	
+25			3.80	54.37	45.59	8.78	
+50			3.54	54.63	45.66	8.97	
+75			3.46	54.71	45.74	8.97	#153
2	6.02	60.73	5.51	55.22	45.81	9.41	
+25			5.10	55.63	45.89	9.74	
+50			5.08	55.65	45.96	9.69	
+75			4.77	55.96	46.04	9.92	
3			4.71	56.02	46.11	9.91	
+25			4.34	56.39	46.19	10.20	
+40			4.17	56.56	346.23	10.33	MH#70 - 2x2 at center & 6'E & W

Cont'd on Page 22

Fairmount-Colonial alley -

Cont'd from Page 30 -

Sta.	+	H.I.	-	Elev.	Grade 1.018%	Cut.	
0+00				336.84	333.00	3.84	Staked on 6' offset W.
							M/#92 - 2x2 at center & 6' E & W.
+25	6.89	343.73	6.46	37.27	33.25	4.02	
+50			6.10	37.63	33.51	4.12	
+75			5.54	38.19	33.76	4.43	
1			5.57	38.16	34.02	4.14	
+25			5.11	38.62	34.27	4.35	
+50			4.81	38.92	34.53	4.39	
+75			4.57	39.16	34.78	4.38	
2			4.18	39.55	35.04	4.51	Grade Sheet # - 140
+25			3.71	40.02	35.29	4.73	
+50			3.67	40.06	35.55	4.51	
+75			3.42	40.31	35.80	4.51	
3	TP		3.01	340.72	36.05	4.67	
+25	5.80	346.52	5.77	40.75	36.31	4.44	
+41 73			5.72	40.80	336.48	4.32	M/ #91 - 2x2 at center & 6' E & W.

Cont'd on Page 37

Cont'd from Page 36

Sta.	+	H.I.	−	Elev.	Grade	Cut.	Staked on 6' offset ℄ W.
0+00		346.52	5.72	40.80	336.48	4.32	MH#91 - 2x2 at center + 6'E ℄ W.
+25			5.54	40.98	36.74	4.24	
+50			5.22	41.30	36.99	4.31	
+75			5.22	41.30	37.25	4.05	
1			5.02	41.50	37.50	4.00	
+25			4.63	41.89	37.76	4.13	
+50			3.95	42.57	38.01	4.56	Grade Sheet # 141
+75			5.57	40.95	38.27	2.68	
2			4.09	42.43	38.53	3.90	
+25			4.56	41.96	38.78	3.18	
+50			2.74	43.78	39.04	4.74	
+75	℄		2.46	44.06	39.29	4.77	
3+00	4.23	48.29	4.22	44.07	39.55	4.52	
+25			3.77	44.52	39.80	4.72	
+40			3.71	44.58	339.96	4.62	MH#90 - 2x2 at center + 6'E ℄ W.
			7.37	40.92	S.B. 340.89		Note - Diff. at bench per check.

Cont'd on Page 37 -

Cont'd from Page 37

Sta.	+	H.I.	-	Elev.	Grade .3%	Cut	Staked on 6' offset W.
0+00				344.58	339.96	4.62	#90
+25	6.03	350.61	6.02	44.59	40.03	4.56	
+50			5.85	44.76	40.11	4.65	
+75			5.48	45.13	40.18	4.95	
1			5.10	45.51	40.76	5.25	
+25			5.06	45.55	40.33	5.22	
+50			4.65	45.96	40.41	5.55	#143
+75			4.54	46.07	40.48	5.59	
2			4.59	46.02	40.56	5.46	
+25			4.06	46.55	40.63	5.92	
+50			4.02	46.59	40.71	5.88	
+75			3.55	47.06	40.78	6.28	
3			3.20	47.41	40.86	6.55	
+25			2.48	48.13	40.93	7.20	
+50			2.85	47.76	341.01	6.75	#89

Cont'd on Page 39 -

Cont'd from Page 38

Sta.	+	H.I.	−	Elev.	Grade .3%	Cut	Staked on 6' offset W.
0+00				347.76	341.01	6.75	#89
BM	7.58	55.34	BP gone.		352.46	—	Colonial at Castle - B82-P3.
BM			6.15	49.19	349.20	—	Fairmount at Colonial. B82-P5.
+25			7.20	48.14	41.68	7.06	
+50			6.76	48.58	41.16	7.42	
+75			6.11	49.23	41.23	8.00	
1			5.54	49.80	41.31	8.49	#144
+25			5.25	50.09	41.38	8.71	
+50			4.99	50.35	41.46	8.89	
+75			5.32	50.02	41.53	8.49	
2			4.61	50.73	41.61	9.12	
+25			4.41	50.93	41.68	9.25	
+50			3.58	51.76	41.76	10.00	
+75			3.38	51.96	41.83	10.13	
3 PP			2.59	52.75	41.91	10.84	
+25	5.41	58.16	5.34	52.82	41.98	10.84	
+50			5.18	52.98	42.06	10.92	
+75			4.69	53.47	42.13	11.34	
4+06 64			4.90	53.26	342.23	11.03	#88

Cont'd on Page #40

Contd from Page 39

Staked on 6' offset W.

Grade Chisholm Schoen 4-11-22 40

Sta.	+	H.I.	−	Elev.	Grade .3%	Cut.	
0+00		58.16	4.90	53.26	342.23	11.03	
+25			4.72	53.44	42.30	11.14	#88
+50			4.87	53.29	42.38	10.91	
+75			4.74	53.42	42.45	10.97	
1			4.38	53.78	42.53	11.25	
+25			4.04	54.12	42.60	11.52	
+50			3.67	54.49	42.68	11.81	
+75 TP			3.50	54.66	42.75	11.91	#145
2	4.80	59.46	4.82	54.64	42.83	11.81	
+25			4.92	54.54	42.90	11.64	
+50			4.51	54.95	42.98	11.97	
+75			4.54	54.92	43.05	11.87	
3			4.55	54.91	43.13	11.78	
+25			4.63	54.83	43.20	11.63	
+50			4.16	55.30	43.28	12.02	
+75			4.72	54.74	43.35	11.39	
4+00			4.81	54.65	43.43	11.22	#87

Contd on Page 41

Contd from Page 40

Sta.	+	H.I.	−	Elev.	Grade .3%	Cut.	Staked on 6' offset W.	
0+00		59.46	4.81	54.65	343.43	11.22		#87
+25			4.90	54.56	43.51	11.05		
+50			4.52	54.94	43.58	11.36		
+75 TP			4.78	54.68	43.66	11.02		
BM	7.30	61.98	7.30	354.68	354.65	—	Colonial at Castle	
BM					355.28	—	Fairmount at Castle	
1			7.09	54.89	43.73	11.16		
+25			5.99	55.99	43.81	12.18		#146
+50			5.95	56.03	43.88	12.15		
+75			5.73	56.25	43.96	12.29		
2			5.63	56.35	44.03	12.32		
+25			4.55	57.43	44.11	13.32		
+50			5.24	56.74	44.18	12.56		
+75			4.84	57.14	44.26	12.88		
3			5.08	56.90	44.33	12.57		
+25			5.31	56.67	44.41	12.26		
+40			5.30	56.68	344.45	12.23		#86

Contd on Page 42.

Cont'd from Page 41

Female Chisholm Schoen 4-11-22 A2

Sta.	+	H.I.	-	Elev.	Grade .3%	Cut	Staked on 6' offset W.	
0+00		61.98	3.30	56.68	344.45	12.23		#86
+25			4.92	57.06	44.53	12.53		
+50 TP			5.05	56.93	44.60	12.33		
+75	4.97	61.90	5.06	56.84	44.68	12.16		
1			4.99	56.91	44.75	12.16		
+25			4.84	57.06	44.83	12.23		
+50			5.10	56.80	44.90	1.1.90		
+75			4.51	57.39	44.98	12.41		#147
2			4.51	57.39	45.05	12.34		
+25			4.60	57.30	45.12	12.18		
+50			4.30	57.60	45.20	12.40		
+75			4.35	57.55	45.28	12.26		
3			3.99	57.91	45.35	12.56		
+25			4.62	57.28	45.43	11.85		
+40 41			4.45	57.45	345.47 S.B.	11.98		#85
BM	3.84	61.29	4.63	356.66	356.68	BP - N.W. Colonial at University - B82 P1		

6

Lateral Sewers - Pauly - Fairmount alley.
MH# T-52 to MH#

Smale, Chisholm, Schoen 4-14-22

Sta.	+	H. I.	−	Elev.	Grade 7.77%	Cut.	Staked on 6' offset N.
BM.				332.07		BP- N.W. Fairmount at Pauly.	
TP	0.72	32.79	8.19	24.60			
TP	1.50	26.10	10.98	15.12			
TP	1.32	316.44	12.78	303.66			
TP	1.50	305.16	11.08	294.08			
0-05	4.26	298.34	10.53	287.81	284.61	3.20	MH# T-52 - 2x2 - 5' W of MH center on 6' offset N.
0+00			8.51	289.83	285.60	4.83	
+25			4.11	294.23	286.94	7.29	
+50 TP			1.20	297.14	288.89	8.25	
+75	12.98	310.12	10.76	299.36	290.83	9.53	#154
1			8.86	301.26	292.77	8.49	
+25			7.54	302.58	294.71	7.87	
+50			7.05	303.07	296.67	6.90	
+75			6.61	303.51	298.60	4.91	
+93 18			6.45	303.67	300.00	3.67	MH# 109 - 2x2 at center & at P.I. of 6' offsets W & N - also at P.I. of 6' offsets E & S.

6

Cont'd on Page 44

Cont'd from Page 43

Sta.	+	H.I.	−	Elev.	Grade
					5.19
0+00		310.12	6.45	303.67	300.00
+25			9.07	301.05	301.30
+50			5.06	305.06	302.60
+75			2.44	308.68	303.89
1			0.35	309.77	305.19
+25	12.58	322.35	10.63	311.72	306.49
+50			7.24	315.11	307.79
+75			4.30	318.05	309.08
2			2.53	319.82	310.38
+25 TP			0.93	321.42	311.68
+50	6.09	327.51	4.91	322.60	312.98
+75			4.10	323.41	314.27
3			3.33	324.18	315.57
+27 I			2.91	324.60	317.00

Cont'd on Page 45

Cut	Staked on 6' offset W.
3.67	MH # 109 2x2
F. .25	
2.46	
4.79	
4.58	
5.23	
7.32	
8.97	
9.44	
9.74	
9.62	
9.14	
8.61	
7.60	MH # 108

354
1.21
236
134
367
136
503
#155

Lateral Sewers - Paul y - Fairmount alley -
Cont'd from Page 44

Smale, Chisholm, Schoen } 4-12-22 — 45

Sta.	+	H.I.	−	Elev.	Grade 3.125%	Cut	Staked on 6' offset W.	
BM				332.07		BP - N.W. cor Fairmount at Clark -		#108
0 +00	0.72	32.79	8.19	24.60	317.00	7.60	M# 108 - 2X2 at center	
+25			7.88	24.91	17.78	7.13		
+50			7.86	24.83	18.56	6.27		
+75			7.70	25.09	19.34	5.75		
1 TP			8.22	24.57	20.13	4.44		
+25 TP	0.20	24.77	12.95	11.82	20.91	F 9.09		
+50	11.47	23.29	12.98	10.31	21.69	✓ 11.38		
+75			11.40	11.89	22.47	✓ 10.58		#156
2			8.84	14.45	23.25	✓ 8.80		
+25 TP			0.03	23.26	24.03	✓ 0.77		
+50	13.12	36.38	6.81	29.57	24.81	C 4.76		
+75			4.74	31.64	25.59	6.05		
3			3.87	32.51	26.38	6.13		
+25			2.87	33.51	27.16	6.35		
+50			2.23	34.15	27.94	6.21		
+75			1.23	35.15	28.72	6.43		
4 TP			0.60	35.78	29.50	6.28		
+25	7.22	43.00	6.52	36.48	30.28	6.20		
+50			6.20	36.80	31.06	5.74		
+80			5.48	37.52	332.00	5.52	- 2X2 at center ▽ 6' E ▽ W.	#107

Contd from Page 45

Sta.	+	H.I.	−	Elev.	Grade	Cut.	Staked on 6' offset W.
0+00		43.00	5.48	37.52	332.00	5.52	2x2 at center & 6'E & W. #107 MH
+25			5.04	37.96	32.12	5.84	
+50			4.55	38.45	32.25	6.20	
+75			4.64	38.36	32.37	5.99	
1			4.54	38.46	32.50	5.96	
+25			4.33	38.67	32.62	6.05	
+50			4.13	38.87	32.75	6.12	#1.57
+75			3.96	39.04	32.87	6.17	
2			3.67	39.33	33.00	6.33	
+25 TP			3.42	39.58	33.11	6.47	
+50	4.07	43.65	3.77	39.88	33.24	6.64	
+75			3.47	40.18	33.36	6.82	
3			3.55	40.10	33.48	6.62	
+25			3.71	39.94	33.61	6.33	
+50			4.23	39.42	33.73	5.69	
+75			4.73	38.92	33.87	5.05	
4+01 45			5.06	38.59	334.00 S.B.	4.59	#106
BM			2.70	40.95	340.89	BP- N.W. Fairmount & Howard & B82-P6.	

See Page 2- Book 503

Lateral Sewer - Fairmount-Colonial alley - MH#85 to MH#84

Cont'd from Page 42

Sta.	+	H.I.	-	Elev.	Grade .3%
0+00	From Page 42			357.45	345.47
+20	5.88	63.33	5.92	57.41	45.53
+70			5.24	58.09	45.68
1			5.16	58.17	45.77
+25			4.82	58.51	45.85
+50			4.49	58.84	45.92
+75			4.67	58.66	46.00
2			4.82	58.51	46.07
+25			5.09	58.24	46.15
+50			5.36	57.97	46.22
+75			5.53	57.80	46.30
3			6.14	57.19	46.37
+25	3.84	61.03	4.44	56.59	46.45
+38.85			4.50	56.53	346.49

Cont'd on Page 48

Staple
Chisholm } 4-13-22 47
Schoen

Cut	Staked on 6' offset W.
11.98	MH # 85 - 2x2 at center + 6' E + W.
11.88	At S/S pavement -
12.41	At pavement on N/S R.R.
12.40	" N/S pavement -
12.66	+
12.92	
(13.66) - 12.66	Grade Sheet #158
12.44	
12.09	
11.75	
11.50	
10.82	
10.14	
10.04	MH # 84 - 2x2 at center + 6' E + W.

Cont'd from Page 47

Sta.	+ From Page 47	H.I.	−	Elev.	Grade .3%
0+00		361.03	4.50	56.53	346.49
+25			4.81	56.22	46.57
+50			4.95	56.08	46.64
+75			5.03	56.00	46.72
1			5.03	56.00	46.79
+25			5.12	55.91	46.87
+50			4.98	56.05	46.94
+75			4.84	56.19	47.02
2			4.56	56.47	47.09
+25			4.22	56.81	47.17
+50			3.82	57.21	47.24
+75 PT			3.75	57.28	47.32
3	4.25	61.53	4.05	57.48	47.39
+25			4.31	57.22	47.47
+39.82			4.11	57.42	347.51

Cont'd on Page 49

{Smale / Schoen / Chisholm} 4-13-22

Cut	Staked on 6' offset W.
10.04	MH #84 - 2x2 at center ± 6' E ± W.
9.65	
9.44	
9.28	
9.21	
9.04	
9.11	
9.17	
9.38	Grade Sheet #159
9.64	
9.97	
9.96	
10.09	
9.75	
9.91	MH #83 - 2x2 at center ± 6' E ± W.

Smale
Chisholm } 4-13-22
Schoen

Cont'd from Page 48

Sta.	+ From	H.I.	-	Elev.	Grade .3%	Cut.	Staked on 6' offset W.
0+00	Page 48	361.53	4.11	357.42	347.51	9.91	MH #83 - 2x2 at center + 6'E + W.
+30			5.72	55.81	47.59	8.22	
+50			5.19	56.34	47.66	8.68	
+75			4.81	56.72	47.74	8.98	
1			4.56	56.97	47.81	9.16	
+25			4.90	56.63	47.89	8.74	
+50			4.94	56.59	47.96	8.63	
+75			5.22	56.31	48.04	8.27	
2			5.28	56.25	48.11	8.14	Grade Sheet # 160
+25			5.63	55.90	48.19	7.71	
+50 TP			5.50	56.03	48.26	7.77	
+75	5.28	61.31	5.76	55.55	48.34	7.21	
3			5.72	55.59	48.41	7.18	
+25			5.84	55.47	48.49	6.98	
+50			5.55	55.76	48.56	7.20	
+75			5.41	55.90	48.63	7.27	
+85.93			5.13	56.18	348.66	7.52	MH #82 2x2 at center + 6'E + W.

Cont'd on Page 50

Cont'd from Page 49-

Sta.	+ From	H.I.	-	Elev.	Grade -3%	Cut.	Staked on 6' offset W-
0+00	Page 49-	361.31	5.13	356.18	348.66	7.52	MH# 82 2x2 at center +6'E+W.
+25			4.95	56.36	48.74	7.62	
+50			4.89	56.42	48.81	7.61	
+75			4.87	56.44	48.89	7.55	
1			4.74	56.57	48.96	7.61	
+25			4.31	57.00	49.04	7.96	
+50			4.14	57.17	49.11	8.06	
+75			3.74	57.57	49.19	8.38	
2 TP			3.39	57.92	49.26	8.66	Grade Sheet #161
+25	5.34	63.26	5.09	58.17	49.34	8.83	
+50			5.04	58.22	49.41	8.81	
+75			5.18	58.08	49.49	8.59	
3			5.00	58.26	49.56	8.70	
+25			5.26	58.00	49.64	8.36	
+50			1.84	58.42	49.71	8.71	
+80			5.00	58.26	349.80	8.46	MH#81 2x2 at center +6'E+W.
BM			4.85	58.41	?		BP- N.W.- Colonial at Orange-

Cont'd from Page 50

Sta.	+	H.I.	−	Elev.	Grade .3%	Cut	Staked on 6' offset W.
	From						
0+00	Page 50	363.26	5.00	358.26	349.8	8.46	MH #81 - 2x2 at center & 6' E & W.
+25			4.97	58.29	49.88	8.41	
+50			4.92	58.34	49.95	8.39	
+75			5.19	58.07	50.03	8.04	
1			5.16	58.10	50.10	8.00	
+25	TP		5.61	57.65	50.18	7.47	
+50	2.44	60.09	2.70	57.39	50.25	7.14	
+75			3.19	56.90	50.33	6.57	
2			3.66	56.43	50.40	6.03	
+25			3.80	56.29	50.48	5.81	Grade Sheet #162
+50			4.34	55.75	50.55	5.20	
+75			4.48	55.61	50.63	4.98	
3			4.96	55.13	50.70	4.43	
+25			5.28	54.81	50.78	4.03	
+50			5.61	54.48	50.85	3.63	
+75			5.75	54.34	50.93	3.41	
4+00	TP		5.98	54.11	351.0	3.11	F.T. #15 - 2x2 at center & 6' E & W.
BM	6.23	60.34	5.64	54.70	S.B. 54.70		BP-S.W. Colonial at Fairmount

Colonial - Highland alley - Cont'd from P. 22

Sta.	+	H.I.	−	Elev.	Grade .299
0+00	From Page 22			352.40	347.24
+25	4.27	56.67	4.91	51.76	47.31
+50			5.37	51.30	47.39
+75			5.05	51.62	47.46
1			5.09	51.58	47.54
+25			5.16	51.51	47.61
+50			4.83	51.84	47.69
+75			4.59	52.08	47.76
2			4.36	52.31	47.84
+25			3.90	52.77	47.91
+50			3.95	52.72	47.99
+75			3.64	53.03	48.06
3 TP			3.68	52.99	48.14
+25	7.21	60.20	7.01	53.19	48.21
+40.98			6.89	53.31	48.26
			6.83	53.37	

MH #69

Smale, Chisholm, Schoen 4-14-22 52

Cut — Staked on 6' offset W.

5.16 MH #69 -

4.45

3.91

4.16

4.04

3.90

4.15

4.32

4.47

4.86

4.73

4.97

4.85

4.98

5.05 MH #68

59.27 − 6.90 = 52.37

56.68 − 2.59 = 59.27 − 2.74 = 56.53

52.49 + 4.75 = 57.24 − 4.38 = 52.38

56.76 − 52.52 = 4.24

56.56 − 2.74 = 59.30 − 2.59 = 56.71

52.49 − 6.90 = 59.39 − 2.59 = 56.80

59.39 − 2.74 = 56.65

56.76 − 52.04 = 4.72

56.68 − 2.59 = 59.27 − 6.90 = 52.37 − 52.41 = 104.78 − 52.39

52.28 + 4.88 = 57.16 − 4.75 = 52.41

NOTE

An inverted siphon was installed under 30" C.I. Water Main on Polk (Anna) St

See Note Book 1675 p 48

9/26/46

	+ From	H.I.	−	Elev.	Grade .301	Cut	
0+00	Page	360.20	6.89	353.31	348.26	5.05	MH #68
+30			6.83	53.37	48.35	5.02	
+60			6.27	53.93	48.44	5.49	
+75			5.70	54.50	48.48	6.02	
1			5.03	55.17	48.56	6.61	
+25			4.72	55.48	48.63	6.85	
+50			4.36	55.84	48.71	7.13	
+75			4.69	55.51	48.78	6.73	
2			4.62	55.58	48.86	6.72	
+25			4.57	55.63	48.93	6.70	
+50			4.40	55.80	49.01	6.79	
+75 26 TP			4.54	355.66	49.09	6.57	MH #67

Note
An inverted siphon has been installed at Polk (Anna) St under the 30" C.I. Water Main See Book 1675 p. 48
GPF
9/26/46

5 5 H
4 3 0

	+	H.I.	−	Elev.	Grade -2.99	Cut	
0+00				355.66	349.09	6.57	MH#67
+25	4.44	360.10	4.29	55.81	49.16	6.65	
+50			4.52	55.58	49.24	6.54	
+75			4.40	55.70	49.31	6.39	
1			4.34	55.76	49.39	6.37	
+25			4.58	55.52	49.46	6.06	
+50			4.60	55.50	49.54	5.96	
+75			4.78	55.32	49.61	5.71	Grade Sheet
2			4.73	55.37	49.69	5.68	
+25			4.54	55.56	49.76	5.80	
+50			4.31	55.79	49.84	5.95	
+75			4.19	55.91	49.91	6.00	
3 TP			3.40	56.70	49.99	6.71	
+25	5.69	62.39	5.51	56.88	50.06	6.82	
+40 98			5.45	56.94	50.11	6.83	MH#66
					S.B		
			8.27	354.12	354.12	BP-	NW. Highland ▽ Orange
					S.B.		
			3.94	358.45	358.43	✓	✓ Colonial ▽ Orange

Sta.	+	H.I.	−	Elev.	Grade	Cut	
0 +00	From Page 54			356.94	350.11	6.83	Staked on 6' offset W. MH#66
+25	5.70	362.64	6.58	56.06	50.18	5.88	
+50			6.27	56.37	50.26	6.11	
+75			6.59	56.05	50.33	5.72	
1			6.24	56.40	50.41	5.99	
+25			4.83	57.81	50.49	7.32	
+50			4.52	58.02	50.56	7.46	
+75			4.39	58.25	50.64	7.61	Grade Sheet #166
2			4.74	57.90	50.71	7.19	
+25			4.68	57.96	50.79	7.17	
+50			4.82	57.82	50.86	6.96	
+75			4.92	57.72	50.94	6.78	
3 TP			4.79	357.85	51.01	6.84	
+20	5.73	363.58	5.75	57.83	51.07	6.76	MH#65

Smale
Chisholm } 4-14-22
Schoen

Sta.	+ From	H.I.	−	Elev.	Grade .3003	Cut.	Staked on 6' offset W.
0+00	Page 55	363.58	5.75	357.83	351.07	6.76	MH #65
+25			5.35	58.23	51.14	7.09	
+50			5.22	58.36	51.22	7.14	
+75			5.04	58.54	51.29	7.25	
1			5.02	58.56	51.37	7.19	
+25			4.74	58.84	51.44	7.40	
+50			4.85	58.73	51.52	7.21	
+75			5.62	57.96	51.59	6.37	Grade Sheet #167
2			5.94	57.64	51.67	5.97	
+25			6.01	57.57	51.74	5.83	
+50			6.32	57.26	51.82	5.44	
+75			6.40	57.18	51.89	5.29	
3			6.36	57.22	51.97	5.25	
+09 68	TP		6.17	357.41	52.00 B	5.41	F.T. #13
BM	3.79	361.20	5.07	356.13	356.12	B82 P4	

Smale
Chisholm
Schoen
4-20-22

Pauly - Fairmount alley -

Sta.	+	H.I.	-	Elev.	Grade .1008
BM.				352.10	
	5.10	57.20	4.31	52.89	
BM	5.66	58.45	0.725	357.725	
0-05				52.89	44.40
0+00			6.09	52.36	344.40
+25			Stake out		44.43
+50			7.25	51.20	44.45
+75			7.51	50.94	44.48
1			7.95	50.50	44.50
+25			8.22	50.23	44.53
+50 TP			8.50	49.95	44.55
+75	3.27	53.22	3.47	49.75	44.58
2			3.67	49.55	44.60
+25			4.40	48.82	44.63
+50			5.61	47.61	44.65
+75			6.45	46.77	44.68
3			6.81	46.41	44.70
+25			5.09	48.13	44.73
+57			4.47	48.75	44.76

Cut. Staked on 6' offset W.

BP - S.W. Fairmount at El Cajon

BP - S.W. Pauly at El Cajon.

8.29 T-86

7.76

6.55

6.26

5.80

5.50 Grade Sheet #168

5.20

4.97

4.75

3.99

2.76

1.89

1.51

3.20

3.79 #98

Cont'd from Page 57

Sta.	+	H.I.	−	Elev.	Grade ,10	Cut	Staked on 6' offset W.
0+00		353.22	4.47	348.75	344.76	3.79	#98
+25			4.19	49.03	44.78	4.05	
+50			3.65	49.57	44.81	4.56	
+75			2.87	50.35	44.83	5.32	
1			2.30	50.92	44.86	5.86	
+25 TP			1.80	51.42	44.88	6.34	
+50	4.33	55.75	4.24	51.51	44.91	6.40	
+75			3.98	51.77	44.93	6.64	
2			4.01	51.74	44.96	6.58	Grade Sheet #169
+25			4.27	51.48	44.98	6.30	
+50			4.13	51.62	45.01	6.41	
+75			3.38	52.37	45.03	7.14	
3			2.03	53.72	45.06	8.46	
+25			3.02	52.73	45.08	7.45	
+49.81			3.81	51.94	45.11	6.63	#97

Contd from Page 58

Smale, Chisholm, Scoon 4-20-22 59

Sta	+	H.I.	−	Elev.	Grade .102	Cut	Staked on 6' offset S.
0+00		355.75	3.81	351.94	345.31	6.63	#97
+25			3.61	352.14	45.34	6.80	
+50			2.90	352.85	45.36	7.49	
+75			4.52	351.23	45.39	5.84	
1			6.41	349.34	45.41	3.93	
+25			8.74	347.01	45.44	1.57	
+60			11.49	344.26	45.47	F 1.21	
2			11.86	43.89	45.51	✓ 1.62	#170
+25	9.56	58.45	10.40	43.05	45.54	✓ 2.49	✓
+50			6.00	47.45	45.57	C 1.88	
+75			4.34	49.11	45.59	3.52	
3			3.67	49.78	45.62	4.16	
SE +23 6A N.W.			3.11	50.34	345.64	4.70	#96
			2.45	51.00			
TP			7.10	46.35			
TP	6.00	52.35	0.91	51.44			
BM	9.99	61.43	3.71	57.72			

Contd from Page 59-

Smale, Chisholm, Schoen } 4-21-22 60

Sta.	+	H.I.	−	Elev.	Grade .3%	Cut.	Staked on 6' offset E.			
0+00	From	Page 59	—	350.34	345.64	4.70	(4.68-line 5)	#96		
+25	4.69	355.03	5.16	49.87	45.71	4.16				
+50			5.44	49.59	45.79	3.80				
+75			5.88	49.15	45.87	3.28				
1			6.10	48.93	45.94	2.99				
+25			4.96	50.07	46.02	4.05				
+50			5.32	49.71	46.09	3.62				
+75			8.22	46.81	46.17	0.64			#171	
2			8.02	47.01	46.24	0.77				
TP			11.41	343.62	—					
+25	10.87	354.49	13.14	41.35	46.32	F 4.97				
+50			10.46	44.03	46.39	C 2.36				
+75			6.16	48.33	46.47	C 1.86				
2+90			3.31	51.18	46.51	4.67	(4.65 L		#95	

Contd from Page 60

Sta.	+	H.I.	−	Elev.	Grade 2.88	Cut.	Staked on 6' offset E.		
0+00		354.49	3.31	51.18	346.51	4.67		#95	
+25			0.50	53.99	47.23	6.76			
TP			0.85	35 .64		—			
+50	11.81	365.45	10.27	55.18	47.95	7.23			
+75			9.98	55.47	48.67	6.80			
1			9.93	55.52	49.39	6.13			
+25			9.06	56.39	50.11	6.28			
+50			7.64	57.81	50.83	6.98			#172.
+75			6.44	59.01	51.55	7.46			
2			5.42	60.03	52.27	7.76			
+25			4.48	60.97	52.99	7.98			
+50			3.88	61.57	53.71	7.86			
+75			3.38	62.07	54.43	7.64			
3			3.01	62.44	55.15	7.29			
+25			2.38	63.07	55.87	7.20	F.T.	#17	
+37.04	TP		2.88	362.57	56.20	6.37			
BM	3.78	366.35	8.64	57.71	57.725				

Lateral Sewer - Pauly - Fairmount alley -

Cont'd from Page 46

Smale / Chisholm / Schoen } 4-21-22

Sta.	+	H.I.	−	Elev.	Grade 2.17%	Cut	Staked on 6' offset W.
0 +00				338.59	334.00	4.59	MH #106
+25	9.45	48.04	9.40	38.64	34.54	4.10	
+50			8.84	39.20	35.09	4.11	
+75			7.83	40.21	35.63	4.58	
1			7.18	40.86	36.17	4.69	
+25			6.56	41.48	36.72	4.76	
+50			5.62	42.42	37.26	5.16	
+75			4.13	43.91	37.80	6.11	
2			3.64	44.40	38.35	6.05	#175
+25			3.15	44.89	38.89	6.00	
+50			2.74	45.30	39.43	5.87	
+75			2.12	45.92	39.98	5.94	
3 TP			1.74	46.30	40.52	5.78	
+25	6.79	53.09	6.41	46.68	41.06	5.62	✓
+50			6.27	46.82	41.61	5.21	✓
+75			5.83	47.26	42.15	5.11	
4			5.38	47.71	42.69	5.02	
+25			5.13	47.96	43.24	4.72	
+60 45			4.57	48.52	344.00	4.52	MH #105

Cont'd on Page 63

Cont'd from Page 62

Sta.	+	H.I.	−	Elev.	Grade .7083%	Cut.	Staked on 6' offset W.
0+00		353.09	4.57	48.52	344.00	4.52	MH. # 105
+25			4.34	48.75	44.18	4.57	
+50			5.25	47.84	44.35	3.49	
+75			4.38	48.71	44.53	4.18	
1			5.01	48.08	44.71	3.37	
+25			3.39	49.70	44.89	4.81	
+50 TP			2.64	350.45	45.06	5.39	
+75	6.08	356.53	5.82	50.71	45.24	5.47	
2			5.82	50.71	45.42	5.29	#176
+25			5.78	50.75	45.59	5.16	↙
+50			5.73	50.80	45.77	5.03	↙
+75			5.62	50.91	45.95	4.96	
3			5.49	51.04	46.12	4.92	
+25			4.58	51.95	46.30	5.65	↙
+50			4.18	52.35	46.48	5.87	↙
+75			4.63	51.90	46.66	5.24	↙
4			4.73	51.80	46.83	4.97	↙
+25			4.74	51.79	47.01	4.78	↙
+50			4.65	351.88	47.19	4.69	MH # 104
+80	6.50	58.38	6.46	51.92	47.40	4.52	

Cont'd on Page 64

Cont'd from Page 63

Sta	+	H.I.	—	Elev.	Grade .3%	Cut	Staked on 6' offset W.
0+00		358.38	6.46	51.92	347.40	4.52	MH # 104
+25			5.65	52.73	47.48	5.25	
+50			5.62	52.76	47.55	5.21	
+75			5.43	52.95	47.63	5.32	
1			5.11	53.27	47.70	5.57	
+25			4.98	53.40	47.78	5.62	
+50			4.68	53.70	47.85	5.85	
+75			4.44	53.94	47.93	6.01	#177 ✓
2			4.27	54.11	48.00	6.11	
+25			4.19	54.19	48.08	6.11	
+50			4.94	53.44	48.15	5.29	
+75	TP		4.00	354.38	48.23	6.15	
BM	4.99	59.37	4.04	55.33	355.32	BP	N.W. Fairmount & Klauber-
+75TP				354.38	—	—	
3	5.45	59.83	5.98	53.85	48.30	5.55	
+25			4.88	54.95	48.38	6.57	
+50			4.72	55.11	48.45	6.66	
+75			4.43	55.40	48.53	6.87	
4+00			4.31	55.52	348.60	6.92	MH # 103

Cont'd on Page 65

Cont'd from Page 64

Smale
Chisholm
Schoen } 4-22-27

Sta.	+	H.I.	−	Elev.	Grade .3%	Cut	Staked on 6' offset W.
0+00		359.83	4.31	55.52	348.60	6.92	MH # 103
+25			4.18	55.65	48.68	6.97	
+50			3.64	56.19	48.75	7.44	
+75 TP			3.75	56.08	48.83	7.25	
1	5.91	61.99	5.59	56.40	48.90	7.50	
+25			5.39	56.60	48.98	7.62	
+50			5.07	56.92	49.05	7.87	
+75			5.10	56.89	49.13	7.76	#178 ✓
2			4.90	57.09	49.20	7.89	
+25			4.92	57.07	49.28	7.79	
+50			4.99	57.00	49.35	7.65	
+75			4.48	57.51	49.43	8.08	
3			4.43	57.56	49.50	8.06	
+25			4.24	57.75	49.58	8.17	
+50			4.04	57.95	49.65	8.30	
+75 TP			3.85	58.14	49.73	8.41	
4	5.72	63.86	5.17	58.69	349.80	8.89	MH # 102
BM			4.72	59.14	359.10	B.P.- N.W. Pauly at Univ.	

Cont'd on Page 66.

Contd from Page 65

Swale
Chisholm } 4-26-22, 66

Sta.	+	H.I.	-	Elev.	Grade .3023%	Cut.	Staked on 6' offset W.
0+00				358.69	349.30	8.89	MH #102
+25	4.91	363.60	4.64	58.96	49.88	9.08	
+50			4.52	59.08	49.95	9.13	
+75			4.26	59.34	50.03	9.31	
1			4.23	59.37	50.10	9.27	
+16 45			4.53	59.07	50.15	8.92	
+96 85			3.66	59.94	50.39	9.55	
2+25			3.19	360.41	50.48	9.93	
+50 TP			2.85	360.75	50.56	10.19	#179 ✓
+75	4.67	365.42	4.88	60.54	50.63	9.91	
3			4.98	60.44	50.71	9.73	
+25			5.08	60.34	50.78	9.56	
+50			4.52	60.90	50.86	10.04	
+75			4.96	60.46	50.93	9.53	
+96 61			5.12	60.30	351.00	9.30	MH #101

Contd

Cont'd from Page 66

Sta.	+	H.I.	-	Elev.	Grade .527%	Cut.	Staked on 6' offset W.
0+00		365.42	5.12	360.30	351.00	9.30	MH #101
+25			5.25	60.17	51.13	9.04	
+50			5.33	60.09	51.26	8.83	
+75			5.09	60.33	51.40	8.93	
1			5.10	60.32	51.53	8.79	
+25			5.09	60.33	51.66	8.67	
+50			5.15	60.27	51.79	8.48	
+75			5.17	360.25	51.92	8.33	
2	4.17	364.42	4.46	59.96	52.05	7.91	#180 ✓
+25			4.60	59.82	52.19	7.63	
+50			4.61	59.81	52.32	7.49	
+75			4.76	59.66	52.45	7.21	
3			4.60	59.82	52.58	7.24	
+25			4.88	59.54	52.71	6.83	
+50			4.79	59.63	52.84	6.79	F.T. #19
+79.05	TP		4.91	359.51	353.00 S.B.	6.51	
BM	4.85	364.36	5.24	359.12	359.14		

				52.28	
	6.21	58.49	1.96	56.53	
1+75	4.42	60.95	6.14	54.81	54.71
	3.95	58.76	5.83	52.93	52.84
	4.62	57.55	2.72	54.83	54.75
	5.20	60.03	5.31	54.72	54.64
BM-	3.48	58.20	4.69	53.51	53.43
			5.94	52.26	52.18
				56.40	
	2.43	58.83	2.25	56.58	
	3.68	57.11		53.43	
	4.32	56.11	5.32	51.79	
	4.43	55.48	5.06	51.05	
	5.97	58.55	2.90	52.58	
	2.44	57.17	3.82	54.73	
			5.01	52.16	

60.95
6.20
4.75

26
18
.08

Univ. & Highland - 352.28
" " Colonial - 56.68

				332.07
	0.72	32.79	8.19	24.60
	0.52	25.12	10.00	15.12
	0.41	15.53	12.94	02.59
	0.62	3.21	9.00	94.21
			6.07	97.14

0+40 to wall 7.5' high







350 - .1
349 - 0.9

29.3
28.8
.5
495
5

.303

3.3
2.8
.5

303
25
1515
606
.07575

3)275

28.80
.07575
28.87575
.07575
28.95150
.07575
29.02725
.07575
.10300
.07575
.17875
.07575
.25450
.075
.32950

— 347.53 – (F.T. – S. of E.C. – High. Cab)

139.25

.4

6.03

7.15

6.11

10.22
.75
10.97

3.21

125.
4.
15
144.

29

30.1703 114

41.73
25.
16.73
1.018
1.0384
1333
1067
16730

345.42
344.00
1.42

.31
17
.48

6.25

5.95
3.78 ✓

9.
1.76
7.24

47335) 1.42 (.30
141 75
2500

5.95
4.61
1.34

6.95
4.61
2.34

4.7348
.3
1.42044

2999
3401
2999
119960
8997
1.0199599

Width	HEIGHT														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	.02	.04	.06	.07	.09	.11	.13	.15	.17	.18	.20	.22	.24	.26	.28
2	.04	.07	.11	.15	.18	.22	.26	.30	.33	.37	.41	.44	.48	.52	.56
3	.06	.11	.17	.22	.28	.33	.39	.44	.50	.56	.61	.67	.72	.78	.83
4	.07	.15	.22	.30	.37	.44	.52	.59	.67	.74	.81	.89	.96	1.04	1.11
5	.09	.19	.28	.37	.46	.56	.65	.74	.83	.93	1.02	1.11	1.20	1.30	1.39
6	.11	.22	.33	.44	.56	.67	.78	.89	1.00	1.11	1.22	1.33	1.44	1.55	1.67
7	.13	.26	.39	.52	.65	.78	.91	1.04	1.16	1.30	1.42	1.55	1.68	1.81	1.94
8	.15	.30	.44	.59	.74	.89	1.04	1.19	1.33	1.48	1.63	1.78	1.92	2.08	2.22
9	.17	.33	.50	.67	.83	1.00	1.17	1.33	1.50	1.67	1.83	2.00	2.17	2.33	2.50
10	.18	.37	.56	.74	.93	1.11	1.30	1.48	1.67	1.85	2.04	2.22	2.41	2.59	2.78
11	.20	.41	.61	.82	1.02	1.22	1.43	1.63	1.83	2.04	2.24	2.44	2.65	2.85	3.06
12	.22	.44	.67	.89	1.11	1.33	1.56	1.78	2.00	2.22	2.44	2.67	2.89	3.11	3.33
13	.24	.48	.72	.96	1.20	1.44	1.68	1.92	2.16	2.41	2.65	2.89	3.13	3.37	3.61
14	.26	.52	.78	1.04	1.30	1.55	1.81	2.08	2.33	2.59	2.85	3.11	3.37	3.63	3.89
15	.28	.56	.83	1.11	1.39	1.67	1.94	2.22	2.50	2.78	3.06	3.33	3.61	3.89	4.17
16	.30	.59	.89	1.18	1.48	1.78	2.07	2.37	2.67	2.96	3.26	3.56	3.85	4.15	4.44
17	.31	.63	.94	1.26	1.57	1.89	2.20	2.52	2.83	3.15	3.46	3.78	4.09	4.41	4.72
18	.33	.67	1.00	1.33	1.67	2.00	2.33	2.67	3.00	3.33	3.67	4.00	4.33	4.67	5.00
19	.35	.70	1.06	1.41	1.76	2.11	2.46	2.82	3.17	3.52	3.87	4.22	4.57	4.92	5.28
20	.37	.74	1.11	1.48	1.85	2.22	2.59	2.96	3.33	3.70	4.07	4.44	4.81	5.18	5.56
21	.39	.78	1.17	1.55	1.94	2.33	2.72	3.11	3.50	3.89	4.28	4.67	5.06	5.44	5.33
22	.41	.81	1.22	1.63	2.04	2.44	2.85	3.26	3.67	4.07	4.48	4.89	5.30	5.70	6.11
23	.43	.85	1.28	1.70	2.13	2.56	2.98	3.41	3.83	4.26	4.68	5.11	5.54	5.96	6.39
24	.44	.89	1.33	1.78	2.22	2.67	3.11	3.56	4.00	4.44	4.89	5.33	5.78	6.22	6.67
25	.46	.92	1.39	1.85	2.31	2.78	3.24	3.70	4.17	4.63	5.09	5.56	6.02	6.48	6.94
26	.48	.96	1.44	1.92	2.41	2.89	3.37	3.85	4.33	4.82	5.30	5.78	6.26	6.74	7.24
27	.50	1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00	5.50	6.00	6.50	7.00	7.50
28	.52	1.04	1.55	2.07	2.59	3.11	3.63	4.15	4.67	5.18	5.70	6.22	6.74	7.26	7.78
29	.54	1.07	1.61	2.15	2.68	3.22	3.76	4.30	4.83	5.37	5.91	6.44	6.98	7.52	8.06
30	.56	1.11	1.67	2.22	2.78	3.33	3.89	4.44	5.00	5.55	6.11	6.67	7.22	7.78	8.33
31	.57	1.15	1.72	2.30	2.87	3.44	4.02	4.59	5.17	5.74	6.32	6.89	7.46	8.04	8.61
32	.59	1.18	1.78	2.37	2.96	3.56	4.15	4.74	5.33	5.92	6.52	7.11	7.70	8.30	8.89
33	.61	1.22	1.83	2.44	3.05	3.67	4.28	4.89	5.50	6.11	6.72	7.33	7.94	8.55	9.17
34	.63	1.26	1.89	2.52	3.15	3.78	4.40	5.04	5.67	6.29	6.93	7.56	8.18	8.81	9.44
35	.65	1.30	1.94	2.59	3.24	3.89	4.53	5.18	5.83	6.48	7.13	7.78	8.42	9.08	9.72
36	.67	1.33	2.00	2.67	3.33	4.00	4.66	5.33	6.00	6.67	7.33	8.00	8.67	9.33	10.00
37	.68	1.37	2.06	2.74	3.42	4.11	4.79	5.48	6.17	6.85	7.54	8.22	8.91	9.59	10.28
38	.70	1.41	2.11	2.82	3.52	4.22	4.92	5.63	6.33	7.03	7.74	8.44	9.15	9.85	10.56
39	.72	1.44	2.17	2.89	3.61	4.33	5.05	5.78	6.50	7.22	7.95	8.67	9.39	10.11	10.83
40	.74	1.48	2.22	2.96	3.70	4.44	5.18	5.92	6.67	7.41	8.15	8.89	9.63	10.37	11.11

Table gives cu. yds. in 1 ft. of a triangle of given width and height. Corrections for tenths of width are one tenth the values found under each height considering the widths from 1 to 9 as tenths and similarly the corrections for tenths of height are one tenth the figures opposite width considering the heights from 1 to 9 as tenths. Thus if w =16.2 and h =5.3, cu. yds. =1.48+.028+.089 =1.597 cu. yds. or practically 160 cu. yds. per 100 ft. If w exceeds 40 ft., use one half and multiply result by 2, if both w and h are large use one half of each and multiply result by 4. Any cross-section may be divided into triangles by the following rule. To the triangle of the sum of the outside cuts (or fills) =h, and ½ the roadbed =w, add the triangles formed by taking the distance out to each break in turn (=w's) by the difference between the cuts (or fills) on each side of it (=h's) always subtracting the outer from the inner.

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

Roadway 16 feet wide. Side Slopes 1 on 1½.

For Single Track Embankment.

H	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	H
0	8.0	8.2	8.3	8.5	8.6	8.8	8.9	9.1	9.2	9.4	0
1	9.5	9.7	9.8	10.0	10.1	10.3	10.4	10.6	10.7	10.9	1
2	11.0	11.2	11.3	11.5	11.6	11.8	11.9	12.1	12.2	12.4	2
3	12.5	12.7	12.8	13.0	13.1	13.3	13.4	13.6	13.7	13.9	3
4	14.0	14.2	14.3	14.5	14.6	14.8	14.9	15.1	15.2	15.4	4
5	15.5	15.7	15.8	16.0	16.1	16.3	16.4	16.6	16.7	16.9	5
6	17.0	17.2	17.3	17.5	17.6	17.8	17.9	18.1	18.2	18.4	6
7	18.5	18.7	18.8	19.0	19.1	19.3	19.4	19.6	19.7	19.9	7
8	20.0	20.2	20.3	20.5	20.6	20.8	20.9	21.1	21.2	21.4	8
9	21.5	21.7	21.8	22.0	22.1	22.3	22.4	22.6	22.7	22.9	9
10	23.0	23.2	23.3	23.5	23.6	23.8	23.9	24.1	24.2	24.4	10
11	24.5	24.7	24.8	25.0	25.1	25.3	25.4	25.6	25.7	25.9	11
12	26.0	26.2	26.3	26.5	26.6	26.8	26.9	27.1	27.2	27.4	12
13	27.5	27.7	27.8	28.0	28.1	28.3	28.4	28.6	28.7	28.9	13
14	29.0	29.2	29.3	29.5	29.6	29.8	29.9	30.1	30.2	30.4	14
15	30.5	30.7	30.8	31.0	31.1	31.3	31.4	31.6	31.7	31.9	15
16	32.0	32.2	32.3	32.5	32.6	32.8	32.9	33.1	33.2	33.4	16
17	33.5	33.7	33.8	34.0	34.1	34.3	34.4	34.6	34.7	34.9	17
18	35.0	35.2	35.3	35.5	35.6	35.8	35.9	36.1	36.2	36.4	18
19	36.5	36.7	36.8	37.0	37.1	37.3	37.4	37.6	37.7	37.9	19
20	38.0	38.2	38.3	38.5	38.6	38.8	38.9	39.1	39.2	39.4	20
21	39.5	39.7	39.8	40.0	40.1	40.3	40.4	40.6	40.7	40.9	21
22	41.0	41.2	41.3	41.5	41.6	41.8	41.9	42.1	42.2	42.4	22
23	42.5	42.7	42.8	43.0	43.1	43.3	43.4	43.6	43.7	43.9	23
24	44.0	44.2	44.3	44.5	44.6	44.8	44.9	45.1	45.2	45.4	24
25	45.5	45.7	45.8	46.0	46.1	46.3	46.4	46.6	46.7	46.9	25
26	47.0	47.2	47.3	47.5	47.6	47.8	47.9	48.1	48.2	48.4	26
27	48.5	48.7	48.8	49.0	49.1	49.3	49.4	49.6	49.7	49.9	27
28	50.0	50.2	50.3	50.5	50.6	50.8	50.9	51.1	51.2	51.4	28
29	51.5	51.7	51.8	52.0	52.1	52.3	52.4	52.6	52.7	52.9	29
30	53.0	53.2	53.3	53.5	53.6	53.8	53.9	54.1	54.2	54.4	30
31	54.5	54.7	54.8	55.0	55.1	55.3	55.4	55.6	55.7	55.9	31
32	56.0	56.2	56.3	56.5	56.6	56.8	56.9	57.1	57.2	57.4	32
33	57.5	57.7	57.8	58.0	58.1	58.3	58.4	58.6	58.7	58.9	33
34	59.0	59.2	59.3	59.5	59.6	59.8	59.9	60.1	60.2	60.4	34
35	60.5	60.7	60.8	61.0	61.1	61.3	61.4	61.6	61.7	61.9	35
36	62.0	62.2	62.3	62.5	62.6	62.8	62.9	63.1	63.2	63.4	36
37	63.5	63.7	63.8	64.0	64.1	64.3	64.4	64.6	64.7	64.9	37
38	65.0	65.2	65.3	65.5	65.6	65.8	65.9	66.1	66.2	66.4	38
39	66.5	66.7	66.8	67.0	67.1	67.3	67.4	67.6	67.7	67.9	39
40	68.0	68.2	68.3	68.5	68.6	68.8	68.9	69.1	69.2	69.4	40

Example—If point is 22.6 ft. above grade, how far should it be from center line to be a slope stake point? Ans. from Table 41.9. For same slopes but other widths of roadbed correct above figures by one-half difference in width of roadbed; thus in example above for 20 ft. roadbed distance will be 41.9+(20—16)÷2 or 2 ft. added to 41.9 =43.9. For slopes of 1 on 1 see inside of front cover.

Copyright, 1914, by Eugene Dietzgen Co.

Made in Germany.