LEVEL BOOK

373

F.B.569

KEUFFEL & ESSER CO.

DRAWING MATERIALS
AND
SURVEYING INSTRUMENTS.

NEW YORK.

CHICAGO. SAN FRANCISCO. ST. LOUIS.

TABLES FOR EXCAVATIONS AND EMBANKMENTS.

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.
ROADWAY 18 FEET WIDE. SIDE SLOPES 1 TO 1.
FOR SINGLE TRACK EXCAVATION.

"Copyright, 1895, by Keuffel & Esser Co."

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	0
1	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	1
2	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	2
3	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	3
4	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	4
5	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	5
6	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	6
7	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	7
8	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	8
9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	9
10	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	10
11	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	11
12	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	12
13	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	13
14	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	14
15	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	15
16	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	16
17	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	17
18	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	18
19	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	19
20	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	20
21	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	21
22	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	22
23	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	23
24	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	24
25	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	25
26	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	26
27	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	27
28	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	28
29	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	29
30	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	30
31	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	31
32	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	32
33	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	33
34	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	34
35	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	35
36	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.

MICROFILMED 1964

Fairmount
Colonial + X Sts-
Highland-

64

OFFICE OF THE CITY ENGINEER
EAST SAN DIEGO CAL.

64.

Card Indexed Mar. 23, 1915.

Index Colonial

Cut & fills Colonial	2-5
Location of Culvert Colonial bet Clark & Center	6
Cut & fills on Clark	7
Location & grade culvert Center & Colonial	8
Cut & fills Klauber, Castle, Howard & Center	9-11
" " Highland	12-16
Curb stakes on Colonial (Howard-Clark	17
" " " Howard & Clark	17-19
Cut & fill check on Castle	20
Grades & diagram Colonial	24-25
B.M.'s on Colonial & x-streets	26
Curb stakes Colonial & Castle	21
" " " & Klauber	21 & 22
Checking grades (Clark-Center)	25
Curb stakes (Clark-Chatham)	27
Sketch old stakes Howard	29
" " " Clark	31
X-sections Clark, Castle, Klauber (Fairmont) E.	32
Curb stakes Highland Steiner-Castle	33

Street			Page	
Colonial	Official Grades		74-75	✓
B.M.			76	✓

Highland Index

Cut & Fills	Klauber & Castle	23
Cut & Fills	Highland &	12-16
" "	Howard	24
" "	Clark	26
" "	Center	28
Curb Stakes	Highland Klauber & Castle	33
" "	" " to Univ	33-34
Curb Stakes	Howard & Highland	35
X Sections	South of Centre	30

Index Cont'd.

Index Fairmount.

Cut + Fills University - Clark	36-38
Curb Stakes	41-43
Grade Diagram	69
B.M	76.

Sta	Cuts +	Fills H.I.	Colonial −	Elev.
B.M.				355.35
S.L. University				
0+40	5.45	360.80		
1				
2				
3				
4				
5				
6				
N.L. Klauber				
6+40				
South L Klauber				
7+20				
T.P. on 8 West				
8			5.19	355.61
9	3.27	358.88		
10				
11				
12				
13				
N.L. Castle				
13+20				

Ford Sept 14 1914
East of Knutson St

West	Curb Grade −	West P.L.	East P.L.	Curb Grade	East
		4.35 Top Curb	4.65 Top Curb		
00	356.40	356.45 (4.6)	356.15 (4.8)	356.10	00
00	356.20	356.2 (4.7)	356.0 (4.9)	355.90	+0.1
+0.2	355.89	356.1 (5.0)	355.9 (6.2)	355.59	+0.3
+0.2	355.58	355.8 (4.7)	354.6 (6.2)	355.28	−0.7
+0.8	355.26	356.10 (4.5)	354.6 (5.3)	354.96	−0.4
+1.4	354.94	356.3 (4.8)	355.5 (5.4)	354.64	+0.9
+1.4	354.63	356.0 (4.7)	355.4 (5.1)	354.33	+1.1
+1.9	354.50	356.4	355.7	354.20	+1.5
		Klauber St			
		(4.5)	(5.0)		
+2.1	354.2	356.3 (5.19)	355.9 (4.6)	353.9	+1.9
+1.7	353.96	355.6 (4.3)	356.2 (3.4)	353.74	+2.5
+1.0	353.66	354.6 (4.8)	355.5 (4.0)	353.54	+2.0
+0.7	353.36	354.1 (4.9)	354.9 (4.4)	353.34	+1.6
+0.9	353.06	354.0 (5.3)	354.5 (4.7)	353.14	+1.4
+0.8	352.76	353.6 (5.4)	354.2 (5.4)	352.94	+1.3
+1.0	352.46	353.5 (5.9)	353.5 (5.4)	352.74	+0.8
+0.6	352.40	353.0	353.5	352.70	+0.8
		Castle St			

Colonial Court

Sta	+	H.I.	−	Elev.		West	Curb Grade	West P.L.	East P.L.	Curb Grade	East
S.L. Cast I.C. T.P. on East								− 6.4	5.77		
14+00		358.88	5.77	353.11		+0.4	352.10	352.5	353.1	352.40	+0.7
								3.9	2.7		
15	1.39	354.50				00	350.6	350.6	351.8	350.9	+0.9
								5.3	4.5		
16						+01	349.1	349.2	350.0	349.4	+0.6
								6.9	5.9		
17						00	347.6	347.6	348.6	347.9	+0.7
								8.6	8.5		
18						−0.2	346.1	345.9	346.0	346.4	−0.4
T.P. 19 West.								9.83	9.4		
19			9.83	344.67		+0.1	344.6	344.7	345.1	344.9	+0.2
N.L. Howard					CR on BM			3.6	3.5		
20	2.72	347.39	2.99	344.40	SB 344.33	+0.7	343.1	343.8	343.9	343.40	+0.5
								Howard St			
S.L. Howard								4.3	4.2		
20+80						+0.3	342.8	343.1	343.2	343.10	+0.1
								4.5	4.7		
21						+0.2	342.68	342.9	342.7	342.96	−0.3
								5.2	5.0		
22						+0.1	342.11	342.2	342.4	342.27	+0.1
								5.9	6.1		
23						00	341.53	341.5	341.3	341.58	−0.3
								6.8	6.8		
24						+0.2	340.4	340.6	340.6	340.4	+0.2
T.P. on 25 West								7.9	7.8		
25			7.90	339.49		+1.5	338.0	339.5	339.6	338.0	+1.6
								2.9	2.4		
26	1.22	340.71				+2.3	335.5	337.8	338.3	335.5	+2.8
					BM S.B.			5.0	4.0		
26+80			6.66	334.05	333.98	+2.2	333.5	335.7	336.7	333.5	+3.2
								Clark	St -		
								7.8	6.5		
27+60						−0.1	333.0	332.9	334.2	333.0	+1.2
T.P. Rock -								9.2	8.3		
28			12.48	328.23		+1.1	330.45	331.5	332.4	330.45	+2.0

Colonial (Cont'd)

Sta	+	H.I.	−	Elev	
29	1.19	329.42			
T.P. on 30 East					
30			3.08	326.34	
30+80	0.08	326.42			
31+20					
31+60					
32			11.69	314.73	
30	2.76	317.49			
30+80					
33					
T.P. on 31+80 West			12.17	305.32	
31+20	0.67	305.99			
31+60					
32					
33					
33+60					
BM			8.17	297.82	ON 33+60 East
T.P.			0.11	305.88	
T.P.	12.97	318.85	0.02	318.83	
	10.88	329.71	0.11	329.60	

West	Curb Grade	West P.L.	East P.L.	Curb Grade	East
		4.2	8.9		− 6.0 − 3' out
+ 1.1	324.07	325.2	320.5	324.07	− 3.6
			3.1		
			326.3	317.70	+ 8.6
			3.6		
			322.8	312.60	+ 10.2
			7.2		
			319.2	310.5	+ 8.7
			10.1		
			316.3	309.2	+ 7.1
			11.69		
			314.7	308.36	+ 6.3
− 5.3 8.0'		3.1			
− 3.3	317.70	314.4			
− 8.6 − 14' out		12.2			
− 7.3	312.60	305.3			
			8.2		
			309.3	306.26	+ 3.0
− 6.9 − 10.4 out		4.8			
− 9.3	310.5	301.2			
− 8.2 12.3'		7.7			
− 10.9	309.2	298.3			
− 8.5 − 12.7'		7.8			
− 10.2	308.36	298.2			
− 10.5 15.7'		12.3			
− 12.6	306.26	293.7			
− 8.7 − 13' out		14.8	8.2		− 3.6 − 8.4 out
− 13.8	305.0	291.2	297.8	305.0	− 7.2
	* Center		St		

Colonial (cont'd)

Sta	+	H I	−	Elev	
B.M.	10.54	340.14	6.10	334.04	T.P. on 33+60 East
B.M. S.L. Center				297.82	
34+40	6.34	304.16			
35					
36					
T.P. on 37 East					
37			4.07	300.09	
35	12.26	312.35			
36					
37					
37+40					
38					
39					
40					
N.L. Chatham					
40+40					
Check			7.05	305.30	on 30+80 S.B. 305.32 West.

West	Curb Grade	West P.L.	East P.L.	Curb Grade	East
					Sept 16, 1914
		0.0	15.8		-12.5 18.7
-0.3	304.50	304.2	288.4	304.00	-15.6
			18.5 285.7	304.40	-22.4 -33.6 -18.7
			8.8 295.4	305.06	-22.8 -34.2 -9.7
			4.07 300.1	305.73	-7.4 11.1 -5.6
		3.6			
+3.8	305.0	308.8			
		4.0			
+2.6	305.83	308.4			
		2.2			
+3.5	306.66	310.2			
		1.3	10.4		-5.4 8.1
+4.1	307.00	311.1	302.0	306.00	-4.0
		1.8	8.6		
+4.4	306.20	310.6	303.8	305.20	-1.4
		2.3	5.2		
+5.2	304.87	310.1	307.2	303.87	+3.3
		3.6	4.1		
+5.3	303.53	308.8	308.3	302.53	+5.8
		4.0	4.2		
+5.4	303.00	308.4	308.2	302.00	+6.2

Grades - Cut & Fill - Culvert Colonial between Clark & Center

Sta	+	HI	pipe line	Elev Cut stake	ON Cut Stake 29+00 East Grade -
				320.5	
			10.2	8.7	
0+00	2.2	322.7	312.5	314.0	312.5 +1.5
			6.6	5.8	
0+20			316.1	316.9	311.80 +5.1
			10.2	9.7	310.10
0+50			312.5	313.0	+2.3
			6.1		
0+60			316.6		
			5.9	6.1	309.85
0+70 on New Fill			316.8	316.6	+6.8
			6.9		
0+82 on New Fill			315.8		
			4.6	4.6	309.10
0+90 on New Fill			318.1	318.1	+9.0
			5.2	5.6	308.55
1+05			317.5	317.1	+8.6
			14.9	14.7	307.8
1+25			307.8	308.0	+0.2



Cut & Fills Clark (Dist 27)

Sta	+	H I	−	Elev
				333.98
℄ Alley				
1+35	6.02	340.00		
2				
WL Colonial				
+70				
EL Colonial				
3+30				
4				
℄ Alley				
4+65				

Sept 18-1934
Graf Knudsen -

	Curb Grade Spike Pole	South P.L SW	North P.L Clark & Colonial	Curb Grade	
		9.2	6.2		
-1.5	331.8	329.2 (330.8)	333.8	333.10	+0.7
		8.1	5.3		
-0.5	332.4	331.6 331.9	334.7	333.3	+1.4
		7.1	4.5 Hub Gone		
-0.1	332.0	332.9	335.5	333.5	+2.0
		6.1 Hub Gone	3.4 Hub Gone		
+0.9	333.0	333.9	336.6	333.5	+3.1
		5.0	3.3		
+1.2	333.83	335.0	336.1	334.3	+2.4
		7.7	4.7		
+2.3	334.6	332.3	335.3	335.0	+0.3

Sept 19-1914
Ford
Knudtson
Graf

88

Sta	Location +	H I	Culvert Center —	Elev	Elev. 3' Back Of 3+60 Back	Colonial Grade	Cut or Fill 3' Back —
B. M				297.82			
0+00	1.02	298.84	3.2	295.64	296.1	295.5	+0.6
0+10			4.0	294.8	295.9	294.82	+1.1
20			5.1	293.7	295.0	294.14	+0.9
30			7.2	291.6	293.3	293.46	−0.2
40			8.5	290.3	291.4	292.76	−1.4
50			8.5	290.3	291.2	292.08	−0.9
60			7.2	291.6	292.6	291.4	+1.2
66 Riser			6.2	292.6	293.5	290.95	+2.5
0+80			2.8	296.0	295.7	290.0	+5.7
95			2.3	296.5	296.7	289.0	+7.7
1+05			3.3	295.5	295.7	288.3	+7.4
1+25			12.4	286.4	287.5	286.9	+0.6
1+50			11.1	287.7	288.6	285.2	+3.4
1+75			13.2	285.6	286.0	283.5	+2.5
TP			12.80	286.04			
2+05	6.6	292.64	10.90	281.74	281.7	281.5	+0.2



Levels on Howard (Colonial)

	+	H.I.	−	Elev	
	4.29	348.62		344.33	N.E. cor. Howard & Fairmount & Colonial
1+35					
2+00 W.L. Colonial					
2+70 E.L. Colonial					
3+30					
4+00					
+65					

Levels on Castle (Colonial)

	6.66	356.41		349.75	N.E. cor. Fairmount & Castle
1+35	7.40	357.15			
2+00 W.L. Colonial					
+70 E.L. Colonial					
3+30					
4					
+65					

Levels on Flaubert (Colonial)

	5.24	360.59		355.35	
1+35					
2+00					

A.H. Graf
L. Knudsen
3/25/14

+or−	Grade	North	South	Grade	+or−
		5.1	6.0		
+1.1	342.9	343.5	342.6	341.6	+1.0
		4.8	5.4		
+1.1	342.74	343.8	343.2	342.2	+1.0
		4.9	5.6		
+0.6	343.1	343.7	343.0	342.8	+0.2
		4.8	5.6		
+0.4	343.4	343.8	343.1	343.1	0.0
		3.9	5.4		
+0.2	344.46	344.7	343.2	344.08	−0.9
		2.9	4.5		
+0.3	345.45	345.7	344.1	345.05	−1.0
		5.8	6.8		
+0.5	350.9	351.4	350.4	350.25	+0.2
		4.7	5.9		
+0.9	351.65	352.5	351.3	351.18	+0.1
		4.2	4.7		
+0.6	352.4	353.0	352.5	352.1	+0.4
		3.7	4.1		
+0.7	352.7	353.4	353.1	352.4	+0.7
		4.0	4.0		
+0.3	352.9	353.2	353.1	352.6	+0.5
		3.6	4.4		
+0.4	353.1	353.5	352.7	352.8	−0.1
		5.3	5.8		
+1.3	350.0	355.3	354.8	354.55	+0.8
		4.1	5.6		
+1.7	354.75	356.3	355.0	354.38	+0.6

Levelson Klauber (Cont'd)

W.C. Colonial 2+70		360.59			
E.L. Colonial 3+30					
4					
+65					
	Check Levels on bench mark S.L. Klauber				
	bet Fairmount & Colonial				
	5.60	360.95		355.35	S.L. Klauber Fairmount & Colonial
T.P.			3.43	357.52	
	5.64	363.16			
B.M.			4.06	359.10	N.W. Cor Pauly & Steiner
	Cut & Fills Center E & W of Colonial				
B.M.	8.14	331.89		323.65	Hub SW Cor Cabrillo & Center
T.P.			12.67	319.22	
4+69.7 S 4+69.3 N.	1.17	320.39			
T.P.			12.26	308.13	
	0.56	308.69			
4+00					
T.P.			0.74	307.95	

for −	Grade	North	South	Grade	for −
		4.2	4.3		
+1.9	354.5	356.4	356.3	354.2	+2.1
		4.9	4.8		
+1.5	354.2	353.7	353.8	353.9	+1.9
		5.7	5.6		
+1.6	353.33	354.9	353.0	353.13	+1.9
		6.2	6.3		
+2.0	352.45	354.9	354.3	352.35	+2.0

for −	North Grade	North ←	South	South Grade → South	for −
		4.4	8.5		
+2.2	313.75	316.0	311.9	312.75	− 0.9
		9.0	7.7		
−9.7	309.37	299.7	301.0	308.37	−7.4

Center & ℄ W of Colonial

	+	H.I.	−	Elev.	
	11.75	319.70		307.95	
2+00					
1+33.9					
T.P.			0.93	318.77	
	7.47	326.24			
Curb at N.E. Fairmont & Center					
T.P.			0.71	325.53	
	9.96	335.49			
				(333.98)	Spike rote S.W. cor Clark & Colonial
B.M.			1.50	333.99	

+or−	Grade	North	South	Grade	+or−
		7.5	4.0		
+3.6	308.55	312.20	315.70	308.12	+7.6
		0.7	1.1	311.25 ✓	Should have been +7.4 ✓
+6.9	312.1	319.0	318.6	(311.75)	+6.8 ✓
		6.92			
		319.32			

Highland Ave to ℄ Center 0+00 = ℄ University

Sta	Cut +	Fill −	Stakes H.I.	Elev.	
B.M.	5.56		360.91	355.35	Spike in pole ± Klauber Col Face + Colonial
T.P.		8.71		352.20	
	6.11		358.31		
S.L. University					
0+40					
1+00					
+50					
2					
+50					
3					
+50					
4					
+50					
5					
+50					
6					
N.L. Klauber					
+40					
S.L. Klauber & Porch Cor 7+20		7.15		351.16	

	WEST			EAST		
Cut or Fill	Curb Grade	Elev. West Proline		Elev. East Proline	Curb Grade	Cut or Fill
		7.7		6.2		
+1.1	352±	353.6	2.8	352.1	352±	+0.1
+1.5	354.0	355.5	2.8	354.0	353.5	+0.5
+0.4	355.1	355.5	3.1	354.7	354.6	+0.1
+0.1	355.1	355.2	3.4	354.7	354.6	−0.2
+0.3	354.6	354.9	4.1	354.4	354.1	+0.3
+0.1	354.1	354.2	4.7	353.5	353.6	−0.1
0.00	353.6	353.6	5.2	353.1	353.1	0.00
0.00	353.1	353.1	5.6	352.4	352.6	−0.2
+0.1	352.6	352.7	6.4	351.5	352.1	−0.6
−0.2	352.1	351.9	6.9	351.2	351.6	−0.4
−0.2	351.6	351.4	6.7	351.0	351.1	−0.1
+0.5	351.1	351.6	7.1	350.6	350.6	0.00
+0.5	350±	351.2		350.6	350±	+0.4
		Klauber	7.1		7.8	
+0.4	350.8	351.2		350.5	350.5	0.00

Highland

Sta	+	HI	−	Elev
	6.58	357.74		351.16
7+50				
8				
+50				
9				
+50				
10				
10				
+50				
11				
+50				
12				
+50				
N.L. Castle 13+16.33				
S.L. Castle +96.33				
14+50 T.P. on East				
15			4.70	353.04
	3.44	356.48		
+50				

	WEST		EAST		
Cut or Fill	Curb Grade	West P. Line	East P. Line	Curb Grade	Cut or Fill
		6.4	7.0		
+0.4	350.93	351.3	350.7	350.63	+0.1
		5.9	7.2		
+0.7	351.15	351.8	350.5	350.85	−0.3
		5.7	7.1		
+0.6	351.38	352.0	350.6	351.08	−0.5
		5.1	7.0		
+1.0	351.60	352.6	350.7	351.30	−0.6
		4.8	6.3		
+1.1	351.83	352.9	351.4	351.53	−0.1
		4.3	5.9		
+1.4	352.05	353.4	351.8	351.75	0.00
		4.6	5.5		
+0.8	352.28	353.1	352.2	351.98	+0.2
		4.6	5.2		
+0.6	352.50	353.1	352.5	352.20	+0.3
		4.5	4.9		
+0.5	352.73	353.2	352.8	352.43	+0.4
		3.9	5.2		
+0.9	352.95	353.8	352.5	352.65	−0.1
		3.7	4.8		
+0.8	353.18	354.0	352.3	352.88	0.00
		4.0	4.2		
+0.2	3535	353.7	353.5	3532	+0.3
		Castle			
		4.7	5.0		
−0.2	3532	353.0	352.7	3529	−0.2
		5.1	4.6		
−0.1	352.69	352.6	353.1	352.41	+0.7
		4.8	4.7		
+0.7	352.21	352.9	353.0	351.96	+1.0
		3.9	3.7		
+0.9	351.74	352.6	352.8	351.51	+1.3

Sta	+	Highland HI	−	Elev
16		356.98		
+50				
17				
+50				
18				
+5				
19				
+50				
N.C. Howard #9695				
Sil. Howard 20+76.86				
21				
+50				
TP. on Post 22			11.12	345.36
	1.03	346.39		
+50				
23				
150				
24				

Cut or Fill	WEST Curb Grade	West P line	EAST East P line	Curb Grade	Cut or Fill
		3.9	4.1		
+1.3	351.26	352.6	352.4	351.06	+1.3
		4.3	4.2		
+1.3	350.79	352.1	352.3	350.61	+1.7
		4.4	4.3		
+1.7	350.31	352.0	352.1	350.16	+1.9
		5.0	4.8		
+1.7	349.84	351.5	351.7	349.71	+2.0 X
		5.5	5.3		
+1.6	349.36	351.0	351.2	349.26	+1.9
		6.4	5.7		
+1.2	348.89	350.1	350.8	348.81	+2.0
		6.0	6.3		
+2.1	348.41	350.5	349.6	348.36	+1.2
		8.1	7.2		
+0.5	347.94	348.4	348.3	347.91	+1.4
		8.8	8.2		
+0.2	3475	347.7	348.3	3475	+0.8
			Howard		
		9.7	9.2		
-0.2	347e	346.8	347.8	347e	+0.3
		10.4	9.6		
-0.5	346.56	346.1	346.9	346.59	+0.3
		11.4	10.6		
-0.6	345.69	345.1	345.9	345.76	+0.1
		12.5	11.1		
-0.8	344.82	344.0	345.4	344.93	+0.5
		3.1	1.8		
-0.6	343.95	343.3	344.6	344.10	+0.5
		4.0	2.2		
-0.7	343.08	342.4	344.2	343.27	+0.9
		4.9	3.3		
-0.7	342.21	341.5	343.1	342.44	+0.7
		5.8	4.2		
-0.7	341.34	340.6	342.2	341.61	+0.6

Highland

	+	H.I.	−	Elev.
24+50		346.39		
25				
+50				
26				
+50				
N.C. Clark: 178[10]				
S.C. Clark: 27+58[15]				
28				
T. P. on West +50			1.43	334.96
	1.87	336.83		
29				
+50				
30				
+50				
31				
+50				
32				
+50				

	West			East	
Cut or Fill	Grade	West P. Line	East P. Line	Grade	Cut or Fill
		6.2	5.1		
−0.3	340.47	340.2	341.3	340.78	+0.5
		6.8	6.1		
0.00	339.60	339.6	340.3	339.95	+0.4
		8.1	6.5		
−0.4	338.73	338.3	339.9	339.17	+0.8
		8.4	7.1		
+0.1	337.86	338.0	339.3	338.29	+1.0
		8.8	8.0		
+0.6	336.99	337.6	338.4	337.46	+0.9
		9.7	8.8		
+0.2	3365	336.7	337.6	3370	+0.6
		Clark			
		11.3	9.8		
−1.1	3362	335.1	336.6	3362	−0.1
		11.5	10.3		
−0.3	335.22	334.3	336.1	335.72	+0.4
		11.4	10.7		
+0.9	334.08	335.0	335.7	334.58	+1.1
		1.9	1.5		
+2.0	332.94	334.9	335.3	333.44	+1.9
		2.4	2.0		
+2.6	331.80	334.4	334.8	332.30	+2.5
		3.5	3.4		
+2.6	330.66	333.3	333.4	331.16	+2.2
		4.6	4.5		
+2.7	329.52	332.2	332.8	330.02	+2.3
		6.0	5.4		
+2.4	328.38	330.8	331.4	328.88	+2.5
		8.8	6.4		
+0.8	327.24	328.0	330.4	327.74	+2.7
		9.2	6.6		
+1.5	326.10	327.6	330.2	326.60	+3.6
		9.4	7.8		
+2.4	324.96	327.4	329.0	325.46	+3.5

Highland

	+	H.I.	I -	Elev.	
33+		336.83			
H.I. Center					
7+88.5					
S.I. Center					
34+38.5					
Tilton Rock					
			1.25	335.58	
	3.57	339.15			
				(333.98)	Spike, pole S.W. Cor Clerk & Colardi
			5.19	333.95	

Check Levels at Centre.

B.M.	7.28	330.93		323.65	
H.I. Centre.					
33+58					
34+38					
33+00					

West — East

Cut or fill	Grade	West P. Line	East P. Line	Grade	Cut or fill
		10.0	8.6		
+3.0	323.8	326.8	328.2	324.3	+3.9
		9.7	11.2		
~~+1.6~~	321.5	327.1	325.6	323	~~+2.6~~
		Center			
		13.9	12.2		
+1.4	321.5	322.9	324.6	322	+2.6

Hub S.W. Cor. Centre & Cabrillo

Graph Hyp++ 1200/14

		5.3	3.9		
+3.1	322.5	325.6	327.0	323	+4.0
		8.0	6.3		
		322.9	324.6		
		4.1	2.7		
		326.8	328.2		

A.H. Graft
E. Hyatt
Oct 24-1914

Curb stakes on Colonial (Howard - Clark)

	+	H.I.	−	Elev.	
	4.39	338.37		333.98	
N.E. Cor Clark			4.87	333.50	
N.W. Cor Clark			4.87	333.50	
	3.63	347.96		344.33	
S.E Howard			4.86	343.10	
S.W. Howard			3.16	342.80	
	4.78	347.58		342.80	
300' S of Howard			~~4.38~~	340.80	
				344.33	
SE Howard Colonial	3.12	347.45	4.35	343.10	
West line Colonial 300's of SL Howard			6.65	340.80	

Curb stakes Clark - E. & W. of Colonial

BM Top Curb				333.98	
SE. Clark Fairmount	3.87	337.85	7.35	330.50	- 0.10
Top Curb NE " on Clark			5.28	332.57	- 0.13
SE " on Clark			7.25	330.60	
N.E "			5.15	332.70	
NW Clark Highland	5.90	339.88	3.38	336.50	
SW "			3.68	336.20	

Spike in pole S.W. Cor Clark & Colonial

Spike in pole N. of N.L. Howard bet Fair. & Colonial

S.W. Curb stake on Howard & Colonial

Spike Pole S.W. Clark & Colonial

A.H. Graf
F.H. Hyatt
11/2/14

	+	H.I.	−	Elev.	
Curb stakes on Clark (Colonial)					
	3.86	337.84		333.98	Spike in pole S.W. Cor. Clark + Colonial
Clark S.E. Colonial			4.84	333.0	
Clark S.W. Colonial			4.87	333.0	
	5.31	338.31			S.E. Cor Colonial + Clark
Clark N.W. Colonial			4.81	333.5	Tot. it'old curb 4.79 333.52
SL Clark 2700 Cut stake			6.75	331.56	
1735 South			9.10	329.21	
1735 North			44	3339	
Clark N.E. Colonial			4.81	333.5	
Curb stakes on Howard (Colonial)					
	6.13	351.49		345.36	T.P. on Sta. 22 E on Highland
Howard S.W. Highland			4.49	347.0	
Howard N.W. Highland			3.99	347.5	
	2.97	347.30		344.33	Spike in pole N of N.E. Howard in Alley bet Fairmount + Colonial
Howard S.E. Colonial			4.20	343.1	
Howard S.W. Colonial			4.50	342.8	
Howard N.E. Colonial			3.90	343.4	
Howard N.W. Colonial			4.20	343.1	

A.H. Graf
F. Hyatt
11/9/14

Curve Stakes Colonial

Sta	+	H.I	−	Elev
B.M.				344.33
NE Howard Colonial	3.35	347.68	4.28	343.40
NW "			4.58	343.10
B.M				353.95
SE Colonial Castle	3.89	357.84	5.44	352.40
SW "			5.74	352.10
	2.10	3.0		

Nov 4-1914
Ford
Hyatt
Evat

Spike Pole Alley Nof NL Howard Alley 6ct Howt Fairm

Spike Pole NE Highland Castle

	Checking Cut-fill stakes Castle (Colonial)				Spike in pole N.E. Fairmount + Castle
B.M.	7.44	357.19		349.75	
1+35					
2 Rt. Colonial +70					
E.L. Colonial 3+30					
4 +65					
	Curb Stakes		Colonial		
B.M.				355.35	
NE Colonial Klauber	5.20	360.55	6.35	354.20	
B.M.				349.75	
NE Colonial Castle	5.91	355.66	2.96	352.70	
NW " "			3.26	352.40	
				355.35	
SE Colonial Klauber	4.26	359.61	5.71	353.90	
SW "			5.41	354.20	
NW "			5.11	354.50	

	South		North		+5 A.H. Graf F. Hyatt 11/12/14
+or-	Grade	S.P.L.	N.P.L.	Grade	
		6.8	5.8		
+0.15	350.25	350.4 6.0	351.4 4.7	350.9	+0.5
0.0	351.17	351.2 4.7	352.5 4.2	351.65	+0.65
+0.4	352.1	352.5	353.0	352.4	+0.6
		4.1	3.7		
+0.7	352.4	353.1 4.0	353.5 3.9	352.7	+0.8
+0.6	352.6	353.2 4.4	353.3 3.7	352.9	+0.4
0.0	352.8	352.8	353.5	353.1	+0.7

Nov 19-1914 Form Hyatt Smf

Spike Pole & Klauber for Fairmount + Colonial

" " NE Fairmount + Castle

Curb grades on Colonial + Castle

	+	H.I.	−	Elev
B.M.	4.52	358.47		353.95
S.W. Highland Castle			5.27	353.2
N.W. Highland Castle			4.97	353.5
	4.55	358.50		353.95
S.E. Colonial Castle			6.10	352.4
S.W. Colonial Castle			6.40	352.1
N.E. Colonial Castle			5.80	352.7
N.W. Colonial Castle			6.10	352.4
	7.35	357.10		349.75
S.E. Fairmount Castle			8.70	348.4
N.E. Fairmount Castle			7.70	349.4

Curb grades on Klauber (Colonial)

	4.10	359.45		355.35
S.W. Highland Klauber	4		8.65	350.8 (350.7 curb grade)
N.W. Highland Klauber			7.75	351.7
	4.40	359.75		355.35
S.W. Colonial Klauber			(5.50 5.55	354.25) → to fit curb 354.2
S.E. Colonial Klauber			(5.81 5.85	353.94) → to fit curb 353.9

Spike in pole N.E. Cor Highland + Castle

A.H. Graf
G.F. Hyatt
Beach
11/27/18

Spike in pole N.E. Cor Highland + Castle

Spike in pole N.E. Cor Fairmount + Castle

Spike in pole S Klauber bet Fairmount + Colonial

A.H. Graf
G.F. Hyatt
Beach
11/27/18

Spike in pole S Klauber bet Fairmount + Colonial

52.1
Watts to 90
0.01 W.

Curb grades on Colonial + Klauber (Contd)

	+	H.I	−	Elev	
Colonial N.E Klauber		359.75	(5.53 to t.f. curb in) 5.55	354.22 / 354.2	51.46 wants to go 0.96 ft
N.W Colonial Klauber			(5.13 to t.f. curb in) 5.25	354.62 / 354.5	7.94 wants to go 0.06 ft
Fairmount N.E. Klauber			(4.32 to t.f. old curb) 4.25	355.43 / 355.5	
Fairmount S.E. Klauber			(4.63 to t.f. old curb) 4.85	354.93 / 354.9	

Finish Stakes Colonial

BM				333.98
Clark SW Colonial	4.38	338.36	5.36	333.00
S.E " "			5.36	
T.P.			12.50	325.86
T.P.	063	326.49	12.90	313.59
360' S of SL Clark 37-60	1.44	315.03	4.53	310.50
T.P.				313.59
Center NW Colonial	2.10	315.69	10.69	305.00
SW " "			11.19	304.50
NE " "			10.69	305.00
SE " "			11.69	304.00
132.59' W of WL Colonial at south-L Center-	7.66	312.16	0.81	311.25

Dec 14-1914
Ford
Hyatt
Graf

Nail Pole SW Clark + Colonial

Cut & Fill Stakes Klauber E & W. Highland.

	+	HI	−	Elev.
B.M.				355.35
5+00	3.37	358.72		
5+50				
W.L. Highland.				
6+00				
6+65				
E.L. Highland.				
7+00				
7+50				
℄ Alley.				
8+00				

Cut & Fill Stakes. Castle. E & W. Highland.

	+	HI	−	Elev.
B.M.				353.95
5+00	4.59	358.54		
5+50				
W.L. Highland.				
6+00				
E.L. Highland.				
6+65				
7+00				
7+50				
℄ Alley.				
8+00				

Hyatt & Graf. Dec 30, 14.

Cut or Fill.	Curb grade	South P.L.	North P.L.	Curb grade	Cut or Fill
Spike in pole – S.L. Klauber at alley bet. Fair. & Colonial.					
		(6.3)	(6.1)		
+1.5	351.94	353.4	352.6	352.0	+0.6
		(6.4)	(6.7)		
+0.9	351.37	352.3	352.0	351.35	+0.6
		7.6	(7.5)		
+0.3	350.8	351.1	351.2	350.7	+0.5
		8.2	8.1		
0.00.	350.5	350.5	350.6	350.2	+0.7
		8.2	8.2		
+0.5	350.04	350.5	350.5	349.83	+0.7
		8.6	8.3		
+0.7	349.41	350.1	350.4	349.31	+1.1
		9.0	8.2		
+0.9	348.78	349.7	350.5	348.79	+1.7

Hyatt & Graf. Dec. 30, 14

		South P.L.	North P.L.		
Spike in pole N.E. Castle & Highland.					
		5.2	4.9		
+0.1	352.9	353.3	353.6	353.20	+0.4
		5.1	4.9		
+0.4	353.05	353.4	353.6	353.35	+0.3
		ground 5.9	4.8		
	353.2	taken on ground. 352.6	353.7	353.5	+0.2
			5.1		
	352.9	Miniature Lake No Soundings taken. 6.1	353.4 6.2	353.2	+0.2
+0.8	351.61	352.4	352.3	351.88	+0.4
		7.4	7.6		
+1.3	349.78	351.1	350.9	349.99	+0.9
		8.2	9.2		
+2.4	347.95	350.3	349.3	348.10	+1.8

Cut & Fills Howard E. & W. Highland.

	+	H.I.	−	Elev.	
B.M.				347.80	
5+00	5.72	353.52			
5+50					
W.L. Highland.					
6+00					
E.L. Highland.					
6+65					
7+00					
7+50					
℄ Alley.					
8+00					
B.M.			9.14	344.38	
			Marked	344.33	

		South	North	Hyatt. & Graf.	
Spike in pole N.W. Highland & Howard.		8.9	7.6		
−0.9	345.55	344.6	345.9	345.97	−0.1
		8.0	6.6		
−0.8	346.29	345.5	346.9	346.73	+0.2
		6.7	5.8		
−0.2	347.0	346.8	347.7	347.5	+0.2
		6.3	5.2		
+0.2	347.0	347.2	348.3	347.5	+0.8
		5.9	4.7		
+0.5	347.13	347.6	348.8	347.63	+1.2
		5.8	4.5		
+0.4	347.31	347.7	349.0	347.81	+1.2
		5.4	4.2		
+0.6	347.5	348.1	349.3	348.0	+1.3
Spike in pole at alley bet. Fair & Colonial N.L. Howard.					

Checking Grades on Colonial Clark-Cotton

Locke Hyatt Jun 2 1915

		335.46		333.98	
	1.48				
			2.44	333.02	
			12.92	322.54	
	0.64	323.18			
West Side BVC.			10.58	312.60	
West Side MVC			12.68	310.50	
	3.49	313.99			
West EVC			4.79	309.2	
N.W. Cov.			6.99	305.0	
				310.50	
	2.75	313.25			
S.E.			9.25	304.00	
M.V.C.				305.6	0.5 N of I.
2+50			7.58	305.67	

Cut + Fill stakes Clark Et Wof Highland

Sta	+	H.I.	−	Elev.	Field	+ or −	North Grade	South N. Rop line	South S. Rop line	South Grade	+ or − A.H. Graf G.F. Hyatt 1/11/15
B.M				335.67	Spike in pole S.W. Cor Clark + Highland						
	1.13	336.80									
								4.0	14.5		
5						−2.6	335.39	332.8	322.3	334.65	−12.4
								4.6	5.8		
+50						−3.7	335.94	332.2	331.0	335.42	−4.4
T.P. on South side Highland 6								0.0	1.7		
			1.69	335.11		+0.2	336.50	336.7	335.1	336.20	−1.1
	6.88	341.99									
								4.3	5.4		
E.L. Highland +65						+0.7	337.0	337.7	336.6	336.70	−0.1
								4.0	5.1		
7						+0.6	337.95	338.0	336.9	337.13	−0.2
								3.3	4.6		
+50						+0.6	338.10	338.7	337.4	337.74	−0.3
								2.6	4.2		
8						+0.7	338.75	339.4	337.8	338.35	−0.5
B.M			6.33	335.66			Spike in pole S.W. Clark + Highland				

Curb Stakes - Colonial

Sta	+	H I	−	Elev.	
B.M.				333.98	
SE Colonial & SW Clark	4.65	338.63	5.63	333.00	
T.P.	3.92	337.90	12.72	325.18	
T.P.	1.92	327.10	12.54	314.56	
T.P.	2.34	316.90	6.48	310.42	
East 31+20	3.83	314.25	3.75	310.50	
NE Center Colonial			9.25	305.00	
SE "			10.25	304.00	
	4.48	338.46		333.98	
S.E Colonial & Clark			5.46	333.00	
	Curb Stakes Colonial				
NE Colonial Center Curb Stake				305.00	
SE " Curb stake	5.91	310.91	6.93	303.98	Should be 304.00
300' S of SL Center			4.17	306.74	
			6.41	304.50	
NE Colonial & Chatham			8.91	302.00	
	4.07	310.81	5.06	305.75	

Hyatt Graf Ford Jan 6-1915

Spike in Pole SW Colonial & Clark

A. H. Graf C. F. Hyatt 1/11/15

Spike in cedar S.W. Colonial & Clark

Hyatt Graf Jan 12-1915

Cut + Fills stakes Centre Ext of Highland

B.M				323.65	400 S.W. Cabrillo + Centre
	6.59	330.24			
8					
7+50					
7					
E.C. Highland					
6+65					
W.C. Highland					
6+00					
5+50					
5					

Cut & Stakes Center Ext of Highland

SW Colonial Center				304.50	
SE "	✓ 9.27	313.77	✓ 9.77	304.00	
@ Allen. 135' E of EL Colonial			✓ 1.02	312.75	
132.5' W of WL Colonial			✓ 2.52	311.25	
135' W of WL Colonial	4.53	313.78	3.78	312.00	
	453				

Grade & Alignment of Taft 25-1915

+or-	North Grade	North Prop line	South Prop line	South Grade	Grat Work Fills +or-
			4.0		
+3.3	324.75	328.0	326.2	323.75	+2.5
		1.9	4.2		
+4.2	324.10	328.3	326.0	323.10	+2.9
		2.7	4.8		
+4.1	323.45	327.5	325.4	322.95	+3.0
		3.2	5.7		
+4.0	323.0	327.0	324.5	322.0	+2.5
		4.6	7.4		
+3.1	322.5	326.6	322.8	321.5	+1.3
		6.8	10.1		
+4.1	319.26	323.4	320.1	318.26	+1.8
		10.0	13.6		
+4.2	316.02	320.2	316.6	315.02	+1.6

Jan 1 Fort Hyatt 1915 Grat

old stakes on Howard Jan 18-1915

4+65 1X2 □ 14'

14'

4+00 1X2 □ 14'

14' 1X2 □ 4+00

14'

14'

Howard

14' to Edge of Pvt

Edge of Pvt

14'

12½ h Endcurve
14' 2×2 Alloy Hub

Clark R

OD Stakes on Clark
Jan 18-1915

2400 1×2 14'

14' 1×2 2400

1435 1×2 14'

Hyatt & Graf 2/10/15

Cross Sections.

Castle St. Fairmount to ℄ Alley East.

	+	H.I.	−	Elev.
B.M.				349.75
Top Curb 0−10 Cor Fairmount	4.95	354.70		
E.L. Fairmount.				
0+00				
0+65				
℄ Alley				
1+35				
T.P. 1+45			4.27	350.43

X Section Clark Fairmount

Sta.	+	H.I.	−	Elev.
B.M.				329.97
Top Curbs 0−10	7.48	337.45		
E.L. Fairmount 0+00				
+50				
/ Bet Fair & Colo ℄ Alley				
E.L. Alley " Curbs				
B.M. East of Fairmount ℄ Alley Haubey - do				355.35
E.L. Alley bet Fair & Colonial Curbs	4.86	360.21		
1+35 ℄ Alley				
1+00				

20' N.P.L.		20' ¼	℄	20' ¼		20' S.P.L.
Spike in pole NE Cor Castle & Fairmount.						6.26 348.44
5.27 349.43						
5.0 349.7	5.5 5.0 349.7 Back of walk	5.5 349.2	5.7 349.0	6.1 348.6		6.1 348.6
4.0 350.7	4.15 350.55 Back walk	5.0 349.7	4.9 349.8	5.5 349.5		5.4 349.3
3.3 351.4		3.9 350.8	3.9 350.8	3.8 350.9		4.5 350.2

Top Curbs E.L. Alley bet. Fairmount & Colorado S.L. Castle.

F.C.E.E. 1913 Hyatt & Graf

East ℄ Alley Bet. Fairmount & Colorado

North — South

Spike pole SW Clark & Fairmount

20' ¼			℄	20' ¼			6.9 5.5
4.84 332.51							330.50
4.5 333.0	2.8 4.8 332.7	5.1 332.4	5.5 332.0	6.9 331.1	2.8 6.5 331.0		6.9 330.6
3.2 334.3	3.1 3.5 334.0	5.1 332.4	4.7 332.8	4.9 331.6	2.7 4.6 332.9		4.8 332.7
3.2 334.3	2.7 2.8 3.8 4.9 333.7 332.6	4.7 332.8	5.0 332.5	5.9 331.6	2.9 5.3 332.2		5.2 332.3
3.5 334.0		4.8 332.7	4.9 332.6	6.9 331.5	2.9 6.2 331.3		5.5 332.0
	2.6 4.29 333.16				2.6 5.49 331.96		

Spike Pole SL Hauber Bet Fairmount & Colonial

					2.6 5.60 354.61	
4.6 355.6	2.3 5.9 354.3	5.4 354.8	5.0 355.2	5.0 354.6	2.7 5.1 354.1	5.3 354.9
5.1 355.1		5.5 354.7	4.7 355.5	4.6 355.6	2.7 5.1 355.1	5.3 354.9

X Section Klauber to Castle

Sta	+	HI	−	Elev
0+50		360.21		
EL Farmington				
0+00				
0-10 - Farmington				
Curbs				
	Curb Stakes Highland Klauber to Castle			
B.M.				350.31
SE Klauber Highland	5.33	355.64	5.14	350.50
SW "			4.84	350.80
B.M.				353.95
NE Highland Castle	4.86	358.81	5.61	353.20
NW "			5.31	353.50
	Curb Stakes Highland			350.31
B.M.				350.31
NE Highland Klauber	5.57	355.88	5.68	350.20
NW "			5.18	350.70
	Curb stakes Highland			
B.M.				356.57
	1.06	357.63	5.03	352.60
			5.56	352.07
T.P.			4.52	353.11

North 20 South

Pl		20		20	Pl
	27	1/4	1/4	1/4	
40	30	26	53	54	4.5
355.6	355.2	5.3	354.9	354.8	356.7
		354.9			
46	32	29	51	15 57	26 52
355.6	47	5.2	355.1	50 32	55 355.0
	355.5	355.0		355.2 355.0	354.5 354.7
4.77					526
354.44					354.95

Fort Hyatt Graf Mar 4 1915

Spike Pole SE Klauber Alley bet Highland & Cabin No

Spike Pole NE Highland & Castle

Ford Mark Hyatt 10-Graf 1915

Nail Pole SE Klauber Alley East Highland

Nail 1-1915 Ford Graf Hyatt

Spike Pole NE Colonial & University

Nail Pole SW Highland & Clover

Curb Stakes Highland –

Sta	+	H.I.	–	Elev.	
				353.11	
Curb Highland SW Cor.	4.33	357.44	4.84	352.60	Should be 352.50
East Line Highland 120' S of S.L. Univ			2.88	354.56	
			2.38		
W.L. Highland				354.56	
120' S of S.L. Univ	4.94	359.50	4.44	355.06	

Curb Stakes Klauber E & W of Highland

B.M. S.L. Klauber				350.31	
123' E of Highland N.L. Klauber	5.04	355.35	6.40	348.95	
" "				348.92	
				350.31	
	4.96	355.27	6.35	348.92	

Curb Stakes Howard E & W of Highland

B.M.				347.80	Book 72 – Page 34
NE Howard NW Highland	2.87	350.67	3.17	347.50	
B.M. N.L. Howard 123' E of E.L. Highld	4.85	352.65	4.70	347.95	
Highland SE Howard			5.65	347.00	

March 13-1915
Ford-Hyatt-Strat.
Curb stake 120' S of S.L. University on E.L. Highland 6h-10½m.

April 1-2-1915
Ford
Hyatt-Graf
Nail Pole S.L. Klauber Alley East Highland

RR Spike Pole N.W. Highland + Howard

Curb Stakes Howard E & W. Highland (Cont'd)

Sta.	+	H.I.	−	Elev.	
B.M. S.E. Howard				347.80	
128' E of E.L. Highland	4.25	352.05	4.60	347.45	

Curb Stakes Highland Howard to Clark

B.M.				347.80	
SE Highland Howard	4.69	352.49	5.49	347.00	
SW " "			5.49	347.00	
B.M.				335.67	Book Page 92-38
NE Highland Clark	7.00	342.67	5.67	337.00	
				335.67	
NW Highland Clark	6.10	341.77	5.27	336.50	
				335.67	
	6.33	342.00	5.80	336.2	
B.M.			8.02	333.98	

R.R. spike pole N.W. Cor. Howard + Highland

Ford Hoyt Highway April 7, 1915

Nail Pole SW Highland Clark

SW Clark + Colonial

± Stakes Fairmount

	± West PL
S.L.	
Curve III	
1+50	
2	+0.3
+50	+0.4
3	+0.3
+50	+0.5
4	+0.5
+50	00
5	+0.4
+50	+0.3
NL Klauber 6+00	0.0
0+00 SL Klauber	00
+50	+0.7
1	+0.4
+50	+0.7
2	+0.5

Corners Set to Grade
From Curbs on ± Streets
± Stakes Raked from Streets.
West PL Only - East Curve Ends
Curve IV
Ford - Hyatt Graf
April 9 - 1915

	± West PL
+50	+0.5
3	+0.9
+50	+0.6
4	00
+50	+0.5
5	00
+50	+0.3
NL Castle 6	00
	Castle
0+00 SL Castle	0.8
+50	+0.7
1	+0.9
+50	+1.0
2	+0.8
+50	+0.4
3	00
+50	00
4	00
+50	+0.3

APRIL 9

	I. West PL
5	+0.6
+30 NL Howard	+0.5
6	00
	Howard
0+00 SL Howard	00
+50	-1.6
1	-2.6
+50	-4.8
2	-2.5
+50	-2.8
3	-8.1
+50	-1.7
4	Not in
+25 Break	00
+50	Not in
5	0 0
+60	+0.3
NL Clark 6	00
	Clark

Stakes Fairmount

Sta	+	HI	−	Elev	
BM Curb NP Fairmount				329.97	72.38 Should be
NW Clark 175' N of NE Clark	9.26	339.23	7.25	(331.98)	331.90
W&L Fairmount			4.13	335.10	

Curb Stakes Highland Castle & Howard

B.M. NW Highland & Howard	4.00	351.80	4.30	347.80 347.50	
B.M. NE Highland Castle	4.62	358.57	5.37	353.95 353.20	
SW "			"	"	
SE "			5.67	352.90	
B.M. NE Highland Howard	4.80	352.60	5.10	347.80 347.50	
Curb Stake Highland NE Castle	Curb Stakes Castle E of Highland			353.20	
NW "	4.75	357.95	4.45	353.50	
SW "			4.75	353.20	
123' E of E L Highland NL Castle			9.40	348.55	
On Curb Stake Highland NE Castle				353.20	
123 E of E L Hgld SL Castle	2.84	354.04	5.65	348.39	

RR Spike Pole NW Highland & Howard

Nail Pole NE Castle & Highland

RR Spike Pole NW Highland Howard

Ford Hyatt Co Capitol 1915

Cap 21.15-10 Ford Hyatt Co

Curb stakes Clark E of Highland

Sta.	+	H.I.	−	Elev
B.M.				335.67
	10.49	346.16		
Highland N.E. Clark			9.16	337.0
B.M.				335.67
Highland S.E. Clark	5.97	341.64	4.94	336.70
N. Highland 123 E. N.C. Clark			3.04	338.60
B.M.				335.67
Highland 123 E. S.C. Clark	7.30	342.97	4.77	338.20

Spike pole S.W. Highland & Clark.

Expt. Hyatt Apr. 17

38

Leaton H.A.S. Apr 30-1

Cross-Sections
Highland So of Centre
H.I.

				El.
				335.67
	0.87	336.54	10.33	326.21
	2.22	328.43		

So. line Centre

		West trop line		℄			East Prop line	
+50		5.5	5.2	4.1	4.3	3.7		
	321.5	320.9	+1.4	324.3	12.7	324.7	322.0	
		6.2	7.8	5.8	5.9	5.6		
0+75	321.0	320.2	+0.0	320.6	322.6	322.5	322.8	
					Section	10.3	321.8	321.5

B.M. Pole S.W. Cor Clark & Highland -

Sta.	+	H.I.	−	Elev.
B.M.				344.33
S.L. Howard				
0+00	0.28	344.61		
1+00				
+50				
2				
T.P. on Rock				
+50			7.95	336.66
3	3.10	339.76		
+50				
4				
5				
N.L. Clark				
6				
				S.B. 329.97
			9.84	329.92

West — East

P.L.	¼	℄	¼	Gutter	Top Curb	Grade Hyatt Apr 29/16
Spike N of N.L. Howard bet Fairmount & Castle.						
4.7	4.7	4.3	4.5	5.3	4.38	
339.9	339.9	340.3	340.1	339.3	340.23	
7.9	7.1	5.9	6.2	6.3	6.40	
336.7	337.5	338.7	338.4	338.3	339.21	
10.8 20' 7.3	7.5	6.6	7.1	6.8	5.83	
333.8 335.3	337.1	338.0	337.5	337.8	338.78	
10.1	8.2	7.2	7.4	7.3	6.45	
334.5	336.4	337.4	337.2	337.1	338.16	
10.1	8.5	7.5	7.7	7.8	6.92	
334.5	336.1	337.1	336.9	336.8	337.69	
45' 16.5	11.1	9.7	9.9	9.1	8.61	
323.3	328.7	336.1	336.9	336.7	336.5	337.18
5.5	3.9	3.3	3.9	4.1	3.21	
334.3	335.9	336.5	335.9	335.7	336.55	
4.2	4.1	3.8	4.1	4.4	3.68	
335.6	335.7	336.0	335.7	335.4	336.08	
5.7	5.7	5.1	5.5	5.9	5.22	
334.1	334.1	334.7	334.3	333.9	334.54	
8.2	7.9	7.2	7.6	8.2	7.21	
331.6	331.9	332.6	332.2	331.6	332.55	
Spike in Pole S.W. Fairmount & Clark						

Curb Stakes Fairmount +

Sta	+	HI	−	Elev	
B.M. Fairmount SW Klauber	4.50	359.85	5.25	355.35 SB. 354.60	
BM Fairmount NE Castle	4.18	353.93	4.52	349.75 349.41 ← Top Curb NW	SB 349.40 Top Curb
NW "			4.90	349.03	SB 349.10
NW "			4.83		
Curb Stake Fairmount SW Klauber				354.65	
	5.45	360.10	4.90	355.20	
B.M. Curb Stake Fairmount NE Castle	4.46	354.21	4.78	349.75 349.43	SB 349.4
SE Castle Fairmount			5.75	348.46	SB 348.4
SW Fairmount Castle			6.01	348.20	SB 348.1
B.M. Howard & Fairmount	1.68	346.01	4.39	344.33 341.62	SB 341.7
NW "			5.20	341.81	SB 340.7

May 1915 Fair Mont Engr

RR Spike Pole SW Klauber Cor Fairmount T & Colonial

Nail Pole NE Fairmount & Castle

March 11-1915 Fairmont Engr

Nail Pole NE Fairmount & Castle

Nail Pole N of NE Howard Cor Fairmount & Colonial

Sta	+	H.I.	−	Elev	
B.M.				323.65	
NE Highland Center	9.50	333.15	10.15	323.00	
NW "			10.65	322.50	
B.M.				335.67	
SE Highland Curb	6.74	342.41	5.71	336.70	
SW "			6.21	336.20	
Curb Stake NE. Highland Center				323.00	
	7.10	330.10	5.35	324.75	
	Curb Stakes Center E & W of Center				
Curb Stake NE. Highland Center				323.00	
" Center Highland	4.89	327.89	4.89	323.00	
NW " N.L. Center			5.39	322.50	
123' E of E.L. Highland			3.30	324.59	
Curb	Stakes	Center	E & W of	Highland	
Hub B.M.				323.65	
SE Highland Center	4.48	328.13	6.13	322.00	
SW "			6.63	321.50	
123' E of E.L.	6.69	329.69	6.10	323.59	

Hub S.W. Cabrillo & Center

Nail Pole SW Highland & Clark

Ford Hyatt Graf May 15-1915

to May 17-1915

SW Cabrillo & Center

Curb stakes Fairmount & Howard.

Sta	+	H.I	−	Elev	
B.M.				344.33	
	2.09	346.42 ~~344~~			
Fairmount SE. Howard			Set 6.02 6.15	340.27 ← Top of old curb	S.B 340.4
B.M.				329.97	
	6.66	336.63			
Fairmount N.E. Clark			4.02 Set 6.03	332.61 ← Top of old curb	S.B. 332.7
Fairmount S.E. Clark			6.10	330.53 ← Top of old curb	330.6

Spike in pole Nat N.E. Howard bet Fairmount & Colonial

Ford Grade Hyatt Sta 16

Spike pole S.W. Clark & Fairmount.

100' E of W of Chicago

Indexed C.S.R. 22 065 9. 1/4 S

X sec of Milton 80' wide

Mon. Srv. Con.	3.59	14.92		11.33	Morena Blvd Joliett
T.P.	8.24	20.48	2.70	12.24	
T.P.	5.85	26.03	0.30	20.18	

100' W of Chicago

N			8.0	18.0
+18			7.2	18.8
+20			9.8	16.2
℄			9.8	16.2
+2			10.1	15.9
+4			8.6	17.4
1/4			8.4	17.6
C			8.2	17.8
1/2			8.3	17.7
℄			7.8	18.2
S			7.2	18.8

50' W of Chicago

S			6.0	20.0
℄			6.5	19.5

Moore S 8-39.



26.03

1/4		6.7	19.3
+5		7.1	18.9
C		6.6	19.4
1/4		7.0	19.0
+3		7.0	19.0
+5		9.5	16.5
+8		9.5	16.5
ob		7.0	19.0
N		6.7	19.3
W 4 chicago			
N		5.7	20.3
+19		5.1	20.9
ob		6.4	19.6
+4		6.4	19.6
+6		5.6	20.4
1/4		5.6	20.4
C		5.4	20.6
+6		6.0	20.0
1/4		5.1	20.9
ob		5.2	20.8
S		3.8	22.2

26.03

W 06 chicago

S	3.8	22.2	
ob	4.5	21.5	
1/4	4.7	21.3	
+4	5.5	20.5	
C	4.8	21.2	
1/4	4.8	21.2	
+3	4.8	21.2	
6	6.1	19.9	
ob	6.5	19.5	
+1	4.7	21.3	
N	5.2	20.8	
E chicago			
N	5.0	21.0	
ob	4.0	22.0	
1/4	4.2	21.8	
C	4.2	21.8	
C. on Mon.	5.22	20.81	BM
+4	5.2	20.8	
1/4	4.5	21.5	

		26.03			
cb			4.0	22.0	
S			3.5	22.5	
E cb Chicago					
S			3.4	22.6	
cb			3.2	22.8	
1/4			4.2	21.8	
C			3.7	22.3	
1/4			3.8	22.2	
+3			3.8	22.2	
+5			5.4	20.6	
cb			5.7	20.3	
+2			3.5	22.5	
N			4.0	22.0	
E.C Chicago					
N			3.4	22.6	
+20			3.2	22.8	
cb			5.2	20.8	
+3			5.2	20.8	
+5			3.2	22.8	
1/4			3.2	22.8	

		26.03			
C			3.7	22.8	
+7			3.7	22.3	
1/4			3.2	22.8	
cb			3.0	23.0	
S			2.4	23.6	
T.P.	6.39	30.21	2.21	23.8	
50' E of Chicago					
S			4.5	25.7	
cb			5.2	25.0	
1/4			5.4	24.6	
+3			6.1	24.1	
C			5.7	24.5	
1/4			5.9	24.3	
+3			6.0	24.2	
+5			7.3	22.9	
cb			7.7	22.5	
+7			5.1	25.1	
N			5.4	24.8	

30.21

100' E of Chicago

N		4.1	26.1
+20		3.8	26.4
cb		6.3	23.9
+5		6.2	24.0
+6		4.2	26.0
1/4		4.2	26.0
C		4.1	26.1
+7		4.5	25.7
1/4		4.0	26.2
cb		4.8	25.4
+5		3.6	26.6
S		2.6	27.6

30.21 Indexed O.S.K. 22 cb 17

X Sec of Chicago 80' wide 9 1/2

Milton to Lister

0+50

E	7.3	22.9
cb	8.5	21.7
1/4	8.9	21.3
C	9.2	21.0
1/4	9.6	20.6
cb	9.7	20.5
W	10.8	19.4

1+00

W	11.0	19.2
cb	10.3	19.9
1/4	10.0	20.2
C	9.7	20.5
1/4	9.2	21.0
cb	8.8	21.4
E	8.0	22.2

1+50

E	8.5	21.7
cb	9.7	21.0

3021

1/4	9.9	20.3	
c	10.3	19.9	
1/4	10.4	19.6	
+7	10.0	20.2	
cb	11.0	19.2	
W	11.4	18.8	
1+75			
W	11.9	18.3	
cb	11.0	19.2	
+7	10.0	20.2	
1/4	10.4	19.6	
c	10.1	20.1	
1/4	10.0	20.2	
cb	9.8	20.4	
E	8.9	21.3	
2+00			
E	9.1	21.1	
cb	9.4	20.8	
1/4	9.5	20.7	

3021

c	9.7	20.5	
1/4	10.1	20.1	
cb	10.8	19.4	
W	11.7	18.5	
2+50			
W	11.9	18.3	
cb	10.7	19.5	
1/4	10.1	20.1	
c	9.9	20.3	
1/4	10.0	20.2	
cb	9.8	20.4	
E	9.3	20.9	
3+00			
E	8.6	21.6	
cb	9.7	20.5	
1/4	10.2	20.0	
c	10.3	19.9	
1/4	10.4	19.6	
cb	11.2	19.0	
W	11.9	18.3	

		30.21			
3+50 =		S.L. Lister			
W			11.9	18.3	
cb			10.5	19.7	
¼ S			11.2	19.0	
¼			10.3	19.9	
C			9.7	19.5	
¼			9.2	20.8	
cb			8.7	21.5	
E			7.7	22.5	
T.P.	8.23	28.57	9.87	20.34	
S cb					
E			6.3	22.3	
cb			7.3	21.3	
¼			7.8	20.8	
C			8.2	20.2	
¼			9.1	19.5	
cb			9.7	19.4	
W			10.3	18.3	

		28.57			
S ¼					
W			10.7	17.9	
cb			9.5	19.1	
¼			9.0	19.6	
C			8.7	19.9	
¼			8.3	20.3	
cb			7.8	20.8	
E			6.7	21.9	
E Lister					
E			6.3	22.3	
cb			7.5	21.1	
¼			8.1	20.5	E of Chicago Lister
C on Mon			8.70	19.87	
¼			9.0	19.6	
cb			9.2	19.2	
W			10.2	18.0	
N ¼					
W			10.8	17.8	
cb			9.7	18.1	
¼			9.1	19.5	

		28.57						28.57			
C			8.7	19.9			0450				
1/4			8.4	20.2		E			7.3	21.3	
CB			8.1	20.5		CB			8.1	20.5	
E			6.7	21.9		1/4			8.8	19.8	
	N CB					C			9.0	19.6	
E			6.6	22.0		1/4			9.5	19.1	
CB			7.7	20.9		CB			10.3	18.3	
1/4			8.4	20.2		T4			9.4	19.0	
C			8.7	19.9		W			11.0	17.6	
1/4			9.0	19.6			1400	N of NE Lister			
CB			9.7	18.9		W			11.4	17.2	
W			11.4	17.4		CB			9.9	18.7	
	NW Lister = 0400					T3			10.0	18.0	
W			10.8	17.8		1/4			9.8	18.8	
CB			9.7	18.9		C			9.4	19.3	
1/4			9.0	19.6		1/4			9.0	19.0	
C			8.8	19.8		CB			8.0	20.0	
1/4			8.5	20.1		E			7.7	20.9	
CB			7.7	20.9							
E			6.6	22.0							

Xsec on Lister 100' E+W of chicago

80' in. de 22' cbs

28.57

50 E of chicago

S			3.9	24.7
cb			3.9	24.7
1/4			4.2	24.4
C			3.9	24.7
1/4			4.1	24.5
cb			4.3	24.3
N			4.2	24.4

100 E Chicago

N			1.5	27.1
cb			1.9	26.7
1/4			1.9	26.7
C			1.8	26.8
1/4			2.2	26.4
cb			2.3	26.3
S			2.0	26.6

Indexed C.S.K

28.57

50' W of Chicago

S			12.4	16.2	17.36 / 5.15 / 12.21 / 2.54 / 14.75 / 3.20 / 11.33
cb			12.7	15.9	
1/4			13.0	15.6	
C			13.0	15.6	orig. BM.
1/4			13.0	15.6	
cb			13.0	15.6	
N			12.8	16.8	
T.P.	1.16	17.36	12.37	14.20	

100' W of Chicago

N			4.5	12.9
cb			4.4	13.0
1/4			4.4	13.0
C			4.3	13.1
1/4			4.3	13.1
cb			4.5	12.9
+ 5			4.7	12.7
+ 8			3.1	14.3
5			3.4	14.0

INDEXED
EBS

	X Sec of Byron ST		70' wide 18 cobs 85 1/2		
	Willow to Plum				
SWBP	12:17	104.55 ~~106.67~~	92.38	Willow Byron	
	W 1/2 willow				
S	Par	10.67	93.88		
cb	"	9.92	94.63		
1/2	"	9.78	94.77		
c	"	9.66	94.89		
1/2	"	9.72	94.83		
cb	"	9.78	94.77		
N	"	10.24	9431		
	W cb willow				
-25	cb PC	10.48	94.07		
"	out	11.73	93.32		
N	par	9.96	94.59		
cb	"	9.41	95.14		
1/2	"	9.32	95.23		
c	"	9.28	95.27		
1/2	"	9.37	95.18		

Bench corrected reduced + plotted on profile 2353
5/14/40 COH

~~10667~~
104.55

cb	"	9.55	95.00	Moore 3-12-40 Osburn Hale
S	"	10.42	9413	
+25	cb PC	11.98	93.57	
"	out	12.65	91.90	
	W cb+9			
S +1.3	cb	9.21	9534	
"	out	9.95	9460	
cb	par	9.14	95.31	
1/2	"	8.92	95.63	
c	"	8.87	9573	
1/2	"	8.78	9577	
cb	"	8.84	95.71	
+14.7	out	9.34	95.21	
"	cb	8.67	95.93	
	W & willow = 0+00			
N	"	8.0	96.6	
+10	cb end	7.67	96.88	
"	out	8.47	96.13	
cb	par	8.34	96.21	
1/2	"	8.25	96.30	

		~~104.67~~ 104.55		
C	PAV		8.27	96.28
1/2	"		8.36	96.19
c6	"		8.54	96.01
+8	90 T		8.71	95.84
"	c6 end		7.93	96.62
5			8.7	95.9
	0+04			
-10			+0.5	105.1
5			0.8	103.8
+8			4.9	97.7
c6			8.0	96.6
	0+25 = c6 P.C.			
5			+3.3	107.9
+4			+3.4	108.2
c6			4.1	100.5
+4			4.9	99.7
1/2			4.7	99.9
c			4.3	100.3
1/2			4.3	100.3
c6			4.5	100.1

		~~+06.67~~ 104.55		
PI			4.0	100.6
TS	12.68	117.19 ~~+49.3+~~	0.04	104.51 ~~+06.63~~
	0+50			
N			12.4	104.6
c6			13.0	104.2
1/2			12.4	104.6
C			12.4	104.8
1/2			12.3	104.9
+4			12.3	104.9
c6			10.8	106.4
+6			6.8	110.4
5			6.7	110.5
	0+75			
5			5.3	111.9
+13			4.1	113.1
c6			6.2	111.0
+3			7.4	109.6
1/2			7.7	109.5

		~~+9.37~~ 117.19						~~+9.37~~ 117.19			
C			7.7	109.5					7.3	2.5	114.7
1/4			8.2	109.0					1/4	2.4	114.8
cb			8.7	108.5					C	2.2	115.0
N			8.6	108.6					1/4	2.4	114.6
	0+90	S ~~+~~ 10 14" PP							cb	2.4	114.8
	1+00								N	1.4	115.8
N			4.5	112.7					+0.2	Ft Cent. dr.	0.69	116.50
cb			5.0	112.2						1+36		
1/4			4.5	112.7					-0.2	W.L. Cent dr.	0.55	116.64
C			3.9	113.2					N		0.5	116.7
1/4			4.2	113.0					cb		1.2	116.0
+5			4.1	113.1								
cb			3.2	114.0						125.46		116.43
S			4.0	113.2	TP		9.08	~~+27.58~~	0.76	~~+8.55~~
	1+20											
							1+40					
-5			4.4	112.6	N	Ft dist dr.			5.4	119.9
5			4.0	113.2	cb				8.6	116.9
+5			3.6	113.6	1/4				9.3	116.2
+12			1.3	115.8	C				9.4	116.1
cb			1.1	116.1	1/4				9.5	116.0

		~~+27.58~~ 125.46				~~+27.58~~ 125.46		
+5			8.8	116.7				
c6			8.8	116.7		1+85		
+10			11.6	113.9	S -2.5 E 2' cem wk.		12.50	112.94
S			12.7	112.8		1+90		
+10			13.1	112.4	-10		12.7	112.8
	1+50				S		12.1	113.4
C			8.8	116.7	+3		10.7	114.8
N ¼			8.8	116.7	+10		10.1	115.4
c6			8.2	117.3	c6		7.5	1180
N WL dirt dr.			5.2	120.1	¼		7.2	118.3
	1+52				C		6.8	118.7
N			4.2	121.1	¼		6.0	119.5
+10			5.6	119.9	c6		5.1	120.4
c6			7.9	117.6	N		3.1	122.4
¼			8.6	116.9	N+0.2 E 6 Cem. dr.		~97	122.49
C			8.6	116.9	1+98			
	1+63				N-0.2 W.L. " "		2.88	122.58
S -2.5 E 2'		cem. walk	12.83	112.63	N		3.0	122.5
	1+70				c6		4.7	121.8
N E 3' Cem walk			3.15	122.31				

		~~+27.58~~ 125.46		
	7+25			
N			0.5	125.0
cb			2.2	123.3
1/4			3.6	121.9
C			4.8	120.7
1/4			5.5	120.0
cb			5.9	119.6
+12			8.0	117.5
S			8.6	116.9
+10			9.6	115.9
		127.58		125.12
T.P.	12.46	+39.70	0.34	~~+27.24~~
	7+50			
-10			19.6	118.0
S			18.6	119.0
cb			15.7	121.9
1/4			15.3	122.3
C			14.8	122.8

		~~+39.70~~ 137.58		
1/4			13.5	124.1
cb			12.4	125.2
N			11.1	126.5
	7+75 = cb PC			
N			8.3	129.3
cb			9.5	128.1
1/4			10.7	126.9
C			12.2	125.4
1/4			13.0	124.6
cb			13.5	124.1
S			16.6	121.0
+10			17.5	120.1
	8+00 EL PUMP = 70' wide			
-10			16.2	121.4
S			15.1	122.5
cb			12.6	125.0
1/4			11.6	126.0
C			11.1	126.5
+6			10.2	127.2
1/4			9.2	128.4

		~~139.70~~ 137.58					~~139.70~~ 137.58				
cb			7.3	130.3		N		0.9	136.7		
N			5.8	132.3							
	E Plant						125.42		125.12		
						T.P.	0.80 ~~127.54~~	12.44	~~127.24~~		
N			2.4	135.2			113.10		112.45		
						T.P.	0.65 ~~114.53~~	12.47	~~114.57~~		
cb			5.4	132.2			101.53		100.64		
						T.P.	0.89 ~~102.65~~	12.46	~~102.76~~		
1/4			7.2	130.4					92.38	92.38	
						orig. S.M.		9.15	~~94.50~~	~~94.50~~	
c	S.M.H. Plant		8.6	128.94							
1/4			8.4	129.2							
cb			9.2	128.4							
S			12.6	125.0							
+10			14.0	123.6							
	W.H. Plant										
-10			12.5	125.1							
S			11.6	126.0							
cb			8.9	128.7							
1/4			7.7	129.9							
c			6.0	131.6							
1/4			5.0	132.6							
cb			3.5	134.1							

Moore Osborn Hale 3-29-40.

X sec of alley Blk 12 20' wide Sub. Lot 20 to 50 Blk N Teralta

INDEXED EPB

					38th
N W BP	3.25	371.36		368.11	Orange
" "			5.59	365.77	39th Orange 365.77
T.P.	0.86	364.66	7.56	363.80	
	0+65 N 06 Polk				
W	Pav		4.27	358.39	
C	"		4.23	358.43	
E	"		6.20	358.46	
	0+0 N 4 Polk				
E	cb		5.41	359.25	
E	Pav		5.76	358.90	
C	"		5.99	358.67	
W	"		5.94	358.74	
W	cb		5.82	358.82	
	0+40				
W			5.1	359.6	
C			5.4	359.3	
E			5.3	359.4	

See auto page 62

Red. plot on new profile 4-2-40 CBH



	364.66			
0+56				
W -2.5 & gar wood fl.		5.2	359.5	
0+68				
E -6.8 Sin. gar con.		4.83	359.83	
E -2.4 apron "		4.81	359.85	
E		5.0	359.7	
C		5.0	359.7	
W		5.2	359.5	
0+78				
E-0.9 S L apron		4.5±	360.14	
E -5 " 4 Car gar.		4.44	360.22	
0+98				
W +2.8 P.P.				
1+00				
-10		5.3	359.4	
W		5.2	359.5	
C		4.7	360.0	
E		4.4	360.3	
+09 on Con. apron		4.43	360.23	

	364.66			
1+23				
E -5 N L 4 car gar.		4.27	360.39	cont
E -1 " apron		4.82	360.34	
E		4.3	360.4	
C		4.3	360.4	
W		4.6	360.1	
+10		4.8	359.9	
1+37				
E -2.1 Sin gar con.		4.08	360.58	
E -0.4 apron "		4.10	360.56	
1+51				
W -0.8 S.L.4 car gar.		4.4	3603	dirt
W		4.4	3603	
C		4.4	3603	
E		4.0	3607	
1+60 1+78 1+80				
W +0.2 N L 4 car gar.		4.0	3607	"
1+84				
E -8.7 Sin gar		4.0	3607	"

		364.66			
2+00					
E			3.9	3608	
C			4.0	3607	
+7.5	P.P. 14"				
+9.7	beg. fence				
W			3.7	3610	
2+35					
W			3.2	3615	
+0.7	fence				
C			3.5	3612	
E			3.4	3613	
2+70					
E			2.4	3623	
C			2.6	3621	
+7.6	Fence		2.5	3622	
W			2.4	3623	
3+00					
W			2.2	3625	
W	+4.8 14" P.P.		2.2	3625	
W	+2.8 end fence				
C			2.0	3627	
E			1.8	3629	

		364.66		1	
3+03					
W-1.3	54 2 car gar.		1.8	3629	dirt
3+25					
W-1.3	NL 2 car gar		1.1	3636	"
W			1.1	3636	
C			1.3	3634	
E			1.1	3636	
T.P.	575	369.06	135	343.31	
3+40					
W-1.1	& do. gar		5.8	3633	dirt
3+68					
E			5.4	3637	
C			5.5	3636	
W			5.6	3635	
+0.5	E Sin. gar.		5.45	3636	Cem.
3+94					
E-12.4	Sin. gar		5.6	3637	dirt

		369.06		
	4+00			
W		5.4	363.7	
+0.9	14" P.P.			
C		5.3	363.8	
E		5.5	363.6	
	4+11			
E - 16.4	Sin. gar.	4.9	364.2	dirt
	4+27			
E		4.8	364.3	
C		5.1	364.0	
W		5.1	364.0	
+0.2	5.4 do. gar.	4.93	364.13	Cem.
	4+30			
E - 4	8 Sin gar	4.47	364.64	"
E - 2	apron	4.56	364.50	"
	4+47			
W - 0.2	NL do. gar.	4.78	364.28	"
	4+64 beg. fence on W 0.4			in alley
	4+75 end	"	"	"

		369.06		
	4+77			
W		4.3	364.8	
+1.8	16" P.P.			
C		4.5	364.6	
E		4.6	364.5	
	5+14			
- 4.4	Sin gar	4.4	364.7	dirt
E		4.4	364.7	
C		4.2	364.9	
W		4.0	365.1	
	5+30			
W +0.2	5L cem walk			
	5+39	3.81	365.75	
W +0.2	NL cem Porch	1.33	367.73	
	5+50			
W		3.3	365.8	
C		3.3	365.8	
E		3.4	365.7	

		369.06			
	5+73.04	5 ℄ Orange			
E	℄		2.55	366	51
E	dirt		2.4	366	5
C	"		3.1	366	0
W	"		2.7	366	4
W	℄		2.51	366	55
T.P.	4+84	371.35	2.55	366.51	
	5	℄ Orange			
E.L	38th	curb	4.56	366	79
"	"	par	4.91	366	44
W.L	alley	℄	5.04	366	33
"	"	dirt out	5.5	365	9
C	"	"	5.4	365	8
E	"	"	5.7	365	7
E	"	℄	5.18	366	17
W.L	39th	℄	5.58	365	77
"	"	par.	6.70	365	15

		371.35			
check to BM	39th + Orange		5.56	365.79	365.77 0.02
Add. Notes in alley					0+78
		5.45	365.59	360.14	apron
	1+51				
W	-15		5.3	360	3 ✓
	1+60				
W	-10 in gar.		5.7	360	4 dirt
W			5.7	360	4
C			5.7	360	4
E			4.9	360	7
+10	lawn		4.9	360	7
	1+80				
-10			5.1	360	5
F			4.9	360	7
C			5.1	360	5

Cut plot 4-4-40 CBH

		365.59		
W			4.9	360.7
+10	Lawn		5.0	360.6
2+00				
W-10			4.5	361.1
E-10			4.5	361.1
2+35				
W-10			4.3	361.3
E-10			4.4	361.2
2+60				
E-10			4.0	361.6
E			3.9	361.7
C			3.9	361.7
W			3.7	361.9
+10			3.5	362.1
2+70				
W-10			3.4	362.2
E-10			3.6	362.0
T.P.	503	368.41	2.21	363.38

		368.41		
3+50				
E-15			5.0	363.4
E			5.0	363.4
C			5.0	363.4
W			4.8	363.6
+10			4.7	363.7
3+75				
-25			5.2	363.2
E			4.9	363.5
C			4.8	363.6
W			4.7	363.7
+10			4.6	363.8
4+00				
W-15			5.0	363.4
E-20			4.9	363.5
4+20				
-10			4.4	364.0
E			4.4	364.0
C			4.6	363.8

		348.41			
W			4.5	363.9	
+15			4.7	363.7	
	4+47				
C			4.W	364.2	
E			4.1	364.3	
+10			3.9	364.5	
T.P.	551	369.31	4.61	363.80	T.P. P 58
	4+64				
-10			5.0	364.3	
W			5.1	364.2	
C			4.9	364.4	
E			4.8	364.5	
+7	AGAINST HOUSE		4.8	364.5	
	4+77				
E-10			4.9	364.4	
W-20			4.5	364.8	
	5+00				
-20			4.1	365.2	

		349.31			
W			4.4	364.9	
C			4.6	364.7	
E			4.6	364.7	
+20			4.6	364.7	
	5+25				
-15			4.3	365.0	
E			4.6	364.7	
C			4.2	365.1	
W			4.0	365.3	
+10			3.8	365.5	
	5+50				
W-7			3.6	365.7	
E-7			3.8	365.5	
E-4			3.3	366.0	
E-10			3.4	365.9	
E-15			3.9	365.4	


University
359.0
358.5
355.2
355.5
Ave
Klauber
354.6
354.9
Fairmount
349.1
349.4
Castle
348.1
348.4
Block
346.8
340.7
341.7
Howard
340.4
340.4


Howard
340.4
340.7
423'
125'0"
335.1
336.0
183'6"
331.9
332.7
Fourth
Clark
330.6
330.6
327.3
326.6
150'
323.6
319.2
Fairmount
Centre

Curb grades Highland.




343.4
347.5
Howard
St.
123'
343.1
347.9
347.5
347.95
348.5
0.37 0/0
347.9
347.45
348.2
Colonial
Highland Ave.
Cobb Hill
333.5
336.5
337.0
338.60
340.5
1.30/0
Clark
St.
123'
333.0
336.2
1.22 0/0
340.0
336.2
338.2
306.9
322.5
323.0
324.5
326.5
123'
Centre
St.
304.0
321.5
328.9
325.5
323.59

	West Grade	East Grade	Sta	Grade West	Grade East
a Univ. 0+00 S.L. Univ.			S.L. Castle		
0+40	356.40	356.10	14	352.10	352.40
1	356.20	355.90	15	350.6	350.9
2	355.89	355.69	16	349.1	349.4
3	355.58	355.28	17	347.6	347.9
4	355.26	354.96	18	346.1	346.4
5	354.94	354.64	19	344.60	344.9
6	354.63	354.33	N.L. Howard 20	343.10	343.40
N.L. Klauber 6+40	354.5	354.2			
			S.L. Howard 20+80	342.8	343.10
S.L. Klauber 7+20	354.2	353.9	21	342.68	342.96
8	353.96	353.74	22	342.11	342.27
9	353.66	353.54	23	341.53	341.58
10	353.36	353.34	23+40	341.3	341.3
11	353.06	353.14	23+80	340.8	340.8
12	352.76	352.94	24+20	340.0	340.0
13	352.46	352.74	25	338.0	338.0
N.L. Castle 13+20	352.4	352.7	26	335.5	335.5
			N.L. Clark 26+80	333.5	333.5



Sta	West Grade	East Grade	Sta	West Grade	East Grade
			40	303.53	302.03
S.L. Clark			N.L. Chatham		
27+60	333.00	333.00	40+40	303.0	302.0
28	330.45	330.45			
29	324.07	324.07			
30	317.7	317.7			
30+80	312.6	312.6			
31+20	310.5	310.5			
31+60	309.2	309.2			
32	308.36	308.36			
33	306.26	306.26			
N.L. Center					
33+60	305.00	305.00			
S.L. Center					
34+40	304.50	304.00			
35	305.0	304.40			
36	305.83	305.06			
37	306.66	305.73			
37+40	307.00	306.00			
38	306.20	305.20			
39	304.87	303.87			



							On	Bet.	And-	
B.M.				355.35	Check This	South	Klauber	Fairmont	Colonial.	Spike in Pole
"				349.75		N.E.	Fairmont	&	Castle	"
"				353.95		"	Highland	&	"	"
"				344.33		N. of N.L. Howard in Alley bet Fairmont & Colonial				
"				333.98		S/E	Clark	&	Colonial	"

ENGINEERING DEPARTMENT,
CITY OF EAST SAN DIEGO,
CALIFORNIA.

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

ROADWAY 14 FEET WIDE. SIDE SLOPES 1½ TO 1.

FOR SINGLE TRACK EMBANKMENT.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	7.0	7.2	7.3	7.5	7.6	7.8	7.9	8.1	8.2	8.4	0
1	8.5	8.7	8.8	9.0	9.1	9.3	9.4	9.6	9.7	9.9	1
2	10.0	10.2	10.3	10.5	10.6	10.8	10.9	11.1	11.2	11.4	2
3	11.5	11.7	11.8	12.0	12.1	12.3	12.4	12.6	12.7	12.9	3
4	13.0	13.2	13.3	13.5	13.6	13.8	13.9	14.1	14.2	14.4	4
5	14.5	14.7	14.8	15.0	15.1	15.3	15.4	15.6	15.7	15.9	5
6	16.0	16.2	16.3	16.5	16.6	16.8	16.9	17.1	17.2	17.4	6
7	17.5	17.7	17.8	18.0	18.1	18.3	18.4	18.6	18.7	18.9	7
8	19.0	19.2	19.3	19.5	19.6	19.8	19.9	20.1	20.2	20.4	8
9	20.5	20.7	20.8	21.0	21.1	21.3	21.4	21.6	21.7	21.9	9
10	22.0	22.2	22.3	22.5	22.6	22.8	22.9	23.1	23.2	23.4	10
11	23.5	23.7	23.8	24.0	24.1	24.3	24.4	24.6	24.7	24.9	11
12	25.0	25.2	25.3	25.5	25.6	25.8	25.9	26.1	26.2	26.4	12
13	26.5	26.7	26.8	27.0	27.1	27.3	27.4	27.6	27.7	27.9	13
14	28.0	28.2	28.3	28.5	28.6	28.8	28.9	29.1	29.2	29.4	14
15	29.5	29.7	29.8	30.0	30.1	30.3	30.4	30.6	30.7	30.9	15
16	31.0	31.2	31.3	31.5	31.6	31.8	31.9	32.1	32.2	32.4	16
17	32.5	32.7	32.8	33.0	33.1	33.3	33.4	33.6	33.7	33.9	17
18	34.0	34.2	34.3	34.5	34.6	34.8	34.9	35.1	35.2	35.4	18
19	35.5	35.7	35.8	36.0	36.1	36.3	36.4	36.6	36.7	36.9	19
20	37.0	37.2	37.3	37.5	37.6	37.8	37.9	38.1	38.2	38.4	20
21	38.5	38.7	38.8	39.0	39.1	39.3	39.4	39.6	39.7	39.9	21
22	40.0	40.2	40.3	40.5	40.6	40.8	40.9	41.1	41.2	41.4	22
23	41.5	41.7	41.8	42.0	42.1	42.3	42.4	42.6	42.7	42.9	23
24	43.0	43.2	43.3	43.5	43.6	43.8	43.9	44.1	44.2	44.4	24
25	44.5	44.7	44.8	45.0	45.1	45.3	45.4	45.6	45.7	45.9	25
26	46.0	46.2	46.3	46.5	46.6	46.8	46.9	47.1	47.2	47.4	26
27	47.5	47.7	47.8	48.0	48.1	48.3	48.4	48.6	48.7	48.9	27
28	49.0	49.2	49.3	49.5	49.6	49.8	49.9	50.1	50.2	50.4	28
29	50.5	50.7	50.8	51.0	51.1	51.3	51.4	51.6	51.7	51.9	29
30	52.0	52.2	52.3	52.5	52.6	52.8	52.9	53.1	53.2	53.4	30
31	53.5	53.7	53.8	54.0	54.1	54.3	54.4	54.6	54.7	54.9	31
32	55.0	55.2	55.3	55.5	55.6	55.8	55.9	56.1	56.2	56.4	32
33	56.5	56.7	56.8	57.0	57.1	57.3	57.4	57.6	57.7	57.9	33
34	58.0	58.2	58.3	58.5	58.6	58.8	58.9	59.1	59.2	59.4	34
35	59.5	59.7	59.8	60.0	60.1	60.3	60.4	60.6	60.7	60.9	35
36	61.0	61.2	61.3	61.5	61.6	61.8	61.9	62.1	62.2	62.4	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.

MADE IN GERMANY.