Fulton's City

Survey Book

No 2 A for 25

Filed.

2

F.B.57

Return to City Engineers Office
City Hall, San Diego, Cal.

ble showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

Minutes.	Lks.	Minutes.	Lks.	Minutes.	Lks.
1	2⅓	21	49	41	95⅔
2	4⅔	22	51⅓	42	98
3	7	23	53⅔	43	100⅓
4	9⅓	24	56	44	102⅔
5	11⅔	25	58⅓	45	105
6	14	26	60⅔	46	107⅓
7	16⅓	27	63	47	109⅔
8	18⅔	28	65⅓	48	112
9	21	29	67⅔	49	114⅓
10	23⅓	30	70	50	116⅔
11	25⅔	31	72⅓	51	119
12	28	32	74⅔	52	121⅓
13	30⅓	33	77	53	123⅔
14	32⅔	34	79⅓	54	126
15	35	35	81⅔	55	128⅓
16	37⅓	36	84	56	130⅓
17	39⅔	37	86⅓	57	133
18	42	38	88⅔	58	135⅓
19	44⅓	39	91	59	137⅔
20	46⅔	40	93⅓	60	140

MICROFILMED
DEC 4 1964

PUBLISHED BY
EDWARD DENNY & CO.
DRAWING PAPER & MATERIAL, MATHEMATICAL INSTRUMENTS, ETC.,
STATIONERS AND PRINTERS,
SAN FRANCISCO, CAL.

Table for Running on Slopes.

In the following table the first column shows the angle, the second, the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement.

Angle.	Cor. in links.	Angle.	Cor. in links.	Angle.	Cor. in links.	Angle.	Cor. in links.
°		°		°		°	
4	0·24	11	1·88	18	5·14	25	10·54
5	0·38	12	2·24	19	5·76	26	11·26
6	0·55	13	2·63	20	6·42	27	12·24
7	0·76	14	3·06	21	7·11	28	13·37
8	0·98	15	3·53	22	7·85	29	14·34
9	1·24	16	4·02	23	8·64	30	15·47
10	1·55	17	4·56	24	9·47	35	22·07

57

Return to City Engineers Office
City Hall, San Diego, Cal.

A-67

2

Index

Whitney x seer Blk 26 W Added 4
City Hot Spudder 8
Emanuel H Grader 12
Hill C.H. 14
Pulenbaugh Judge 18
Nutmeg St x seer 20
Olive St x seer 22
Palm St x seer 24
Dunne St x seer 26
Christian H.J. 32
Battell 34
Brewster & Whaley 36
S.B. Elec Dingbat Co 40
Allyn John 42
Magee Thomas 44
Bluff St x seer 46
Bass Mrs 54
Journey 56
Cleowman J 62
McDonald 64

Index continued on back

1,54 56,27 54,73

52,25 4.02
52,0 4,27
51,75 4,52

51,5 52,0 52,5 53,0 53,5
51,8 52,3 52,8 53,3 53,8
51,0 51,5 52,0 52,5 53,0



May 10 1888

Calculation Notes in Fulton's Old Book

X sections for Working 15 Ct 26 K & H added.

G 10,61 10,696 C 0,08

	K	E	K	E	K	E
1)	2.8	7,9	4.8	6,9	7.3	3,4
2)	3,7	7.01	5,0	5,7	7.2	3,6
3)	4,3	6,4	5,6	6,11	7,4	3,3
4)	4,7	6,0	5,9	4,8	8,1	2,6
5)	5,3	5,4	6,8	3,9		
6)	5,8	4,9	6,9	3,8		
7)	5,5	5,2	6,9	3,8		
8)	5,6	5,1	6,5	4,2		
9)	5,4	5,3	7,0	3,7		
10)	5,3	5,4	7,2	3,5		
11)	5,2	5,5	7,1	3,6		
12)	5,3	5,4	6,7	4,0		
13)	5,1	5,6	7,3	3,4		



5

May 16 1888

6

4

BM	+	H.I.	Grade	Rod	
					Grades for Water Company at the S.E. cor of Arctic and D st also N.E. cor of Arctic and F st.
					S.E. cor of D & Arctic Grade 10,5
					N.E. cor of F & " Grade 5,5
7.07	3.20	10.27	5.5	4.77	Arctic & F
7.52	6.73	14.25	10.50	3.75	Arctic & D

Survey 18 18 — H Hamlin / A Hamlin

5.

BM	+	HI	Grade	Rod	−	Elev
Set point 12' below higher grade on Lot Block Hostine Add For City Lot						
47.23	7.61	55.84				
			50.73	4.61		
FF	5.54	58.04			2.75	52.49
BM					1.64	56.45



9 Cut & fills on E & W between 24 & 25 & 25

182.086

N Elev.	N Cut		S Elev	S Cut
		157.86		
173.6	17.5		172.1	17.5
174.9	173.6		174.3	173.6
176.9	175.8		176.3	175.8
179.4	177.9		178.1	177.9
180.0	180.0		180.0	180.0
181.3	181.0		181.3	181.0
182.4	182.0		182.3	182.0
183.3	183.0		183.4	183.0
184.0	184.0		184.2	184.0
185.1	185.0		184.9	185.0
185.9	185.0		186.9	185.0
187.1	185.0		186.9	185.0
188.6	185.0		187.6	185.0

	N ±	S ±
	24 ~~25~~ at	
0 ~	+ 1.5	+ 0.6
+ ~	+ 1.3	+ 0.7
1	+ 1.1	+ 0.5
+	+ 1.5	+ 0.2
2	0.0	0.0
+	+ 0.3	+ 0.3
3	+ 0.4	+ 0.3
+	+ 0.3	+ 0.4
4	0.0	+ 0.2
+	+ 0.1	0.0
5	+ 0.9	+ 0.9
+	+ 2.1	+ 1.9
6	+ 3.6	2.6
	25 ~~26~~ 27	

11 June 13th 1888

J. B. Fullerton

Grades for
N. Emanuel ~~Ave~~
Blk 61 Lot 1
culvs & Gay's add,

6,431 107,442 101,011

	El,	R,
Ca	100,25	7,19
S Ca	99,83	7,61
E Ca	104,75	2,69



13

June 26 1888

8

2 grades on
C K Hill

4.41	44.41			40.00

El.	K
41.72	2.69
40.60	3.81



15

Logan Ave.

N — S

R	E	R	E	R	E
		(21.2)			
10.5	10.7	10.5	10.4	11.6	9.6
10.4	10.8	11.0	10.2	11.9	9.3
10.2	11.0	10.9	10.3	11.6	9.6
10.0	11.2	10.6	10.6	11.3	9.9
9.8	11.4	10.2	11.0	10.9	10.3
9.0	12.2	9.5	11.7	10.0	11.2
7.9	13.3	8.3	12.9	8.9	12.3
6.1	15.1	6.7	14.5	6.7	14.5
3.7	17.5	4.1	17.1	4.5	16.7
1.0	20.2	1.4	19.8	1.6	19.6
		(31.8)			
5.8	23.0	9.1	22.7	9.2	22.6
6.3	25.5	6.1	25.7	6.1	25.7
3.6	28.2	3.4	28.4	3.2	28.6

9

Sta	+	H.I.	−	Elev. Bm
	12.00	21.25		9.25
0				
+				
1				
+				
2				
+				
3				
+				
4				
+				
	10.88	31.79	0.34	20.91
5				
+				
6				

17 June 29'88

Maple St.

N.		C.		S	
R	E	R	E	R	E
		(264.0)			
5.0	259.0	5.1	258.9	5.2	258.8
3.7	260.3	3.7	260.3	4.7	259.3
5.2	258.8	6.2	257.8	7.0	257.0
5.0	259.0	5.7	258.1	7.2	256.8
6.5	257.5	7.2	256.8	8.4	255.6

	N.			S.	
R	El	gr	R	El.	gr
5.0	259.0	259.0	5.2	258.8	258.8 ✓
3.7	260.3	259.0	4.7	259.3	258.8 ✓
5.2	258.8	259.0	7.0	257.0	258.8 ✓
5.0	259.0	259.0	7.2	256.8	258.8 ✓
6.5	257.5	259.0	8.4	255.6	258.8

4.84 5.09 5.34

4.7 4.95 5.20

Judge Patterson

10

Sta	+	H. I.	
	9.14	263.99	254.85
0			
+	4.93	263.37	
1	5.40	263.84	S.W. cor 255.44
+	5.28	263.72	
+83	City Park Line		

	M	S
	+	+
Sta	−	−
0	0.0	+0.3
4	+1.3	+0.8
1	−0.2	−1.6
+	0.0	−1.7
+83	−1.5	−2.9

1.9 Nutmeg St.

N.				S		
R	E	R	E	R	E	
			(270,4)			
2,4	268,0	5,1	265,3	7,0	263,4	
2,2	268,2	4,4	266,0	6,5	263,9	
5,6	264,8	6,1	263,3	6,6	263,8	
8,9	261,5	8,6	261,8	8,3	262,1	
		10,0	260,4	9,4	261,0	
10,4	260,0					

	N			S	
K	E	G	K	E	G	
2,4	268,0	265,0	7,0	263,4	263,6	V
2,2	268,2	265,0	6,5	263,9	263,6	V
5,6	264,8	265,0	6,6	263,8	263,6	
8,9	261,6	265,0	8,3	262,1	263,6	
10,4	260,0	265,0	9,4	261,0	263,4	
4 7½		5 4		6 2½		

6.50

11

Sta	+	HO	−	Elev. Bm.
		(263,99)		
	8,38	270,45	1,92	262,07
0				
+				
1	5,80	269,73		
+	5,54	269,49		3,1V ca 263,95
+ 85				
+ 85,5				

	N	S
Sta	±	±
0	+ 3,0	− 0,1
+	+ 3,2	+ 0,4
1	− 0,2	+ 0,3
+	− 3,5	− 1,4
+ 85	− 5,0	− 2,6

8
4 4

21 Olive St.

N. C. S

R	E	R	E	R	E	
		(278.1)				
4.6	273.5	4.8	273.3	5.7	272.4	
4.9	273.2	5.4	272.7	6.1	272.0	
7.9	270.2	8.8	269.3	9.7	268.4	
10.8	267.3	11.1	267.0	12.8	265.3	
		11.9	266.2	12.9	265.2	
11.1	267.0					

	W		S	
K	E	9	K	E	9	
4.6	273.5	272.0	5.7	272.4	271.5	✓
4.9	273.2	270.9	6.1	272.0	270.4	✓
7.9	270.2	269.8	9.7	268.4	269.3	✓
10.8	267.3	268.7	12.8	266.3	268.2	✓
11.1	267.0	267.5	12.9	265.2	267.0	✓

12

Sta	+	H.I.	−	Elev. B.M.
		(270.45)		
	8.15	278.15	0.45	270.0
0				
+				
1	4.58	273.78		271.20
+	4.19	273.39		
+88				
+88.8	W	S		
Sta	+ −	+ −		
0	+1.6	+0.9		
+	+2.3	+1.6		
1	+0.4	−0.9		
+	−1.4	−2.9		
+88	−0.5	−1.8		

23

Palm. St

N. C S

R	E	R	E	R	E
		282,2			
5,2	277,0	5,6	276,6	5,9	276,3
5,3	276,9	5,5	276,7	5,9	276,3
6,7	275,5	6,8	275,4	7,0	275,2
7,4	274,8	7,3	273,9	9,1	273,1
7,2	275,0	7,7	274,5	8,6	273,6
	N			S	
K	E	G	K	E	G
5,2	277,0	277,0	5,9	276,3	276,0 ✓
5,3	276,9	276,6	6,9	276,3	276,6 ✓
6,7	275,5	276,2	8,0	275,2	276,2 ✓
7,4	274,8	275,8	9,1	273,1	274,8 ✓
7,2	275,0	275,5	8,6	273,6	274,5 ✓

6,12 276,08

Sta	+	H.I.	−	Elev. B.M.
		278,20		
	7,80	282,20	3,75	274,40
0				
+				
1				
+	3,66	284,83		278,07
+ 91	2,30	284,85		278,55

Sta	N ±	S ±
0	00	+0,3
+	+0,3	+0,7
1	−0,7	00
+	−1,0	−1,1
+ 91	−0,5	−0,9

25 Quince St.

N. C. S

R	E	R	E	R	E	
		(283.3)				
5,4	279.9	5,7	279,6	5.9	279,4	
4,9	280,4	5,3	280,0	5.8	279.5	
4,9	280,4	5,2	280,1	5,4	279.9	
4,8	280,5	5,1	280,2	5,2	280,1	
		5,4	279.9	6.1	279,2	
4,8	280.5					

M S

K	E	9	K	E	9	
6,4	279.9	279,5	5,9	279,4	279,6	√
4,9	280,4	279,6	5,8	279,6	279,6	√
4,9	280,4	279,8	6,4	279,9	279,8	√
4,8	280,5	279,9	5,2	280,1	279,9	√
4,8	280,5	280,0	6.1	279,2	280.0	√

Sta	+	H.I.	−	Elev. B.M.
		(282,20)		
				SE. Bm in Tel.
	5,74	285,32	2,62	279,58
0				
+				
1				
+	4,82	284.40		279,58
+ 94	5,05	284.63		
∓ 94,5				

Sta	M ±	S ±
0	+0,4	−0,1
+	+0,8	−0,1
1	+0,6	+0,1
+	+0,6	+0,2
+ 94	+0,5	−0,8

27 E St bet 24 & 25

	N		C		S	
Sta	R	E	R	E	R	E
			181.2			
0	9.5	171.7	9.3 Center	171.9	9.5	171.7
+	7.4	173.8	7.4	173.8	7.4	173.8
1	5.2	176.0	5.2	176.0	5.2	176.0
+	3.1	178.1	3.1	178.1	3.1	176.1
2	1.0	180.2	1.1	180.1	1.1	180.1
			189.0			
+	7.8	181.2	7.8	181.2	7.8	181.2
3	6.8	182.2	6.8	182.2	6.8	182.2
+	5.8	183.2	5.8	183.2	5.8	183.2
4	4.8	184.2	4.8	184.2	4.8	184.2
+50	3.8	185.2	3.9	185.1	3.8	185.2
5	3.8	185.2	3.8	185.2	3.8	185.2
+50	3.7	185.3	3.8	185.2	3.8	185.2
6	3.8	185.2	3.8	185.2	3.7	185.3

all elevations are .1' too high which is due to nearly 1 tenth diff in elev of Bench mark

J B Sullivan

Elevations on Fulton's Grade Stakes

	+		−	E
Bm	8.78	181.20		172.32
X	8.78	188.98	1.0	180.2
Bm 25 + E			0.91	187.97

29 E St 24 to 25

July 12 08 E Tw

Checking Grades

Sta	+	Ft	−	EL	Grd	
BM	3.29	175.52 (174.17)		172.23		
SE			4.01	171.61	as stake	
SC			4.73	171.29	170.75 (57)	+0.54
C			4.77	170.75		SR stake
NC			4.77			+0.6
NE on W line Sidewk			4.02			SR stake
	H37	189.37		185.0	on Grade	Stake
Center			4.37	185.0	185.0	00
NC			4.37	185.0	185.0	00
SC			4.37	185.0	185.0	00

Figure Exc on 25 about a little large as the natural surface ~~outside~~ pours upward in the center

24+E

24+E { NW 170.0, SW 170.0, NE 171.5, SE 171.5

25+E 185.0

25+E

At 24+E NC is 0.6 high CC 0.4 high SC is OK

Sidewalks are 14 x 14

25+E

At 25+E SC is OK

CC 0.6 high

NC 0.6 high

Sidewalks are 14 x 14

31 H. J. Christian
per P.J. McCormick

Lot J Blk. K. 232 Ha

1,342	184,614			183,272
3,965	182,236	6,443	178,371	
3,491	176,940	8,757	173,449	

Elev	Rod
171,25	5.69
173,92	3.02

376	168,880	11,816	166,124
		7,755	161,122



33 Aug 31 1888

18

6.7
5.4.5
0.1.2
1.86

Grade for Battell

3.697	59.199				55.602
3.14	58.742				
3.24	55.982	6.01	52.732		55.814
		5.33	50.65		
	56.616	2.583			
	54.750	4.449			
	53.750	5.449			
		3.62			
		2			



35 Aug 31 1884

J. B. Tucker

19

3 grades for
Brewster & Whelan
at S.E. cor of
H. & C. sts.

52,63

50,40	2,43
48,98	3,65
47,75	4,88
47,25	5,38
46,75	5,88



37

		+	H.I.	—	Elev.	B.M.
		4.889	75.493			70.604
				6.243	69.250	
				7.913	67.580	
				10.243	65.250	
		2.612	71.148	1.957	73.536	Bench
				3.015	78.133	78.133

69.25 / 1.67 / 67.58 / 3.34 / 64.24

65 / 61 / 4 / 61 / 65

69 / 65 / 4 / 3.5 / 1.67

20

Date

61.00 — 69.0 — 65.25 — 69.25

67.58

6.133

Stairs

Stairs

64.0

Cedar

39

Sept 24 1888

Grades for
Elect. Light Mast
S.W. Cor 3rd Jennifer



41 Oct 11 1888

E. T. Wheeler

22

3 grades for

John A. Oga S.W. cor

5,8 E. 16. Lot L. B4,R.62 H.A.

41.635

	+	⊼	−	⌐	Grade	
B.M.	2.175	43.81		41.635		
S.W. cor			4.88		38.93	
N.W. cor			5.51		38.30	
N.E. cor	3'E		4.36	39.45	39.85	F 0.4
N.E. cor	7'N		4.24	39.56	39.85	F 0.29



43 Oct. 11 1888

Side Walk grades
for Chas. S. Mudge.

3.954	42.417			58.463
		4.667	57.750	
		4.837	57.580	
		4.997	57.420	
		6.814	56.603	55.602



Location on Graph of
Between Abatoir Union.

11.53	100.33				86.28	
6.81	105.22	1.92	98.41			

	N		S	
	8.4.	SW 4	C	SW 4	W 4
			Abatoir		
105.2	104.7	103.4	103.2	104.4
0.0	1.00	1.8	2.0	0.8
103.8	102.8	102.2	101.3	100.8
1.4	2.4	3.0	3.9	4.4
102.4	101.6	100.7	99.7	99.2
2.8	3.6	4.5	5.5	6.0
100.8	100.2	99.6	98.8	98.4
4.4	5.0	5.6	6.4	6.8
100.0	98.7	97.9	97.5	97.0
5.2	6.5	7.3	7.7	8.2
99.2	97.6	96.7	96.1	95.9
6.0	7.6	8.5	9.1	9.3
97.1	95.6	95.2		
8.1	9.6	9.7		96.7
				9.3
96.1			Abatoir	
9.1	Union			
		N	S	
		+1.6	+2.2	
		+1.7	+0.5	
		+1.1	−1.6	
		0.0	−0.6	
		+0.8		
		Union		
		Abatoir		

					S	
	9 L	E Bow		E Bow	9 L	
	94.5	96.1		95.7	93.5	
	95.41	97.1		97.0	96.5	
	98.94	100.0		99.2	100.25	
	102.47	102.4		104.4	105.0	
	106.00	106.2				

47 Grades on 13th & "K" st

K.	El.	Gr.	R.	El.	Gr.	
		2.5			2.5	
						West.
		2,5			2,5	0
						+
						1
						+
						2
						+
		3.0			3,0	3
						"M" st
		3,0			3,0	0
						+
						1
						+
						2
						+
		5,5			5,5	3
						"4" st

49 Gradient

L st.

R.	a	g	R	E M	g	
			10.6			
4.0	6.6	7.6	2.1	8.5	8.4	0
8.7	1.9	7.0	6.0	4.6	7.88	+
8.7	1.8	6.6	7.1	3.5	7.25	1
8.9	1.7	6.0	7.0	3.6	6.63	+
6.9	3.7	5.5	6.9	3.7	6.0	2
			X Section on L st			
	1.27	10.64			9.37	0
			5.79	4.85	8.840	+25
						+50
						+75
						1
						+25
						+50
						+75
						2

12th st SB N

0.9	0.0
3.1	3.3
4.6	3.8
4.3	3.0
1.8	2.3

13th st SW 4 C SW 4 N E 4

4.0	4.2		2.7		3.2	2.1
7.4	7.6	7.5/5.5	3.4	4.2/2.0	4.8	4.3
8.7	8.3	7.7/5.8	3.7		6.0	6.0
8.4	8.3	8.0/6.0	3.9	6.7/4.1	5.0	6.3
8.7	8.5	8.1/5.7	4.2	6.8/4.1	4.0	7.1
8.8	9.0	8.3/5.9	4.3		7.3	6.8
8.9	8.8	8.2/6.0	4.2		7.1	7.0
7.3	7.9		4.2	7.2/2.4	7.2	6.8
6.9	4.7		3.9	6.7/2.2	6.8	6.9

+ are all taken from N. side

		41.5			42.8	○
		42,0			42,8	+
		42.5			43.3	/
		43,0			43.8	+
		43.5			44,3	2

			41.8			

				4,2	44,20	40,000

		1.9		4.9		
9		2.8		41,4	3.6	40.6
+		2.1		42,1	3,0	41,2
1		1.3		41,9	2,4	41.8
+		1.0		43.2	2,0	42,2
2		0.6		43.6	1.6	42.7

53 Oct 25-88

28

Grades for sidewalk
on Blk 32 Lot 5 & 6,
for Mr Barta,

6,831	63,556			5,6,720
		3,580	60,176	60.161

Elev	Rod
5'7,25'	5,6,300
5'8,125'	5,481
5,900	4,556



55 Oct 25-84

Grades for sidewalk on Blk 32 Lot 9 K.C. for Journey

68.31	63.636			66,726	
		3,380	60.176	60.161	
	Elev	Rod			
	59.000	4.536			
	59,976	3.681			
	60.750	2,806			



4.2.0

5,912	54.688			48.776
		4.097	50,591	50.579
5,820	57.595	2.813	51.773	
		2.791	54.804	54.787
4,770	59.542	2.843	54.772	
		2.840	56.702	56.723

Fig B.M. on 7 & 8 & 10.



69 Oct 30 1858

check work on

SW. cor.	D	Vt	Ls
	✓		
60.9 56,660			50.591
	1.85	54,810	54,804
52.25	4.41		
52.75	4.91		
53.25	3.41		



61 Oct. 30. 1888

Sidewalk grade for
lot A Blk 44 K.A. add.
for J. Cowman

3383	52.159		48.776
	48.86	3.31	
	47.90	4.26	
	46.93	5.21	
2.93	51.71		48.77
	45.97	3.74	
3.475	52.254		48.779
	46.93		
	5.304		



63 Oct 31 1888

4

Sidewalk grades on
Blk 46 Lots K + 4. H. St.
for Mrs. Powell.

3,49	60,40		57,91
	54,75	5,65	
	53,70	6,65	



65 Oct. 21st 1883

X sec of Lick walk

for Mr Colvin

N E cor #11 74.2 "D." sts.

R	Biel		tie line		curb line
3.4	72.8	3.7	72.5	4.0	72.2
3.0	73.2	2.9	73.3	3.5	72.7
2.3	73.7	2.6	73.6	2.8	73.4
2.4	73.8	2.6	73.6	2.8	73.4
2.6	73.6	2.7	73.5	3.1	73.1
2.6	73.6	2.5	73.7	2.6	73.6
3.0	73.2	2.9	73.3	3.0	73.2
3.3	72.9	3.4	72.8	3.5	72.7
3.6	72.6	3.7	72.5	4.1	72.1

tie line is 11' from B.M.

+6

0 1.32 76.16 74.84

+25

+50 2.84 73.32

+75

1

+25

+50

+75

2

20 E. 74.5

73.0 on 73.5

67 Oct. 31 88

68
35

Sidewalk grades on lot 9 blk 35 K.A. for Mrs Dowdell.

4.92	55.51			50.59
	51.25	4.26		
	50.45	5.06		
	49.65	5.86		



69 Nov 1st 1888

Grades for sidewalk
on lot A, Blk 47 #9,
for Will Mac Sonder

4,34	61,05		56,71
	56,75	4.30	
	57,53	3.42	
	58,5	2,53	



71 Nov 1 1/11 1888

check graders

on 5th st between
a & ash st
for city

+Grades	el	K			
0	67,8	67,7	5,6		
+	69,6	69,2	7,1		
1	71,2	70,4	5,9		
+	72,9	71,8	4,5		
2	74,6	73,3	3,0		
+	76,3	74,8	1,5		
3	78,0	76,3	0,0		

10,53 76,34 86,81

13 Nov 7 1888

Sidewalk grades for
Mill Inc. Donald
Lot 1 F Blk 38 H.A.

3.54	43.54		40.00
	36.75	6.79	
	38.00	5.54	
	39.25	4.29	



75 Nov. 7 1888

Sidewalk grades for
Will Mc Donald,
Lot 4, A, Blk 56 New Town

1,93	34,08			32,146
		7,06	27,02	27,014
	29,75	4,33		
	29,125	4,95		
	28,50	5,58		
	27,88	6,20		
	27,25	6,83		



Nov. 7. 1888

Sidewalk grades on
Lot A B.L.K 45 Ha
for Haskins.

	5,03	53.62			50,59
		52,25	3,37		
		51,76	3,87		
		51,25	4,37		
		49,98	5,64		
		48,72	6,90		
		47,47	7,15		



79 Nov. 9 1888

Sidewalk grades on Blk F, lot 4, W. add, for Mrs McDonald

5,013	36 688			31,673
		31.75	4.94	
		31,38	5,31	
		31,00	5,69	



81

Nov. 10th 1888

42

Sidewalk graded in
Blk. 53 Lot, I
Mer Gaun for
J. Cannan

3.32 21.83 15.51

15.53 5.28
13.86 5.98
15.15 6.68



Nov. 10th 1888.

H.A.

Sidewalk grades in Blk 10 Lots K, J, K, & L, for Col Bidell

6.77	62,37			55,60
		~~0,77~~	~~61,60~~	
	54,75	7.62		
	56,62	5,75		
	58.48	3,89		
	60,36	2,02		
	62,22	0,15		
5.58	70.18	0.77	61,60	
		4,37	65.81	66.81
	64.08	6.10		
	66,95	4,23		



85 Nov 12 1888

4.03
3.62
4.8

4/12

Sidewalk grade on
Blk A Two lots 5 grade
on Middletown adj
for Kastens

2.423	16.037			13,614
		7.62	8.417	8.493

13,75	2.29
13,25	2,79
12,75	3.29
12,25	3.79
11,75	4.29

3.759	17.373	13.614
	3.62	
	4.12	
	4.62	
	5.12	
	5.62	



87 Nov 12 1888

45

5 grades

Sidewalk grades on
Blk 9 Lots 1 & 6 Ha
for Hawkins.

4,715	36.43			31,573
		4.295	32.134	32,146
	32,55	5,88		
	32,10	4.33		
	31,65	4,78		
	31,20	5,23		
	30,75	5.68		



8-9 Nov 12 1868

Ia.

Grades on Blk 119
Lot A. 1 for
Ah Quin

+	Hd.	−	Elev.	Bmo
4.254	7.666			3.412
		4.416	3,250	
		4.786	2.880	
		5.166	2.500	
		2.985	4.681	4.681

2.955
1,370
1,370



91 Nov 13 1888

Sidewalk grades
Blk 38 Lots P.E. H.A.
for W.C. McDonald.

41.92	41.391			37.198
	36.75	4.64		
	37.08	4.31		
	37.92	3.47		
	38.76	2.64		



93 Nov 17 1888

Side Walk grades on Blk 29 Lot F, & G, N.A, for Coorman

1.347	77,190			74,843
		3.86	73,330	73,34
	73.25	3,94		
	73.75	3.44		
	74,25	2.94		
	73.50	3,69		
	72,75	4.44		



95 Nov 20 1888

Sidewalk grades on
Blk B Lot G. 3 Grade
Middletown add
for Hoskins.

41.53	22,666		18,571
	17.53	5,116	
	14.73	5,986	
	13.70	6,766	
	12.08		
	14.25		



97 Nov. 21 1888

Sidewalk on Blk 40 bet A. & L., H. a. for McDonald.

1,784 38,983 37,199

35.26 3.73
34.76 4.23
34.25 4.73
33.76 5.23
33.23 6.78



	6.17	46.17			40.00
	5.93	50.02	2.10	44.07	
			3.50	46.32	46.32
	6.75	53.90	2.87	47.13	
			3.12	48.78	48.78
	6.69	56.50	4.69	49.81	
			5.91	50.39	50.39
			1.69	54.81	54.81
	6.25	59.93	2.82	53.68	
	6.35	63.06	3.22	56.71	56.70
	7.00	69.87	0.19	62.87	62.87
	6.25	74.98	1.14	68.73	68.74
	. 0	. 3	0.15	74.83	74.84
	4.61	75.99	3.60	71.38	
			2.65	73.31	73.34

Index 57

Chase ——— 66
McDonald ——— 68 ✓
" " 70 ✓
" " ——— 74
" " ——— 76 ✓
Haskins ——— 78
McDonald ——— 80
Bowman J ——— 82
Bradt Geo. ——— 84
Haskins ——— 86
Hum A H ——— 88
Bowman ——— 90
Haskins ——— 94
McDonald ——— 96

Return to City Engineers Office
City Hall, San Diego, Cal.

Return to City Engineers Office
City Hall, San Diego, Cal.

TRAVERSE TABLE FOR TRANSIT BOOK,

From 1° to 90° for a distance of 100.

Degrees.	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
0			100.00	0.44	100.00	0.87	99.99	1.31	89
1	99.98	1.75	99.98	2.18	99.97	2.62	99.95	3.05	89
2	99.94	3.49	99.92	3.93	99.91	4.36	99.88	4.80	88
3	99.86	5.23	99.84	5.67	99.81	6.10	99.79	6.54	87
4	99.76	6.98	99.73	7.41	99.69	7.85	99.66	8.28	86
5	99.62	8.72	99.58	9.15	99.54	9.58	99.50	10.02	85
6	99.45	10.45	99.41	10.89	99.36	11.32	99.31	11.75	84
7	99.25	12.19	99.20	12.62	99.14	13.05	99.09	13.49	83
8	99.03	13.92	98.97	14.35	98.90	14.78	98.84	15.21	82
9	98.77	15.64	98.70	16.07	98.63	16.50	98.56	16.93	81
10	98.48	17.36	98.40	17.79	98.33	18.22	98.25	18.65	80
11	98.16	19.08	98.08	19.51	97.99	19.94	97.90	20.36	79
12	97.81	20.79	97.72	21.22	97.63	21.64	97.53	22.07	78
13	97.44	22.50	97.34	22.92	97.24	23.34	97.13	23.77	77
14	97.03	24.19	96.92	24.62	96.81	25.04	96.70	25.46	76
15	96.59	25.88	96.48	26.30	96.36	26.72	96.25	27.14	75
16	96.13	27.56	96.00	27.98	95.88	28.40	95.76	28.82	74
17	95.63	29.24	95.50	29.65	95.37	30.07	95.24	30.49	73
18	95.11	30.90	94.97	31.32	94.83	31.73	94.69	32.14	72
19	94.55	32.56	94.41	32.97	94.26	33.38	94.12	33.79	71
20	93.97	34.20	93.82	34.61	93.67	35.02	93.51	35.43	70
21	93.36	35.84	93.20	36.24	93.04	36.65	92.88	37.06	69
22	92.72	37.46	92.55	37.86	92.39	38.27	92.22	38.67	68
23	92.05	39.07	91.88	39.47	91.71	39.87	91.53	40.27	67
24	91.35	40.67	91 18	41.07	91.00	41.47	90.81	41.87	66
25	90.63	42.26	90.45	42.66	90 26	43 05	90.07	43 44	65
26	89.88	43.84	89.69	44.23	89.49	44.62	89.30	45.01	64
27	89.10	45.40	88.90	45.79	88.70	46.17	88.50	46.56	63
28	88.29	46.95	88.09	47.33	87.88	47.72	87.67	48.10	62
29	87.46	48.48	87.25	48.86	87.04	49 24	86.82	49.62	61
30	86.60	50.00	86.38	50.38	86.16	50.75	85.94	51.13	60
31	85.72	51.50	85.49	51.88	85.26	52.25	85.04	52.62	59
32	84.80	52.99	84.57	53.36	84.34	53.73	84.10	54.10	58
33	83.87	54.46	83.63	54.83	83.39	55.19	83.15	55.56	57
34	82.90	55.92	82 66	56.28	82.41	56.64	82.16	57.00	56
35	81.92	57.36	81.66	57.71	81.41	58.07	81.16	58.42	55
36	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	54
37	79.86	60.18	79.60	60.53	79.34	60.88	79.07	61.22	53
38	78.80	61.57	78.53	61.91	78 26	62 25	77.99	62.59	52
39	77.71	62.93	77.44	63.27	77.16	63.61	76.88	63.94	51
40	76.60	64.28	76.32	64.61	76.04	64.94	75.76	65.28	50
41	75.47	65.61	75.18	65.93	74.90	66.26	74.61	66.59	49
42	74.31	66.91	74.02	67.24	73 73	67.56	73 43	67 88	48
43	73.14	68.20	72.84	68.52	72.54	68.84	72.24	69.15	47
44	71.93	69.47	71.63	69.78	71.33	70.09	71.02	70.40	46
45	70.71	70.71							45
Degrees.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Degrees.
	DEGREES.		¾ DEGREE.		½ DEGREE.		¼ DEGREE.		

Published by Edward Denny & Co., Stationers, Drawing Materials, Mathematical Instruments, Etc., San Francisco.