STREET CENTERS
AND
PUEBLO LINES

9

TRANSIT

F.B. 72

72

Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

Book No. 72.

name

date.

Return to City Engineers Office
City Hall, San Diego, Cal.

DRAWING

ST

TC.,

In the
links to be add

er of

Angle.	Cor. in						links.
°							
4	0·2						
5	0·3						
6	0·55	13	2·65	20	6·42	27	12·24
7	0·76	14	3·06	21	7·11	28	13·57
8	0·98	15	3·53	22	7·85	29	14·34
9	1·24	16	4·02	23	8·64	30	15·47
10	1·55	17	4·56	24	9·47	35	22·07

FIELD BOOK 72-

SURVEY WESTMORE & SANBORN ADD. & VIC. 1- 11

BLK. 38, PARRISH & LOOMIS ADD. - 12

CEDAR ST. - 13

N. LINE, CARRUTHERS ADD. - 15-17

HORTON-SHERMAN ADD. 18-21

E 14th ST. - - - 22-24

BDRY LINE BETW. HORTON'S & CLEVELAND'S ADD - - - - - 25-27

CENTERS, SHERMANS ADD. 28-31

LINE OF STREET - - - - 41
CENTERS, 17th & 18th STS.

P STREET, 15th - 42

21st ST., HTON - 43

Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

Minutes.	Lks.	Minutes.	Lks.	Minutes.	Lks.
1	2⅓	21	49	41	95⅔
2	4⅔	22	51⅓	42	98
3	7	23	53⅔	43	100⅓
4	9⅓	24	56	44	102⅔
5	11⅔	25	58⅓	45	105
6	14	26	60⅔	46	107⅓
7	16⅓	27	63	47	109⅔
8	18⅔	28	65⅓	48	112
9	21	29	67⅔	49	114⅓
10	23⅓	30	70	50	116⅔
11	25⅔	31	72⅓	51	119
12	28	32	74⅔	52	121⅓
13	30⅓	33	77	53	123⅔
14	32⅔	34	79⅓	54	126
15	35	35	81⅔	55	128⅓
16	37⅓	36	84	56	130⅔
17	39⅔	37	86⅓	57	133
18	42	38	88⅔	58	135⅓
19	44⅓	39	91	59	137⅔
20	46⅔	40	93⅓	60	140

Return to City Engineers Office
City Hall, San Diego, Cal.

MICROFILMED
DEC 4 1964

PUBLISHED BY
EDWARD DENNY & CO.
DRAWING PAPER & MATERIAL, MATHEMATICAL INSTRUMENTS, ETC.,
STATIONERS AND PRINTERS,
SAN FRANCISCO, CAL.

Table for Running on Slopes.

In the following table the first column shows the angle, the second, the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement.

Angle.	Cor. in links	Angle.	Cor. in links.	Angle.	Cor. in links.	Angle.	Cor. in links.
°		°		°		°	
4	0·24	11	1·88	18	5·14	25	10·54
5	0·38	12	2·24	19	5·76	26	11·26
6	0·55	13	2·63	20	6·42	27	12·24
7	0·76	14	3·06	21	7·11	28	13·57
8	0·98	15	3·53	22	7·85	29	14·34
9	1·24	16	4·02	23	8·64	30	15·47
10	1·55	17	4·56	24	9·47	35	22·07

Return to City Engineers Office
City Hall, San Diego, Cal.

1964.63
81.49
80.12

San

Note

all centers in Wetmore & Sanborn's Add, except on North Lane; are 8 ft North of true center

Since above was noted centers have been changed to proper places

Survey in vicinity of Santa Adal & vicinity

all meas. across with steel tape

Starting at SW cor Pk 1153 runs East
2645 a furrow running south. This furrow we use in establishing the SE cor of 1153
at 2658 is a 3x4 stake which I was supposed to be the cor but we find that it is only an old fence post and is not the cor tho fence as we find the old post hole for the E & W fence.
Set plug at SE 1153 making S line of 1153 2645 ± Long
Starting at SE cor 1153 runs E.
326 cor of fence (this line runs on or in fact just to line but about 1.5 m north)
385.8 " " "
1318.9 cor of Gregory's fence 1.1 E of fence
1320 set plg on west line of blk 92
Leaving from this plg runs east
52.8 To plg & stake marked "W of blk 92"
80 set plg & stake marked "center of Hofman"
360 " plg & stake "Center of Howard St"

8-28-88

1

E.T. Wheeler
F. Rea
C. Wilkinson
B. Woodruff
P.E. Owen
} Party



Establishing Street Centers

E & W

in Wetmore & Sanborn's Add 2

1270 / 1210 8-28-88

421.3	scarfed "White stake Lot 6 Blk 84" SW cor
521.3	" " " " " " "
640	set plg + tak "Center of Thurtle St"
681	To Old Cut Home Stake NW cor of Bk 5 (Center 36ft S of)
920	set plg + tk "Center of Pardee St"
1200	" " "Center of Parsee St"
1220.7	Old Cut Home Stake NE cor of Blk 5
1250	3x3 white stake near cor of wire fence
1320	Set plg on exact line for Shell (1152 / 1160 (Cor) (534))

Starting at SE cor 1152 min North on exact town line Van Ness Ave E

Sta	
1	Stk +
2	Stk +
3	"
4	"
5	"
1417	Center of R.R. Cut
6	Stk
7	"

8-29-88

3

Set up at NW cor of Blk 8 Central Home
B.S on " " " " 9 " "
Reverse & run to S.W. cor of 1152 m correct line
inst at SW 1152 Sight E on line turn
89°49' Left to NW cor 1152 dist 2632
Inst at NW cor 1152 Sight on SW ∠ to left
to old fence 91°18'



N line of 1152

8-29-88

E.T.W

from 2x2 Stake NW cor 1152 Run East

321 s w of bet to fence - thence along fence

3416.3 new 2" x 2" stake 325 LST Blk 1 SW cor 32 4L

6473 To stake, plg 335 LST Blk 3

6533 intersection of fence running N

6558 to stake & tack marked on SS. "Found" Δ

1314.2 to old fence running N & S

Running south from corner fence NE cor of W½ 1152

377.5 at 3159 stake 4" W of fence

490.6 Blk 3 " 6" " " " also fence not exactly

452.5 LST LST B4 L " " " " "

722.5 Blk 4 L LST " " " " "

783 Blk 7 stake on fence line

907 Blk 7 E. line alley " " " "

1051.4 fence W

1059.3 " E

1315 to 4x4 Stk set by ... on Center of P.S. 1152

2630 to fence S line of 1152

Welmore & Bantons Add

Resurvey

E ? T. W

8-29-88

Measurements to old fences running
N & S through center of PL 1152.
Meas 81 ft E of fence at SW cor of SE ¼ 1152 set plg
" 80 " " of fence 1315 N of SW cor of 1152 set plg
Run line through these two points
Used this transit line for center of
Hofman Street

Westmore & Sanborn's

(see page 5)

8-29-88

Set temporary stake & line of Odd & center of Hoffman at center of Hoffman & Shafter set plg & nut " " " " & Tompkins " "

8-31-88

at center of Hoffman & Hamilton set plg & nut " " " " & N line of Durant " "



Exhibited next Wednesday 8-31-88

Location of house & lot on



Metmore & Sanborn's Add

8 — 31 — 88 — 7

the N + S line through the center of 11 & 12
= 2636'
Cad's Center abt 9'E & 3'N of line Passcoe & Hamilton
Cen. Passcoe & Hamilton to cen S D & C R R = 168'
Cad's center Passcoe & Tompkins abt 6'E & 1'N
" " Passcoe & Shaffer 4'E & 1'N
" " " & Bound 2'E & 4'S

Sept 1 08

Wetmore & Sanborn's Add

Cadd center Hofman & Tompkins 7.5 E 2 N
" " " & line 5 S & 1.5 E
Set up at Hoffman & line sights S on
Hof. & Shafter turn 90 deg min E on
van Dam line at center of Pascoe
struck 6.2 S of line



Wetmore & Symons Addi

Ends cor's Ham & Howard 2.28 N.g.line
" " " & Merritt 2.2 " "
" " " & Pardee 2.05 " "
" " " Pascoe 1.90 " "
" " " Tompkins & Howard 2.51 " "
" " " Merritt 2.1
Shafter & Howard 2.65

Cor. of Ham. & Merritt N.W. to C.R.R. 136.6

(accepted)

74.2 N 74.1

wire fence

Gate Post 3.5 E Cor

67.0

38.4

Hamilton

31.4 N
2.7 E
28.7 N

C R R

134.2 E 3.3

10.3

cor. of Hamilton & Pardee

18.5
5.2
1.2
1.3
5.2.0

Wetmore & Sanborns Add

set upon center Hoffman & Tompkins
Sight N on line of " .
Sta 125 36°21' R 14 feet
15°08' L to Sta 124 PC 12° Curve left
15°17' L " " 123
15°17' L " " 122+25

Set up in center of Howard 190.5 of
center Tompkins sight S on center Hamilton
def 37°34' Left 56' to sta 129. C R R
E.C. of 12° Curve about 130+50

Cads center Tompkins & Pardee not taken out
" " " "

Sept 1888

Lots 1, 2 & 3 Blk 83 11

Wetmore & Sanborn's Add

also 11 & 12 Block 84

12° 35' 97.63
11643.97199 — 102
12° 45 PB, 32

9-6-88

281.94

Survey in Blk 38 Parrish & Loomis Add.

E.T. Wheeler 247
1223
C. Wilkinson
L. Rea 218
B. Woodward


27th
Pzg
38
26th
Pzg
Pzg
Pzg

Checking line of plugs

E. & T. W.

on Cedar St

Set Disc on Mon. 9 & Cdr Sight on 7' Rlg SW 8 & Cdr produce East to 10th line strikes 0.6 S of 7 Pt SW 10th & Cedar

Producing west strike 9 & N of Mon 7th & Cedar 1.93 S of 7 Rlg SW 6th & Cedar

Cedar St from 6 to 8 is straight

Set up on 7' Pt SW cedar & 8th B.S. on Cedar & 6th produce line east setting 7' Points at 9 & 10 Streets

N of Mon at 9th

N of Mon at 10th

	6'	10th	N		(299.83)	300.98
	0	9th	N	W	(299.97)	300.89
	0	8th		64	(300.40)	300.40
	08	7th		31	(300.11)	300.16
	1.93	6th		00		299.86
	64 1/3					

Cedar Street

North line of Carruthers Add

E.T.W.

Set ~~spk~~ on line 7' E of W line of 6th
282.98' N of N line of Cedar St
Set plug on line 7' E of West line 10th
280.18' N of N line of Cedar
run line between these two points
for N. line of Carruthers Add
setting plugs at intersection of 7' lines
of the streets from 6th to tenth

E.T. Wheeler
W.V. Wilkinson
J. Rea
B. Woodruff

Measurements from Beach to Cedar

	Dist	Corrected on acct of Changes in Centers			
6th	299.86	299.86			
on 7th	300.11	300.11			
n 8th	300.40	300.40			
9th	299.97	300.89			
10th	299.89	300.98			

N W angle 10th & Cedar 90°01'



North line of Carruthers Add 9-11-88

wheeler
V. wilkinson
L. M. van Horn

Set pts on park line at each street from 6th to 10th as per diagram st centr book no 3

Sept 12 88

Set all the pts on E line of Carruthers according to data on recorded map

wheeler
Fea
wilkinson
L M van Horn
} sept 12

Checking line of centerline on AV st from 5th to 15th 9-12-88

Run line through AV st near centre

33.	S. to ¾ bldg S.E. cor	Fifth St.		33.00
32.41	S. " 7' plg S.W. "	Sixth		32.44 .03N
31.64	S to Monument	Seventh St		31.72
(30.93) 30.07	N " 7' plg N.W.	8th	"	30.99
30.34	S " Monument	9th	"	30.26
29.75	S " Monument	10th	"	29.53
3 5	N " Center	11th	"	5.
28.04	S " Monument	12th	"	28.07
5.83	N " Center	13th	"	5.74
6.46	N " Center	14th	"	6.46
108.1	N to N.E. cor of Hortonia Add			10.95 from N line of A

5th	00
6th	0.03 N
7th	0.08 N
8th	0.06 N
9th	0.08 S
10th	0.22 S
11th	
12th	0.03 N
13th	0.09 S
14th	00

108.1
146.2

Sept 14 1888

wheeler
Wolkmin
Lea

J M van Hook

(a hr.)

Set center Arctic + C from tie points old center was in but under a tie Spk set yesterday by Hutton supposed to be in center of arc + 7' S of N line of C ~~is~~ 0.2 E of proper place

Set centers Calif + C, Calif + B

Set plg center of 14th & N line of Hartford

Sept 14 88

14

13

12

11

10

9

8

7

6

110.27
65

109.59

109.29

108.88

108.14

108.03

108.91

108.73

N line of Hartford

Street

A

(104.75) (104.93)

Fd 1.45 offset 14th

SW cor of cat pass

Oct 1 1888

Setting centers on division line bet Hartons & Sherman's Adds

	Sg at H	8.67			
	" " I	7.02			
	J				
	K				
	L				
	M				
	N				

Set center 1 + 15th by int from H to J + from
16th B.S. on 18th checked dist to J St in 15th
offset between 14th + 15th

on H	2.68
on I	7.02
on J	6.07
on K	5.90
on L	6.51
on M	6.12
on N	6.52

measurements in ( )



12th from L to M 380.35

12th from M to N 380.31

L St from 13th to 14th 280.54

H St from 14th to 15 on slope from cen. to cen } 480.7 correct to 2480.28

33.61

232.96
40
192.96



Oct 2 1884

Fourteenth St

Checking Line of Centers

010

Set upon cen. 14th L Sighted on Cen. 14th A

Run North

Cen. K St	0.02 E	E of line	meas to Mon
Cen J St	0.05 W	W of line	pkg
Cen. I St	0.18 W	of line	pkg
Cen H St	0.35 W	of line	pkg
Cen G St	0.22 W	" "	pkg
Cen F St	0.10 W	" "	pkg
Cen E St	0.08 E	" "	pkg
Cen D St	0.01 E	" "	pkg 7 PT. S.W.
Cen C St	0.07 W	" "	pkg
Cen B St	0.10 W	" "	pkg
Cen A St	0.0		pkg

Oct 4 Set pt. stakes on S line of Horton's from 10th to B + cen. at 14th Line

Oct 5 Set centers on this line

22

Diagram showing the NW cor of Sherman's Add

Distances in ( ) are according to the recorded maps. All others are from actual measurement



The distances from 15th H to line and from 14th & H to line do not close by 0.88 feet

∴ set pt. ½ way bet. pts as located from 14th & 15th respectively

Oct 5 1888

E.T. Wheeler

Dist from 13" point S19th of Newton to Newton & N. Line =

Mist-cen 22 to cen 24th		479.19	
L			.75 W
K	Move 0.6		23 W
J			.70 W
I			.40 W
H		472.49	1.34 W

Inst at 22+ M.B. Sta L Reverse 7' Pt at N 15.13 East

10

Measurements from Front to Union

23

Oct 6 1888

Date

Cedar

Beach

Ash

A

B

C

D

75'

19353

67

67

216.85

Party
E.T. Wheeler
W.W. Hanson
J. Rea
B. Woodruff

Distances in
( ) are figured

Oct 8, 1888

E. T. W.

Grade for Inspec 14th & I

SW 36.0 SE 34.0

	+	Δ	−	El	Grad
B. M	3.49	40.33		36.84	
			6.00		34.33
X	12.00	52.25	0.08	40.25	
x	6.83	54.78	4.30	47.95	
B M			15.7	38.21	

38

Boundary Line between Hortons & Cleveland's Adds



Oct 17 1888

Boundary line between Horton's Cut + Cleveland's Add

The Boundary line between Clevelands Add. and Mannasseh Schillers Add produced North strikes the East Side of Chimney ~~at~~ East end of two story house at B.S.E this with many a good sight:



Oct 18 1898

E T W



Centers. Sherman's Add.

Nov 14th 1888 To — . —

Run straight line from center H St
To on on: at K, on Each street
Inst at Cen H & 22 B.S on cen 22d at K
Reverse def 0° 02' L. to cen 22 at J line G St
Moved cen 22d & I .11' west
" " 22 & J .24' west
Running S. on 22d L at K 0° 03' Left
Moved cen 17th & M .06 West
" " " & L .10 West
" " " & I .08 East
" " " & J .11 "
Running S. on 17th L at K 0° 01½' Left
Moved cen 18th & L .15 East
" " 18th & M .03 west
" " 18 & J .15 East
" " 18 & I .13 East
Running S. on 18th L at K 0° 03' Left
Inst at cen H & 19th B.S on K L to G St 0° 01½' Left
Moved Cen 19 & I .05 East
" " 19 & J .19 East
" " 19 & L 0.0
" " 19 & M .08 West

Running S on 19th L at K 0° 02' Left
Cen 20th & M on line
" 20th & L " "
Moved " 20 & J .14 East cen Wall at NE. cor ^ 0.2 W of line
" 20 & I 0.06 East " " SE cor 1.0 W of line
Inst at K B.S on H Def Left 0° 03½' To cen at N
" " H " " I " " 0° 01' " " of G
No cen at 21 & J put one in
Moved cen 21 & I
Running N. on 21st L at H 0° 02' Left
Running S. on 21st L at K 03' Left
Moved cen 21 & L .26 East
" " 21 & M .10 "
" " 21 & M .19 "
" " 22 & L .50 "
" " 15 & L .02 East
" 15 & J Move W
" 15 & I
Running S. on 15th L at K 0° 05' Right

Dec 3 1888

Set 4' Pts 3+J 4 Cors —
1st +J NE
4 +J NE
4 +K NE
} adm.

N	S.W.	Gutter	center	Gutter	S.W.
35.22	34.72	33.72	(41.32) 34.32	33.62	
6.1	4.4	7.6	7.0	7.7	34.22
34.62	34.12	35.22	35.92	34.92	35.52
4.7	5.2	6.1	5.4	6.4	5.8

Soil	Sta	+	HI	−	Elev
34.72					
6.6	1450	9.58	41.32		31.79
35.82					
5.5	2				
		6.47	44.20	3.59	37.73
	B.M. 22 and Logan			2.58	41.62


"H"
St.
Hub.
239.87
89°57'
18
Hub 2 No. 8 Cor.
Hub
99.09
89°59'
9
10
11
12
139.42'
Hub
16
15
14
13
99.09
Hub
89°56'
139.58'
15
"I"
St

Checking lines of St. Centers 17th & 18th Sts

E T W

Rail transit line South through a point 33' W of Mon at 17+G & the center at I

Cen 17+H .05 W of line

" 17+I .00

" 17+J .13 E of line

17+K 7' pin SE cor 33.37 E of line

" 17+L .65 E of line

" 17+M .57 E of line

17+N 7' plug NW cor 32.3 W of line

Str. line bet Cen 18+J and 18+N

18+G monument 30.75 E of line (7' plug 32.5 E of plug 7' pin at SW cor)

18+H center .65 E of line

18+I center 0.3 E of line

18+J center on line

18+K Mon 35.4 west of line

18+L Cen .15 W of Line

18+M Cen on line

18+N 7' plg NW cor 33' W of line



Checking lines of 5th Centers

Oct 8 1888 ETW

Transit line from H to L produced to N

Cen	H	+10	0	00	
	I	+15	0.2	E of line	
	J	"	0.4	E of line	
Mon	K		32.55	W of line	H E
	L	"	0 0	———	
	M	"	0.4	W of line	adv
	N		0.8	W of line	

SIXTEENTH St

Transit line from N to I produced to G

N	00	7' Pt NE
M	0.02	W of line NE 7' Pt
L	0.08	W of line 7' Pt SE cor
K	0.11	W of line " "
J	0.04	W of line 7' Pt NE
I	00	7' Pt SE
H	0.07	E Pt cen H + 7' W of E line 16th
G	0.57	W of line SE 7' Pt

Oct 9 1888

Nineteenth Street

Line from H to L Pt produced to G + N

G	0.15	W of line	Mon
H	00		center
I	0.13	W of line	"
J	0.29	W of line	"
K	0.15	W of line	Mon
I	00	of line	center
M	0.29	E of line	"
N	0.39	E of line	7' Pt N W cor

TWENTIETH STREET Oct 9 1888

Line from H to L produced to G + N

G	0.05	E of line	7' Pt S W cor
H	0.00		
I	0.12	West of line	Center
J	0.32	" "	"
K	0.28	West "	Mon
L	00		center
M	0.35	East of line	Center
N			7' Pt NE cor

Oct 9 1888 ETW

TWENTY FIRST Street
Line from H to N

G		
H	on	Center
I	0.26 E of line	Center
J	"	No Center
K	0.08 West of line	Monument
L	0.57 " "	Center
M	0.33 " "	Center
N	on	7th Pt Division

November 9th 1888

Measurements of Blocks on K Street

15-16	199.6
16-17	200.52
17-18	199.7
18-19	200.0
19-20	199.8
20-21	199.6
21-22	201.0


200
300

R	El	R	El	H.	El
		119.5		~~104.7~~ Stn	
				~~Stn~~	
0.0	112.5	3.9	115.6	0	
3.3	116.2	0.1	119.4	+	
		(130.9)			
10.0	120.6	6.8	123.8	1	
6.2	124.4	3.3	127.3	+	
2.7	127.9			2	
		(139.7)			
		8.5	131.2	2	
7.8	131.9	5.4	134.3	+50	
3.0	136.1	2.9	136.8	3	
1.3	138.4	0.0	139.7	~~+40~~	+40
				0	

11 38 119.19 10811

11.66 130.58 0.57 118.92

10.01 139.74 0.90 129.68

200N K Keaz on cement walk

50N of J 0.05 E
100 N of J 0.02 W

95

12.8.09
25.04

.52
8/13

Surv of N½ K Blk 62 H.C
Tie to ck 2. E¼ of NE Cor
SE cor back up 2 E



1111

27 K to J 38 93

26 93

25 95

24 97

Col 10 Blk 76

64.32 + 93.67 = 157.99

10 + asb

8 + a

9 + Park

a b c d e f g h i j k l m n

o p q r s t u v w x y z



Return to City Engineers Office
City Hall, San Diego, Cal.

E.T. Wheeler,
San Diego,
Cal.

Return to City Engineers Office
City Hall, San Diego, Cal.

TRAVERSE TABLE FOR TRANSIT BOOK.

From 1° to 90° for a distance of 100.

Degrees.	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
0			100.00	0.44	100.00	0.87	99.99	1 31	89
1	99.98	1.75	99.98	2.18	99.97	2.62	99.95	3.05	88
2	99.94	3.49	99.92	3.93	99.91	4.36	99.88	4.80	87
3	99.86	5.23	99.84	5.67	99.81	6.10	99.79	6.54	86
4	99.76	6.98	99.73	7.41	99.69	7.85	99.66	8.28	85
5	99.62	8.72	99.58	9.15	99.54	9.58	99.50	10.02	84
6	99.45	10.45	99.41	10.89	99.36	11.32	99.31	11.75	83
7	99.25	12.19	99.20	12.62	99.14	13.05	99.09	13.49	82
8	99.03	13.92	98.97	14.35	98.90	14.78	98.84	15.21	81
9	98.77	15.64	98.70	16.07	98.63	16.50	98.56	16.93	80
10	98.48	17.36	98.40	17.79	98.33	18.22	98.25	18.65	79
11	98.16	19.08	98.08	19.51	97.99	19 94	97.90	20.36	78
12	97.81	20.79	97.72	21.22	97.63	21.64	97.53	22.07	77
13	97.44	22.50	97.34	22.92	97.24	23.34	97.13	23.77	76
14	97.03	24.19	96.92	24.62	96.81	25.04	96.70	25.46	75
15	96.59	25.88	96.48	26.30	96.36	26.72	96.25	27 14	74
16	96.13	27.56	96.00	27.98	95.88	28.40	95.76	28.82	73
17	95.63	29.24	95.50	29.65	95.37	30.07	95.24	30.49	72
18	95.11	30.90	94.97	31.32	94.83	31.73	94.69	32.14	71
19	94.55	32.56	94.41	32.97	94.26	33.38	94.12	33.79	70
20	93.97	34.20	93.82	34.61	93.67	35.02	93.51	35.43	69
21	93.36	35.84	93.20	36.24	93.04	36.65	92.88	37.06	68
22	92.72	37.46	92.55	37.86	92.39	38.27	92.22	38.67	67
23	92.05	39.07	91.88	39.47	91.71	39.87	91.53	40.27	66
24	91.35	40.67	91 18	41.07	91.00	41.47	90.81	41.87	65
25	90.63	42.26	90.45	42.66	90 26	43 05	90.07	43 44	64
26	89.88	43.84	89.69	44.23	89.49	44.62	89.30	45.01	63
27	89.10	45.40	88.90	45.79	88.70	46.17	88.50	46.56	62
28	88.29	46.95	88.09	47.33	87.88	47.72	87.67	48.10	61
29	87.46	48.48	87.25	48.86	87.04	49.24	86.82	49.62	60
30	86.60	50.00	86.38	50.38	86.16	50.75	85.94	51.13	59
31	85.72	51.50	85.49	51.88	85.26	52.25	85.04	52.62	58
32	84.80	52.99	84.57	53.36	84.34	53.73	84.10	54.10	57
33	83.87	54.46	83.63	54.83	83.39	55.19	83.15	55.56	56
34	82.90	55.92	82 66	56.28	82.41	56.64	82.16	57.00	55
35	81.92	57.36	81.66	57.71	81.41	58.07	81.16	58.42	54
36	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	53
37	79.86	60.18	79.60	60.53	79.34	60.88	79.07	61.22	52
38	78.80	61.57	78.53	61.91	78 26	62 25	77.99	62.59	51
39	77.71	62.95	77.44	63.27	77.16	63.61	76.88	63.94	50
40	76.60	64.28	76.32	64.61	76.04	64.94	75.76	65.28	49
41	75.47	65.61	75.18	65.93	74.90	66.26	74.61	66.59	48
42	74.31	66.91	74.02	67.24	73.73	67.56	73.43	67 58	47
43	73.14	68.20	72.84	68.52	72.54	68.84	72.24	69.15	46
44	71.93	69.47	71.68	69.78	71.33	70.09	71.02	70.40	45
45	70.71	70.71							
Degrees.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Degrees.
	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		

Published by Edward Denny & Co., Stationers, Drawing Materials, Mathematical Instruments, Etc., San Francisco.