ALBATROSS ST. 5 UNIV. AVE. to HORTON L

FRONT ST. " "

ST ST. " "

d ST. " "

TH ST. " "

TH ST. " "

TH ST. " "

TH ST. UNIV. to ROBINSON

TH ST. " "

TIE POINT Book 5

T.P.5

T.P. BOOK # 5

LOCATION	DESC.	PAGE
1.	Albatross: Upas to University Front: Walnut to Brookes	1-2
2.	Front: Upas to University	3
3.	First: Upas to University	4
4.	Second: Upas to Walnut Third: Walnut to University	5
5.	Fourth: Upas to University	6
6.	Fifth: Upas to University	7
7.	6th: Upas to University	8-9
8.	7th: @ Robinson	11
9.	8th: @ Robinson	13
10.	Curlew: Pennsylvania to Sloane Pennsylvania: Curlew to Albatross	19
11.	Curlew: Sloane to Albatross	15
12.	University Ave: Florida to Alabama	49-50

Street	Page
Albatross	2
Front	3
First	4
third	5
Fourth	6
Fifth	7
Sixth	8-9
Seventh	11
Eight	12
curlew	13
Brandt	14
Robinson	15

2 St. by map 1"=60'

27N.28 2nd

28S.10 W.M. cor 3rd

Thornton

Return to City Engineers Office
City Hall, San Diego, Cal.

Return to City Engineers Office
City Hall, San Diego, Cal.

ALBATROSS ST.

Mon & Penna

Mon & Front

659.65

70'

7 Lines Front

C.T.

Ct. Mon.

316.63

30

200

93.15

89°58'

30

C.T.

ST

BROOKE'S

ALBATROSS

636.85

34 35

Chimney

Front

613.10

70'

288.79

C.T.

WALNUT

89°20"

36.80

C.T.

C.T.

234.30

C.T.

89°57'45"

80'

108.97

17

C.T.

C.T.

LINE

HORTON

ALBATROSS ST.

ALBATROSS ST.

Z

UNIVERSITY AVE.

70'

Hub.

50'

50'

25'

SPK.

SPK.

SPK. Cov. Pt.

ROBINSON

ALBATROSS

90°02' Mon. C.T.

344.63

89°58'

70'

Pennsylvania

THORNTON

Front

~~FIRST~~ ST.

Mon & Penn'a

Mon & Alb'a

ST.

636.65

SPK in Co. Pipe

C.T.

316.63

BROOKE'S

C.T.

C.T.

FIRST

613.90

288.79

C.T.

289.0

Spike Copper filled with cem. lead plg. Co. Mk.

WALNUT

C.T.

C.T.

89° 58'

200'

FRONT ST.

HORTON

LINE

UPAS

Front

~~FIRST~~ ST.

UNIVERSITY AVE

70'

ST.

SPK

C.T.

ROBINSON

SPIKE

C.T.

70'

35

35

FIRST

89° 58'

90° 02'

M.M. 316.00 to W.T. Line First St

344.63

THORNTON

PENN

First
~~SECOND~~ ST.

B. M. on Curb

ST

273.6'

Bath mark

E.J. 299.3'

47.97

BROOKE'S AVE.

48.50 E.J. 299.4'

CLEVELAND LINE

BROOKE'S LINE

19

18

17

15

618.02

613.75

299.2'

299.3'

288.90

299.30

E.J. E.J. 20' 47.46 E.J.

First

SECOND

WALNUT AVE

73'

66'

214.1'

E.J.

63

150.24'

180.44'

90°00'15"

HORTON LINE

FIRST ST.

LOT

214.1'

179.54'

63

3rd

First
~~SECOND~~ ST.

Curb to curb 41.76'

UNIVERSITY AVE

Ld. plg. Cp. tk.

Con. Bldg.

299.2'

299.6'

429.2'

E.J.

1/2 in Metal Rod

ROBINSON AVE

6 SPIKE

E.J.

299.7'

SPK

NUTT'S LINE

613.78'

613.84'

SPK

299.72'

PEN

E.J. 48.11

THORNTON AVE.

E.J. 48.11 E.J.

299.7'

THIRD ST.

ALLEY

299.48' 61.75'

Ld. plg. cp. tk. 7' out

ST.

61.69' 40'

45.91'

299.89'

Ld. plg. cp. tk. 7'

6 PK

BROOKE'S AVE.

Ld. plg. cp. tk 7' out

299.41'

Cpk Iron ring 7' out

299.38'

BROOKE'S LINE

Barn

299.30'

61.81'

THIRD

61.99'

45.98'

Spk Cover

Cop tack

WALNUT AVE

66'

Ld plg. cp tk

214.46'

214.14'

HORTON LINE

SECOND ST.

120.54'

120'

214.59'

THIRD ST.

UPAS ST

Ld. plg. cp tk. 7'

Ld. plg. cp tk. 7'

THIRD ST.

Ld. plg. cp. tk

Ld. plg. Cp. tk.

UNIVERSITY AVE.

Ld. plg. Cp. tk.

56.13.5'

Ld. plg. Cp. tk. 7' both ways.

299.54'

80'00'

70'

299.79'

416.6'

ST

299.84'

299.66'

299.80'

Ld. plg. cp. tk. 7'

56'

Ld. plg. cp. tk. 7'

ROBINSON AVE.

SPIKE 60'

Spk. Iron ring.

Ld. plg. Cp. tk.

299.67'

299.76'

NUTT'S LINE

THIRD

61.99'

61.81'

299.72'

299.66'

PENN

7' pt.

Ld. plg. cp. tk.

55.98'

THORNTON AVE

7' pt.

R.W. plg. cp. tk. Iron ring

55.97'

7' pt.

Ld. plg. cp. tk.

299.7

299.68'

FOURTH ST.

FOURTH ST.

S.T.

90°01'

299.89'

613.71'

BROOKE'S AVE

299.88'

BROOKE'S LINE

Cap tack

Cap tack

613.95'

4TH

90°00'

299.85'

Cap. tack.

Cap. tack.

WALNUT AVE

Ld. plg. cp. tk.

Ld. plg. cp. tk.

HORTON LINE

4TH ST.

UNIVERSITY AVE

No. cp. th. in Iron ring

7' both ways

55.99'

La. plg Cp. tk.

7' both ways

299.79'

90°00'

70'

S.T.

429.81'

429.79'

90°03'?

299.80'

Pk in Cement

R.W. plug cp. th.

SPIKE

ROBINSON AVE.

299.76'

89°58'

NUTT'S LINE

613.21'

613.91'

4TH

89°59'

299.66'

20

W.M.

PENN

THORNTON AVE.

299.68'

90°01'

135.0

3.8 to gauge side rail

FIFTH ST.

ST

BROOKES 60' AVE.

BROOKES LINE

393.85'

EVANS PLACE

IVY LANE

WALNUT 80' 5TH

HORTON LINE

UPAS ST.

FIFTH ST.

ROBINSON AVE

NUTT'S LINE

329.53'

EVANS PLACE

599.45'

THORNTON AVE.

ANDERSON PLACE

BROOKE'S AVE.

FIFTH ST.

SIXTH ST.

ADD.

BROOKES ST.

GARBER ST.

BROOKE'S LINE

UNIVERSITY AVE.

299.13

299.17

429.72

429.65

429.55

ROBINSON AVE.

5TH ST.

6TH ST.

EVANS PLACE

IVY LANE

434.30

39.40

CRITTENDEN

N.W. COR. PARK

SIXTH ST.

ROBINSON AVE

196.8'

196.20'

29.2'

EVANS PLACE

200'

27'

ST.

ADD

5'

40.28

Pennsylvania

THORNTON AVE

40.26

0.44'

Penn'a-Jogs 0.4' North E. Line of 6th St.

ANDERSON PLACE

6TH

CRITTENDEN

BROOKES

AVE.

GARBER

SIXTH ST. 9

301.61

313.91

UNIVERSITY AVE

213.78

41.38

ST.

CRITTENDEN ADD.

429.55

430.12

54.98

40.94

211.70

Nail in walk

6TH

ROBINSON AVE.

47.88

No. 15 Lot 4 & 5
Blk. 1



SEVENTH ST.

UNIVERSITY AVE



EIGHTH ST

UNIVERSITY AVE



ROBINSON AVE

66


C.T.
60.97
10.61
10.13.4
C.T.
30.48
C.T.
20.4
C.T.
PENN. AVE.
CURLEW
SLOANE
173.00
64°13'
64°13'
25°47'
135.01
30
30
60
12.73
ALBATROSS
35
35
89°59'
PENN. AVE
126.0
173.75
45
GODSOL LANE
10
5
90°01'
15
15
BRANT ST.
90°01'


30
13
12
CL
R = 100.44'
Curlew
Sloane


Robinson
15
15
Grant
Albatross

Levels for Culvert on Univ Ave
bet. Florida & Alabama 11/16 S. Davis
(S. Nolan
Thomas)

		B.M. 251.88	
0			{12.8 = Bottom / 11.3
+10			10.9
+20			9.3
+40			8.3
+60			7.3
+80			7.1
+92.5			6.8
1+00			6.7
+20			6.3
+40			5.8
+60			6.3
+71			6.4
+72			7.5
+80			7.6 = Bottom

Transferred to Misc. Work

N 42 E 37



279.09

260
2√700
1270 1400 1.18
1270
2800
1270
10300
10160

1.18

288.0
5.27
293.27
12 76
280.51
2.35
282.86
7.95
274.91
.42

260
15
15
90
70
20

1.56	280.65		279.09
1.26	269.80	12.11	268.54
1.65	259.09	12.36	257.44
4.48	251.88	11.69	24146

87
25
63

37.76
+57

87
64
1.50

N.E Cor F/a 285.0
71'W of ala 268.9
+10 268.2
+10 267.2
+10 266.8
+10 266.0
+10 262.2
N.W of ala 266.0

37.84
73
44.54

.07

23' 16.10 .07 6.1
12 10
.1 .07

.07 251.8
7.8
244.0

128
39.08

27'
239.1
3 3.9
165.9
118

273.6
44
29.80
114.9
4.6.7

D to C 301.6

.0008484848
387

16969 6
678784
254544
324079 36

275
15
360
18

660 / .5900 / 8993

98
39
5900
6280
6200
5740
7600
1980
6200
1980

.01933
444
3573 2
3573 2
3573 2
3967 2 52
54.98
54.3717

429.84
14
415.84

.001933
375
4466
1726
24999
2173225
54.37717

.01931
451
8933
44665
35732
4028785

299 69
15
299.54

62.15
14
48.15

289
15
275
20
255
127

299.69
14
285.69
15
270.69
135.69

288.90