

Section 6

References

Advanced Water Purification Facility Quarterly Testing Report No. 4. CDM Smith and MWH, October 2012.

Development and Application of Tools to Assess and Understand the Relative Risks of Drugs and Other Chemicals in Indirect Potable Reuse Water. WateReuse Research Foundation, 2010.

Groundwater Recharge Reuse Draft Regulations. CDPH, November 2011.

Full-Scale Reservoir Augmentation Capacity Analysis Technical Memorandum. RMC, 2011.

Optimizing RO Design Criteria for Indirect Potable Reuse. Wetterau, G., Liu, P., Chalmers, B., Richardson, T., and VanMeter, H.B., IDA Journal 4th Quarter 2011, pp. 40-45.

Membrane Treatment of Secondary Effluent for Subsequent Use: Phase 2 – Pilot Plant Comparisons of MF and UF for Pretreatment of High-Pressure Membranes. Reardon, R.D., Treadway, J.M., Fousserou, X.J., Hobbs, C.M., DiGiano, F.A., and Kim, J.H., Water Environment Research Foundation, 2006.

Monitoring Strategies for Chemicals of Emerging Concern (CECs) in Recycled Water. State Water Resources Control Board, June 25, 2010.

(http://www.waterboards.ca.gov/water_issues/programs/water_recycling_policy/docs/cec_monitoring_rpt.pdf)

Purified Water Conveyance System Final Conceptual Design Report. RMC, 2012.

Ultraviolet Disinfection Guidance Manual for the Final Long Term 2 Enhanced Surface Water Treatment Rule. EPA, November 2006.

This page intentionally left blank.

This page intentionally left blank.