



**Date of Notice:** June 1, 2022

# **NOTICE OF RIGHT TO APPEAL ENVIRONMENTAL DETERMINATION PLANNING DEPARTMENT**

---

**PROJECT NAME:** Natural History Museum Roof Repair

**COMMUNITY PLAN AREA:** Balboa Park

**COUNCIL DISTRICT:** District 3

**LOCATION:** 1788 El Prado, Balboa Park, San Diego CA. 92101

**PROJECT DESCRIPTION:** Repair portion of existing roof. The scope of work includes the following:

1. Power wash roof
2. Cut out one large 8x15 ft blister and 3 other small blisters
3. Foam fill in blister areas level with the existing foam roof
4. Repair any other cracks or holes
5. Prime with .5 gallons foam primer per 100 sq ft
6. Apply 1.5 gallons GAF Diathon gray base coat per 100 sq ft
7. Apply 1.5 GAF Diathon top coat per 100 sq ft (Color: Light Gray)
8. Butter seal all penetrations

**ENTITY CONSIDERING PROJECT APPROVAL:** City of San Diego

**ENVIRONMENTAL DETERMINATION:** Categorically Exempt from CEQA pursuant to CEQA Guidelines Section 15301 (Existing Facilities) and Section 15331 (Historical Resource Restoration/Rehabilitation).

**ENTITY MAKING ENVIRONMENTAL DETERMINATION:** City of San Diego Mayor-Appointed Designee.

**STATEMENT SUPPORTING REASON FOR ENVIRONMENTAL DETERMINATION:**

The City of San Diego conducted an environmental review that determined the project would not have the potential for causing a significant effect on the environment pursuant to CEQA Guidelines Section 15301 (Existing Facilities) which consists of the operation, repair, maintenance, permitting, leasing, licensing, or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of existing or former use; and CEQA Guidelines Section 15331 (Historical Resource Restoration/Rehabilitation) which consists of projects limited to maintenance, repair, stabilization, rehabilitation, restoration, preservation, conservation or reconstruction of historical resources in a manner consistent with the Secretary of the Interior's Standards for the Treatment of

Historic Properties with Guidelines for Preserving, Rehabilitating, Restoring, and Reconstructing Historic Buildings (1995), Weeks and Grimmer. The exceptions listed in CEQA Guidelines Section 15300.2 would not apply in that no cumulative impacts were identified, no significant effects on the environment were identified, the project is not adjacent to a scenic highway, no historical resources would be affected by the action, and the project was not identified on a list of hazardous waste sites pursuant to Section 65962.5 of the Government Code.

**CITY CONTACT:** Luis Echevarria  
**MAILING ADDRESS:** 1245 Caminito Centro, San Diego, CA 92102, MS 20  
**E-MAIL/PHONE NUMBER:** [Lechevarria@sandiego.gov](mailto:Lechevarria@sandiego.gov) 619-980-0196

---

On June 1, 2022 the City of San Diego made the above-referenced environmental determination pursuant to CEQA. This determination is appealable to the City Council. If you have any questions about this determination, contact the City Contact listed above.

Applications to appeal the CEQA determination to the City Council must be filed with the Office of the Clerk within 5 business days from the date of the posting of this Notice (**June 8, 2022**). Per the revised Public Notice issued by the Office of the City Clerk on September 28, 2021, appeals to the City Clerk must be filed via e-mail or in-person as follows:

1. Appeals filed via Email: Send the appeal by email to [Hearings1@sandiego.gov](mailto:Hearings1@sandiego.gov); your email appeal will be acknowledged within 24 hours. You must separately mail the required appeal fee by check payable to the City Treasurer to: **City of San Diego Planning Department, Attn: Greg Johansen, 9485 Aero Drive, MS 413, San Diego, CA 92123**. The appeal filing fee must be postmarked within 5 business days of the date the appeal is filed.
2. Appeals filed In-Person: The appeal application can be obtained in the Lobby of the City Administration Building located at 202 'C' Street, San Diego, CA 92101. The completed appeal package must include the required appeal fee in the form of a check payable to the City Treasurer to: **City of San Diego Planning Department, Attn: Greg Johansen, 9485 Aero Drive, MS 413, San Diego, CA 92123**.

If you have any questions regarding the procedures to file the appeal, please contact **Greg Johansen** at [gjohansen@sandiego.gov](mailto:gjohansen@sandiego.gov). The revised Public Notice can be found here: [https://www.sandiego.gov/sites/default/files/office\\_of\\_the\\_city\\_clerk\\_public\\_notice\\_rev09252020\\_v2.pdf](https://www.sandiego.gov/sites/default/files/office_of_the_city_clerk_public_notice_rev09252020_v2.pdf).

This information will be made available in alternative formats upon request.

**POSTED ON THE CITY'S CEQA WEBSITE**

**POSTED: June 1, 2022**

**REMOVED:**

**POSTED: G. Johansen**